

IMPERIAL AGRICULTURAL
RESEARCH INSTITUTF, NEW DELHI

MGIPC - 91 TH 191-228-1) - 50m





THE JOURNAL OF BIOLOGICAL CHEMISTRY

FOUNDED BY CHRISTIAN A. HERTER AND SUSTAINED IN PART BY THE CHRISTIAN A. HERTER
MEMORIAL FUND

EDITED FOR THE AMERICAN SOCIETY OF BIOLOGICAL CHEMISTS

EDITORIAL BOARD

RUDOLPH J. ANDERSON W. MANSFIELD CLARK HANS T. CLARKE EDWARD A. DOISY HOWARD B. LEWIS
ELMER V. McCOLLUM
WILLIAM C. ROSE
DONALD D. VAN SLYKE

INDEX VOLUMES 101–125 1933–1938

COMPILED BY
ISAAC NEUWIRTH

There Walking

NEW HAVEN

1939

Made in the United States of America

Copyright, 1939 by THE JOURNAL OF BIOLOGICAL CHEMISTRY

PUBLISHED AT YALE UNIVERSITY FOR
THE JOURNAL OF BIOLOGICAL CHEMISTRY, INC.
WAVERLY PRESS, INC.
BALTIMORE, U. S. A.

AUTHOR INDEX

A.
Abbott, Lynn DeForrest, Jr. See
GAEBLER, 117, 397
See GAEBLER and ABBOTT,
119, xxxvi
123, 119
Abbott, W. O. See KARR, Aus-
TIN, ABBOTT, and HOFFMAN,
119, lv
See HOFFMAN, ABBOTT,
KARR, and MILLER,
123, lvii
Abels, Julius C. A simple
method for the determination
of acetone in blood and urine,
119, 663
- See Moyer and Abels,
121, 331
Abramson, Harold A. See
Moyer and Abramson,
123, 391
Adams, Elliott T. Theoretical
considerations concerning the
union of oxygen and carbon
monoxide with hemoglobin,
105, iii
—. On the equilibrium between
oxygen and respiratory pig-
ments, 119, iii
Adams, Mildred, and Boothby,
Walter M. Changes in the
oxygen content of venous blood
as the result of fever therapy
with and without the adminis-
tration of oxygen, 114, iii

```
Adams, Philip D. The oxygen
  uptake and composition of the
  skin of rats in vitamin G defi-
  ciency.
                       116,641
Addis, T., Poo, L. J., Lew, W.,
  and Yuen, D. W. Gravimetric
  methods for the determination
  of total body protein and
  organ protein,
                       113, 497
-, -, and -. The quantities
  of protein lost by the various
  organs and tissues of the body
  during a fast.
                       115, 111
-, -, and -. Protein loss from
  liver during a two day fast,
                       115, 117
```

—, —, and —. The rate of protein formation in the organs and tissues of the body.

I. After casein refeeding,

116, 343

—, Karnofsky, D., Lew, W., and Poo, L. J. The protein content of the organs and tissues of the body after administration of thyroxine and dinitrophenol and after thyroidectomy, 124, 33

Albrecht, Audra J. See Lang-LEY and ALBRECHT,

108, 729

Allen, Frank Worthington, and Cerecedo, Leopold R. Studies on purine metabolism. II. Allen, Frank Worthington—continued

The fate of guanine in the organism of the dog,

102, 313

—. See CERECEDO and ALLEN, 107, 421

-. See EILER and ALLEN, 123, 655

Allen, Willard M. See WINTER-STEINER and ALLEN,

107, 321

— and Goetsch, Carl. A simplified method for the preparation of crystalline progesterone from pig ovaries,

Allers, W. D. See Kendall, Mason, Myers, and Allers, 114, lvii

Almaden, Phillip. See Yavorsky, Almaden, and King,

106, 525

Almquist, H. J., and Greenberg, David M. The influence of pH on the optical rotation of proteins, 105, 519

--, Lorenz, F. W., and Burmester, Ben R. Relation of depot fat to egg yolk fat in laying hens, 106, 365

— and Stokstad, E. L. R. Hemorrhagic chick disease of dietary origin, 111, 105

 Purification of the antihemorrhagic vitamin,

114, 241

 Purification of the antihemorrhagic vitamin by distillation, 115, 589

Chemical and physical studies on the antihemorrhagic vitamin, 117, 517

 Further studies on the antihemorrhagic vitamin,

120, 635

—. See Klose, Stokstad, and Almquist, 123, 691

See Klose, Almquist, and Mecchi,125, 681

Altschul, Aaron M., and Hogness, T. R. Spectroscopic evidence for the existence of carboxycytochrome C.

124, 25

 See Stotz, Altschul, and Hogness, 124, 745
 Altschule, Mark D. See Gilli-

GAN, VOLK, and ALTSCHULE, 103, 745

Alving, Alf S., and Gordon, Wayne. Studies of urea, creatinine, and ammonia excretion in dogs in acidosis,

120, 103

Ambrose, Anthony M., Power,
Francis W., and Sherwin, Carl
P. Further studies on the
detoxication of phenylacetic
acid, 101, 669
— and Sherwin, Carl P. Source

- and Sherwin, Carl P. Source of glucuronic acid, 105, iv Ammerman, Marion. See

Waterman and Ammerman, 105, xcviii

Anchel, Marjorie, and Schoenheimer, Rudolf. Reagents for the isolation of carbonyl compounds from unsaponifiable material, 114, 539

— and —. Application of ketone reagents to the isolation of ketonic acids. Isolation of 3-hydroxy-6-ketoallocholanic acid from hog bile,

— and —. Deuterium as an indicator in the study of intermediary metabolism. XV. Further studies in coprosterol formation. The use of compounds containing labile deuterium for biological experiments, 125, 23

Anderson, Arthur B. See Nie-MANN, ANDERSON, and LINK, 116, 447

Anderson, Carl E. See GREEN-BERG, ANDERSON, and TUFTS, 111, 561

114, xliii

Anderson, Ernest. The mucilage from slippery elm bark,

104, 163

— and Fireman, Milton. The mucilage from psyllium seed, Plantago psyllium, L.,

109, 437

- and Krznarich, Paul W. Hemicellulose from oat hulls, 111, 549
- —. The isolation of pectic substances from wood,

112, 531

- —, Russell, F. H., and Seigle, L. W. The gum from lemon trees, 113, 683
- —, Seigle, L. W., Krznarich, Paul
 W., Richards, Llewellyn, and
 Marteny, W. W. The isolation of pectic substances from wood. II,
 121, 165
- Anderson, Harriott I. Gates.
 See Perlzweig, Kondritzer,
 and Bruch, 123, xcii

Anderson, Ian A. See Buell,
Anderson, and Strauss.

114, xvi

Anderson, R. J. See Pangborn and Anderson, 101, 105

— and Newman, M. S. The chemistry of the lipids of tubercle bacilli. XXXIII. Isolation of trehalose from the acetone-soluble fat of the human tubercle bacillus,

101, 499

— and —. XXXIV. Isolation of a pigment and of anisic acid from the acetone-soluble fat of the human tubercle bacillus, 101, 773

See Newman and Anderson, 102, 219, 229

— and Newman, M. S. The chemistry of the lipids of tubercle bacilli. XXXV. The constitution of phthiocol, the pigment isolated from the human tubercle bacillus.

103, 197

- and —. XXXVII. The synthesis of phthiocol, the pigment of the human tubercle bacillus, 103, 405
- -. See Crowder and Anderson, 104, 399, 487
- —. See Bengis and Anderson, 105, 139
- -. See Newman, Crowder, and Anderson, 105, 279
- See Salisbury and Anderson, 112, 541
- -. See Spielman and Anderson, 112, 759
- —, Crowder, J. A., Newman, M. S., and Stodola, F. H. The chemistry of the lipids of tubercle bacilli. XLIII. The composition of leprosin,

Anderson, R. J .-- continued

__, __, and __. The composition of leprosin, 114, iii

See CROWDER, STODOLA, and Anderson. 114, 431

See STODOLA and ANDER-114, 467

 See Reeves and Anderson, 119, 535, 543

See Cason and Anderson, 119, 549

-, Reeves, Richard E., and Stodola, F. H. The chemistry of the lipids of tubercle LI. Concerning firmly bound lipids of the human tubercle bacillus,

121, 649

-, -, and Crowder, J. A. The chemistry of the lipids of bacilli. LII. The tubercle composition of the acetonesoluble fat of Bacillus lepræ, 121,669

-, Lothrop, W. C., and Creighton, M. M. The chemistry of the lipids of tubercle bacilli. LIII. Studies on the phosphatide of the human tubercle bacillus. 125, 299

Anderson, Richmond K., and Squires, Raymond B. ence of phlorhizin on serum phosphatase activity.

124, 71

Anderson, Rubert S. The attempted use of crystals as calcium electrodes, 115, 323

Anderson. Thomas F. See HARKINS and ANDERSON,

125, 369

Anderson, William E. See LIGHT, SMITH, SMITH, and 107, 689 ANDERSON,

See PAQUIN and ANDERSON. 114, lxxix

Andes, Jerome E., and Myers, Victor C. Colorimetric estimation of guanidine-like substances in the urine,

118, 137

The determination of blood creatine with 3,5-dinitrobenzoic acid as a color reagent,

119, iv

Andrews, James C., and Johnston, Charles G. The absorption of certain sulfur compounds from intestinal loops

 and Andrews, Kathleen Cran-The decomposition of cystine phenylhydantoin,

102, 253

The racemization and oxidation of cystine in acid solution, 102, 263

 and Andrews, Kathleen Cran- \mathbf{The} preparation properties of cystine hydantoin, 105, iv

-, Johnston, Charles G., and Andrews, Kathleen Crandall. The absorption and metabolism of cystine and of certain cystine derivatives in dogs with isolated intestinal loops, 109, iii

See Jones, Andrews, and Andrews. 109, xlvii

The hydrolysis of hair,

114, iii

- and Andrews, Kathleen Cran-A critical study of the dall.

Sullivan method for the deter-See SUPPLEE, ANSBACHER, and BENDER. 110, 365 mination of cystine, See SUPPLEE, FLANIGAN, 114, iv HANFORD, and ANSBACHER, - and -. Substances which 113, 787 inhibit color development in See SUPPLEE, ANSBACHER, the Sullivan method for cys-BENDER, and FLANIGAN, 118, 555 tine. 114, 95 The solubility of amino Anslow, Gladys A., Foster, Mary acids in concentrated sulfuric Louise, and Klingler, Char-119, v acid. lotte. The absorption spectra See and AN-RUTENBER of glycine solutions and their 119, lxxxvi DREWS, interpretation, 103, 81 120, 203 Antaki, Albert. See KERR and Reduction of certain sulfur 121, 531 ANTAKI, compounds to hydrogen sulfide 122, 49 by the intestinal microorgan-Applebaum, E. See Hollander, isms of the dog, 122, 687 BODECKER, SAPER, and APPLE--, Andrews, Kathleen Crandall, BAUM, 105, xl and Rutenber. Charles B. Archibald, R. C. See EVANS, Studies on cystinuria. The MURPHY, ARCHIBALD, effect of administration of large 108, 515 CORNISH. doses of ascorbic acid and of Armitage, Alfred. See McCAY methionine to the cystinuric. and MAYNARD, 109, 29 123, iii Armstrong, W. D. See REN-Crandall. Andrews. Kathleen SHAW and ARMSTRONG, See Andrews and Andrews, 103, 187 102, 253 Composition of whole sound 105, iv teeth, enamel, and dentin, - See Andrews, Johnston, 109, iv and Andrews, 109, iii Fluorine content of enamel See Jones, Andrews, and and dentin of sound and cari-ANDREWS, 109, xlvii ous teeth. See ANDREWS and An-- and Brekhus, P. J. Chemical DREWS. 114, iv constitution of enamel and 118, 555 dentin. I. Principal compon-See Andrews. Andrews, and RUTENBER, 123, iii 120, 677 Ansbacher, S., and Supplee, G. See GRUNER, McCONNELL, C. The cholesterol and ARMSTRONG, content 121, 771 and the antirachitic activation Arnold, Aaron. See ELVEHJEM, of milk constituents. SHERMAN, and ARNOLD, 105, 391 109, xxix Arnold, Aaron-continued

-, Kline, O. L., Elvehjem, C. A., and Hart, E. B. Further studies on the growth factor required by chicks. The essential nature of arginine,

116,699

—. See Stirn and Arnold, 123, exvii

Arnow, L. Earle. Physicochemical effects produced by the irradiation of crystalline egg albumin solutions with α particles, 110, 43

Colorimetric determination of the components of 3,4-dihydroxyphenylalanine-tyrosine mixtures,
 118,531

—. The formation of dopa by the exposure of tyrosine solutions to ultraviolet radiation, 120, 151

Astrup, Tage, and Jensen, Hans Behrnts. Chemistry of heparin, 124, 309

Atkin, Lawrence. See Kirby and Atkin, 116, 511

Ault, W. C., and Brown, J. B.
The fatty acids of the phosphatides of beef suprarenals,
107, 607

— and —. Some observations concerning the chemistry of arachidonic acid and its quantitative estimation,

1**07**, 615

Austin, J. Harold. See DRABKIN and Austin, 105, xxiii 112, 51

and Drabkin, David L. Spectrophotometric studies. III.
 Methemoglobin, 112, 67

 See Drabkin and Austin, 112, 89, 105

—. See Sunderman and Austin, 114, ciii

 See Karr, Austin, Abbott, and Hoffman,

119, lv

Austin, W. C., and Humoller, Fred L. The preparation of crystalline β -l-altrose, a new aldohexose, from l-ribose by the cyanohydrin reaction,

105, v

Avery, Bennett F., Kerr, Stanley E., and Ghantus, Musa. The lactic acid content of mammalian brain, 110, 637

Avrin, Ira. See Bernstein, Jones, Erickson, Williams, Avrin, and Macy,

122, 507

See Erickson, Williams,
 Bernstein, Avrin, Jones, and
 Macy,
 122, 515

—. See WILLIAMS, ERICKSON, AVRIN, BERNSTEIN, and MACY, 123, 111

Aylward, Francis X., and Holt, L. Emmett, Jr. The nature of the lipotropic agent in pancreas, 121, 61

Ayres, Gilbert B., and Lee, Milton. Determination of the nitrogen partition in tissues, 115, 139

В

Babbitt, Dorothea. See Mar-SHALL, 122, 263

Babcock, Sidney H., Jr. See Jukes and Babcock.

123, lxv 125, 169

Babers, Frank H. See GOEBEL	Bakwin, I
and BABERS, 101, 173	Oscar.
105, xxx	the mea
- and Goebel, Walther F. The	phatase
synthesis of the p -aminophenol	tracts,
β -glycosides of maltose, lactose,	—. See
cellobiose, and gentiobiose,	WIN,
105, 473	Bale, Wil
- See Goebel and Babers,	Bale, a
106, 63	
110, 707	- See I
111, 347	Fevre,
Babler, Bernard J. See	—. See E
Schwoegler, Babler, and	Ball, Eric
Hurd, 113, 749 Bachman, C. See Gurin, Bach-	Tou. S
MAN, and Wilson,	reductio
123, xlix	and rela
Baernstein, Harry D. The sul-	and reia
fur distribution in proteins,	Studi
105, vi	tion. X
A modification of the	pigment
method for determining meth-	bacillus,
ionine in proteins, 106, 451	-and Sad
A new method for the de-	study o
termination of methionine in	sodium
proteins, 114, v	
115, 25	- Echir
—. The sulfur distribution in	and com
proteins. II. The combined	- Oxida
methods for the determination	tials of
of cystine, methionine, and	tem,
sulfates in hydriodic acid di-	- Studi
gests, 115, 33	tion. X matiol, s
—. The nutritional value of	mation, a
various protein fractions of the	xxi
· peanut, 122, 781	. 2222
Baker, Zelma, Fazekas, J. F.,	Balls, A. E
and Himwich, Harold E. Car-	The ant
bohydrate oxidation in normal	
and diabetic cerebral tissues,	- and Ha

- Bakwin, Harry, and Bodansky,
 Oscar. Factors influencing
 the measurement of the phosphatase activity of tissue extracts, 101, 641

 —. See Bodansky and Bak-
- WIN, 104, 747
 Bale, William F. See Hodge,
- Bale, William F. See Hodge, Bale, and LeFevre,
- 119, xlix

 ---. See HAVEN, BALE, and LEFEVRE, 123, lii
- -. See Hodge and Bale,
- Ball, Eric G., and Chen, Tung-Tou. Studies on oxidationreduction. XX. Epinephrine and related compounds,
 - 102, 691

 --- Studies on oxidation-reduction. XXI. Phthiocol, the pigment of the human tubercle bacillus.

 106, 515
- and Sadusk, Joseph F., Jr. A study of the estimation of sodium in blood serum,
 - 113, 661
- -. Echinochrome, its isolation and composition, 114, vi
- Oxidation-reduction potentials of the ascorbic acid system,
 114, vii
- Studies on oxidation-reduction. XXII. Lapachol, lomatiol, and related compounds, 114, 649
- -. XXIII. Ascorbic acid, 118, 219
- Balls, A. K., and Swenson, T. L. The antitrypsin of egg white, 106, 409
- tissues, and Hale, W. S. On peroxi-125, 545 dase, 107, 767

Balls, A. K.—continued

- and Hoover, Sam R. milk-clotting action of papain, 121, 737

-, Matlack, M. B., and Tucker, I. W. The hydrolysis of glycerides by crude pancreas li-122, 125

- and -. Mode of action of 123,679 pancreatic lipase,

- and -. The enzymic hydrolysis of benzyl stearate and 125, 539 benzyl butyrate,

Bancroft. Frederic W. See CHARGAFF, BANCROFT, and STANLEY-BROWN,

> 115, 149, 155 116, 237

Bandemer, S. L. See SCHAIBLE, BANDEMER, and Moore,

109, lxxix

Barbour, A. D. The deposition and utilization of hydrogenation isooleic acid in the animal 101, 63

The effect of the saturated fatty acid content of the diet on the composition of the body fat. 106, 281

Barbour, Henry G. See Smith, TRACE, and BARBOUR,

116, 371

Barker, H. Albert. The optical rotatory power of heat-denatured egg albumin.

103, 1

The refractivity of heatdenatured egg albumin,

104,667

Barker, S. B. See Goldfarb, BARKER, and HIMWICH,

-, Chambers, William H., and Dann, Margaret. Metabolism of carbohydrate in the depancreatized dog,

118, 177

Barnard, Robert D. The reactions of nitrite with hemoglobin derivatives.

120, 177

Barnett, Harold M. The determination of carotene in butter fat. 105, 259

Barrett, H. M., Best, Charles H., and Ridout, Jessie H. The source of liver fat, 123, iii

Barron, Alberto Guzman. See BARRON, BARRON, and KLEMP-116, 563

Barron, E. S. Guzman, and Hastings, A. Baird. The oxidation-reduction potentials of lactoflavin. 105, vii

- and -. Studies on biological III. The oxidations. tion-reduction potential of the lactate-enzyme-pyrusystem vate, 107, 567

See DEMEIO, KISSIN, and BARRON, 107, 579

- and Hastings, A. Baird. The oxidation-reduction potentials of cyanide-hemochromogen.

109, iv

—, DeMeio, R. H., and Klemperer, Friedrich W. on biological oxidations. V. Copper and hemochromogens as catalysts for the oxidation of ascorbic acid. The mechanism of the oxidation.

112, 625

105, 283, 287 | —. Studies on biological oxida-

tions. VI. The oxidation of pyruvic acid by gonococci,

113,695

-, Barron, Alberto Guzman, and Klemperer, Friedrich W. Studies on biological oxidations. VII. The oxidation of ascorbic acid in biological fluids, 116, 563

See Hogness, Zscheile, SIDWELL, and BARRON,

118, 1

The oxidation-reduction potentials of Spirographis hemin and of some of its hemochromo-119, vi gens,

See Lyman and Barron, 121, 275

Studies on biological oxida-IX. The oxidation-reduction potentials of blood hemin and its hemochromo-121, 285 gens.

The basic dissociation constant of α -picoline,

121, 313

— and Lyman, Carl M. Studies on biological oxidations. X. The oxidation of unsaturated fatty acids with blood hemin hemochromogens and catalysts, 123, 229

-. See SIDWELL, MUNCH. BARRON, and Hogness,

123, 335

- and Lyman, Carl M. The oxidation and dismutation of pyruvic acid. 123, iv

Bartholomew, E. T., and Raby, The recovery of hydrocyanic acid from fumigated citrus leaves, 113, 655 Bartlett, Paul. See GAEBLER and BARTLETT, 123, xl

Bartlett, Paul D., Kuna, Martin, and Levene, P. A. The configurational relationship of α hydroxy-n-valeric and α -hydroxvisovaleric acids,

118, 503

-, -, and -. The configurational relationship of α -hydroxy-n-caproic and α-hvdroxyisocaproic acids,

118, 513

Bashour, Joseph T., and Bauman, Louis. Note on the quantitative precipitation of cholesterol digitonide in the presence of bile salts,

117, 551

-. See Cortese and Bashour, 119, 177

and Bauman, Louis. The solubility of cholesterol in bile salt solutions, 121, 1

Bates, Robert W., and Koch, F. C. Studies on the trypsinogen, enterokinase, and trypsin system. Assay methods for trypsinogen and enterokinase, 111, 197

A rapid method for quantitative determination of tryptophane, 119, vii - and Riddle, Oscar. Prena-

ration of prolactin free from other pituitary hormones and preparation of a mixture of other pituitary hormones free from prolactin. 123, v

Baudisch, Oskar, Nitrate and nitrite assimilation. XX. Formation of active hydrogen during autoxidation of ferrous hydroxide, 105, vii Bauguess, Lyle C., and Berg, Clarence P. Tryptophane metabolism. V. Growth on tryptophane-deficient diets supplemented with β -3-indole-

supplemented with β -3-indole-acrylic, α -oximino- β -3-indole-propionic, and l- and dl- β -3-indolelactic acids,

104, 675

and —. VI. The production of kynurenic acid from indole derivatives,
 104, 691

— and —. The production of kynurenic acid from tryptophane and indole derivatives, 105, viii

— and —. Tryptophane metabolism. VII. Growth and kynurenic acid production on amides of *l*-tryptophane,

106, 615

 Tryptophane metabolism of the diphtheria bacillus,

109, v

— and Berg, Clarence P. Tryptophane metabolism. VIII. Growth and kynurenic acid production on carbonic acid derivatives of tryptophane,

114, 253

Baum, Harry. See FISHBERG and BAUM, 123, XXXV Bauman, Louis. See CORTESE and BAUMAN, 113, 779

—. See BASHOUR and BAUMAN, 117, 551

121, 1

Baumann, C. A., and Steenbock, H. Fat-soluble vitamins. XXXVI. The carotene and vitamin A content of butter, 101, 547

— and —. XXXVII. The stability of carotene solutions,

101, 561

—, —, Ingraham, Mary A., and Fred, E. B. Fat-soluble vitamins. XXXVIII. Microorganisms and the synthesis of carotene and vitamin A,

103, 339

—, —, Beeson, W. M., and Rupel, I. W. Fat-soluble vitamins. XXXIX. The influence of breed and diet of cows on the carotene and vitamin A content of butter,

105, 167

—. See Semb, Baumann, and Steenbock, 107, 697

—, Riising, Blanche M., and Steenbock, H. Fat-soluble vitamins. XLII. The absorption and storage of vitamin A in the rat, 107, 705

Baumann, Emil J., Sprinson,
David B., and Metzger, Nannette. The relation of thyroid
to the conversion of cyanides
to thiocyanate, 102, 773

—, —, and —. The estimation of thiocyanate in urine, 105, 269

-, Metzger, Nannette, and Sprinson, David B. The excretion of thiocyanate in man and the rabbit, 105, ix

—, Sprinson, David B., and Metzger, Nannette. A polyhydroxy acid from the sweet pepper, 109, v

- and -. The dietary produc-

tion of parathyroid hypertrophy in rabbits, 119, vii —, —, and Metzger, Nannette. A polyhydroxy acid from the sweet pepper; a correction, 119, viii

— and Metzger, Nannette. On the amount of iodine in blood, 121, 231

— and —. The iodine of pituitary and other tissues,

Baur, Lorenz. See BURKHART,
BAUR, and LINK, 104, 171

---. See MORELL, BAUR, and
LINK, 105, 1, 15

and Link, Karl Paul. The methylglycosides of the naturally occurring hexuronic acids.
 IV. Polygalacturonic acidemethylglycosides derived from Ehrlich's "Pektolsäure" and "Pektolactonsäure," 109, 293
 See Morell, Baur, and

-. See Morell, Baur, and Link, 110,719

Baxter, Hamilton. Variations in the inorganic constituents of mixed and parotid gland saliva activated by reflex stimulation in the dog, 102, 203

Beach, Eliot F., and White, Abraham. Methionine as the limiting nutritive factor of arachin, 119, viii

—. See White and Beach, 122, 219

—, Erickson, Betty Nims,
Bernstein, Samuel S., and
Williams, Harold H. Basic
amino acid content of posthemolytic residue, or stroma,
of erythrocytes, 123, vi

Beard, Howard H., and Boggess,
Thomas S. The effect of parenteral injection of amino acids
and related substances upon
creatine formation and storage
in the rat, 114, viii, 771
—, —, and Pizzolato, Philip.

Further observations of the effect of parenteral injection of amino acids and related substances upon creatine formation and storage in the rat,

and Pizzolato, Philip. The effect of parenteral injection of purines, methylated purines, and various drugs upon creatine-creatinine metabolism,

123, vii

Beard, J. W., and Wyckoff, Ralph W. G. The pH stability of the papilloma virus protein, 123, 461

de Beer, Edwin J., Johnston, Charles G., and Wilson, D. Wright. The composition of intestinal secretions.

108, 113

Beeson, W. M. See BAUMANN, STEENBOCK, BEESON, and RUPEL, 105, 167

Behre, Jeanette Allen, and Benedict, Stanley R. On the presence of creatinine in blood,

110, 245

—. See Benedict and Behre, 114, 515

— and Benedict, Stanley R. Experiments on the precipitation of creatinine rubidium picrate from blood plasma filtrates, 117, 415

Behrens, Otto K. See DU VI-GNEAUD and BEHRENS. 117, 27 - and du Vigneaud, Vincent. The synthesis of anserine from l-1-methylhistidine, 120, 517 See BERGMANN and BEHR-124, 7 ENS, Belcher, Donald. See SENDROY, SHEDLOVSKY, and BELCHER, 115, 529 See BRADLEY Belfer, Samuel. and BELFER. 123, xv 124, 331 See TWEEDY, Bell, William P. Bell, and Vicens-Rios, 105, xcv 108, 105 See Tweedy, Smullen, and 116, 163 Bellis, Carroll J., and Scott, F. H. The alteration of protein distribution, in vitro, between corpuscles and plasma caused by isosmotic and hyperosmotic solutions. 111, 17 Bender, J. A. See HAYMAN, JOHNSTON, and BENDER, 108, 675 Bender, R. C. See SUPPLEE, Ansbacher, and Bender, 110, 365 See Supplee, Ansbacher, BENDER, and FLANIGAN, 114, 95 Benedict, Francis G. A stack of constant volume for respiration experiments with humans,

116, 307

110, 245

See Behre

Benedict, Stanley R.

and BENEDICT.

- and Behre, Jeanette Allen. Some applications of a new color reaction for creatinine, 114, 515 -. See Behre and Benedict, 117, 415 Benes, Franklin A. See BING, BENES, and REMP, 114, x Benford, Frank. See KNUDSON and BENFORD, 105, xlviii 124, 287 Bengis, R. O., and Anderson, R. J. The chemistry of the coffee-bean. II. The composition of the glycerides of the coffee-bean oil, 105, 139 Benjamin, Helen Rivkin, Hess, Alfred F., and Gross, Joseph. The forms of magnesium in serum and milk, 103, 383 - and -. The forms of the calcium and inorganic phosphorus in human and animal sera. III. A comparison of physiological and experimental hypercalcemia, 103, 629 The forms of the calcium and inorganic phosphorus in human and animal sera. IV. A reply to Greenberg and Larson, 109, 123 Bennett, Mary A. Sec TOEN-NIES and BENNETT. 105, xcii 112, 39 See Toennies, Lavine, and BENNETT. 112, 493 See Toennies and Ben-NETT, 112, 497

The replaceability of cys-

119, x

tine with some partially oxi-

dized derivatives,

A quantitative study of the replaceability of cystine by sulfur-containing amino acids in the diet of the albino rat, 123, viii Bensley, E. H. The renal threshold of bilirubin. II, 103, 71 Bercovici, I. See Morgulis, 103, 757 Berg, Benjamin N. See Scott and BERG, 115, 163 See Schoenheimer, Rit-TENBERG, BERG, and Rousse-115,635 LOT, Berg, Clarence P. Tryptophane metabolism. IV. The influence of optical activity on the utilization of tryptophane for growth and for kynurenic acid production, 104, 373 See BAUGUESS and BERG, 104, 675, 691 105, viii 106, 615 See Cox and Berg, 107, 497 See Correll, Berg, and COWAN. 109, xxiv See BAUGUESS and BERG, 114, 253 The resolution of dl-lysine, 114, viii 115, 9 See CONRAD and BERG, 117, 351 See Correll, Berg, and COWAN, 123, 151 See Totter and Berg, 123, exxii

Bergen, Dorothy S. See WILEY,

BERGEN, and BLOOD,

Berger, Julius, Johnson, Marvin J., and Peterson, W. H. proteolytic enzymes of some common molds. 117, 429 — and —. Properties of some bacterial peptidase systems, 123, ix -, -, and Peterson, W. H. The proteolytic enzymes of bacteria. I. The peptidases of Leuconostoc mesenterioides, 124, 395 Bergman, A. J., and Turner, C. W. Comparison of methods of extraction of the lactogenic hormone, 118, 247 - and -. The composition of rabbit milk stimulated by the lactogenic hormone, 120, 21 - and -. The biological assay of the carbohydrate metabolism hormone of the anterior pituitary, 123, 471 Bergman, H. C. See MACKAY and Bergman, 101, 453 105, 59 Bergmann, Max, and Fox, Sidney W. Complex salts of amino acids and peptides. Metal complex salts of glycine and their specificity, 109, 317 Zervas, Leonidas, Fruton, Joseph S., Schneider, F., and Schleich, H. On proteolytic enzymes. V. On the specificity of dipeptidase. 109, 325 - and Grafe, Karl. New reac-

tions of lactobiose and cello-

110, 173

biose.

119, cv

Bergmann, Max-continued

-. Complex salts of amino acids and peptides. II. Determination of l-proline with the aid of rhodanilic acid. The structure of gelatin,

110, 471

- -, Zervas, Leonidas, and Fruton, Joseph S. On proteolytic enzymes. VI. On the specificity of papain, 111, 225
- -, -, and Ross, William F. On proteolytic enzymes. VII. The synthesis of peptides of l-lysine and their behavior with papain. 111, 245
- and Ross, William F. On proteolytic enzymes. VIII. The proteolytic systems of papain, 111,659
- and Zervas, Leonidas. method for the stepwise degradation of polypeptides,

113, 341

- and -. On proteolytic enzvmes. IX. The inactivation of papain with iodine,
- 114, 711 - and Ross, William F. On proteolytic enzymes. X. The enzymes of papain and their activation, 114, 717
- -and Niemann, Carl. On blood fibrin. A contribution to the problem of protein structure,

115, 77

- -, Zervas, Leonidas, and Fruton, Joseph S. On proteolytic enzymes. XI. The specificity of the enzyme Papain Peptidase I, 115, 593

proteolytic enzymes. XII. Regarding the specificity of aminopeptidase and carboxypeptidase. A new type of enzyme in the intestinal tract, 117, 189

- and Niemann, Carl. On the structure of proteins: cattle hemoglobin, egg albumin, cattle fibrin, and gelatin,

118, 301

- and Fruton, Joseph S. On proteolytic enzymes. XIII. Synthetic substrates for chymotrypsin. 118, 405
- and Niemann, Carl. On proteolytic enzymes. XIV. On the general nature of the enzymatic degradation of proteins. 118, 781
- Fruton, Joseph S., Fraenkel-Conrat, Heinz. proteolytic enzymes. Regarding the general nature of intracellular proteolytic enzymes, 119, 35
- and Fraenkel-Conrat, Heinz. The rôle of specificity in the enzymatic synthesis of proteins. Syntheses with intracellular enzymes. 119, 707
- Complex salts of amino acids and peptides. III. Salts dioxalatodipyridinochromiato acid (dioxpyridie acid) and dioxalatodianilinochromiato acid (dioxanilic acid),

122, 569

— and Niemann, Carl. On the structure of silk fibroin.

122, 577

- and Fruton, Joseph S. On | - and Fraenkel-Conrat, Heinz.

peptide bonds, 124, 1 - and Behrens, Otto K. On the asymmetric course of the enzymatic synthesis of peptide bonds, 124, 7 - and Fruton, Joseph S. Some synthetic and hydrolytic experiments with chymotrypsin. POLD. 124, 321 Bergmann, Werner. Contributions to the study of marine products. II. The sterols of mollusks, 104, 317 III. The chemistry of ostreasterol. 104, 553 -. Note on bombicysterol, 107, 527 The fatty acids of chrysalis 114, 27 oil, The sterols of silkworm 117, 175 feces. Contributions to the study of marine products. IV. The sterols of starfish. 117, 777 -. V. The presence of stigmasterol in mollusks, 118, 499 -. See Sperry and Bergmann, 119, 171 proteus, The isolation and analysis of the epicuticular substance cuticulin of the silkworm, Bombyx mori, 123, ix Bergström, Sune. See JORPES and Bergström. 118, 447 Berliner, Frieda. See Schoen-HEIMER and BERLINER. 115, 19 Hemolytic antiand HEIM. hemolytic properties of bile acids and sterols, 119, xi - and Schoenheimer, Rudolf.

The enzymatic synthesis of

Hemolytic and antihemolytic properties of bile acids and sterols in relation to their 124, 525 structure. Berman, Alvin. See Bull, 123, 17

Bernhard, Adolph. See Drek-TER, BERNHARD, and LEO-110, 541

Bernhart, F. W. Microdetermination of the tyrosine content of protein hydrolysates.

123, x

Bernheim, Frederick, and Bernheim, Mary L. C. The oxidation of proline and alanine by certain tissues. 106, 79

and -. The oxidation of tyrosine and phenylalanine by the livers and kidneys of cer-107, 275 tain animals.

— and —. The purification of the enzymes which oxidize certain amino acids,

109, 131

-, —, and Webster, M. Dorothy. The oxidation of certain amino acids by "resting" Bacillus109, vi

-, -, and -. Oxidation of certain amino acids by "resting" Bacillus proteus,

110, 165

The oxidation of l- and dltyrosine by the livers and kidneys of various animals,

111, 217

See Webster and Bern-114, 265

-, Bernheim, Mary L. C., and Gillaspie, Athey G. The oxidation of the amino acids.

18 Bernheim, Frederick—continued The estimation of the keto acids and the production of hydrogen peroxide, 114,657 - and Michel, Harry O. The formation of methemoglobin by various tissues. 118,743 - and Webster, M. Dorothy. Choline oxidase, 119, xi - and Bernheim, Mary L. C.

The action of p-aminophenol on the xanthine oxidase of 123, 307 liver. - and -. The oxidation of

mescaline and certain other 123, 317 amines.

The effect of alloxan on the oxidation of alcohol by various tissues, 123, 741

Bernheim, Mary L. C. See BERNHEIM and BERNHEIM.

> 106, 79 107, 275 109, 131

See BERNHEIM, BERNHEIM, and WEBSTER, 109, vi 110, 165

See Bernheim, Bernheim, and GILLASPIE, 114,657 See Bernheim and Bern-

HEIM, 123, 307, 317 Bernstein. Samuel S. Sec ERICKSON, JONES, BERNSTEIN,

WILLIAMS, LEE, and MACY, 114, xxxii

See Erickson, Williams, Bernstein, and Jones,

114, xxxii See WILLIAMS, ERICKSON, BERNSTEIN, HUMMEL, and MACY, 118, 599 -, Jones, Robert L., Erickson, Betty Nims, Williams, Harold H., Avrin, Ira, and Macy, Icie G. A method for the preparation of posthemolytic residue or stroma of erythrocytes,

122, 507

See Erickson, WILLIAMS, BERNSTEIN, AVRIN, JONES, and MACY, 122, 515

See WILLIAMS, ERICKSON, AVRIN, BERNSTEIN, and MACY, 123, 111

ERICKSON, BEACH, BERNSTEIN, and WILLIAMS, 123, vi

Bessey, Otto A., and King, C. G. The distribution of vitamin C in plant and animal tissues, and its determination,

103, 687 See CAMPBELL. BESSEY, and SHERMAN, 110, 703

-, King, C. G., Quinn, E. J., and Sherman, H. C. The normal distribution of calcium between the skeleton and soft tissues, 111, 115

See Muus, Bessey, and HASTINGS, 119, Ixxii Best, Charles H., and Ridout, The effect of choles-Tessie H. terol and choline on liver fat, 114, ix

See BARRETT, BEST, and RIDOUT. 123, iii Bethell, Frank H. Sce KYER and BETHELL, 109, p. l 114, lx

See ROTTSCHAEFER and BETHELL, 114, lxxxv Bethke, R. M., Record, P. R., and Wilder, O. H. M. Further studies pertaining to provitamin D of plant and animal 112, 231 sources,

Beutner, R., Caplan, M., and Loehr, W. M. The nature of the a'leged molecular sieve membranes, 101, 391

Bibler, Walter G. See EICHEL-122, 323 BERGER.

Bidwell, Emily H. See Shillito, BIDWELL, and TURNER,

112, 551

Bierman, William. See Fish-BERG, BIERMAN, and WEISS, 114, xxxv

See JACOBS Bigelow, Newell M. and BIGELOW,

101, 15, 697

Bills, Charles E. See Honey-WELL and BILLS, 103, 515

-, Imboden, Miriam, and Wallenmeyer, J. C. Potency of vitamin A and vitamin D of halibut liver oil, correlated with seasonal variations in the oil content of halibut liver.

105, x

- Massengale, O. N., Mc-Donald, Francis G., and Wirick, Alice M. The action of activated ergosterol in the chicken. III. Evidence of the existence of only one provitamin D in crude ergosterol, 108, 323
- —, McDonald, Francis G., Massengale, O. N., Imboden, Miriam, Hall, Helen, Hergert, W. D., and Wallenmeyer, J. C. A taxonomic study of the distribution of vitamins A and D in one hundred species of fish, 109, vii

-, Massengale, O. N., Hickman, K. C. D., and Gray, E. LeB. A new vitamin D in cod liver

- and Wallenmeyer, J. C. A photoelectric photometer for vitamin A determination,

123, xi

Bing, Franklin C. See EVELETH, BING, and MYERS,

101, 359

See Heinle and Bing,

101, 369

-, Saurwein, Esther M., and Myers, Victor C. Studies in the nutritional anemia of the rat. X. Hemoglobin production and iron and copper metabolism with milk of low copper content, 105, 343

Hanzal, Ramon F., and Myers, Victor C. Hypersideremia following the oral administration of iron,

109, viii

Benes, Franklin A., and Remp, Donald G. The alimentary fate of hemin in man, 114, x

Binkley, Francis. See Carter, HANDLER, BINKLEY, FISHBACK, RISSER, and WEISIGER,

123, xx

Binns, Dorothy. See MYERS. BINNS, Muntwyler, and DANIELSON, 102, 19

Birch, Thomas William. The relation between vitamin B6 and the unsaturated fatty acid 124, 775 factor,

Bird, H. R., Elvehjem, C. A., and Hart, E. B. The distribu-

Bird, H. R .- continued tion and properties of the chick gizzard factor, 114, x - and Oleson, J. J. Effectiveness of chondroitin as the antigizzard erosion factor required 123, xi by chicks. Bird, O. D. See EMMETT and BIRD, 119, xxxi Bisbey, Bertha, and Sherman, H. C. Experiments upon the extraction and stabilities of vitamin B (B1) and of lacto-Bischoff, Fritz, and Elliot, A. H. Purification of the depressor colloid of urine (callicrein), 109, 419 MAXWELL and Bis-See

choff, 112, 215
— and Maxwell, L. C. Influ-

ence of delayed resorption of the protein hormones,

114, xi

— and Long, M. Louisa. Chemical studies on prolan (from urine of pregnancy),

116, 285

- and Elliot, A. H. Chemical studies of callicrein,

117, 7

—. Chemical studies on the gonadotropic hormone of pregnant mare serum,

125, 697

Biscoe, J. See WYCKOFF, BISCOE, and STANLEY,

117, 57

Biskind, Gerson R. See GLICK and BISKIND,

110, 1, 575, 583

- and Glick, David. Studies in histochemistry. V. The vita-

min C concentration of the corpus luteum with reference to the stage of the estrous cycle and pregnancy,

113, 27

—. See Glick and Biskind, 113, 427 114, 1

115, 551

Bjerrum, Jannik. Copper catalysis of the oxidation of thiol acids as a basis for the microdetermination of copper, 114, 357

Black, E. C. See Irving and Black, 118, 337

Blacker, C. See Rose, Exton, and Blacker, 105, lxxiii

Blair, H. A. See RAY and BLAIR, 111, 371

Blalock, Alfred. See Mason, Blalock, and Harrison,

114, lxiv

Blanchard, Ernest W. See YEAKEL and BLANCHARD,

123, 31

Blanchard, Kenneth C. The nucleic acid of the eggs of Arbacia punctulata,

108, 251

— and MacDonald, Joseph. Bacterial metabolism. I. The reduction of propionaldehyde and of propionic acid by Clostridium acetobutylicum,

110, 145

Blanchard, Muriel H. See Cohn, Edsall, and Blanchard, 105, 319

-. See Green, Cohn, and Blanchard, 109, 631

Blatherwick, N. R., Medlar, E. M., Bradshaw, Phoebe J.,

Post, Anna L., and Sawyer, Susan D. The dietary production of fatty livers in rats, 103, 93

-, Bradshaw, Phoebe J., Ewing, Mary E., Larson, Hardy W., and Sawyer, Susan D. The determination of tissue carbohydrates, 111, 537

-, -, Cullimore, Owen S., Ewing, Mary E., Larson, Hardy W., and Sawyer, Susan D. The metabolism of d-xylose,

113, 405

-, -, and Sawyer, Susan D. Muscle glycogen content of rats fasted twenty-four hours, 114, xii

See Larson, Blatherwick, Bradshaw, Ewing, and Saw-117, 719 YER, 123, lxxiii

Hester. See BUTLER, Blatt. BLATT, and Southgate,

109, 755

Blau, Nathan F. The determination of thyroxine in the thyroid gland, 102, 269

The determination of thyroxine in thyroid substance, 110, 351

Determination of iodine in small amounts of thyroid substance. 123, xii

Blish, M. J., and Sandstedt, R. M. Biocatalytic activators specific for the yeast fermentation of maltose, 118, 765

Bliss, Sidney. The cause of sore mouth in nephritis,

121, 425 Bloch, Edith. See Sobotka and 124, 559 BLOCH,

- and Sobotka, Harry. cholesterol in cancer,

124, 567

Bloch, K., and Clarke, H. T. N-Methylcysteine and derivatives, 125, 275

The basic Block, Richard J. amino acids of serum proteins, 103, 261

- and Farquhar, Lucille Reed. Studies on vitamin G (B₂). Yeast and liver preparations as a source of vitamin G (B₂), 103,643

The basic amino acids of keratins. The basic amino acid content of human finger nails and cattle horn.

104, 339

The basic amino acids of serum proteins. II. The effect of heating to fifty-eight de-104, 343 grees,

-, Darrow, Daniel C., and Cary, M. Katherine. The basic amino acids of serum proteins. III. A chemical relationship between serum proteins of various origins, 104, 347

The basic amino acids of serum proteins (orosins). IV. A chemical relationship between various avian orosins. A note on some proteins of the 105, 455 egg,

See STUART, BLOCK, and 105, 463 Cowgill.

The basic amino acids of three crystalline mammalian hemoglobins. Further evidence for a basic amino acid "anlage" of tissue proteins,

Block, Richard J.—continued

—, Jones, D. Breese, and Gersdorff, Charles E. F. The effect of dry heat and dilute alkali on the lysine content of casein, 105, 667

—. The determination of the basic amino acids in small quantities of proteins by the silver precipitation method, 106, 457

- and Brand, Erwin. On the origin of creatine. IV,

—. See Brand, Cahill, and Block, 110, 399

—. See Jackson and Block, 113, 135

—, Brand, Erwin, Harris, Meyer M., and Hinsie, L. E. Some observations on follicle-stimulating hormone obtained from urine of women in and past the menopause, 114, xii

 The amino acid composition of neuroproteins and the protein of the neurofibrils,

119, xi
—, Brand, Erwin, and Cahill,
George F. The metabolism
of dl-γ-methiol-α-hydroxybutyric acid in cystinuria,

119, xii

—. See Brand, Block, and Cahill, 119, xiv

 See Brand, Block, Kassell, and Cahill,

119, 669 -. See Brand, Block, and

CAHILL, 119, 681, 689

Chemical studies on the

—. Chemical studies on the neuroproteins. I. The amino acid composition of various mammalian brain proteins,

119, 765

—. II. The effect of age on the amino acid composition of human and mammalian brain proteins, 120, 467

— and Horwitt, M. K. The basic amino acids of keratins. A note on the basic amino acid content of porcupine quills and echidna spines,

121, 99

—. Chemical studies on the neuroproteins. III. An indication for sex differences in the amino acid composition of primate brain proteins,

121, 411

—. IV. On the nature of the proteins of the ectoderm: eukeratins and pseudokeratins, 121, 761

—. See Jackson and Block, 122, 425

—. Chemical studies on the neuroproteins. VI. Further evidence for sex differences in the amino acid composition of the brain proteins.

123, xiii

Block, Walter D. See CALVERY and BLOCK, 107, 155

-. See Christman and Block,

-. See Calvery, Block, and Schock, 113, 21

— and Lewis, Howard B. The amino acid content of cow and chimpanzee hair,

Blodgett, H. M. See Booher, BLODGETT, and PAGE,

107, 599

Blood, Frank R. See WILEY, BERGEN, and BLOOD,

119, cv

Bloor, W. R. Diet and the blood lipids. II. The effect of occasional overfeeding on the postabsorptive level,

103, 699

— and Snider, Ruth H. Cell lipids and function in muscle,

105, x

- and —. Phospholipid content and activity in muscle, 107, 459
- -. See Matthews, Newton, and Bloor, 108, 145
- and Snider, Ruth H. Cholesterol in muscle, 109, ix
- —. The cholesterol content of muscle, 114, 639
- Effect of activity on the phospholipid and cholesterol content of muscle,

119, 451

Blumberg, Harold. A growth deficiency disease, curable by wheat germ oil, 108, 227

Blumenthal, Doris, and Clarke, H. T. Unrecognized forms of sulfur in proteins,

110, 343

 An immunological study of the reduction of disulfide groups in proteins,

113, 433

Blunden, Harry. See Butts, Cutler, Hallman, and Deuel, 109, 597 See Deuel, Butts, Blunden, Cutler, and Knott,

117, 119

 See Butts, Blunden, Goodwin, and Deuel,

117, 131

- See Butts, Blunden, and Dunn, 119, 247
- —. See Butts, Dunn, and Blunden, 119, xv
- —. See DEUEL, BUTTS, HALL-MAN, MURRAY, and BLUNDEN, 119, 617
- -. See Butts, Blunden, and Dunn, 120, 289
- ---. See Deuel, Butts, Hall-MAN, Murray, and Blunden, 123, 257
- -. See Butts, Blunden, and Dunn, 124, 709
- Bock, A. V. See DILL, DALY, and Bock, 114, xxv
- Bodansky, Aaron. Phosphatase studies. II. Determination of serum phosphatase. Factors influencing the accuracy of the determination, 101, 93
- VI. Non-osseous origins of serum phosphatase. Its increase after ingestion of carbohydrates, 104, 473
- VII. Inorganic phosphorus and phosphatase of the serum in new born puppies,

- and Jaffe, Henry L. Significance of clinical and experimental serum phosphatase variations; their osseous and nonosseous origins, 105, xi
- and Serum phosphatase,

Bodansky, Aaron—continued bilirubin, and cholesterol in experimental jaundice,

109, x

 Notes on the determination of serum inorganic phosphate and serum phosphatase activity,
 120, 167

 Experimental liver injury; serum phosphatase activity in relation to other findings,

123, xiv

Bodansky, Meyer. The effect of thyroid and thyroxine on the concentration of creatine in the heart, muscle, liver, and testes of the albino rat,

109, 615

Observations on the origin of creatine, 109, xi

—. The influence of feeding amino acids and other compounds on the excretion of creatine and creatinine,

112, 615

— and Duff, Virginia B. Nitrogen and creatine metabolism in relation to environmental temperature and thyroid function,

114, xiii

 Comparison of glycine and guanidoacetic acid as precursors of creatine,

115, 641

—, Duff, Virginia B., and Herrmann, Cornelius L. Excretion of ingested guanidoacetic acid.

119, xiii

Bodansky, Oscar. See Bakwin and Bodansky, 101, 641

— and Bakwin, Harry. The phosphatase hydrolysis of diphospho-l-glyceric acid,

104, 747

—. The accelerant effect of αamino acids on the activity of bone phosphatase,

114, 273

—. The effect of α-amino acids and magnesium on the activity of kidney and intestinal phosphatases, 115, 101

 Are the phosphatases of bone, kidney, intestine, and serum identical? The use of bile acids in their differentiation,
 118, 341

—. The use of different measures of reaction velocity in the study of the kinetics of biochemical reactions.

120, 555

Hou-Bodecker, C. F. See LANDER. BODECKER. SAPER, and APPLEBAUM, 105, xl Boggess, Thomas S. See BEARD 114, viii, 771 and Boggess, - See BEARD, BOGGESS, and PIZZOLATO, 119, ix Bohstedt, G. See PHILLIPS. HART, and BOHSTEDT,

105, 123

Bolliger, Adolph. The volumetric determination of potassium with methylene blue following its precipitation as potassium picrate, 107, 229

Bollman, Jesse L. See Flock, Bollman, and Mann,

> 114, xxxvi 115, 179, 201

 See Flock, Bollman, Hester, and Mann,

> 119, xxxiii 121, 117

-. See Flock, Bollman, and
Mann, 123, xxxvi
125. 49

 See Flock, Bollman, Mann, and Kendall,

125, 57

Bonner, James. See English and Bonner, 121, 791
Bonoff, R. See Bodansky,

101, 93 104, 473, 717

Booher, Lela E. The concentration and probable chemical nature of vitamin G,

102, 39

 Further experiments on the concentration and chemical nature of vitamin G (B₂),

105, xii

—. Further studies on the concentration and chemical nature of vitamin G, 107, 591

—, Blodgett, H. M., and Page, J. W. Investigations of the growth-promoting properties of vitamin G concentrates.

107, 599

-. The concentration and properties of vitamin H,

114, xiv

-. See Whitcher, Booher, and Sherman. 115, 679

-. The concentration and properties of vitamin H,

119, 223

and Lojkin, Mary. Studies on the fractionation of a factor of the vitamin B complex in rice polishings, 123, xiv
 Boothby, Walter M. See

ADAMS and BOOTHBY,

11**4,** iii

Bordley, James, 3rd. See RICHARDS, BORDLEY, and WALKER, 101, 179

- and Richards, A. N. Quantitative studies of the composi-

tion of glomerular urine. VIII. The concentration of uric acid in glomerular urine of snakes and frogs, determined by an ultramicroadaptation of Folin's method,

101, 193

—, Hendrix, James P., and Richards, A. N. Quantitative studies of the composition of glomerular urine. XI. The concentration of creatinine in glomerular urine from frogs determined by an ultramicro-adaptation of the Folin method, 101, 255

Borek, Ernest. See Harrow, Mazur, Borek, and Sherwin, 105, xxxiv

— and Clarke, H. T. Compounds related to canaline and canavanine, 125, 479

Borgen, D. R., and Elvehjem, C. A. Factors affecting the determination of inorganic iron in animal tissues, 119, 725

Borsook, Henry, Huffman, Hugh M., and Liu, Yun-Pu. The preparation of crystalline lactic acid, 102, 449

—. Micromethods for determination of ammonia, urea, total nitrogen, uric acid, creatinine (and creatine), and allantoin, 110, 481

— and Jeffreys, Cecil E. P. Nitrogen metabolism of the isolated tissues of the rat,

110, 495

—, Davenport, Horace W., Jeffreys, Cecil E. P., and Warner, Robert C. The oxidation of ascorbic acid and its reduction in mitro and in mixo.

Borsook, Henry-continued -, Ellis, Emory L., and Huffman, Hugh M. Sulfhydryl oxidation-reduction potentials derived from thermal data. 117, 281 Bosworth, A. W., and Brown, J. B. Isolation and identification of some hitherto unreported fatty acids in butter 103, 115 Studies of the fat of human 106, 235 milk, - and Sisson, E. W. Arachidonic acid in butter fat, 107, 489 and Helz, George E. A monohydroxypalmitic acid in butter fat. 112, 489 See HELZ and Bosworth, 116, 203 Bott, P. A., and Wilson, D. Wright. Lactic acid formation in liver, 109, 455 - and -. The concentrations of lactic acid in blood and liver of rabbits, 109, 463 See RICHARDS, WESTFALL, and Bott, 116, 749 Bourgeois, Warren. See BEARD and Boggess, 114, 771 Bovarnick, M. See CHARGAFF and Bovarnick, 118, 421 Bowman, Donald E., Visscher, J. P., and Mull, James W. Properties of hormones in the female urine. 109, xi

and Muntwyler, Edward.

Further experiments upon the

excretion of ascorbic acid in

the urine following ether anes-

Boyd, Eldon M. A differential

114, xiv

lipid analysis of blood plasma in normal young women by microoxidative methods,

101, 323

—. The lipid content of the white blood cells in normal young women, 101, 623

—. The relation of lipid composition to physiological activity in the ovaries of pregnant and pseudopregnant rabbits,

108, 607

—. Diurnal variations in plasma lipids, 110, 61

—. The lipid content of the jelly of Wharton, 111, 667

 Lipid composition and physiological activity in the ovaries of pregnant guinea pigs,

112, 591

The extraction of blood lipids, 114, 223

—. The extraction of lipids from the red blood cells,

115, 37

— and Stevenson, J. W. The lipid content of rabbit leucocytes, 117, 491

— and Murray, Ronald B. The effect of anticoagulants on blood lipids, 117, 629

—. The storage of lipid extracts, 121, 485

 Hypertrophy and lipid composition of frog tissues,

121, 783

 and Stevenson, J. W. The regeneration of blood lipids following a single massive hemorrhage in rabbits,

122, 147

-, Orr, J. H., and Reed, G. B.

A lipemia in rabbits infected with Streptococcus viridans. 124, 409 Boyd, Julian D., Drain, Charles L., and Stearns, Genevieve. Metabolic studies of children with dental caries. 103, 327 Boyd, M. J. Hematoporphyrin, an artificial proteolytic enzvme. 103, 249 Boyd, William C., and Hooker, Sanford B. Some analyses of azoproteins: casein, gelatin. and zein coupled with arsanilic acid. 104, 329 - and Mover, Paul. A note on azoproteins, 110, 457 Boyd, William F. See MAY, MARTINDALE, and BOYD, 104, 255 Boyden, Ruth, and Potter, V. R. On the form of copper in blood plasma, 122, 285 Bradford, H. A. See SCHMIDT 105, lxxv and Bradford, Bradley, H. C., and Belfer, Samuel. Autolysis the of adrenal glands. 123, xv — and —. Autolysis of adrenal gland tissue, 124, 331 Phoebe Bradshaw, T. See MEDLAR, BLATHERWICK. Bradshaw, Post, and Saw-YER. 103, 93 See Blatherwick, Brad-SHAW, EWING, LARSON, and SAWYER, 111, 537 See BLATHERWICK, BRAD-EWING, Cullimore. SHAW, LARSON, and SAWYER, 113, 405

See Blatherwick, Brad-SHAW, and SAWYER, 114, xii See Larson, Blatherwick, BRADSHAW, EWING, and SAW-117, 719 YER. 123, lxxiii Bramkamp, Robert G. The protein content of human parotid saliva, 114, 369 See FAILEY and Brand, Erwin. 102, 767 BRAND, -, Brand, F. C., and Herrmann, The influence of drugs on oxidations of the brain. 105, xiii -, Cahill, George F., and Harris, Meyer M. Cystinuria. II. The metabolism of cystine. cysteine, methionine, glutathione, 109, 69 and —. Cystinuria. III. The metabolism of serine, 109, 545 BLOCK and Brand, 109, viii -, Cahill, George F., and Block, Richard J. Cystinuria. IV. The metabolism of homocysteine and homocystine, 110, 399 See Green, Morris, Ca-HILL, and BRAND, 114, 91 See Block, Brand, Harris, and HINSIE, 114, xii - and Cahill, George F. Canine cystinuria. III, 114, xv See Block, Brand, and CAHILL, 119, xii -, Block, Richard J., and Cahill,

George F. Some observations

Brand, Erwin—continued on the source of urinary cystine in cystinuria,

119, xiv

Cahill, George F. Cystinuria. V. The metabolism of casein and lactalbumin, 119, 669—, —, and Cahill, George F. Cystinuria. VI. The metabolism of the hydroxy analogue of methionine (dl-α-hydroxy-γ-methiobutyric acid),

–, ––, Kassell, Beatrice, and

119,681

—,—, and —. VII. The metabolism of S-methylcysteine, of γ-thiobutyric acid, and of γ,-γ'-dithiodibutyric acid,

119,689

-. Growth response to sulfur amino acids, 123, xv

---, Cahill, George F., and Slanetz, Charles A. Canine cystinuria. IV, 123, xvi

—. See Kassell and Brand, 125, 115, 131, 145

---, Cahill, George F., and Kassell, Beatrice. Cystinuria. VIII. The metabolism of crystalline egg albumin,

125, 415

-. See Kassell, Cahill, and Brand, 125, 423

-. See Kassell and Brand, 125, 435

Brand, F. C. See Brand, Brand, and Herrmann,

Bratton, A. Calvin. See Mc-CLENDON, BRATTON, and WHITE, 119, lxvii —. See McCLENDON and BRAT-

-. See McClendon and Bratton, 123, 699 Braun, Charles E., and Rees, Francis M. An examination of the Sullivan colorimetric test for guanidine,

114, 415

Brekhus, P. J. See Armstrong and Brekhus, 120, 677 Breusch, Fritz L. See Schoen-

HEIMER and BREUSCH,

103, 439

 The fate of the plant sterols in the intestinal tract,

124, 151

Brewer, George. See Larson and Brewer, 115, 279
Bridwell, E. G. See Harger,
Johnson, and Bridwell,

123, p. l

Briggs, A. P. Excretion of ammonia and neutrality regulation, 104, 231

—. The relation of ammonia secretion to the acid-base balance of the urine in different types of nephritis, 109, xii

Excretion of fixed base during the alkalosis of overventilation,
 119, xv

Brinkhous, K. M. See SEEGERS, SMITH, WARNER, and BRINK-HOUS, 123, 751

Brock, Henry J. See Hubbard and Brock, 110, 411

Brocklesby, H. N., and Kuchel, C. C. The adsorption of vitamin A by sodium and potassium soaps when formed in situ in highly potent oils,

123, xvi

Brodie, Bernard B., and Friedman, Max M. The determination of thiocyanate in tissues, 120, 511

122, 655

113, 417

Some

114, xvi

120, 225

107, 119

110, 101

The decom-

See Perlzweig,

and

HARKNESS,

- and -. The determination The influence of pimiento of bromide in tissues and biopigments on the color of the logical fluids. 124, 511 egg yolk of fowls, Bromund, Werner See HOLMES and BROMUND. Brown, W. R. The hydrolysis 112, 437 of starch by hydrogen peroxide Brook, Theodore. See FRIEDEand ferrous sulfate. MANN and BROOK. 114, xxxvii - and Burr, George O. See FRIEDEMANN, recent studies on fat deficiency, 123, 161 Richard O., Brooke. Smith, Browne, J. S. L. See VENNING, Arthur H., and Smith, Paul K. EVELYN. Inorganic salts in nutrition. BROWNE, VII. Change in composition of Bruce, William F. bone of rats on a diet poor in position of citric acid by Bainorganic constituents, cillus aertrycke, 104, 141 Bruch, Ernst. Brookes, Margaret Hessler. See COHN and BROOKES. 114, 139 Browman, Audra A., and Hastings, A. Baird. Solubility of aragonite in salt solutions, 119, 241 Brown, Barker H. See Lewis, Brown, and White, 114, 171 See LEWIS and BROWN, 123, lxxv Brown, J. B. Sec Bosworth and Brown. 103, 115 See AULT and BROWN,

107, 607, 615

121, 685

110, 91

and BRYAN,

Brown, R. W. See OSBURN,

Brown, W. L. A contribution

to the chemistry of pepper

pigments. The red pigment

the Perfection pimiento

Brown, and WERKMAN,

(Capsicum annuum),

KONDRITZER, and BRUCH. 123, xcii Bruger, Maurice, and Poindexter, Charles A. The effect of the ingestion of water and of urea on the cholesterol content of the plasma, 101, 21 The relation between the cholesterol partition and the total protein content in pathological body fluids. The state of cholesterol in such fluids. 105, xiii The state of cholesterol and the nature of the cholesterolprotein complex in pathological body fluids, 108, 463 See MATTICE, BRUGER, and 109, lx DEREN. See Fitz and Bruger, 113, 297 114, xxxv Bryan, Hilah F. See Macht Bryan, W. Ray. See Knudson, Sturges, and Bryan,

123, lxx

Buchanan, B. F. See Whistler and Buchanan, 125, 557

Buchanan, Kathryn Sue. See Sure, Kik, and Buchanan, 108, 11, 19, 27

Buchwald, K. W., Cori, Carl F., and Fisher, Robert E. The influence of l- and d-lactate on oxygen consumption of rabbits, 103, 763

Buell, Mary V., and Strauss,
Margaret B. Liver function
in experimental hyperthyroidism. 105, xiv

 The adenine nucleotide content of human blood. I. Determination and content,

108, 273

—. The relation of adenine nucleotide to hemoglobin, hematocrit, and red cell count in human blood, 109, xii

—. The adenine nucleotide content of human blood. II. Correlation with hemoglobin, 112, 523

-, Anderson, Ian A., and Strauss, Margaret B. On carbohydrate metabolism in adrenalectomized animals,

114, xvi

Bull, Henry B. See NEURATH and Bull, 115, 519

— and Neurath, Hans. The denaturation and hydration of proteins. II. Surface denaturation of egg albumin,

 Studies on surface denaturation of egg albumin,

123, 17

and Neurath, Hans. Surface denaturation of egg albumin.
 A reply, 125, 113

Monolayers of denaturedegg albumin, 125, 585

Bunim, Joseph J., Smith, Willie W., and Smith, Homer W. The diffusion coefficient of inulin and other substances of interest in renal physiology,

118, 667

Bunker, John W. M. See HARRIS and BUNKER,

119, xlv

Burk, Norval F. Osmotic pressure, molecular weight, and stability of amandin and excelsin and certain other proteins, 120, 63

 Osmotic pressure, molecular weight, and stability of serum globulin, 121, 373

Osmotic pressure, molecular weight, and stability of gliadin,
 124, 49

Burke, J. C. See McIntyre and Burke, 119, lxviii

 and McIntyre, A. R. Growthpromoting pituitary extract in thiamine deficiency,

123, xvii

Burkhart, Bernard, Baur,
Lorenz, and Link, Karl Paul.
A micromethod for the determination of uronic acids,

104, 171

Burmester, Ben R. An investigation of a method for iron determination in blood,

105, 189

See Almquist, Lorenz, and BURMESTER. 106, 365 Burr, George O. See Brown and Burr. 114, xvi See Kass, Miller, and Burr. 123, lxvi Burrell, R. C., and Walter, E. D. A saponin from the soy bean, Butt, 108, 55 Burrows, W. H., Fritz, J. C., and Titus, Harry W. The blood sugar of the fasting, gizzardectomized fowl (Gallusmesticus), 110, 39 Butler, Allan M., and MacKay, acid. Eaton M. The influence of the sodium and potassium con-The tent of the diet upon the sodium concentration of human centrifuged red blood cells. 106, 107 -, Blatt, Hester, and Southgate, Harriet. The solubility of the plasma proteins. II. Dependence on pH, temperature, and lipid content in concentrated solutions of potassium phosphate and application to their separate precipitation, 109, 755 See MINDLIN and BUTLER, 122, 673 Butler, Gordon Cecil. See MAR-RIAN and BUTLER, 119, lxvi and Marrian, Guy Frederic. The isolation of pregnane-3,17,20-triol from the urine of women showing the adrenogenital syndrome, 119, 565 - and —. Chemical studies on

the adreno-genital syndrome. I. The isolation of $3(\alpha)$ -hydroxyetiocholane-17-one, $3(\beta)$ -hydroxyetioallocholane-17-one (isoandrosterone), and a new triol from the urine of a woman with an adrenal tumor.

124, 237

Butt, Hugh R. See Keys and Butt, 123, lxviii
Butts, Joseph S., Cutler, Charles H., and Deuel, Harry J., Jr. The sexual variation in carbohydrate metabolism. VI. The rôle of the anterior pituitary in the metabolism of diacetic acid, 105, 45—. Studies on ketosis. IV.

Studies on ketosis. IV.
 The comparative ketolytic effect of galactose, glucose, and lactose in rats,
 105, 87

---. Quantitative studies on β oxidation, 105, xv

—, Cutler, Charles H., Hall-man, Lois F., and Deuel, Harry J., Jr. Studies on ketosis. VI. Quantitative studies on β oxidation,

109, 597

— and **Dunn, Max S.** The metabolism of glycine and alanine, 109, xiii

—. See Deuel, Butts, Hallman, and Cutler,

112, 15

—, Dunn, Max S., and Hallman, Lois F. Studies in amino acid metabolism. I. Fate of glycine, dl-alanine, and d-alanine in the normal animal,

112, 263

See Deuel, Hallman, Butts, and Murray,

Butts, Joseph S.—continued
—. See Deuel, Butts, Blun-

DEN, CUTLER, and KNOTT,

117, 119

—, Blunden, Harry, Goodwin, Willard, and Deuel, Harry J., Jr. Studies on ketosis. X. Glycogen synthesis after ethyl esters of various fatty acids, 117, 131

--, --, and Dunn, Max S. Studies in amino acid metabolism. II. Fate of d-glutamic, dl-glutamic, dl-aspartic, and dl-aspartic acids in the normal animal,

119, 247

—, Dunn, Max S., and Blunden, Harry. The metabolism of dand dl-glutamic acids, l- and dl-aspartic acids, dl-pyroglutamic acid, 119, xv

—. See DEUEL, BUTTS, HALL-MAN, MURRAY, and BLUNDEN, 119, 617

—, Blunden, Harry, and Dunn, Max S. Studies in amino acid metabolism. III. The fate of dl-leucine, dl-norleucine, and dl-isoleucine in the normal animal, 120, 289

—. See DEUEL, BUTTS, HALL-MAN, MURRAY, and BLUNDEN, 123, 257

—, Dunn, Max S., and Hallman, Lois F. Studies in amino acid metabolism. IV. Metabolism of dl-phenylalanine and dltyrosine in the normal rat,

123, 711

-, Blunden, Harry, and Dunn, Max S. Studies in amino acid metabolism. V. The metabolism of *l*-cystine and *dl*-serine in the normal animal,

124, 709

Butz, Lewis W., and Hall, S. R.
Male hormone in the urine of
bulls and rams, 119, xvi
Bywater, W. G. See Dox, Bywater, and Tendick,

112, 425

C

Cahill, George F. See Brand, Cahill, and Harris,

109, 69

-. See Brand and Cahill, 109, 545

--. See Brand, Cahill, and Block, 110, 399

See Green, Morris, CaHILL, and Brand, 114, 91
See Brand and Cahill,

114, xv

-. See Block, Brand, and Cahill, 119, xii

See Brand, Block, and Cahill, 119, xiv
See Brand, Block, Kas-

SELL, and CAHILL,

119,669

-- See Brand, Block, and Cahill, 119, 681, 689

See Brand, Cahill, and Slanetz, 123, xvi

-. See Brand, Cahill, and Kassell, 125, 415

-. See Kassell, Cahill, and Brand, 125, 423

Cahill, William M., and Jackson, Richard W. Proof of synthesis and configurational relationships of abrine, the naturally occurring amino-Nmethyltryptophane,

123, xviii

- Cajori, F. A. The lactase activity of the intestinal mucosa of the dog and some characteristics of intestinal lactase, 109, 159
- and Karr, Walter G. The absorption of glucose and galactose from the intestine of the dog, 109, xiv
- Caldwell, C. G., and Hixon, R. M.
 A study of the periodic acid
 oxidation of starches and dextrins as a means of determining
 molecular size, 123, 595
- Caldwell, Clyde T., and Rose, William C. Feeding experiments with mixtures of highly purified amino acids. IV. The supplementing effect of casein fractions obtained by the carbamate procedure,

107, 45

- and —. V. Additional properties of the unknown growth essential present in proteins, 107, 57
- Caldwell, M. L. See SHERMAN, CALDWELL, and DOEBBELING, 104, 501
- and Doebbeling, S. E. A study of the concentration and properties of two amylases of barley malt, 110, 739
- and Hildebrand, F. C. A method for the direct and quantitative study of amyloclastic activity of amylases,

111, 411

— and Doebbeling, S. E. A study of the influence of heavy water upon amylase formation during the sprouting of barley, 114, xvii

- and —. A study of the influence of heavy water upon amylase formation in barley, 123, 479
- Callan, Thomas P. See Toen-NIES and CALLAN,

- Calvery, Herbert O. Crystalline egg albumin. The hydrolysis of crystalline egg albumin by pepsin, papain-hydrocyanic acid, and pancreatic proteinase and the subsequent action of some other enzymes on the hydrolysis products produced by these enzymes, 102, 73
- and Titus, Harry W. The composition of the proteins of eggs from hens on different diets,
 105, 683
- and Block, Walter D. The specificity of the enzyme arginase, 107, 155
- and Freyberg, Richard H. Some analyses of samples of Bence-Jones protein,
- 109, 739, xv

 —, Heidelberger, Michael, and
 Kendall, Forrest E. Chemical analysis of Type II pneumococcus specific precipitate,
 109, xv
- —, Herriott, Roger M., and Northrop, John H. Some analyses of crystalline pepsin, 109, xvi
- and Schock, Ellen D. Peptic hydrolysis of egg albumin, 109, xvi
- —. Analysis of Type I pneumococcus specific precipitate, 112, 167
- -. Crystalline egg albumin.

Calvery, Herbert O.—continued II. The fractionation of peptic hydrolysis products,

112, 171

Herriott, Roger M., and Northrop, John H. The determination of some amino acids in crystalline pepsin,

113, 11

- and Schock, Ellen D. Crysalbumin. talline egg Fractionation of peptic hydrolysis products by dialysis,

-, Block, Walter D., and Schock, Ellen D. Crystalline egg albumin. IV. The rate of liberation of amino nitrogen and cystine, tyrosine, and tryptophane colorigenic values during peptic, acid, and alkaline hydrolysis of egg albumin,

113, 21

See MILLER and CALVERY, 116, 393

Campbell, Dan H. The separation of glycogen into two frac-119, xvii

Campbell, H. L., Bessey, Otto A., and Sherman, H. C. Adult rats of low calcium content, 110, 703

Campbell, Harold A., and Link, Karl Paul. Derivatives of dgalacturonic acid. III. The synthesis of a mercaptal of dgalacturonic acid and aldehydo tetraacetylmethyl-d-galacturo-120, 471

- and -. Acetals in the sugar group. I. The dimethyl acetal of d-galactose,

122, 635

Campbell, Percy A. See Holmes, PIGOTT, and CAMPBELL,

> 103,657 105, xli

Campbell, Walter R., and Hanna, Marion I. The determination of nitrogen by modified Kjeldahl methods,

— and —. Sulfites as protein precipitants, 119, 9

- and -. The albumin, globulins, and fibringen of serum and plasma, 119, 15

Cannan, R. Keith. See Wilson and CANNAN, 119, 309

Cape, Jane, and Sevringhaus, Elmer L. The rate of change of alkali reserve after ingestion of salts of organic compounds. I. Normal variations in acid-

base balance under basal conditions. 103, 257

The rate of change of alkali reserve after ingestion of salts of organic compounds,

109, xvii - and Sevringhaus, Elmer L. The rate of change of alkali reserve after ingestion of salts organic compounds. Rate of change of alkali reserve after ingestion of sodium citrate and sodium hi-121, 549 carbonate, Caplan, M. See BEUTNER, CAP-LAN, and LOEHR, 101, 391 Cardon, Rose. See HOFFMAN and CARDON, 109, 717

Carey, Benjamin W., Jr. See TRIMBLE, MADDOCK, and

103, 285 CAREY. Carpenter, Thorne M. Some considerations on precise analysis of air from respiration | —. Synthesis of α -amino- β -

ysis of air from respiration	—. Synthesis of α -amino- β -
chambers, 101, 595	hydroxy-n-butyric acids,
—. A chemical hygrometer,	112, 769
112, 123	See Schiltz and Carter,
The partition of urinary	116, 793
nitrogen of fasting and hiber-	See Wood, Madden, and
nating woodchucks (Arc-	CARTER, 117, 1
tomys monax), 122, 343	—. See West and Carter,
Carr, C. Jelleff, Musser, Ruth,	119, 103, 109
Schmidt, Jacob E., and Krantz,	—. See West, Krummel, and
John C., Jr. The fate of	
	CARTER, 122, 605
mannitol and mannitan in the	—. See West and Carter,
animal body, 102, 721	122, 611
- and Krantz, John C., Jr. The	-, Handler, Philip, Binkley,
fate of dulcitol and dulcitan in	Francis, Fishback, Hamilton,
the animal body, 107, 371	Risser, William, and Weisiger,
-, Forman, Sylvan E., and	James. Amide metabolism,
Krantz, John C., Jr. The me-	123, xx
tabolism of mannitol, polygali-	Cartland, George F., Meyer,
tol, and styracitol, 123, xviii	Roland K., Miller, Lloyd C.,
— and Krantz, John C., Jr.	and Rutz, Marshall H. A
Sugar alcohols. XII. The	comparison of theelin prepared
fate of polygalitol and man-	from stallion urine, human
nitol in the animal body,	urine, and from theelol, with
124, 221	notes on the colorimetric es-
Carruthers, Albert, and Lee, Wei	timation of theelin and theelol,
Yung. The hydrolysis of gly-	109, 213
cogen by glycerol extract of	- and A study of equilin
muscle, 108, 525	prepared from pregnant mare
The hydrolysis of glycogen	urine, 112, 9
by muscle and liver extracts,	See MEYER, MILLER, and
108, 535	Cartland, 112, 597
Carruthers, Christopher. Vita-	- and Kuizenga, Marvin H.
min E and experimental	The preparation of extracts
tumors, 123, xix	containing the adrenal cortical
Carter, Herbert E. The metab-	hormone, 116, 57
olism of norleucine, isoleucine,	— and Nelson, John W. The
and valine. I. The synthesis	preparation and purification of
of some phenyl derivatives,	extracts containing the gonad-
108, 619	stimulating hormone of preg-
See Rose, McCoy, Meyer,	nant mare serum, 119, 59
Carter, Womack, and Mertz,	Cary, C. A. See WISEMAN,
109, lxxvii	Kane, and Cary, 105, ci
109, 122711	IXANE, SHU CARI, 103, CI

Cary, C. A .- continued

--. See WISEMAN and CARY, 109, ci

--. See Shinn and Cary, 114, xcii

-. See Shinn, Kane, Wise-man, and Cary,

119, lxxxix

Cary, M. Katherine. See BLOCK, DARROW, and CARY,

104, 347

--. See Darrow and Cary, 105, 327

-. See Yannet, Darrow, and Cary, 112, 477

Cason, James, and Anderson, R. J. The chemistry of the lipids of tubercle bacilli. L. Theoccurrence of phthiocerol in the wax of the bovine tubercle bacillus, 119, 549

Catherwood, Ruth, and Stearns, Genevieve. Creatine and creatinine metabolism in infancy and childhood,

114, xviii

 and —. Creatine and creatinine excretion in infancy,

119, 201

Cavett, J. W., Rice, Carl O., and McClendon, J. F. The thyroxine and iodine content of normal and pathological thyroglobulin, 109, xvii

--, --, and --. Thyroglobulin studies. I. The thyroxine and iodine content of normal and goitrous human thyroglobulin, 110, 673

—. Thyroglobulin studies. II. The Van Slyke nitrogen distribution and tyrosine and tryptophane analyses for normal and goitrous human thyroglobulin, 114, 65

 The use of nembutal in the determination of the basal metabolic rate of dogs,

119, xvii

Cerecedo, Leopold R. See Al-LEN and CERECEDO,

102, 313

---. See Schwob and Cerecedo, 105, lxxvi

—. See Stekol and Cerecedo, 105, lxxxv

— and Allen, Frank Worthington. Studies on purine metabolism. III. The fate of guanosine and adenosine in the dog,

107, 421

— and Stekol, Jakob A. Studies on metabolic processes during growth. I. The metabolism of isobarbituric acid in the growing dog, 107, 425

—. See SILVER and CERECEDO, 114, xciii

Chaikelis, Alexander Sarant.

The effect of insulin on the glucose-chloride relationship and anhydremia in the blood of rabbits, 105, 767

Chaikoff, I. L., and Kaplan, A.

The blood lipids in completely
depancreatized dogs maintained with insulin.

106, 267

See Kaplan and Chaikoff, 108, 201

See Larson and Charkoff, 108, 457

— and Larson, P. S. The effect of insulin on the purine metabolism of the Dalmatian coachdog, 109, 85

-, -, and Read, Lee S. The influence of epinephrine on the purine metabolism of ordinary and Dalmatian breeds of dogs, 109, 395 - and Kaplan, A. The influence of the ingestion of raw pancreas upon the blood lipids of completely deparcreatized dogs maintained with insulin, 112, 155 See Kaplan and Chaikoff, 116,663 - and Kaplan, A. The distribution of fat in the livers of depancreatized dogs maintained with insulin, 119, 423 See KAPLAN and CHAIKOFF, 119, 435 120, 647 See PERLMAN, RUBEN, and CHAIKOFF. 122, 169 LORENZ, See ENTENMAN, and CHAIKOFF, 122, 619 See LORENZ, CHAIKOFF, and ENTENMAN, 123, 577 See FRIES, RUBEN, PERL-MAN, and CHAIKOFF, 123, 587 See Hassid and Chaikoff, 123, 755 ENTENMAN, See RUBEN. PERLMAN, LORENZ, and CHAIKOFF, 124, 795 Chamberlin, P. E., Furgason, W. H., and Hall, V. E. Ketone body excretion in the cat: sex difference, and influence of diet, fasting, castration, and

male hormone administration,

Chambers, Leslie A., and Flos-

dorf, Earl W. The denatura-

121, 599

tion of proteins by sound waves of audible frequencies, 114, 75

-. The influence of intense

- —. The influence of intense mechanical vibration on the proteolytic activity of pepsin, 117, 639
- Chambers, William H., Himwich, Harold E., and Kennard, Margaret A. Glucose excretion after exercise in experimental diabetes, 108, 217
- -. See Barker, Chambers, and Dann, 118, 177
- Chamelin, I. M. See Harrow, Mazur, Chamelin, and Lesuk, 119, xlvi
- Chandler, W. L. See Hassid and Chandler, 117, 203
- Chang, Chang Y. See PHILLIPS and CHANG, 105, 405
- Chanutin, Alfred, and Ludewig, Stephan. The effect of cholesterol ingestion on tissue lipids of rats, 102, 57
- -. See Kinard and Chanutin, 103, 461
- and Ludewig, Stephan.
 Renal function studies in partially nephrectomized rats,

109, xviii and —. Influence of liver damage on the blood lipids,

- damage on the blood lipids,
 114, xviii
 and —. The blood plasma
- and —. The blood plasma cholesterol and phospholipid phosphorus in rats following partial hepatectomy and following ligation of the bile duct,

 115, 1
- —. See Ludewig and Chanutin, 115, 327

Chanutin, Alfred—continued

- and Ludewig, Stephan. Blood plasma proteins in partially nephrectomized rats, 119, xviii
- Hortenstine, J. C., Cole, W. S., and Ludewig, Stephan. Blood plasma proteins in rats following partial hepatectomy and laparotomy, 123, 247
- The distribution of body water in the partially nephrectomized rat. 123, xx
- See Hortenstine, Chanu-TIN, and LUDEWIG, 125, 455 Chao, Iping. See Engel and
- Снао. 108, 389 Chargaff, Erwin, and Schaefer, Werner. Chemical and im-

munological properties of the various fractions of the bacillus Calmette-Guérin (BCG),

109, xix

and —. A specific polysaccharide from the bacillus Calmette-Guérin (BCG).

112, 393

116, 237

- -, Bancroft, Frederic W., and Stanley-Brown, Margaret. Studies on the chemistry of coagulation. I. The blood measurement of the inhibition of blood clotting. Methods and units. 115, 149
- -, -, and -. II. On the inhibition of blood clotting by substances of high molecular weight, 115, 155
- -, -, and -. III. The chemical constituents of blood platelets and their rôle in blood clotting, with remarks on the activation of clotting by lipids,

The separation of choline and ethanolamine,

118, 417

- and Bovarnick, M. A method for the isolation of glucosamine. 118, 421
- Studies on the chemistry of blood coagulation. IV. Lipid inhibitors of blood clotting occurring in mammalian tissue, 121, 175
- V. Synthetic cerebroside sulfuric acids and their action in blood clotting. 121, 187
- and Olson, Kenneth B. Studies on the chemistry of blood coagulation. VI. Studies the action of heparin and other anticoagulants. The influence of protamine on the anticoagulant effect in vivo,

122, 153

- Chemical properties of the lipid fractions of Bacterium tumefaciens, 123, xxi
- and Levine, Michael. The lipids of Bacterium tumefaciens, 124, 195
- The protamine salts of phosphatides, with remarks on the problem of lipoproteins,

125, 661

- Studies on the chemistry of blood coagulation. Protamines and blood clotting,
 - 125, 671
- VIII. Isolation of a lipid inhibitor of blood clotting from the spleen in a case of Niemann-Pick's disease,

125, 677

Charles, A. F., and Scott, D. A.

Studies on heparin. I. The preparation of heparin, 102, 425 - and -. II. Heparin in various tissues. 102, 431 See Scott and Charles, 102, 437 Chase, Barbara W., and Lewis, Howard B. The metabolism of sulfur. XX. The rate of absorption of dl-methionine from the gastrointestinal tract of the white rat, 101, 735 - and -. Comparative studies of the metabolism of the amino acids. VI. The rate of absorption of leucine, valine, and their isomers from the gastrointestinal tract of the white 106, 315 rat, Chen, A. Ling. See CHEN and 105, 231 CHEN. 109, 681 111,653 Chen, K. K., and Chen, A. Ling. The constituents of be-still nuts, Thevetia neriifolia, 105, 231 - and --. The alkaloids of han-fang-chi, 109, 681 - and -. The alkaloid of chinshih-hu. 111,653 See JENSEN and CHEN, 116, 87 See Ball and Chen, Tung-Tou. CHEN, 102, 691 Chen, Yen Ping. See FREEMAN and CHEN, 123, 239 See Freeman, Chen, and 124, 79 Ivy, Chichester. Donald F. See MORGAN and CHICHESTER, 110, 285

39Childs, Hazel M. See LOONEY and CHILDS. 104, 53 105, liii See GUER-Chornock, Francis. CHORNOCK, and RANT, 119, xlii DUTCHER. Chow, Bacon F. See CONANT, Chow, and Schoenbach, 101, 463 - and Kamerling, S. E. The catalytic effect of ferricyanide in the oxygen absorption of oleic acid. 104, 69 Christensen, E. Hohwü, and Dill, D. B. Oxygen dissociation curves of bird blood. 109, 443 Christensen, Halvor N., and Corley, Ralph C. Observations on the alleged presence of lipid chlorine in the blood and tis-123, 129 Christensen, L. M. See STAVELY, CHRISTENSEN, and FULMER, 111, 771, 785, 791 Christensen, W. Blake, Peterson, W. H., and Johnson, Marvin J. Properties of the lactic acidracemizing enzyme (racemase)

123, xxi
Christman, A. A., and Randall,
E. L. A convenient and accurate method for the determination and detection of carbon monoxide in blood,

102, 595

of Clostridium butylicum,

See Tulane, Christman, and Lewis, 103, 141
 and Block, Walter D. A method for the detection and determination of carbon mon-

109, xx

oxide in air.

C. See Christman, Clarence LEVENE and CHRISTMAN, 120, 575 122, 203, 661 123, 77, 83, 607 - and Levene, P. A. Synthesis of proteinogenic alcamines and their N-dialkyl derivatives, 124, 453 Proteinogenic alkyl - and -. 125, 709 alcamines. II, Church, Anna E. See Sure, KIK, and Church, 103, 417 Church, Charles F. See WHIP-PLE and CHURCH, 109, xcviii 114, cvii 119, ciii Cipriani, A. J. See EVELYN and 117, 365 CIPRIANI, Civin, Helen. See HECHT and 116, 477 CIVIN, Clark, Guy W., and Coene, Alice Evaluation of the antianemic potency of liver extract by the Jacobson method of bioassav. 114, xix Clark, Harold E. See VICKERY, PUCHER, and CLARK, 109, 39 See Pucher, Clark, and 117, 599, 605 VICKERY, Clark, R. H. See Pyle, Fisher, and CLARK, 119, 283 Clark, W. Mansfield. See Ball and CHEN, 102, 691 John Jacob Abel, 124, preceding p. 573 Clarke, H. T. See ZAHND and CLARKE, 102, 171 See HERBST and CLARKE. 104, 769

See FRUTON and CLARKE, 106, 667 See GURIN and CLARKE, 107, 395 See BLUMENTHAL and CLARKE, 110, 343 See MAZUR and CLARKE, 123, 729 See Bloch and Clarke, 125, 275 See Borek and Clarke, 125, 479 Clausen, S. W., and McCoord, A. B. The distribution of vitamin A in the tissues of the rat and of the guinea pig, 105, xv - and -. Conditions influencing the storage of vitamin A in the rat, 109, xx and —. The determination of carotene and xanthophyll by a single distribution between liquid phases, 113, 89 — and —. The utilization of carotene by the human fetus, 119, xviii Clemence, Leroy W. See RAIziss, Severac, Moetsch, and CLEMENCE, 123, xcix Clifcorn, L. E., Meloche, V. W., and Elvehjem, C. A. The absorption of carbon monoxide with reduced hematin and pyridine hemochromogen, 111, 399 Clinton, Marshall, Jr., and Hubbard, Roger S. Factors influencing the destruction of glucose and fructose by oxygen, 119, 467

Closs, John O. See Cori, Closs, and Cori, 103, 13 Clowes, G. H. A., and Krahl, M. Action of certain oxidative stimulants and depressants on respiration and cell division, 109, xxi See KRAHL and CLOWES. 111, 355 Studies on — and Krahl, M. E. the mechanism of metabolic stimulation by dinitro-, dihalo-, and trihalophenols, 114, xix See KRAHL and CLOWES, 119, lx -, Davis, W. W., and Krahl, M. E. Certain reactions of protein films prepared by the Langmuir method, 123, xxii Cockrill, Jessie R., Miller, Edgar G., Jr., and Kurzrok, Raphael.

Cockrill, Jessie R., Miller, Edgar G., Jr., and Kurzrok, Raphael.
The nature of the uteruscontracting substance in human seminal fluid,

Coene, Alice M. See CLARK and COENE, 114, xix

Coffman, J. R. See Peterson, Hoskins, Coffman, and Koch, 123, xciii

Cogan, Michael. See Robinson, 108, 403

Coghill, Robert D. The spontaneous decomposition of cystine dimethyl ester,

114, xx, 419

— and Creighton, M. M. The non-specific nature of the carbohydrate portion of horse pseudoglobulin, 123, xxiii Cohen, Barnett. See Shwach-Man, Hellerman, and Cohen, 107, 257

Cohen, Eugene. See Elve-HJEM, COHEN, and STARE,

105, xxv

— and Elvehjem, C. A. The relation of iron and copper to the cytochrome and oxidase content of animal tissues,

107, 97

Cohen, Julius. See Sobel, Yuska, and Cohen,

118, 443

Cohen, Philip P. Studies in ketogenesis, 119, 333

 and Stark, Irene E. Hepatic ketogenesis and ketolysis in different species,

123, xxiii

-. See STARK and COHEN,
123, CXV

Cohen, S. L. See Marrian, Cohen, and Watson,

109, lix nn. Edwin I.. Edsall. John T..

Cohn, Edwin J., Edsall, John T., and Blanchard, Muriel H. Studies in the physical chemistry of the proteins. XI. The amphoteric properties of zein, 105, 319

—. See Straup-Cope and Cohn, 105, lxxxvii
—. See Green, Cohn, and

-. See GREEN, COHN, and BLANCHARD, 109, 631

—, McMeekin, Thomas L., and Greenstein, Jesse P. The solvent action of neutral salts upon peptides in solutions of low dielectric constant,

109, xxi

—. See Ferry, Cohn, and Newman, 109, xxxii

Cohn, Edwin J.—continued	Collier, Vines, Jr. Determina-
- and McMeekin, Thomas L.	tion of chlorides in biological
On the relation between the	materials, 115, 239
solubility in different solvents	Colowick, Sidney P. See CORI,
of amino acids, peptides, and	Cori, and Colowick,
certain related substances,	119, xix
114, xx	See Cori, Colowick, and
- See Ferry, Cohn, and New-	Cori, 121, 465
MAN, 114, XXXIV	123, 375, 381
-, Salter, William T., and Ferry,	124, 543
Ronald M. The amphoteric	Synthetic mannose-1-phos-
properties of globin and iodized	phoric acid and galactose-1-
globin, 123, xxiv	phosphoric acid, 124, 557
Cohn, Essie White, and White,	Compton, Jack. See Levene
Abraham. The enzymatic	and Compton,
hydrolysis of raw and heat-	111, 325, 335
treated egg white,	112, 775
109, 169	114, 9
- and Brookes, Margaret Hess-	116, 169, 189
ler. The diastatic activity	117, 37
of rat saliva, 114, 139	Conant, James B., Chow, Bacon
Cohn, Waldo E., and Greenberg,	F., and Schoenbach, E. B.
David M. Studies in mineral	The oxidation of hemocyanin,
metabolism with the aid of	101, 463
artificial radioactive isotopes.	-, Dersch, Fritz, and Mydans,
I. Absorption, distribution,	W. E. The prosthetic group
and excretion of phosphorus,	of Limulus hemocyanin,
123, 185	107, 755
Cole, Versa V., and Curtis,	Conner, R. T., and Sherman,
George M. Normal iodine	H. C. Some aspects of protein
balance, 105, xvii	intake in relation to growth
- and - Iodine balance stud-	and rate of calcification,
ies on the white rat,	115, 695
109, xxii	- See KAO, CONNER, and
- and Harned, Ben K. Further	SHERMAN, 123, 221
evidence of diabetic tendencies	Conrad, Ralph M., and Berg,
in a strain of rats,	Clarence P. The optical in-
123, xxv	version of d -histidine in the
- See HARNED and COLE,	animal hody 117 251
123, li	animal body, 117, 351 Consolazio, W. V. See KEYS,
Cole, W. S. See CHANUTIN,	114, 449
Hortenstine, Cole, and	- See Dill, Edwards, and
Ludewig, 123, 247	Consolazio, 118, 635
, Lau, La	CORBODALIO, 110, 030

-. See DILL, TALBOTT, and CONSOLAZIO, 118, 649
119, xxiii
Converse, H. T. See TURNER,
MEIGS. and CONVERSE.

Meigs, and Converse,

Conway, William J. The synthesis of p-bromophenylmer-capturic acid in the fasting rabbit, 121, 27

Cook, Gladys M. See MITCHELL and Cook, 123, lxxxvi

Cool, Raymond D., Gamble, Clarence James, and Starr, Isaac, Jr. The solubility of ethyl iodide in human blood and its correlation with the erythrocyte count,

105, 97

Cooley, Thomas B. See Erickson, Cope, Sternberger, Lee, Cooley, and Macy,

109, xxx

Coolidge, Thomas B. The mechanism of cytochrome action, 123, 451

Coons, Callie Mae, Coons, R. R., and Schiefelbusch, Anna T. The acid-base balance of the minerals retained during human pregnancy,

104, 757

Coons, R. R. See Coons, Coons, and Schiefelbusch, 104, 757

Cope, Frances. See Erickson, Cope, Sternberger, Lee, Cooley, and Macy,

109, xxx
Corey, Edward L. See EHRENSTEIN and COREY,

122, 297 Corey, Robert B., and Wyckoff, Ralph W. G. Long spacings in macromolecular solids,

—. See Wyckoff and Corey,

116, 51 Cori, Carl F. See Cori, Closs,

and Cori, 103, 13

See Buchwald, Cori, and Fisher, 103, 763

See Cori and Cori,

105, xvii 107, 5

— and Shine, William M. The conversion of hexoses and trioses to glucose in the liver of the rat, 114, xxi

—. See Fisher, Russell, and Cori, 115, 627

-. See Cori and Cori,

116, 119, 129

—, Cori, Gerty T., and Colowick, Sidney P. The isolation and synthesis of glucose-1-phosphoric acid, 119, xix

—, —, and Hegnauer, A. H. Resynthesis of muscle glycogen from hexosemonophosphate,

120, 193

Colowick, Sidney P., and
 Cori, Gerty T. The isolation and synthesis of glucose-1-phosphoric acid, 121, 465
 See Cori, Colowick, and

—. See Cori, Colowick, and Cori, 123, 375, 381 124, 543

Cori, Gerty T., Closs, John O., and Cori, Carl F. Fermentable sugar in heart and skeletal muscle, 103, 13

 and Cori, Carl F. Changes in hexosemonophosphate in frog muscle,
 105, xvii Cori, Gerty T .- continued

- --. See HEGNAUER and CORI, 105, 691
- and Cori, Carl F. The disappearance of hexosemonophosphate from muscle under aerobic and anaerobic conditions, 107, 5
- and —. The formation of hexosephosphate esters in frog muscle, 116, 119
- and —. An unusual case of esterification in muscle,

116, 129

- -. See Cori, Cori, and Colowick, 119, xix
- See Cori, Cori, and Heg-NAUER, 120, 193
 See Cori, Colowick, and

Cori, Colowick, and Cori, Colowick, and Cori, 121, 465

Cori, Carl F. The formation of glucose-1-phosphoric acid in extracts of mammalian tissues and of yeast,

123, 375

—, —, and —. The action of nucleotides in the disruptive phosphorylation of glycogen, 123, 381

—, —, and —. The enzymatic conversion of glucose-1-phosphoric ester to 6-ester in tissue extracts, 124, 543

Corley, Ralph C. See MARTIN and CORLEY, 105, lvii

- —. See Tripp and Corley, 105, xciv
- -, Kramer, Alice W., and Wolf,
 Paul A. Factors influencing
 the creatine content of the
 muscles,
 109, xxiii
- -, Tripp, John T., and Newton,

- Edith R. The metabolism of bromine and of brominated fatty acids in the animal body, 109, xxiii
- and Leighty, John A. Catabolism of straight and branched chain amino and fatty acids in the normal and phlorhizinized dog, 114, xxii
- and Snyder, Fred H. Catabolism of amino acids with branched chains, 119, xx
- —. See Leighty and Corley, 120, 331
- -- See SNYDER and CORLEY, 122, 491
- —. See Christensen and Cor-LEY, 123, 129
- —, Wolf, Paul A., and Nielsen, Ernest K. The amino acids essential for the adult animal, 123, xxvi
- Cornish, R. E. See EVANS, MURPHY, ARCHIBALD, and CORNISH, 108, 515
- Correll, John T., and Hughes, J. S. The relation of filtrable to non-filtrable calcium in chicken blood, 103, 511
- —, Berg, Clarence P., and Cowan, Donald W. The influence of l- and dl-tryptophane and kynurenic acid administration on bile volume and composition, 109, xxiv —, —, and —. Tryptophane
- —, —, and —. Tryptophane metabolism. IX. The excretion of kynurenic acid in the bile and urine of the dog after the administration of kynurenic acid and l- and dltryptophane, 123, 151

 Cortese, Frank, and Bauman,

Louis. A synthesis of conjugated bile acids. II. Glycodesoxycholic acid, 113, 779— and Bashour, Joseph T. A synthesis of conjugated bile	 See DU VIGNEAUD and CRAFT, 105, xcvi See DU VIGNEAUD, LORING, and CRAFT, 105, 481 107, 519
acids. III. Sodium taurocho-	Craig, F. N. A fat oxidation
late and sodium taurodesoxy-	system in Lupinus albus,
cholate, 119, 177	114, 727
Cowan, Donald W. See Cor-	Craig, Lyman C. See JACOBS
RELL, BERG, and COWAN,	and CRAIG, 104, 547
109, xxiv	106, 393
123, 151 Cowgill, George R. See Roe,	108, 595 110, 521
GILMAN, and COWGILL,	111, 455
105, lxxii	113, 759, 767
See STUART, BLOCK, and	115, 227
Cowgill, 105, 463	119, 141
—. See Horwitt and Cowgill,	120, 447
119, li, 553	122, 419
123, lxi	124, 659
Cox, Gerald J., and Berg, Clarence P. The comparative	-, Shedlovsky, Theodore,
ence P. The comparative availability of d - and l -histi-	Gould, R. Gordon, Jr., and Jacobs, Walter A. The ergot
dine for growth, 107, 497	alkaloids. XIV. The posi-
Cox, Warren M., Jr. The nutri-	tions of the double bond and
tive value of pure fatty acid	the carboxyl group in lysergic
esters, 103, 777	acid and its isomer. The
- and Imboden, Miriam. Stud-	structure of the alkaloids,
ies on the requirements of cal-	125, 289
cium and phosphorus for gesta-	See Jacobs and Craig,
tion and lactation,	125, 625
105, xviii — and Mueller, Arthur J. An	Creech, H. J. See Franks and Creech, 123, xxxviii
apparatus for milking small	Creighton, M. M. See Cognill
laboratory animals, and the	and Creighton, 123, xxiii
composition of stock rat milk,	See Anderson, Lothrop,
114, xxii	and CREIGHTON, 125, 299
See Mueller and Cox,	Crescitelli, Frederick, and Tay-
119, lxxii	lor, Ivon R. Changes in the
123, lxxxviii	concentration of reducing sub-
Craft, Harold A. See DU VI-	stances during the metamor-
GNEAUD, CRAFT, and LORING,	phosis of Galleria mellonella
104, 81	(bee-moth), 108, 349

Crimm, Paul D., and Strayer, J. W. Phosphatase content of blood serum and tissues in the rat following administration of vitamins D and A,

112, 511

Crowder, J. A., and Anderson, R. J. A contribution to the chemistry of *Lactobacillus acidophilus*. II. Composition of the neutral fat,

104, 399

- and —. III. The composition of the phosphatide fraction, 104, 487
- --. See NEWMAN, CROWDER, and ANDERSON, 105, 279
- See Anderson, Crowder, Newman, and Stodola,

113, 637 114, iii

- -, Stodola, F. H., and Anderson, R. J. The chemistry of the lipids of tubercle bacilli. XLV. Isolation of α and β -leprosol, 114, 431
- -. See Anderson, Reeves, and Crowder, 121, 669
- Crowe, M. O'L. The ultraviolet absorption spectrum curve of phthiocol, a pigment of the human tubercle bacillus,

Crowell, Mary. See McCay, Tunison, Crowell, and Paul,

Tunison, Crowell, and Paul, 114, 259

- Csonka, Frank A. Proteins of yeast (Saccharomyces cerevisiæ), 105, xix 109, 703
- -- Amino acid content of staple foods, 109, xxv

 Amino acids in staple foods.
 I. Wheat (Triticum vulgare), 118, 147

Culbert, Robert W. The vapor pressure of human blood by Hill's thermoelectric method. Apparatus and technique,

109, 547

—, McCune, D. J., and Weech, A. A. Rate of evaporation in serum as a measure of vapor pressure, osmotic pressure, and concentration of solutes.

119, 589

- Cullen, Glenn E., and Wilkins,
 Walter E. Electrolytes in
 human tissue. I. The digestion of tissue and other biological material and the subsequent determination of various
 electrolytes, 102, 403
- —, —, and Harrison, Tinsley R. Electrolytes in human tissue. II. The electrolyte content of hearts and other tissues from cases with various diseases, 102, 415
- —. See Robinson, Price, and Cullen, 106, 7 109, lxxiv 114, 321
- —. See Robinson, Price, Hogden, Nelson, and Cullen, 114, lxxxiv
- -. See Holmes and Cullen, 123, lx

Cullimore, Owen S. See Blath-ERWICK, BRADSHAW, CULLI-MORE, EWING, LARSON, and SAWYER, 113, 405

Cupps, P. T. See BERGMAN and TURNER, 123, 471 Curtis, George. See OLMSTED, CURTIS, and TIMM,

108, 645

Curtis, George H. See West, Hoagland, and Curtis,

104, 627

—. See West, Lane, and Curtis, 109, xcvii

Curtis, George M. See Cole and Curtis, 105, xvii 109, xxii

Curtis, Jack M., MacCorquodale, D. W., Thayer, Sidney A., and Doisy, Edward A. A study of theelin prepared from human and mare urine and from theelol, with some remarks on the preparation of theelin from mare urine, 107, 191

—, Miller, Lloyd C., and Witt, Ewald. Decreased sensitivity to theelol of castrate female rats, 119, xxi

Curtis, Lawrence C. See
Pucher, Curtis, and VickERY, 123, 61, 71

ERY, 123, 61, 71 Cushman, Margaret. See Folin, 101, 111

Cutler, Charles H. See Deuel, Gulick, Grunewald, and Cutler, 104, 519

--. See Grunewald, Cutler, and Deuel, 105, 35

--. See Butts, Cutler, and Deuel, 105, 45

—. See Butts, Cutler, Hall-Man, and Deuel, 109, 597

-. See Deuel, Butts, Hall-man, and Cutler,

112, 15

--- See DEUEL, BUTTS, BLUN-DEN, CUTLER, and KNOTT, Cutler, Hayden H. See Power, WILDER, and CUTLER,

123, xciv

Cutler, Jessie T. Studies on the carbohydrate metabolism of the goat. The blood sugar and the inorganic phosphate, 106, 653

Czarnetzky, E. J., and Schmidt, Carl L. A. Studies on the combinations of certain amino acids and proteins in the solid state with certain gaseous acids and bases, 105, 301

D

Da Costa, Esther. See Hast-INGS, McLean, Eichel-Berger, Hall, and Da Costa, 107, 351

Daft, Floyd Shelton, Robscheit-Robbins, Frieda S., and Whipple, G. H. New formed hemoglobin and protein catabolism. Conservation of intermediates in the anemic dog on a proteinfree diet, 103, 495

--, --, and ---. New formed hemoglobin and protein catabolism in the anemic dog,

108, 487

—,—, and—. Liver injury by chloroform, nitrogen metabolism, and conservation. Liver function and hemoglobin production in anemia,

113, 391

-, -, and -. Abscess nitrogen metabolism in anemic and non-anemic dog. Reserve stores of protein apparently involved, 121, 45

117, 119 | --, --, and --. Plasma protein

given by vein and its influence upon body metabolism,

123, 87

Dakin, H. D., and West, Randolph. Observations on the chemical nature of a hematopoietic substance occurring in liver, 109, 489

-, Ungley, C. C., and West, Randolph. Further observations on the chemical nature of a hematopoietic substance occurring in liver, 115, 771

Dalton, John B., and Schmidt, Carl L. A. The solubilities of certain amino acids in water, the densities of their solutions at twenty-five degrees, and the calculated heats of solution and partial molal volumes,

103, 549

— and —. The solubilities of certain amino acids and related compounds in water, the densities of their solutions at twenty-five degrees, and the calculated heats of solution and partial molal volumes. II,

109, 241

Daly, C., and Dill, D. B. Carbamino compounds and carbon dioxide transport,

109, xxv

--. See DILL, DALY, and Bock, 114, xxv

-. See DILL, DALY, and Forbes, 117, 569

Dam, Henrik. See Schoen-HEIMER, SPERRY, and DAM, 109, lxxix

- See Schoenheimer, Dam, and von Gottberg,

110, 659, 667

Daniels, Farrington. See Hoff-MAN and DANIELS,

115, 119

Danielson, Irvin S. Amino acid nitrogen in blood and its determination, 101, 505

-. On the presence of creatinine in blood, 113, 181

-. See Manery, Danielson, and Hastings, 124, 359

Danielson, Wayne H. See Myers, Muntwyler, Binns, and Danielson, 102, 19

— and Stecher, Robert M. The acid-base balance of the blood serum in hyperthermia,

114, xxiii

Dann, Margaret. See BARKER, CHAMBERS, and DANN,

118, 177

Dann, W. J. The vitamin G complex in rat dermatitis and human pellagra, 114, xxiv

— and Evelyn, Kenneth A. The quantitative estimation of vitamin A with the photoelectric colorimeter.

123, xxvi

Daoud, Lateefeh. See KERR and DAOUD, 109, 301

Darby, William J. See Day and Darby, 119, xxii 123, xxviii

Darnell, Matthew C., Jr. See LOONEY and DARNELL,

114, lxii

Darrow, Daniel C. See BLOCK, DARROW, and CARY,

104, 347

— and Cary, M. Katherine. The effect of nutritional hypoproteinemia on the electrolyte

pattern and calcium concentration of serum,

105, 327

—. See Yannet, Darrow, and Cary, 112, 477

See Harrison, Darrow,and Yannet, 113, 515

—. See Harrison and Darrow, 121, 631

—. See Yannet and Darrow, 123, 295

 and Harrison, Harold E. The chemical composition of tissues in adrenal insufficiency,

123, xxvii

Davenport, Horace W. See Borsook, Davenport, Jeffreys, and Warner, 117, 237

Davidson, Jehiel, and LeClerc, J. A. A new method for the determination of the acid-base balance in food materials,

108, 337

Davis, Burt Lincoln, Jr., and Van Winkle, Walton, Jr. The effect of insulin and epinephrine on the amino acid content of the blood of adrenalectomized rabbits, 104, 207

Davis, George. See McCay and Maynard, 109, 29

Davis, W. W. See Clowes, Davis, and Krahl,

Dawson, Martin H. See Ken-DALL, Heidelberger, and Dawson, 118, 61

Day, Harry G., Kruse, H. D., and McCollum, E. V. Studies on magnesium deficiency in animals. VII. The effects of magnesium deprivation, with a superimposed calcium deficiency, on the animal body, as revealed by symptomatology and blood changes,

112, 337

—, Stein, Harold J., and McCollum, E. V. The effect upon hematopoiesis of variations in the levels of calcium, phosphorus, and iron in the diet, 123, xxviii

Day, Paul L. Blood sugar in rats in which cataract was produced by a vitamin G-deficient diet and by a lactose-containing diet, 109, xxvi

—, Langston, William C., and Shukers, Carroll F. Leucopenia and anemia in the monkey resulting from dietary deficiency, 114, xxv

and Darby, William J. The influence of different casein preparations in flavin-deficient diets upon the appearance of cataract,
 119, xxii

— and —. The riboflavin requirement for growth of the rat, 123, xxviii

Dearborn, R. B. See Kertesz, Dearborn, and Mack,

DeEds, Floyd, and Eddy, C. W.
The microdetermination of silicon, 114, 667

Deere, Charles J. See HARNED and DEERE, 104, 727

DeMeio, R. H., Kissin, Milton, and Barron, E. S. Guzman. Studies on biological oxidations. IV. On the mechanism of the catalytic effect of reversible dyes on cellular respiration. 107, 579

See Barron, DEMEIO, and KLEMPERER, 112, 625 See Halli-Dennett, Linnea. 106, 29 DAY, Dennis, Joe. See HENDRIX and 123, liii DENNIS, See MATTICE, Deren, M. Bruger, and Deren, 109, lx Dersch. Fritz. See CONANT. DERSCH, and MYDANS, 107, 755 Deuel, Harry J., Jr., MacKay, Eaton M., Jewel, Paul W., Gulick, Margaret, and Grunewald, Carl F. Studies on ketosis. III. The comparative glycogen formation and retention after the administration of glucose, galactose, and lac-101, 301 -, Gulick, Margaret, Grunewald, Carl F., and Cutler, The sexual varia-Charles H. tion in carbohydrate metabolism. III. The comparative glycogen and fat content of the liver and muscles of rats and guinea pigs, 104, 519 See Gulick, Samuels, and DEUEL. 105, 29 See GRUNEWALD, CUTLER, and DEUEL, 105, 35 See Butts, Cutler, and DEUEL, 105, 45 The relation of the anterior pituitary gland to ketonuria, 105, xix See Butts, Cutler, Hall-MAN, and DEUEL, 109, 597 -, Butts, Joseph S., Hallman,

Lois F., and Cutler, Charles H.

on

ketosis. VII.

Studies

Quantitative studies on β oxidation. Glycogen formation from various fatty acids,

112, 15 Hallman, Lois F., Butts, Joseph S., and Murray, Sheila. ketosis. VIII. Studies on Quantitative studies on the oxidation of the ethyl esters of the fatty acids. 116, 621 -, Butts, Joseph S., Blunden, Harry, Cutler, Charles H., and Knott, Leslie. Studies on ketosis. IX. Glycogen formation from various purified and natural fats, 117, 119

See Butts, Blunden, Goodwin, and Deuel, 117, 131
Hallman, Lois F., and Murray, Sheila. Studies on ketosis. XI. The relation of fatty livers to fasting ketonuria in the rat, 119, 257
, and . The relation of

ketonuria to liver fat,

The sexual variation in carbohydrate metabolism. VIII.
The rate of absorption of glucose and of glycogen formation in normal and adrenalectomized rats, 119, 607

—, Butts, Joseph S., Hallman, Lois F., Murray, Sheila, and Blunden, Harry. The sexual variation in carbohydrate metabolism. IX. The effect of age on the sex difference in the content of liver glycogen, 119, 617

Murray, Sheila, Hallman,
 Lois F., and Tyler, David B.

Studies on ketosis. XII. The effect of choline on the ketonuria of fasting rats following a high fat diet, 120, 277

—, Butts, Joseph S., Hallman, Lois F., Murray, Sheila, and Blunden, Harry. Studies on ketosis. XIII. Diurnal changes in liver glycogen, 123, 257

—, Hallman, Lois F., and Murray, Sheila. Ketolysis versus antiketogenesis as an explanation for the action of carbohydrate on ketonuria,

123, xxix

—, —, and —. Studies on ketosis. XIV. Ketolysis versus antiketogenesis as an explanation for the action of carbohydrate on ketonuria,

124, 385

—, —, —, and Hilliard, J. Studies on ketosis. XV. The comparative metabolism of d-mannose and d-glucose,

125, 79

DeWitt, James. See Sure, Kik, and Buchanan, 108, 27

- See Sure and DeWitt,

123, cxx

Dill, D. B., and Edwards, H. T. Effects of adrenalin in exercise, 105, xx

--. See Christensen and Dill, 109, 443

-. See DALY and DILL,

109, xxv

—, Forbes, W. H., and Henderson, L. J. Errors in calculated pH in hemoglobin solutions with little available base, 109, xxvii

-, Daly, C., and Bock, A. V. Sweat, 114, xxv

See Hastings, Dill, and
 Edwards, 114, xlvii

—, Daly, C., and Forbes, W. H. The pK' of serum and red cells, 117, 569

—, Edwards, H. T., and Consolazio, W. V. Blood as a physicochemical system. XI. Man at rest, 118, 635

—, Talbott, John H., and Consolazio, W. V. Blood as a physicochemical system. XII.
Man at high altitudes,

118,649

—, —, and —. The physicochemical properties of human blood at high altitudes,

119, xxiii

-, Edwards, H. T., and Robinson, S. Metabolic adjustments, exercise, and age,

123, xxx

Diller, Isaac M. Photoelectric colorimeter, 115, 315

-. Note on turbidity in uric acid determinations, with special reference to the photoelectric colorimeter,

118, 161

Dillman, Lucius M., and Visscher, Maurice B. The calcium content of ultrafiltrates of plasma and the influence of changes in hydrogen and bicarbonate ion concentrations upon it,

103, 791

Dillon, Robert T. See Van Slyke, Dillon, and Margaria, 105, 571

See SENDROY, DILLON, andVAN SLYKE, 105, 597

Dingwall, Andrew. See RABINO-WITCH, DINGWALL, and MAC-KAY. 103, 707, 725 Ditt, F. See KLENK and DITT, 111, 749 Dobriner, Konrad. Urinary porphyrins in disease, 113, 1 -, Localio, Sylvio, and Strain, William H. A study of the porphyrins excreted in congenital porphyrinuria, 114, xxvi Porphyrin excretion in the feces in normal and pathological conditions, 120, 115 Dodge, Warren M. See MITCH-ELL and DODGE. 105, lxi Doebbeling, S. E. See Sher-MAN, CALDWELL, and DOEB-BELING, 104, 501 See CALDWELL and DOEB-BELING. 110, 739 114, xvii the 123, 479 Doherty, David G. See BERG-MANN and FRAENKEL-CONRAT. 124, 1 -. See BERGMANN and BEHR-ENS. 124, 7Doisy, Edward A. See MAC-CORQUODALE, LEVIN, THAYER, and Doisy, 101, 753 -. See KATZMAN and Doisy, 105, xliv 106, 125 See Curtis, MacCorquo-DALE, THAYER, and Dorsy, 107, 191 See KATZMAN and Doisy, 107, 513 See MACCORQUODALE, THAYER, and Doisy,

109, lviii

See KATZMAN, WADE, and Doisy, 114, lvi See MacCorquodale. THAYER, and Doisy, 115, 435 See THAYER, MACCORQUO-DALE, McKEE, and Dorsy, 123, exx See WESTERFELD, MAC-CORQUODALE, THAYER, Dorsy, 123, exxvi Dolin, B. T. See FISHBERG and DOLIN, 101, 159 Domanski, Thaddeus John. Isolation of vinyl ether (divinyl oxide) from human tissues, 119,69 Dominguez, R., and Pomerene, Elizabeth. Studies of the renal excretion of creatinine. I. On the functional relation between the rate of output and concentration inthe plasma, 104, 449 Donal, John S., Jr. A method for the estimation of the oxygen content of one cubic millimeter of blood, An ultramicromethod for the determination of the oxygen content of blood, 106, 783 Dorfman, Ralph I. See Loring, DORFMAN, and DU VIGNEAUD, 103, 399 The comparative activity of various estrogens on the infantile rat uterus and vagina, 119, xxiv The excretion and metabolism of theelin in the sexually immature rat, - and Greulich, William Walter.

The response of the chick comb to sex hormones, 119, xxv—. The excretion of androgenic substances after the administration of testosterone.

123, xxx

Doster-Virtue, Mildred E. See VIRTUE and DOSTER-VIRTUE, 119, ci, 697 123, exxiii

Dotti, Louis B. Studies in the carbohydrate metabolism of the rabbit. I. The true blood sugar value in convulsions due to insulin administration,

104, 535

—. Insulin hyperglycemia as a measure of the sensitivity of the individual to insulin,

105, xxii

- —. See HRUBETZ and DOTTI, 107, 731
- and Hrubetz, M. Caroline. The true blood sugar level in insulin shock and convulsions, 113, 141
- Doty, J. R., and Eaton, A. G. Metabolism of the basic amino acids. I. Rates of absorption in rats of the monohydrochlorides of d-lysine and l-histidine, 122, 139

Doubilet, Henry. Differential quantitative analysis of bile acids in bile and in duodenal drainage, 114, 289

Dounce, Alexander L. See Sumner and Dounce,

117, 713 119, xevii 121, 417

- and Sumner, James B. A

second crystallizable liver protein, 124, 415

Downes, Helen R., and Richards, Leah. A note on the concentration of the antidiuretic factor of the anterior lobe of the pituitary, 110, 81

Downing, Virginia. See Shaw and Downing, 109, 405 Downs, C. E. See Harding and

Downs, 101, 487

Dox, A. W., Bywater, W. G., and

Tendick, F. H. A crystalline by-product obtained in the large scale extraction of theelin and theelol, 112, 425

Drabkin, David L. See FITZ-HUGH, ROBSON, and DRABKIN, 103, 617

— and Austin, J. Harold. A spectrophotometric study of methemoglobin, 105, xxiii

-, Widerman, A. H., and Landow, H. The fate of hemoglobin injected into the blood stream, 109, xxvii

— and Austin, J. Harold. Spectrophotometric studies. II. Preparations from washed blood cells; nitric oxide hemoglobin and sulfhemoglobin,

- -. See Austin and Drabkin, 112, 67
- and Austin, J. Harold. Spectrophotometric studies. IV.
 Hemochromogens, 112, 89
- and —. V. A technique for the analysis of undiluted blood and concentrated hemoglobin solutions, 112, 105

Drabkin, David L.—continued

—. An analysis of the absorption spectra of hemoglobin,

114, xxvii

—. A new graphic-mathematical analysis of absorption spectra, as applied to hemoglobin derivatives, 119, xxvi

 A study of hemochromogen equilibria and a new nomenclature for hemoglobin derivatives,
 123, xxxi

--. See Smelo, Kern, and Drabkin, 125, 461

Drain, Charles L. See Boyd, Drain, and Stearns,

103, 327

Drekter, I. J., Bernhard, Adolph, and Leopold, Jerome S. The extraction of cholesterol from blood serum, 110, 541

—, Sobel, Albert E., and Natelson, Samuel. Comparative estimations of free cholesterol in blood by the pyridine cholesteryl sulfate and the cholesterol digitonide methods,

114, xxviii See Sobel, Drekter, and

NATELSON, 114, xcvi
115, 381

—, Sobel, Albert E., and Natelson, Samuel. Fractionation of cholesterol in blood by precipitation as pyridine cholesteryl sulfate and cholesterol digitonide. 115, 391

Dubach, Reubenia, and Hill, Robert M. An improved apparatus for the determination of colloid osmotic pressure in small amounts of fluid,

112, 313

DuBois, Delafield. See Himwich, Gildea, Rakieten, and DuBois, 113, 383

-. See Stern and DuBois,

116, 575 121, 573

Dubos, René J. See MEYER, Dubos, and Smyth, 118,71

and Miller, Benjamin F. The production of bacterial enzymes capable of decomposing creatinine,
 121, 429

—. See MILLER and DUBOS, 121, 447, 457

— and Thompson, Robert H. S.

The decomposition of yeast nucleic acid by a heat-resistant enzyme, 124, 501

—. See Thompson and Dubos, 125, 65

See Lavin, Thompson, and Dubos, 125, 75

Duff, F. L., Sheppard, Fay, and Everett, Mark R. Further studies of bromine oxidation of carbohydrates,

123, xxxii

Duff, Virginia B. See Bodansky, 112,615

-. See Bodansky and Duff,

114, xiii

See Bodansky, 115, 641
See Bodansky, Duff, and Herrmann, 119, xiii

Dufrenoy, Jean. See REED and DUFRENOY, 105, lxx

Duncan, C. W., Huffman, C. F., and Robinson, C. S. Magnesium studies in calves. I. Tetany produced by a ration of milk or milk with various supplements, 108, 35

Duncan, D. R. L., Gallagher, T.

F., and Koch, F. C. The nature of the estrus-inhibiting substances in testis tissue concentrates, 119, xxvii

Duncan, Marion T. See Russell, Taylor, and Duncan, 119, lxxxv

Dunn, Edwin E., and Morgulis, Sergius. Studies on the catalase and peroxidase activity of the liver cell, 118, 545

Dunn, Max S., and Fox, SidneyW. The synthesis of aspartic acid, 101, 493

—, Ross, Frank J., and Read, Lee S. The solubility of the amino acids in water,

103, 579

—, Redemann, C. E., and Smith, Nathaniel L. The synthesis of serine, 104, 511

—, Smart, B. W., Redemann, C. E., and Smith, Nathaniel L. The vapor pressure-temperature reactions of the ethyl esters of the amino acids,

105, xxiii

—. See Butts and Dunn,

109, xiii

-. See Butts, Dunn, and Hallman, 112, 263

- See FERAUD, DUNN, and KAPLAN, 112, 323

— and Loshakoff, Abe. Quantitative investigations of amino acids and peptides. I. Quantitative formol titration by means of the glass electrode,

113, 359

113,691

 and —. II. Apparent acid dissociation constants in aqueous formaldehyde solution, --- See FERAUD, DUNN, and KAPLAN, 114,665

and Weiner, Joseph G.
 Quantitative investigations of amino acids and peptides.
 III. Apparent acid dissociation constants in aqueous formaldehyde solution,

117, 381

—. See Butts, Blunden, and Dunn, 119, 247

See Butts, Dunn, and Blunden, 119, xv

—, Ross, Frank J., and Stoddard, M. Palmer. The solubility of certain amino acids in waterethyl alcohol mixtures,

119, xxviii

101, 719

—. See Butts, Blunden, and Dunn, 120, 289

— and Stoddard, M. Palmer.
Crystalline anhydrous and
monohydrated dl-glutamic
acid, 121, 521

—. See Butts, Dunn, and Hallman, 123, 711

—. See Butts, Blunden, and Dunn, 124, 709

— and Ross, Frank J. Quantitative investigations of amino acids and peptides. IV. The solubilities of the amino acids in water-ethyl alcohol mixtures, 125, 309

Dutcher, R. Adams. See Guer-RANT, DUTCHER, and TOMEY, 110, 233

 See GUERRANT, CHORNOCK, and DUTCHER, 119, xlii
 Dyer, Helen M. See DU VI-GNEAUD, DYER, and HARMON,

Dyer, Helen M.—continued —. See DU VIGNEAUD, DYER, JONES, and PATTERSON, 106, 401 — and du Vigneaud, Vincent. A study of the physiological availability of pentocystine and of homomethionine, 108, 73 — and —. A study of the availability of d- and l-homocystine for growth purposes, 109, 477 — and —. The utilization of glutathione in connection with a cystine-deficient diet, 115, 543 —. See PATTERSON, DYER, and DU VIGNEAUD, 116, 277 —. See DU VIGNEAUD, DYER, and JONES, 119, 47 —. The metabolic behavior of djenkolic and homodjenkolic acids, 119, xxviii —. See DU VIGNEAUD, IRVING, DYER, and SEALOCK, 123, 45 —. Evidence of the physiological specificity of methionine in regard to the methylthiol group: the synthesis of S-ethylhomocysteine (ethionine) and a study of its availability for growth, 124, 519	testinal pH in rats as determined by the glass electrode, 110, 255 Eaton, A. G. See Doty and Eaton, 122, 139 Eck, John C., and Marvel, Carl S. A convenient synthesis of dl-lysine, 106, 387 —, Thomas, Byron H., and Yoder, Lester. The chemical activation of sterols. II. The chemical activation of cho- lesterol and various cholesterol derivatives, 117, 655 — and —. The chemical activa- tion of sterols. III. The chemical activation of cho- lesterol, 119, 621 — and —. IV. The chemical activation of cholesterol and cholesterilene by various rea- gents, 119, 631 Ecker, E. E., Pillemer, L., Martiensen, E. W., and Wertheimer, D. Comple- ment activity as influenced by certain chemical agents, 123, 351 —, —, —, and —. Complement function as influenced by Szent-Györgyi's hexoxidase, 123, 359 —. See PILLEMER, ECKER, MYERS, and MUNTWYLER, 123, 365
E	Eckstein, H. C. Glycogen formation in the white rat
Eagle, Harry, and Vickers, Percy. On the nature of the reaction between diazotized sulfanilic acid and proteins, 114, 193 Eastman, Irene M., and Miller	after oral administration of propionic, butyric, valeric, and caproic acids, 102, 591 —. The linoleic and linolenic

Ir. Gastroin-

Edgar

G.,

mined by the glass electrode, 110, 255 aton, A. G. See Dory and 122, 139 EATON. k, John C., and Marvel, Carl S. A convenient synthesis of dl-lysine. 106, 387 , Thomas, Byron H., and Yoder, Lester. The chemical II. The activation of sterols. chemical activation of cholesterol and various cholesterol derivatives. 117,655 The chemical activaand ---. III. The tion of sterols. chemical activation of cho-119,621 lesterol. and -. IV. The chemical activation of cholesterol and cholesterilene by various reagents, 119,631 E., Pillemer, L., ker, E. W., Martiensen. E. Wertheimer, D. Complement activity as influenced by certain chemical agents, 123, 351 . —, —, and —. Complement as influenced by function Szent-Györgyi's hexoxidase, 123, 359 See PILLEMER, ECKER. Myers, and Muntwyler, 123, 365 kstein. H. C. Glycogen formation in the white rat after oral administration of propionic, butyric, valeric, and caproic acids, 102, 591 The linoleic and linolenic acid contents of butter fat, 103, 135

- and Treadwell, Carleton R.

 The effect of ingested fat on
 the sterol metabolism of the
 white rat, 112, 373
- --. See Tucker and Eckstein, 121, 479
- —. Sterol metabolism in young white rats. II. The effect of saponifiable lipids and degree of unsaturation of lipids on the sterol metabolism of the white rat, 125, 99
- —. III. The effect of high and low fat diets on the sterol balances and sterol content of the hair of young white rats,

125, 107

- Eddy, C. W. See DEEDs and EDDY, 114,667
- Edsall, John T. See Cohn, Edsall, and Blanchard,

105, 319

- and Wyman, Jeffries, Jr. The polarity of certain betaines, 105, xxiv
- -. Raman spectra of l-ascorbic acid and its sodium salt.

114, xxviii

- —. Raman spectra of choline, betaine, sarcosine, glycylglycine, and related compounds, 123, xxxiii
- Edwards, Beatrice G. See
 EVERETT, EDWARDS, and
 SHEPPARD, 104, 11
- —. Studies of phenol estimation. I. Preliminary survey, 109, xxviii
- -- Phenolic substances of urine, 114, xxix
- --. The bromometric determination of phenols and related substances, 119, xxix

- Edwards, H. T. See DILL and EDWARDS, 105, xx
- Blood lactic acid in rest and work at high altitudes,

114, xxx

- See Hastings, Dill, and
 Edwards, 114, xlvii
- —. See Johnson and Edwards, 118, 427
- --. See DILL, EDWARDS, and CONSOLAZIO, 118, 635
- See Johnson and Edwards, 119, liv
- See DILL, EDWARDS, and ROBINSON, 123, XXX
- —. A simplified estimation of lactate in normal human blood, 125, 571
- Edwards, J. Graham, and Langley, Wilson D. The microdetermination of ferrocyanide in muscle and urine,

- Ehrenfest, Ellen. See Ronzoni and Ehrenfest, 115, 749
 Ehrenstein, Maximilian, and Corey, Edward L. Activation of testosterone by higher fatty acids and their acid sodium salts, 122, 297
- Eichelberger, Lillian. See Hastings, McLean, Eichelberger, Hall, and Da Costa, 107, 351
- —. See Hastings and Eichelberger, 109, xli 117, 73
- and Hastings, A. Baird. The exchange of salt and water between muscle and blood.
 II. The effect of respiratory alkalosis and acidosis induced

Eichelberger, Lillian-continued Elderfield, Robert C. See overbreathing ELDERFIELD, bv and JACOBS and breathing. 118, 197 102, 237 - and -. III. The effect of Rothen, and Alexandre. dehydration, 118, 205 Strophanthin. XXX. The The exchange of salt and ultraviolet absorption spectra water between muscle and trianhydrostrophanthidin blood in experimental chronic trianhydroperiplogenin and hydronephrosis, 119, xxx derivatives. 106, 71 The exchange of salt and — and Jacobs, Walter A. Strowater between muscle phanthin. XXXI. Further blood. IV. Correction studies on the dehydrogenavalues for volume phases of tion of strophanthidin, skeletal muscle. Methods for 107, 143 determination of blood volume See JACOBS and ELDERin muscle, 122, 323 FIELD. 108, 497, 693 Eiler, John J., and Allen, Frank The structure and con-Worthington. The catabolism figuration of cymarose, of the purine nucleotides. I. 111, 527 The relation to glycolysis in See JACOBS and ELDERthe blood of the rabbit. FIELD, 113, 611, 625 123, 655 Strophanthin. XXXV. Eisenman, Ţ. The Anna The nature of "the acid, blood cell measurement of C₂₃H₃₀O₈," from strophanvolume, 114, xxx thidin, 113,631 -, Mackenzie, Laura B., and See JACOBS and ELDER-Peters, John P. Protein and FIELD, 114, 597 water of serum and cells of On thevetin, 115, 247 human blood, with a note on Eley, R. C. Sec GREEN. the measurement of red blood LOWRY, ELEY, and McKHANN, 116, 33 cell volume, 114, xlii See HALD and EISENMAN, Ellinwood, E. H. See WALKER 118, 275 and Reisinger, 101, 223 -, Hald, Pauline M., and Peters, See WALKER. Tohn P. Osmotic adjustments between cells and serum 101, 239, 269 Elliot, A. H. See Bischoff and in the circulating blood of man, ELLIOT, 109, 419 118, 289 Elden. C. A. A method of 117, 7 separating the anterior pitui-Elliott, Margaret. See TOENtary-like hormone from the NIES and ELLIOTT. 105, xciii urine of pregnant women,

101, 1

Ellis, Emory L. See Borsook,
Ellis, and Huffman,
117, 281
Ellis, Gordon, and Maynard, L.
A. The determination of
phospholipids in bovine blood,
118, 701

See Maynard, Hodson, Ellis, and McCay,

Ellis, L. N. See SHERMAN and Ellis, 104, 91

Ellis, N. R. See SPADOLA and Ellis, 113, 205

—. See RIEMENSCHNEIDER and Ellis, 113, 219 114, 441

Elvehjem, C. A. See Schultze and Elvehjem, 102, 357

—, Hart, E. B., and Sherman, W. C. The availability of iron from different sources for hemoglobin formation,

103, 61

 See Keenan, Kline, Elvehjem, Hart, and Halpin,

103, 671

- and Kline, B. E. Calcium and phosphorus studies in the chick, 103, 733
- --. See Schultze and Elve-HJEM, 105, 253
- Cohen, Eugene, and Stare,
 F. J. The relation of copper to tissue respiration,

—. See Phillips, Stare, and Elvehjem, 106, 41

--. See Schultze, Elvehjem, and Hart, 106, 735

-. See Cohen and Elvehjem, 107, 97 -. See Kline, Elvehjem, Keenan, and Hart,

107, 107

-. See SHERMAN, ELVEHJEM, and HART, 107, 289, 383

- and Koehn, C. J., Jr. Studies on vitamin B₂ (G). The nonidentity of vitamin B₂ and flavins, 108, 709

—. See Stirn, Elvehjem, and Hart, 109, 347

Sherman, W. C., and Arnold,
 Aaron. The vitamin B (B₁)
 content of animal tissues,

109, xxix

-. See Clifcorn, Meloche, and Elvehjem, 111, 399

---. See Kohler, Elvehjem, and Hart, 113, 49

-. See Bird, Elvehjem, and Hart, 114, x

-, Koehn, C. J., Jr., and Oleson, J. J. An essential dietary factor found in yeast and liver extract distinct from vitamins B₁, B₂, B₄, and flavins, 114, xxxi

-. See Potter and Elvehjem, 114, 495

See Schultze, Elvehjem,
and Hart, 115, 453
Koehn, C. J., Jr., and Oleson,

J. J. A new essential dietary factor, 115, 707

—. See Schultze, Elvehjem, and Hart, 116, 93, 107

—. See Arnold, Kline, Elve-HJEM, and HART, 116, 699

-. See Schultze and Elvehjem, 116, 711

 See Potter and Elvehjem, 117, 341

 See Koehn and Elvehjem, 118, 693

Elvehiem, C. A.—continued See Frost and ELVEHJEM, 119, xxxiv See Borgen and Elvehjem, 119, 725 See Pearson, ELVEHJEM, and HART, 119, 749 See FROST and ELVEHJEM, 121, 255 SCHANTZ, ELVEHJEM, See and HART, 122, 381 -, Madden, Robert J., Strong, F. M., and Woolley, D. W. The isolation and identification of the anti-black tongue factor, 123, 137 See Lipschitz, Potter, and ester, ELVEHJEM, 123, 267 124, 147 See MICKELSEN, WAISMAN, and Elvehjem, 124, 313 See Underwood and Elve-124, 419 HJEM. See WOOLLEY, STRONG, MADDEN, and ELVEHJEM, 124, 715 See Woolley, WAISMAN, MICKELSEN, and ELVEHJEM, 125, 715 Ely, J. Owen. See Weil and ELY. 112, 565 Emerson, Charles P., Jr. See HELMER and EMERSON, test. 104, 157 Emerson, Gladys A. See EVANS, Emerson, and Emerson, 113, 319

See EMERSON,

MOHAMMAD, and Evans,

-, Mohammad, Ali, Emerson,

Oliver H., and Evans, Herbert

EMERSON,

122, 99

Steps in the concentration of vitamin B6, 124, 377 Emerson, Oliver H. See EVANS, EMERSON, and EMERSON, 113, 319 -, Emerson, Gladys A., Mohammad, Ali, and Evans, Herbert M. The chemistry of vitamin E. Tocopherols from various sources. 122, 99 See EMERSON, MOHAMMAD, EMERSON, and EVANS, 124, 377 Emmett, A. D., and Bird, O. D. Comparative biological value of vitamin A as an alcohol and 119, xxxi Engel, George L., and Chao, Iping. Comparative distribution of organic phosphates in the skeletal and cardiac muscles of Limulus polyphemus, **108**, 389 - and Gerard, R. W. The phosphorus metabolism of inverte-112, 379 brate nerve. Engel, L. L. See HERBST and 107, 505 ENGEL, English, James, Jr., and Bonner, James. The wound hormones of plants. I. Traumatin, the active principle of the bean 121, 791 Enklewitz, Morris. See LASKER and ENKLEWITZ, 101, 289 - and Lasker, Margaret. The origin of l-xyloketose (urine 110, 443 pentose), The action of hydrogen peroxide on l-xyloketose (urine pentose), 116, 47

Entenman, C. See LORENZ, ENTENMAN, and CHAIKOFF, 122, 619

See Lorenz, Chaikoff, and Entenman, 123, 577

—, Ruben, S., Perlman, I.,
Lorenz, F. W., and Chaikoff,
I. L. Radioactive phosphorus
as an indicator of phospholipid
metabolism. III. The conversion of phosphate to lipoid
phosphorus by the tissues of
the laying and non-laying bird,
124, 795

Eppright, Ercel S., and Smith, Arthur H. Influence of the

inorganic salts in the diet on the composition of the ash of certain tissues of the rat.

118, 679

Eppstein, S. H. See Morgulis, Wilder, Spencer, and Epp-STEIN, 124, 755

Erickson, Betty Nims, Stoner,
Neva, and Macy, Icie G.
Human milk studies. XIV.
A critique of the determinations of nitrogenous constituents, 103, 235

Gulick, Margaret, Hunscher,
 Helen A., and Macy, Icie G.
 Human milk studies. XV.
 The non-protein nitrogen constituents,
 106, 145

—, Cope, Frances, Sternberger, Helen R., Lee, Pearl, Cooley, Thomas B., and Macy, Icie G. Lipid and mineral distribution between the red blood cells and plasma in normal children and in anemias of childhood, -, Jones, Robert L., Bernstein, Samuel S., Williams, Harold H., Lee, Pearl, and Macy, Icie
 G. Biochemical studies of erythrocytes. I. Preparation of a posthemolytic residue,

114, xxxii

—, Williams, Harold H., Bernstein, Samuel S., and Jones, Robert L. Biochemical studies of erythrocytes. II. Lipid partition of posthemolytic residue,
 114, xxxii

-, -, Hummel, Frances Cope, and Macy, Icie G. The lipid and mineral distribution in the serum and erythrocytes of normal children, 118, 15

r, -, -, Lee, Pearl, and Macy, Icie G. The lipid and mineral distribution of the serum and erythrocytes in the hemolytic and hypochromic anemias of childhood, 118, 569

See Williams, Erickson,
 Bernstein, Hummel, and
 Macy, 118, 599

See Bernstein, Jones,
 Erickson, Williams, Avrin,
 and Macy, 122, 507

—, Williams, Harold H., Bernstein, Samuel S., Avrin, Ira, Jones, Robert L., and Macy, Icie G. The lipid distribution of posthemolytic residue or stroma of erythrocytes,

122, 515

—. See WILLIAMS, ERICKSON, AVRIN, BERNSTEIN, and MACY, 123, 111

-. See BEACH, ERICKSON,
BERNSTEIN, and WILLIAMS,

109, xxx

Erickson, Betty Nims-continued -, Lee, Pearl, and Williams, Harold H. The lipid distribution of human blood platelets in health and disease, 123, xxxiv Eriksson-Quensel, Inga-Britta. See Sumner, Gralén, and ERIKSSON-QUENSEL, 125, 37, 45 Erlanger, Ruth J. See Moore, ERLANGER, and WEST, 113, 43 Evans, E. A., Jr. See JENSEN and Evans, 104, 307 108, 1 NINGTON, and Schock,

See JENSEN, EVANS, PEN-

109, xliv 114, 199

Isomers of cholesterol,

114, xxxiii

See Schoenheimer and EVANS. 114, 567

 and Schoenheimer, Rudolf. β -Cholesterol. 115, 17

Further evidence for the absence of allocholesterol from the organism, 115, 449

- and Rittenberg, D. Alcohol formation in yeast grown in heavy water, 119, xxxi

—. See RITTENBERG, SCHOEN-HEIMER, and EVANS,

120, 503

Evans, G. T. The effect of low oxygen pressures upon the liver and muscle glycogen of the white rat. 105, xxvi Evans, Herbert M., and Lep-

kovsky, Samuel. The sparing action of fat on vitamin B, 105, xxvii -, —, and Murphy, Elizabeth A. Vital need of the body for certain unsaturated fatty acids. IV. Reproduction and lactation upon fat-free diets,

106, 431

-, —, and —. V. Reproduction and lactation upon diets containing saturated fattv acids as their sole source of energy, 106, 441

-, —, and —. VI. Male sterility on fat-free diets,

106, 445

-, -, and -. The sparing action of fat on vitamin B. VI. The influence of the levels of protein and vitamin G,

107, 429

-, -, and -. VII. The effectiveness of various natural fats in sparing vitamin B,

107, 439

-, and -. The sparing action of fat on vitamin G, 107, 443

See Lepkovsky, POPPER,

108, 257 and Evans, See LEPKOVSKY, OUER, and 108, 431 EVANS,

-and Lepkovsky, Samuel. The sparing action of fat on vitamin VIII. On the loss of vitamin B from the rat's tissues,

108, 439

-, Murphy, Elizabeth A., Archibald, R. C., and Cornish, R. E. Preparation and properties of vitamin E concentrates,

108, 515

See LEPKOVSKY, POPPER, and Evans, 109, liv

- —, Emerson, Oliver H., and Emerson, Gladys A. The isolation from wheat germ oil of an alcohol, α-tocopherol, having the properties of vitamin E, 113, 319
- —. See Halliday and Evans, 118, 255
- —. See Emerson, Emerson, Mohammad, and Evans,

122, 99

 See Emerson, Mohammad, Emerson, and Evans,

124, 377

Evans, Margaret. See Langley and Evans, 115, 333

- Eveleth, Donald F. The blood chemistry of swine. I. Blood changes following the ingestion of glucose, 104, 559
- and Eveleth, Margaret W.
 Blood chemistry of swine. II.
 Further studies of blood
 changes following the ingestion
 of glucose, 111, 753
- and Myers, Victor C. Studies on aluminum. I. A critical study of quantitative colorimetric methods for aluminum on biological material,

113, 449

- and —. II. The storage of intravenously injected aluminum in the dog, 113, 467
- —. Comparison of the distribution of magnesium in blood cells and plasma of animals, 119, 289
- Eveleth, Margaret W., Bing, Franklin C., and Myers, Victor C. Studies in the nutritional anemia of the rat. VII.

- Influence of parenterally administered iron, 101, 359
- -. See Eveleth and Eveleth, 111, 753
- Evelyn, Kenneth A. A stabilized photoelectric colorimeter with light filters, 115, 63
- and Cipriani, A. J. A photoelectric microcolorimeter,

117, 365

- -. See Malloy and Evelyn, 119, 481
- —. See VENNING, EVELYN, HARKNESS, and BROWNE,

120, 225

- and Gibson, John G., 2nd. A new type of absorption cell for the photoelectric microcolorimeter, 122, 391
- —. See Malloy and Evelyn, 122, 597
- See Dann and Evelyn, 123, xxvi
- and Malloy, Helga Tait. The determination of methemoglobin and sulfhemoglobin with the photoelectric colorimeter, 123, xxxiv
- Everett, Mark R., Sheppard, Fay, and Johnson, Erma O. The precipitation of nitrogenous substances by alkaline mercuric reagents, with special reference to urine, 104, 1
- —, Edwards, Beatrice G., and Sheppard, Fay. The nature of the sugar of normal urine. II. The behavior of carbohydrates in bromine water and the ketose of normal urine,

Everett, Mark R.—continued See Rose and Exton, - See Sheppard and Everett, 109, lxxvi 105, lxxx See Rose, Schattner, and 109, lxxxii EXTON, 119, lxxxiv 114, xci - and Rose, Anton R. Chlo-- and Sheppard, Fay. A new rides in biological fluids, classification of carbohydrates, 123, xxxv 119, xxxii F -. See Sheppard and Everett, 119, lxxxix Fabian, A. Appelsis. See See DUFF, SHEPPARD, and LEVINE, SACHS, and FABIAN, 123, xxxii EVERETT, 119, lxiii See HART, SHEPPARD, and Failey, Crawford F., and Brand, EVERETT. 123, lii Erwin. The electrometric Everitt, E. L. See SULLIVAN, titration of creatine ester hy-MILONE, and EVERITT, drochloride and some related 125, 471 compounds, 102, 767 Evers, Ray. See Mason and See STONE and FAILEY, EVERS. 119, 735 105, lxxxvi Eversole, W. G., Ford, Leonard Fairman, E. See HAHN and A., and Thomas, G. Wilson. FAIRMAN, 113, 161 The nature and amount of Falk, K. George. Directive innon-diffusible calcium in profluences in biological systems. 1**04,** 107 tein sols. III. The effect of proteases on The nature and amount of lipase actions, 103, 363 non-diffusible calcium in pro- See McGuire and Falk, tein sols. A reply, 105, 373 **105**, 515 — and McGuire, Grace. Stud-Ewing, Mary E. See BLATHERaction. ies on enzyme BRADSHAW, EWING, WICK, XLVIII. Lipase actions of LARSON, and SAWYER, horse serum, 105, 379 111, 537 See McGuire and Falk, See Blatherwick, Brad-105, 669 SHAW, Cullimore, EWING, - and McGuire, Grace. Stud-LARSON, and SAWYER, XLIX. ies on enzyme action. 113, 405 The lipase actions of tissues See Larson, Blatherwick, of rachitic rats, 108, 61 Bradshaw, Ewing, and Saw-Farquhar, Lucille Reed. YER, 117, 719 BLOCK and FARQUHAR, 123, lxxiii 103, 643 Exton, William G. See Rose, EXTON, and BLACKER, Farr, Lee E. See PAGE, FARR,

105, lxxiii

and WEECH,

Farrar, George E., Jr. The determination of iron in biological materials,

> 109, xxxi 110, 685

Fashena, Gladys J. See Trevorrow and Fashena,

110, 29

— and Trevorrow, Virginia. A note on the determination of iodine in biological material, 114, 351

Fay, Marion, and Wharton, P. S. Galactose in the thoracic lymph of the dog,

109, 695

Fazekas, J. F. See Baker, Fazekas, and Himwich, 125, 545

Soc SAT

Feldkamp, Rolland F. See SAH-YUN and FELDKAMP,

116, 555

Fell, Norbert H. Chemical and immunological properties of silk proteins, 109, xxxi

Fenn, W. O., and Goettsch,
Marianne. Electrolytes in
nutritional muscular dystrophy
in rabbits, 120, 41

Feraud, Katherine, Dunn, Max S., and Kaplan, Joseph. Spectroscopic investigations of amino acids and amino acid derivatives. I. Ultraviolet absorption spectra of l-tyrosine, dl-phenylalanine, and l-tryptophane, 112, 323

--, --, and --. Note on the ultraviolet absorption spectrum of tyrosine, 114, 665

Ferry, J. D. See FRIEND, FERRY, and ONCLEY, 123, XXXIX

Ferry, Ronald M., and Levy, Albert H. The antigenic behavior of the carbohydrate present in egg albumin,

105, xxvii

—, Cohn, Edwin J., and Newman, Ethel S. The solvent action of neutral salts upon albumins in solutions of low dielectric constant, 109, xxxii —, —, and —. The solvent action of neutral salts upon carboxyhemoglobin in solutions of low dielectric constant, 114, xxxiv

See Cohn, Salter, and Ferry,
 Field, Henry, Jr. See Melnick

and Field, 123, lxxxiii

Fieser, L. F., and Newman, M. S. Ouabain, 114, 705

Fife, J. M., and Frampton, V. L.

The effect of carbon dioxide
upon the pH and certain nitrogen fractions of the sugar-beet
plant, 109, 643

Fincke, M. L., and Sherman, H. C. The availability of calcium from some typical foods, 110, 421

Findley, Thomas. See West-FALL, FINDLEY, and RICHARDS, 107, 661

Fireman, Milton. See Anderson and Fireman, 109, 437

Firor, W. M. See Grollman, Firor, and Grollman,

109, 189

Fishback, Hamilton. See Carter, Handler, Binkley, Fishback, Risser, and Weisiger, 123. xx

Fishberg, Ella H., and Dolin, B.
T. The biological action of strongly positive oxidation-reduction systems,

101, 159

—, Bierman, William, and Weiss, Alter. Chemical adjustments to high temperature,

114, xxxv

— and Baum, Harry. Methemoglobin formation by Streptococcus viridans, 123, xxxv

Fisher, A. M., and Scott, D. A.
Peptic hydrolysis of insulin,
106, 289

— and —. The insulin content of the pancreas in cattle of various ages, 106, 305

- See Scott and Fisher,

114, lxxxviii

— and Scott, D. A. The prolongation of insulin action, 119, xxxiii

Fisher, John H. See Pyle, Fisher, and Clark,

119, 283

Fisher, Robert E. See Buch-wald, Cori, and Fisher,

103, 763

—, Russell, Jane A., and Cori, Carl F. Glycogen disappearance and carbohydrate oxidation in hypophysectomized rats, 115, 627

Fishman, Jacob B., and White, Abraham. The availability of dl-amino-N-methylhistidine for growth, 113, 175

-. See White and Fishman,

Fishman, W. H. Studies on β -glucuronidase,

123, xxxvi

Fitz, Fred. The application to the colorimeter of the Schoenheimer and Sperry method for the determination of total and free cholesterol, 109, 523

— and Bruger, Maurice. The effect of dextrose ingestion on the cholesterol fractions of the blood, 113, 297

 and —. Variations in blood cholesterol following the intravenous administration of cholesterol,
 114, xxxv

Fitz-Hugh, Thomas, Jr., Robson, George M., and Drabkin, David L. Hemoglobin production. IV. Evaluation of therapeutic agents in anemia, due to milk diets, based on a study of the blood and bone marrow of rats from birth to maturity, 103, 617

Flanigan, G. E. See Supplee, Flanigan, Hanford, and Ansbacher, 113, 787

 See Supplee, Ansbacher, Bender, and Flanigan,

114, 95

Fleming, Thomas A., and Macallum, A. Bruce. Studies on urochrome, 109, xxxiii

Fletcher, Jean P., and Waters, E. T. The influence of fructose on the glucose tolerance curve of normal and depancreatized animals,

119, xxxiii

Flexner, Louis B. A thermodynamic analysis of ultrafiltration. The ultrafiltration of sucrose and colloidal solutions,

Flock, Eunice, Bollman, Jesse L., and Mann, Frank C. The effect of diet upon the phosphate compounds in the liver of the dog, 114, xxxvi -, -, and -. Effect of diet on phosphate compounds in the liver of the dog, 115, 179 -, -, and -. Effect of certain substances on the phosphate compounds in the liver of the 115, 201 dog, Effect of autolysis on the phosphate compounds in the liver of the dog. 115, 207 -, Bollman, Jesse L., Hester, Harold R., and Mann, Frank Fatty livers in geese, produced by overfeeding, 119, xxxiii -, -, -, and -. Fatty livers in the goose produced by overfeeding, 121, 117 -, -, and Mann, Frank C. The metabolism of pyruvic acid. 123, xxxvi -, -, and -. The utilization of pyruvic acid by the dog, 125, 49 -, -, and Kendall, Edward The effect of the intravenous injection of glucose and other substances on the concentration of potassium in the serum of the dog, 125, 57 Flosdorf, Earl W. See CHAM-BERS and FLOSDORF, 114, 75 - and Webster, G. W. The determination of residual moisture in dry biological substances. 121, 353 Flynn, Albert. See BEARD and 114, 771 Boggess,

Folin, Otto. Standardized methods for the determination of uric acid in unlaked blood and in urine, 101, 111

The preparation of sodium tungstate free from molybdate, together with a simplified process for the preparation of a correct uric acid reagent (and some comments), 106, 311
 Forbes, J. C. Effect of carbon dioxide on calcium and phosphorus retention, 107, 283
 Studies on the prevention of

Studies on the prevention of liver cirrhosis by the subcutaneous injection of a liver preparation,
 123, xxxvii
 Forbes, W. H. See Dill,

Forbes, W. H. See DILL, Forbes, and Henderson, 109, xxvii

-. See DILL, DALY, and Forbes. 117, 569

Ford, Leonard A. See Eversole, Ford, and Thomas,

104, 107

Forman, Sylvan E. See Carr, Forman, and Krantz,

123, xviii

Foster, G. L. A comparison of the effects of administration of iodide and diiodotyrosine on the iodine and thyroxine content of the thyroid,

104, 497

—, Palmer, Walter W., and Leland, Jessica P. A comparison of the calorigenic potencies of *l*-thyroxine, *dl*-thyroxine, and thyroid gland. With a note on the thyroxine content of the acid-soluble fraction of the peptic digest of thyroid protein. 115. 467

Fox,

Fox, Sidney W. See Dunn and Foster, G. L.—continued Fox, See RITTENBERG, FOSTER. 101, 493 See BERGMANN and Fox, and Schoenheimer. 123, cii 109, 317 The preparation of citrul-- See Schoenheimer, Foster, line by hydrolysis of arginine, RITTENBERG, and RATNER, 123, cv 123, 687 -, Keston, Albert S., Rittenberg, Foy, John R. See STEKOL, D., and Schoenheimer, Ru-118, 155 dolf. Deuterium as an indi-Fraenkel-Conrat, Heinz. See cator in the study of inter-BERGMANN. FRUTON. and mediary metabolism. XII. FRAENKEL-CONRAT, The action of proteolytic en-119, 35 zymes on peptides in heavy See BERGMANN and FRAENwater, 124, 159 KEL-CONRAT, 119, 707 See RITTENBERG, KESTON, 124, 1 SCHOENHEIMER, and FOSTER, Frampton, V. L. See FIFE and FRAMPTON, 125, 1 109, 643 -, Rittenberg, D., and Schoen-Francis, C. C. See Hunscher. heimer, Rudolf. Deuterium HUMMEL, MACY, TODD, and as an indicator in the study FRANCIS, 119, lii Franke, Kurt W., and Moxon, of intermediary metabolism. XIV. Biological formation of Alvin L. An apparatus for determining the rate of carbon deuteroamino acids, 125, 13 Foster, Mary Louise. See Anproduction dioxide slow, Foster, and Klingler, yeast fermentation, 103, 81 105, 415 Foster, William C. Mc-See Painter and Franke, CLENDON and BRATTON, 111,643 123, 699 114, 235 See McClendon and Rice, Franks, W. R., and Creech, H. J. 123, lxxxi Chemo-antigens and carcino-Fouts, Paul J. See HELMER, genesis, 123, xxxviii Fours, and Zerfas, See HALL and FRANKS, 105, xxxvii 123, xlix -, Lepkovsky, Samuel, Helmer, Frayser, Lois. See Lewis and O. M., and Jukes, Thomas H. FRAYSER. 110, 23 Effect of deficiencies of rat and Frazier, Ernestine. See SWANchick antidermatitis factors on son, Timson, and Frazier, puppies on a synthetic diet, 109, 729 119, xxxiv Fred, E. JOHNSON. В. See Fox, Denis L. See Marks and PETERSON, and FRED,

103, 269

—. See Baumann, Steenbock, Ingraham, and Fred,

103, 339

Freed, S. Charles, Mirsky, I.
Arthur, and Soskin, Samuel.
A tungstic acid precipitation
method for the extraction of
estrogenic substance from
urine, 112, 143

Freeman, Smith, and Friedemann, Theodore E. A micromethod for the estimation of the fat-soluble ester glycerol contained in lymph,

108, 471

—, Kant, E. R., and Ivy, A. C. The serum calcium response to ingested calcium,

112, 1

— and Chen, Yen Ping. The effect of jaundiced blood upon normal dogs, with special reference to the serum phosphatase, 123, 239

-, -, and Ivy, A. C. On the

cause of the elevation of serum phosphatase in jaundice.

124, 79

Freiberg, Irene Koechig, and West, Edward S. Glycine synthesis in pseudohypertrophic muscular dystrophy, 101, 449

French, C. S. The chromoproteins of photosynthetic bacteria, 123, xxxviii

French, H. E. See McShan and French, 117, 111

French, R. B., and Mattill, H. A.

The endogenous nitrogen excretion in relation to the determination of biological value of
protein, 114, xxxvii

Freyberg, Richard H. See Calvery and Freyberg,

109, 739, xv

Friedemann, Theodore E. See Graeser, Ginsberg, and Friedemann, 104, 149

—. The fasting ketosis of monkeys. I, 105, 335

—. The excretion of ethyl alcohol in saliva and a rapid method for its determination, 105, xxviii

—. See Freeman and Friede-MANN, 108, 471

— and Klaas, Rosalind. The reaction of aldehydes and sugars with acetoacetic acid, 109, xxxiv

and Brook, Theodore. The direct determination of ethyl alcohol in saliva without distillation,
 114, xxxvii

and Klaas, Rosalind. The determination of ethyl alcohol,
 115. 47

 The metabolism of sodium acetoacetate intravenously injected into dogs, 116, 133

—. The identification and quantitative determination of volatile alcohols and acids,

123, 161

Friedgood, Harry B. See GREEN-STEIN and FRIEDGOOD,

114, xliv

Friedman, Max M. See Brodie and Friedman, 120, 511 124, 511

Friend, D. G., Ferry, J. D., and Oncley, J. L. Dispersion of the dielectric constant of solutions of urinary proteins,

123, xxxix

70 Fries, B. A., Ruben, S., Perlman, I., and Chaikoff, I. L. Radioactive phosphorus as an indicator of phospholipid metabolism. II. The rôle of the stomach, small intestine, and large intestine in phospholipid metabolism in the presence and absence of ingested fat, 123, 587 Fritz, J. C. See Burrows. FRITZ, and TITUS, 110, 39 Froeschle, Paul F. See PIERCE. HAEGE, and FROESCHLE, 119, lxxviii Frost, D. V., and Elvehjem, C. A. Further studies on Factor W,

119, xxxiv 121, 255

Fruton, Joseph S. Oxidationreduction potentials of ascorbic acid. 105, 79

- and Clarke, H. T. Chemical reactivity of cystine and its derivatives, 106, 667

See BERGMANN, ZERVAS, FRUTON. SCHNEIDER, and 109, 325 SCHLEICH.

See BERGMANN, ZERVAS, and FRUTON. 111, 225 115, 593

-. See BERGMANN and FRUTON. 117, 189 118, 405

See BERGMANN, FRUTON, and FRAENKEL-CONRAT.

119, 35 See BERGMANN and FRU-124, 321 TON, Edith See Long, Fry. G.

LUKENS, and FRY,

105, lii

Fulmer, Ellis I. See STAVELY, CHRISTENSEN, and FULMER, 111, 771, 785, 791

Funk, Casimir. The acidosisproducing hormone of normal urine, 105, xxix

- and Funk, Ian Casimir. value of pyridine derivatives in nutrition, 119, xxxv

Funk, Ian Casimir. See Funk and Funk, 119, xxxv

Furgason, W. H. See CHAMBER-LIN, FURGASON, and HALL, 121, 599

G

Gaebler, Oliver Henry. tion experiments on serum creatinine. 109, xxxv

Precipitation of apparent creatinine from ultrafiltrates of normal sera,

114, xxxviii

- and Price, W. H. Effects of an anterior pituitary growth preparation on sulfur metabolism, 114, xxxix

The apparent creatinine of serum and laked blood ultra-117, 397 filtrates,

- and Abbott, Lynn DeForrest, Jr. The picrate precipitate of serum ultrafiltrates.

119, xxxvi

Effects of - and Price, W. H. an anterior pituitary growth preparation on protein metab-121, 497 olism.

- and Abbott, Lynn DeForrest, Ir. Isolation of creatinine from serum ultrafiltrates.

125, 209

123, xli

thyroxine and thyrotropic hormone on the weight and nitrogen metabolism of dogs. 123, xl Gallagher, T. F., and Koch, F. C. The effect of alkali on the testicular hormone. 104, 611 - and -. Purification of bull testis extracts. 105, xxx See Koch and Gallagher, 105, xlix See WILLIER, GALLAGHER, and Koch. 109, xcix - and Koch, F. C. The comb growth reaction to synthetic male hormone preparations, 114, xxxix See Peterson, Gallagher, and Koch. 119, 185 See DUNCAN, GALLAGHER, and Koch, 119, xxvii See Peterson, Gallagher, and Koch, 119, lxxvii Gallup, Willis D., and Reder, Ruth. The reaction between gossypol and calcium and its physiological importance, 109, xxxvi - and Norris, L. C. Studies of the perosis-preventing properties of manganese, 119, xxxvi Gamble, Clarence James. Cool. Gamble, and Starr, 105, 97 See LAUG Garavelli, Louise A. 108, 479 and NASH, Gardner, R. E. See Martin and GARDNER, 111, 193 Garner, R. L. The fibrinolytic enzyme of hemolytic strepto-109, xxxvi cocci,

and Bartlett. Paul. Effects of

ETTE, GARVIN, and SCHWOEG-LER, 107, 635 Gary, Wilbur Y. See Sands and GARY, 101, 573 Gavin, Gertrude. See McHENRY and GAVIN. 125, 653 Gerard, R. W. See Engel and GERARD. 112, 379 See KHARASCH, LEGAULT, WILDER, and GERARD, 113, 537, 557 Gerchick. Elias. See SOBEL, GERCHICK, PEARL. and KRAMER. 118, 47 German, Bernard, and Wyman, Jeffries, Jr. The titration curves of oxygenated and reduced hemoglobin, 117, 533 Gersdorff, Charles E. F. See Jones and Gersdorff. 101, 657 104, 99 105, xlii See BLOCK. Jones, and GERSDORFF, 105, 667 See Jones and Gersdorff. 106, 707 114, liii See Jones, GERSDORFF, and PHILLIPS, 122, 745 See Jones and Gersdorff, 123, lxiv Gerstenberger, Henry J. Effect of parenteral administration of salt solutions on calcification in vivo of bones of monkeys made rachitic by light defi-

ciency.

See Rodney and Garner.

Garvin, Thelma M. See Schu-

Ghantus, Musa. See AVERY, Gilman, Alfred. See Roe, Gil-KERR, and GHANTUS, MAN, and COWGILL, 110, 637 105, lxxii Gilson, Lewis E. A simplified See KERR and GHANTUS, 116, 9 method of preparing histidine, 124, 281 117, 217 Ginsberg, Julius E. See GRAE-See KERR, HAMPEL, and SER, GINSBERG, and FRIEDE-119, 405 GHANTUS, 104, 149 MANN, Gibson, John G., 2nd. See See HALL and Gisvold, Ole. EVELYN and GIBSON, GISVOLD, 109, 585 122, 391 113, 487 Gibson, R. B., and Lowe, R. C. Givens, Maurice H., and Macy, Isolation of bilirubin from hog Icie G. The chemical compobile, 123, xli sition of the human fetus, See PAUL and GIBSON. 102, 7 123, xci Glick, David. See Sobotka and Gildea, Edwin F. See HIM-105, 199, 221 GLICK. WICH, GILDEA, RAKIETEN, and The chemical determination DuBois. 113, 383 of minute quantities of vita-See Man and GILDEA, min C, 119, 769 - and Biskind, Gerson R. The 122, 77 histochemistry of the adrenal Gillaspie, Athey G. See BERN-I. The quantitative gland. HEIM, BERNHEIM, and Gildistribution of vitamin C, 114, 657 LASPIE, 110, 1 Gilligan, D. Rourke, Volk, Marie and -. II. The quantita-C., and Altschule, Mark D. tive distribution of lipolytic The diffusibility of plasma calenzymes, 110, 575 cium following parathormone - and -. The histochemistry administration. Comparison of the hypophysis cerebri. of the calcium, phosphate, The quantitative distribution and protein concentrations of vitamin C, 110, 583 of serum and edema fluids, -. See Biskind and Glick, 103, 745 113, 27 Gillum, Frances. See OKEY, Biskind, Gerson R. and GODFREY, and GILLUM, Studies in histochemistry. VI. 124, 489 The quantitative distribution Gillum, Helen L. See OKEY, of vitamin C in the small in-GILLUM, and YOKELA, testine, 113, 427 107, 207 and -. VII. The concen-See OKEY and GILLUM, tration of vitamin C in the

109, lxxii

thymus in relation to its histo-

logical changes at different stages development and of regression. 114, 1 — and —. IX. The quantitative distribution of vitamin C in the adrenal gland at various stages of development, 115, 551 Choline esterase and chemical mediation of nerve impulses. 123, xlii Studies on the specificity of choline esterase. 125, 729 Goddard, David R., and Michaelis, Leonor. A study on keratin. 106,605 - and -. Derivatives of ker-112, 361 atin. Stewart. See Godfrey, Lois

OKEY, GODFREY, and GILLUM, 124, 489 Goebel, Walther F., and Babers, Frank H. Derivatives of glucuronic acid. III. The synthesis of diacetylchloroglu-

curon, 101, 173

— and —. The influence of the acetyl group in orienting the immunological specificity of carbohydrates, 105, xxx

--. See Babers and Goebel, 105, 473

— and Babers, Frank H. Derivatives of glucuronic acid. IV. The synthesis of α - and β -tetraacetylglucuronic acid methyl ester and of 1-chlorotriacetylglucuronic acid methyl ester, 106, 63

Chemo-immunological studies on the soluble specific substance of pneumococcus. II.

The chemical basis for the immunological relationship between the capsular polysaccharides of Types III and VIII pneumococcus, 110, 391

and Babers, Frank H. Derivatives of glucuronic acid.
 The synthesis of glucuronides,

— and —. VI. The preparation of α -chloro- and α -bromotriacetylglucuronic acid methyl ester, and the synthesis of β -glucuronides, 111, 347

— and Goodner, Kenneth. The immunological properties of artificial antigens containing glucose and glucuronic acid,

—. See Hotchkiss and Goebel, 115, 285 121, 195

 Derivatives of glucuronic acid. VIII. The structure of benzoylglucuronic acid,

122, 649

— and Reeves, Richard E. The synthesis of aldobionides and the relationship of the molecular rotations of acetylated derivatives of glucose, gentiobiose, and cellobiose to those of the corresponding uronic acid methyl esters,

123, xlii

— and —. Derivatives of glucuronic acid. IX. The synthesis of aldobionides and the relationship between the molecular rotation of derivatives of acetylated aldoses and uronic acids, 124, 207 Goerner, Alfred. Oxidation of glucose by air in the presence of iron pyrophosphate,

105, 705

 Effect of dibenzanthracene on vitamin A and total lipid of mitochondria, 122, 529

— and Goerner, M. Margaret.
Vitamin A and tumor mitochondria, 123, 57

Goerner, M. Margaret. See Goerner and Goerner,

123, 57

Goetsch, Carl. See Allen and Goetsch, 116, 653

Goettsch, E., and Kendall, Forrest E. Analysis of albumin and globulin in biological fluids by the quantitative precipitin method, 109, 221

-- See Weech, Reeves, and Goettsch, 113, 167

Goettsch, Marianne, and Pappenheimer, Alwin M. The protective action of nonsaponifiable matter of soy bean oil in nutritional encephalomalacia of chicks, 114, xl

— and —. The prevention of nutritional encephalomalacia in chicks by vegetable oils and their fractions,

114, 673

--. See FENN and GOETTSCH, 120, 41

Golden, June B. See SEVRING-HAUS, HELLER, LAUSON, and GOLDEN, 123, cvii

Goldfarb, Abraham R. See So-BEL, GOLDFARB, and KRAMER, 108, 395

Goldfarb, Walter, and Himwich, Harold E. Ketone substance production and destruction in certain tissues of diabetic dogs, 101, 441

—, Barker, S. B., and Himwich, Harold E. A study of ketosis in the phlorhizinized rat,

105, 283

—, —, and —. A study of ketosis in fasted and fat-fed rats, 105, 287

A study of ketosis in Primates,
 116, 787

Goodell, M. See Sahyun, Goodell, and Nixon,

117, 685

Goodner, Kenneth. See Goebel and Goodner, 114, xl Goodwin, Willard. See Deuel, Butts, Blunden, Cutler, and Knott, 117, 119

-. See Butts, Blunden, Goodwin, and Deuel,

Gordon, Wayne. See ALVING and GORDON, 120, 103
Gordon, William G. See
Vickery and Gordon,

103, 543

and Jackson, Richard W.
 The metabolism of certain monomethyltryptophanes,

110, 151

—, Kaufman, Robert E., and Jackson, Richard W. The excretion of kynurenic acid by the mammalian organism. A method for the identification of small amounts of kynurenic acid, 113, 125

—. The availability of α -N-monomethyllysine and α -N-dimethyllysine for growth,

119, xxxvii

availability of dand dl-amino-N-methyltryptophane for growth, 123, xliii Gortner. Ross Aiken. See HESSLER and GORTNER. 119, 193 See Jackson and Gortner, 123, 719 Goss, Harold, and Kleiber, Max. Basal metabolism of rats on a phosphorus-deficient diet, 119, xxxviii Goss, M. J. See Phillips and Goss, 114, 557 125, 241 Gottberg, Klemens. See SCHOENHEIMER, DAM, and VON GOTTBERG. 110, 659, 667 Goudsmit, Arnoldus, Jr., and Summerson, William H. A variable layer photoelectric comparison photometer. new type of photoelectric colorimeter, 111, 421 On the origin of urinary creatinine. 115,613 Gould, Bernard S., and Sizer, Irwin W. The mechanism of bacterial dehydrogenase tivity in vivo. I. Anaerobic activity dehvdrogenase Escherichia coli as a function of temperature. 124, 269 Gould, Charles. See DEUEL, BUTTS, BLUNDEN, CUTLER, and 117, 119 KNOTT,

Gould, R. Gordon, Jr. The syn-

thesis of a dihydrovitamin A,

See JACOBS and GOULD,

114, xli

120, 141

See CRAIG, SHEDLOVSKY, Gould, and Jacobs, 125, 289 Graeser, James B., Ginsberg, Julius E., and Friedemann, Theodore E. A method for the analysis of tissues, 104, 149 Grafe, Karl. See Bergmann and GRAFE, 110, 173 Graff, Ada M. See GRAFF. MACULLA, and GRAFF, 121, 71 See Graff and Graff, 121, 79 See Graff, Maculla, and GRAFF, 121, 81 Graff, M. See Schoenheimer, RITTENBERG, and GRAFF, 111, 183 Graff, Samuel, and Maculla, Ada. The composition of the tissue proteins. I. The estimation of purines in tissues, 110, 71 -, Maculla, Esther, and Graff,

110, 71

—, Maculla, Esther, and Graff,
Ada M. The composition of
the tissue proteins. II. The
estimation of arginine,

and Graff, Ada M. The composition of the tissue proteins. III. Arginine in the placenta, 121, 79

—, Maculla, Esther, and Graff, Ada M. The composition of the tissue proteins. IV. The estimation of cystine,

Graham, W. R., Jr., Houchin, O. B., and Turner, C. W. The production of urea in the mammary gland, 120, 29 76 Graham, W. R., Jr.—continued The utilization of lactic acid by the lactating mammary gland, 122, 1 -, Peterson, V. E., Houchin, O. B., and Turner, C. W. utilization of fractions of the nitrogen partition of the blood by the active mammary gland, 122, 275 See Sumner and Gralén, Nils. 125, 33 GRALÉN. See Sumner, Gralén, and ERIKSSON-QUENSEL, 125, 37, 45 Grant, R. Lorimer. See Lewis and GRANT, 105, lii - and Lewis, Howard B. Some products of partial hydrolysis of silk fibroin. 108, 667 Grattan, Terome F. REICHEL, HAUSER,

See THANNand 121,697 GRATTAN,

-. See THANNHAUSER, REICHEL, GRATTAN, and MADDOCK, 121, 709, 715, 721, 727

124,631

Graubard, Mark, and Nelson, J. M. Tyrosinase action on mono- and dihydric substrates, 111, 757

- and -. On the quantitative measurement of the enzyme tyrosinase. 112, 135

Grav, E. LeB. See Bills, Mas-SENGALE, HICKMAN, and GRAY, 123, x

Greaves, Joseph and D., Schmidt, Carl L. A. The rôle played by bile in the absorption of vitamin D in the rat, 102, 101

and -. On the absorption and utilization of β -carotene in jaundiced and in choledochocolostomized vitamin Adeficient rats. 105, xxxi Green, Arda Alden. See Mar-GARIA and GREEN, 102, 611

-. See Root and GREEN,

106, 545

-, Cohn, Edwin J., and Blanchard, Muriel H. Studies in the physical chemistry of the proteins. XII. The solubility of human hemoglobin in concentrated salt solutions.

109,631

and McKhann, Charles F. Immune globulins in the placenta. 109, xxxvii

-, Lowry, Hope, Eley, R. C., and McKhann, Charles F. blood coagulant derived from the placenta, 114, xlii

The euglobulins of serum and their combination with acid and base, 119, xxxix

The globulin fractions of antipneumococcus serum.

123, xliv

Green, David F. See Gustavson and Green. 105, xxxiv

Morris, Mark L., Cahill, George F., and Brand, Erwin. Canine cystinuria. II. Analysis of cystine calculi and sulfur distribution in the urine,

114, 91

Greenberg, David M., and Tufts, Elma V. The formation of a colloidal form of calcium phosphate in the blood stream in experimental hypercalcemia,

105, xxxii

- —. The nature and amount of non-diffusible calcium in protein sols. Remarks on the paper by Eversole, Ford, and Thomas, 105, 511
- -- See Almquist and Green-BERG, . 105, 519
- and Larson, Clarence E. Evidence of adsorption experiments on the forms of calcium and inorganic phosphorus in blood serum, 109, 105
- —. The influence of certain liver poisons on the action of parathyroid extract,

109, xxxviii

— and Tufts, Elma V. The effect of a diet low in magnesium on the rat,

109, xxxviii

- —, Anderson, Carl E., and Tufts, Elma V. A note on a closed titration flask for use in the bromometric determination of magnesium with 8-hydroxy-quinoline. Application to the estimation of magnesium in tissues and urine, 111, 561
- and Tufts, Elma V. Variations in the magnesium content of the normal white rat with growth and development,

114, 135

—, Anderson, Carl E., and Tufts, Elma V. Pathological changes in the tissues of rats reared on diets low in magnesium,

114, xliii

— and Larson, Clarence E. Remarks on the paper by Tendeloo on a new and easy method for the potentiometric deter-

mination of calcium concentrations in solutions,

115, 769

- and —. Mathematical relations in the partition of the serum calcium, 119, xxxix
- and Tufts, Elma V. Biochemistry of magnesium deficiency, 119, xl
- See Tufts and Greenberg, 122, 693, 715
- -. See Cohn and Greenberg, 123, 185
- -- See Larson and Green-BERG, 123, 199
- Greenberg, Max M. The effect of hydrazine on the production of acetone bodies in the phlorhizin-intoxicated animal,

- Greenstein, Jesse P. Studies of the peptides of trivalent amino acids. III. The apparent dissociation constants, free energy changes, and heats of ionization of peptides involving arginine, histidine, lysine, tyrosine, and aspartic and glutamic acids, and the behavior of lysine peptides toward nitrous acid, 101, 603
- —. Studies of multivalent amino acids and peptides. I. The synthesis of certain tetravalent amino acids and their derivatives, 109, 529
- II. The synthesis of certain derivatives of lysylglutamic acid, 109, 541
- —. See Cohn, McMeekin, and Greenstein, 109, xxi
- and Joseph, Norman R. Studies of multivalent amino

Greenstein, Jesse P.—continued acids and peptides. IV. The dissociation apparent stants of a-aminotricarballylic acid and of glycyl-α-aminotricarballylic acid, 110,619 Studies ofmultivalent amino acids and peptides. V. Cystine cyamidene,

112, 35

VI. The action \mathbf{of} proteolytic enzymes on certain synthetic substrates.

112, 517

The synthesis of isocitric acid from citric acid,

114, xliii

- and Friedgood, Harry B. The effect of certain substituted dithio acids on the blood sugar 114, xliv of rabbits,
- Studies multivalent of acids amino and peptides. VII. Derivatives of dl- α aminotricarballylic acid,

116, 463

- VIII. The synthesis bisanhydro-l-cystinyl-l-cystine and other diketopiperazines of cystine, 118, 321
- The synthesis of crystalline l-cysteinyl-l-cysteine hydrochloride. 119, xli
- Studies ofmultivalent amino acids and peptides. IX. The synthesis of l-cystinyll-cystine, 121, 9
- and Wyman, Jeffries, Jr. polarity of aminocyclohexane carboxvlic acids. 123, xliv
- Studies of multivalent amino acids and peptides. Cystinyl peptides as substrates

for aminopolypeptidase and dipeptidase, 124, 255

- Sulfhydryl groups in proteins. I. Egg albumin in solutions of urea, guanidine, and their derivatives, 125, 501
- -, Klemperer, Friedrich W., and Wyman, Jeffries, Jr. Studies on the physical chemistry of cystinyl peptides, 125, 515 Greenwald, Isidor, and Rubin, S. H. The state of calcium in

serum and in plasma, 114, xlv

The dissociation of some calcium salts, 123, xlv

124, 437

Greulich, William Walter. See DORFMAN and GREULICH,

119, xxv Griffith, Wendell H. The influence of protein metabolism on the synthesis of glycine,

105, xxxiii

Errors in bioassay: some unusual effects of inorganic salts on the detoxication of benzoic acid in rats.

109, xxxix

- See Sheppeck and Griffith, 114, xcii
- A toxic effect of sodium hippurate, 123, xlvi Grollman, Arthur, Firor, W. M.,

and Grollman, Ellis. Studies the adrenal. VIII. A on simple preparation of the adrenal cortical hormone suitable for oral administration,

109, 189

Grollman, Ellis, See GROLL-MAN, FIROR, and GROLLMAN, 109, 189 Gross, Joseph. See Benjamin, Hess, and Gross, 103, 383

Gruner, J. W., McConnell, Duncan, and Armstrong, W. D.
The relationship between crystal structure and chemical composition of enamel and dentin, 121, 771

Grunewald, Carl F. See Deuel, Mackay, Jewel, Gulick, and Grunewald, 101, 301

—. See DEUEL, GULICK, GRUNEWALD, and CUTLER,

104, 519

—, Cutler, Charles H., and Deuel, Harry J., Jr. The sexual variation in carbohydrate metabolism. V. The metabolism of diacetic acid in normal and castrated male and female rats with and without theelin, 105, 35

Guerrant, N. B., Dutcher, R. Adams, and Tomey, L. F.
The effect of the type of carbohydrate on the synthesis of the B vitamins in the digestive tract of the rat, 110, 233

—, Chornock, Francis, and Dutcher, R. Adams. Studies concerning the production and cure of florid dermatitis (acrodynia) in the rat, 119, xlii

Guerrant, Ralph E. See Hogan and Guerrant, 114, li

—. See Hogan, Guerrant, and RITCHIE, 115, 659

Guest, George Martin, and Leva, Ernst. An electric heater designed to prevent losses from creeping in the evaporation of concentrated salt solutions preliminary to mineral analysis, 110, 777

— and Holmes, Frederic E. A pipette for storage of air-free reagents used in gasometric analysis, 110, 781

 and Rapoport, S. Studies of diphosphoglyceric acid in blood cells, 123, xlvii

— and —. Effects of overdosage of irradiated ergosterol in rabbits: changes of diphosphoglyceric acid in the blood cells, 124, 599

Guest, Gordon H., and McFarlane, W. D. The formation of pyrrole by the dry distillation of proteins, 123, xlvii

Guest, M. Mason. On the determination of glycogen in muscle, 123, xlviii

Guiteras, Albert F., and Schmelkes, Franz C. The comparative action of sodium hypochlorite, chloramine-T, and azochloramid on organic substrates, 107, 235

Gulick, Margaret. See Deuel, Mackay, Jewel, Gulick, and Grunewald, 101, 301

-. See DEUEL, GULICK, GRUNEWALD, and CUTLER, 104, 519

—, Samuels, Leo T., and Deuel, Harry J., Jr. The sexual variation in carbohydrate metabolism. IV. The effect of ovariectomy and theelin administration on the glycogen content of rats, 105, 29

-. See Erickson, Gulick, Hunscher, and Macy,

Gunther, J. Kenneth. See Rose. KEMMERER, WOMACK, MERTZ, GUNTHER, McCoy, and MEYER, 114, lxxxv - and Rose, William C. The relation of alanine to growth, 123, 39 Gurin, Samuel, and Clarke, H. T. Allocation of the free amino groups in proteins and peptides. 107, 395 -, Bachman, C., and Wilson, Wright. The gonadotropic hormone of pregnancy

urine, 123, xlix
Gustavson, R. G., and Green,
David F. The quantitative
determination of the amount
of estrogenic substances excreted daily in the urine of the
normal human female.

Edwin E. A further quanti-

105, xxxiv —, Wood, Thomas R., and Hays,

tative study of the estrogenic substances in normal human female urine, 114, xlvi—, Hays, Edwin E., and Wood, Thomas R. The quantitative determination of estrogenic substances in normal female urine during the menstrual cycle. 119, xlii

Gustus, Edwin L., Meyer, Roland K., and Woods, Oliver R.
Preparation of the gonadotropic hormone of pregnant mare blood,

114, 59

Gutman, Alexander B. See
Palmer, Leland, and GutMAN, 125, 615

György, Paul. Attempts to isolate the anti-egg injury factor (vitamin H), 119, xliii H

Haag, J. R., and Jones, I. R.

The calcium and inorganic
phosphorus content of the
blood plasma of normal dairy
cattle,

110, 439

Haddad, Matile. See Heller and Haddad, 113, 439

Haege, Lorraine. See Pierce, Haege, and Froeschle,

119, lxxviii

-. See Pierce and Haege, 123, xciii

Hafner, Paul G., Swinney, Robert H., and West, Edward S.
Hydroxylated acids of fats: an improved method of determination, 116, 691

Hahn, P. F. Liver injury and blood lactic acid, 101, 29

— and Fairman, E. The copper content of some human and animal tissues, 113, 161

Hald, Pauline M. The determination of the bases of serum and whole blood, 103, 471

-. A note on the gravimetric determination of total base of serum and blood. A correction, 105, 675

— and Eisenman, Anna J. The distribution of bases between cells and serum of normal human blood, 118, 275

See EISENMAN, HALD, and PETERS, 118, 289

Hale, W. S. See Balls and Hale, 107, 767

Halenz, H. F. See WAKEHAM and HALENZ, 115, 429

Haley, Frank L., and Samuelsen, George S. Cystine metabolism. II. Detoxication of monobromobenzene,
119, 383

Hall, F. G. The effect of altitude on the affinity of hemoglobin for oxygen, 115, 485

Hall, G. E., and Franks, W. R. Physiological carcinogenesis,

123, xlix

Hall, Helen. See Bills, Mc-Donald, Massengale, Im-BODEN, Hall, Hergert, and Wallenmeyer, 109, vii

Hall, J. Alfred, and Gisvold, Ole. Chemistry of slash-pine (*Pinus caribæa*, Morelet). I. Fatty constituents of the phloem,

109, 585

— and —. II. Fats, waxes, and resins of the growing tips, 113, 487

Hall, J. Lowe. See SHENK, HALL, and KING,

105, 741

--- See KLEIN, HALL, and
KING, 105, 753

Hall, James Lowell. See Hast-INGS, McLean, Eichel-Berger, Hall, and Da Costa, 107, 351

Hall, S. R. See Butz and HALL, 119, xvi

Hall, V. E. See CHAMBERLIN, FURGASON, and HALL,

Halliday, Nellie. Further investigations concerning the new vitamin B growth-promoting factor for rats, found in whole wheat, 106, 29

— and Evans, Herbert M. On the fractionation of the vitamin B₂ complex from various source Hallman, Lois F. See Bodansky, 101, 93 104, 473, 717

See Butts, Cutler, HallMAN, and DEUEL, 109, 597
See DEUEL, BUTTS, Hall-

MAN, and CUTLER,

112, 15

--. See Butts, Dunn, and Hallman, 112, 263

—. See Deuel, Hallman, Butts, and Murray,

116, 621

-- See Deuel, Butts, Blun-Den, Cutler, and Knott,

117, 119

—. See Deuel, Hallman, and Murray, 119, 257, xxii

—. See DEUEL, HALLMAN, MURRAY, and SAMUELS,

119, 607

—. See Deuel, Butts, Hall-MAN, Murray, and Blun-DEN, 119, 617

-. See Deuel, Murray, Hallman, and Tyler,

120, 277

—. See DEUEL, BUTTS, HALL-MAN, MURRAY, and BLUNDEN, 123, 257

-- See Butts, Dunn, and Hallman, 123, 711

---. See Deuel, Hallman, and Murray, 123, xxix 124, 385

-. See DEUEL, HALLMAN, MURRAY, and HILLIARD,

125, 79

Hallstone, V. E. See Deuel,
Butts, Hallman, Murray,
and Blunden, 123, 257

—. See Deuel, Hallman,

Murray, and Hilliard,

Halpern, Lena. The transfer of inorganic phosphorus across the red blood cell membrane, 114, 747 Halpern, Rebecca. See KLEINER and HALPERN. 101, 535 Halpin, J. G. See KEENAN, KLINE, ELVEHJEM, HART, and HALPIN. 103, 671 Haman, Robert W., and Steenbock, H. The antirachitic effectiveness of vitamin D from various sources, 114, 505 Hamill, William H. See STEKOL and HAMILL. 120, 531 Hamilton, Bengt, and Schwartz, The composition of tissues in dehydration, 109, 745 Hamilton, R. H., Jr. See Mc-HAMILTON, CLENDON. and HOLDRIDGE. 105, lviii Hammett, Frederick S. d-Lysine and growth. 119, xliv Hampel, C. W. See KERR, HAM-PEL, and GHANTUS, 119,405 Hand, David B. The refractivity of protein solutions, 108, 703 The molecular weight and volume of hemoglobin in urea solutions. 109, xl Handler, Philip. See CARTER, HANDLER, BINKLEY, BACK, RISSER, and WEISIGER, 123, xx Hanes, Frederic M. See Reiser and HANES. 123, ci Hanford, Zaida M. See Sur-HANFORD, FLANIGAN, PLEE, 113, 787 and Ansbacher, Hanke, Martin E., and Johnson,

Martha. An interpretation of

the drift in potential in the quinhydrone pH method on blood or blood serum,

109, xl --. See Johnson and Hanke, 114, 157

—. See KENDRICK and HANKE, 114, lviii 117, 161

Hanna, Marion I. See Campbell and Hanna, 119, 1, 9, 15
Hanner, James P. See Wilson and Hanner, 106, 323

Hansen, Arild E. See Wilson and Hansen, 112, 457

-, Wilson, William R., and Williams, Harold H. Serum lipid changes in relation to the intermediary metabolism of fat, 114, 209

Hanzal, Ramon F. See Bing, Hanzal, and Myers,

109, viii

Harding, Victor John, and Downs, C. E. Notes on a Shaffer-Somogyi copper reagent, 101, 487

Hardy, J. I. See Sullivan, HESS, HARDY, and Howe, 109, xc

Harger, R. N., Hulpieu, H. R., and Lamb, E. B. The speed with which various parts of the body reach equilibrium in the storage of alcohol,

-, -, and -. The speed with which various parts of the body reach equilibrium in the storage of ethyl alcohol, 120, 689
-, Johnson, Steven L., and Bridwell, E. G. Detection and

STILLER.

estimation of methanol, with

results in human cases of

and HARRIS,

105, 153

- See LEVENE, HARRIS, and

male hormone. The effect of

methanol poisoning, See LEVENE and HARRIS, 123, p. l 111, 725, 735 Harkins, William D., and Ander-112, 195 son, Thomas F. Protein mon-113, 55 olayers: films of oxidized cyto-Harrison, Harold E., Darrow, chrome C. 125, 369 Daniel C., and Yannet, Her-Harkness, E. V. See VENNING, The total electrolyte man. EVELYN, HARKNESS, and content of animals and its BROWNE, 120, 225 probable relation to the dis-Harmon, J. See DU VIGNEAUD, tribution of body water, DYER, and HARMON, 113, 515 101, 719 The sodium content of bone Harned, Ben K., and Deere, and other calcified material. Charles I. The induced oxi-120, 457 dation of cyanide, 104, 727 - and Darrow, Daniel C. A -. See Cole and Harned, volumetric method for determination of potassium in bio-123, xxv - and Cole, Versa V. The effect logical materials, 121, 631 of physostigmine on the blood See Darrow and Harrisugar of rats with demedullated 123, xxvii SON. adrenals, 123, li Harrison, Tinsley R. See Cul-Harrer, Carter J. See Stotz, LEN, WILKINS, and HARRISON, HARRER, and KING, 102, 415 119, xcv, 511 See Mason, Resnik, and See STOTZ, HARRER, HARRISON, 109, lix See Mason, Blalock, and SCHULTZE, and KING, **120,** 129 HARRISON, 114, lxiv Harrow, Benjamin, Mazur, Abra-122, 407 Harris, J. S. See KLEIN and ham, and Sherwin, Carl P. 124, 613 Studies in acetylation. The HARRIS. Harris, Meyer M. See BRAND, fate of p-aminobenzoic acid in CAHILL, and HARRIS, the rabbit. 102, 35 -, -, Borek, Ernest, and Sher-109, 69 See BLOCK, BRAND, HARwin, Carl P. Studies in acetylation. II. The RIS, and HINSIE, 114, xii effect Harris, Robert S., and Bunker, various substances upon the John W. M. The antirachitic formation of p-acetylaminobenproperty of casein. zoic acid in the rabbit. 119, xlv 105, xxxiv and Naiman, Barnet. Harris, Stanton A. See LEVENE The

Harrow, Benjamin—continued the male hormone, the anterior pituitary-like hormone, and the fat metabolism hormone upon the genital tracts of immature male and female rats, 105, xxxv -, Mazur, Abraham, Chamelin, I. M., and Lesuk, Alex. centration of a hyperglycemic factor from urine. 119, xlvi Hart. Anna. See GOETTSCH and 114,673 PAPPENHEIMER. See Hart, E. В. ELVEHJEM, HART. and SHERMAN, 103, 61 See KEENAN, KLINE, ELVE-HJEM, HART, and HALPIN, 103, 671 See PHILLIPS, HART, and BOHSTEDT. 105, 123 See Schultze, Elvehjem, and HART, 106, 735 See KLINE, ELVEHJEM, KEENAN, and HART, 107, 107 See SHERMAN, ELVEHJEM, and HART, 107, 289, 383 See STIRN, ELVEHJEM, and HART, 109, 347 See PHILLIPS and HART, 109, 657 See KOHLER, ELVEHJEM, and HART. 113, 49 See BIRD, ELVEHJEM, and HART. 114, x See Schultze, Elvehjem, and HART. 115, 453 116, 93, 107 See Arnold, Kline, Elve-HJEM, and HART, 116,699 See Pearson, Elvehjem, and HART, 119, 749

—. See SCHANTZ, ELVEHJEM, and HART, 122, 381
Hart, J. P., Sheppard, Fay, and Everett, Mark R. Preparation of sugar acids from d-glucose, 123, lii
Hartman, Arthur M., Kane, Edward A., and Shinn, Leo A. Does the carotene in alfalfa hay account completely for its vitamin A activity?

The toxicity of calciferol for rabbits, 119, xlvi
Hartman, Ernest. See PIERCE and HARTMAN, 123, xciv
Hartzler, Eva R. A note on the determination of potassium by the method of Shohl and Bennett, 122, 19

Hassid, W. Z., and Chandler, W. L. The isolation of a new polysaccharide synthesized by a soil microorganism,

117, 203 and Chaikoff, I. L. The molecular structure of liver glycogen of the dog, 123, 755 Hastings, A. Baird. See SHOCK and Hastings, 104, 565 - and Shock, Nathan W. Studies of the acid-base balance of the blood. II. A nomogram for calculation of acid-base data for blood, 104, 575 See Shock and Hastings. **104,** 585

See Barron and Hastings,
 105, vii

See McLean and Hastings,
105, lx
See Morse, Schlutz, and

—. See Morse, Schlutz, and Hastings, 105, lxiv

—. See McLean and Hastings, 107, 337

—, McLean, Franklin C., Eichelberger, Lillian, Hall, James Lowell, and Da Costa, Esther. The ionization of calcium, magnesium, and strontium citrates, 107, 351

See Barron and Hastings,

107, 567

—. See McLean and Hastings,
108, 285

-. See Barron and Hastings, 109, iv

— and Eichelberger, Lillian. Salt and water exchange between blood and muscle.

109, xli

-. See Shock and Hastings, 112, 239

—, Dill, D. B., and Edwards, H. T. The acid-base changes in the blood after anaerobic work, 114, xlvii

—. See Weir and Hastings, 114, 397

— and Eichelberger, Lillian.

The exchange of salt and water between muscle and blood. I.

The effect of an increase in total body water produced by the intravenous injection of isotonic salt solutions.

117, 73

118, 479

See Eichelberger and Hastings, 118, 197, 205
See Stotz and Hastings,

-. See Browman and Hastings, 119, 241

 See Muus, Bessey, and Hastings, 119, lxxii See Manery, Danielson, and Hastings, 124, 359

—. See Klemperer, Trimble, and Hastings, 125, 445

Hathaway, Milicent L., and Koch, F. C. Provitamin D potencies, absorption spectra, and chemical properties of heat-treated cholesterol,

108, 773

and Lobb, Dorothy E. The provitamin D of heat-treated cholesterol,
 113, 105

Hauge, Sigfred M. Evidence of enzymatic destruction of the vitamin A value of alfalfa during the curing process,

108, 331

Haury, Victor G. See Hirsch-FELDER and SERLES,

104, 635

- See Hirschfelder,

104, 647

Haven, Frances L. The degree of unsaturation of phospholipid fatty acids of tumor tissue,

109, xlii

The phospholipid metabolism of tumors, 114, xlvii
 118, 111

—, Bale, William F., and LeFevre, Marian L. Comparative distribution in the white rat of radioactive phosphorus fed as sodium phosphate and injected as phospholipid, 123, lii

Hawkins, James A., and Shilling, Charles W. Nitrogen solubility in blood at increased air pressures, 113, 273

— and —. Helium solubility in blood at increased pressures,

Hawkins, Nora C. See Morgan, Kimmel, and Hawkins,

> 119, lxx 120, 85

Hawkins, W. B. See Howland and Hawkins, 123, 99

Hawley, Estelle E. See STE-PHENS and HAWLEY,

115, 653

Hayman, J. M., Jr., Johnston, S. M., and Bender, J. A. On the presence of creatinine in blood, 108, 675

Hays, Edwin E. See Gustavson, Wood, and Hays,

—. See Gustavson, Hays, and Wood, 119, xlii

Heard, E. Virginia, and Lewis,
Howard B. The metabolism
of sulfur. XXV. Dietary
methionine as a factor related
to the growth and composition
of the hair of the young white
rat, 123, 203

Hecht, Morris, and Civin, Helen. Studies on enzyme action. L. The estimation of pepsin and trypsin in yeast, 116, 477

Hegnauer, A. H., and Cori, Gerty T. The influence of epinephrine on chemical changes in isolated frog muscle,

and Robinson, E. J. The water and electrolyte distribution among plasma, red blood cells, and muscle after adrenalectomy, 116, 769

-- See Robinson and Heg-NAUER, 116, 779

-- See Cori, Cori, and Heg-NAUER, 120, 193 Heidelberger, Michael, and Palmer, Walter W. The preparation and properties of thyroglobulin, 101, 433

— and Menzel, Arthur E. O. Protein fractions of the human strain (H-37) of tubercle bacillus, 104, 655

— and Kendall, Forrest E. The rôle of multiple reactive groups in antigen-antibody union as illustrated by an instance of cross precipitation,

105, xxxvii

 See Calvery, Heidel-BERGER, and KENDALL,

109, xv

 See Kendall, Heidel-Berger, and Dawson,

118, 61

— and Menzel, Arthur E. O. Specific and non-specific cell polysaccharides of a human strain of tubercle bacillus, H-37, 118, 79

See Menzel and Heidel-Berger, 124, 89, 301

Heidt, Lawrence J. The ultraviolet absorption spectra of thyroxine, thyronine, tyrosine, diiodotyrosine, and thyroglobulin, 115, 223

Heinle, Robert W., and Bing, Franklin C. Studies in the nutritional anemia of the rat. VIII. A method for the estimation of hemoglobin and erythrocytes on a single small sample of blood, 101, 369

Heller, Carl G. See SEVRING-HAUS, HELLER, LAUSON, and GOLDEN, 123, evii

V. The

123, 641

105, 633

Heller, Robert. See DEUEL, BUTTS, BLUNDEN, CUTLER, and KNOTT. 117, 119 Heller, V. G., and Paul, Henry. Effect of inorganic salt intake upon the mineral composition of the blood. 105,655 -, -, and Thompson, R. B. Changes in the blood calcium and phosphorus partition during the life cycle of the chicken. 106, 357 - and Haddad, Matile. Paths of excretion and mineral balance in animals drinking saline and alkaline waters, 113, 439 Chemical — and Pursell, Lee. composition of the blood of the hen during its life cycle, 118, 549 - and -. Physiological effects of phenol-contaminated drink-119, xlvi ing waters. Hellerman, Leslie, and Perkins, Marie E. Activation of enzymes. II. Papain activity as influenced by oxidation-reduction and by the action of metal compounds, 107, 241 See Schwachman, Heller-MAN, and COHEN, 107, 257 See Schock, Jensen, and HELLERMAN, 111, 553 - and Perkins, Marie E. Acti-III. The vation of enzymes. rôle of metal ions in the activation of arginase. The hydrolysis of arginine induced by certain metal ions with urease,

guanidino compounds. Activating metal ions and liver arginase. 125, 771 Helmer, O. M., and Emerson, Charles P., Jr. The iron content of the whole blood of normal individuals, 104, 157 -, Fouts, Paul J., and Zerfas, L. G. The relation of the secretion of mucus to the acidity of the gastric juice, 105, xxxvii The determination of vitamins B₁ and B₂ in human urine, 114, xlviii See LEPKOVSKY, Fours. HELMER, and JUKES. 119, xxxiv Helz, George E. See Bosworth and HELZ. 112, 489 - and Bosworth, A. W. The higher saturated fatty acids of 116, 203 butter fat, Hempelman. H. See Louis PREISLER and HEMPELMAN. 114, lxxxi Henderson, L. J. See DILL. Forbes, and Henderson, 109, xxvii See Hendricks, Sterling В. MARKLEY, HENDRICKS, and 111, 133 SANDO, See Markley, Sando, and

HENDRICKS,

min,

112, 175

125, 753

See STOCK, PERKINS, and

HELLERMAN.

Hendrix, Byron M., and Whar-

ton, P. S. The effect of variation of pH upon the process of

heat denaturation of egg albu-

- and Stock, C. Chester. Acti-

non-enzymatic hydrolysis

specificity of arginase and the

vation of enzymes.

Hendrix, Byron M.—continued - and Paquin, Felix, Ir. effect of denaturation of egg albumin upon its acetyl deriva-114, xlix tives, - and Dennis, Joe. Changes of nitrogen content brought about by denaturation of proteins, 123, liii - and Paquin, Felix, Jr. The effect of alkali treatment upon acetyl proteins. 124, 135 Hendrix, James P. See BORD-LEY. HENDRIX, and RICHARDS, 101, 255 -, Westfall, B. B., and Richards, Quantitative studies of A. N. the composition of glomerular XIV. The glomerular excretion of inulin in frogs and 116, 735 Necturi. Hepburn, Joseph S., and Miraglia, Paul Reveri. A contribution to the chemistry of turkey eggs, 105, xxxviii -, Paxson, Newlin F., and Rogers, Alan N. Secretion of ingested sulfanilamide in human milk and in the urine of the infant, 123, liv Herbst, Robert M., and Clarke, H. T. Oxidation of amino acids by silver oxide, 104, 769 - and Engel, L. L. A reaction between a-ketonic acids and α -amino acids. 107, 505 The oxidation of hexosamines: d-glucosamine and dglucosaminic acid, 119, 85 Hergert, W. D. See Bills, Mc-

Donald, Massengale, Im-

BODEN, HALL, HERGERT, and

109, vii

WALLENMEYER,

Herrin, R. C. Chemical changes in blood and intestinal juice produced by the loss of intestinal juice. 108, 547 Ammonia content, pH, and carbon dioxide tension in the intestine of dogs, 118, 459 Herriott, Roger M. See CAL-VERY, HERRIOTT, and NORTH-ROP. 109, xvi 113, 11 See Herrmann, Cornelius L. 115, 641 BODANSKY. See Bodansky, Duff, and HERRMANN, 119, xiii Herrmann, See BRAND, H. Brand, and Herrmann, 105, xiii Hess, Alfred F. See Benjamin, HESS, and GROSS, 103, 383 See Benjamin and Hess, 103, 629 Hess, W. C. See Sullivan and HESS. 102, 67 The gasometric determination of cysteine and cystine, 103, 449 The determination of cystine and cysteine in the pres-

tine and cysteine in the presence of each other,

105, xxxix

-. See Sullivan and Hess,

— and Sullivan, M. X. The determination of cystine and cysteine in butyl alcohol extracts, 108, 195

—. Variations in amino acid content of finger nails of normal and arthritic individuals, 109, xliii See Sullivan, Hess, | Heymann, Walter. Metabolism

, , , , , , , , , , , , , , , , , , , ,	,,
Hardy, and Howe,	and mode of action of vitamin
109, xc	D. II. Storage of vitamin D
- and Sullivan, M. X. The	in different tissues in vivo,
cystine content of deaminized	118, 371
proteins, 114, xlix	Further studies on the ab-
proteins, 114, xlix —. See Sullivan, Hess, and	sorption, excretion, and mode
IRREVERRE, 114, 633	of action of vitamin D,
See Sullivan and Hess,	119, xlviii
116, 221	Metabolism and mode of
117, 423	action of vitamin D. IV. Im-
— and Sullivan, M. X. Further	portance of bile in the absorp-
studies on the effect of alde-	tion and excretion of vitamin
hydes on cystine and cysteine,	D, 122, 249
119, xlvii	V. Intestinal excretion of
See Sullivan and Hess,	vitamin D, 122, 257
119, xevi	van Heyningen, W. E. Prepa-
See Sullivan, Howard,	ration of deutero fatty acids,
and HESS, 119, 721	123, lv
See Sullivan and Hess,	-, Rittenberg, D., and Schoen-
	heimer, Rudolf. The prepa-
120, 537	ration of fatty acids containing
— and Sullivan, M. X. Further studies on the effect of alde-	
	deuterium, 125, 495 Heyroth, Francis F. The action
hydes on cystine and cysteine,	
121, 323	of alkali upon dibromoxyhy- drouracil, 114, p. l
—. See Sullivan and Hess, 122, 11	Hickman, K. C. D. See BILLS,
— and Sullivan, M. X. Cys-	Massengale, Hickman, and
	1
tinuria; the effect of feeding	
methionine and cysteine on the	Highman, Walter J., Jr. Hyper-
excretion of cystine, 123, lv	parathyroidism in experi-
—. See Neglia, Hess, and	mental renal insufficiency,
Sullivan, 125, 183	123, lvi
Hessler, Lyle E., and Gortner,	Hilbert, Guido E., and Jansen,
Ross Aiken. The carbon me-	Eugene F. A study of the
tabolism of Gibberella saubi-	absorption spectra of some
netii on glucose, 119, 193	carotenoid pigments at liquid
Hester, Harold R. See Flock,	air temperatures and its appli-
BOLLMAN, HESTER, and MANN,	cations to the carotenoid pig-
119, xxxiii	ments of cow-pea leaves (Vigna
121, 117	sinensis), 106, 97 — and Rist, Carl E. Synthesis
Heymann, Karl. See LEVENE	- and Rist, Carl E. Synthesis
and HEYMANN, 102, 1	of 1-d-ribosidouracil. Inter-

action of acetobromo-d-ribose and 2,4-diethoxypyrimidine, 117, 371 Hildebrand, F. C. See CALD-WELL and HILDEBRAND, 111, 411 Hilditch, T. P., and Longenecker, H. E. Further determination and characterization of the component acids of butter fat, 122, 497 Hilgetag, Guenter. See Schoen-HEIMER and HILGETAG, 105, 73 Hill, Douglas W. See LEVENE and HILL, 101, 711 102, 563 Hill, Edgar S., and Shaffer, Philip A. Semiquinones anthraquinone sulfonates, 114, li See Preisler, Hill, Ronzoni, and Young. 123, xev Elsie. See Hill. KOEHLER, MARSH, and HILL, 119, lix See Koehler and HILL, 123, lxx Hill, Robert M. See Dubach and HILL, 112, 313 See LONGWELL and HILL, 112, 319 See SCHULTZ and HILL, 123, cvi Hiller, Alma. See VAN SLYKE and HILLER, 102, 499 Hilliard, J. See DEUEL, HALL-MAN, MURRAY, and HILLIARD, 125, 79 Himwich, Harold E. See Gold-

FARB and HIMWICH,

101, 441

See GOLDFARB, BARKER, and Himwich, 105, 283, 287 See CHAMBERS, HIMWICH, and KENNARD, 108, 217 -, Gildea, Edwin F., Rakieten, Nathan, and DuBois, Delafield. The effects of inhalation of carbon dioxide on the carbon dioxide capacity of arterial blood, 113, 383 See Baker, Fazekas, and HIMWICH, 125, 545 Hinck, Claus F., Jr. See SOYEN-KOFF and HINCK, 109, 467 Hinrichs, Marie A. See Mc-LEAN and HINRICHS. 109, lxiii Hinsie, L. E. See BLOCK, Brand, Harris, and Hinsie, 114, xii Hirschfelder, Arthur D., and Serles, Earl R. A simple adaptation of Kolthoff's colorimetric method for the determination of magnesium in biological fluids, 104, 635 Effect of renal insufficiency upon plasma magnesium and magnesium excretion after ingestion of magnesium sulfate, 104, 647 Hirschmann, H. See WINTER-STEINER and HIRSCHMANN, 119, cvii and Wintersteiner, Oskar. The isolation of estrogenic diols from the urine of pregnant mares, 122, 303 Hisey, Alan. See Morrison and HISEY, 109, 233 114, lxxiii 117,693

Oxygen uptake by dried hemoglobin, 119, xlix The denaturation of dried hemoglobin by molecular oxy-123, lvi gen, Hitchcock, David I. Calculation of isoelectric zones and isoelectric points, 114, 373 Hixon, R. M. See CALDWELL and HIXON. 123, 595 Hoagland, Charles L. See WEST, HOAGLAND, and CURTIS. 104, 627 Hodge, Harold Carpenter. Gingival tissue lipids, 101,55 -, Bale, William F., and Le-Fevre, Marian L. Molecular constitution of tooth and bone phosphates. 119. xlix - and -. The molecular constitution of the calcium phos-123, lvii phates. Hodson, Adrian. See McCAY 109, 29 and MAYNARD, See MAYNARD, Hodson, ELLIS, and McCAY, 119, lxvi Hoehn, Willard M. See Ken-DALL, MASON, HOEHN, and McKenzie. 119, lvi See Mason, Hoehn, Mc-KENZIE, and KENDALL, 120, 719 Mason, See KENDALL, Hoehn, and McKenzie, 123, lxvii See Mason, Hoehn, and KENDALL, 124, 459 Hoffman, O. D. See KARR, Aus-TIN, ABBOTT, and HOFFMAN, 119, lv -, Abbott, W. O., Karr, Walter G., and Miller, T. G. The fate of glucose solutions intro-

duced into the stomach of humans. 123, lvii Hoffman, М., and Robert Daniels, Farrington. The formation of vitamin D cathode rays, 115, 119 Hoffman, William S., and Cardon, Rose. The determination of inorganic sulfate in the serum of normal persons, 109, 717

—. A colorimetric method for the determination of serum magnesium based on the hydroxyquinoline precipitation, 118, 37

-. A photometric method for the determination of potassium in minute amounts of serum, 119, p. l

—. A rapid photoelectric method for the determination of glucose in blood and urine, 120, 51

 The photoelectric determination of potassium in minute quantities of serum,

120, 57

— and Osgood, Bess. A rapid photoelectric method for the microdetermination of sodium in biological fluids,

123, lviii

— and —. A photoelectric method for the microdetermination of sodium in serum and urine by the uranyl zinc acetate precipitation,

124, 347

Hogan, Albert G., and Ritchie, Walter S. Nutritional properties of deaminized casein,

105, xxxix

Hogan, Albert G.—continued
— and —. An anemia caused by
deaminized casein,

107, 179
— and Richardson, Luther R.

— and Richardson, Luther R.

The identity of the antidermatitis factor, 109, xliii

— and Guerrant, Ralph E. Observations on the anemia caused by deaminized casein,

114, li

—, —, and Ritchie, Walter S.
Additional observations on the
anemia caused by deaminized
casein, 115, 659

—, Richardson, Luther R., and Johnson, Paul E. A new deficiency disease associated with the vitamin B complex,

Hogden, Corinne G. See Robinson, Price, Hogden, Nelson, and Cullen, 114, lxxxiv

—. See Robinson, Price, and Hogden, 119, lxxxiii

120, 481

—. See Price, Robinson, and

Hogden, 123, xcvi
Hogness, T. R. See Miller,
Zscheile, Koch, Hogness,
and Koch, 109, lxv

—, Zscheile, F. P., Jr., Sidwell, A. E., Jr., and Barron, E. S. Guzman. Cyanide hemochromogen. The ferriheme hydroxide-cyanide reaction: its mechanism and equilibrium as determined by the spectrophotoelectric method.

118, 1

—, Sidwell, A. E., Jr., and Zscheile, F. P., Jr. The ab-

sorption spectra of compounds related to the sterols,

120, 239

 See Sidwell, Munch, Barron, and Hogness,

1**23,** 335

See Stotz, Sidwell, and Hogness, 123, exviii124, 11

—. See Altschul and Hog-NESS, 124, 25

—. See Stotz, Sidwell, and Hogness, 124, 733

See Stotz, Altschul, and Hogness,124, 745

Holden, Raymond F., Jr. Determination of fermentable blood sugar by gasometric measurement of the carbon dioxide formed by the action of yeast, 119, 347

Holdridge, Curtis. See Mc-CLENDON, HAMILTON, and HOLDRIDGE, 105, lviii

Hollander, Franklin. Studies in gastric secretion. V. The composition of gastric juice as a function of its acidity,

104, 33

—, Bodecker, C. F., Saper, E., and Applebaum, E. Indications for organized variations in calcification in tooth enamel, 105, xl

 x-Ray absorption coefficients of dentin and enamel,

114, lii

 and Saltzman, Max. Characteristics of gastric secretion stimulated by pilocarpine,

123, lix

Studies in gastric secretion.
 VI. A statistical analysis of

the neutral chloride-hydro-

chloric acid relation in gastric

notes on composition, proper-

ties, and relation to other

juice, 125, 161 sterols, 103, 515 Hooker, Sanford B. Holm, George E. See Kurtz, See Boyn JAMIESON, and HOLM, and HOOKER, 104, 329 106, 717 Hoover, Sam R. See Balls and Holmes, Arthur D., Pigott, HOOVER. 121, 737 Horning, E. See Madeleine G., and Campbell, Rose and Percy A. The 109, lxxvi hemoglobin EXTON, Hortenstine, J. C. See CHANUcontent of chicken blood. 103, 657 TIN, HORTENSTINE, COLE, and -, —, and —. The hemoglobin LUDEWIG. 123, 247 content of chicken blood. II. -, Chanutin, Alfred, and Ludewig, Stephan. Influence of The decrease following hatchyeast-containing diets on the 105, xli total fatty acids and cho-Holmes, Benjamin, and Kirk, L. Comments lesterol content of the livers Paul the microvolumetric sodium of intact and partially nephrecmethod of Ball and Sadusk, tomized rats, 125, 455 116, 377 Horvitz, Herman T. See Holmes, Frederic E. See Guest ROBERTS and HORVITZ, and Holmes, 110, 781 123, cii Horvitz, Leonard. See BEARD Self-sealing vessels for and Boggess, 114, 771 storage of solutions used in the Horwitt, M. K. The titrimetric Van Slyke gasometric methods, microestimation of iron in bio-113, 411 logical materials, 105, xli and Cullen, Glenn E. A - and Cowgill, George R. The method for the extraction of effects of minute amounts of cholesterol from blood, lead on the animal organism, 123, lx 119, li Holmes, Harry N., and Bromund, - and -. A titrimetric method Werner H. Bixin solutions as for the quantitative estimation colorimetric standards for the of lead in biological materials, determination of carotene, 119, 553 112, 437 See BLOCK and HORWITT, Holt, L. Emmett, Jr. See Tid-121, 99 WELL and HOLT. 112, 605 A simple glass electrode for -. See AYLWARD and HOLT, the estimation of the pH of 121,61 biological fluids under an-Honeywell, Edna M., and Bills, aerobic conditions, 123, lx Charles E. Cerevisterol: new | - and Cowgill, George R.

Further investigations of the Howland, J. W., and Hawkins, absorption of minute amounts W. B. Protein metabolism. protein interchange, and utilof lead from the diet. ization in phlorhizinized dogs. 123, lxi 123, 99 Hoskins, W. H. See PETERSON, Hrubetz, M. Caroline, and Dotti, Hoskins, Coffman, and Koch, Louis B. Liver glycogen, with 123, xciii Hotchkiss, H. T., Jr. See RENa note on the blood sugar level, 107, 731 SHAW and HOTCHKISS. 103, 183 See Dotti and Hrubetz, Hotchkiss, Rollin D., and Goebel, 113, 141 Walther F. Derivatives Hubbard, Roger S., Munford, acid. VII. The Samuel A., and Tyner, James. glucuronic The relationship between gassynthesis of aldobionic acids, 115, 285 tric secretion and the alkaline Chemo-immunotide in urine, 101, 781 logical studies on the soluble - and Brock, Henry J. Lactose specific substance of pneumoin the plasma of pregnant and III. The structure of lactating women, 110, 411 the aldobionic acid from the See CLINTON and HUBBARD, Type III polysaccharide, 119, 467 121, 195 - and Russell, Nellie M. The Houchin, O. B. See GRAHAM, fructose content of spinal fluid, Houchin, and Turner, 119, 647 120, 29 Hudson, C. S. See RoE and See GRAHAM, PETERSON, Hudson, 112, 443 Houchin, and Turner, 121, 37 122, 275 Huffman, C. F. See Duncan, Howard, H. W. See Sullivan, HUFFMAN, and Robinson, Howard, and Hess, 108, 35 119, 721 Huffman, Hugh M. See Bor-Howe, Paul E. See Sullivan, sook, Huffman, and Liu, HESS, HARDY, and Howe, 102, 449 109, xc See Borsook, Ellis, and Howell, Stacey F., and Sumner, HUFFMAN, 117, 281 James B. The specific effects Hughes, J. S. See Correll and of buffers upon urease activity, HUGHES, 103, 511 104, 619 See Roepke and Hughes, See SUMNER and HOWELL, 108, 79 108, 51 Hughes, James. See Saifer and 109, 429 HUGHES, 118, 241 113,607 121,801

115, 583

Hughes, R. H., and Wimmer,

ble, volatile fatty acids, parison with l-carnosine, 108, 141 Hulpieu, H. R. See HARGER, See HULPIEU, and LAMB, HUNT, 119, xliv 120,689 Frances Cope. See Hummel, ERICKSON, WILLIAMS, HUM-MEL. and MACY. 118, 15 See ERICKSON, WILLIAMS, HUMMEL, LEE, and MACY, 118, 569 See WILLIAMS, ERICKSON, BERNSTEIN, HUMMEL, 118, 599 MACY. See Hunscher, Hummel, MACY, TODD, and FRANCIS, See 119, lii Humoller, Fred L. See Austin and HUMOLLER. 105, v Hunscher, Helen A. See Erick-SON, GULICK, HUNSCHER, and 106, 145 MACY, Hummel, Frances Cope, Macy, Icie G., Todd, T. Wingate, and Francis, C. C. Is skeletal maturity related to calcium storage in children? 119, lii Hunt, Madison. See DU VI-GNEAUD and HUNT, 114, cv 115, 93 - and du Vigneaud, Vincent. The specificity of the β -alanine radical in relation to the depressor action of l-carnosine, 123, lxi

- and -. The preparation of

alanyl-l-histidine and an in-

vestigation of their effect on

d-alanyl-l-histidine

E. J. The absorption of solu-

124,699 DU VIGNEAUD and 125, 269 Hurd, Loren C. See Schwoeg-LER, BABLER, and HURD, 113,749 Ι See McClendon, Imai, Takeo. 102, 91 Imboden, Miriam. See BILLS. IMBODEN, and WALLENMEYER, - See Cox and Imboden, 105, xviii BILLS, McDonald, MASSENGALE, IMBODEN, HALL, HERGERT, and WALLENMEYER. 109, vii Ingraham, Mary A. See Bau-MANN, STEENBOCK, INGRAHAM, and FRED, 103, 339 Inman, W. Robert. See Young and Inman, 123, exxxi 124, 189 Iob, Vivian, and Swanson, W. W. The extracellular and intracellular water in bone and cartilage, 122, 485 - and -. A study of fetal iron, 124, 263 Irish, Oliver J. See DU VI-GNEAUD and IRISH, 109, xciv 122, 349 Irreverre, Filadelfo. See Sulli-VAN, HESS, and IRREVERRE, 114,633 Further studies Irvin, J. Logan.

on octopine,

123, lxii

the blood pressure in com-

Irving, George W., Jr. See DU SIFFERD, and VIGNEAUD. 117, 589 IRVING, See DU VIGNEAUD, IRVING, DYER, and SEALOCK, 123, 45 - and du Vigneaud, Vincent. The differential migration of the pressor and oxytocic horelectrophoretic instudies of the untreated pressjuice of the posterior lobe of the pituitary gland, 123, 485 Irving, Laurence, and Black, E. C. A convenient type of tonometer for the equilibration of blood. 118, 337 Irwin, Margaret House. See STEENBOCK, IRWIN. and WEBER, 114, c Isler, Otto. See JACOBS and ISLER. 119, 155 Itter, Stuart, Orent, Elsa R., and McCollum, E. V. An effective method of extracting vitamin В, 108, 571 -, -, and -. A simplified method for preparing lactoflavin and a study of its growth effect, 108, 579 -, -, and -. The possible rôle of the sulfhydryl group in vitamin B2 deficiency, 108, 585 Ivy, A. C. See Rony, Morti-

102, 161 MER, and IVY, -. See FREEMAN, KANT, and IVY. 112, 1 See FREEMAN, CHEN, and IVY. 124, 79 J

Iackson, Arnold O., and Marvel, S. 4-(or 5-)Hydroxymethyl-2-thiolimidazole,

103, 191

Elizabeth Tackson, B. See Morison, McLean, and Jack-SON, 122, 439

Tackson, Richard W. See Gordon and Jackson,

110, 151

 See White and Jackson, 111, 507

See Gordon, Kaufman, and JACKSON, 113, 125

- and Block, Richard J. Does bis(2-aminoethyl) disulfide (cystamine) promote growth in the rat limited to an inadequate intake of cystine and methionine? 113, 135

- and -. The metabolism of cystine and methionine. II. The availability of d- and lmethionine and their formyl derivatives in the promotion of growth, 122, 425

-. See Cahill and Jackson,

123, xviii

Kynurenic acid excretion by Carnivora, 123, lxiii

Jackson, Stanley M., and Gortner, Ross Aiken. A study of the proteins of the inactive and active mammary gland, 123, 719

Jacobi, Mendel. See KATZMAN and JACOBI, 118, 539 Jacobs, Walter A., and Bigelow, Newell M. Ouabain. The degradation of isoouabain.

— and —. Trianhydroperiplogenin, 101, 697 — and Elderfield, Robert

and Elderfield, Robert
 C. Strophanthin. XXVIII.
 Further degradation of strophanthidin and periplogenin derivatives, 102, 237

— and Craig, Lyman C. The ergot alkaloids. II. The degradation of ergotinine with alkali. Lysergic acid,

104, 547

— and Simpson, James C. E. On sarsasapogenin and gitogenin, 105, 501

— and Craig, Lyman C. The ergot alkaloids. III. On lysergic acid, 106, 393

-. See ELDERFIELD and JACOBS, 107, 143

— and Elderfield, Robert C.

The structure of the cardiac aglucones, 108, 497

— and Craig, Lyman C. The ergot alkaloids. IV. The cleavage of ergotinine with sodium and butyl alcohol,

108, 595

and Elderfield, Robert C.
 Strophanthin. XXXII. The anhydrostrophanthidins,

108, 693

-. See Simpson and Jacobs,

109, 573

— and Simpson, James C. E. The digitalis sapogenins,

110, 429

 and Craig, Lyman C. The ergot alkaloids. V. The hydrolysis of ergotinine,

110, 521

—. See Simpson and Jacobs,

110, 565

— and Craig, Lyman C. The ergot alkaloids. VI. Lysergic acid, 111, 455

and Elderfield, Robert
 Strophanthin. XXXIII.
 The oxidation of anhydroaglucone derivatives, 113, 611

and —. XXXIV. Cyanhydrin syntheses with dihydrostrophanthidin and derivatives,
 113, 625

— and Craig, Lyman C. The ergot alkaloids. VIII. The synthesis of 4-carboline carbonic acids, 113, 759

— and —. IX. The structure of lysergic acid, 113, 767

— and Elderfield, Robert C.

The lactone group of the cardiac aglycones and Grignard reagent, 114, 597

— and Craig, Lyman C. The ergot alkaloids. XI. Isomeric dihydrolysergic acids and the structure of lysergic acid,

115, 227

— and —. The veratrine alkaloids. I. The degradation of cevine, 119, 141

— and Isler, Otto. The sapogenins of *Polygala senega*,

119, 155

— and Gould, R. Gordon, Jr.

The ergot alkaloids. XII.

The synthesis of substances related to lysergic acid,

120, 141

and Craig, Lyman C. The veratrine alkaloids. II.
 Further study of the basic degradation products of cevine, 120, 447

- and -. The ergot alkaloids

98 Jacobs, Walter A.—continued XIII. The precursors of pyruvic and isobutyrylformic 122, 419 - and -. The veratrine alka-III. Further studies on the degradation of cevine. The question of conline, 124,659 See CRAIG, SHEDLOVSKY, Gould, and Jacobs, 125, 289 - and Craig, Lyman C. The veratrine alkaloids. IV. The degradation of cevine methiodide, 125.625 Jacobson, B. M. See Subbarow and JACOBSON. 114, cii Jaffe, Henry L. See Bodansky and JAFFE, 105, xi 109, x See Under-Taleski, Thomas C. HILL and JALESKI. 101, 11 Jamieson, G. S. See Kurtz, JAMIESON, and HOLM, 106, 717

Jansen, Eugene F. See HILBERT and JANSEN, 106, 97 Janssen, Pearl. See Parsons, JANSSEN, and SCHOENLEBER, 105, lxvii

Jeans, P. C. See STEARNS and JEANS. 114, c

Jeffreys, Cecil E. P. See Borsook and Jeffreys.

110, 495 See Borsook, Davenport, JEFFREYS, and WARNER,

117, 237

Jellinek, E. Morton. See LOONEY and JELLINEK.

109, lvii

Jensen, H., and Evans, E. A., Jr. Chemical studies on toad poisons. VI. Ch'an su, the dried venom of the Chinese toad, and the secretion of the tropical toad, Bufo marinus,

104, 307

- and -. Studies on crystalline insulin. XVIII. The nature of the free amino groups in insulin and the isolation of phenylalanine and proline from crystalline insulin, 108, 1 Chemical studies on toad

poisons: Bufo arenarum, Bufo regularis, and Xenopus lævis,

109, xliv

—, Evans, E. A., Jr., Pennington, W. D., and Schock, Ellen D. Further chemical investigation of crystalline insulin.

109, xliv See Schock, Jensen, and HELLERMAN, 111,553

-, Evans, E. A., Jr., Pennington, W. D., and Schock, Ellen D. The action of various reagents on insulin, 114, 199

- and Chen, K. K. The chemical identity of certain basic constituents present in the secretions of various species of 116, 87 toads,

Chemical studies on toad poisons. Further contributions to the chemical constitution of marinobufagin, cinobufagin, and gamabufagin,

119, lii

Behrnts. See Tensen. Hans ASTRUP and JENSEN,

jewon, radi w. See Brend,	araman soc .
MacKay, Jewel, Gulick, and	son, and Johnso
GRUNEWALD, 101, 301	·
Johlin, J. M., and Moreland,	- See BERGER,
Ferrin B. Studies of the blood	PETERSON,
picture of the turtle after	Johnson, Paul E.
complete anoxia, 103, 107	Richardson, an
Johnson, Doris. See Parsons,	
LEASE, and JOHNSON,	Johnson, R. E.,
119, lxxvii	H. T. Lactate
See Parsons and Johnson,	in blood and ur
123, xci	cise,
Johnson, Erma O. See EVER-	0250,
ETT, SHEPPARD, and Johnson,	Johnson, Ralph.
104, 1	Journous, realphi.
	Johnson, Steven
Johnson, G. Hildegard. See Johnson, Johnson, and	GER, JOHNSON, a
PETERSON, 116, 515	GER, JOHNSON, a
Johnson, Martha. See HANKE	Johnstin, Ruth, and
and Johnson, 109, xl	ryn Sue. Gala
— and Hanke, Martin E. The	as a precursor of
iron content and oxygen capac-	as a precursor of
	Johnston, Charles
ity of blood, 114, 157 Johnson, Marvin J., Peterson,	DREWS and Jon
W. H., and Fred, E. B. Inter-	DREWS and Joh
mediary compounds in the	See De Den
	See DE BEE
acetone-butyl alcohol fermen-	and Wilson,
tation, 101, 145 — and —. The peptidase system of Aspergillus para-	- See Andrew
- and - The peptidase	and Andrews,
system of Aspergulus para-	- See Schoen
siticus, 112, 25	Johnston,
-, Johnson, G. Hildegard, and	Johnston, Margan
Peterson, W. H. The mag-	and Newburgh,
nesium-activated leucyl pepti-	parison of the
dase of animal erepsin,	heat measured
116, 515	sensible loss of
- See BERGER, JOHNSON, and	heat production
Peterson, 117, 429	indirect calorime
- Specificity of intestinal	of twenty-four h
aminopolypeptidase,	
122, 89	-and The st
—. See Berger and Johnson,	hydrate by the
123, ix	undernutrition,

Jewel, Paul W. See Deuel, | -. See Christensen, Peter-JOHNSON. 123, xxi Berger, Johnson, and N, 124, 395 See HOGAN, Paul E. oson, and Johnson, 119, p. l R. E., and Edwards, Lactate and pyruvate and urine after exer-118, 427 119, liv Ralph. See Robinson, 108, 403 Steven L. See HARenson, and Bridwell, 123, p. l Ruth, and Potter, Kath-Galacturonic acid cursor of ascorbic acid, 110, 279 Charles G. See Anand Johnston, 101,635 DE BEER, JOHNSTON, LSON, 108, 113 Andrews, Johnston, 109, iii DREWS, SCHOENHEIMER and 120, 499 Margaret Woodwell, vburgh, L. H. A comof the dissipation of easured by the inloss of water with the duction determined by calorimetry for periods ty-four hours, 109, xlv The storage of carbo-

by the liver during

119, liv

Johnston, S. M. See HAYMAN, JOHNSTON, and BENDER,

108, 675

Jones, Chase Breese. See DU VIGNEAUD, DYER, JONES, and PATTERSON, 106, 401

—. See DU VIGNEAUD, DYER, and Jones, 119, 47

— and du Vigneaud, Vincent. The synthesis of hexocystine and hexomethionine and a study of their physiological availability, 120, 11

Jones, D. Breese, and Gersdorff, Charles E. F. Studies on digestibility of proteins in vitro. V. Rate of liberation of cystine on hydrolysis of casein. Some observations on colorimetric tests for cystine when applied to peptic and acid digests of casein, 101, 657

— and —. The effect of dilute alkali on the cystine content of casein, 104, 99

 and —. Some partial cleavage products obtained by peptic digestion of casein,

105, xlii –. See Block, Jones, and Gersdorff, 105, 667

— and Gersdorff, Charles E. F. Studies on digestibility of proteins in vitro. VI. Some partial cleavage products from peptic digests of casein,

106, 707

— and —. VII. Rate of liberation of cystine on tryptic digestion of casein, with observations on the stability of cystine in digestion mixtures at different pH values, 114, liii

--, --, and Phillips, Sammie. Proteins of the black bean of the Mayas, Phaseolus vulgaris,

122, 745

- and -. Decystinized casein, 123, lxiv

Jones, Herman D. See WILKINS and Jones, 117, 481

Jones, I. R. See HAAG and Jones, 110, 439

Jones, James H. The influence of the removal of the parathyroid glands on the development of rickets in rats,

106, 701

—. Further observations on the possible interrelationship in the physiological action of the parathyroid glands and vitamin D, 109, xlvi

-, Andrews, Kathleen Crandall, and Andrews, James C. The substitution of certain cystine derivatives for cystine in the growth of rats, 109, xlvii

possible interrelations on the possible interrelationship between the physiological actions of the parathyroid glands and vitamin D, 111, 155

The comparative toxicity of irradiated ergosterol and parathyroid extract as determined on the dog and rat, 114, liv

 The relation of serum phosphate to parathyroid tetany, 114, liv

The relation of serum phosphates to parathyroid tetany, 115, 371

Jones, Maxwell. See STADIE and JONES, 123, CXIV Jones, Robert L. See ERICKSON,

Jones, Bernstein, Williams. LEE, and MACY, 114, xxxii See Erickson, Williams. BERNSTEIN, and Jones.

114, xxxii See BERNSTEIN, Jones. ERICKSON, WILLIAMS, AVRIN. and MACY. 122, 507

See ERICKSON, WILLIAMS, BERNSTEIN, AVRIN, JONES, and MACY, 122, 515

Jones, W. A. See Sure and Jones, 119, xcvii

Erik, and Bergström, Torpes, Sune. Heparin: a mucoitin polysulfuric acid, 118, 447 Joseph, Norman R.

Activity coefficients in systems containing ions and zwitter ions.

105, xliii See GREENSTEIN and JOSEPH, 110,619

Interaction of amino acids and salts. I. Zinc chloride,

111, 479

II. Sodium chloride and thallous chloride. 111, 489 Interaction of gelatin and

salts as measured by the electromotive force of cells without liquid junction, 114, lv

Heterogeneous equilibrium of protein solutions. I. Activity coefficients and membrane equilibrium in mixtures of gelatin and salts. 116, 353

- and Stadie, William C. simultaneous microdetermination of the total base and chloride of serum by electrodialysis, 123, lxv

- and -. The simultaneous determination of total base and chloride on the same sample of serum by electrodialysis.

125, 795

Joslyn, M. A., Marsh, G. L., and Morgan, Agnes Fay. The relation of reducing value and extent of browning to the vitamin C content of orange juice exposed to air, 105, 17 Judy, Frederick R. See WEST and Judy. 123, cxxv Jukes, Thomas H. The fractionation of the amino acids of livetin. 103, 425

- and Schmidt, Carl L. A. The apparent dissociation constants of certain amino acids and related substances in waterethanol mixtures. 105, 359

The electrometric titration of lecithin and cephalin,

107, 783

Measurement of tryptic digestion by direct titration,

109, xlvii

- and Schmidt, Carl L. A. The combination of certain fatty acids with lysine, arginine, and salmine. 110, 9

See LEPKOVSKY and JUKES. 111, 119

114, 109

- and Lepkovsky, Samuel. "filtrate distribution of the factor" (a water-soluble vitamin belonging to the vitamin B complex and preventing a dietary dermatitis in chicks) in certain feedingstuffs,

114, 117

See LEPKOVSKY and JUKES, 114, lx

availability of calcium from Jukes, Thomas H.—continued Chinese cabbage See Lepkovsky, Jukes, and 115, 557 pekinensis, Rupr.), KRAUSE. Further observations on the assay, distribution, and properties of the filtrate factor, KAPLAN, 117, 11 Fours. LEPKOVSKY, HELMER, and JUKES, 119, xxxiv insulin. See LEPKOVSKY and JUKES, 119, lx - and Babcock, Sidney H., Jr. The antiparalytic vitamin of the chick, 123, lxv - and -. Experiments with a the liver, factor promoting growth and preventing paralysis in chicks on a simplified diet, and Chaikoff, I. L. 125, 169 K Kamerling, S. E. See CHOW and KAMERLING, 104, 69 Kane, Edward A. See HART-MAN, KANE, and SHINN, 105, xxxvi See Meigs, Turner, Kane, depancreatized pletely and SHINN, 105, lx maintained with insulin, -. See Wiseman, Kane, and 105, ci CARY, - and Shinn, Leo A. The de-LARSON, composition of carotene during Kaplan, Joseph. See FERAUD, the storage of hays and meals, Dunn, and Kaplan, 109, xlviii -. See Wiseman and Kane, 114,665 114, cviii Karjala, Sulo. See NIEMANN, - See Shinn, Kane, Wise-KARJALA, and LINK, 119, lxxxix MAN, and CARY, Kant, E. R. See FREEMAN, Karnofsky, D. See Addis, Kar-KANT, and IVY, 112, 1 Kao, Hsueh-Chung, Conner, R.

T., and Sherman, H. C. The

(Brassica

123, 221

Kaplan, A. See CHAIKOFF and 106, 267

- and Chaikoff, I. L. Liver lipids in completely depancreatized dogs maintained with 108, 201

See CHAIKOFF and KAPLAN, 112, 155

and Chaikoff, I. L. The relation of glycogen, fat, and protein to water storage in 116,663

 See Chaikoff and Kaplan, 119, 423

The effect of raw and autoclaved pancreas on the liver lipids of the completely deparcreatized dog maintained with insulin,

119, 435

 and —. The effect of choline on the lipid metabolism of blood and liver in the com-

120, 647

See WEISS, KAPLAN, and 125, 247

112, 323

104, 189

NOFSKY, LEW, and Poo,

Karr, Walter G. See Cajori and KARR. 109, xiv Austin, J. Harold, Abbott, W. O., and Hoffman, O. D. The rate at which glucose enters the duodenum from the

119, lv HOFFMAN, -. See Аввотт, KARR, and MILLER,

stomach.

123, lvii

Kass, J. P., Miller, E. S., and Burr, George O. A spectroscopic study of isomerism in the fatty acids. 123, lxvi Kassell, Beatrice. The deter-

mination of cystine and related disulfides with the Pulfrich photometer. 109, xlix

Some observations on the determination of cystine and methionine in proteins,

119, lvi

See Brand, Block, Kas-SELL, and CAHILL, 119,669 The metabolism of reduced

lactalbumin in cystinuria,

123, lxvi

and Brand, Erwin. photometric determination of cystine, cysteine, ascorbic acid, and related compounds with phosphotungstic acid.

125, 115

- and -. The rate of reaction of sulfhydryl and disulfide compounds with phosphotungstic acid and with sulfite, 125, 131

— and —. The determination of methionine, cysteine, and proteins after sulfate in hydrolysis with hydriodic acid, 125, 145

See Brand, Cahill, and KASSELL. 125, 415

-, Cahill, George F., and Brand, Erwin. Cystinuria. IX. The metabolism of lactalbumin and of reduced lactalbumin.

125, 423

The dis-- and Brand, Erwin. tribution of the sulfur in casein, lactalbumin, edestin. and papain, 125, 435

Katzman, Ellis, and Jacobi, Mendel. The determination of serum calcium by titration with ceric sulfate, 118, 539

Katzman, Philip A., and Doisy, Edward A. The quantitative determination amounts of gonadotropic sub-105, xliv stance,

The quantitative and --determination of small amounts of gonadotropic ma-106, 125 terial.

and -. A note on the preparation of gonadotropic extracts of urine of pregnancy by tungstic acid precipitation, 107, 513

-, Wade, Nelson J., and Doisy, Edward A. Concerning the production of anterior pituitary inhibitory substances,

114, lvi

Kaucher, Mildred. See WANG, KAUCHER, and WING,

109, xcv

Kaufman, Robert E. See Gor-DON, KAUFMAN, and JACKSON, 113, 125

Keenan, J. A., Kline, O. L., Elvehjem, C. A., Hart, E. B., and Halpin, J. G. New nutriKeenan, J. A.—continued tional factors required by the chick, 103, 671

— and —. Studies on the stability of vitamins B₁, B₂, and B₄, 105, xlv

 See Kline, Elvehjem, Keenan, and Hart,

107, 107

Keil, H. L., and Nelson, Victor E.

The rôle of copper in carbohydrate metabolism,

106, 343

Keith, Norman M. See Power and Keith, 114, lxxx

Kelley, Edward G., and Miller, Edgar G., Jr. Reactions of dyes with cell substances. I. staining of isolated nuclear substances, 110, 113

— and —. II. The differential staining of nucleoprotein and mucin by thionine and similar dyes, 110, 119

—. Reactions of dyes with cell substances. III. An apparatus for the definition of color in stained histological sections,

110, 141

Kelly, Eunice. See Lease, Kelly, and Parsons,

—. See Parsons, 116, 685

Kemmerer, A. R., and Steenbock, H. A study of the sparing action of fats on the vitamin B content of animal tissues, 103, 353

Kemmerer, Kenneth S. See
Rose, Kemmerer, Womack,
Mertz, Gunther, McCoy,
and Meyer, 114, lxxxv

—. See Womack, Kemmerer, and Rose, 121, 403 Kempner, Walter. Inhibitory

Kempner, Walter. Inhibitory effect of low oxygen tension on the deamination of amino acids in the kidney, 124, 229

Kendall, Edward C., Mason, Harold L., McKenzie, Bernard F., Myers, Charles S., and Koelsche, G. A. The chemical nature and physiological action of the hormone of the suprarenal cortex,

105, xlv

-, -, -, and -. The chemical nature of cortin,

109, p. l

—, —, Myers, Charles S., and Allers, W. D. A physiologic and chemical investigation of the suprarenal cortex,

114, lvii

—. See Mason, Myers, and Kendall, 114, 613

—, Mason, Harold L., Hoehn, Willard M., and McKenzie, Bernard F. Further investigation of the suprarenal cortex, 119, lvi

 See Mason, Hoehn, Mc-Kenzie, and Kendall,

120, 719

124, 459

Mason, Harold L., Hoehn,
 Willard M., and McKenzie,
 Bernard F. The chemical nature and physiological activity of cortin and crystalline cortinlike compounds,
 See Mason, Hoehn, and

KENDALL,

 See Flock, Bollman, Mann, and Kendall,

125, 57

Kendall, Forrest E. See Heidelberger and Kendall,

105, xxxvii

—. See GOETTSCH and KEN-DALL, 109, 221

 See Calvery, Heidel-BERGER, and KENDALL,

109, xv

—, Heidelberger, Michael, and Dawson, Martin H. A sero-logically inactive polysaccharide elaborated by mucoid strains of Group A hemolytic streptococcus, 118, 61

Kendrick, A. B., and Hanke, Martin E. A modification of Van Slyke's manometric amino nitrogen method yielding theoretical values with cystine and glycine, 114, lviii

— and —. The use of iodine and other modifications in the Van Slyke manometric amino nitrogen method, 117, 161

Kennard, Margaret A. See CHAMBERS, HIMWICH, and KENNARD, 108, 217

Kerly, Margaret, and Ronzoni, Ethel. The effect of pH on carbohydrate changes in isolated anaerobic frog muscle, 103, 161

See Ronzoni and Kerly,

103, 175

Kern, Franklin M. See Smelo, KERN, and DRABKIN,

Kerr, Stanley E., and Daoud, Lateefeh. A study of the organic acid-soluble phosphorus of the erythrocytes of various vertebrates,

109, 301

--- Studies on the phosphorus compounds of brain. I. Phosphoreatine, 110, 625

—. See AVERY, KERR, and GHANTUS, 110, 637

—. The carbohydrate metabolism of brain. I. The determination of glycogen in nerve tissue, 116, 1

— and Ghantus, Musa. The carbohydrate metabolism of brain. II. The effect of varying the carbohydrate and insulin supply on the glycogen, free sugar, and lactic acid in mammalian brain, 116, 9

— and —. III. On the origin of lactic acid, 117, 217

 Studies on the inorganic composition of blood. IV.
 The relationship of potassium to the acid-soluble phosphorus fractions, 117, 227

—, Hampel, C. W., and Ghantus, Musa. The carbohydrate metabolism of brain. IV. Brain glycogen, free sugar, and lactic acid as affected by insulin in normal and adrenal-inactivated cats, and by epinephrine in normal rabbits, 119, 405

— and Antaki, Albert. On the nature of the organic phosphorus of blood hydrolyzed by the phosphatases of bone, kidney, and blood, 121, 531

— and —. The carbohydrate metabolism of brain. V. The

- Kerr, Stanley E.—continued
 effect of certain narcotics and
 convulsant drugs upon the
 carbohydrate and phosphocreatine content of rabbit
 brain, 122, 49
- —. Note on the phosphorus content of rat brain in experimental rickets, 122, 53
- The carbohydrate metabolism of brain. VI. Isolation of glycogen, 123, 443

Kertesz, Dennis. See SENDROY, DILLON, and VAN SLYKE,

Kertesz, Z. I. Glucoreductone for the standardization of 2,6dichlorophenol indophenol

solutions used for the estimation of ascorbic acid (vitamin C), 104, 483

—. The determination of glucuronic and galacturonic acids by Bertrand's method,

108, 127

- —, Dearborn, R. B., and Mack, G. L. Vitamin C in vegetables. IV. Ascorbic acid oxidase, 116, 717
- --- Pectic enzymes. I. The determination of pectin-methoxylase activity,

121, 589

Kesten, H. D. See Meeker and Kesten, 113, 289

Keston, Albert S., Rittenberg, D., and Schoenheimer, Rudolf. Determination of deuterium in organic compounds,

122, 227

— and —. The stability of

hydrogen and deuterium in

hydrogen and deuterium in amino acids, 123, lxviii

- —. See Foster, Keston, Rittenberg, and Schoenheimer, 124, 159
- —. See RITTENBERG, KESTON, SCHOENHEIMER, and FOSTER, 125, 1
- Keys, Ancel. The recovery following brief severe exercise, 105, xlvi
- and Taylor, Henry L. The determination of the colloidal osmotic pressure in blood serum and similar fluids,

- and —. The behavior of the plasma colloids in recovery from brief severe work and the question as to the permeability of the capillaries to proteins, 109, 55
- —. The determination of total base in blood and other biological fluids by the electrodialysis method of Adair and Keys, 114, 449
- The microdetermination of chlorides in biological materials. Presentation of a method and an analysis of its use, 119, 389
- and Butt, Hugh R. Filtration processes in the extremities resulting from quiet standing, 123, lxviii
- Kharasch, M. S., Legault, R. R., Wilder, A. B., and Gerard, R. W. Metal catalysts in biologic oxidations. I. The simple system: thioglycolic acid, buffer, metal, dithiol, 113, 537
- —, —, —, and —. II. Tissue inhibitors, 113, 557

Khorazo, Devorah. See MEYER,	See SIGAL and KING,
Thompson, Palmer, and	116,
Khorazo, 113, 303	- See LYMAN, SCHULTZE,
See MEYER, PALMER,	King, 118,
Thompson, and Khorazo,	See STOTZ, HARRER,
113, 479	King, 119, xev,
Kibrick, Andre C. See BLAU,	- See Stotz, Harr
110, 351	Schultze, and King,
Kik, M. C. See Smith and Kik,	120,
103, 391	- See Schultze, Stotz,
See Sure, Kik, and	King, 122,
Сниксн, 103, 417	- See Stotz, Hari
—. See Sure, Kik, and Bu-	Schultze, and King,
CHANAN, 108, 11, 19, 27	122,
—. The nutritive value of lac-	King, H. H. See Shenk, H.
talbumin, 119, lvii	and King, 105,
Kilpatrick, Martin. See Shino-	- See KLEIN, HALL,
HARA and KILPATRICK,	King, 105,
105, 241	Kinsey, V. Everett. The ef
Kimmel, Louise. See Morgan,	of x-rays on glutathione,
KIMMEL, THOMAS, and SAM-	110,
ISCH, 106, 531	Kirby, G. W., and Atkin, L
—. See Morgan, Kimmel, and	rence. A convenient met
Hawkins, 119, lxx	for the preparation of g
120, 85	yeast, 116,
Kinard, Frederick W., and Cha-	Kirk, Esben. See VAN SLY
nutin, Alfred. Studies on the	Page, and Kirk,
phosphatase content of the	102,
whole rat and of the vaso-	See VAN SLYKE and K
ligated kidney, 103, 461	102,
King, C. G. See Bessey and	—. The existence of a urea
King, 103, 687	cursor depot in kidney tis
- See YAVORSKY, ALMADEN,	102,
and King, 106, 525	—. Gasometric microdeter
—. See Weber and King,	nation of phosphoric acid
108, 131	105, 2
—. See Bessey, King, Quinn,	-, Page, Irvine H., and
and Sherman, 111, 115	Slyke, Donald D. Gasome
- See Musulin, Woodward,	determination of plasma lip
SILVERBLATT, and KING,	105,
114, lxxiv	—. Gasometric microdeter
See Musulin and King,	nation of phosphoric acid,
116, 409	106,
110, 100	100,

and KING, 116, 489 v, Schultze, and 118, 757 HARRER, and 119, xcv, 511 οτz, HARRER, d King, 120, 129 TZE, STOTZ, and 122, 395 HARRER, COTZ, d King, 122, 407 ee Shenk, Hall, 105, 741 HALL, and N, 105, 753 The effect rett. lutathione, 110, 551 and Atkin, Lawnvenient method aration of galac 116, 511 See VAN SLYKE, Kirk, 102, 635 LYKE and KIRK, 102,651 nce of a urea prein kidney tissue, 102, 683 microdetermiosphoric acid, 105, xlvii ne H., and Van D. Gasometric of plasma lipids, 105, xlvii microdetermi-

Kirk, Esben-continued

- —, Page, Irvine H., and Van Slyke, Donald D. Gasometric microdetermination of lipids in plasma, blood cells, and tissues, 106, 203
- —. See Page, Kirk, Lewis, Thompson, and Van Slyke,

111, 613

—, Lewis, William H., Jr., and Thompson, William R. The effect of age on the plasma calcium content of men,

111, 641

- —. A study on Kimmelstiel's procedure for titrimetric cerebroside determination, with description of an improved technique, 123, 613
- —. A micromethod for approximate estimation of lecithin, cephalin, ether-insoluble phosphatide, and cerebrosides in plasma, red blood cells, and tissues, 123, 623
- —. The concentration of lecithin, cephalin, ether-insoluble phosphatide, and cerebrosides in plasma and red blood cells of normal adults, 123, 637

Kirk, Paul L. See Holmes and Kirk, 116, 377

- Kirsh, David. Factors influencing the activity of fungus lipase, 108, 421
- Kissin, Milton. See DEMEIO, KISSIN, and BARRON,

1**07**, 579

Klaas, Rosalind. See Friede-MANN and KLAAS,

> 109, xxxiv 115, 47

- Kleiber, Max. Contribution to the method of gas analysis for respiration trials, 101, 583
- -- See Goss and Kleiber,

119, xxxviii

- Klein, Dorothea E., Hall, J.
 Lowe, and King, H. H. Spectrophotometric characteristics of hemoglobins. II. Hemoglobin of fowls, 105, 753
- Klein, J. R., and Harris, J. S. The acetylation of sulfanilamide in vitro, 124, 613
- Kleiner, Israel S., and Halpern, Rebecca. Fluctuations of the blood sugar in vitro,

101, 535

- --. See TAUBER and KLEINER, 104, 259
- and Tauber, Henry. Studies on trypsin. I. The chemical nature of trypsin,
 104, 267
- -. See TAUBER and KLEINER, 104, 271

105, 411, xc, xci, 679

- and Tauber, Henry. Further studies on the zymogens of pepsin and rennin, 106, 501
- -. See Tauber and Kleiner, 108, 563
- —. See Tauber, Kleiner, and Mishkind, 110, 211
 - -. See Tauber and Kleiner, 110, 559
- Klemme, Dorothea E. See Poe and Klemme, 109, 43
- Klemperer, Friedrich W. See BARRON, DEMEIO, and KLEM-PERER. 112, 625
- See Barron, Barron, and Klemperer. 116, 563

—, Trimble, Harry C., and Hastings, A. Baird. The uricase of dogs, including the Dalmatian, 125, 445

—. See Greenstein, Klemperer, and Wyman, 125, 515

Klenk, E. Cerebronic acid. A reply to the paper of Levene and Yang, 105, 467

— and Ditt, F. The oxidation

— and Ditt, F. The oxidation of dl- α -hydroxystearic acid and its significance as regards the structure of cerebronic acid. A reply to the paper of Levene and Yang, 111, 749

Kline, B. E. See ELVEHJEM and KLINE, 103, 733

Kline, O. L. See KEENAN, KLINE, ELVEHJEM, HART, and HALPIN, 103, 671

—. See KEENAN and KLINE, 105, xlv

—, Elvehjem, C. A., Keenan, J. A., and Hart, E. B. Studies on the growth factor in liver, 107, 107

-. See Arnold, Kline, Elve-HJEM, and HART, 116, 699

-, Tolle, Chester D., and Nelson, E. M. Polyneuritis as a criterion in vitamin B₁ determinations, 123, lxix

Klingler, Charlotte. See Anslow, Foster, and Klingler, 103, 81

Klose, A. A., Stokstad, E. L. R., and Almquist, H. J. The essential nature of arginine in the diet of the chick,

123, 691

-, Almquist, H. J., and Mecchi, E. Properties of the antihemorrhagic vitamin (vitamin K), 125, 681

Klumpp, Theodore G. The determination of iron in biological materials, 107, 213

Knott, Elizabeth M., and Schlutz,
Frederic W. The use of a ten day period for biological assay of vitamin B₁,
114, lix

— and —. Improvement and standardization of rat growth technique for short period assays of vitamin B,

119, lviii

Knott, Leslie. See DEUEL,
BUTTS, BLUNDEN, CUTLER, and
KNOTT, 117, 119

—. See DEUEL, BUTTS, HALL-MAN, MURRAY, and BLUNDEN, 123, 257

-. See Deuel, Hallman, Murray, and Hilliard,

125, 79

Knudson, Arthur, and Benford, Frank. Quantitative studies of the effectiveness of ultraviolet radiation of various wave-lengths in rickets,

105, xlviii

—, Sturges, Stuart, and Bryan, W. Ray. Cholesterol content of skin, blood, and tumor tissue in rats irradiated with ultraviolet light, 123, lxx

— and Benford, Frank. Quantitative studies of the effectiveness of ultraviolet radiation of various wave-lengths in rickets, 124, 287

Koch, Elizabeth M. See MIL-LER, ZSCHEILE, KOCH, HOG-NESS, and KOCH,

109, lxv

110 Koch, Elizabeth M.—continued - and Koch, F. C. Provitamin D potency of some sterol derivatives. 116, 757 Koch, F. C. See GALLAGHER and Koch, 104, 611 105, xxx — and Gallagher, T. F. The effect of light on the comb response of capons to testicular hormone, 105, xlix -. See Hathaway and Koch, 108, 773

See MILLER, ZSCHEILE, Koch, Hogness, and Koch, 109, lxv

See WILLIER, GALLAGHER, and Koch. 109, xcix

- See BATES and KOCH, 111, 197

-. See Gallagher and Koch, 114, xxxix -. See Koch and Koch,

116, 757

-. See Peterson, Gallagher,

and Koch, 119, 185 See DUNCAN, GALLAGHER,

and Koch, 119, xxvii See Peterson, Gallagher. and Koch, 119, lxxvii

See Peterson, Hoskins, Coffman, and Koch,

123, xciii Kochakian, Charles D., Mac-Lachlan, P. L., and McEwen, H. Douglas. Do androgens affect the blood lipids?

122, 433

Köck-Molnar, Klara. See RAP-PAPORT and KÖCK-MOLNAR, 104, 29 Koehler, Alfred E. The destruction of epinephrine by tissues and fluids of the body,

105, p. l

The epinephrine content of suprarenal glands surgically removed in the treatment of essential hypertension,

114, lix

See Vollmar and Koehler, 114, cvi

-, Marsh, Norman, and Hill, The effect of epineph-Elsie. rine injected intravenously at a constant rate in normal and hypertensive cases,

119, lix

- and Hill, Elsie. Comparison of the oral and intravenous glucose tolerance,

123, lxx

Koehn, C. J., Jr. See Elve-HJEM and KOEHN.

108, 709

See ELVEHJEM, KOEHN, and 114, xxxi OLESON, 115, 707

— and Elvehjem, C. A. Further studies on the concentration of the antipellagra factor,

118,693

Koelsche, G. A. See KENDALL, MASON, McKenzie, Myers, and Koelsche, 105, xlv

Koepfli, J. B., Thimann, Kenneth V., and Went, F. W. Phytohormones: structure and physiological activity. I,

122, 763

Kohler, G. O., Elvehjem, C. A., and Hart, E.B. Modifications of the bipyridine method for available iron, 113, 49 Kohn, Henry I. Coenzyme sta-Kramer, Benjamin. See NATELbility in Hemophilus parain-SON, SOBEL, and KRAMER, fluenzæ. 123, lxxi 105, 761 Kohn, R., and Watrous, R. M. See Sobel, Goldfarb, and Inhibition of the benzidine KRAMER. 108, 395 blood test by ascorbic acid, See Sobel, PEARL, and 124, 163 KRAMER. 114, xcvii Isolation of Komarov, S. A. See Sobel, Pearl, Germucoitinsulfuric acid from ca-CHICK, and KRAMER, nine gastric juice, 109, 177 118, 47 Kondritzer, Albert A. See Perl-Krantz, John C., Jr. See CARR. KONDRITZER, Musser, SCHMIDT, and BRUCH, 123, xcii KRANTZ, 102, 721 Koppenhoefer, Robert Mack. See Carr and Krantz, The distribution of lipids in 107, 371 fresh steer skin. 116, 321 See CARR, FORMAN, and Kornblum, Morris. See SAIFER KRANTZ, 123, xviii and Kornblum, 112, 117 -- See CARR KRANTZ. and 114, 551 124, 221 Krahl, M. E. See Clowes and Krause, Myrtise E. See LEP-KRAHL, 109, xxi KOVSKY, JUKES, and KRAUSE, - and Clowes, G. H. A. Some 115, 557 effects of dinitrocresol on oxi-Kraus-Ragins, Ida. The action dation and fermentation, of arginase on natural proteins 111, 355 and derived proteins obtained See Clowes and Krahl, therefrom by trypsin and pep-114, xix sin, 123, 761 - and Clowes, G. H. A. The Krauss, W. E. See Sutton. significance of carbon dioxide SETTERFIELD, and KRAUSS, tension for metabolic stimu-105, lxxxix - and Washburn, R. G. The lation by substituted phenols, 119, lx iron and copper content of milk See Clowes, Davis, and throughout the season, as re-KRAHL, 123, xxii lated to anemia development The acidic dissociation of in rats, 114, 247 substituted phenols in relation Kraybill, Henry R. See Shrews-BURY and KRAYBILL, to the mechanism of their physiological action, 101, 701 123, lxxii Kreider, Leonard C. See LE-VENE and KREIDER, Kramer, Alice W. See Corley, KRAMER, and WOLF, 120, 591, 597 109, xxiii 121, 155

115, 253

115, 267

115, 275

115, 401

115, 415

119, 189

121, 747

122, 291

125, 703

111, 577

122, 477

106, 717

105, xvi

103, 51

Kreider, Leonard C .- continued ---. See LEVENE, ROTHEN, and See LEVENE, TIPSON, and MARKER, KREIDER, 122, 199 See LEVENE and MARKER, Kremers, Roland E. See SELL 125, 451 and Kremers, - See LEVENE, Krummel, Guy S. See West, See LEVENE, ROTHEN, and KRUMMEL, and CARTER, MEYER, 122, 605 See LEVENE and ROTHEN, Kruse, H. D., Schmidt, Marguerite M., and McCollum, - and Levene, P. A. Configura-E. V. Studies on magnesium tional relationship of mandelic in animals. V. deficiency acid to lactic acid, 118, 315 Changes in the mineral metab-See BARTLETT, KUNA, and olism of animals following mag-LEVENE, 118, 503, 513 nesium deprivation, See LEVENE and ROTHEN, 106, 553 See ORENT, KRUSE, and See Levene, Rothen, and McCollum, 106, 573 KUNA, 120, 759, 777 See DAY, KRUSE, and Mc-Collum, 112, 337 - See Levene and Kuna, Krznarich, Paul W. See Anderson and Krznarich, See LEVENE, MEYER, and 111, 549 KUNA, ANDERSON, SEIGLE, Kurtz, Alton C., and Luck, James Krznarich, Richards, and Murray. Studies on annelid 121, 165 MARTENY, muscle. I. Taurine in Audou-Kuchel, C. C. See Brocklesby inia spirabranchus, Moore, and Kuchel, 123, xvi Kugel, Victor H. See VAN A simple synthesis of dl-SLYKE and KUGEL, citrulline, 102, 51, 489 Kurtz, Floyd E., Jamieson, G. S., Kuizenga, Marvin H. See Cartand Holm, George E. The LAND and KUIZENGA, lipids of milk. I. The fatty 116, 57 acids of the lecithin-cephalin Kulchar, George V. See Pills-BURY and KULCHAR, fraction, Kurzrok, Raphael. See Cock-106, 351 RILL, MILLER, and KURZROK, Kuna, Martin. See LEVENE, 110, 323 Kuyper, Adrian C., and Mattill, See LEVENE and ROTHEN, H. A. Some aspects of citric 111, 739 acid metabolism, See LEVENE, 113, 153

123, 405

The quantitative precipita-

The buffer action of uniden-

tion of citric acid,

tified urine constituents.

109, xcvii

Lane, Ruth A. See WEST, LANE,

Lanford, Caroline Sherman, and

Sherman, H. C. Further stud-

and Curtis.

ies of the calcium content of 123, 409 Kydd, David M. the body as influenced by that Bence-Jones protein in serum, 107, 747 of the food, 123, lxxiii Kyer, Jean L., and Bethell, Langley, Wilson D., and Albrecht, Audra J. The identi-Frank H. The vitamin B nutritional complex and fication of the flavianates of various organic bases, anemia in the white rat, 109, p. l 108, 729 - and -. The requirement of See Edwards and Langley, iron and copper and the influ-112, 469 ence of diet upon hemoglobin - and Evans, Margaret. The formation during normal pregdetermination of creatinine with sodium 3,5-dinitrobennancy, 114, lx 115, 333 zoate. \mathbf{L} Langston, William C. See DAY, Lackman, David B. See SEVAG, LANGSTON, and SHUKERS, LACKMAN, and SMOLENS, 114, xxv 124, 425 Lantz, Edith M. See Smith and The effect of Lamb, Alvin R. LANTZ, 101, 677 malnutrition on the patho-112, 303 genesis of rat leprosy, Larson, Clarence E. See GREEN-109, li BERG and LARSON. Lamb, E. B. See HARGER, HUL-109, 105 119, xliv 115, 769 PIEU, and LAMB, 120,689 119, xxxix Lamson, Paul D. See Robbins and Greenberg, David M. 106, 725 and Lamson, The analysis of calcium in Landauer, Walter, Upham, Elizablood and other biological mabeth, and Rubin, Fay. Studies terial by titration with ceric on the creeper fowl. VIII. The sulfate. 123, 199 effect of bone extract on skele-See WEISS, KAPLAN, and tal growth and the phosphatase 125, 247 LARSON, Larson, Hardy W. Comparison content of the bones, of the xylose tolerance with 108, 121 blood urea in nephritic rats, Landis, E. M. See Westfall and LANDIS, 116, 727 See BLATHERWICK, BRAD-Landow, H. See DRABKIN, WIDERMAN, and LANDOW, SHAW, EWING, LARSON, and 109, xxvii SAWYER, 111, 537 Larson, Hardy W.—continued

—. See Blatherwick, Bradshaw, Cullimore, Ewing, Larson, and Sawyer,

113, 405

—, Blatherwick, N. R., Bradshaw, Phoebe J., Ewing, Mary E., and Sawyer, Susan D. The metabolism of d-xylulose, 117, 719

—, —, —, and Sawyer, Susan

D. The metabolism of L-vylu-

D. The metabolism of l-xylulose, 123, lxxiii

Larson, P. S., and Chaikoff, I. L.
The effect of insulin on the
excretion of allantoin by the
normal dog, 108, 457

—. See Chaikoff and Larson, 109, 85

-- See Chaikoff, Larson, and READ, 109, 395

— and Brewer, George. The relation of the adrenal medulla to the effect of insulin on purine metabolism, 115, 279

Lasker, Margaret, and Enklewitz, Morris. A simple method for the detection and estimation of l-xyloketose in urine, 101, 289

—. See Enklewitz and Lasker,

Lassek, Arthur M. See REM-INGTON and LASSEK.

119, lxxxii

Lauffer, Max A., and Stanley,W. M. Stream double refraction of virus proteins,

123, 507

Laug, Edwin P. A reinvestigation of the phenomenon of a first acid change in whole blood, 106, 161 — and Nash, Thomas P., Jr. Some observations on the nature of the reducing substances in normal dog urine,

108, 479

Laughton, Nelles B., and Macallum, A. Bruce. Note on the insular hormone, 109, lii
Lauson, Henry. See SEVRING-HAUS, HELLER, LAUSON, and GOLDEN, 123, cvii
Lavietes, Paul H. Anaerobic ultrafiltration, 120, 267

Lavin, G. I., and Stanley, W. M.

The ultraviolet absorption

spectrum of crystalline tobacco mosaic virus protein,

118, 269

—, Thompson, Robert H. S., and Dubos, René J. The ultraviolet absorption spectra of fractions isolated from pneumococci, 125, 75

Lavine, Theodore F., and Toennies, Gerrit. The oxidation of cystine in non-aqueous media. II. Studies on the hydration of acetonitrile and acetic anhydride by a non-aqueous titration method.

101, 727

—. See Toennies and Lavine, 105, 107, 115

The iodometric determination of cysteine, 109, 141

and Toennies, Gerrit. A disulfoxide of l-cystine,

109, liii

See Toennies, Lavine, and Bennett, 112, 493

 See Toennies and Lavine, 113, 571

The oxidation of cystine in media. non-aqueous VI. A study of the reactions of the disulfoxide of l-cystine, especially of its dismutative decompositions, 113, 583 The action of mercuric sulfate and chloride on cysteine. cystine, cysteine sulfinic acid (R-SO₂H), and cysteic acid with reference to the dismutation of cystine, 117, 309 Some observations on the oxidation of cysteine and its intermediate oxidation products in aqueous solution, 123, lxxiv Lease, Jane G., and Parsons, Helen T. The extraction of the factor curative of dermatitis in rats due to egg white, 105, p. l -, Kelly, Eunice, and Parsons, Helen T. Effects on three types of animals of injecting the new factor curative of pellagra-like symptoms due to egg white, 114, lxi -. See Parsons, Lease, and Johnson, 119, lxxvii Leavenworth, Charles S. See VICKERY, PUCHER, WAKEMAN, and LEAVENWORTH. 119, 369 See VICKERY, PUCHER, Wake-LEAVENWORTH, and 125, 527 MAN, LeClerc, J. A. See DAVIDSON and LECLERC. 108, 337 Lee, Milton. See Schaffer and LEE. 108, 355 -. See Ayres and Lee. 115, 139

Lee, Pearl. See ERICKSON. COPE. STERNBERGER, Cooley, and Macy, 109, xxx See ERICKSON, Jones. BERNSTEIN, WILLIAMS, LEE, and Macy, 114, xxxii See ERICKSON, WILLIAMS, HUMMEL, LEE, and MACY, 118, 569 —. See Erickson, Lee, and 123, xxxiv WILLIAMS. Lee, Wei Yung. See CARRUTH-ERS and LEE, 108, 525 Lee, William C., and Lewis, Howard B. The effect of fasting, refeeding, and of variations in the cystine content of the diet on the composition of the tissue proteins of the white 107, 649 -. See Thomson and Lee, 118, 711 LeFevre, Marian L. See Hodge, BALE, and LEFEVRE, 119, xlix See HAVEN, BALE, and LE-123, lii FEVRE. Legault, R. R. See KHARASCH, LEGAULT, WILDER, and GE-113, 537, 557 RARD. Lehman, W., and Scott, F. H. Note on the total protein content of plasma and serum, 111, 43 Leighty, John A. See Corley and LEIGHTY, 114, xxii - and Corley, Ralph C. Amino acid catabolism. IV. The fate of certain synthetic α-amino acids administered by subcutaneous injection to the nor-

mal dog,

Leland, Jessica P. See Foster, PALMER, and LELAND, 115, 467 See PALMER, LELAND, and 125, 615 GUTMAN, Leopold, Jerome S. See Drek-TER, BERNHARD, and LEOPOLD, 110, 541 Lepkovsky, Samuel. See EVANS and Lepkovsky. 105, xxvii See Evans, Lepkovsky, and MURPHY. 106, 431, 441, 445 107, 429, 439, 443 -, Popper, William, Jr., and

Evans, Herbert M. The concentration of vitamin G by adsorption and elution from fullers' earth, 108, 257

-, Ouer, Roy A., and Evans, Herbert M. The nutritive value of the fatty acids of lard and some of their esters.

108, 431

See Evans and Lepkovsky, **108,** 439

-, Popper, William, Jr., and Evans, Herbert M. The preparation of crystalline vitamin 109, liv

- and Jukes, Thomas H. vitamin G requirements of the chick. 111, 119

- and -. The effect of some reagents on the "filtrate factor" (a water-soluble vitamin belonging to the vitamin B complex and preventing a dietary dermatitis in chicks),

114, 109

See Jukes and Lepkovsky, 114, 117 - and Jukes, Thomas H. The effect of some reagents on the "filtrate factor" (a member of the vitamin B complex promoting growth and preventing a dietary dermatitis in chicks),

114, lxi

-, --, and Krause, Myrtise E. The multiple nature of the third factor of the vitamin B complex. 115, 557

See Fours, LEPKOVSKY. HELMER, and JUKES,

119, xxxiv - and Jukes, Thomas H. Fractionation of the vitamin G complex, 119, lx

The isolation of Factor 1 in crystalline form. 124, 125 Lesuk, Alex. See HARROW. MAZUR, CHAMELIN, and LESUK. 119, xlvi

Letonoff, T. V. A zinc hydroxide powder for the preparation of protein-free filtrates of blood. 106,693

– and Reinhold, John G. A colorimetric method for the determination of inorganic sulfate in serum and urine.

114, 147

See REINHOLD and LETO-114. lxxxiii NOFF, Leu, Madeline. See Quick and LEU. 119, lxxxi Leva, Ernst. See Guest and LEVA, 110, 777

Levene, P. A., and Marker, R. E. Configurational relationship of isopropylcarbinols,

— and Harris, Stanton A. The ribosephosphoric acid from yeast adenylic acid,

101, 419

— and Tipson, R. Stuart. The ring structure of uridine,

101, 529

 and Hill, Douglas W. On a dipeptide phosphoric acid isolated from casein,

101, 711

— and Heymann, Karl. On cerebronic acid. VIII,

102, 1

 and Stiller, Eric T. Acetone derivatives of d-ribose,

102, 187

 — and Marker, R. E. Optical rotations of configurationally related methoxypropionic and β-methoxybutyric nitriles,

102, 297

- and —. Derivatives of monoacetone xylose, 102, 317
- and —. 3-Methyl xylose and 5-methyl xylose, 102, 331
- and —. Phosphoric esters of xylose and of 5-methyl monoacetone xylose. Their bearing on the nature of the pentose of yeast nucleic acid,

102, 347

- --. See TAYLOR and LEVENE, 102, 535
- and Yang, P. S. Cerebronic acid. IX, 102, 541
- and —. Oxidation and derivatives of dl-α-hydroxystearic acid.
 102, 557
- and Hill, Douglas W. The action of pyridine on sugars, 102, 563

 and Marker, R.E. Molecular rotations in members of homologous series, 103, 299

- and —. Action of nitrous acid and nitrosyl chloride on β-phenylpropylamine. A method of separating primary, secondary, and tertiary phenyl chlorides and phenylcarbinols, 103, 373
- and Schormüller, A. Serinephosphoric acid obtained on hydrolysis of vitellinic acid. II, 103, 537
- and Stiller, Eric T. The synthesis of ribose-5-phosphoric acid, 104, 299
- and Tipson, R. Stuart. N-Methyl uridine and its bearing on the structure of uridine, 104, 385

—, Harris, Stanton A., and Stiller, Eric T. d-Ribitol-5phosphoric acid, 105, 153

- and Tipson, R. Stuart. The structure of monotrityl uridine, 105, 419
- and Muskat, Irving E. The structure and the properties of acetone-methylrhamnopyranoside, 105, 431
- --. See RAYMOND and LEVENE, 105, lxx
- and Schormüller, A. Synthesis of the phosphoric esters of hydroxyamino acids. II. The synthesis of dl-serinephosphoric acid, 105, 547
- and Tipson, R. Stuart. The partial synthesis of ribose nucleotides. I. Uridine 5-phosphoric acid, 106, 113

Levene, P. A.—continued

- and Marker, R. E. Symmetrical disubstituted methanes prepared from members of optically active homologous series of disubstituted carboxylic acids and their derivatives, 106, 173
- and Stiller, Eric T. Acetone derivatives of d-ribose. II,

106, 421

- and Schormüller, A. Synthesis of the phosphoric esters of hydroxyamino acids. III. Resolution of dl-serinephosphoric acid and synthesis of l-hydroxyprolinephosphoric acid, 106, 595
- and **Tipson, R. Stuart.** Monoacetone *d*-xyloketose. A preliminary note, 106, 603
- and Muskat, Irving E. The synthesis of theophylline-5-methylrhamnofuranoside,

106, 761

- and Raymond, Albert L. Xylosephosphoric acids. II, 107, 75
- and Rothen, Alexandre. On Walden inversion. XVIII.
 Analysis of rotatory dispersion curves of α-substituted normal carboxylic acids, 107, 533
- —, —, and Meyer, G. M. Rotations of the nitrophenyl esters of disubstituted acetic and propionic acids and of the corresponding free acids,

107, 555

- and Marker, R. E. Hydrocarbons derived from methylphenyl- and ethylphenylacetic —. Note on the preparation of crystalline d-mannose and of crystalline d-ribose,

108, 419

- and Tipson, R. Stuart. The ring structure of thymidine, 109, 623
- and Marker, R. E. The configurational relationship of methylbenzylacetic to methylbenzylpropionic acid,

110, 299

- and -. The configurational relationship of acids of the phenethyl series to those of the normal series, 110, 311
- —. The configurational relationships of the derivatives of methylbenzyl- and methylphenethyl-, methylheptyl- and methyloctylacetic acids,

110, 323

- and Marker, R.E. The maximum rotations of configurationally related carboxylic acids containing a phenyl or a cyclohexyl group, 110, 329
- and —. The configurational relationship of acids of the isopropyl and isobutyl series to those of the normal series, 111, 299
- and Tipson, R. Stuart. The partial synthesis of ribose nucleotides. II. Muscle inosinic acid, 111, 313
- and Compton, Jack. d-Xylomethylose and derivatives,

111, 325

 and —. Crystalline d-gulomethylose and derivatives,

— and Harris, Stanton A. Maximum rotations of carboxylic acids containing a phenethyl group, 111, 725

— and —. Optical rotation of methyloctylphenethylmethane, 111, 735

and Rothen, Alexandre.
 Optical rotation of configurationally related aldehydes,

111, 739

— and Yang, P. S. The oxidation of dl- α -hydroxystearic acid and its significance as regards the structure of cerebronic acid. A reply to the paper of Klenk and Ditt,

111, 751

- and Harris, Stanton A. Configurational relationships of methylphenyl- and methylhexylacetic acids and an attempt at the correlation of the configurations of 2-hydroxy acids with those of disubstituted acetic acids containing a methyl group, 112, 195
- and Compton, Jack. The structure of d-xylomethylose, 112, 775
- and Harris, Stanton A. The configurational relationship of methylcyclohexylcarbinol to methylhexylcarbinol,

113, 55

-. A new synthesis of 1-amino-2-hydroxypropane,

113, 153

— and Compton, Jack. Synthetic nucleosides. IV. Theophylline-5-methyl-l-rhamnofuranoside, 114, 9

- —, Rothen, Alexandre, and Marker, R. E. Optical rotations and rotatory dispersions in homologous series of aliphatic nitriles, 115, 253
- and Marker, R. E. Optical rotations in homologous series of aliphatic amines,

115, 267

 Note on the hydrogenation of phenylated carbinols,

- —, Rothen, Alexandre, and Meyer, G. M. Configurational relationship of members of disubstituted acetic and propionic acids containing an ethyl group, 115, 401
- and —. Optical rotations of configurationally related azides,
 115, 415
- and Tipson, R. Stuart. An improved method for the preparation of xylulose and ribulose, 115,731
- and Compton, Jack. The synthesis of d-allomethylose by a series of Walden inversions accompanying alkaline hydrolysis of 5-tosyl monoacetone l-rhamnose, 116, 169
- and —. A new method for the preparation of furanose derivatives of pentoses.

 Monoacetone l-arabofuranoside, 116, 189
- and Rothen, Alexandre.

 Rotatory dispersion of configurationally related aliphatic carbinols, 116, 209

Levene, P. A.—continued

— and Compton, Jack. Synthetic nucleosides. V. Theophylline-d-allomethyloside,

117, 37

- and Mardashew, Serge. Configurational relationships of the aliphatic and aromatic amino acids, 117, 179
- and —. The correlation of the configuration of norleucine to 2-aminohexane, 117, 707
- —. See Kuna and Levene,

118, 315

- —. See Bartlett, Kuna, and Levene, 118, 503, 513
- and Rothen, Alexandre. Note on the configurational relationship of alkyl halides and 2-halogeno acids,

119, 189

- and Christman, Clarence C.

 On a catalytically induced reaction resembling the Cannizzaro reaction, 120, 575
- and Kreider, Leonard C.
 Oxidation and hydrolysis of polygalacturonide methyl ester to levo-tartaric acid,

120, 591

— and —. The ring structure of α -methyl-d-galacturonide and its derivatives,

120, 597

- and Tipson, R. Stuart. The structure of monoacetone dxylulose, 120, 607
- —, Rothen, Alexandre, and Kuna, Martin. Rotatory dispersion of configurationally related amines, 120, 759

---, ---, and ---. The mechanism of the reaction of substitution and Walden inversion,

- and Tipson, R. Stuart. Phosphorylation of monoacetone adenosine and of diacetyl adenosine, 121, 131
- and Kreider, Leonard C. Conversion of uronic acids into corresponding hexoses. Conversion of 2,3,4-trimethyl α-methyl-d-galacturonide methylester into 2,3,4-trimethyl α -methyl-dgalactoside. 121, 155
- -, Rothen Alexandre, and Kuna, Martin. The mechanism of the reaction of substitution and Walden inversion. II, 121, 747
- —, Tipson, R. Stuart, and Kreider, Leonard C. Conversion of uronic acids into corresponding hexoses. II. Catalytic reduction of the methyl ester of 2,3,4-trimethyl α-methyl-d-galacturonide, 122, 199
- and Christman, Clarence C.
 Conversion of uronic acids into corresponding hexoses. III.
 Catalytic reduction and deacetylation of the methyl ester of 2,3,4-triacetyl α-methyl-d-galacturonide, 122, 203
 and Kuna Martin. The constitution.
- and Kuna, Martin. The configurational relationship of 3-aminoheptane to that of nor-leucine, 122, 291
- and Christman, Clarence C. Conversion of uronic acids into

corresponding hexoses. IV. Catalytic reduction of the methyl ester of diacetone dgalacturonic acid, 122,661 - and -. The reduction of aminosorbitol hydrochloride with hydriodic acid, 123, 77 - and -. The reduction of glucosaminic acid with hydrogen iodide in glacial acetic 123, 83 acid, - and - Synthesis of 5-phospho-d-arabinose, 123, 607 See CHRISTMAN and 124, 453 LEVENE, - and Tipson, R. Stuart. Conversion of uronic acids into corresponding hexoses. V. Transformation of the aldobionic acid (from gum arabic) to the corresponding disaccharide, 125, 345 - and -. VI. Configuration of the glycosidic union of the aldobionic acid from gum 125, 355 arabic, -, Meyer, G. M., and Kuna, Martin. Conversion of uronic acids into corresponding hexo-VII. Catalytic reduction of methyl ester of hexamethyl methylglycoside of aldobionic acid (of gum arabic) to methylglycoside of hexamethyl 6glucosidogalactose. Further

methylation to methylglyco-

side of heptamethyl 6-gluco-

See CHRISTMAN and LE-

125, 703

125, 709

sidogalactose.

VENE.

Levin, Louis. See MacCorquo-DALE, LEVIN, THAYER, and 101, 753 Doisy, See MACCORQUODALE, LEVIN, and THAYER,

105, lv and Tyndale, H. H. The concentration and purification of the gonadotropic substance of the urine of human female castrates. 109, liv Levine, Michael. See CHARGAFF and LEVINE, 124, 195 Levine, Victor E., and Richman,

Eudice. The antimony trichloride reaction with compounds containing five-membered monoheterocyclic rings, 101, 373

The basal metabolic rate of the Eskimo, 119, lxi

Capillary fragility tests on Eskimos and whites living in the Arctic, 119, lxii

-, Sachs, Adolph, and Fabian, A. Appelsis. The blood iron and blood copper of Eskimos, 119, lxiii

See FERRY and Levy, Albert H. 105, xxvii LEVY,

The acidity of Levy, Milton. formaldehyde and the endpoint in the formol titration, 105, 157

The behavior of histidine in the formol titration,

105, li

- A note on the titration constants of imidazole derivatives, 109, 361
- Equilibria the basic of amino acids in the formol titration. 109, 365

Levy, Milton—continued See Lough and Lewis, — and Silberman, David 104,601 The reactions of amino and - and Grant, R. Lorimer. Some imino acids with formaldeproducts of the partial hydroly-118, 723 sis of silk. 105, lii hvde. - and Palmer, A. H. Dipepti--. See Chase and Lewis, distribution in the 106, 315 cephalic region of the three -. See LEE and LEWIS, day chick embryo, 107, 649 123, lxxiv -. See Grant and Lewis, See PALMER and LEVY, 108, 667 Studies in cystinuria, 123, xc Lew, W. See Addis, Poo, Lew, 109, lv Frayser, Lois. and YUEN. 113, 497 and The -. See Addis, Poo, and Lew, metabolism of sulfur. The cystine content of the hair 115, 111, 117 116, 343 and nails of cystinurics, See KARNOFSKY, Addis, 110, 23 LEW, and Poo, 124, 33 -, Brown, Barker H., and White, Lewis, George T. The cystine Florence R. The metabolism and iron content of epidermal XXIII. The insulfur. fluence of the ingestion of tissues in relation to pellagra, 105, lii cystine, cysteine, and methionine on the excretion of cystine Lewis, Helen Geneva, and Luck, James Murray. An apparatus in cystinuria, 114, 171 for automatically measuring See WHITE, LEWIS, and the respiratory exchange of WHITE, 117,663 small animals, 103, 209 See PAPAGEORGE and and -. The LEWIS. 119. lxxvi calorigenic action of glycine, 103, 227 See HEARD and LEWIS. -. See Luck and Lewis, 123, 203 105, lv See PAPAGEORGE and 123, 211 Lewis, Howard B. See Chase LEWIS. - and Brown, Barker H. and Lewis. 101, 735 cystine content of blood plasma -. See SILBERMAN and LEWIS, 101, 741 after administration of cystine See Tulane, Christman, and methionine to rabbits, and Lewis, 103, 141 123, lxxv See Tulane and Lewis, See Routh and Lewis, 103, 151 124, 725

See VIRTUE and LEWIS,

104, 59, 415

See BLOCK and LEWIS,

Lewis, Robert C. See RYMER physical absorption of nitrogen and Lewis. 114, 361 gas in Azotobacter cells. Lewis, William H., Jr. See 122, 549 PAGE, KIRK, LEWIS, THOMP-Link, Karl Paul. See NIEMANN, son, and Van Slyke, Schoeffel, and LINK. 101, 337 111,613 KIRK, Lewis, See Burkhart, Baur, and and 111,641 104, 171 THOMPSON, LINK. Lichtenberg, Henry H. See See Morell and Link. SCHWARZ and LICHTENBERG, 104, 183 121, 315 See NIEMANN, KARJALA, Lichtman, A. L. Fatty acids and LINK, 104, 189 and glucose in the blood of -. See NIEMANN and LINK, 104, 195, 205 departereatized dogs, See NIEMANN, McCubbin, 120, 35 Lichtman, S. S. A new pro-104, 737 and LINK. cedure for the estimation of -. See NIEMANN and LINK, bile salts in body fluids based 104, 743 on bile salt hemolysis, See Morell, Baur, and 107, 717 105, 1, 15 LINK, - See NIEMANN and LINK, Light, Amos E., Smith, Paul K., Smith, Arthur H., and Ander-106, 773 son. William E. Inorganic See Morell and Link, nutrition. XI. salts in 108, 763 Changes in composition of the See BAUR and LINK, whole animal induced by a diet 109, 293 poor in salts, 107, 689 See Morell, Baur, and Light, Arthur B., and Warren, 110, 719 LINK. Clark R. Creatinuria among ROBERTS, See NIEMANN, 104, 121 adolescent males, 110, 727 and LINK, Lightbody, Howard D. Varia- See Morell and Link, tions associated with age in the 114, 123 concentration of arginase in See NIEMANN, ANDERSON, the livers of white rats, 116, 447 and LINK, 124, 169 —. See ROBERTS and LINK, Lindquist, F. E., and Schmidt, 119, 269 Carl L. A. Dielectric con--. See CAMPBELL and LINK. stants of aqueous solutions of 120, 471 certain amino acids and related 122,635 119, lxiii substances. See SELL and LINK, Lineweaver, Hans. The solu-125, 229, 235 chemical and bility and

Lipschitz, M. A., Potter, V. R., and Elvehjem, C. A. The metabolism of pyruvic acid in vitamin B₁ deficiency and in inanition, 123, 267

—, —, and —. The mechanism of the enzymatic synthesis of cocarboxylase, 124, 147

Liu, Yun-Pu. See Borsook, HUFFMAN, and LIU,

102, 449

Lobb, Dorothy E. See Hathaway and Lobb, 113, 105 Localio, Sylvio. See Dobriner,

Localio, and Strain,

114, xxvi Loeffel, Robert G. Absorption spectra of indigo sulfonates,

Loehr, W. M. See BEUTNER, CAPLAN, and LOEHR,

Logan, Milan A. Calcium and ammonium excretion in the urine of rabbits, 109, 481

 Composition of cartilage, bone, dentin, and enamel,

— and Taylor, Henry L. Solubility of bone salt, 119, 293

— and —. The formation and chemical nature of the bone salt, 119, lxiv

— and —. Solubility of bone salt. II. Factors affecting its formation, 125, 377

— and —. III. Partial solution of bone and carbonate-containing calcium phosphate precipitates, 125, 391

Lojkin, Mary. See Booher and Lojkin, 123, xiv

Long, C. N. H., Lukens, F. D. W., and Fry, Edith G. Glycogen resynthesis in depancreatized animals, 105, lii

 and —. Observations on adrenalectomized-depancreatized and hypophysectomized-depanceatized cats,

109, lvi

Long, M. Louisa. See Bischoff and Long, 116, 285 Longenecker, H. E. See Hil-DITCH and LONGENECKER.

122, 497

Longwell, Bernard B., and Hill, Robert M. A modified Rehberg burette for use with titrating solutions which react with mercury, 112, 319

Looney, Joseph M., and Childs, Hazel M. A comparison of the methods for the collection of blood to be used in the determination of gases,

104, 53

— and —. The lactic acid and glutathione content of the blood of schizophrenic patients, 105, liii

— and Jellinek, E. Morton. Galactose tolerance as measured by the Folin micro and macro blood sugar methods,

109, lvii

— and Darnell, Matthew C., Jr. The blood pressure-raising principle of adrenal cortex extracts, 114, lxii

-. The effect of exercise on the blood gases, pH, and lactic acid content of the blood of normal and schizophrenic subjects, 123, lxxvi

Lorenz, F. W. See Almquist, LORENZ, and BURMESTER, 106, 365 -, Entenman, C., and Chaikoff, I. L. The influence of age, sex, and ovarian activity on the blood lipids of the domestic 122,619 fowl, -, Chaikoff, I. L., and Entenman, C. Liver lipids of the laying and non-laying bird, 123, 577 See Entenman, RUBEN, LORENZ, PERLMAN, and 124, 795 CHAIKOFF, Loring, Hubert S., and du Vigneaud, Vincent. The isolation and characterization of mesocystine, 102, 287 -, Dorfman, Ralph I., and du Vigneaud, Vincent. availability of mesocystine for promotion of growth in conneccystine-deficient tion with diets, 103, 399 See DU VIGNEAUD, CRÁFT, and Loring. 104, 81 The solubility of the stereo-105, liv isomers of cystine, See DU VIGNEAUD, LORING, and CRAFT, 105, 481 - and du Vigneaud, Vincent. The solubility of the stereoisomers of cystine with a note on the identity of stone and hair cystine, 107, 267 -. See DU VIGNEAUD, LORING, and CRAFT. 107, 519 and du Vigneaud, Vincent. The synthesis of crystalline

cystinyldiglycine and benzyl-

cysteinylglycine and their isolation from glutathione,

111, 385

— and Stanley, W. M. Isolation of crystalline tobacco mosaic virus protein from tomato plants, 117, 733

See DU VIGNEAUD, LORING,
 and MILLER, 118, 391

— and Wyckoff, Ralph W. G.

The ultracentrifugal isolation
of latent mosaic virus protein,
121, 225

 Accuracy in the measurement of the activity of tobacco mosaic virus protein,

121, 637

 Nucleic acid from tobacco mosaic virus protein,

Loshakoff, Abe. See Dunn and Loshakoff, Till, 359, 691 Lothrop, W. C. See Anderson, Lothrop, and Creighton, 125, 299

Lough, S. Allan, and Lewis, Howard B. The reaction of nitrous acid with cystine and related sulfur-containing compounds, 104, 601

Lowe, R. C. See Gibson and Lowe, 123, xli

Lowry, Hope. See Green, Lowry, Eley, and McKhann, 114, xlii

Lucas, Colin C. See Ross and Lucas, 111, 285

Luck, James Murray. See Lewis and Luck,

103, 209, 227

— and Lewis, Helen Geneva. The calorigenic action of glutamic acid, 105, lv Luck, James Murray—continued
—. See Kurtz and Luck,

111, 577

 Liver proteins. I. The question of protein storage,

115, 491

— and Nimmo, Charles Colvin. The effect of hydrogen ion concentration on the extractability of the liver proteins,

119, lxv

—. The effect of potassium iodate on the liver proteins,

123, lxxvii

Ludewig, Stephan. See CHA-NUTIN and LUDEWIG,

> 102, 57 109, xviii 114, xviii 115, 1

— and Chanutin, Alfred. The lipoid phosphorus content of hypertrophied hearts and kidneys in the rat, 115, 327

 See Chanutin and Ludewig, 119, xviii

-. See Chanutin, Hortent stine, Cole, and Ludewig,

123, 247

—. The blood plasma cholesterol and phospholipid phosphorus in control and partially nephrectomized rats,

123, lxxviii

-. See Hortenstine, Chanutin, and Ludewig,

125, 455

Lukens, F. D. W. See Long, Lukens, and Fry, 105, lii —. See Long and Lukens,

100.1

109, lvi

Lutz, J. George, and Nelson, J. M. Preparation of highly active yeast invertase,

107, 169

Lyman, Carl M., Schultze, M. O., and King, C. G. The effect of metaphosphoric acid and some other inorganic acids on the catalytic oxidation of ascorbic acid, 118, 757

— and Barron, E. S. Guzman.
Studies on biological oxidations. VIII. The oxidation of glutathione with copper and hemochromogens as catalysts,
121, 275

-. See Barron and Lyman, 123, 229, iv

M

Macallum, A. Bruce. See FLEM-ING and Macallum,

109, xxxiii

-. See Laughton and Macal-LUM, 109, lii

-. Recent studies on the insuletropic hormone,

114, lxiii

 Pancreatic antagonism and synergism to insulin,

123, lxxviii

MacCorquodale, D. W., Levin, Louis, Thayer, Sidney A., and Doisy, Edward A. The oxidation of theelin and some theelol derivatives, 101, 753

-, -, and -. The chemistry of theelin and theelol,

105, lv

 See Curtis, MacCorquo-DALE, THAYER, and Doisy, 107, 191 —, Thayer, Sidney A., and Doisy, Edward A. The ovarian follicular hormone, 109, lviii

—, —, and —. The isolation of the principal estrogenic substance of liquor folliculi,

115, 435

 See THAYER, MacCorquo-DALE, McKEE, and Doisy,

123, exx

—. See WESTERFELD, MACCOR-QUODALE, THAYER, and DOISY, 123, CXXVI

MacDonald, Joseph. See BLAN-CHARD and MACDONALD,

110, 145

MacFadyen, Douglas A. The nuclease activity of Bacillus subtilis, 107, 297

Macht, David I., and Bryan, Hilah F. Synergistic action of milk and muscle oxidases, 110, 101

Mack, G. L. See KERTESZ, DEARBORN, and MACK,

116, 717

— and Tressler, D. K. Vitamin C in vegetables. VI. A critical investigation of the Tillmans method for the determination of ascorbic acid,

118, 735

MacKay, Eaton M. See Deuel, MacKay, Jewel, Gulick, and Grunewald, 101, 301

 and Bergman, H. C. The rate of absorption of glucose from the intestinal tract.

101, 453

— and —. The amount of water stored with glycogen in the liver, 105, 59 --. See Butler and MacKay, 106, 107

Mackay, F. H. See Rabinowitch, Dingwall, and Mackay, 103, 707, 725

Mackenzie, Laura B. See
EISENMAN, MACKENZIE, and
PETERS, 116, 33

Mackinney, G. Properties of carotenes from certain roots and leaves at various stages of development, 108, 45

—. Leaf carotenes, 111, 75

On the plastid pigments of marsh dodder, 112, 421

MacLachlan, P. L. Fat metabolism in plants with special reference to sterols,

113, 197

—. Fat metabolism in plants, with special reference to sterols. II. Differential changes in the cotyledons and in the roots, stems, and leaves, 114, 185

 See Kochakian, MacLach-Lan, and McEwen,

122, 433

MacLeod, Grace. See Rose, Variateich, and MacLeod, 104, 217

Maculla, Ada. See Graff and Maculla, 110, 71

Maculla, Esther. See Graff, Maculla, and Graff,

121, 71, 81 Macy, Icie G. See Givens and

MACY, 102, 7

See Erickson, Stoner, and Macy, 103, 235

-. See Erickson, Gulick, Hunscher, and Macy,

Macy, Icie G.—continued

—. See Erickson, Cope, Sternberger, Lee, Cooley, and Macy, 109, xxx

—. See Erickson, Jones, Bernstein, Williams, Lee, and Macy, 114, xxxii

-. See Erickson, Williams, Hummel, and Macy,

118, 15

-. See Erickson, Williams, Hummel, Lee, and Macy,

118, 569

See WILLIAMS, ERICKSON,
 BERNSTEIN, HUMMEL, and
 MACY, 118, 599

—. See Hunscher, Hummel, Macy, Todd, and Francis,

119, lii

See Bernstein, Jones,
 Erickson, Williams, Avrin,
 and Macy, 122, 507

See Erickson, Williams,
 Bernstein, Avrin, Jones, and
 Macy,
 122, 515

—. See WILLIAMS, ERICKSON, AVRIN, BERNSTEIN, and MACY, 123, 111

Madden, Robert J. See Wood, Madden, and Carter,

117, 1

-- See ELVEHJEM, MADDEN, STRONG, and WOOLLEY,

123, 137

124, 715

See Woolley, Strong, and Madden,123, cxxxi

 See Woolley, Strong, Madden, and Elvehjem,

Maddock, Stephen J., Trimble, Harry C., and Carey, Benjamin W., Jr. Is d-glucose ab-

sorbed from the stomach of the dog? 103, 285

—. See Trimble and Maddock, 107, 133

—. See Thannhauser, Reichel, Grattan, and Maddock, 121, 709, 715, 721, 727

—. See Trimble and Maddock, 123, exxiii

—. See Thannhauser, Reichel, Grattan, and Maddock, 124, 631

Madsen, L. L. See McCay and Maynard, 109, 29

Magers, Elizabeth J. A study of certain phases of metabolism in poliomyelitis, 105, lvi

Malisoff, William Marias, and Stenbuck, Frederick A. Effect of short electric waves on sterol colloids, 115, 87

Malloy, Helga Tait, and Evelyn, Kenneth A. The determination of bilirubin with the photoelectric colorimeter,

119, 481

 and —. Oxidation method for bilirubin determinations in bile and meconium with the photoelectric colorimeter,

122, 597

—. See Evelyn and Malloy, 123, xxxiv

Man, Evelyn B., and Peters, John P. Gravimetric determination of serum cholesterol adapted to the Man and Gildea fatty acid method, with a note on the estimation of lipoid phosphorus, 101, 685

 See Peters and Man, 107, 23

quantitative determination of phosphatides, 117, 183 — and Gildea, Edwin F. Variations in lipemia of normal subjects, 119, 769 — and —. Notes on the extraction and saponification of lipids from blood and blood serum, 122, 77 Manery, Jeanne F., Danielson, Irvin S., and Hastings, A. Baird. Connective tissue electrolytes, 124, 359 Mangun, George. See Myers and Mangun, 114, lxxv — and Myers, Victor C. The creatine content of cardiac and voluntary muscle and its relation to phosphorus and potassium, 123, lxxix and Mardashew, Margaria, Rodolfo, and Green, Arda Alden. The first dissociation constant, pK'1, of carbonic acid in hemoglobin solutions and its relation to the existence of a combination of hemoglobin with carbon dioxide, 102, 611 —. See Van Slyke, Dillon, and Margaria, Rodolfo, and Green, Arda Alden. The first dissociation constant, pK'1, of carbonic acid in hemoglobin solutions and its relation to the existence of a combination of hemoglobin with carbon dioxide, 102, 611 Marker, R. E. See Levene and Marker, R. E. See Levene and Marker, R. E. See Levene and Marker, 101, 413 103, 299, 373 106, 173 117, 179, 707
mand Gildea, Edwin F. Variations in lipemia of normal subjects, — and —. Notes on the extraction and saponification of lipids from blood and blood serum, — 122, 77 Manery, Jeanne F., Danielson, Irvin S., and Hastings, A. Baird. Connective tissue electrolytes, — 124, 359 Mangun, George. See Myers and Mangun, — 114, lxxv — and Myers, Victor C. The creatine content of cardiac and voluntary muscle and its relation to phosphorus and potassium. — Margaria, Rodolfo, and Green, Arda Alden. The first dissociation constant, pK'1, of carbonic acid in hemoglobin solutions and its relation to the existence of a combination of hemoglobin with carbon dioxide, — See Van Slyke, Dillon, and Margaria, Rodolfo, and Green, Arda Alden. The first dissociation constant, pK'1, of carbonic acid in hemoglobin solutions and its relation to the existence of a combination of hemoglobin with carbon dioxide, — See Van Slyke, Dillon, and Margaria, Rodolfo, and Green, Arda Alden. The first dissociation constant, pK'1, of carbonic acid in hemoglobin solutions and its relation to the existence of a combination of hemoglobin with carbon dioxide, — See Van Slyke, Dillon, and Margaria, Rodolfo, and Green, Arda Alden. The first dissociation constant, pK'1, of carbonic acid in hemoglobin solutions and its relation to the existence of a combination of hemoglobin with carbon dioxide, — See Van Slyke, Dillon, and Margaria, Rodolfo, and Green, Arda Alden. The first dissociation constant, pK'1, of carbonic acid in hemoglobin solutions and its relation to the existence of a combination of hemoglobin with carbon dioxide, — See Van Slyke, Dillon, and Margaria, Rodolfo, and Green, Arda Alden. The first dissociation constant, pK'1, of carbonic acid in hemoglobin solutions and its relation to the existence of a combination of hemoglobin with carbon dioxide, — See Van Slyke, Dillon, and Marker, an
tions in lipemia of normal subjects, 119, 769 — and —. Notes on the extraction and saponification of lipids from blood and blood serum, 122, 77 Manery, Jeanne F., Danielson, Irvin S., and Hastings, A. Baird. Connective tissue electrolytes, 124, 359 Mangun, George. See Myers and Mangun, 114, lxxv — and Myers, Victor C. The creatine content of cardiac and voluntary muscle and its relation to phosphorus and potassium. 123 lyviv
jects, 119, 769 — and —. Notes on the extraction and saponification of lipids from blood and blood serum, 122, 77 Manery, Jeanne F., Danielson, Irvin S., and Hastings, A. Baird. Connective tissue electrolytes, 124, 359 Mangun, George. See Myers and Mangun, 114, lxxy — and Myers, Victor C. The creatine content of cardiac and voluntary muscle and its relation to phosphorus and potassium. 123 lyviy
mand—. Notes on the extraction and saponification of lipids from blood and blood serum, 122, 77 Manery, Jeanne F., Danielson, Irvin S., and Hastings, A. Baird. Connective tissue electrolytes, 124, 359 Mangun, George. See Myers and Mangun, 114, lxxv — and Myers, Victor C. The creatine content of cardiac and voluntary muscle and its relation to phosphorus and potassium. bonic acid in hemoglobin solutions and its relation to the existence of a combination of hemoglobin with carbon dioxide, See Van Slyke, Dillon, and Margaria, 105, 571 Marker, R. E. See Levene and Marker, 101, 413 102, 297 103, 299, 373 106, 173 108, 409 110, 299, 311, 329 111, 299
tion and saponification of lipids from blood and blood serum, 122, 77 Manery, Jeanne F., Danielson, Irvin S., and Hastings, A. Baird. Connective tissue electrolytes, 124, 359 Mangun, George. See Myers and Mangun, 114, lxxv — and Myers, Victor C. The creatine content of cardiac and voluntary muscle and its relation to phosphorus and potassium. 123 lyviv
from blood and blood serum, 122, 77 Manery, Jeanne F., Danielson, Irvin S., and Hastings, A. Baird. Connective tissue electrolytes, 124, 359 Mangun, George. See Myers and Mangun, 114, lxxv — and Myers, Victor C. The creatine content of cardiac and voluntary muscle and its relation to phosphorus and potassium. existence of a combination of hemoglobin with carbon dioxide, 102, 611 — See Van Slyke, Dillon, and Margaria, 105, 571 Marker, R. E. See Levene and Marker, 101, 413 102, 297 103, 299, 373 106, 173 108, 409 110, 299, 311, 329 111, 299
Manery, Jeanne F., Danielson, Irvin S., and Hastings, A. Baird. Connective tissue electrolytes, 124, 359 Mangun, George. See Myers and Mangun, 114, lxxv — and Myers, Victor C. The creatine content of cardiac and voluntary muscle and its relation to phosphorus and potassium. 123, lyviv hemoglobin with carbon dioxide, 102, 611 — See Van Slyke, Dillon, and Margaria, 105, 571 Marker, R. E. See Levene and Marker, 101, 413 102, 297 103, 299, 373 106, 173 108, 409 110, 299, 311, 329 111, 299
Manery, Jeanne F., Danielson, Irvin S., and Hastings, A. Baird. Connective tissue electrolytes, 124, 359 Mangun, George. See Myers and Mangun, 114, lxxv — and Myers, Victor C. The creatine content of cardiac and voluntary muscle and its relation to phosphorus and potassium. Oxide, See Van Slyke, Dillon, and Margaria, 105, 571 Marker, R. E. See Levene and Marker, 101, 413 102, 297 103, 299, 373 106, 173 108, 409 110, 299, 311, 329 111, 299
Irvin S., and Hastings, A. Baird. Connective tissue electrolytes, 124, 359 Mangun, George. See Myers and Mangun, 114, lxxv — and Myers, Victor C. The creatine content of cardiac and voluntary muscle and its relation to phosphorus and potassium. 123 lyvix — See Van Slyke, Dillon, and Margaria, 105, 571 Marker, R. E. See Levene and Marker, 297 101, 299, 373 106, 173 107, 299, 311, 329 110, 299, 311, 329
Irvin S., and Hastings, A. Baird. Connective tissue electrolytes, 124, 359 Mangun, George. See Myers and Mangun, — and Myers, Victor C. The creatine content of cardiac and voluntary muscle and its relation to phosphorus and potassium. — See Van Slyke, Dillon, and Margaria, Marker, R. E. See Levene and Marker, 101, 413 102, 297 103, 299, 373 106, 173 108, 409 110, 299, 311, 329 111, 299
trolytes, 124, 359 Mangun, George. See Myers and Mangun, 114, lxxv — and Myers, Victor C. The creatine content of cardiac and voluntary muscle and its relation to phosphorus and potassium. 123 lyviv Marker, R. E. See Levene and Marker, R. E. See Levene and Marker, R. E. See Levene and 101, 413 102, 297 103, 299, 373 106, 173 107, 299, 311, 329 111, 299
Mangun, George. See Myers and Mangun, 114, lxxv — and Myers, Victor C. The creatine content of cardiac and voluntary muscle and its relation to phosphorus and potassium. Marker, 101, 413 102, 297 103, 299, 373 106, 173 108, 409 110, 299, 311, 329 111, 299
Mangun, George. See Myers and Mangun, 114, lxxv — and Myers, Victor C. The creatine content of cardiac and voluntary muscle and its relation to phosphorus and potassium. MARKER, 101, 413 102, 297 103, 299, 373 106, 173 108, 409 110, 299, 311, 329 111, 299
and Mangun, 114, lxxv — and Myers, Victor C. The creatine content of cardiac and voluntary muscle and its relation to phosphorus and potassium. 102, 297 103, 299, 373 106, 173 108, 409 110, 299, 311, 329 111, 299
- and Myers, Victor C. The creatine content of cardiac and voluntary muscle and its relation to phosphorus and potassium.
creatine content of cardiac and voluntary muscle and its relation to phosphorus and potassium. 106, 173 108, 409 110, 299, 311, 329 111, 299
voluntary muscle and its relation to phosphorus and potassium. 108, 409 110, 299, 311, 329 111, 299
tion to phosphorus and potas- sium 123 lyviv 111, 299
sium 123 lyviy 111, 299
Mann, Frank C. See FLOCK, - See LEVENE, ROTHEN, and
ROLLMAN and MANN MARKER, 115, 203
114, XXXVI —. See LEVENE and MARKER,
115 170 201
Con Company and Marry Markiey, R. S., and Sando,
Charles E. The merting point
Soo From Borray Ung
Cobanc. 11 confection,
110
and . I cololedin conci-
and conci-soluble consuldends
Manager 102
105,000
, I I I I I I I I I I I I I I I I I I I
See Flock, Bollman, Sando, Charles E. Constitu-
MANN, and KENDALL, ents of the wax-like coating of
125, 57 the pear, Pyrus communis, L.,
Manning, P. D. V. See STOK-
stad and Manning, See Sando, Markley, and
125, 687 MATLACK, 114, 39
Marble, Alexander. See Smith -, Nelson, E. K., and Sherman,
and Marble, 117, 673 Mildred S. Some wax-like

Markley, K. S.—continued constituents from expressed oil from the peel of Florida grapefruit, Citrus grandis,

118, 433

— and Sando, Charles E. The wax-like constituents of the cuticle of the cherry, *Prunus arium*, L., 119, 641

--, --, and Hendricks, Sterling
B. Petroleum ether-soluble
and ether-soluble constituents
of grape pomace, 123, 641

Marks, Graham W., and Fox, Denis L. The inactivation of mussel catalase by oxygen, 103, 269

 The inactivation of catalases from certain marine animals by oxygen, 105, 489

-- Proportionality studies on catalase, 107, 623

—. The effect of glutathione and other substances on the inactivation of catalases,

115, 299

Marrian, Guy Frederic, Cohen, S. L., and Watson, M. Observations on the excretion of estrin during pregnancy,

109, lix

— and Butler, Gordon Cecil. The isolation of a new compound from the urine of women with adrenal tumors,

119, lxvi

—. See Butler and Marrian, 119, 565

124, 237

--. See Odell and Marrian, 125, 333

Marsh, G. L. See Joslyn, Marsh, and Morgan,

105, 17

Marsh, Norman. See Koehler, Marsh, and Hill,

119, lix

Marshall, E. K., Jr. Determination of sulfanilamide in blood and urine, 122, 263

Marteny, W. W. See Anderson, Seigle, Krznarich, Richards, and Marteny,

121, 165

Martiensen, E. W. See Ecker, Pillemer, Martiensen, and Wertheimer,

123, 351, 359

Martin, Gustav J., and Gardner, R. E. The trichogenic action of the sulfhydryl group in hereditary hypotrichosis of the rat, 111, 193

Martin, Hugh E. See PETERS and Martin, 124, 249 Martin, Lay. Gastric juice. I. Studies on the proteins of the

Studies on the proteins of the gastric juice of humans,

102, 113

 II. Studies on a urea-splitting enzyme and pepsin in relation to the proteins,

102, 131

Martin, Marie F., and Corley, Ralph C. The excretion of allantoin and uric acid by the dog maintained on a purinefree diet and on a protein-free diet. The influence of the administration of glycine,

105, lvii

Martindale, Ruth. See May, Martindale, and Boyd,

Marvel, Carl S. See Jackson and Marvel, 103, 191

-. See Eck and Marvel,

Marx, Walter, and Sobotka, Harry. Colorimetric determination of equilenin and dihydroequilenin, 124, 693

Mason, Harold L. See Ken-DALL, Mason, McKenzie, Myers, and Koelsche,

105, xlv

-. See Kendall, Mason, Mc-Kenzie, and Myers,

114, lvii

109, p. l --- See KENDALL MASON

—. See Kendall, Mason, Myers, and Allers,

-, Myers, Charles S., and Kendall, Edward C. The chemistry of crystalline substances isolated from the suprarenal gland, 114, 613

—, —, and —. Chemical studies of the suprarenal cortex. II. The identification of a substance which possesses the qualitative action of cortin; its conversion into a diketone closely related to androstenedione, 116, 267

- See KENDALL, MASON, HOEHN, and McKENZIE,

—, Hoehn, Willard M., McKenzie, Bernard F., and Kendall, Edward C. Chemical studies of the suprarenal cortex. III. The structures of Compounds A, B, and H, 120, 719

 See Kendall, Mason, Hoehn, and McKenzie,

123, lxvii

—, Hoehn, Willard M., and Kendall, Edward C. Chemical studies of the suprarenal cortex. IV. Structures of Compounds C, D, E, F, and G, 124, 459

--- Chemical studies of the suprarenal cortex. V. Conversion of Compound E to the series which contains four atoms of oxygen and to adrenosterone by the action of calcium hydroxide, 124, 475

Mason, Howard H. The metabolism of carbohydrates in a case of galactosuria,

105, lviii

Mason, Inez D., and Palmer, Leroy S. Preparation of white zein from yellow corn,

107, 131

Mason, Morton F., Resnik, H.,
Jr., and Harrison, Tinsley R.
Some effects of the introduction of electrolytes into the cisterna on the blood pressure of dogs, 109, lix

 Halide distribution in body fluids in chronic bromide intoxication, 113, 61

—, Blalock, Alfred, and Harrison, Tinsley R. The direct measurement of renal blood flow and oxygen consumption in unanesthetized dogs.

114, lxiv

— and Evers, Ray. Observations on the proteolytic activity of the sera of dogs with experimental uremia,

Massengale, O. N. See Bills, MASSENGALE, McDonald, and WIRICK. 108, 323 See McDonald, BILLS, MASSENGALE, IMBODEN, HALL, HERGERT, and WALLENMEYER, 109, vii See BILLS, MASSENGALE, HICKMAN, and GRAY, 123, x Mathews, A. P. See VILTER, Spies, and Mathews, 125, 85 Matlack, M. B., and Sando,

Matlack, M. B., and Sando, Charles E. A contribution to the chemistry of tomato pigments. The coloring matter in American red and purple tomatoes (Lycopersicum esculentum), 104, 407

—. Pigments of pink grapefruits, Citrus grandis (L., Osbeck), 110, 249

—. See Sando, Markley, and Matlack, 114, 39

--. See Balls, Matlack, and Tucker, 122, 125

-. See Balls and Matlack, 123, 679 125, 539

Matthews, Vida J., Newton, Joseph K., and Bloor, W. R. The lipids of the skin in experimental diabetes, 108, 145

Mattice, M. R., Bruger, Maurice, and Deren, M. Effect of dextrose ingestion on serum inorganic sulfate, 109, lx

Mattill, H. A. See Kuyper and Mattill, 103, 51

--. See Olcott and Mattill, 104, 423

---. See Seegers and Mattill, 105, lxxvii 110, 531

-. See French and Mattill, 114, xxxvii

—. See Olcott and Mattill, 114, lxxvii

See Schultz and Mattill, 122, 183

Maxwell, L. C., and Bischoff, Fritz. Chemical studies on the pituitary gonadotropic hormone, 112, 215

 See Bischoff and Maxwell, 114, xi

May, Clarence E., Martindale, Ruth, and Boyd, William F. The isolation and detection of bilirubin, 104, 255

Maynard, L. A. See McCay and Maynard, 109, 29

 and McCay, C. M. Studies of fat metabolism in lactation, 109, lxi

-. See Ellis and Maynard, 118, 701

-, Hodson, Adrian, Ellis, Gordon, and McCay, C. M. The blood precursor of milk fat, 119, lxvi

Mazur, Abraham. See Harrow, Mazur, and Sherwin,

102, 35

-. See Harrow, Mazur, Borek, and Sherwin,

105, xxxiv

 The sulfur distribution and basic amino acids of *Limulus* hemocyanin, 118, 631

 See Harrow, Mazur, Chamelin, and Lesuk,

119, xlvi

— and Clarke, H. T. The amino acids of certain marine algæ, 123, 729

McAmis, Ava Josephine, and Sweet, Marion H. The influence of a diet rich in avocado on growth and on the quality

of body fat in the albino rat, 114, lxiv

McCarthy, Mary. See Rose and Exton, 109, lxxvi

McCay, C. M., and Maynard, L. A. The effect of ingested cod liver oil, shark liver oil, and salmon oil upon the composition of the blood and milk of lactating cows,

109, 29

-. See Maynard and McCay, 109, lxi

—, Tunison, A. V., Crowell, Mary, and Paul, Henry. The calcium and phosphorus content of the body of the brook trout in relation to age, growth, and food, 114, 259

 See Maynard, Hodson, Ellis, and McCay,

119, lxvi

— and Tunison, A. V. The toxicity of linseed meal, 123, lxxx

McClendon, J. F. Iodine and goiter with especial reference to the Far East, 102, 91

—, Hamilton, R. H., Jr., and Holdridge, Curtis. The determination of iodine in blood, urine, and cabbage,

105, lviii

-. See CAVETT, RICE, and McCLENDON, 109, xvii

and Street, Harold R. Homozygous mice as biochemical test animals,
 109, lxi

—. See CAVETT, RICE, and Mc-CLENDON, 110, 673

—, Bratton, A. Calvin, and White, Ralph V. Determination of iodine in ten cubic centimeters of blood by burning in platinum combustion tube with screw feed, and distillation, 119, lxvii

— and —. A new method for determination of iodine in five cubic centimeters of blood or other biological material,

123, 699

 and Rice, Carl O. Blood iodine by the McClendon-Bratton method,

123, lxxxi

McCollum, E. V. See Kruse, Schmidt, and McCollum, 106, 553

See ORENT, KRUSE, and McCollum, 106, 573
See ITTER, ORENT, and

McCollum,

108, 571, 579, 585

See Day, Kruse, and McCollum, 112, 337
See Prebluda and McCol-

LUM, 119, lxxix
—. See Day, Stein, and Mc-

Collum, 123, xxviii

McConnell, Duncan. See Gruner, McConnell, and Armstrong, 121, 771

McConnell, Kenneth P., and Sinclair, Robert Gordon.

Passage of elaidic acid through the placenta and also into the milk of the rat, 118, 123

McConnell, Kenneth P .-- continued

- and -. Evidence of selection in the building up of brain lecithins and cephalins,

118, 131

McCoord, A. B. See CLAUSEN and McCoord, 105, xv 109, xx

113, 89 119, xviii

McCoy, Richard H. See Rose, McCoy, MEYER, CARTER, WOMACK, and MERTZ.

109, lxxvii

-, Meyer, Curtis E., and Rose, William C. Feeding experiments with mixtures of highly purified amino acids. VIII. Isolation and identification of a new essential amino acid, 112, 283

See McLean and McCoy, 114, lxv

See Rose. KEMMERER. WOMACK, MERTZ, GUNTHER, McCoy, and MEYER,

114, lxxxv

- and Rose, William C. The relation of glycine and serine to growth, 117, 581 McCubbin, Robert J. See NIE-

MANN, McCubbin, and Link, 104, 737

McCullagh, D. Roy, and Picha, V. The application of a new chemical procedure for the study of diffusible blood iodine, 105. lix

A new method for the determination of iodine. 107, 35

and Stimmel, Benjamin F. A biochemical method for the

assay of the thyrotropic hormone of the pituitary gland,

109, lxii

See STIMMEL and McCul-LAGH. 116, 21

-, Osborn, W. O., and Osgard, Bertha. Inactive androgenic material in human blood and urine. 123, lxxxi

McCune, D. J. See Culbert, McCune, and Weech,

119, 589

McDonald, Francis G. The stability of carotene in ethyl esters of fatty acids, and in liver and vegetable oils,

103, 455

See BILLS, MASSENGALE, McDonald, and Wirick,

108, 323

See BILLS, McDonald, MASSENGALE, IMBODEN, HALL, HERGERT, and WALLENMEYER, 109, vii

The multiple nature of vitamin D. III. Irradiated 22dihydroergosterol, 114. lxv

McEllroy, William S. See WIL-SON, STRICKLER, and McEll-ROY, 123, exxix

McEwen, H. Douglas. See O'BRIEN, McEWEN, and Mor-GAREIDGE, 119, lxxiii

See Kochakian, MacLach-LAN, and McEwen,

122, 433

McFarlane, W. D. The distribution of iron in tissues, particularly liver, during peptic digestion and autolysis,

106, 245

— and Milne, Helen I. Iron

and copper metabolism in the developing chick embryo,

107, 309

GUEST and McFAR-LANE. 123, xlvii

McGuire, Grace, and Falk, K. George. Studies on enzyme action. XLVII. Lipase tion of serum. 105, 373

See FALK and McGuire, 105, 379

— and Falk, K. George. Directive influences in biological systems. IV. A further study of lipase actions of Type I pneumococci, 105, 669

See FALK and McGuire,

108, 61

McHenry, E. W., and Gavin, Gertrude. The B vitamins and fat metabolism. I. Effects of thiamine, riboflavin, and rice polish concentrate upon body fat, 125, 653

McIntyre, A. R., and Burke, J. C. The growth of algæ in synthetic bromine-free medium, 119, lxviii

See Burke and McIntyre, 123, xvii

McJunkin, F. A. See Tweedy, TEMPLETON, and McJunkin, 109, xcii

McKee, R. W. See THAYER, MACCORQUODALE, McKee, and Dorsy, 123, cxx

McKenzie, Bernard F. See KENDALL, MASON, McKENZIE, Myers, and Koelsche,

105, xlv See KENDALL, MASON, Mc-

KENZIE, and MYERS, 109, p. l ---. See KENDALL, Mason. HOEHN, and McKENZIE. 119, lvi

See Mason, Hoehn, Mc-KENZIE, and KENDALL,

120, 719

KENDALL, See MASON, HOEHN. \mathbf{and} McKenzie. 123, lxvii

F.

McKhann, Charles GREEN and McKHANN.

109, xxxvii

See Green, Lowry, Eley, and McKhann, 114, xlii

McLean, Franklin C., and Hastings, A. Baird. The state of calcium in the fluids of the body. 105, lx

- and -. A biological method for the estimation of calcium 107, 337 ion concentration,

See HASTINGS, McLean. HALL, EICHELBERGER, and DA COSTA, 107, 351

- and Hastings, A. Baird. state of calcium in the fluids of the body. I. The conditions affecting the ionization of calcium. 108, 285

- and Hinrichs, Marie A. The inverse relationship between calcium and phosphate in the 109, lxiii blood.

- and McCoy, Richard H. Calcification in rachitic cartilage induced by administration of phosphate, and by parathyroid extract, 114, lxv

McLean, Regina. See Morison, McLean, and Jackson,

cients of potassium chloride, Thomas L. See McMeekin, COHN, McMeekin, and Greenglycine, and alanine, 109, xxi 114, lxvii STEIN, The separation of a hista-Studies on the proteins of mine-like substance from hysmooth muscle. I, drolyzed proteins, 123, lxxxiii 109, lxiv Meigs, Edward B., Turner, Wil-See Cohn and McMeekin, liam A., Kane, Edward A., and 114, xx Shinn, Leo A. Calcium and Addition compounds phosphorus metabolism in amino acids with formamide, dairy cows. VII. The effects 114, lxvi on calcium and phosphorus A study of the preparation metabolism of feeding rations and of the conditions for low in calcium for long periods, hydrolytic activity of aspara-105, lx ginase. 123, lxxxii See TURNER, MEIGS, and McNamara, E. W. See TWEEDY, CONVERSE, 114, civ McNamara, Templeton, and Melnick, Daniel, and Field, PATRAS. 119, xcix Henry, Jr. Studies on the McShan, W. H., and French, chemical determination of vita-The chemistry of the min B₁, 123, lxxxiii lactogenic hormone extracts, Meloche, V. W. See CLIFCORN, 117, 111 MELOCHE, and ELVEHJEM, Mecchi, E. See Klose, Alm-111, 399 QUIST, and MECCHI, Mendel, Lafayette B. See SHER-125, 681 MAN, MENDEL, and SMITH, Medes, Grace. Is cystine sulf-109, lxxxiii oxide an intermediate in the 113, 247, 265 oxidative metabolism of cys-See HEI-Menzel, Arthur E. O. tine? 109, lxiv DELBERGER and MENZEL, A study of the cystine con-104,655 tent of normal urine. 118, 79 114, lxvii and Heidelberger, Michael. Mediar, E. M. See Blather-Protein fractions of the human WICK, MEDLAR, BRADSHAW, strain, H-37, of tubercle ba-Post, and Sawyer, cillus. II, 124, 89 103, 93 - and -. Cell protein frac-Meeker, Dorothy R., and Kesten, tions of bovine and avian H. D. Composition of pathotubercle bacillus strains and logical calcium deposits, of the timothy-grass bacillus, 113, 289 124, 301 Mehl, John W., and Schmidt,

Mertz, Edwin T. See Rose,

Carl L. A. Diffusion coeffi-

125, 703

103, 25

103, 39

oxida-

103, 597

103, 607

107, 629

109, lxv

109, lxxiii

Authors McCoy. MEYER. CARTER, -. See LEVENE, MEYER, and WOMACK, and MERTZ, KUNA. 109, lxxvii Meyer, Karl. On catalytic oxi-KEMMERER. dations. II. The oxidation of See Rose, WOMACK, MERTZ, GUNTHER, benzaldehyde, III. The oxidation of py-McCoy, and MEYER, ruvic acid, 114, lxxxv IV. Photochemical Metzger, Nannette. See BAUtion of some ethylenic double MANN, SPRINSON, and METZ-102, 773 bonds, GER. V. The oxidation of ergos-105, 269 terol. See BAUMANN, METZGER, - and Palmer, John W. The and Sprinson. 105, ix polysaccharide of the vitreous See BAUMANN, SPRINSON, humor, and Metzger. 109, v — and —. On the sugar radicals 119, viii of some "mucoids," See BAUMANN and METZ-121, 231 GER, See PALMER and MEYER, 123, vi Meyer, Curtis E., and Rose, Wil--, Thompson, Richard, Palmer, liam C. Arginine metabolism. II. The relation of the arginine content of the diet to the creatine-creatinine production during growth, 102, 461 See Rose, McCoy, Meyer, CARTER, WOMACK, and MERTZ, 109, lxxvii

acid.

Rothen, and Meyer,

John W., and Khorazo, Devorah. The purification and properties of lysozyme, 113, 303 -, Palmer, John W., Thompson, Richard, and Khorazo, Devorah. On the mechanism of lysozyme action, 113, 479 See McCoy, Meyer, and — and —. A new classification 112, 283 Rose. of glycoproteins, See Rose, KEMMERER, 114, lxviii WOMACK, MERTZ, GUNTHER, - and -. Observations on the McCoy, and Meyer, polyuronic acids of vitreous 114, lxxxv humor and umbilical cord, - and Rose, William C. The 114, lxix spatial configuration of α -- and -. On glycoproteins.

amino - β - hydroxy - n - butyric II. The polysaccharides 115, 721 vitreous humor and of umbilical cord, Meyer, G. M. See Levene, 114, 689 -, Dubos, René J., and Smyth, 107, 555 Elizabeth M. The hydrolysis of the polysaccharide acids of 115, 401

138 Meyer, Karl-continued vitreous humor, of umbilical cord, and of streptococcus by the autolytic enzyme of pneumococcus. 118, 71 -, Smyth, Elizabeth M., and Palmer, John W. On glycoproteins. III. The polysaccharides from pig gastric 119, 73 mucosa, -, -, and -. The polysaccharides from pig gastric mucosa, 119, lxix See PALMER, SMYTH, and MEYER. 119, 491 -, Palmer, John W., and Smyth, Elizabeth M. On glycopro-V. Protein complexes of chondroitinsulfuric acid. 119, 501 acid,

- and Smyth, Elizabeth M. On glycoproteins. VI. The preparation of chondroitinsulfuric 119, 507

- and -. The isolation of a mucoitin disulfuric acid from gastric mucin, 123, lxxxiv

Meyer, Roland K. See CART-LAND, MEYER, MILLER, and RUTZ, 109, 213

See Cartland and Meyer. 112,9

-, Miller, Lloyd C., and Cartland, George F. The biological activity of theelol,

112, 597 See Gustus, Meyer, and Woods, 114, 59

Mezincescu, M. D., and Szabo, F. Method for the determination of the non-protein nitrogen of tissue, 115, 131 Michaelis, Leonor, and Schubert,

Maxwell P. The reaction of iodoacetic acid on mercaptans and amines, 106, 331

See GODDARD and MICH-AELIS, 106,605 112, 361

- and Smythe, C. V. Influence of certain dyestuffs on fermentation and respiration of yeast extract. 113, 717

- and -. An improved method of preparing hexosemonophosphate from yeast extract,

114, lxx

- and Schubert, Maxwell P. Dimethylglycine buffer,

115, 221

-, -, and Smythe, C. V. Potentiometric study flavins, 116, 587

- and -. Some problems in two-step oxidation treated for the case of phenanthrenequinonesulfonate, 119, 133

- and Schwarzenbach, G. The intermediate forms of oxidation-reduction of the flavins, 123, 527

- and -. The semiguinone of lactoflavin, 123, lxxxiv Michel, Harry O. See BERN-HEIM and MICHEL, 118,743

A spectrophotometric method for the determination of methemoglobin in hemoglobin 119, lxix solutions.

-. A study of sulfhemoglobin, 123, lxxxv

Mickelsen, Olaf, Waisman, Harry A., and Elvehjem, C. A. The inactivity of nicotinic acid in chick dermatitis,

—. See Woolley, Waisman, Mickelsen, and Elvehjem, 125, 715

Milhorat, Ade T. Liver arginase in myasthenia gravis. A contribution to the question of the origin of creatine.

111, 379

— and Toscani, Vincent. The metabolism of glycolic acid in progressive muscular dystrophy, 114, 461

Miller, Benjamin F., and Van Slyke, Donald D. A direct microtitration method for blood sugar,

114, lxxi, 583

-. See Dubos and Miller, 121, 429

— and **Dubos**, **René** J. Studies on the presence of creatinine in human blood, 121, 447

— and —. Determination by a specific, enzymatic method of the creatinine content of blood and urine from normal and nephritic individuals,

121, 457

Miller, C. O. See Swartz and Miller, 103, 651

Miller, E. S., Zscheile, F. P., Jr., Koch, Elizabeth M., Hogness, T. R., and Koch, F. C. Spectroscopic evidence for different modifications of cholesterol resulting from simple chemical treatment,

—. See Kass, Miller, and Burr, 123, lxvi Miller, Edgar G., Jr. See Cock-RILL, MILLER, and KURZROK, 105, xvi —. See Kelley and Miller, 110, 113, 119

—. See Eastman and Miller, 110, 255

-. See Stein and Miller, 125, 599

Miller, Gail Lorenz. See DU VIGNEAUD and MILLER,

116, 469

— and du Vigneaud, Vincent. The cystine content of insulin, 118, 101

See du Vigneaud, Loring,
 and Miller, 118, 391

Miller, Lila. Peptic hydrolysis of lactalbumin, 109, lxvi

- and Calvery, Herbert O. Enzymatic hydrolysis of lactalbumin, 116, 393

Miller, Lloyd C. See Cartland, Meyer, Miller, and Rutz, 109, 213

—. See MEYER, MILLER, and CARTLAND, 112, 597

-- See CURTIS, MILLER, and WITT, 119, xxi

Miller, Max. The diffusible calcium of serum and transudates in vivo, 122, 59

—. Ionized calcium of serum and transudates in vivo,

122, 71

Miller, T. G. See Hoffman, Abbott, Karr, and Miller, 123. lvii

Milne, Helen I. See McFar-LANE and MILNE,

107, 309

Milner, Harold W. See SMITH and MILNER, 104, 437

—. See Spoehr and Milner, 111, 679 116, 493 Milner, R. T. See Sando, Mil-NER, and SHERMAN,

109, 203

Milone, H. S. See Sullivan, Milone, and Everitt,

125, 471

Mindlin, Rowland L., and Butler,
Allan M. The determination
of ascorbic acid in plasma; a
macromethod and micromethod, 122, 673

Miraglia, Paul Reveri. See HEP-BURN and MIRAGLIA,

105, xxxviii

Mirsky, I. Arthur. See Freed, Mirsky, and Soskin,

112, 143

Mishkind, Daniel. See Tauber, Kleiner, and Mishkind,

110, 211

Mitchell, H. H. The effect of the proportions of fat and carbohydrate in the diet upon the excretion of metabolic nitrogen in the feces, 105, 537

The substitution of dithioethylamine (cystine amine) for cystine in the diet of the white rat, 111, 699

Mitchell, Helen S., and Dodge, Warren M. Nutritional cataract in rats, 105, lxi

— and Cook, Gladys M. The effect of type and amount of protein on the cataract-producing action of galactose,

123, lxxxvi

Mitchell, Philip H., and Taylor, Ivon R. The dissociation constant of cresol red in sea water, 105, lxii

Moetsch, J. C. See RAIZISS,

SEVERAC, MOETSCH, and CLEMENCE, 123, xcix Mohammad, Ali. See EMERSON, EMERSON, MOHAMMAD, and EVANS, 122, 99

 See Emerson, Mohammad, Emerson, and Evans,

124, 377

Monaghan, Betty R. See White and Monaghan, 113, 371

Montgomery, Hugh. Quantitative studies of the composition of glomerular urine. XII. The reaction of glomerular urine of frogs and Necturi,

110, 749

—. See Pierce and Mont-GOMERY, 110, 763

Moore, Carl V., Erlanger, Ruth J., and West, Edward S. Condensation products of aceto-acetic ester. IV. Two highly reactive compounds of glucose and acetoacetic ester,

113, 43

Moore, Elinor, and Wilson, D. Wright. The basic extractives of pecten muscle, 105, lxiii — and —. The nitrogenous ex-

tractives of pecten muscle,

114, lxxi

and —. Nitrogenous extractives of scallop muscle. I.
 The isolation and a study of the structure of octopine,

119, 573

— and —. II. Isolations from and quantitative analyses of muscles from freshly killed scallops, 119, 585

Moore, J. M. See Schaible, Bandemer, and Moore,

109, lxxix

Moreland, Ferrin B. See Johlin and Moreland. 103, 107

On some changes in the chemical composition of the blood of the turtle following complete anoxia, 117, 471

Morell, Sam, and Link, Karl Paul. The methylglycosides the naturally occurring hexuronic acids. II. The kinetics of the hydrolysis of α -methyl-d-galacturonide.

104, 183

-, Baur, Lorenz, and Link, Karl Paul. The methylglycosides of the naturally occurring hexuronic acids. III. Polygalacturonic acid-methylglycosides derived from pectin,

105, 1

-, -, and -. Note on the preparation of d-galacturonic acid in large quantity,

105, 15

 and Link, Karl Paul. Derivatives of d-galacturonic I. Esterification and acid. acylation of d-galacturonic acid, 108, 763

-, Baur, Lorenz, and Link, Karl Derivatives of d-galacturonic acid. II. The synthesis of α-acetobromo-d-galacturonic acid methyl ester and its conversion to β -methyl-dgalacturonide, 110, 719

- and Link, Karl Paul. on the preparation of sinigrin,

114, 123 See Smith Morgan, Agnes Fay. and Morgan, 101, 43 See Joslyn, Marsh, and

Morgan. 105, 17

- and Samisch, Zdenka. The sequence and extent of tissue changes produced by viosterol and parathyroid extract,

105, lxiv

Kimmel, Louise, Thomas, Rachel, and Samisch, Zdenka. The effects of moderate doses of viosterol and of parathyroid extract upon rats. 106, 531

- and Samisch. Zdenka. sequence and extent of tissue changes resulting from moderate doses of viosterol and parathyroid extract.

108, 741

Kimmel, Louise, and Hawkins, Nora C. A comparison of the hypervitaminoses induced by irradiated ergosterol and fish liver oil 119, lxx concentrates. 120, 85

Morgan, Vincent E., and Chichester, Donald F. Properof the ties of the blood 110, 285 domestic fowl,

Studies on myoglobin. I. The solubility of myoglobin in concentrated ammonium sul-112, 557 fate solutions.

Morgareidge, Kenneth. Spectrophotometric studies on the Liebermann-Burchard reaction for sterols. 109, lxvii

See O'BRIEN, McEWEN, and 119, lxxiii MORGAREIDGE, Morgulis, Sergius. Studies on

urinary acidity. II,

103, 757

-. Glycolysis and glutathione, 109, lxviii

- and Spencer, Howard C.

Morgulis, Sergius—continued Biochemical studies on the muscles of dystrophic rabbits, 114, lxxii See Dunn and Morgulis, 118, 545 See Spencer, Morgulis, and WILDER, 120, 257 Glycolysis and glutathione, 123, 1 -, Wilder, Violet M., Spencer, Howard C., and Eppstein, S. H. Studies on the lipid content of normal and dystrophic rabbits, 124, 755 - and Osheroff, William. Mineral composition of the muscles of rabbits on a diet producing muscle dystrophy, 124, 767 Morison, Robert S., McLean, Regina, and Jackson, Elizabeth Observations on the relation between ionized and total calcium in normal and abnormal sera and their ultra-122, 439 filtrates. Morris, Mark L. See GREEN, Morris, Cahill, and Brand, 114, 91 Morrison, Dempsie в., and Hisev. Alan. The carbon monoxide capacity, iron, and total nitrogen of dog hemoglobin, 109, 233 and -. Preparation and some properties of dried hemo-114, lxxiii globin, - and —. The preparation of hemoglobin in a dry and active 117,693 state. See WILLIAMS and Mor-RISON, 119, cv - and Williams, Edward F., Jr.

Acid properties of hemin and ferrihemic acid. 123. lxxxvii See WILLIAMS and Mor-123, exxix RISON, Morse, Minerva, Schlutz, Frederic W., and Hastings, A. Baird. Acidosis as a factor of 105. lxiv fatigue in dogs. and --. Some effects of fatigue onthe acid-base balance of the blood serum of the normal dog, 109, lxix - and -. Dehydration as a factor influencing the concentration of serum chloride, base, and protein of the normal dog during exercise,

114, lxxiv and —. The influence of kidney excretion upon the concentration of serum chloride and base of the dog during exercise, 119, lxxi and -. Effects of brief.

vigorous exercise on the electrolyte pattern of the blood serum of the dog.

123, lxxxvii Mortimer, В. See RONY. MORTIMER, and IVY,

102, 161 Mover, Paul. See Boyn and 110, 457 Mover. Moxon, Alvin L. See FRANKE and Moxon. 105, 415 Mover, Laurence S., and Abels, Julius C. Electrokinetic aspects of surface chemistry. II. Electrokinetic theory in the calculation of the charge of proteins, 121, 331

Electrokinetic aspects III. surface chemistry.

122, 641

119,617

Electrokinetic aspects of surchemistry. V. Electric face mobility and titration curves of proteins and their relationship to the calculation of radius and molecular weight, 123, 391 See Cox and Mueller, Arthur J. MUELLER, 114. xxii - and Cox, Warren M., Jr. The effect of changes in diet on the volume and composition of rat milk. 119, lxxii - and -. Rat milk fat as affected by lipids in the diet. 123, lxxxviii Müller, Eugen, and Page, Irvine H. The preparation of aliphatic cholesteryl ethers and cholesterilene. 101, 127 Mueller, J. Howard. Pimelic acid as a growth accessory for the diphtheria bacillus, 119, 121 Nicotinic acid as a growth accessory for the diphtheria bacillus. 120, 219 The utilization of carnosine by the diphtheria bacillus, 123, 421 Mull, James W. See Bowman, VISSCHER, and MULL, 109, xi Munch, R. H. See SIDWELL, Munch, Barron, and Hog-123, 335 NESS. Munday, Betty. See SEIBERT and MUNDAY. 101,763

comparison of the microscopic

and moving boundary methods

- and Abramson, Harold A.

of electrophoresis.

Munford, Samuel A. See HUB-BARD, MUNFORD, and TYNER, 101, 781 Munro, Muriel Platt. See WOODWARD, Munro, and SCHROEDER. 109, 11 See Schroeder, Munro, 110, 181 and Weil. Muntwyler, Edward. See MYERS, MUNTWYLER, BINNS, and DANIELSON, 102, 19 -. See Bowman and Munt-114, xiv WYLER. See PILLEMER. ECKER. Myers, and Muntwyler, 123, 365 Murlin, John R. See PIERCE, NASSET, and MURLIN, 108, 239 Murphy, Elizabeth A. See EVANS. LEPKOVSKY, and MURPHY, 106, 431, 441, 445 107, 429, 439, 443 See EVANS, MURPHY. ARCHIBALD, and CORNISH, 108, 515 Murray, Ronald B. See Boyn and Murray, 117,629 Murray, Sheila. See DEUEL, HALLMAN, Burrs, and MURRAY, 116,621 See DEUEL, BUTTS, BLUN-DEN, CUTLER, and KNOTT, 117, 119 See DEUEL, HALLMAN, and 119, 257, xxii MURRAY. See DEUEL, HALLMAN, MURRAY, and SAMUELS, 119,607 See DEUEL, BUTTS, HALL-MAN, MURRAY, and BLUNDEN, Murray, Sheila-continued See KENDALL, MASON. See MURRAY, McKenzie, and Myers, DEUEL. HALLMAN, and TYLER, 109, p. l 120, 277 See KENDALL, Mason, See DEUEL, BUTTS, HALL-Myers, and Allers, MAN, MURRAY, and BLUNDEN, 114, lvii 123, 257 See Mason, Myers, and KENDALL, 114,613 See DEUEL, HALLMAN, and See Mason, Myers, and MURRAY, 123, xxix KENDALL, 124, 385 116, 267 Myers, Victor C. See EVELETH, See DEUEL. HALLMAN, BING, and MYERS, 101, 359 Murray, and Hilliard, -, Muntwyler, Edward, Binns, 125, 79 Murrell, Florence C. See WES-Dorothy, andDanielson, SON and MURRELL. 102, 303 Wayne H. The colorimetric estimation of the hydrogen ion 105, xcix See LEVENE concentration of blood, Muskat, Irving E. and Muskat, 105, 431 102, 19 See Bing, Saurwein, and 106, 761 Musser, Ruth. See CARR, MUS-MYERS, 105, 343 See BING, HANZAL, and SER, SCHMIDT, and KRANTZ, MYERS. 109, viii 102, 721 —. See EVELETH and MYERS. Musulin, R. R., Woodward, Gladys E., Silverblatt, Ethyl, 113, 449, 467 and King, C. G. The vitamin - and Mangun, George. The potassium content of muscle C content of tumor tissue, 114, lxxiv and its possible relation to muscle creatine, - and King, C. G. Metaphos-114, lxxv phoric acid in the extraction See Andes and Myers, and titration of vitamin C, 118, 137 See PILLEMER, ECKER, 116, 409 Myers, and Muntwyler, Muus, Jytte, Bessey, Otto A., 123, 365 Hastings, and A. Baird. Effect of lactoflavin and vita-- See Mangun and Myers, min B6 deficiency on tissue 123, lxxix metabolism, 119, lxxii N Mydans, W. E. See CONANT, Naiman, Barnet. See HARROW DERSCH, and MYDANS, and NAIMAN, 105, xxxv 107, 755 Nash, Thomas P., Jr. See LAUG Myers, Charles S. See Kenand Nash, 108, 479 DALL. Mason, McKenzie,

105, xlv l

Myers, and Koelsche,

Nasset, E. S. See

NASSET, and MURLIN,

PIERCE,

108, 239

Natelson, Samuel, Sobel, Albert	Nelson, John W. See CARTLAND
E., and Kramer, Benjamin.	and Nelson, 119, 59
Salts of ergosteryl sulfate:	Nelson, Norton. See Robinson,
preparation and antirachitic	Price, Hogden, Nelson, and
activity on irradiation in aque-	Cullen, 114, lxxxiv
ous medium, 105, 761	Nelson, Victor E. See Keil and
— and —. A new method for	Nelson, 106, 343
the separation of sterols from	Neurath, Hans, and Bull, Henry
vitamin D-containing mate-	B. The denaturation and
rials, 109, 687	hydration of proteins. I,
See DREKTER, SOBEL, and	115, 519
NATELSON, 114, XXVIII	See Bull and Neurath,
See Sobel, Drekter, and	118, 163
NATELSON, 114, xcvi	125, 113
115, 381	Neuwirth, Isaac. Fluctuations
See DREKTER, SOBEL, and	of the blood sugar in vitro,
NATELSON, 115, 391	104, 129
Neale, Sarah. See Cox,	Sugar content of heparin-
103, 777	ized and oxalated plasmas,
Neglia, F. J., Hess, W. C., and	120, 463
Sullivan, M. X. The cystine	Newburgh, L. H. See JOHNSTON
content of acid- and alkali-	and Newburgh, 109, xlv
prepared glutenin, 125, 183	119, liv
Nelson, C. Ferdinand, and	Newman, Ethel S. See FERRY,
Stoker, Ruth. The hemo-	Cohn, and Newman,
globin concentration and red	109, xxxii
cell count of healthy men,	114, xxxiv
114, lxxvi	Newman, M. S. See Anderson
Nelson, E. K. See Markley,	and Newman,
Nelson, and Sherman,	101, 499, 773
118, 433	- and Anderson, R. J. The
Nelson, E. M. See KLINE,	chemistry of the lipids of
Tolle, and Nelson,	yeast. I. The composition of
123, lxix	the acetone-soluble fat,
Nelson, J. M. See Lutz and	102, 219
Nelson, 107, 169	- and II. The composition
—. See SAUL and NELSON,	of the phospholipids,
111, 95	102, 229
—. See Graubard and Nelson,	See Anderson and New-
111, 757	MAN, 103, 197, 405
112, 135	—, Crowder, J. A., and Anderson,
—. See Wagreich and Nelson,	R. J. The chemistry of the
115, 459	lipids of tubercle bacilli.
113, 409	intras or emperere pacific.

Newman, M. S .- continued XXXVIII. A new synthesis of phthiocol, the pigment of the human tubercle bacillus,

105, 279

See Anderson, Crowder, NEWMAN, and STODOLA,

> 113, 637 114, iii

See FIESER and NEWMAN, 114, 705

Newton, Edith R. See Corley, TRIPP, and NEWTON,

109, xxiii

Newton, Eleanor B. A chromogenic tungstate and its use in the determination of the uric acid of blood. 120, 315

Newton, Joseph K. See MAT-THEWS, NEWTON, and BLOOR. 108, 145

Ney, Luman F., and West, Edward S. A potentiometric adaptation of the Shaffer-Hartmann sugar method,

114, 547

See WEST and NEY.

119, cii

Nice, Margaret. Urea clearance during normal pregnancy,

109, lxix

Nielsen, Ernest K. See Corley, Wolf, and Nielsen,

123, xxvi

Niemann, Carl, Schoeffel, Eugene, and Link, Karl Paul. Substituted hydrazine derivatives of the hexuronic acids. Phenylhydrazine and p-bromophenylhydrazine derivatives of d-galacturonic acid and p-bromophenylhydrazine derivatives of d-mannuronic acid,

101, 337

-, Karjala, Sulo, and Link, Karl Paul. Synthesis of the hexuronic acids. III. The synthesis of dl-alluronic acid from allomucic acid, 104, 189

- and Link, Karl Paul. Synthesis of the hexuronic acids. IV. The synthesis of d-galacturonic acid from d-galactose,

104, 195

- and -. The composition of an aldobionic acid from flaxseed mucilage. 104, 205

-, McCubbin, Robert J., and Link, Karl Paul. Synthesis of the hexuronic acids. V. The synthesis of *l*-mannuronic acid from l-mannosaccharic acid. 104, 737

- and Link, Karl Paul. Synthesis of the hexuronic acids. VI. The synthesis of l-galacturonic acid from l-galactose,

104, 743

- and -. VII. The synthesis of l-glucuronic acid and the resolution of dl-galacturonic acid. 106, 773

-, Roberts, R. H., and Link, Karl Paul. The isolation and characterization of a starch polysaccharide from the woody tissue of the apple tree (Malus 110, 727 malus).

See Bergmann and Nie-115, 77 MANN,

-, Anderson, Arthur B., and Link, Karl Paul. The isolation and characterization of a starch polysaccharide from the leaf tissue of the apple tree (Malus malus),116, 447 See BERGMANN and NIE-MANN, 118, 301, 781 122, 577

Nimmo, Charles Colvin. See Luck and Nimmo, 119, lxv Nims, Leslie Frederick, and Smith, Paul K. The ionization of dl-alanine from twenty to forty-five degrees,

101, 401

- and -. The ionization of lactic acid from zero to fifty degrees. 109, lxx 113, 145

SAHYUN,

Nixon, Arthur. See GOODELL, and NIXON,

117,685

Norris, Earl R., and Rao, D. A. Rama. Phosphatases of marine invertebrates.

108, 783

Norris, L. C. See Gallup and Norris. 119. xxxvi Northrop, John H. See CAL-VERY, HERRIOTT, and North-ROP,

109, xvi 113, 11

Nugent, R. L., and Towle, L. W. The specific gravity of synthetic solutions of serum albumin and serum globulin,

104, 395

Nutter, Pauline. See Sands and NUTTER, 110, 17

O

Oberst, Fred W. The determination of sodium in human red blood cells. 108, 153 - and Plass, E. D. Water distribution in the blood of pregnant and non-pregnant women, 109, lxxi

- and Woods, E. B. Studies in glutathione. II. Relation between reduced and oxidized glutathione and the oxygen content and capacity of blood,

111, 1

Studies inglutathione. III. The disappearance of glutathione added to various solutions and biological fluids,

111, 9

The determination of morphine in the urine of drug addicts, 123, lxxxix

O'Brien, Brian, McEwen, H. Douglas. and Morgareidge, Kenneth. Vitamin D potency of irradiated milk as a function of energy input, 119, lxxiii

O'Brien, Helen. See STADIE and O'BRIEN, 103, 521

109, lxxxvii

112, 723

117, 439

Odell, Arthur Duston, and Marrian, Guy Frederic. Some observations on the constitution of the "pregnanetriol" occurring in the urine of pregnant 125, 333

Okey, Ruth, Gillum, Helen L., and Yokela, Edith. Factors affecting cholesterol deposition in the tissues of rats. I. Differences in the liver lipids of males and females.

107, 207

- and -. The effect of undernutrition and of specific vitaOkey, Ruth—continued min deficiency on the liver lipids of cholesterol-fed rats,

109, lxxii

—, Godfrey, Lois Stewart, and Gillum, Frances. The effect of pregnancy and lactation on the cholesterol and fatty acids in rat tissues, 124, 489

Olcott, H. S., and Mattill, H. A. Vitamin E. I. Some chemical and physiological properties, 104, 423

 Some chemical properties of vitamin E,
 105, lxv

 Vitamin E. II. Stability of concentrates toward oxidizing and reducing reagents,

107, 471

—. The absorption spectrum and other properties of vitamin E, 109, lxxii

—. Vitamin E. III. Evidence for the presence of a hydroxyl group. The biological utilization of esters. Absorption spectrum, 110, 695

— and Mattill, H. A. Vitamin E and early growth,

114, lxxvii

 Paralysis in the young of vitamin E-deficient female rats, 119, lxxiv

Oleson, J. J. See Elvehjem, Koehn, and Oleson,

114, xxxi 115, 707

---. See BIRD and OLESON,

123, xi

Olmsted, W. H., Curtis, George, and Timm, O. K. Stool volatile fatty acids. IV. The influence of feeding bran pentosan and fiber to man,

108, 645

-. See Williams and Olmsted, 108, 653

Olson, Kenneth B. See CHAR-GAFF and OLSON, 122, 153 Oncley, J. L. See FRIEND, FERRY, and ONCLEY,

123, xxxix

Orcutt, F. S., and Seevers, M. H.

A method for determining the solubility of gases in pure liquids or solutions by the Van Slyke-Neill manometric apparatus,

117, 501

— and Waters, R. N. A method for the determination of cyclopropane, ethylene, and nitrous oxide in blood with the Van Slyke-Neill manometric apparatus, 117, 509

Orent, Elsa R., Kruse, H. D., and McCollum, E. V. Studies on magnesium deficiency in animals. VI. Chemical changes in the bone, with associated blood changes, resulting from magnesium deprivation,

106, 573

-. See ITTER, ORENT, and McCollum,

108, 571, 579, 585

van Ormondt, Johannes. Studies in the physical chemistry of lipopeptides. I,

Orr, J. H. See Boyd, Orr, and Reed, 124, 409

Orten, James M., and Smith, Arthur H. Inorganic salts in nutrition. VIII. Variations in the proportion of reticulo-

Authors cytes in the blood of rats re-Ouer, Roy A. See Lepkovsky. ceiving a diet deficient in inorganic salts, 105, 181 — and —. Changes in cells and pigment in the blood after realimentation of rats on a low salt ration. 105, lxvi and ---. Precursors endogenous citric acid. 114, lxxviii KIRK, - and -. A study of certain metabolites and related com-SLYKE, pounds as precursors endogenous critic acid, 117, 555 - and -. Rate of citric acid formation following the injection of the sodium salts of certain dicarboxylic acids, 119, lxxiv The reticulocyte as an index to hematopoiesis in the albino rat, 123, lxxxix See SMITH and ORTEN. 124, 43 Osborn, W. O. See McCul-LAGH, OSBORN, and OSGARD, 123, lxxxi Osburn, O. L., Brown, R. W., and Werkman, C. H. The butyl

alcohol-isopropyl alcohol fer-

LAGH, OSBORN, and OSGARD,

Osgard, Bertha. See McCul-

121,685

123, lxxxi

123, lviii

124, 347

124, 767

119, xcii

See Mor-

See HOFFMAN

mentation.

Osgood, Bess.

OTIS.

and Osgood,

Osheroff, William.

gulis and Osheroff,

Otis, Louise. See Smith and

OUER, and EVANS. 108, 431 P Padis, Kively E. See Shinohara and Padis, 112, 697, 709 Page, Irvine H. See MÜLLER and PAGE, 101, 127 See Van Slyke, Page, and 102, 635 See Kirk, Page, and Van 105, xlvii 106, 203 —, Kirk, Esben, Lewis, William H., Jr., Thompson, William R., and Van Slyke, Donald D. Plasma lipids of normal men at different ages, 111,613 -, Farr, Lee E., and Weech, A. A. The effect of prolonged low protein diet on the serum lipids of dogs, 121, 111 Page, J. W. See Booher, BLODGETT, and PAGE, 1**07**, 599 Painter, E. Page, and Franke, Kurt W. Selenium in proteins from toxic foodstuffs.

III. The removal of selenium from toxic protein hydroly-111,643 - and -. A comparison between the Benedict-Denis and Parr bomb methods for the determination of total sulfur in plants and proteins, 114, 235

Palmer, A. H. The preparation of a crystalline globulin from the albumin fraction of cow's milk, 104, 359 -. See LEVY and PALMER, 123, lxxiv Palmer, A. H.—continued - and Levy, Milton. The dipeptidase of chick embryo extracts, 123, xc Palmer, John W. See MEYER and PALMER, 107, 629 109, lxv - and Meyer, Karl. Estimation of amino sugar, 109, lxxiii See MEYER, THOMPSON, PALMER, and KHORAZO, 113, 303 See MEYER, PALMER, THOMPSON, and KHORAZO, 113, 479 See MEYER and PALMER, 114, lxviii, lxix, 689 See MEYER, SMYTH, and 119, 73, lxix PALMER, -, Smyth, Elizabeth M., and Meyer, Karl. On glycoproteins. IV. The estimation of hexosamine, 119, 491 See MEYER, PALMER, and 119,501 SMYTH, Palmer, Leroy S. See Mason and PALMER, 107, 131 Biological assay of vitamin E: application to wheat germ and wheat germ oil, 119, lxxv Palmer, Walter W. See HEIDEL-BERGER and PALMER, 101, 433 See FOSTER, PALMER, and 115, 467 LELAND. Leland, Jessica P., and Gutman, Alexander B. microdetermination of thyroxine in the thyroid gland of the 125,615 new-born. Pangborn, Mary C., and Ander-

son, R. J. The chemistry of

the lipids of tubercle bacilli. XXXII. Isolation of trehalose the from timothy-grass bacillus, 101, 105 See Wadsworth and Pang-BORN, 116, 423 Papageorge, Evangeline, and Lewis, Howard B. mental alcaptonuria in the white rat, 119, lxxvi - and -. Comparative studies of the metabolism of the amino acids. VII. Experimental alcaptonuria in the white rat, 123, 211 Pappenheimer, Alwin M. GOETTSCH and PAPPENHEIMER, 114, xl, 673 Pappenheimer, Alwin M., Jr. Diphtheria toxin. I. Isolation and characterization of a toxic protein from Corynebacterium diphtheriæ filtrates, 120, 543 II. The action of ketene and formaldehyde, 125, 201 Paquin, Felix, Jr. See HENDRIX and PAQUIN. 114, xlix and Anderson, William E. Factors influencing the distribution and character of adipose tissue in the rat. III. The effect of thyroglobulin and of thyroxine, 114, lxxix See HENDRIX and PAQUIN, 124, 135 See LEASE Parsons, Helen T. and Parsons, 105, p. l -, Janssen, Pearl, and Schoenleber, Florence. The effect on the toxicity of egg white of digestion with papain,

105, lxvii

See LEASE, KELLY, and PARSONS. 114, lxi A comparison of the antitryptic activity of egg white with its capacity to produce a characteristic nutritional disorder. 116,685 -, Lease, Jane G., and Johnson, Doris. The storage in the body organs of the factor protective against the injury due to dietary egg white, 119, lxxvii - and Johnson, Doris. New evidence that cooking egg white removes a harmful factor rather than creates a protective factor, 123, xci Patras, Mary C. See Tweedy, McNamara, Templeton, and 119, xcix PATRAS. Wilbur I. See DU Patterson, VIGNEAUD, DYER, JONES, and PATTERSON, 106, 401 See DU VIGNEAUD and PAT-109, 97 TERSON. - and du Vigneaud, Vincent. The synthesis of homocystine, 111, 393 See DU VIGNEAUD and PAT-114, 533 TERSON, -, Dyer, Helen M., and du The syn-Vigneaud, Vincent. di-N-methylhomothesis of cystine and N-methylmethionine and a study of their growth-promoting ability in connection with a cystinedeficient diet. 116, 277 - and du Vigneaud, Vincent. The synthesis of tetradeuterohomocystine and dideutero-123, 327 methionine,

Patton, A. R. The determination of glycine in proteins, 108, 267 Paul, Henry. See HELLER and PAUL. 105, 655 See Heller, Paul, and THOMPSON, 106, 357 See McCAY, TUNISON. CROWELL, and PAUL, 114, 259 Paul, W. D., and Gibson, R. B. A case of diabetes mellitus with remissions, autogenous hypoglycemia, and tolerance for low blood sugar, 123, xci Paxson, Newlin F. See HEP-BURN, PAXSON, and Rogers. 123, liv Pearl, Aaron. See SOBEL. PEARL, and KRAMER, 114, xcvii See Sobel, Pearl, Ger-CHICK, and KRAMER, 118, 47 Pearson, Olof H. See SALTER and Pearson. 112, 579 The reaction of cyanide with the hemocyanin of Limulus polyphemus, 115, 171 Pearson, P. B. Inorganic phosphorus of horse serum. The effect of age and nutrition, 106, 1 -, Elvehjem, C. A., and Hart, E. B. The relation of protein to hemoglobin building, 119, 749 Pedlow, J. T. See REINER,

SMYTHE, and PEDLOW,

113, 75

Pennington, W. D. See JENSEN, PENNINGTON. EVANS. and SCHOCK. 109, xliv 114, 199 Perkins, Marie E. See HELLER-MAN and PERKINS, 107, 241 112, 175 See STOCK, PERKINS, and 125, 753 HELLERMAN, Perla, David. See SANDBERG and Perla, 113, 35 Perlman, I., Ruben, S., and Chaikoff, I. L. Radioactive phosphorus as an indicator of phospholipid metabolism. I. The rate of formation and destruction of phospholipids in the fasting rat, 122, 169 See FRIES, RUBEN, PERL-MAN, and CHAIKOFF, 123, 587 See ENTENMAN. RUBEN. PERLMAN. LORENZ, and 124, 795 CHAIKOFF. Perlzweig, William A., Kondritzer, Albert A., and Bruch, Ernst. The solubility precipitation patterns of the serum proteins, 123, xcii Peters, Gustavus A., and Martin, Hugh E. The influence of temperature upon the vitamin C content of dog adrenals after death, 124, 249 Peters, John P. See Man and PETERS. 101,685 - and Man, Evelyn B. Lipoid-107, 23 chlorine in serum, - See EISENMAN, MACKENZIE, 116, 33 and PETERS, See EISENMAN, HALD, and 118, 289 PETERS. Peterson, D. H., Gallagher, T.

F., and Koch, F. C. The effect of acid hydrolysis on the yield of androgenic and estrogenic activities from human urine, 119, 185 -, -, and -. The effect of acid hydrolysis on the yield of androgenic activity human urine, 119, lxxvii -, Hoskins, W. H., Coffman, J. R., and Koch, F. C. The nature of the physiologically inactive form of androgens in human urine, 123, xciii Peterson, Ruth D. See Power. WAKEFIELD, and PETERSON. 105, lxvii Peterson, V. E. See GRAHAM, PETERSON, Houchin, TURNER, 122, 275 Peterson, W. H. See Johnson, Peterson, and Fred, 101, 145 See Johnson and Peterson. 112, 25 See Woolley and Peter-114, 85 SON, See Johnson, Johnson, and 116, 515 PETERSON, See Berger, Johnson, and 117, 429 PETERSON. See Woolley and Peter-118, 363 SON, 119, cvii 121, 507 122, 207, 213 See Christensen, Peterson, and Johnson, 123, xxi See QUACKENBUSH, STEEN-BOCK, and PETERSON, 123, xeviii

See BERGER, Johnson, and

PETERSON,

124, 395

Peugnet, Hubert B. See Urban and Peugnet, 119, ce Pfiffner, J. J., Swingle, W. W., and Vars, Harry M. The cortical hormone requirement of the adrenalectomized dog, with special reference to a method of assay, 104, 701—. See Wintersteiner, Vars, and Pfiffner, 105, ce Tyron, Vars, Harry M., and Taylor, A. R. Extraction studies on

106, 625

-- See Vars, Taylor, and Priffner, 106, 639

I. Methods of preparation,

the adrenal cortical hormone.

and Vars, Harry M. Extraction studies on the adrenal cortical hormone. III. Distribution studies, 106, 645

-. See Wintersteiner and Priffner, 109, c

—, Wintersteiner, Oskar, and Vars, Harry M. Chemical studies on the adrenal cortex. I. Fractionation studies on hormone concentrates,

> 111, 585 TER and

-. See WINTERSTEINER and Priffner, 111, 599

— and Wintersteiner, Oskar.

Chemical investigations on the cortical hormone of the adrenal gland, 114, lxxx

--- See WINTERSTEINER and Priffner, 116, 291

Phillips, Max, and Goss, M. J. The chemistry of lignin. X. Lignin from oat straw,

114, 557

— and —. XI. Lignin from wheat straw, 125, 241

Phillips, Paul H., and Stare, F. J.

The distribution of a reducing substance (vitamin C) in the tissues of fluorine-fed cows,

104, 351

—, Hart, E. B., and Bohstedt, G. The influence of fluorine ingestion upon the nutritional qualities of milk, 105, 123

— and Chang, Chang Y. The influence of chronic fluorosis upon vitamin C in certain organs of the rat, 105, 405

—, Stare, F. J., and Elvehjem, C. A. A study of tissue respiration and certain reducing substances in chronic fluorosis and scurvy in the guinea pig, 106, 41

— and Hart, E. B. The effect of organic dietary constituents upon chronic fluorine toxicosis in the rat, 109, 657

Phillips, Sammie. See Jones, Gersdorff, and Phillips,

122, 745

Picha, V. See McCullagh and Picha, 105, lix

-. See McCullagh,

107, 35

Pierce, H. B., Nasset, E. S., and Murlin, John R. Enzyme production in a transplanted loop of the upper jejunum,

108, 239

—, Haege, Lorraine, and Froeschle, Paul F. The determination of the rate of emptying of the rat stomach following intragastric administration of glucose solutions,

119, lxxviii

Pierce, H. B.—continued

- and -. The rate of carbohydrate absorption from the rat intestine, 123, xciii

- and Hartman, Ernest. Blood chemistry in human trichinosis,

123, xciv

Pierce, J. A., and Montgomery, Hugh. A microquinhydrone electrode: its application to the determination of the pH of glomerular urine of Necturus, 110, 763

application of the microquinhydrone electrode to the determination of the pH of the aqueous humor rachitic and normal rats.

111, 501

A capillary, non-penetrating microquinhydrone electrode,

117,651

The reaction of the epiphyseal cartilage in normal and rachitic rats, 124, 115

Pierose, Perry N. See Butts, CUTLER, and DEUEL.

105, 45

Pigott, Madeleine G. See HOLMES, PIGOTT, and CAMP-103,657 BELL, 105, xli

Pillemer, L. See Ecker, Pil-LEMER, MARTIENSEN, and WERTHEIMER,

123, 351, 359

-, Ecker, E. E., Myers, Victor C., and Muntwyler, Edward. Chemical and immunological studies of the effects of radiant energy and of oxidation on crystalline urease, 123, 365 Pillsbury, Donald M., and Kul-

char, George V. The use of the Hagedorn-Jensen method in the determination of skin glucose, 106, 351

Pincus. Gregory, Wheeler, Grace, Young, Genevieve, and Zahl, P. A. The colorimetric determination of urinary 116, 253 estrin.

Pizzolato, Philip. See BEARD, Boggess, and Pizzolato,

119, ix

- See BEARD and PIZZOLATO, 123, vii

Plass, E. D. See OBERST and 109, lxxi PLASS, Platt, Muriel E. See Schroe-

DER. WOODWARD, and PLATT, 101, 133

and Schroeder, E. F. I. The Glyoxalase. applicability of $_{
m the}$ manometric method to the study 104, 281 glyoxalase,

- and -. II. The distribution of glyoxalase in tissues of normal and cancerous albino 106, 179

Plazin, John. See VAN SLYKE and HILLER, 102, 499

Poe, Charles F., and Klemme, Dorothea E. A biochemical study of the fermentation of rare sugars by members of the colon and aerogenes groups of bacteria. II. Cellobiose,

109, 43

Poindexter, Charles A. See BRUGER and POINDEXTER,

101, 21

See Pomerene, Elizabeth. DOMINGUEZ and POMERENE. 104, 449

Poo, L. J. See Addis, Poo, LEW, and YUEN, 113, 497 - See Addis, Poo, and Lew, 115, 111, 117 116, 343 See Addis, KARNOFSKY, LEW, and Poo, 124, 33 Popper, William, Jr. See LEP-KOVSKY, POPPER, and EVANS, 108, 257 109, liv Post, Anna L. See BLATHER-WICK, MEDLAR, BRADSHAW, Post, and Sawyer, 103, 93 Potter, Kathryn Sue. See John-STIN and POTTER, 110, 279 Potter, V. R., and Elvehjem, C. A modified method for the study of tissue oxidations. 114, 495 - and -. The effect of inhibitors on succinoxidase, 117, 341 See BOYDEN and POTTER, 122, 285 See Lipschitz, Potter, and 123, 267 ELVEHJEM, 124, 147 See Am-Power, Francis W. BROSE, POWER, and SHERWIN, 101, 669 Power, Marschelle H., Wakefield, E. G., and Peterson,

The microdetermi-

105, lxvii

114, lxxx

nation of ethereal sulfate in

- and Keith, Norman M. Ex-

periments on the distribution

and renal excretion of sucrose

injected intravenously in dogs,

Ruth D.

blood serum,

—. A volumetric method for the determination of acacia in serum, lymph, and urine, 119, lxxviii

— and Wakefield, E. G. A volumetric benzidine method for the determination of inorganic and ethereal sulfate in serum, 123, 665

--, Wilder, Russell M., and Cutler, Hayden H. The concentrations of sodium, potassium, and chloride in plasma and urine during short periods of low sodium and elevated potassium intake, 123, xciv

Powers, Harry H., and Reis, Frederick. The effect of insulin in amino acid and urea nitrogen in laked and unlaked blood, 101, 523

Prebluda, H. J., and McCollum, E. V. A chemical reagent for the detection and estimation of vitamin B₁, 119, lxxix

Preisler, Paul W., and Hempelman, Louis H. Oxidation-reduction potentials of N-methyl-β-oxyphenazine (isomer of pyocyanine) and related substances. 114, lxxxi

—, Hill, Edgar S., Ronzoni, Ethel, and Young, Leslie. The oxidation-reduction potentials of the oxidation products of inositol, 123, xcv

Present, Clara H. See RUBIN, PRESENT, and RALLI,

121, 19

Presnell, A. K. The relation of vitamin D to skin respiration, 121, 5 Price, J. Waide. See Robinson. PRICE, and CULLEN.

> 106, 7 109, lxxiv 114, 321

- See Robinson, Price, Hog-DEN, NELSON, and CULLEN, 114, lxxxiv
- See Robinson, Price, and 119, lxxxiii HOGDEN, 120, 481
- -, Robinson, Howard W., and Hogden, Corinne G. The estimation of albumin and globulin in blood serum. II. Separation of fractions by centrifugation with the angle centri-123, xcvi
- Price, W. H. See GAEBLER and 114, xxxix PRICE, 121, 497
- Pucher, George W., Vickery, Hubert Bradford, and Wakeman, Alfred J. Determination of the acids of plant tissue. IV. A new method for the determination of malic acid. 105, lxviii
- See Vickery, Pucher, and CLARK, 109, 39
- See VICKERY and PUCHER, 113, 157
- -, Sherman, Caroline C., and Vickery, Hubert Bradford. A method to determine small amounts of citric acid in biological material, 113, 235
- -, Clark, Harold E., and Vickerv, Hubert Bradford. The acids rhubarb organic of (Rheum hybridum). Ι. the malic acid of rhubarb, with

- a note on the malic acid of tobacco leaves, 117, 599
- -, -, and -. II. The organic acid composition of the leaves, 117,605

PUCHER.

- See VICKERY, WAKEMAN, and LEAVEN-119, 369 WORTH.
- Wakeman, Alfred J., and Vickery, Hubert Bradford. The metabolism of the organic acids of the tobacco leaf during 119, 523 culture.
- -, Curtis, Lawrence C., and Bradford. Hubert Vickery, The red pigment of the root of the beet (Beta vulgaris). The preparation of betanin,

123, 61

-, -, and -. II. A method to determine betanin,

123, 71

- See VICKERY, PUCHER. LEAVENWORTH, and WAKE-125, 527 MAN,
- Pugsley, L. I. The vitamin A and D content of halibut and sable-fish visceral oil,

123, xcvii

- Pursell, Lee. See HELLER and 118, 549 Pursell, 119, xlvi
- Pyle, James J., Fisher, John H., and Clark, R. H. The effect of certain physiologically important materials upon kidney phosphatase, 119, 283

Q

Quackenbush, F. W., and Steenbock, H. Acrodynia and the essential fatty acids,

123, xcvii

-, -, and Peterson, W. H. The effects of acids upon carotenoids. 123, xcviii Quastel, H. J., and Wheatley, A. H. M. Observations on anaerobic glycolysis in brain, 119, lxxx The rela-Quick, Armand J. tionship between chemical structure and physiological response. IV. Conjugation salicylic acid with glycine and its action on uric acid excretion. 101, 475 The relationship of uric acid excretion to ketosis, lactic acid metabolism, and aromatic acids. 105, lxix -. The prothrombin in hemophilia and in obstructive jaun-109, lxxiii dice, The effect of exercise on the excretion of uric acid. With a note on the influence of benzoic acid on uric acid elimination in liver diseases, 110, 107 -. The coagulation defect in peptone shock and in sweet clover disease, 114, lxxxii The relation of the antithrombogens. heparin calcomine-fast pink, to the antithrombin normally occurring in blood, 119, lxxxi - and Leu, Madeline. Quantitative determination of prothrombin. 119, lxxxi Qualitative differences in the prothrombin, thromboplastin, and thrombin of different species, 123, xcix

Quinn, E. J. See Bessey, King, Quinn, and Sherman,

111, 115

\mathbf{R}

Rabinowitch, I. M., Dingwall, Andrew, and Mackay, F. H. Studies on cerebrospinal fluid. I. Chemical and spectrographic detection of lead,

103, 707

-, -, and -. II. The occurrence of lead in cerebrospinal fluid, 103, 725

-. See Ross and Rabinowitch, 111, 803

 Clinical and metabolic studies of the Eskimo, 114, lxxxii

Raby, E. C. See Bartholomew and Raby, 113, 655

Raiziss, George W., Severac, M., Moetsch, J. C., and Clemence, Leroy W. Therapeutic effect of diaminodiphenyl sulfide, diaminodiphenyl sulfone, and related compounds in the treatment of mice infected with β-Streptococcus hæmolyticus,

123, xcix

Rakieten, Nathan. See Himwich, Gildea, Rakieten, and DuBois, 113, 383

Ralli, Elaine P. See RUBIN, PRESENT, and RALLI,

121, 19

Randall, E. L. See CHRISTMAN and RANDALL, 102, 595
Randall, Lowell O. Chemical topography of the brain,

123, c 124, 481 Randall, Lowell O.—continued Razek, Joseph. See SUNDER-Changes in lipid composi-MAN and RAZEK, 114, civ tion of nerves from arterio-118, 397 sclerotic and diabetic subjects, Read, Lee S. See Dunn, Ross, 125, 723 103, 579 and READ, Rao, D. A. R. Rama. See Non-See Chaikoff, Larson, and RIS and RAO, 108, 783 READ, 109, 395 Rapoport, S. See Guest and Record, P. R. See BETHKE, RAPOPORT, 123, xlvii RECORD, and WILDER, 124, 599 112, 231 Rappaport, Friedrich, and Köck-Redemann, C. E. See Dunn, Molnar, Klara. An improve-REDEMANN, and SMITH, ment in the Van Slyke method 104, 511 for blood gas analysis, See Dunn, Smart, Rede-MANN, and SMITH, 104, 29 Ratner, S. See Schoenheimer. 105, xxiii FOSTER. RITTENBERG, and Reder, Ruth. See Gallup and RATNER, 123, cv REDER, 109, xxxvi Ravdin, I. S. See RIEGEL, RAV-Reed, G. B. See BOYD, ORR, DIN, and Rose, 120, 523 and REED, 124, 409 Reed, Howard S., and Dufrenoy, Ravin, A. Colorimetric deter-Jean. Histochemical analysis mination of acetone by the salicylaldehyde method, of plant tissues for iron and zinc by a combination micro-115, 511 Ray, G. B., and Blair, H. A. incineration and microanaly-The effect of varying concensis, 105, lxx trations of oxyhemoglobin on Rees, Francis M. See BRAUN and REES, its light absorption, 114, 415 111, 371 Reeves, E. В. See WEECH, REEVES, and GOETTSCH, Ray, Thomas W. A microchemical study of human biliary 113, 167 Reeves, Richard E., and Andercalculi. 111,689 Raymond, Albert L. See LEson, R. J. The chemistry of the lipids of tubercle bacilli. VENE and RAYMOND, 102, 317, 331, 347 XLVIII. The occurrence of and Levene, P. A. Thio phthiocerol in the wax from 105, lxx various strains of the human sugars, tubercle bacillus, See LEVENE and RAYMOND, 119, 535 - and -. XLIX. The colori-107, 75 107, 85 metric determination Thio sugars, Hexosemonophosphates. 119, 543 phthiocol, See Glucose-4-phosphate, ANDERSON. REEVES, and STODOLA, 121, 649 113, 375

See Anderson, REEVES, and CROWDER, 121,669 See Goebel and Reeves. 123, xlii 124, 207 THANN-Reichel, Max. See HAUSER and REICHEL, 113, 311 See THANNHAUSER, REICH-EL and GRATTAN, 121, 697 See THANNHAUSER, REICH-EL, GRATTAN, and MADDOCK, 121, 709, 715, 721, 727 124, 631 Reiner, L., Smythe, C. V., and Pedlow, J. T. On the glucose metabolism of trypanosomes (Trypanosoma equiperdum and Typanosoma lewisi), 113, 75 Reiner, Miriam. See SOBOTKA, REINER, and WEINER, 123, cxii Reinhold, John G. The nature of blood sterol. Evidence obtained by a study of the Liebermann-Burchard reaction, 105, lxxi See LETONOFF and REIN-114, 147 HOLD, - and Letonoff, T. V. A fermentable, zinc-precipitable reducing substance in blood in diabetic coma. 114, lxxxiii Reis, Frederick. See . Powers and Reis, 101, 523 Reiser, Raymond. The lipid analysis of human thoracic duct lymph, 120,625 - and Hanes, Frederic M. The effect of phospholipid ingestion upon the respiratory quotient in man, 123, ci

Reisinger, John A. See Walker and Reisinger, 101, 223
Remington, Roe E., and Lassek,
Arthur M. The response of goitrous rats to iodide administration, 119, lxxxii
Remp, Donald G. See Bing,
Benes, and Remp,

114, x

Renshaw, R. R., and Hotchkiss, H. T., Jr. Basis for the physiological activity of onium compounds. XIII. Betaine amides, 103, 183

— and Armstrong, W. D. Basis for the physiological activity of onium compounds. XIV. Aryl ethers of choline. I,

103, 187

Resnik, H., Jr. See Mason, Resnik, and Harrison,

109, lix

Rheinberger, Margaret B. The nitrogen partition in the urine of various Primates,

115, 343

Rice, Carl O. See CAVETT, RICE, and McCLENDON,

109, xvii 110, 673

-- See McClendon and Rice, 123, lxxxi

Richards, A. N., Bordley, James, 3rd, and Walker, Arthur M. Quantitative studies of the composition of glomerular urine. VII. Manipulative technique of capillary tube colorimetry, 101, 179

-. See Bordley and Richards, 101, 193

—. See Bordley, Hendrix, and Richards, 101, 255 Richards, A. N.—continued

See Westfall, Findley,
and Richards, 107, 661
See Hendrix, Westfall,

and Richards, 116, 735

—, Westfall, B. B., and Bott, P. A. Inulin and creatinine clearances in dogs, with notes on some late effects of uranium poisoning, 116, 749

Richards, Leah. See Downes and Richards, 110, 81

Richards, Llewellyn. See Anderson, Seigle, Krznarich, Richards, and Marteny,

121, 165

Richards, Marianna M. The effect of glycine upon the activity coefficient of glycine, egg albumin, and carboxyhemoglobin, 122, 727

Richards, Oscar W. The stimulation of yeast proliferation by pantothenic acid,

113, 531

Richardson, Luther R. See Hogan and Richardson,

109, xliii

-. See Hogan, Richardson, and Johnson, 119, p. 1

Richman, Eudice. See LEVINE and RICHMAN, 101, 373

Riddle, Oscar. See Bates and Riddle, 123, v

Ridout, Jessie H. See Best and Ridout, 114, ix

-. See BARRETT, BEST, and RIDOUT, 123, iii

Riegel, Byron, and du Vigneaud, Vincent. The isolation of homocysteine and its conversion to a thiolactone,

112, 149

Riegel, Cecilia, and Rose, Henry J. Determination of free and combined cholesterol in bile, 113, 117

—, Ravdin, I. S., and Rose, Henry J. Effect of bile with and without cholesterol esters on esterification of cholesterol in blood plasma, 120, 523

Riemenschneider, R. W., and Ellis, N. R. The component fatty acids of goat milk fat, 113, 219

— and —. The effect of ingested cottonseed meal upon the distribution of the constituent fatty acids of goat milk,

114, 441

--. See Spadola and Riemenschneider, 121, 787

Riising, Blanche M. See Bau-MANN, RIISING, and STEEN-BOCK, 107, 705

Risser, William. See Carter, Handler, Binkley, Fish-Back, Risser, and Weisiger, 123, xx

Rist, Carl E. See HILBERT and RIST. 117, 371

Ritchie, Walter S. See Hogan and Ritchie, 105, xxxix 107, 179

-. See Hogan, Guerrant, and Ritchie, 115, 659

Rittenberg, D. See Schoen-HEIMER and RITTENBERG,

111, 163

 and Schoenheimer, Rudolf.
 Deuterium as an indicator in the study of intermediary metabolism. II. Methods,

111, 169

-- See Schoenheimer and Rittenberg, 111, 175

 See Schoenheimer, Rittenberg, and Graff,

111, 183

—. See Schoenheimer and RITTENBERG, 113, 505 114, lxxxvii, 381

See Schoenheimer, Rit-

TENBERG, BERG, and ROUSSE-LOT, 115, 635

— and Schoenheimer, Rudolf.

Deuterium as an indicator in
the study of intermediary metabolism. VIII. Hydrogenation of fatty acids in the animal
organism, 117, 485

—. See Evans and Ritten-BERG, 119, xxxi

—. The biological synthesis of cholesterol as studied with the use of deuterium,

119, lxxxiii

—. See Schoenheimer and
Rittenberg, 120, 155

—, Schoenheimer, Rudolf, and Evans, E. A., Jr. Deuterium as an indicator in the study of intermediary metabolism. X. The metabolism of butyric and caproic acids. 120, 503

— and —. Deuterium as an indicator in the study of intermediary metabolism. XI. Further studies on the biological uptake of deuterium into organic substances, with special reference to fat and

cholesterol formation, 121, 235

 See Keston, Rittenberg, and Schoenheimer,

122, 227

 See Keston and Ritten-BERG, 123, lxviii

—, Foster, G. L., and Schoenheimer, Rudolf. Biological studies on amino acids with the aid of deuterium as an indicator, 123, cii

—. See Schoenheimer, Foster, Rittenberg, and Ratner, 123, cv

—. See Foster, Keston, Rittenberg, and Schoenheimer, 124, 159

Keston, Albert S., Schoenheimer, Rudolf, and Foster,
 G. L. Deuterium as an indicator in the study of intermediary metabolism. XIII.
 The stability of hydrogen in amino acids, 125, 1

 See Foster, Rittenberg, and Schoenheimer,

125, 13

—. See VAN HEYNINGEN, RIT-TENBERG, and SCHOENHEIMER, 125, 495

Robbins, Benjamin H., and Lamson, Paul D. Further studies on the proteolytic enzyme content of latex from the fig and related trees, 106, 725

Roberts, E. The effect of cysteine on hereditary hypotrichosis in the rat (Mus norvegicus), 118, 627

Roberts, R. H. See NIEMANN, ROBERTS, and LINK,

110, 727

Roberts, Richard G., Tweedy,
Wilbur R., and Smullen,
George H. Some reactions of
ammonolyzed parathyroid hormone, 112, 209

Roberts, Richard G.—continued - and Horvitz, Herman J. The effect of ammonolyzed foods on the growth of albino rats, 123, cii Roberts, Willard L., and Link, Karl Paul. A precise method for the determination of coumarin, melilotic acid, and coumaric acid in plant tissue, 119, 269 Robinson, C. S. See DUNCAN, HUFFMAN, and Robinson, 108, 35 The hydrogen ion concentration of the contents of the small intestine, **108**, 403 Robinson, E. J. See HEGNAUER and Robinson, 116, 769 - and Hegnauer, A. H. The water and electrolyte distribution between plasma and red blood cells following intraperitoneal injections of isotonic glucose, 116, 779 Robinson, Howard W., Price, J. Waide, and Cullen, Glenn E. Studies of the acid-base condition of blood. III. The value of pK' in the Henderson-Hasselbalch equation human and dog sera, determined with the Simms electrode, 106, 7 -, -, and -. Studies on the acid-base condition of blood. V. The influence of protein concentration on the colori-

blood serum.

metric pH determination of 109, lxxiv 114, 321 , -, Hogden, Corinne G.,

Glenn E. Studies on the acidbase condition of blood. VI. The changes in color and absorption curves of a phosphate buffer-phenol red solution on the addition of blood serum of various species, 114. lxxxiv -, -, and -. The estimation of albumin and globulin in blood serum. I. A study of the errors involved in the filtration procedure, 119, lxxxiii

120, 481 See PRICE, ROBINSON, and 123, xcvi Hogden. Robinson, S. See Dill, Ed-

wards, and Robinson, 123, xxx

Robscheit-Robbins, Frieda See DAFT, ROBSCHEIT-ROB-BINS, and WHIPPLE,

> 103, 495 108, 487 113, 391 121, 45 123, 87

Robson, George M. See Fitz-HUGH, ROBSON, and DRABKIN, 103, 617

Rodney, Gertrude, and Garner, R. L. The oxidative deamination of some structurally related aminopropionic acids by the liver and kidney tissues of 125, 209 the rat,

Roe, Joseph H., Gilman, Alfred, and Cowgill, George R. The effect of the ingestion of galactose upon the respiratory quotient of normal and depancreatized dogs. 105. lxxii

Nelson, Norton, and Cullen, -. A colorimetric method for the determination of fructose in blood and urine,

107, 15

—. A colorimetric method for the determination of ascorbic acid and a comparison of results obtained by this procedure and the dichlorophenol indophenol titration method, 109, lxxv

— and Hudson, C. S. The utilization of d-mannoheptulose (d-

zation of d-mannoheptulose (d-mannoketoheptose) by adult rabbits, 112, 443

—. The determination of ascorbic acid as furfural and a comparison of results obtained by this method and by indophenol titration, 116, 609

 Further studies of the metabolism of heptoses,

— and Hudson, C. S. Further studies of the physiological availability of heptoses,

121, 37

—. The determination of vitamin C as furfural through the 2,4-dinitrophenylhydrazine derivative of dehydroascorbic acid, with studies by this method, 123, ciii

Roepke, R. R., and Hughes, J. S.
Phosphorus partition in the
blood serum of laying hens,
108, 79

Rogers, Alan N. See HEPBURN, PAXSON, and ROGERS,

123, liv

- Rohdenburg, E. L. See WAD-DELL, 105, 711
- Rony, H. R., Mortimer, B., and Ivy, A. C. The source of the

lipids found in the thoracic duct lymph in fasting. Endogenous lipid secretion and reabsorption in the bowel,

102, 161

- Ronzoni, Ethel. See Kerly and Ronzoni, 103, 161
- and Kerly, Margaret. The disappearance of hexosephosphate from intact frog muscle, 103, 175
- and Ehrenfest, Ellen. The effect of dinitrophenol on the metabolism of frog muscle, 115, 749
- See PREISLER, HILL, RONZONI, and YOUNG, 123, xev
 Root, Raymond W. The combination of carbon monoxide with hemocyanin,

104, 239

- and Green, Arda Alden. The effect of acidity on the carbon monoxide-combining power of hemoglobin in the blood of marine fishes, 106, 545
- Rose, Anton R., Exton, William G., and Blacker, C. A method for determining iron in biological materials, 105, lxxiii
- and —. Determination of indican in urine,

109, lxxvi

- —, Schattner, Fred, and Exton, William G. Partition and determination of blood lipids, 119, lxxxiv
 - -. See Exton and Rose,

123, xxxv

- Rose, Henry J. See RIEGEL and Rose, 113, 117
- —. See RIEGEL, RAVDIN, and ROSE, 120, 523

Rose, Mary Swartz, Vahlteich, - See Gunther and Rose, Ella McCollum, and MacLeod, 123, 39 Grace. Factors in food influ-Rosenblatt, Max Barr. A chemical study of the blood of encing hemoglobin regeneration. III. Eggs in comparison Alligator mississippiensis, with whole wheat, prepared 116, 81 Rosenblum, Louis A. bran, oatmeal, beef liver, and The surface inactivation of catalase. beef muscle. 104, 217 109,635 Rose, William C. See MEYER Ross, Alan, and Rabinowitch, I. and Rose. 102, 461 The copper content of Further experiments upon urine of normal children, a new dietary essential present 111,803 in proteins, 105, lxxiii Ross, Frank J. See Dunn. See CALDWELL and Rose, Ross, and READ, 103, 579 107, 45, 57 See Dunn, Ross, and Stod-See Womack and Rose, 119, xxviii DARD. 107, 449 See Dunn and Ross, -, McCoy, Richard H., Meyer, 125, 309 Curtis E., Carter, Herbert E., Ross, John R., and Shaw, Mar-Womack, Madelyn, and Mertz, garet M. The effect of de-Edwin T. Isolation of the hydration on the pancreatic "unknown essential" present and intestinal enzymes, in proteins, 109, lxxvii **104,** 131 See Womack and Rose. — and Lucas, Colin C. A new 112, 275 method for the determination See McCoy, Meyer, and of minute amounts of lead in Rose. 112, 283 urine, 111, 285 Kemmerer, Kenneth S., Ross, William F. The spectro-Womack, Madelyn, Mertz, scopic identification of phenyl-Edwin T., Gunther, J. Kenalanine in protein material, neth, McCoy, Richard H., and 104, 531 Meyer, Curtis E. The present See ZERVAS, BERGMANN, status of the amino acids in and Ross, 111, 245 nutrition. 114, lxxxv See BERGMANN and Ross. -. See MEYER and Rose, 111,659 115, 721 114, 717 -. See Womack and Rose, Rothen, Alexandre. See Elder-116, 381 FIELD and ROTHEN, 106, 71 -. See McCoy and Rose, See LEVENE and ROTHEN,

117, 581

121, 403

MEYER.

See Womack, Kemmerer,

and Rose.

107, 533

107, 555

See Levene, Rothen, and

See Levene and Rothen, 111,739 See LEVENE, ROTHEN, and MARKER, 115, 253 See LEVENE, ROTHEN, and 115, 401 MEYER, See Levene and Rothen, 115, 415 116, 209 119, 189 See Levene, Rothen, and 120, 759, 777 KUNA, 121, 747 Rottschaefer, Ellen Schock, and Bethell, Frank H. Simultanestudies of the biollos osmotic pressure of the blood serum and changes in erythrocyte form during pregnancy, 114, lxxxv Roughton, F. J. W. The rapid thermochemistry of carbonic acid. 114, lxxxvi Rousselot, Louis. See SCHOEN-HEIMER, RITTENBERG, BERG, and Rousselot, 115, 635 Routh, Joseph I. The enzymatic hydrolysis of wool, 123, civ - and Lewis, Howard B. enzymatic digestion of wool, 124, 725 Ruben, S. See PERLMAN, RU-BEN, and CHAIKOFF, 122, 169 See FRIES, RUBEN, PERL-MAN, and CHAIKOFF, 123, 587 See ENTENMAN, RUBEN, PERLMAN, LORENZ, and

CHAIKOFF.

Rubin, Fay.

See

UPHAM, and RUBIN,

124, 795

108, 121

LANDAUER,

Rubin, S. H. See GREENWALD and Rubin, 114, xlv -, Present, Clara H., and Ralli, Elaine P. The liver lipids in normal dogs on different types of fat, with and without added lecithin, 121, 19 Rupel, I. w. See BAUMANN, STEENBOCK. BEESON. and RUPEL, 105, 167 Russell, F. H. See Anderson, Russell, and Seigle, 113, 683 Russell, Jane A. See FISHER, Russell, and Cori, 115, 627 Russell, Mary A. See Well and 106, 505 RUSSELL, Russell, Nellie M. See HUB-BARD and RUSSELL. 119, 647 Russell, Walter C., Taylor, M. W., and Wilcox, D. E. The fate of the antirachitic factor in the chicken. III. The distribution of the factor from cod liver oil and from irradiated ergosterol in certain tissues of the chicken, 105, lxxiv -, -, and -. III. The effective levels and the distribution

of the factor from cod liver oil and from irradiated ergosterol certain tissues of the chicken, 107, 735 -, -, and Duncan, Marion T. Bone growth in normal and rachitic rats, 119, lxxxv Rutenber, Charles В., Andrews, James C. Studies on the Benedict-Denis procedure for the determination

Rutenber, Charles B.—continued of total sulfur in biological materials, 119, lxxxvi—and—. The applicability of the Benedict-Denis procedure to the determination of methionine sulfur, 120, 203

—. See Andrews, Andrews, and Rutenber, 123, iii

Rutz, Marshall H. See Cart-LAND, MEYER, MILLER, and RUTZ, 109, 213

Rymer, Marion Reinhardt, and Lewis, Robert C. Further study of the growth effect of the residue remaining after alcoholic extraction of yeast, 114, 361

S

Sachs, Adolph. See Levine, Sachs, and Fabian,

119, lxiii

Sadusk, Joseph F., Jr. See Ball and Sadusk, 113, 661
Sahyun, Melville. Some observations on blood phosphate, 101, 295

--. The determination of glycogen, 103, 203

—. Studies on growth factors; their effect on the growth of certain pathogens, and their effect on Escherichia coli,

109, lxxviii

and Feldkamp, Rolland F.
 The determination of zinc in biological material,

116, 555

—, Goodell, M., and Nixon, Arthur. Factors influencing the stability of insulin,

117, 685

Saifer, Abraham, and Kornblum,
Morris. Determination of
chlorides in biological fluids by
the use of adsorption indicators. The use of dichlorofluorescein for the volumetric
microdetermination of chlorides in cerebrospinal fluids and
blood serum, 112, 117
— and —. Determination of

— and —. Determination of chlorides in biological fluids by the use of adsorption indicators. The use of diphenylamine blue for the volumetric microdetermination of chlorides in urine and blood filtrates, 114, 551

— and Hughes, James.
Dioxane as a reagent for qualitative and quantitative determination of small amounts of iodide. Its application to the detection of iodide in iodized salt,

118, 241

— and —. Dioxane as a reagent for qualitative and quantitative determination of small amounts of iodide. Its application to the detection of iodide in iodized salt. A correction, 121, 801

Salisbury, L. Frank, and Anderson, R. J. The chemistry of the lipids of yeast. III. Lecithin and cephalin,

112, 541

 The lipids of Connecticut shade-grown tobacco seed,

117, 21

Salit, Peter Waldemar. Calcium content of the aqueous and vitreous humors and serum,

104, 275

Salmon, W. D. The effect of certain oils in alleviating localized erythematous dermatitis (acrodynia or vitamin B6 deficiency) in rats, 123, civ Salomon, Kurt. See Stern and 122, 461 SALOMON, Salter, William T., and Pearson, Olof H. The enzymic synthesis from thyroid diiodotyrosine peptone of an artificial protein which relieves myxedema, 112, 579 See Cohn, Salter, and 123, xxiv FERRY. Saltzman, Max. See Hollan-DER and SALTZMAN, 123, lix Samisch, Rudolf. The measurement of phenolase activity, 110,643 Samisch, Zdenka. See Morgan and Samisch, 105, lxiv MORGAN, See KIMMEL, THOMAS, and SAMISCH, 106, 531 See Morgan and Samisch. 108, 741 Samuels, Leo T. See Gulick, SAMUELS, and DEUEL, 105, 29 See DEUEL, HALLMAN, MURRAY, and SAMUELS, 119,607 S. See Samuelsen, George HALEY and SAMUELSEN, 119, 383 Sandberg, Marta, and Perla, David. Nitrogen and sulfur metabolism in suprarenalectomized rats. 113, 35 Sando, Charles E. See Mark-LEY and SANDO, | 101, 431

-. See Matlack and Sando, 104, 407

—. See Markley and Sando, 105, 643

—, Milner, R. T., and Sherman, Mildred S. Pigments of the Mendelian color types in maize. Chrysanthemin from purple-husked maize,

109, 203

See Markley, Hendricks,
 and Sando, 111, 133

—, Markley, K. S., and Matlack, M. B. Some chemical constituents of flowering dogwood (Cornus florida), 114, 39

 Coloring matters of Grimes Golden, Jonathan, and Stayman Winesap apples,

117, 45

—. See Markley and Sando, 119,641

 See Markley, Sando, and Hendricks, 123, 641
 Sands, Lila, and Gary, Wilbur Y.

The hemicelluloses of mesquite wood, 101, 573

and Nutter, Pauline. The hemicelluloses extracted from mesquite wood after chlorination,
 110, 17

Sandstedt, R. M. See Blish and Sandstedt, 118, 765

Saper, E. See Hollander, Bodecker, Saper, and Apple-BAUM, 105, xl

Saul, Everett L., and Nelson, J. M. The influence of proteins on the activity of yeast invertase, 111, 95

Saunders, Donald H. See WILLIAMS and SAUNDERS,

105, xcix

Saurwein, Esther M. See Bing, SAURWEIN, and MYERS, 105, 343 Sawver. Susan D. See BLA-THERWICK, MEDLAR, BRAD-SHAW, POST, and SAWYER, 103, 93 See BLATHERWICK, BRADshaw, Ewing, Larson, and SAWYER, 111,537 See Blatherwick, Brad-SHAW, CULLIMORE, EWING, LARSON, and SAWYER, 113, 405 See BLATHERWICK, BRAD-SHAW, and SAWYER, 114, xii See LARSON, BLATHERWICK, BRADSHAW. EWING. and SAWYER, 117, 719 123, lxxiii Schaefer, Werner. See CHAR-GAFF and SCHAEFER, 109, xix 112, 393 Schaffer, Norwood K., and Lee, Milton. The effect of the anterior pituitary growth hormone on protein metabolism, 108, 355 Schaible, Philip J., Bandemer, S. L., and Moore, J. M. Mineral partition during intestinal digestion. 109, lxxix Schantz, E. J., Elvehjem, C. A., and Hart, E. B. The relation of fat to the utilization of lactose in milk, 122, 381 Schattner, Fred. See Rose and EXTON, 109, lxxvi See Rose, Schattner, and EXTON, 119, lxxxiv

Schiefelbusch, Anna T. See Coons, Coons, and Schiefel-BUSCH. 104, 757 Schiltz, Lee R., and Carter, Herbert E. Synthesis serine, 116, 793 Schleich, H. See BERGMANN, ZERVAS, FRUTON, SCHNEIDER, and Schleich, 109, 325 Schlenker, Frank S. The quantitative microanalysis of plant juice for reducing sugars and sucrose, 102, 29 Non-sugar reducing substances in plant juices,

Schlutz, Frederic W. See
Morse, Schlutz, and Hastings, 105, lxiv

-. See Morse and Schlutz, 109, lxix -. See Knott and Schlutz,

114, lix
—. See Morse and Schlutz,

114, lxxiv
—. See Knott and Schlutz,

119, lviii —. See Morse and Schlutz, 119, lxxi

123, lxxxvii Schmelkes, Franz C. See

Guiteras and Schmelkes, 107, 235

Schmidt, Carl L. A. See Greaves and Schmidt,

102, 101
—. See Dalton and Schmidt,
103, 549

--- See Czarnetzky and Schmidt, 105, 301

--. See Jukes and Schmidt, 105, 359

See Greaves and Schmidt, 105, xxxi See ZITTLE and SCHMIDT. 108, 161 See Dalton and Schmidt, 109, 241 See Jukes and Schmidt, 110, 9 See MEHL and SCHMIDT, 114, lxvii See LINDQUIST and SCHMIDT, 119, lxiii Schmidt, Clarence F., Jr. The formation of fatty acids from glucose by Aspergillus niger, 110, 511 Schmidt, E. G., Schmulovitz, Maurice J., Szczpinski, A., and Wylie, H. Boyd. The phenol and imidazole content of the blood, 120,705 The determination sulfanilamide in tungstic acid blood filtrates by means of β -naphthoquinone-4sodium sulfonate, 122, 757 Schmidt, Jacob E. See CARR, Musser. SCHMIDT, and KRANTZ, 102, 721 Schmidt, L. H., and Bradford, H. A. Preliminary report on the influence of thyroxine injections on the lipid content of blood and tissues, 105, lxxv The nature of the difference in phospholipid content of oxalated and heparinized plasma, 109, 449

The secretion of sodium

119, lxxxvii

cholate into the bile as affected

Schmidt, Marguerite M. See

by thyroxine,

KRUSE, SCHMIDT, and Mc-106, 553 Collum. Schmulovitz, Maurice J., and Wylie, H. Boyd. The chemical estimation of theelin with diazobenzenesulfonic acid. 116, 415 See SCHMIDT, SCHMULOVITZ, Szczpinski, and Wylie, 120, 705 Schneider, Burch H. The subdivision of the metabolic nitrogen in the feces of the rat, swine, and man, 109, 249 Schneider, F. See BERGMANN, ZERVAS, FRUTON, SCHNEIDER, and Schleich, 109, 325 See BERGMANN and ZERVAS, 113, 341 Schneider, H., and Steenbock, Differences in response to vitamin D₂ of rats on cereal low phosphorus diets and synthetic low phosphorus diets, 123, cv Schock, Ellen D. See CALVERY and Schock, 109, xvi See JENSEN, EVANS, PEN-NINGTON, and Schock, 109, xliv -, Jensen, H., and Hellerman, Leslie. The inactivation of insulin. The effects of certain metal derivatives and of sulfhydryl compounds, 111, 553 See CALVERY and Schock, 113, 15 -. See Calvery, Block, and SCHOCK. 113, 21

See JENSEN, EVANS, PEN-

114, 199

NINGTON, and SCHOCK,

170Schoeffel, Eugene. See NIE-MANN, SCHOEFFEL, and LINK, 101, 337 Schoenbach, E. B. See CONANT, Chow, and Schoenbach, 101, 463 Rudolf, Schoenheimer, and Breusch, Fritz L. Synthesis and destruction of cholesterol in the organism, 103, 439 - and Hilgetag, Guenter. The occurrence and secretion mechanism of cetyl alcohol in the animal organism, 105, 73

The presence of cholesterol in the feces. 105, 355

The significance of cetyl alcohol in the organism,

105, lxxvi

- and Sperry, Warren M. A micromethod for the determination of free and combined 106,745 cholesterol.

- and -. Sterol secretion and formation, coprosterol

107, 1

and Dam, Henrik. Specificity of sterol absorption, 109, lxxix

See Sperry and Schoen-109, lxxxvi HEIMER,

The action of iodides on sterol dibromides and the preparation of cholestenone, 110, 461

See Sperry and Schoen-HEIMER. 110,655 -, Dam, Henrik, and von Gott-

berg, Klemens. The absence of allocholesterol in the organism. 110,659 -, -, and -. The absorbability of allocholesterol,

110,667

- and Rittenberg, D. Deuterium as an indicator in the study of intermediary metabolism. I. 111, 163

See RITTENBERG and SCHOENHEIMER, 111, 169

and Rittenberg, D. Deuterium as an indicator in the study of intermediary metabolism. III. The rôle of the fat tissues, 111, 175

-, -, and Graff, M. Deuterium as an indicator in the study of intermediary metabolism. IV. The mechanism of coprosterol formation,

111, 183

and -. Deuterium as an indicator in the study of intermediary metabolism. V. The desaturation of fatty acids in the organism, 113, 505

- and -. Synthesis and destruction of organic molecules in the animal organism as measured with deuterium as an indicator, 114, lxxxvii

and -. Deuterium as an indicator in the study of intermetabolism. mediary Synthesis and destruction of fatty acids in the organism,

114, 381

See Anchel and Schoen-HEIMER, 114, 539

- and Evans, E. A., Jr. Allocholesterol and epiallocholes-114, 567 terol.

See Evans and Schoen-HEIMER. 115, 17 and Berliner, Frieda. The preparation of lithocholic acid from cholesterol, 115, 19

—, Rittenberg, D., Berg, Benjamin N., and Rousselot, Louis.

Deuterium as an indicator in the study of intermediary metabolism. VII. Studies in bile acid formation,

115,635

--. See RITTENBERG and Schoenheimer, 117, 485

Studies in the intermediate metabolism of the fatty acids with deuterium as an indicator,

119, lxxxvii

— and Rittenberg, D. Deuterium as an indicator in the study of intermediary metabolism. IX. The conversion of stearic acid into palmitic acid in the organism, 120, 155

— and Johnston, Charles G.
Lithocholic acid gallstones
from hog bile, 120, 499

 See RITTENBERG, SCHOEN-HEIMER, and EVANS,

120, 503
-. See Rittenberg and

—. See RITTENBERG and Schoenheimer, 121, 235

-. See Keston, Rittenberg, and Schoenheimer,

122, 227

 See RITTENBERG, FOSTER, and Schoenheimer,

123, cii

—, Foster, G. L., Rittenberg, D., and Ratner, S. Exploratory experiments on the application of the nitrogen isotope N¹⁵ to the study of intermediary metabolism, 123, cv

 See Foster, Keston, Rittenberg, and Schoenheimer, 124, 159

-. See BERLINER and Schoen-HEIMER, 124, 525

-. See Anchel and Schoen-HEIMER, 124, 609

—. See RITTENBERG, KESTON, SCHOENHEIMER, and FOSTER, 125, 1

 See Foster, Rittenberg, and Schoenheimer.

125, 13

—. See Anchel and Schoen-HEIMER, 125, 23

—. See VAN HEYNINGEN, RIT-TENBERG, and SCHOENHEIMER, 125, 495

Schønheyder, Fritz. The formation of coproporphyrin I and hemoglobin during embryonic life, 123, 491

Schoenleber, Florence. See Parsons, Janssen, and Schoenleber, 105, lxvii

Schoenleber, 105, lxvii Schormüller, A. See Levene and Schormüller,

> 103, 537 105, 547 106, 595

Schroeder, E. F., Woodward, Gladys E., and Platt, Muriel E. The relation of sulfhydryl to inhibition of yeast fermentation by iodoacetic acid,

101, 133

--. See PLATT and SCHROEDER, 104, 281

106, 179

-. See Woodward, Munro, and Schroeder, 109, 11

-, Munro, Muriel Platt, and Weil, Leopold. Glyoxalase.

Schroeder, E. F.—continued V. The enzymatic nature of kidney antiglyoxalase.

110, 181

— and Woodward, Gladys E.

The enzymatic hydrolysis of
glutathione by rat kidney,

120, 209

Schubert, Maxwell P. See Michaelis and Schubert,

106, 331

-. Combination of thiol acids with methylglyoxal,

111,671

—. Compounds of thiol acids with aldehydes, 114, 341

—. See Michaelis and Schu-Bert, 115, 221

—. The interaction of iodoacetic acid and tertiary amines, 116, 437

—. See Michaelis, Schubert, and Smythe, 116, 587

-. See Michaelis and Schu-Bert, 119, 133

 Reactions of semimercaptals with amino compounds,

121, 539

Schuette, H. A., Garvin, Thelma M., and Schwoegler, Edward J. The abdominal fat of the Western range horse,

107, 635

Schultz, Fred, and Hill, Robert M. The influence of environmental temperature on the body temperature-lowering properties of 1,5-diphenyl-pyrazoline-3-carboxylic acid, 123, cvi

Schultz, Harold W. The thermostability of some of the

components of the vitamin B complex in yeast,

119, lxxxviii

 and Mattill, H. A. Studies on the vitamin B complex,

122, 183

Schultze, M. O., and Elvehjem, C. A. The relation of iron and copper to the reticulocyte response in anemic rats,

102, 357

— and —. An improved method for the determination of hemo-globin in chicken blood,

105, 253

—, —, and Hart, E. B. The availability of copper in various compounds as a supplement to iron in hemoglobin formation, 106,735

—, —, and —. Further studies on the availability of copper from various sources as a supplement to iron in hemoglobin formation, 115, 453

—, —, and —. Studies on the copper and iron content of tissues and organs in nutritional anemia, 116, 93

—, —, and —. Studies on the copper content of the blood in nutritional anemia,

116, 107

— and —. Studies on the glutathione content of the blood in nutritional anemia, 116, 711

-. See LYMAN, SCHULTZE, and King, 118, 757

—. See Stotz, Harrer, Schultze, and King,

120, 129

-, Stotz, Elmer, and King, C. G. Studies on the reduction of de-

122, 395

HARRER.

SCHULTZE, and KING. 122, 407 Schwartz, Ruth. See Hamilton and Schwartz, 109, 745 Schwarz, Herman, and Lichtenberg, Henry H. Relationship of the blood cholesterol to the hemoglobin and serum protein, 121, 315 Schwarzenbach, G. See Mı-CHAELIS and SCHWARZENBACH, 123, 527, lxxxiv E. See WHIT-Schwenk. WINTERSTEINER, MAN. and SCHWENK, 118, 789 Schwob, Claude R., and Cerecedo, Leopold R. Studies on the oxidation of uracil in vitro, 105, lxxvi Schwoegler. Edward T. See SCHUETTE. GARVIN. and SCHWOEGLER, 107,635 -, Babler, Bernard J., and Hurd, Loren C. Copper selenite as a catalyst in the Kjeldahl nitrogen determination, 113,749 Scott, Aleita Hopping. Standard iodine solutions, 113, 511 An aeration method for determining lactic acid, 114, lxxxvii and Berg, Benjamin Blood lactic acid following the administration of insulin in without the adrenal cats 115, 163 medulla. Scott, D. A. See CHARLES and 102, 425, 431 SCOTT.

hydroascorbic acid by guinea

STOTZ.

pig tissues,

See

and Charles, A. F. Studies on heparin. III. The purification of heparin, 102, 437

-. See Fisher and Scott,

106, 289, 305

 and Fisher, A. M. The prolongation of insulin action by protamine and zinc,

114, lxxxviii

-- See Fisher and Scott, 119, xxxiii

Scott, F. H. See Bellis and Scott, 111,17

- See LEHMAN and Scott,

111, 43

Scudi, John V. The determination of sulfanilamide (p-aminobenzenesulfonamide) in biological media, 122, 539
Sealock, Robert Ridgely. See

Sealock, Robert Ridgely. See
DU VIGNEAUD, SIFFERD, and
SEALOCK, 102, 521

-. See DU VIGNEAUD, SEALOCK, and VAN ETTEN, 112, 451

See du Vigneaud, Irving,
 Dyer, and Sealock,

123, 45

Seegers, Walter H., and Mattill, H. A. Further studies on the nutritive value of alcohol-extracted animal tissues and the supplements required for growth and lactation,

105, lxxvii

 The availability of tissue nutrients after alcohol extraction and after heating,

109, lxxx

— and Mattill, H. A. The effect of heat and hot alcohol on liver proteins, 110, 531

Seegers, Walter H.—continued -, Smith, H. P., Warner, E. D., and Brinkhous, K. M. The purification of prothrombin, 123, 751

Seelig, S. See SENDROY, SEELIG. and VAN SLYKE.

106, 463, 479

Seevers, M. H. See Orcutt and SEEVERS. 117, 501

Seibert, Florence B., and Munday, Betty. The chemical composition of the active principle of tuberculin. XVII. A comparison of the nitrogen partition analyses of the proteins from different acid-fast bacilli and the relationship to biological activity, 101, 763 See SPIEGEL-ADOLF

and SEIBERT, 105, lxxxiii 106, 373

Acid-base-combining capacity of tuberculin protein,

114, lxxxix Seigle, L. W. See Anderson,

RUSSELL, and SEIGLE,

113,683

ANDERSON, SEIGLE, KRZNARICH, RICHARDS, and 121, 165 MARTENY.

Sell, Harold M., and Link, Karl Paul. Derivatives of d-galacturonic acid. IV. The preparation of the methyl ester of d-galacturonic acid,

125, 229

- and -. V. The synthesis of the methyl esters of cholesterol, sitosterol, and ergosterol triacetyl-d-galacturonides,

125, 235

- and Kremers, Roland E. The synthesis of esters of ursolic acid, 125, 451

Semb, Joseph, Baumann, C. A., Steenbock, H. Fat-XLI. The soluble vitamins. carotene and vitamin A content of colostrum. 107, 697

See STEENBOCK, SEMB, and VAN DONK, 114, ci

Sendroy, Julius, Jr. See Van SLYKE and SENDROY.

102, 505

The oxygen tension and oxygen consumption of urine, 105, lxxviii

-, Dillon, Robert T., and Van Slyke, Donald D. Studies of gas and electrolyte equilibria blood. XIX. The bility and physical state of uncombined oxygen in blood, 105, 597

--, Seelig, S., and Van Slyke, Donald D. Studies of acidosis. XXII. Application of Henderson-Hasselbalch equation to human urine,

106, 463

-, --, and --. XXIII. The carbon dioxide tension and acid-base balance of human 106, 479

The gasometric determination of chloride in serum and urine. 109, lxxxi

-, Shedlovsky, Theodore, and Belcher, Donald. The validity of determinations of the pH of whole blood at thirty-eight degrees with the glass electrode, 115, 529 Microdetermination of chloride in biological fluids, with solid silver iodate. I. Gasometric analysis,

120, 335

-. II. Titrimetric analysis,

—. III. Colorimetric analysis, 120, 419

Note on errors in the analysis of chloride in albuminous urine,
 120, 441

Serles, Earl R. See HIRSCH-FELDER and SERLES,

104, 635

Setterfield, H. E. See Sutton, Setterfield, and Krauss, 105, lxxxix

Setz, Paul. See THANNHAUSER and SETZ, 116, 527, 533

Sevag, M. G., Lackman, David B., and Smolens, J. The isolation of the components of streptococcal nucleoproteins in serologically active form,

124, 425

Severac, M. See Raiziss,
Severac, Moetsch, and
Clemence, 123, xcix

Sevringhaus, Elmer L. See Cape and Sevringhaus,

103, 257 121, 549

—, Heller, Carl G., Lauson, Henry, and Golden, June B. Comparison and assay of estradiol, estrone, and estriol, 123, cvii

Shack, Joseph. The effect of oxygenation and reduction on the equilibrium of hemocyanin with acids and bases,

109, 383

Shaffer, Philip A. The influence of equivalent-valence change on the velocity of aqueous oxidation-reduction reactions, 105, lxxviii

— and Williams, Ray D. Sugar determination by the ferricyanide electrode, 111, 707

-. See HILL and SHAFFER,

114, li

Stanley Rossiter Benedict,117, preceding p. 429

Shapiro, Inez. Studies on ketosis. V. The comparative glycogenic and ketolytic action of glucose and some carbohydrate intermediates, 108, 373

Sharlit, Herman. A method for the quantitative estimation of indoxyl compounds in blood, 104, 115

Shaw, John L., and Downing, Virginia. The determination of oxygen in blood in the presence of ether by a modification of the Van Slyke-Neill technique, 109, 405

Shaw, Margaret M. See Ross and Shaw, 104, 131

Shear, M. J. The effect of protein on the swelling of normal and tumor cells *in vitro*,

105, lxxix

—. Titration of mouse tumors,

Studies in carcinogenesis.
 III. Isomers of cholanthrene
 and methylcholanthrene,

114, lxxxix

—. IV. Development of liver tumors in pure strain mice

Shear, M. J.—continued following the injection of 2-amino-5-azotoluene,

114, xc

—. Carcinogenic activity of some anthracene derivatives, 123, cviii

Shedlovsky, Theodore. See Sendroy, Shedlovsky, and Belcher, 115, 529

 See Craig, Shedlovsky, Gould, and Jacobs,

125, 289

Shenk, John H., Hall, J. Lowe, and King, H. H. Spectrophotometric characteristics of hemoglobins. I. Beef blood and muscle hemoglobins,

105, 741

Sheppard, Fay. See EVERETT, SHEPPARD, and JOHNSON,

104, 1

-- See Everett, Edwards, and Sheppard, 104, 11

— and Everett, Mark R. The second stage of bromine oxidation of carbohydrates,

105, lxxx

and —. Effects of nitrogenous substances upon sugar determination, 109, lxxxii

— and —. Differentiation of glucosides by prolonged action of bromine involving the second stage of oxidation,

114, xci

-. See EVERETT and SHEP-PARD, 119, XXXII

and Everett, Mark R. Determination of carbohydrates in proteins,
 119, lxxxix

-- See Duff, Sheppard, and Everett, 123, xxxii

—. See HART, SHEPPARD, and EVERETT, 123, lii Sheppeck, Michael, and Griffith, Wendell H. The effect of inorganic salts on the detoxication of benzoic acid in rats,

114, xcii

Sherman, Caroline C., Mendel, Lafayette B., and Smith, Arthur H. Determination and metabolism of citric acid,

109, lxxxiii

See Pucher, Sherman, and Vickery, 113, 235

-, Mendel, Lafayette B., and Smith, Arthur H. The citric acid formed in animal metabolism, 113, 247

--, --, and --. The metabolism of orally administered citric acid, 113, 265

Sherman, H. C., and Ellis, L. N. Necessary versus optimal intake of vitamin G (B₂),

104, 91

—, Caldwell, M. L., and Doebbeling, S. E. Further studies upon the purification and properties of malt amylase,

104, 501

-. See Fincke and Sherman, 110, 421

—. See Campbell, Bessey, and Sherman, 110, 703

—. See Bessey, King, Quinn, and Sherman, 111, 115

 See Bisbey and Sherman, 112, 415

-. See Whitcher, Booher, and Sherman, 115, 679

 See Toepfer and Sherman, 115, 685 --. See Conner and Sherman, 115, 695

--- See Kao, Conner, and Sherman, 123, 221

-. See Lanford and Sher-MAN, 123, lxxiii

Sherman, Jane M. See Tal-BOTT and SHERMAN,

115, 361

Sherman, Mildred S. See Sando, Milner, and Sher-Man, 109, 203

--. See Markley, Nelson, and Sherman, 118, 433

Sherman, W. C. See Elve-HJEM, HART, and SHERMAN,

103,61

—, Elvehjem, C. A., and Hart, E. B. Factors influencing the utilization of the iron and copper of egg yolk for hemoglobin formation, 107, 289

-, -, and -. Further studies on the availability of iron in biological materials.

107, 383

-. See ELVEHJEM, SHERMAN, and ARNOLD, 109, xxix Sherwin, Carl P. See Ambrose, Power, and Sherwin,

101, 669

-. See HARROW, MAZUR, and SHERWIN, 102, 35

—. See Ambrose and Sherwin, 105, iv

—. See Harrow, Mazur, Borek, and Sherwin,

> 105, xxxiv s **W.** See

Shilling, Charles W. See HAWKINS and SHILLING, 113, 273, 649

Shillito, Frederick H., Bidwell, Emily H., and Turner, Kenneth B. The blood cholesterol in the carotid artery, venæ cavæ, and portal vein, 112,551

Shine, William M. See Cori and Shine, 114, xxi

Shinn, Leo A. See HARTMAN, KANE, and SHINN, 105, XXXVI

See Meigs, Turner, Kane, and Shinn, 105, lx

-. See Kane and Shinn,

109, xlviii

— and Cary, C. A. Determination of vitamin A in butter fat, 114, xcii

—, Kane, Edward A., Wiseman, H. G., and Cary, C. A. The accuracy of routine carotene determinations as a measure of vitamin A potency,

119, lxxxix

Shinohara, Kamenosuke, and Kilpatrick, Martin. The stability of cystine in acid solution, 105, 241

—. The determination of thiol and disulfide compounds, with special reference to cysteine and cystine. I. Critical study of the color reaction between phospho-18-tungstic acid reagent and thiol compounds,

109,665

—. A precision method for the determination of cysteine applicable to the standardization of cysteine hydrochloride, 109, lxxxiv

—. The determination of thiol and disulfide compounds, with special reference to cysteine and cystine. II. A critical study of the reaction between Shinohara, Kamenosuke—continued

phospho-18-tungstic acid reagent and other substances than thiol compounds, 110, 263

- III. Reaction between thiol compounds and mercuric chloride, 111, 435
- —. IV. A precision method for the determination of thiol compounds applied to the standardization of cysteine hydrochloride, 112, 671
- —. V. A critical study of cystine determination by sulfite and phospho-18-tungstic acid reagent, 112, 683
- and Padis, Kively E. The determination of thiol and disulfide compounds, with special reference to cysteine and cystine. VI. The reactions of ascorbic acid and glutathione with phospho-18-tungstic acid reagent, 112, 697
- and —. VII. Application of the modified phospho-18tungstic acid method for the determination of cysteine, cystine, and ascorbic acid in urine, 112, 709
- —. The determination of thiol and disulfide compounds, with special reference to cysteine and cystine. VIII. Molecular ratio between A-phospho-18-tungstic acid and cysteine in their color reaction,

120, 743

Shipley, R. A. An investigation of the nature of the hypophyseal ketogenic principle,

123, cix

- Shock, Nathan W., and Hastings,
 A. Baird. Studies of the acidbase balance of the blood. I.
 A microtechnique for the determination of the acid-base balance of the blood, 104, 565
 - See Hastings and Shock, 104, 575
 - and Hastings, A. Baird. Studies of the acid-base balance of the blood. III. Variation in the acid-base balance of the blood in normal individuals, 104, 585
 - and —. IV. Characterization and interpretation of displacement of the acid-base balance.

 112, 239
 - Shohl, Alfred T. Rickets and tetany due to low calcium diets, 109, lxxxv
 - Shore, Agnes, Wilson, Hildegarde, and Stueck, George. The amide nitrogen of ovalbumin, 112, 407
 - Shrewsbury, Charles L., and Kraybill, Henry R. The carotene content, vitamin A potency, and antioxidants of butter fat, 101, 701
 - Shukers, Carroll F. See Day, Langston, and Shukers,

114, xxv

Shwachman, Harry, Hellerman, Leslie, and Cohen, Barnett. On the reversible inactivation of pneumococcal hemolysin. The effects of oxidation and reduction and of metal compounds, 107, 257

Sidwell, A. E., Jr. See Hogness, Zscheile, Sidwell, and Barron. 118, 1

See Hogness, Sidwell, and 120, 239 ZSCHEILE,

-, Munch, R. H., Barron, E. S. Guzman, and Hogness, T. R. The salt effect on the hemoglobin-oxygen equilibrium,

123, 335

See Stotz, Sidwell, and HOGNESS. 123, exviii 124, 11, 733

See DU VI-

Sifferd, Robert H. GNEAUD, SIFFERD, and SEA-102, 521 LOCK.

and du Vigneaud, Vincent. A new synthesis of carnosine. with some observations on the splitting of the benzyl group from carbobenzoxy derivatives and from benzylthio ethers.

108, 753

See DU VIGNEAUD, SIFFERD, and IRVING, 117, 589

Sigal, A., and King, C. G. The relationship of vitamin C to glucose tolerance in the guinea pig. 116, 489

Silberman, K., Alfred and Lewis, Howard B. Pentose metabolism. III. The rate of absorption of l-rhamnose and the formation of glycogen in the organism of the white rat after oral administration of l-rhamnose, 101,741

Silberman, David E. See LEVY 118,723 and SILBERMAN.

Silver, Bernard E., and Cerecedo, Leopold R. The metabolism of pyrimidines in the growing 114, xciii dog,

Silverblatt, See Mυ-Ethyl. WOODWARD, SILVER-SULIN. BLATT, and KING, 114, lxxiv Simon, Elizabeth E., and White, Production of a de-Abraham. ficiency in sulfur-containing amino acids by the administration of iodoacetic acid.

123, cix Simonsen, Daisy G. The oxidation of cysteine with iodine: formation of a sulfinic acid.

101, 35

Simpson. E. See Tames C. JACOBS and SIMPSON, 105, 501

- and Jacobs, Walter A. Sarsasapogenin. 109, 573 II. See JACOBS and SIMPSON.

110, 429

— and Jacobs, Walter A. Sarsasapogenin. III. Desoxysarsasapogenin. Further degradations of sarsasapogenin,

110, 565

Sinclair, Robert Gordon. The passage of fed elaidic acid into tissue phospholipids,

109, lxxxv

The metabolism of the phos-VI. Relative propholipids. of saturated portions unsaturated fatty acids in phospholipids of different degrees of unsaturation.

111, 261

VII. Further evidence of the selection and retention of unsaturated fatty acids by phospholipids of animal tis-111, 275 sues,

VIII. The passage elaidic acid into tissue phospholipids. Evidence of the intermediary rôle of liver phospholipid in fat metabolism,

111, 515

Sinclair, Robert Gordon-continued

--- Evidence of the synthesis of essential unsaturated fatty acids by the rat, 114, xciv

--- Further evidence of the existence of metabolic and non-metabolic phospholipids,

114, xciv

 Blood phospholipid as a transport mechanism,

115, 211

—. See McConnell and Sinclair, 118, 123, 131

The phospholipids of the intestinal mucosa during fat absorption,
 119, xc

 and Smith, Clair. The turnover of phospholipids in the intestinal mucosa, 121, 361

Sisson, E. W. See Bosworth and Sisson, 107, 489

Sizer, Irwin W. See Gould and Sizer, 124, 269

Sklersky, Samuel. See Sobel and Sklersky, 122,665

Slanetz, Charles A. See Brand, Cahill, and Slanetz,

123, xvi

Smart, B. W. See Dunn, Smart, Redemann, and Smith, 105, xxiii

Smelo, Leon S., Kern, Franklin M., and Drabkin, David L. Determination of saccharoids and the relationship of the saccharoid content of the blood to diet and drugs, 125, 461

Smetana, Hans. Studies on photodynamic action. I. Photooxidation of body fluids, 124, 667 —. II. The fate of hematoporphyrin after parenteral administration. III. The influence of sensitizer on photooxidation of tissues, 125, 741
Smith, Arthur H. See Brooke.

Smith, Arthur H. See BROOKE, Smith, and Smith, 104, 141

—. See Orten and Smith, 105, 181, lxvi

- See Smith and Smith,

105, lxxxi 107, 673

— and Smith, Paul K. Inorganic salts in nutrition. X. Electrolyte balance in the serum of rats receiving a diet deficient in inorganic constituents, 107, 681

-. See Light, Smith, Smith, and Anderson, 107, 689

—. See SHERMAN, MENDEL, and SMITH, 109, lxxxiii 113, 247, 265

-. See Swanson, Storvick, and Smith, 114, 309

- See ORTEN and SMITH,

114, lxxviii 117, 555

—. See Eppright and Smith, 118, 679

--. See Winnek and Smith, 119,93

—. See ORTEN and SMITH,

119, lxxiv

-. See Winnek and Smith,

119, cvi 121, 345

— and Orten, James M. The rate of citric acid formation following the injection of the sodium salts of certain dicarboxylic acids, 124, 43

Smith, Clair. See SINCLAIR and SMITH. 121, 361 Smith, Elizabeth, R. B. The effect of variations in ionic strength on the apparent isoelectric point of egg albumin, 108, 187 The influence of method of preparation and of cations on the isoelectric point of ovalbumin. 113, 473 and Smith, Paul K. The activity of glycine in aqueous solution at twenty-five degrees, 117, 209

- and -. The activity coefficients of some amino acids.

119, xci

See Smith and Smith, 121,607

See Smith, Taylor, and SMITH, 122, 109

Thermodynamic properties of some amino acids and peptides in aqueous solution,

123, cx

Smith, H. Gregg. The metabolism of azelaic acid.

103, 531

Smith, H. P. See SEEGERS, SMITH, WARNER, and BRINK-Hous. 123, 751

Smith, Homer W. See Bunim, SMITH, and SMITH, 118,667

See Smith and Smith,

124, 107

Smith, James H. C. Carotene. VI. A note on the hydrogenation of α - and β -carotenes.

102, 157

Harold W. and Milner, Carotene. VII. Physical properties of carotenes from different plant sources.

104, 437 Smith, Laura Lee W., and Morgan, Agnes Fay. The effect of light upon the vitamin A activity and the carotenoid content of fruits, 101, 43 Smith, Margaret Cammack, and

Lantz, Edith M. The effect of the feeding of fluorides upon the chemical composition of the teeth and bones of albino 101,677

- and -. The effect of fluorine upon the phosphatase content of plasma, bones, and teeth of albino rats. 112, 303

and Otis, Louise. Hemoglobin regeneration at different levels of iron intake in rats made anemic in the presence of copper, 119, xcii

Smith, Margaret Elizabeth, and Kik, M. C. A micromethod for the determination of fatty acids from small amounts of whole blood. 103, 391

Smith, Nathaniel L. See Dunn, REDEMANN, and SMITH,

104, 511

- See Dunn, Smart, Rede-MANN, and SMITH,

105, xxiii

Smith, Paul K. See NIMS and 101, 401 SMITH.

See BROOKE, SMITH, and 104, 141 SMITH.

- and Smith, Arthur H. The acid-base balance in the serum of rats, with particular reference to the effects produced Smith, Paul K.—continued
by a diet low in inorganic constituents, 105, lxxxi
— and —. Electrolytes in the serum of the rat, 107, 673
—. See Smith and Smith,
107, 681
—. See Light, Smith, Smith,
and Andreson 107, 689

and Anderson, 107, 689

—. See Nims and Smith,

109, lxx 113, 145

—, Trace, Jane, and Barbour, Henry G. The fate of deuterium in the mammalian body, 116, 371

—. See Smith and Smith, 117, 209

119, xci

— and Smith, Elizabeth R. B. Thermodynamic properties of solutions of amino acids and related substances. II. The activity of aliphatic amino acids in aqueous solution at twenty-five degrees,

121,607

—, Taylor, Alice C., and Smith, Elizabeth R. B. Thermodynamic properties of solutions of amino acids and related substances. III. The ionization of aliphatic amino acids in aqueous solution from one to fifty degrees,

122, 109

—. See Winkler and Smith, 123, cxxx 124, 589

Smith, Rachel M., and Marble, Alexander. The colorimetric determination of free and combined cholesterol, 117, 673

Smith, Willie W. See Bunim, SMITH, and SMITH, 118,667 - and Smith, Homer W. Protein binding of phenol red, diodrast, and other substances in plasma, 124, 107 Smolens, J. See SEVAG, LACK-MAN, and SMOLENS, Smullen, George H. See ROBERTS, TWEEDY. and SMULLEN, 112, 209 See Tweedy, Smullen, and 116, 163 BELL, Smyth, Elizabeth M. See MEYER and PALMER,

114, 689

--. See MEYER, Dubos, and Smyth, 118,71

See Meyer, Smyth, and Palmer, 119, 73, lxix
 See Palmer, Smyth, and

Meyer, 119, 491
—. See Meyer, Palmer, and

SMYTH, 119, 501

—. See MEYER and SMYTH,

119, 507

123, lxxxiv

Smythe, C. V. See REINER, SMYTHE, and PEDLOW,

113, 75

—. See Michaelis and Smythe, 113, 717 114, lxx

 The action of iodoacetate and iodoacetamide on certain sulfhydryl groups, on urease, and on fermentation,

114, xcv

-. The reaction of iodoacetate and of iodoacetamide with various sulfhydryl groups, with urease, and with yeast preparations, 114, 601

See Michaelis, Schubert, and SMYTHE, 116, 587 Phosphoric acid esters from yeast extract. The isolation of a crystalline calcium salt consisting of an equimolar mixture of glucosemonophosphate and glycerophosphate. 117, 135 An improved method of preparing hexosemonophosphate from yeast extract, **118**, 619 The aerobic utilization of pyruvic acid by bakers' yeast, 123, cxi The utilization of pyruvic acid by bakers' yeast, 125,635 Snell, Cornelia T. The ultrafiltration of malt amylase solutions, 104, 43 Snell, E. E., and Strong, F. M. The influence of riboflavin and certain synthetic flavins on the growth of lactic acid bacteria. 123, cxii Snider, Ruth H. See Blook and SNIDER. 105, x 107, 459 109, ix The phospholipid fatty acids of muscle, 116, 503 Snyder, Fred H. See Corley and SNYDER, 119, xx - and Corley, Ralph C. Amino acid catabolism. V. The influence of structural configura-

tion on the deamination of α -amino acids in the normal

Snyder, J. C. A note on the use

of the Haldane apparatus for

dog,

122, 491

- the analysis of gases containing ether vapor, 122, 21
 Sobel, Albert E. See NATELSON,
 SOBEL, and KRAMER,
- 761

 —, Goldfarb, Abraham R., and Kramer, Benjamin. Studies of incurable rickets. II. Rôle of the "local factor" and of viosterol in the pathogenesis of rickets due to beryllium, 108, 395
- --. See Natelson and Sobel, 109, 687
- —. See Drekter, Sobel, and Natelson, 114, xxviii
- —, Drekter, I. J., and Natelson, Samuel. The quantitative isolation of small quantities of "free cholesterol" as the pyridine cholesteryl sufate,

114, xcvi

- —, Pearl, Aaron, and Kramer, Benjamin. A micromethod for the determination of strontium and calcium in mixtures containing both, 114, xcvii
- —, Drekter, I. J., and Natelson, Samuel. Estimation of small amounts of cholesterol as the pyridine cholesteryl sulfate, 115, 381
- —. See Drekter, Sobel, and Natelson, 115, 391
- —, Pearl, Aaron, Gerchick, Elias, and Kramer, Benjamin. A micromethod for the determination of strontium and calcium in mixtures containing both, 118, 47
- —, Yuska, Henry, and Cohen, Julius. A convenient method of determining small amounts

Sobel, Albert E.—continued of ammonia and other bases by the use of boric acid,

118, 443

 and Sklersky, Samuel. A direct acidimetric microtitration method for calcium.

122,665

Sobotka, Harry, and Glick, David. Lipolytic enzymes. I. Studies on the mechanism of lipolytic enzyme actions,

105, 199

— and —. II. The influence of hydrogen ion concentration on activity of liver esterase,

105, 221

-, Reiner, Miriam, and Weiner, S. B. Sucrosuria, 123, exii

- and Bloch, Edith. Built-up films of steroid compounds,

124, 559

—. See Bloch and Sobotka, 124, 567

—. See Marx and Sobotka,

124,693

Somogyi, Michael. The distribution of sugar and rate of glycolysis in the blood of some mammals, 103, 665

—. The solubility and preparation of phosphorus- and nitrogen-free glycogen, 104, 245

—. The conversion products of starch and of glycogen in enzymic and acid hydrolysis,

105. lxxxi

-. Paradoxical ketosis,

114, xeviii

—. A reagent for the copperiodometric determination of very small amounts of sugar, 117, 771 Detection and quantitative determination of small amounts of glucose in mixtures containing maltose,

119, 741

 Analysis of diastatic splitproducts of starch, 124, 179

Micromethods for the estimation of diastase, 125, 399
 Soskin, Samuel. See Freed, Mirsky, and Soskin,

112, 143

Southgate, Harriet. See But-LER, BLATT, and SOUTHGATE, 109, 755

Soyenkoff, Basil C., and Hinck, Claus F., Jr. The measurement of pH and acid-neutralizing power of saliva,

109, 467

Spadola, John M., and Ellis, N.
R. The effect of the ingestion of cottonseed oil before and after hydrogenation on the composition of the body fat of the rat, 113, 205

— and Riemenschneider, R. W.

The position of the unsaturated linkage in the hexadecenoic acids of certain natural fats,

121, 787

Spencer, Howard C. See Morgulis and Spencer,

114, lxxii

—. Microdetermination of collagen. 119, xcii

—, Morgulis, Sergius, and Wilder, Violet M. A micromethod for the determination of gelatin and a study of the collagen content of muscles from normal and dystrophic rabbits. 120, 257

—. See Morgulis, Wilder, Spencer, and Eppstein,

124, 755

Sperry, Warren M., and Stoyanoff, V. A. The effect of paratyphoid infection and high and low cholesterol diets on tissue cholesterol in rats,

105, lxxxii

—. See Schoenheimer and Sperry, 106, 745 107, 1

—. See Schoenheimer, Sperry, and Dam,

109, lxxix — and Schoenheimer, Rudolf.

Cholesterol esterase in blood, 109, lxxxvi

- and —. A comparison of serum, heparinized plasma, and oxalated plasma in regard to cholesterol content, 110, 655
 Cholesterol esterase in
- --- Cholesterol esterase in blood, 111, 467
- The effect of tissue extracts on esterification of cholesterol in blood serum, 113, 599
- —. The relationship between total and free cholesterol in human blood serum,

114, 125, xcviii

- —. The effect of dextrose ingestion on the cholesterol fractions of the blood, 116, 65
- —. The concentration of total cholesterol in the blood serum, 117, 391
- and Stoyanoff, V. A. The influence of sodium glycocholate on the enzymatic synthesis and hydrolysis of cholesterol esters in blood serum.

117, 525

—. The determination of cholesterol, 118, 377

— and Bergmann, Werner. The absorbability of sterols with particular reference to ostreasterol, 119, 171

— and Stoyanoff, V. A. The effect of bile salts on the enzymatic synthesis and hydrolysis of cholesterol esters in blood serum, 119, xciii

— and —. The influence of bile salts on the enzymatic synthesis and hydrolysis of cholesterol esters in blood serum, 121, 101

 and —. Further studies of the enzymatic synthesis and hydrolysis of cholesterol esters in blood serum,
 123, exiii

Spiegel-Adolf, Mona, and Seibert, Florence B. Spectral absorption of purified tuberculin, 105, lxxxiii

— and —. Spectral analysis of purified tuberculin,

106, 373

-. Further studies of polarization in tissue models,

114, xcix

 Ultraspectrographic studies on melanins, 123, exiv

Spielman, M. A. The chemistry of the lipids of tubercle bacilli. XXXIX. The constitution of tuberculostearic acid,

106, 87

 and Anderson, R. J. The chemistry of the lipids of tubercle bacilli. XLII.
 Studies on phthioic acid,

112, 759

Spies, Tom D. See VILTER, Spies, and Mathews.

125, 85

Spoehr, H. A., and Milner, Harold W. Leaf starch: its isolation and some of its properties. 111,679

— and —. The starch isolated from plant material by the freezing method. 116, 493

Sprinson, David B. See BAU-MANN, SPRINSON, and METZ-102, 773 GER, 105, 269

METZGER.

See BAUMANN. and Sprinson, 105, ix See BAUMANN, SPRINSON.

and Metzger. 109, v See BAUMANN and SPRIN-

119, vii SON,

See BAUMANN. SPRINSON. and METZGER, 119, viii B. See

Squires, Raymond Anderson and Squires,

124, 71

Sreenivasaya, Motnahalli. See SRINIVASAN and SREENTVA-105, 563 SAYA,

Srinivasan, Mudambi, and Sreenivasaya, Motnahalli. Dilatometric studies in the hvdrolvsis of the 2.5diketopiperazines and peptides. I. Alkali hydrolysis of glycine and alanine anhydrides, **105**, 563

Stadie, William C., and O'Brien, Helen. The catalysis of the hydration of carbon dioxide and dehydration of carbonic acid by an enzyme isolated from red blood cells,

103, 521

and -. The carbamatecarbon dioxide equilibrium of amino acids, hemoglobin, and serum proteins and its significance in the carbon dioxide transport of the blood.

109, lxxxvii

The carbamate I. The equilibequilibrium. rium of amino acids, carbon dioxide, and carbamates in aqueous solution: with a note Ferguson-Roughton the carbamate method,

112, 723

— and —. II. The equilibrium oxyhemoglobin and reduced hemoglobin, 117, 439

See Joseph and Stadie.

123, lxv and Iones, Maxwell. The effect of prostigmine on the choline esterase activity of human and guinea pig muscle in relation to therapeutic mechanism of prostigmine in myasthenia gravis. 123, cxiv

> See Joseph and Stadie, 125, 795

Stanley, w. M. Chemical studies on the virus of tobacco VII. An improved method for the preparation of crystalline tobacco mosaic virus protein, 115, 673

See WYCKOFF, BISCOE, and STANLEY. 117, 57

Chemical studies on the virus oftobacco mosaic. VIII. The isolation of crystalline protein possessing the properties of aucuba mosaic virus, 117, 325

See Loring and Stanley, 117,733 Chemical studies on the virus of tobacco mosaic. Correlation of virus activity and protein on centrifugation of protein from solution under various conditions, 117, 755 -. See LAVIN and STANLEY, 118, 269 Chemical studies on the virus of tobacco mosaic. The activity and yield of virus protein from plants diseased for different periods of time, 121, 205 See Lauffer and Stanley, 123, 507 Stanley-Brown, Margaret. See CHARGAFF. BANCROFT, and STANLEY-BROWN, 115, 149, 155 116, 237 Stare, F. J. See PHILLIPS and STARE, 104, 351 See ELVEHJEM, COHEN, and 105, xxv STARE, See PHILLIPS, STARE, and ELVEHJEM, 106, 41 The preparation and some properties of liver flavin, 109, lxxxviii The preparation and nutritional value of hepatoflavin, 111, 567 A potentiometric study of hepatoflavin, 112, 223 Stark, Irene E. See Cohen and STARK, 123, xxiii - and Cohen, Philip P. Effect of malonic acid on the reduction of acetoacetic acid to β -hydroxybutyric acid in sliced

and homogenized liver under aerobic and anaerobic conditions, 123, exv Starr, Isaac, Jr. Cool, See GAMBLE, and STARR, 105, 97 Stavely, Homer E., Christensen, L. M., and Fulmer, Ellis I. Studies on yeast zymin. The effect of some electrolytes upon carbon dioxide production. 111, 771 -, -, and -. II. The effect of ethanol upon the production of carbon dioxide, 111, 785 -, -, and -. III. The effect of some electrolytes, and of ethanol, upon the phosphate content during fermentation, 111, 791 Stearns, Genevieve, and Warweg, Edna. Studies of phosphorus of blood. I. The partition of phosphorus in whole blood and serum, the serum calcium and plasma phosphatase from birth to maturity, 102, 749 BoyD, DRAIN, and See STEARNS. 103, 327 The retention of calcium from early infancy to ado-105, lxxxiv lescence. See CATHERWOOD and STEARNS. 114, xviii - and Jeans, P. C. The effect of the quantity of vitamin D intake upon calcium retention in infancy. See WARWEG and STEARNS, 115, 567 See CATHERWOOD and

STEARNS.

119, 201

See

114, xxiii

103, 339

103, 353

105, 167

Stecher,

Steenbock, H.

and STEENBOCK.

Robert

DANIELSON and STECHER.

INGRAHAM, and FRED.

BEESON, and RUPEL.

See BAUMANN, STEENBOCK,

See Kemmerer and Steen-

See BAUMANN, STEENBOCK,

M.

See BAUMANN

101, 547, 561

See SEMB, BAUMANN, and STEENBOCK, 107, 697 See BAUMANN, RIISING, and STEENBOCK. 107, 705 -, Irwin, Margaret House, and Weber, Janet. The comparative rate of absorption of various fats. 114, c Semb, Joseph, and Van Evelvn Donk. C. Sexual differentiation in the storage of iron by the rat, 114, ci See HAMAN and STEEN-114, 505 BOCK. See QUACKENBUSH and STEENBOCK. 123, xcvii See QUACKENBUSH, STEEN-BOCK, and PETERSON, 123, xeviii See Schneider and Steen-BOCK, 123, cv Stehle, Raymond L. A new method for separating pressor and oxytocic substances from the posterior lobe of the · pituitary gland, 102, 573 Stein, Harold J. See DAY. STEIN, and McCollum, 123, xxviii

- Stein, William H., and Miller, Edgar G., Jr. The composition of elastin, 125, 599
 Steinhardt, Jacinto. Properties of hemoglobin and pepsin in solutions of urea and other amides, 123, 543
- Solubility behavior of crystalline pepsin and other proteins,
 Stekol, Jakob A. Studies on
- cystinuric urine, 105, lxxxv
 and Cerecedo, Leopold R.
 Comparative studies on the
 metabolism of adult and growing dogs. Detoxication proc-
- esses, 105, lxxxv

 —. Metabolism of *l*-cystine and *dl*-cystine in adult dogs maintained on a protein-free diet, 107, 225
- -. See CERECEDO and STEKOL, 107, 425
- —. Metabolism of l- and dlcystine in growing dogs maintained on diets of various protein contents. 107, 641
- —. Metabolism of l- and dlmethionine in adult and growing dogs maintained on diets of various protein contents, 109, 147
- Metabolism of naphthalene in adult and growing dogs, 110, 463
- -. The determination of pbromophenylmercapturic acid in the urine of the dog,
- 113, 279

 —. Comparative studies in the sulfur metabolism of the dog and pig, 113, 675

—. Studies on the mercapturic acid synthesis in animals. I. The extent of the synthesis of p-bromophenylmercapturic acid in dogs as affected by diets of varying sulfur content,

117, 147

- and Mann, Frank C. Studies on the mercapturic acid synthesis in animals. II. The rôle of bile in the absorption and detoxication of bromobenzene and naphthalene in the dog, 117, 619
- —. Studies on the mercapturic acid synthesis in animals. III. The extent of the synthesis of p-bromophenylmercapturic acid in dogs as related to the time of administration of food and bromobenzene,

118, 155

- The dependence of the extent of synthesis of p-bromophenylmercapturic acid in dogs on body weight, 119, xciv
- and Hamill, William H. On the non-labile deuterium of amino acids subjected to treatment in the medium of dilute deuterium oxide, 120, 531
- Studies on the mercapturic acid synthesis in animals. V.
 The effect of naphthalene on the growth of rats as related to diets of varying sulfur content,
 121, 87
- —. VI. The dependence of the extent of the synthesis of pbromophenylmercapturic acid in dogs on the body weight,

121, 93

-. VII. Bromobenzene and

l-cystine in relation to growth of rats on a navy bean meal diet, 122, 55

- VIII. l-Cystine, dl-methionine, glutathione, and taurine in relation to the synthesis of mercapturic acids in the rat,
 122, 333
- Glutathione in relation to growth of rats maintained on diets containing bromobenzene and naphthalene, 123, exvi
- -. Studies on the mercapturic acid synthesis in animals. IX. The conversion of benzyl chloride and S-benzylcysteine into benzylmercapturic acid in the organism of the dog, rabbit, and rat, 124, 129

Stenbuck, Frederick A. See Malisoff and Stenbuck,

115, 87

Stephens, D. J., and Hawley, Estelle E. The partition of reduced ascorbic acid in blood, 115, 653

Stern, Kurt G. The constitution of the prosthetic group of catalase, 112, 661

- -. On the mechanism of enzyme action, 114, ci
- —. On the mechanism of enzyme action. A study of the decomposition of monoethyl hydrogen peroxide by catalase and of an intermediate enzyme-substrate compound,

114, 473

and DuBois, Delafield. A
 photoelectric method for re cording fast chemical reactions
 and its application to the

Stern, Kurt G.—continued catalyst-substrate study of compounds, 116, 575 White, and Abraham. Studies on the constitution of I. Properties of reinsulin. duced insulin preparations, 117, 95 -. See WHITE and STERN, 119, 215 White, and Abraham. Studies on the constitution of insulin. Properties of -SHinsulin and the reaction of -S-S- insulin with ketene. 119, xcv On the absorption spectrum of catalase, 121, 561 - and DuBois, Delafield. A spectroscopic method for the kinetic study of rapid chemical reactions, 121, 573 and White. Abraham. Studies on the constitution of insulin. III. The acetylation of insulin by ketene, 122, 371 and Salomon, Kurt. On ovoverdin, the carotenoidprotein pigment of the egg of 122, 461 the lobster, - and Wyckoff, Ralph W. G. An ultracentrifugal study of catalase. 124, 573 Sternberger. Helen R. See ERICKSON, COPE, STERN-BERGER, LEE, COOLEY, and MACY. 109, xxx Stevens, Charles D. The source of the formic acid produced on acid hydrolysis of nucleic

acids.

120, 751

and Anderson.

114, 431

Stevenson, J. W. See Boyd and STEVENSON. 117, 491 122, 147 Stiller, Eric T. See LEVENE and 102, 187 STILLER. 104, 299 See LEVENE, HARRIS, and 105, 153 STILLER, See LEVENE and STILLER, 106, 421 Benjamin F. See Stimmel. McCullagh and Stimmel. 109, lxii - and McCullagh, D. Roy. A note concerning the determination of iodine, 116, 21 Stirn, F. E., Elvehjem, C. A., and Hart, E. B. The indispensability of zinc in the nutrition 109, 347 of the rat, - and Arnold, Aaron. The relation of dietary fat to the vitamin B₁ requirement of growing 123, exvii rats, C. Chester, Perkins, Stock. Marie E., and Hellerman, Leslie. Activation of zymes. IV. The jack argininolytic enzyme, 125, 753 See HELLERMAN and STOCK, 125, 771 Stoddard, M. Palmer. See DUNN, Ross, and STODDARD 119, xxviii See Dunn and Stoddard, 121, 521 Stodola, F. H. See ANDERSON, NEWMAN, CROWDER. and STODOLA. 113, 637 114, iii See CROWDER. STODOLA,

-- and Anderson, R. J. The chemistry of the lipids tubercle bacilli. XLVI. Phthiocerol, a new alcohol from the wax of the human tubercle bacillus, 114, 467 See Anderson, REEVES. and STODOLA, 121, 649 Stoker, Ruth. See NELSON and STOKER, 114, lxxvi Stokstad, E. L. R. See ALM-QUIST and STOKSTAD,

111, 105

-- See Klose, Stokstad, and Almquist, 123, 691

— and Manning, P. D. V. Evidence of a new growth factor required by chicks,

125, 687

Stone, Gilbert C. H., and Failey, Crawford F. The activity coefficient of thallous chloride in protein systems,

105, lxxxvi

Stoner, Neva. See Erickson, Stoner, and Macy,

103, 235

Storvick, Clare A. See SWANson, STORVICK, and SMITH, 114, 309

Stotz, Elmer. The determination of fumaric acid in protein solutions containing succinic acid, 118, 471

— and Hastings, A. Baird. The components of the succinate-fumarate-enzyme system,

—, Harrer, Carter J., and King, C. G. A study of "ascorbic acid oxidase" in relation to copper, 119, xcv, 511 —, —, Schultze, M. O., and King, C. G. Tissue respiration studies on normal and scorbutic guinea pig liver and kidney, 120, 129

—. See Schultze, Stotz, and King, 122, 395

—, Harrer, Carter J., Schultze, M. O., and King, C. G. The oxidation of ascorbic acid in the presence of guinea pig liver, 122, 407

—, Sidwell, A. E., Jr., and Hogness, T. R. Spectrophotometric determination of the equilibria between oxidation-reduction systems; the potential of cytochrome C,

123, exviii

—, —, and —. The spectrophotometric determination of the equilibrium in oxidationreduction systems; the potential of cytochrome C,

124, 11

—, —, and —. The rôle of the cytochromes in the action of "indophenol oxidase,"

124, 733

—, Altschul, Aaron M., and Hogness, T. R. The cytochrome C-cytochrome oxidase complex, 124, 745

Stoughton, Roger W. A method for the quantitative determina-

tion of phenols, 115, 293 Stoyanoff, V. A. See Sperry and Stoyanoff, 105, lxxxii

117, 525

119, xciii 121, 101

123, cxiii

Strain, Harold H. Carotene. V. Formation of geronic acid Strain, Harold H.—continued by ozonization of carotene, dihydrocarotene, and related compounds, 102, 137

Ozonization of lycopene.
 Formation of levulinic acid
 and levulinic aldehyde,

102, 151

Carotene. VIII. Separation of carotenes by adsorption,
 105, 523

—. IX. Carotenes from different sources and some properties of α- and β-carotene,

111,85

—. Eschscholtzxanthin: a new xanthophyll from the petals of the California poppy, Eschscholtzia californica,

123, 425

Strain, William H. See Do-BRINER, LOCALIO, and STRAIN, 114, xxvi

Straup-Cope, Danella, and Cohn, Edwin J. Activity coefficients and rates of reaction in systems containing ions, zwitter ions, and uncharged molecules, 105, lxxxvii

Strauss, Margaret B. See Buell and Strauss,

105, xiv

---. See Buell, Anderson, and
Strauss, 114, xvi

—. The use of thorium nitrate in the rapid ashing of serum and urine. I. Adapted for subsequent potassium determinations, 118, 331

Strayer, J. W. See CRIMM and STRAYER, 112, 511

Street, Harold R. See McClenbon and Street, 109, lxi A gravimetric technique for the determination of small amounts of plasma lipids,

116, 25

Strickler, H. S., and Wilson, D.

A. The determination of blood iodine, 123, cxviii

—. See Wilson, Strickler,

and McEllroy, 123, exxix
Strong, F. M. See Elvehjem,
Madden, Strong, and
Woolley, 123, 137

- See SNELL and STRONG,

123, cxii

—. See Woolley, Strong, and Madden, 123, exxxi

See Woolley, Strong,
 Madden, and Elvehjem,

124, 715

Stuart, Elmer H., Block, Richard J., and Cowgill, George R. The antineuritic vitamin. V. The preparation of a vitamin concentrate suitable for parenteral use, 105, 463 Stueck, George. See Shore, Wilson, and Stueck,

112, 407

Sturges, Stuart. See KNUDSON,
STURGES, and BRYAN, 123, lxx
Subbarow, Yellapragada, and
Jacobson, B. M. Chemical
studies of the pernicious
anemia principle in liver,

114, cii

Sulkowitch, Hirsh W. A rapid microchemical method for the detection of lead in biological and other organic material with N,N'-diphenylformazyl mercaptan and N,N'-diphenyl-dihydroformazyl mercaptan,

105, lxxxviii

Sullivan, M. X., and Hess, W. C. Ergothioneine in the urine,

102, 67

- and -. Urinary studies in a case of progressive muscular dystrophy, 105, lxxxix

See HESS and SULLIVAN,

108, 195

Further studies on muscular dystrophies, with reference to intoxication by guanidine and simple guanidine derivatives. 109, lxxxix

-, Hess, W. C., Hardy, J. I., and Howe, Paul E. Comparative study of the wool of lambs on adequate and inadequate rations, 109, xc

-. See HESS and SULLIVAN,

114, xlix

Further studies on muscular dystrophies, 114, ciii

-, Hess, W. C., and Irreverre, Filadelfo. Studies in muscular dystrophies. The presence of simple guanidine derivatives in the urine. 114,633

- and -. The determination of cystine in urine, 116, 221

An examination of the Sullivan colorimetric test for guanidine, 116, 233

- and Hess, W. C. Improvements in methods of hydrolysis of protein: shortening the time for estimating cystine,

117, 423

See HESS and SULLIVAN, 119, xlvii

- and Hess, W. C. The cystine content of insulin, 119, xcvi

-, Howard, H. W., and Hess, W. C. The estimation of cystine in finger nail clippings with hydrolysis for one hour, 119, 721

- and Hess, W. C. The effect of aldehydes on the quantitative determination of cysteine and cystine,

See HESS and SULLIVAN,

121, 323

- and Hess, W. C. The effect of pyruvic acid on the estimation of cystine and cysteine,

122, 11

-. See HESS and SULLIVAN, 123, lv

Chemical studies in hyper-123, exix tension,

See NEGLIA, Hess, and 125, 183 SULLIVAN,

-, Milone, H. S., and Everitt, E. L. A rapid procedure for the tryptophane estimating 125, 471 content of casein,

Summerson, William GOUDSMIT and SUMMERSON,

111, 421

The use of milk treated with hydrogen sulfide for the development of а copper deficiency in the rat,

123, cxix

Sumner, James B. See Howell 104,619 and SUMNER.

and Howell, Stacey F. A method for determination of saccharase activity,

108, 51

- and -. A qualitative test for enzymes of the trypsin and 109, 429 papain types,

— and —. The isolation of a fourth crystallizable jack bean Sumner, James B.—continued globulin through the digestion of canavalin with trypsin,

113,607

— and —. The rôle of divalent metals in the reversible inactivation of jack bean hemagglutinin, 115, 583

— and Dounce, Alexander L. Does trypsin inactivate urease? 117, 713

— and —. Can crystalline urease be made to function as arginase? 119, xcvii

— and —. Crystalline catalase, 121, 417

--. See Dounce and Sumner, 124, 415

- and Gralén, Nils. The molecular weight of crystalline catalase, 125, 33

-, -, and Eriksson-Quensel, Inga-Britta. The molecular weight of urease, 125, 37

—, —, and —. The molecular weights of canavalin, concanavalin A, and concanavalin B, 125, 45

Sunderman, F. William, and Williams, Priscilla. The analysis of chloride in tissues, 102, 279

-. The measurement of serum volume, 109, xci

—. Studies in serum electrolytes. X. The water of serum and factors for the calculation of the molality of a solute in serum from the measurement of the specific gravity,

113, 111

- and Austin, J. Harold.

Method for measurement of serum volume, 114, ciii

— and Razek, Joseph. Spectrophotometric studies of the
color of solutions. I. Selection and application of light
filters in the analysis of blood
sugar by the Benedict method
and of cholesterol by the
Liebermann-Burchard reaction, 114, civ

— and —. Spectrophotometric studies of the color development in the analysis of sugar by the Benedict method and of cholesterol by the Liebermann-Burchard reaction,

118, 397

Supplee, G. C. See Ansbacher and Supplee, 105, 391

—, Ansbacher, S., and Bender, R. C. Photochemical phenomena involved in vitamin G (B₂) studies, 110, 365

—, Flanigan, G. E., Hanford, Zaida M., and Ansbacher, S. Lactoflavin, a possible contaminant of vitamin-free diets, 113, 787

—, Ansbacher, S., Bender, R. C., and Flanigan, G. E. The influence of milk constituents on the effectiveness of vitamin D, 114, 95

Sure, Barnett, Kik, M. C., and Church, Anna E. The influence of fasting on the concentration of blood lipids in the albino rat, 103, 417—, —, and Buchanan, Kathryn

-, --, and Buchanan, Kathryn Sue. Technique for the study of tryptic-ereptic digestion of proteins, 108, 11 —, —, and —. Enzymatic efficiency in avitaminosis. I. Influence of vitamin B deficiency on tryptic and ereptic digestion of casein,

108, 19

—, —, and —. II. Influence of vitamin B deficiency on efficiency of pancreatic lipase and esterase, 108, 27

— and Jones, W. A. The rôle of vitamin B₁ in cardiovascular diseases, 119, xcvii

— and DeWitt, James. Oxygen uptake of rat tissues in avitaminosis, 123, cxx

Sutton, T. S., Setterfield, H. E., and Krauss, W. E. Nerve degeneration in the albino rat (Mus norvegicus albinus) associated with vitamin A avitaminosis. The use of the polarizing microscope in diagnosing degenerative changes in the myelin sheath,

105, lxxxix

Svedberg, The. Sedimentation constants, molecular weights, and isoelectric points of the respiratory proteins,

103, 311

Svirbely, Joseph L. The effect of desiccated thyroid, α-dinitrophenol, and cortical hormone extract on the vitamin C content of some organs of the guinea pig fed graded doses of ascorbic acid, 111, 147

—. Vitamin C studies in the rat and guinea pig,

116, 543 Swanson, Pearl P., Timson, Gladys H., and Frazier, Ernestine. Some observations on the physiological adjustment of the albino rat to a diet poor in salts when edestin is the source of dietary protein,

109, 729

—, Storvick, Clare A., and Smith, Arthur H. Inorganic salts in nutrition. Changes in kidneys of rats fed a diet poor in inorganic constituents,

114, 309

Swanson, W. W. See IoB and Swanson, 122, 485 124, 263

Swartz, K. T., and Miller, C. O.
The preparation of glucuronic
acid from borneolglucuronic
acid, 103, 651

Sweet, Marion H. See McAmis and Sweet, 114, lxiv

Swenson, T. L. See Balls and Swenson, 106, 409

Swingle, W. W. See Pfiffner, Swingle, and Vars,

104, 701

Swinney, Robert H. See HAFNER, SWINNEY, and WEST, 116, 691

Szabo, F. See Mezincescu and Szabo, 115, 131

Szczpinski, A. See Schmidt, Schmulovitz, Szczpinski, and Wylie, 120, 705

Т

Talbott, John H. Blood sugar and respiratory exchange during high carbohydrate inges tion, 109, xc

— and Sherman, Jane M Urate distribution in blood, 115.36 Talbott, John H.—continued -. See DILL, TALBOTT, Consolazio, 118,649 119, xxiii Tashiro, Shiro. The nature of a gastric ulcer-producing substance isolated from muscle, 119, xeviii Tauber, Henry, and Kleiner, Israel S. The chemical nature 104, 259 of rennin. -. See KLEINER and TAUBER, 104, 267 and Kleiner, Israel s. Studies on trypsin. II. The effect of trypsin on casein, 104, 271 — and —. The inactivation of pepsin, trypsin, and salivary amylase by proteases, 105, 411 - and -. The reciprocal digestion of pepsin and trypsin, 105, xc - and -. The specificity of α -glucosidases, 105, xci - and -. Some enzymes of Solanum indicum, 105, 679 -. See KLEINER and TAUBER, 106, 501 -. Inhibitors of milk-curdling enzymes, 107, 161 - and Kleiner, Israel S. method for the quantitative determination of ascorbic acid (vitamin C). The vitamin C content of various plant and animal tissues, 108, 563 --, --, and Mishkind, Daniel. Ascorbic acid (vitamin C) oxidase. 110, 211 - and -. An enzymic method

for the estimation of true vitamin C. 110, 559 The selective adsorption of enzymes by cellulose, 113, 753 The interaction of vitamin B₁ in enzymic reactions, 123, 499 The carboxylase enzyme 125, 191 system, Taylor, A. R. See PFIFFNER, VARS, and TAYLOR, 106, 625 See Vars, Taylor, and PFIFFNER, 106,639 Taylor, Alice C. See SMITH, TAYLOR, and SMITH, 122, 109 Taylor, F. A., and Levene, P. A. On the cerebronic acid frac-102, 535 tion. II. Taylor, Henry L. See KEYS and TAYLOR, 109, 47, 55 -. See LOGAN and TAYLOR, 119, 293, lxiv 125, 377, 391 Taylor, Ivon R. See MITCHELL and TAYLOR. 105, lxii See CRESCITELLI and TAYLOR. 108, 349 Taylor, J. P. See SUNDERMAN, 113, 111 Taylor, M. W. See Russell, TAYLOR, and WILCOX, 105, lxxiv 107, 735 - See Russell, Taylor, and DUNCAN, 119, lxxxv Teller, George L. Evidence concerning two types of plant diastase. 114, 425 Templeton, R. D. See Tweedy, TEMPLETON, and McJunkin,

109, xcii

See TWEEDY, MCNAMARA, TEMPLETON, and PATRAS,

119, xcix

Ten Broeck, Carl. The differentiation of trypsins by means of the anaphylactic test,

106, 729

Tendeloo, H. J. C. A new and easy method for the potentiometric determination calcium concentrations in solutions. 113, 333 The use of crystals

calcium electrodes,

118, 253

Tendick, F. H. See Dox, By-WATER, and TENDICK,

112, 425

Tennant, Robert. See THOMP-SON, TENNANT, and WIES, 108, 85

Teorell, Torsten. A method of studying conditions within diffusion layers. 113, 735

Thannhauser, S. J., and Reichel, Max. Studies on animal X. The lipids. nature of cerebrosidase. Its relation to the splitting of polydiaminophosphatide by polydiaminophosphatase. 113, 311

- and Setz, Paul. Studies on animal lipids. XI. The reineckate of the polydiaminophosphatide from spleen,

116, 527

- and —. XII. A method for quantitative determination of diaminophosphatide in organs and fluids. Application to stromata of red blood cells and 116,533

-. Reichel, Max, and Grattan, | -, MacCorquodale,

Terome F. Studies on serum phosphatase activity. Ascorbic acid activation on serum phosphatase,

121,697

., —, —, and Maddock, Stephen T. Studies on serum phosphatase activity. II. The effect of experimental total biliary obstruction on serum phosphatase activation in dogs and cats. 121,709 -, -, -, and -. III. The effect of complete biliary fistula on phosphatase activity in serum and bile, 121,715 -, -, -, and -. IV. The

deactivating effect of thiol compounds and bile acids on serum phosphatase activity in vitro and in vivo, 121, 721

-, -, -, and -. V. Studies concerning increased phosphatase values in disease,

121, 727

-, -, and -. VI. The influence of sera with high phosphatase activity on normal sera. 124,631

Thayer, Sidney A. See MAC-CORQUODALE, LEVIN, THAYER, and Doisy. 101, 753

MACCORQUODALE, See LEVIN, and THAYER,

105, lv

See Curtis, MacCorquo-DALE, THAYER, and Doisy,

107, 191

See MACCORQUODALE, THAYER, and Doisy,

> 109, Iviii 115, 435

D. W.,

Thayer, Sidney A.—continued

McKee, R. W., and Doisy,
Edward A. The biological
assay of the antihemorrhagic
factor (vitamin K),

123, cxx

—. See Westerfeld, MacCorquodale, Thayer, and
Doisy,
123, cxxvi

Thimann, Kenneth V. On the plant growth hormone produced by Rhizopus suinus, 109, 279

-. See Koepfli, Thimann, and Went, 122, 763

Thomas, Byron H. See Eck, THOMAS, and YODER,

117, 655

—. See Eck and Thomas, 119, 621, 631

Thomas, G. Wilson. See EVER-SOLE, FORD, and THOMAS, 104, 107

Thomas, Lloyd E. The stabilization of color in the determination of histidine by the diazomethod and arginine by Weber's method (Sakaguchi reaction), 123, exxi

Thomas, Rachel. See Morgan, Kimmel, Thomas, and Samisch, 106, 531

Thompson, R. B. See Heller, Paul, and Thompson,

Thompson, Richard. See
MEYER, THOMPSON, PALMER,
and KHORAZO, 113, 303

-. See MEYER, PALMER, THOMPSON, and KHORAZO,

113, 479

Thompson, Robert H. S. See Dubos and Thompson,

124, 501

- and **Dubos**, **René J**. The isolation of nucleic acid and nucleoprotein fractions from pneumococci, 125, 65

--. See Lavin, Thompson, and Dubos, 125, 75

Thompson, William R., Tennant,
Robert, and Wies, Carl H.
Studies in starch amylase viscosimetry. I. A sensitive precision method for the estimation of amylolytic activity applicable to human serum,

108, 85

 A note on the preparation of starch substrates for amylase determinations,

109, 201

—. See Page, Kirk, Lewis, Thompson, and Van Slyke, 111,613

--. See Kirk, Lewis, and Thompson, 111, 641

Thomson, K. B., and Lee,
William C. The application
of spectrographic analysis to
the quantitative determination of sodium, potassium, calcium, and magnesium in biological fluids, 118, 711

Tidwell, Herbert C., and Holt, L. Emmett, Jr. The estimation of the total lipids and the lipid partition in feces, 112, 605

Timm, O. K. See OLMSTED, CURTIS, and TIMM,

108, 645

Timson, Gladys H. See Swanson, Timson, and Frazier,

109, 729

Tipson, R. Stuart. See LEVENE
and Tipson, 101, 529
104, 385
105, 419
106, 113, 603
109, 623
111, 313
11 5, 731
120, 607
A note on the acridine salts
of "yeast" and "muscle" adenylic acids, 120, 621
adenylic acids, 120, 621
- See Levene and Tipson,
121, 131
See Levene, Tipson, and
Kreider, 122, 199
—. The preparation of 3,4,5-
trimethyl l-galactonic acid,
125, 341
- See Levene and Tipson,
125, 345, 355
Tischer, A. O. The nature of
vitamin A in cod liver oil,
125, 475
Titus, Harry W. See CALVERY
and Titus, 105, 683 —. See Burrows, Fritz, and
- See Burrows, Fritz, and
Tirus, 110, 39
Todd, T. Wingate. See Hun-
SCHER, HUMMEL, MACY, TODD,
and Francis, 119, lii Toennies, Gerrit. See Lavine
Toennies, Gerrit. See LAVINE
and Toennies, 101, 727
— and Lavine, Theodore F. The oxidation of cystine in
non-aqueous media. III.
Products of exhaustive oxy-
genation of cystine perchlorate
in acetonitrile, 105, 107
- and IV. The course of
non-hydrolytic oxygenation,
105, 115
100, 110

Mary

and

Bennett.

Studies on the hydrolysis of wool and the isolation of cystine from hydrolysates,

105, xeii

- and Elliott, Margaret. The precipitation of l-, dl-, and m-cystine by phospho-12-tungstic acid, 105, xciii
 See LAVINE and TOENNIES,
- 109, liii
- and Elliott, Margaret. The precipitation of *l-*, *dl-*, and *m-*cystine by phospho-12-tungstic acid, 111, 61
- and Bennett, Mary A. Some observations on the isolation of cystine from wool hydrolysates.

 112, 39
- —, Lavine, Theodore F., and Bennett, Mary A. The specific rotation of l-cystine in relation to degree of neutralization and pH, 112, 493
- and Bennett, Mary A. Determination of the stereochemical purity of l-cysteine, 112, 497
- and Lavine, Theodore F.

 The oxidation of cystine in
 non-aqueous media. V. Isolation of a disulfoxide of lcystine, 113, 571
- The alleged formation of a sulfenic acid by the oxidation of cysteine with dithiofor mamidine, 119, xcir
- Relations of thiourea, cys teine, and the corresponding disulfides, 120, 29
- --. Oxidation of cysteine i non-aqueous media. Th "sulfenic acid" as the primar oxidation product, 122, 2
- and Callan, Thomas P. 0

the perchloric-acetic acid method of amino acid titration, 125, 259 Toepfer, E. W., and Sherman, H. C. The effect of liberal intakes of calcium or calcium and phosphorus on growth and body calcium, 115,685 Tolle, Chester D. See KLINE, Tolle, and Nelson, 123, lxix Tomey, L. F. See GUERRANT, Dutcher, and Tomey, 110, 233 Tomiyama, Tetuo. The apparent dissociation constants and of canavanine and canaline. 111, 45 On the nature of the reaction which takes place between certain amino acids and formaldehyde, 111, 51 Toothill, Martha C. See SHER-MAN, MENDEL, and SMITH, 113, 247, 265 Torrance, Calvin C. The effect of diphtheria toxin upon vitamin C in vitro, 121, 31 Toscani, Vincent. See Mil-HORAT and Toscani, 114, 461 Totter, John R., and Berg, Clarence P. The influence of optical isomerism on utilization of amino acids by

the mouse for growth,

123, exxii

Towle, L. W. See Nugent and
Towle, 104, 395

Trace, Jane. See Smith, Trace,
and Barbour, 116, 371

Treadwell, Carleton R. See
Eckstein and Treadwell,
112, 373

Tressler, D. K. See Mack and TRESSLER, 118, 735 Trevorrow. and Virginia, Fashena, Gladys T. The determination of iodine biological material, 110, 29 See FASHENA and TREvorrow, 114, 351 Trimble, Harry C. See MAD-DOCK, TRIMBLE, and CAREY, 103, 285

— and Maddock, Stephen J.

The rate of absorption of glucose from the intestine of the dog,

107, 133

— and —. The effect of hepatectomy upon the nonprotein nitrogen metabolism of Dalmatian dogs,

123, exxiii

---. See Klemperer, Trimble, and Hastings, 125, 445

Tripp, John T., and Corley, Ralph C. The disposal of brominated and phenylated fatty acids in the animal body, 105, xciv

See Corley, Tripp, and 109, xxiii NEWTON. Tucker, Helen F., and Eckstein, H. C. The effect of supplementary methionine and cystine on the production of fatty livers by diet, 121, 479 Tucker, I. W. See Balls, Mat-LACK, and TUCKER, 122, 125 Tufts, Elma V. See GREENBERG and Turts, 105, xxxii 109, xxxviii

See Greenberg, Anderson, and Tufts, 111, 561
See Greenberg and Tufts, 114, 135

- See GREENBERG, ANDERson, and Tufts, 114, xliii -. See Greenberg and Tufts, 119, xl - and Greenberg, David M. biochemistry of magnesium deficiency. I. Chemical changes resulting from magnesium deprivation, 122,693 - and -. II. The minimum magnesium requirement for growth, gestation, and lactation, and the effect of the dietary calcium level thereon, 122, 715 Tulane, Victor J., Christman, A. A., and Lewis, Howard B. Studies in the synthesis of hippuric acid in the animal organism. VIII. Hydrazine intoxication and hippuric acid synthesis in the rabbit,
- and Lewis, Howard B.
 Studies in the synthesis of hippuric acid in the animal organism. IX. A comparative study of the rate of synthesis and excretion of hippuric and phenaceturic acids by the rabbit, 103, 151
 Tunison, A. V. See McCay,

Tunison, Crowell, and Paul, 114, 259

—. See McCay and Tunison, 123, lxxx

Tupikova, Natalia. See Eichelberger and Hastings.

Turner, C. W. See BERGMAN and TURNER, 118, 247

- —. See Graham, Houchin, and Turner, 120, 29
- —. See Graham, Peterson, Houchin, and Turner,

122, 275

—. See Bergman and Turner,

Turner, Kenneth B. See

Shillito, Bidwell, and Turner, 112, 551

Turner, Mary E. The precipitation of phosphatides and cholesterol from human sera, 105, xciv

Turner, R. G. The stability of carotene in olive oil, 105, 443
Turner, William A. See Meigs,
Turner, Kane, and Shinn,
105, lx

-, Meigs, Edward B., and Converse, H. T. Toxic effect of cod liver oil in the ration of the rabbit and the calf.

Turner, William J. Studies on porphyria. I. Observations on the fox-squirrel, Sciurus niger. 118, 519

Tweedy, Wilbur R., Bell, William P., and Vicens-Rios, Christobal. Parathyroid hormone potency as affected by oxidizing and reducing agents.

-, -, and -. Further chemical studies on a parathyroid hormone, 108, 105

—, Templeton, R. D., and Mc-Junkin, F. A. The effect of complete and partial renal insufficiency on the action of parathyroid hormone in the dog, 109, xeii Tweedy, Wilbur R.—continued

—. See ROBERTS, TWEEDY, and
SMULLEN, 112, 209

—, Smullen, George H., and
Bell, William P. The action
of acid and alkali on parathyroid hormone, 116, 163

—, McNamara, E. W., Templeton, R. D., and Patras, Mary
C. The effect of calciferol on the serum calcium level in the nephrectomized and in the thyroparathyroidectomized

Tyler, David B. See Deuel,
Murray, Hallman, and
Tyler, 120, 277

nephrectomized rat,

Tyndale, H. H. See Levin and Tyndale, 109, liv Tyner, James. See Hubbard,

Munford, and Tyner,

101, 781

U

Underhill, Frank P., and Jaleski, Thomas C. The calcium and potassium content of dog tissues and the influence of thyroparathyroidectomy,

101, 11

Underwood, E. J., and Elvehjem, C. A. Is cobalt of any significance in the treatment of milk anemia with iron and copper? 124, 419

Ungley, C. C. See DAKIN, UNGLEY, and WEST,

Upham, Elizabeth. See Lan-DAUER, UPHAM, and RUBIN, 108, 121

Urban, Frank. Spectrographic

study of the cytochromes in yeast cells respiring at different temperatures, 109, xciii

— and Peugnet, Hubert B.

Oscillographic study of the cytochromes during muscular contraction, 119, c

v

Vahlteich, Ella McCollum. See Rose, Vahlteich, and Mac-Leod, 104, 217 Van Donk. Evelyn C. See

Van Donk, Evelyn C. See Steenbock, Semb, and Van Donk, 114, ci

Van Etten, Cecil. See du Vi-GNEAUD, SEALOCK, and VAN ETTEN, 112, 451

Van Slyke, Donald D., and Kugel, Victor H. The use of Somogyi's filtrate to increase the specificity of the gasometric blood sugar method,

102, 51

 and —. Improvements in manometric micro-Kjeldahl and blood urea methods,

102, 489

— and Hiller, Alma. Determination of ammonia in blood, 102, 499

— and Sendroy, Julius, Jr. Studies of gas and electrolyte equilibria in blood. XVII. The effect of oxygenation and reduction on the carbon dioxide absorption curve and the pK' of whole blood, 102, 505

—, Page, Irvine H., and Kirk, Esben. A manometric micromethod for determination of carbon in organic compounds,

102,635

- and Kirk, Esben. Compari-
son of gasometric, colorimetric,
and titrimetric determinations
of amino nitrogen in blood and
urine, 102, 651
See Kirk, Page, and Van
SLYKE, 105, xlvii
-, Dillon, Robert T., and Mar-
garia, Rodolfo. Studies of gas
and electrolyte equilibria in
blood. XVIII. Solubility and
physical state of atmospheric
nitrogen in blood cells and
plasma, 105, 571
- See SENDROY, DILLON, and
Van Slyke, 105, 597
See KIRK, PAGE, and VAN
SLYKE, 106, 203
- See SENDROY, SEELIG, and
VAN SLYKE, 106, 463, 479
VAN SLYKE, 106, 463, 479 —. See Page, Kirk, Lewis,
THOMPSON, and VAN SLYKE,
111, 613
See MILLER and VAN
SLYKE, 114, lxxi, 583
Van Winkle, Walton, Jr. See
Davis and Van Winkle,
104, 207
Vars, Harry M. See Priffner,
Swingle, and Vars, 104, 701
Blood studies on fish and
turtles, 105, 135
Cos Warman amazza W. a.s.
—. See WINTERSTEINER, VARS,
and Pfiffner, 105, c —. See Pfiffner, Vars, and
- See Pfiffner, Vars, and
TAYLOR, 106, 625
-, Taylor, A. R., and Pfiffner,
J. J. Extraction studies on
the adrenal cortical hormone.
II. Yield from glands of vari-
ous species, 106, 639
See Priffner and Vars,
106, 645

See PFIFFNER. WINTER-STEINER, and VARS, 111, 585 Velick, Sidney F., and White,

Julius. The synthesis of dicholvlcystine and related substances. 123. exxiii

Venning, Eleanor Hill. Gravimetric method for the determination of sodium pregnanediol glucuronidate (an excretion product of progesterone),

119, 473

-, Evelyn, Kenneth A., Harkness, E. V., and Browne, J. S. L. The determination of estrin in urine with the photoelectric colorimeter,

120, 225

Vicens-Rios. Christobal. TWEEDY, BELL, and VICENS-Rios. 105, xcv 108, 105

Vickers, Percy. See Eagle and VICKERS, 114, 193

Vickery, Hubert Bradford, and White, Abraham. The basic amino acids of casein,

103, 413

and Gordon, William G. Complex compounds formed by certain amino acids in the presence of mercuric chloride and alkali, 103, 543

See Pucher, Vickery, and WAKEMAN, 105, lxviii

-, Pucher, George W., and Clark, Harold E. The preparation of glutamine,

109, 39

- and —. Glutamine and asparagine in tobacco leaves, 113, 157 Vickery, Hubert Bradford-continued

- See Pucher, Sherman, and 113, 235 Vickery,
- See PUCHER, CLARK, and 117, 599, 605 VICKERY,
- -, Pucher, George W., Wakeman, Alfred J., and Leavenworth, Charles S. The metabolism of amides in green plants. I. The amides of the tobacco leaf. 119, 369
- See PUCHER. WAKEMAN. and VICKERY, 119, 523
- See Pucher, Curtis, and VICKERY, 123, 61, 71
- -, Pucher, George W., Leavenworth, Charles S., and Wakeman, Alfred J. The metabolism of amides in green plants. II. The amides of the rhubarb leaf. 125, 527
- du Vigneaud, Vincent, Dyer, Helen M., and Harmon, J. The growth-promoting properties of homocystine added to a cystine-deficient diet and the proof of structure homocystine, 101, 719
- See Loring and Du Vi-GNEAUD, 102, 287
- -, Sifferd, Robert H., and Sealock, Robert Ridgely. The heat precipitation of insulin, 102, 521
- See LORING, DORFMANN, and DU VIGNEAUD, 103, 399
- -, Craft, Harold A., and Loring, Hubert S. The oxidation of the stereoisomers of cystine in the animal body, 104, 81
- and -. The oxidation of the

- sulfur of homocystine in the animal body, 105, xcvi
- -, Loring, Hubert S., and Craft, The oxidation of Harold A. the sulfur of homocystine. methionine. S-methyland cysteine in the animal body,
 - 105, 481
- Dyer, Helen M., Jones, Chase Breese, and Patterson, Wilbur I. The synthesis of pentocystine and homomethionine, 106, 401
- See and LORING DŪ VIGNEAUD. 107, 267
- -, Loring, Hubert S., and Craft, Harold A. The oxidation of the sulfur of the acetyl and formyl derivatives of d- and l-cystine in the animal body, 107, 519
- DU VI-See DYER and 108, 73 GNEAUD,
- See SIFFERD and DU VI-108, 753 GNEAUD,
- and Patterson, Wilbur I. The preparation of the optically active isomers of homocystine and the demonstration of their configurational relationship to naturally occurring methionine, 109, 97
- See DU VI-Dyer and GNEAUD, 109, 477
- and Irish, Oliver J. The rôle of the acetyl derivative as an intermediary stage in the biological synthesis of amino acids from keto acids. 109, xciv
- See Loring and Du Vi-111,385 GNEAUD,
- See Patterson and DU VI-111,393 GNEAUD.

See RIEGEL and DU VI-112, 149 GNEAUD. -, Sealock, Robert Ridgely, and Van Etten, Cecil. The question of the utilization of tryptophane administered cutaneously. 112, 451 and Hunt, Madison. The synthesis and depressor effect of d-carnosine, the enantiomorph of the naturally occurring form. 114, cv - and Patterson, Wilbur I. The synthesis of djenkolic acid. 114,533 - and Hunt, Madison. The synthesis of d-carnosine, the enantiomorph of the naturally occurring form, and a study of its depressor effect on the blood pressure, 115, 93 - See DYER and DU VI-GNEAUD, 115, 543 - See Patterson, Dyer, and 116, 277 DU VIGNEAUD. - and Miller, Gail Lorenz. A synthesis of glutathione. 116, 469 - and Behrens, Otto K. method for protecting the imidazole ring of histidine during certain reactions and its application to the preparation of l-amino-N-methylhistidine, 117, 27 Sifferd, Robert H., and Irving, George W., Jr. The utilization of l-carnosine by animals on a histidine-deficient diet. 117, 589 See MILLER and DU VI-

118, 101

GNEAUD,

-, Loring, Hubert S., and Miller,

Gail Lorenz. The synthesis of α -glutamyleysteinylglycine (isoglutathione), 118, 391

-, Dyer, Helen M., and Jones, Chase Breese. Studies of the physiological behavior of the acetyl derivatives of the optical isomers of homocystine; a biological proof of their stereostructure. 119, 47

-. See Jones and Du VI-GNEAUD, 120, 11

-- See Behrens and DU VI-GNEAUD, 120, 517

— and Irish, Oliver J. The rôle of the acetyl derivative as an intermediary stage in the biological synthesis of amino acids from keto acids, 122, 349

 Irving, George W., Jr., Dyer, Helen M., and Sealock, Robert Ridgely. Electrophoresis of posterior pituitary gland preparations, 123, 45

-. See Patterson and Du VI-GNEAUD, 123, 327

--. See IRVING and DU VI-GNEAUD, 123, 485

—. See Hunt and Du VI-GNEAUD, 123, lxi 124, 699

— and Hunt, Madison. A preliminary study of β-l-aspartyll-histidine as a possible biological precursor of l-carnosine, 125, 269

Vilter, S. P., Spies, Tom D., and Mathews, A. P. A method for the determination of nicotinic acid, nicotinamide, and possibly other pyridine-like substances in human urine,

125, 85

Virtue, Robert W., and Lewis, Howard B. The metabolism of sulfur. XXI. Comparative studies of the metabolism of l-cystine and dl-methionine in the rabbit, 104, 59

— and —. The iodometric determination of cystine in the urine, 104, 415

—. Studies on the metabolism of sulfur in cats, 114, cvi

— and Doster-Virtue, Mildred

E. Precursors of taurocholic
acid, 119, ci

— and —. Studies on the production of taurocholic acid in the dog, 119, 697

— and —. Studies on cystamine in the dog, 123, cxxiii

Visscher, J. P. See Bowman, Visscher, and Mull,

109, xi

Visscher, Maurice B. See DILL-MAN and VISSCHER,

103, 791

Volk, Marie C. See GILLIGAN, Volk, and Altschule,

103, 745

Vollmar, G. K., and Koehler, Alfred E. The effect of insulin on liver glycogenase,

114, evi

w

Waddell, J. The provitamin D of cholesterol. I. The antirachitic efficacy of irradiated cholesterol, 105, 711

Wade, Nelson J. Prolonged administration of theelin and theelol to male and female rats and the bearing on reproduction.

105, xevi

See Katzman, Wade, and Doisy. 114, lvi

Wadsworth, Augustus, and Pangborn, Mary C. The reaction of formaldehyde with amino acids, 116, 423

Wagner, B. See Morgulis,

123, 1

Wagreich, Harry, and Nelson, J. M. On the oxidation product of catechol when oxidized by means of tyrosinase,

115, 459

Waisman, Harry A. See Mickelsen, Waisman, and Elvehjem, 124,313

--. See Woolley, Waisman, Mickelsen, and Elvehjem, 125,715

Wakefield, E. G. See Power, Wakefield, and Peterson,

105, lxvii

—. See Power and Wake-FIELD, 123, 665

Wakeham, Glen, and Halenz, H.
F. The distribution of iron in certain tissues of normal and anemic albino rats.

115, 429

Wakeman, Alfred J. See
PUCHER, VICKERY, and WAKEMAN, 105, lxviii

--. See Vickery, Pucher,
Wakeman, and Leavenworth, 119, 369

See Pucher, Wakeman, and Vickery, 119, 523

 See Vickery, Pucher, Leavenworth, and Wake-Man, 125, 527

Wald, George, and Zussman, Hyman. Carotenoids of the chicken retina. 122, 449 Walker, Arthur M. See RICHARDS, BORDLEY, and WALKER, 101, 179

and Reisinger, John A. Quantitative studies of the composition of glomerular IX. The concentration of reducing substances in glomerular urine from frogs and Necturi determined by an ultramicroadaptation of the method of Sumner. Observations on the action of phlorhizin. 101, 223

—. Quantitative studies of the composition of glomerular urine. X. The concentration of inorganic phosphate in glomerular urine from frogs and Necturi determined by an ultramicromodification of the Bell-Doisy method, 101, 239

—. Comparison of the chemical composition of aqueous humor, cerebrospinal fluid, lymph, and blood from frogs, higher animals, and man. Reducing substances, inorganic phosphate, uric acid, urea,

101, 269

Wallen-Lawrence, Zonja. Proof of the existence of a folliclestimulating and a luteinizing hormone in the anterior lobe of the pituitary body,

105, xevii

Wallenmeyer, J. C. See Bills, Imboden, and Wallenmeyer, 105, x

—. See Bills, McDonald, Massengale, Imboden, Hall, Hergert, and Wallenmeyer, 109, vii —. See BILLS and WALLEN-MEYER, 123, xi

Waller, Dorothy S. See WILEY, WILEY, and WALLER,

101, 73

Walter, E. D. See Burrell and Walter, 108, 55

Walti, A. Crystalline ficin,

119, ci

Wang, Cheng-Fah. See Wu and Wang, 123, 439

Wang, Chi Che, Kaucher, Mildred, and Wing, Mary. Mineral metabolism of twenty-three adolescent girls, five nephrotic children, and two boys with progressive pseudohypertrophic muscular dystrophy,

109, xev

—. Improvements in the methods for calcium determination in biological material, 111, 443

—. Basal metabolism, preformed and total creatinine nitrogen in twenty-four boys and forty-six girls between one month and fifteen years of age, 119, cii

Warner, E. D. See SEEGERS, SMITH, WARNER, and BRINK-HOUS, 123, 751

Warner, Robert C. See Borsook, Davenport, Jeffreys, and Warner, 117, 237

Warren, Clark R. See Light and Warren, 104, 121

Warweg, Edna. See STEARNS and WARWEG, 102, 749

and Stearns, Genevieve.
 Studies of phosphorus of blood.
 V. A comparative study of acid and enzymatic hydrolysis

the acid-soluble organic phosphorus, with particular reference to the phosphoglycerate fraction, 115, 567 Washburn, R. G. See KRAUSS and Washburn, 114, 247 Waterman, Robert E., and Ammerman, Marion. Animal response to crystalline vitamin В1, 105, xeviii Waters, E. T. See FLETCHER and WATERS, 119, xxxiii Waters, R. M. See ORCUTT and

WATERS. 117, 509 Watrous, R. M. See Kohn and WATROUS. 124, 163 Watson, Cecil James. An im-

proved method for the isolation of crystalline stercobilin. 105, 469

The origin of natural crystalline urobilin (stercobilin),

114, 47

Watson, M. See MARRIAN. COHEN, and WATSON,

109, lix

Watts, Ruth M. The effect of administration of preparations of growth hormone of the anterior lobe of the pituitary upon gestation and the weight of the new-born (albino rats),

109, xcv

Weber, C. J. The presence of glycocyamine in urine,

109, xevi

Studies on the metabolism of guanidoacetic acid,

114, cvii

A study of the guanidinelike substance in the blood from dogs having uranium nephritis. 123, exxiv Weber, H. H. R., and King, C. Specificity and inhibition characteristics of liver esterase and pancreas lipase,

108, 131

Weber, Janet. See STEENBOCK, IRWIN, and WEBER, Webster, G. W. See FLOSDORF and WEBSTER. 121, 353 Webster. M. Dorothy. See BERNHEIM, and BERNHEIM, WEBSTER, 109, vi 110, 165

and Bernheim, Frederick. Oxidation of amino acids by (Pseudo-Bacillus puocuaneus monas aeruginosa), 114, 265 See Bernheim and Web-

119, xi

Weech, A. A., Reeves, E. B., and Goettsch, E. The relationship between specific gravity and protein content in plasma, serum, and transudate from dogs. 113, 167

McCune. See CULBERT. and Weech. 119, 589

See PAGE. FARR, and 121, 111 WEECH,

Weil, Leopold. The preparation of enzymatically pure proteinase and the quantitative determination of the influence of protaminase, 105, 291

and Russell, Mary A. A manometric micromethod for arginase determination. Enzymatic study of blood arginase in rats. 106, 505

See Schroeder, Munro, and Weil, 110, 181

—. The activation of arginase, 110, 201

- and Ely, J. Owen. Investigations inenzymatic histochemistry. I. Distribution of arginase activity in rabbit kidney, 112, 565

Weinbach, Ancel P. A micromethod for the determination of sodium. 110, 95

Weiner, Joseph G. See Dunn and WEINER. 117, 381 Weiner, S. B. See SOBOTKA,

REINER, and WEINER,

123, cxii

Weinstein, S. S., and Wynne, Studies on pancreatic A. M. lipase. I, 112,641

- and -. II. Influence of various compounds on the hydrolytic activity, 112, 649

Weir, E. G., and Hastings, A. Baird. The ionization constants of calcium proteinate determined by the solubility of calcium carbonate, 114, 397

Weisiger, James. See Carter, HANDLER, BINKLEY, BACK, RISSER, and WEISIGER, 123, xx

Weiss. Alter. See FISHBERG. BIERMAN, and WEISS,

114, xxxv

Weiss, Charles, Kaplan, A., and Larson, Clarence E. Studies inflammation, III, Proteinase and peptidase activity of polymorphonuclear leucocytes, monocytes, and epithelioid cells of pleural inflammatory exudates,

125, 247

Wendel, William B. A note on the determination of lactic and pyruvic acids, 102, 47

Oxidations by erythrocytes and the catalytic influence of methylene blue. I. The oxidation of lactate to pyruvate, 102, 373

II. Methemoglobin and the effect of cyanide. 102, 385

Catalytic reduction methemoglobin to hemoglobin by methylene blue,

123, exxiv

Went, F. w. See Koepfli, THIMANN, and WENT,

122, 763

Werkman, C. H. See Wood and WERKMAN, 105, 63

See Osburn, Brown, and WERKMAN, 121,685

Wertheimer. D. See ECKER, PILLEMER, MARTIENSEN, and WERTHEIMER.

123, 351, 359

Werthessen, Nicholas T. An apparatus for the measurement of the metabolic rate of small animals. 119, 233

Wesson, Laurence G., and Murrell, Florence C. A dietary factor concerned with carbohydrate metabolism,

102, 303

Metabolism of varicarbohydrates by maintained on a fat-deficient diet. 105. xcix

Loss of the carbohydrate metabolism factor during the boiling of vegetables,

123, cxxv

West, Edward S. See Freiberg and WEST. 101, 449 -, Hoagland, Charles L., and

Curtis, George H. An im-

West, Edward S .- continued proved method for the determination of acetyl values of lipids applicable to hydroxylated fatty acids, 104, 627 -, Lane, Ruth A., and Curtis, Precipitating George H. agents for use in the estimation of sugars in biological mate-109, xcvii rials, See Moore, Erlanger, and WEST. 113, 43 See NEY and WEST. 114, 547 See HAFNER, SWINNEY, and WEST, 116,691 - and Ney, Luman F. A reaction of ascorbic acid with formaldehyde, 119, cii - and Judy, Frederick R. destructive action of acidified candies upon tooth enamel, 123, cxxv West, Harold D., and Carter, Herbert E. Synthesis of α-amino-β-hydroxy-n-butyric acids. III. A simple method of preparing a mixture of the two forms, 119, 103 — and —. IV. Separation of mixtures of the two forms and preparation of d(-)- and l(+)threonine, 119, 109 Krummel, Guy S., and Carter. Herbert E. Svnthesis of α -amino- β -hydroxy-nacids. V. Preparation of dl-allothreonine, with notes concerning the addition of methyl hypobromite to un-

saturated acids,

- and Carter, Herbert E. Syn-

thesis of α -amino- β -hydroxy-

122,605

n-butyric acids. VI. Preparation of d- and l-allothreonine and nutritive value of the four 122, 611 West, Randolph. See DAKIN and WEST, 109, 489 See DAKIN, UNGLEY, and 115, 771 Westerfeld, W. W., MacCorquodale, D. W., Thayer, Sidney A., and Doisy, Edward A. The ketonic estrogen of sow 123, exxvi ovaries. Westfall, B. B., Findley, Thomas, and Richards, A. N. Quantitative studies of the composition of glomerular urine. XII. The concentration of chloride in glomerular urine of frogs 107, 661 and Necturi, The and Landis, E. M. molecular weight of inulin, 116, 727 See HENDRIX, WESTFALL, and RICHARDS, 116, 735 See RICHARDS, WESTFALL, and Bott, 116, 749 Wharton, P. S. See HENDRIX and WHARTON. 105, 633 —. See FAY and WHARTON. 109, 695 Wheatley, A. H. M. See QUASTEL and WHEATLEY,

Wheeler, Grace. See Pincus,

Whipple, Dorothy

non,

Church, Charles F.

WHEELER, YOUNG, and ZAHL,

of vitamin B (B₁) to fat

metabolism. I. The rôle of

fat in the refection phenome-

119, lxxx

116, 253

Relation

109, xcviii

v.,

— and —. The composition of growth induced by vitamin B (B_1) . 114. cvii - and -. The effect of vitamin B₁ on the respiratory quotient, 119, ciii Whipple, G. H. See DAFT. ROBSCHEIT-ROBBINS, and WHIPPLE. 103, 495 108, 487 113, 391 121, 45 123, 87 F. Preparation of

Whistler, Roy L., and Buchanan, glucose. 125, 557

Whitcher, L. B., Booher, Lela E., and Sherman, H. C. Further studies on the calcium content of the body in relation to the calcium and phosphorus content of the food. 115,679

White, Abraham. The cystine vielded by deaminized casein. 103, 295

See VICKERY and WHITE, 103, 413

See Conn and White, 109, 169

and Jackson, Richard W. The effect of bromobenzene on the utilization of cystine and methionine by the growing rat, 111, 507

The production of a deficiency involving cystine and methionine by the administration of cholic acid.

112, 503

See FISHMAN and WHITE, 113, 175

- and Fishman, Jacob B. The formation of taurine by the decarboxylation of cysteic acid, 116, 457

See STERN and WHITE.

117, 95

- and Stern, Kurt G. Studies on the constitution of insulin. II. Further experiments on reduced insulin preparations,

119, 215

See Beach and White.

119, viii

See STERN and WHITE,

119, xcv

Some products of the partial hydrolysis of crystalline edestin by pepsin, 119, ciii

- and Beach, Eliot F. The rôle of cystine, methionine, and homocystine in the nutrition of the rat, 122, 219

-. See STERN and WHITE,

122, 371

See Simon and White,

123, cix

White, Florence R. See LEWIS, Brown, and White,

114, 171

-, Lewis, Howard B., and White, Tulius. The metabolism sulfur. XXIV. The metabolism of taurine, cysteic acid. cystine, and of some peptides containing these amino acids,

117,663

White, H. L. and Monaghan, Betty R. The isoelectric point of adsorbed hemoglobin,

113, 371

White, Julius. The preparation of glycyltaurine and glycylcysteic acid, 102, 249 212 White, Julius—continued The synthesis of cystinyldiglycine and cystinyldialanine. 106, 141 See WHITE, LEWIS, and 117,663 WHITE, See Velick and White, 123, exxiii White, Ralph V. See McClen-DON, BRATTON, and WHITE, 119, lxvii See McClendon and Brat-TON, 123, 699 -. See McClendon and Rice, 123, lxxxi Whitehorn, John C. A chemical method for estimating epine-

phrine in blood, 108, 633 Wintersteiner, Whitman, B., Oskar, and Schwenk, E. β -

Estradiol. 118, 789 Whittier, E. O. Buffer intensities of milk and milk constituents. II. Buffer action

calcium phosphate,

102, 733

III. Buffer action of calcium citrate. 123, 283

Widerman, A. H. See DRAB-KIN, WIDERMAN, and LANDOW, 109, xxvii

Wies, Carl H. See THOMPSON. TENNANT, and Wies,

108, 85

Wilcox, D. E. See Russell. TAYLOR, and WILCOX,

> 105, lxxiv 107, 735

Wilder, A. B. See KHARASCH, LEGAULT. WILDER. and GERARD, 113, 537, 557

Wilder, O. H. M. See BETHKE, RECORD, and WILDER,

112, 231

Wilder, Russell M. See Power, WILDER, and CUTLER,

123, xciv

Wilder, Violet M. The cholesterol content of dystrophic rabbits, 119, civ

See SPENCER. Morgulis, and WILDER, 120, 257

See Morgulis, WILDER, SPENCER, and EPPSTEIN,

124, 755

Wiley, Frank H., Wiley, Leona L., and Waller, Dorothy S. The effect of the ingestion of sodium, potassium, and ammonium chlorides and sodium bicarbonate on the metabolism of inorganic salts and 101, 73 water.

- and -. The inorganic salt balance during dehydration and recovery, 101, 83

-, Bergen, Dorothy S., and Blood, Frank R. The formation of oxalic acid, 119, cv

—. The metabolism of β -naphthylamine, 123, exxvii 124, 627

Wiley, Leona L. See WILEY, WILEY, and WALLER,

101, 73

See WILEY and WILEY, 101,83

Wilkerson, Vernon A. The chemistry of embryonic growth. IV. The requirement of the pig embryo for 104, 541 copper,

The chemistry of human epidermis. I. Amino acid

content of the stratum corneum and its comparison to other human keratins,

107, 377

—. II. The isoelectric point of the stratum corneum and other human keratins as determined by electrophoresis,

109, xcix

- —. II. The isoelectric points of the stratum corneum, hair, and nails as determined by electrophoresis, 112, 329
- IV. The effect of certain salts upon the ζ-potential of the stratum corneum,

123, exxviii

Wilkins, Elwood S., Jr. See Willoughby and Wilkins, 124,639

Wilkins, Walter E. See Cullen and Wilkins, 102, 403

—. See Cullen, Wilkins, and Harrison, 102, 415

—. A method for quick dry ashing of blood serum for the determination of sodium by the uranyl zinc acetate method,

105, 177

and Jones, Herman D. A method for the quick dry ashing of blood plasma and whole blood for the determination of chlorides, 117, 481
 Williams, Edward F., Jr., and Morrison, Dempsie B. Displacement of globin from

hemoglobin by pyridine, 119, cv

--. See Morrison and Williams, 123, lxxxvii

 and Morrison, Dempsie B. Mechanism of the globinferrihemate conjugation,

123, exxix

Williams, Harold H. See Hansen, Wilson, and Williams, 114, 209

- —. See ERICKSON, JONES, BERNSTEIN, WILLIAMS, LEE, and MACY, 114, xxxii
- -. See Erickson, Williams, Bernstein, and Jones,

114, xxxii

—. See Erickson, Williams, Hummel, and Macy,

118, 15

—. See Erickson, Williams, Hummel, Lee, and Macy,

118, 569

- Erickson, Betty Nims, Bernstein, Samuel S., Hummel,
 Frances Cope, and Macy, Icie G. The lipid and mineral distribution of the serum and erythrocytes in pernicious anemia. Before and after therapy,
 118, 599
- See Bernstein, Jones,
 Erickson, Williams, Avrin,
 and Macy, 122, 507
- See Erickson, Williams,
 Bernstein, Avrin, Jones, and
 Macy,
 122, 515
- —, Erickson, Betty Nims, Avrin, Ira, Bernstein, Samuel S., and Macy, Icie G. Determination of cephalin in phospholipids by the estimation of choline,

123, 111

—. See Beach, Erickson, Bernstein, and Williams, 123, vi Williams, Harold H.—continued

—. See Erickson, Lee, and
Williams, 123, xxxiv
Williams, Priscilla. See SunDERMAN and Williams,
102, 279

—. See Sunderman,
113, 111

Williams, Ray D., and Olmsted, W. H. A biochemical method for determining indigestible residue (crude fiber) in feces: lignin, cellulose, and nonwater-soluble hemicelluloses,

108,653

—. See Shaffer and Williams, 111, 707

Williams, Roger J., and Saunders, Donald H. The effect of inositol, crystalline vitamin B, and pantothenic acid on the growth of different strains of yeast, 105, xcix

—. Fractional electrical transport as a tool in biochemical research, 110, 589

Willier, B. H., Gallagher, T. F., and Koch, F. C. The action of male and female hormones upon the reproductive glands and ducts of the chick embryo, 109, xcix

Willoughby, Carl E., and Wilkins, Elwood, S., Jr. The lead content of human blood,

124, 639

Wilson, D. A. See STRICKLER and WILSON, 123, cxviii —, Strickler, H. S., and McEllroy, William S. Urinary

estrogens, 123, cxxix
Wilson, D. Wright. See Moore
and Wilson, 105, lxiii

--- See DE BEER, JOHNSTON, and WILSON, 108, 113

—. See Bott and Wilson, 109, 455, 463

—. See Wolff and Wilson, 109, 565

 See Moore and Wilson, 114, lxxi 119, 573, 585

-- See Gurin, Bachman, and Wilson, 123, xlix

 and Wolff, William A. Basic nitrogenous extractives of Necturus muscle, 124, 103
 Wilson, Hildegarde. See Shore,

Wilson, and Stueck,

112, 407

 and Cannan, R. Keith. The glutamic acid-pyrrolidonecarboxylic acid system,

119, 309

Wilson, William R., and Hanner,
James P. Changes of total
lipid and iodine number of
blood fat in alimentary
lipemia, 106, 323

— and Hansen, Arild E. Study of the serum lipids by a microgravimetric technique,

112, 457

—. See Hansen, Wilson, and Williams, 114, 209

Wimmer, E. J. See Hughes and Wimmer, 108, 141

Wing, Mary. See WANG, KAUCHER, and WING,

109, xcv

Winkler, Alexander W., and Smith, Paul K. The fate of intravenously injected potassium salts, 123, cxxx — and —. The apparent volume of distribution of potassium injected intravenously, 124, 589

Winnek, Philip S., and Smith, Arthur H. The determination of bromine in biological substances, 119, 93

— and —. Influence of bromide and chloride in the diet on the amount of bromine in the body, 119, evi

- and -. Studies on the rôle of bromine in nutrition,

121, 345

Winter, Irwin C. Fat metabolism in the dog following liver injury produced by carbon tetrachloride, 124, 339

Wintersteiner, Oskar. The action of sulfhydryl compounds on insulin, 102, 473

—, Vars, Harry M., and Pfiffner, J. J. Chemical investigations on the cortical hormone of the adrenal gland, 105, c

— and Allen, Willard M. Crystalline progestin,

107, 321

— and Pfiffner, J. J. Chemical investigations on the cortical hormone of the adrenal gland, 109, c

—. See PFIFFNER, WINTER-STEINER, and VARS,

111, 585

— and Pfiffner, J. J. Chemical studies on the adrenal cortex. II. Isolation of several physiologically inactive crystalline compounds from active extracts, 111, 599 -- See Priffner and Wintersteiner, 114, lxxx

mand Pfiffner, J. J. Chemical studies on the adrenal cortex.

III. Isolation of two new physiologically inactive compounds,

116, 291

 See Whitman, Wintersteiner, and Schwenk,

118, 789

— and Hirschmann, H. Estrogenic diols in the urine of pregnant mares, 119, cvii

See HIRSCHMANN and WINTERSTEINER, 122, 303
 Wirick, Alice M. See BILLS,

Wirick, Alice M. See Bills,
Massengale, McDonald, and
Wirick, 108, 323

Wiseman, H. G., Kane, Edward A., and Cary, C. A. The losses involved in determining carotene in hays and in fresh green plants, 105, ci

— and Cary, C. A. The spectrophotometric determination of carotene in butter fat.

109, ci

— and Kane, Edward A. The determination of carotene in fresh plant materials,

114, cviii

See SHINN, KANE, WISE-MAN, and CARY, 119, IXXXIX
 Witt, Ewald. See CURTIS, MILLER, and WITT,

119, xxi

Witzemann, Edgar J. The oxidation of metabolites. III.

The mechanism of the oxidation of fatty acids in an alkaline phosphate-hydrogen peroxide system. 107, 475

Woelfel, Warren C. The colorimetric determination of sodium as uranyl manganese sodium acetate, 125, 219

Wolf, Paul A. See Corley, KRAMER, and WOLF,

109, xxiii

See Corley, Wolf, and 123, xxvi NIELSEN.

Wolff, William A., and Wilson, D. Wright. Carnosine and anserine in mammalian skeletal muscle, 109, 565

See Wilson and Wolff, 124, 103

Womack, Madelyn, and Rose, William C. Feeding experiments with mixtures of highly purified amino acids. VI. The relation of phenylalanine and tyrosine to growth,

107, 449

See Rose, McCoy, Meyer, Womack, CARTER, and MERTZ, 109, lxxvii

- and Rose, William C. Feeding experiments with mixtures of highly purified amino acids. VII. The dual nature of the "unknown growth essential,"

112, 275

See KEMMERER, Rose, Womack, Mertz, Gunther, McCoy, and MEYER,

114, lxxxv

- and Rose, William C. The relation of leucine, isoleucine, and norleucine to growth,

-, Kemmerer, Kenneth S., and Rose, William C. The relation of cystine and methionine to growth, 121, 403 Wood, H. G., and Werkman, C. The propionic acid bacteria. On the mechanism of glucose dissimilation.

105, 63

Wood, Marion L., Madden, Robert J., and Carter, Herbert **E.** Synthesis of α -amino- β hydroxy-n-butyric acids. II, 117, 1

Wood, Thomas R. See Gustav-SON, WOOD, and HAYS,

114, xlvi

See Gustavson, Hays, and WOOD, 119, xlii

Wood, William B., Jr. Physicochemical studies of the reducing action of glucose,

105, cii

preliminary physicochemical study of the reducing action of glucose, 110, 219

Woods, E. B. See OBERST and Woods, 111, 1

Woods, Oliver R. See Gustus, MEYER, and Woods,

114, 59

Woodward, Gladys E. See SCHROEDER, WOODWARD, and PLATT, 101, 133

Glyoxalase. III. Glyoxalase as a reagent for the quanmicroestimation titative glutathione, 109, 1

-, Munro, Muriel Platt, and Schroeder, E. F. Glyoxalase. IV. The antiglyoxalase action of kidney and pancreas prep-109, 11 arations,

See Musulin, Woodward, SILVERBLATT, and KING,

114, lxxiv

-. See Schroeder and Wood-WARD, 120, 209

Woolley, D. W., and Peterson, W. H. The chemistry of mold tissue. XI. Isolation of leucine and isoleucine from Aspergillus sydowi, 114, 85

— and —. XII. Isolation of arginine, histidine, and lysine from Aspergillus sydowi.

118, 363

— and —. Isolation of nitrogenous compounds from the mold Aspergillus sydowi,

119, cvii

- and —. The chemistry of mold tissue. XIII. Isolation of some monoaminomonocarboxy and some monoaminodicarboxy acids from Aspergillus sydowi, 121, 507
- and —. Some observations on the Kapeller-Adler method for the determination of histidine. The histidine content of yeast, 122, 207
- and —. The chemistry of mold tissue. XIV. Isolation of cyclic choline sulfate from Aspergillus sydowi,

122, 213

 See Elvehjem, Madden, Strong, and Woolley,

123, 137

—, Strong, F. M., and Madden, Robert J. Activity of pyridine derivatives in the cure of canine black tongue,

123, exxxi

124, 715

—, —, —, and Elvehjem, C. A. Anti-black tongue activity of various pyridine derivatives, —, Waisman, Harry A., Mickelsen, Olaf, and Elvehjem, C. A. Some observations on the chick antidermatitis factor,

125, 715

Wright, Norman. The infra-red absorption spectra of the stereoisomers of cystine,

120, 641

Wu, Hsien, and Wang, Cheng-Fah. Surface denaturation of egg albumin, 123, 439

Wyckoff, Ralph W. G. See Corey and Wyckoff,

114, 407

- and Corey, Robert B. x-Ray diffraction patterns of crystalline tobacco mosaic proteins, 116, 51
- —, Biscoe, J., and Stanley, W. M. An ultracentrifugal analysis of the crystalline virus proteins isolated from plants diseased with different strains of tobacco mosaic virus,

117, 57

- —. Molecular sedimentation constants of tobacco mosaic virus proteins extracted from plants at intervals after inoculation, 121, 219
- --. See Loring and Wyckoff, 121, 225
- An ultracentrifugal study of the pH stability of tobacco mosaic virus protein,

122, 239

- -. See BEARD and WYCKOFF, 123, 461
- -. See Stern and Wyckoff, 124, 573

Wyckoff, Ralph W. G.—continued -. An ultracentrifugal analysis of the aucuba mosaic virus protein, 124, 585 Wylie, H. Boyd. See Schmulo-VITZ and WYLIE. 116, 415 See SCHMIDT, SCHMULOVITZ, Szczpinski, and Wylie. 120, 705 Wyman, Jeffries, Jr. See ED-SALL and WYMAN, 105, xxiv -. See GERMAN and WYMAN, 117, 533 See GREENSTEIN and WYMAN, 123, xliv See GREENSTEIN, KLEM-PERER, and WYMAN, 125, 515 Wynne, A. M. See WEINSTEIN 112, 641, 649 and WYNNE, Y Yang, P. S. See Levene and 102, 541, 557 YANG, 111, 751 Yannet, Herman, Darrow, Daniel C., and Cary, M. Katherine. The effect of changes in the concentration of plasma electrolytes on the concentration of electrolytes in the red blood cells of dogs, monkeys, and rabbits. 112, 477 -. See HARRISON, DARROW, and YANNET, 113, 515 - and Darrow, Daniel C. The effect of growth on the distribution of water and elec-

trolytes in brain, liver, and muscle. 123, 295 Yavorsky, Martin, Almaden, Phillip, and King, C. G. The vitamin C content of human tissues, 106, 525 Yeakel, Eleanor H., and Blanchard, Ernest W. The effect of adrenalectomy upon blood phospholipids and total fatty acids in the cat, 123, 31 Yoder, Lester. The chemical activation of sterols. I. The nature of the floridin activation of cholesterol. 116, 71 See Eck, THOMAS, and YODER. 117,655 Yokela, Edith. See OKEY, GIL-LUM, and YOKELA, 107, 207 Young, E. Gordon. On the separation and characterization of the proteins of egg white, 120, 1 - and Inman, W. Robert. The protein of the casing of salmon 123, cxxxi eggs, 124, 189 Young, Genevieve. See Pincus, WHEELER, YOUNG, and ZAHL, 116, 253 Young, Leslie. The effect of pyocyanine on the metab-

olism of cerebral cortex.

zoni, and Young,

LEW, and YUEN,

YUSKA, and COHEN,

Yuska,

See Preisler, Hill, Ron-

Yuen, D. W. See Addis, Poo,

Henry. See

120,659

123, xev

113, 497

SOBEL.

118, 443

 \boldsymbol{z}

Zahl, P. A. See Pincus, Wheeler, Young, and Zahl, 116, 253

Zahnd, H., and Clarke, H. T. Labile sulfur in proteins,

102, 171
Zapp, John A., Jr. Quantitative studies of carnosine and anserine in mammalian muscle,

123, exxxii

Zerfas, L. G. See Helmer, Fouts, and Zerfas,

105, xxxvii

Zervas, Leonidas. See Bergmann, Zervas, Fruton, Schneider, and Schleich,

109, 325

- See BERGMANN, ZERVAS,
 and FRUTON, 111, 225
 See BERGMANN ZERVAS
- -. See Bergmann, Zervas, and Ross, 111, 245

-. See Bergmann and Zervas, 113, 341

114, 711

—. See BERGMANN, ZERVAS, and FRUTON, 115, 593
Zittle, Charles A., and Schmidt, Carl L. A. Heats of solution, heats of dilution, and specific heats of aqueous solutions of certain amino acids,

108, 161

Zozaya, José. A physicochemical study of blood sera,

110, 599

Zscheile, F. P., Jr. See MILLER,
Zscheile, Koch, Hogness,
and Koch, 109, lxv

—. See Hogness, Zscheile,

SIDWELL, and BARRON,

118, 1

See Hogness, Sidwell, and Zscheile, 120, 239
 Zussman, Hyman. See Wald and Zussman, 122, 449

SUBJECT INDEX

Entries for physical constants or properties or for such physiological phenomena as Absorption, Assimilation, Digestion, Equilibrium, Excretion, Fermentation, Metabolism, Respiration, etc., have been made only when the subject is treated in a general sense; not when these subjects occur in connection with a definite substance.

When a definite constituent occurs in connection with Biological fluids, Biological material, Biological systems, Blood, Blood cell, Blood plasma, Blood serum, Diet, Milk, Tissue, Urine, the constituent only is indexed. However, Blood sugar is indexed as such.

A

Abel, John Jacob: Obituary (CLARK)

1938, **124**, preceding p. 573

Abrine: Synthesis and configurational relationships (CAHILL and JACKSON)

1938, 123, xviii

Abscess: Nitrogen metabolism, anemic and non-anemic dogs, protein relation (Daft, Robscheit-Robbins, and Whipple) 1937, 121, 45

Absorption: (See note above)

Acacia: Blood serum, lymph, and urine, determination, volumetric (POWER)

1937, 119, lxxviii

Acetals: Sugars (CAMPBELL and Link)

1937-38, 122, 635

Acetamide: Iodo-, sulfhydryl groups, urease, and fermentation, action (SMYTHE)

1936, 114, xcv

Acetamide—continued:

Iodo-, sulfhydryl groups, urease, and yeast preparations, reactions (SMYTHE)

1936, 114, 601

Acetate: Iodo-, sulfhydryl groups, urease, and fermentation, action (SMYTHE)

1936, 114, xcv

—, — —, —, and yeast preparations, reactions (SMYTHE)

1936, 114, 601

Acetic acid(s): Disubstituted, nitrophenyl esters, and corresponding free acids, rotations (Levene, Rothen, and Meyer) 1934, 107, 555

 with ethyl group, configurational relationship (Levene, Rothen, and Meyer)

1936, 115, 401

-, - methyl group, 2-hydroxy acids, configurational correlation (Levene and Harris) 1935-36, 112, 195

222 Acetic acid(s)—continued: Guanido-, creatine precursor (Bodansky) 1936, 115, 641 excretion (BODANSKY, DUFF, and HERRMANN) 1937, 119, xiii -, metabolism (WEBER) 1936, 114, cvii Iodo-, amines, tertiary, action (SCHUBERT) 1936, 116, 437 -, amino acids, sulfur-containing, nutrition deficiency (SIMON and WHITE) 1938, 123, cix -, yeast fermentation inhibisulfhydryl relation tion. (SCHROEDER, WOODWARD, and PLATT) 1933, 101, 133 Methylbenzyl- and methylphenethyl-, derivatives, configurational relationship 1935, 110, 323 (LEVENE) methylbenzylpropionic

acid, configurational relationship (Levene and MARKER) 1935, 110, 299 Methylheptyl- and methyloctyl-. derivatives. configurational relationship 1935, 110, 323 (Levene) Methylphenyland ethylphenyl-, hydrocarbons derived from (Levene and 1935, 108, 409 MARKER) - methylhexyl-, configurational relationship (LEVENE and HARRIS)

1935-36, 112, 195 Phenyl-, detoxication (AM-

BROSE, POWER, and SHER-1933, 101, 669 WIN) Acetic anhydride: Hydration, non-aqueous titration method (LAVINE and TOENNIES) 1933, 101, 727

Acetoacetic acid: Aldehydes and sugars, reaction (FRIEDE-MANN and KLAAS)

1935, 109, xxxiv β-Hydroxybutyric acid, reduction in liver, malonic acid effect (STARK and COHEN) 1938, 123, exv

Acetoacetic ester: Glucose and, compounds (Moore, Erand WEST) LANGER. 1936, 113, 43

Acetobromo-d-galacturonic acid: α -, methyl ester, β -methyld-galacturonide conversion to (Morell, Baur, and 1935, 110, 719 Link) -, - -, synthesis (Morell, BAUR, and Link)

1935, 110, 719 Acetobromo-d-ribose: 2,4-Diethoxypyrimidine and, interaction (HILBERT and RIST) 1937, 117, 371

Acetone: Blood, determination 1937, 119, 663 (ABELS) -Butyl alcohol fermentation, intermediary compounds (Johnson, Peterson, and 1933, 101, 145 Derivatives, d-ribose (Levene and STILLER)

1933, 102, 187 1934, 106, 421 Determination, colorimetric, salicylaldehyde method (RAVIN) 1936, 115, 511 Acetone—continued: Acid(s)—continued: Urine, determination (ABELS) Fatty. See Fatty acids 1937, 119, 663 Gaseous, amino acids and probodies: Production. teins, combinations (CZAR-Acetone phlorhizinized animal. NETZKY and SCHMIDT) hydrazine effect (GREEN-1934, 105, 301 BERG) 1935-36, 112, 431 Inorganic. SeeInorganic Acetone-methylrhamnopyranoacids side: Chemical constitution -Neutralizing power, saliva (Sovenkoff and Hinck) and properties (Levene and Muskat) 1934, 105, 431 1935, 109, 467 Acetonitrile: Cystine perchlo-Organic. See Organic acids rate oxidation products in Plant tissue, determination (TOENNIES and LAVINE) (Pucher. VICKERY. WAKEMAN) 1934, 105, 107 Hydration, non-aqueous titra-1934, 105, lxviii Sugar, preparation, d-glucose tion method (LAVINE and TOENNIES) (HART. SHEPPARD, and EVERETT) 1938, 123, lii 1933, 101, 727 Acetylaminobenzoic acid: Unsaturated. methyl hypoformation, rabbit (HARROW, bromite effect (WEST. MAZUR, BOREK, and SHER-KRUMMEL, and CARTER) 1937-38, 122, 605 1934, 105, xxxiv WIN) Volatile, identification and de-Acetylation: (HARROW, MAZUR, termination (FRIEDEMANN) and SHERWIN) 1938, 123, 161 1933, 102, 35 Acid-base: Blood (Robinson, (HARROW, MAZUR, BOREK, and SHERWIN) PRICE, and CULLEN) 1934, 106, 7 1934, 105, xxxiv 1935, 109, lxxiv Acetyl proteins: Alkali effect 1936, 114, 321 (HENDRIX and PAQUIN) (ROBINSON, PRICE, HOGDEN, 1938, 124, 135 NELSON, and CULLEN) Acetyl value: Lipids, determina-1936, 114, lxxxiv tion (WEST, HOAGLAND, and -, work, effect (Hastings, Curtis) 1934, 104, 627 DILL, and EDWARDS) Acid(s): Bile. See Bile acids 1936, 114, xlvii Blood, first change (LAUG) -Combining capacity, tubercu-1934, 106, 161 lin protein (SEIBERT) Carotenoids, effect (QUACKEN-1936, 114, lxxxix BUSH. STEENBOCK. and equilibrium: Acid-base Basal Peterson) conditions (CAPE and SEV-

1938, 123, xcviii

RINGHAUS) 1933, 103, 257

224 Acid-base equilibrium—continued: Blood (SHOCK and HASTINGS) 1934, 104, 585 -, displacement (Shock and HASTINGS) 1935-36, 112, 239 -, microdetermination (SHOCK and HASTINGS) 1934, 104, 565 -, nomogram (Hastings and Shock) 1934, 104, 575 - serum, diet low in inorganic constituents, effect (SMITH and SMITH)

1934, 105, lxxxi
— —, fatigue effect (Morse and Schlutz)

1935, 109, lxix

— —, hyperthermia (Danielson and Stecher)

1936, 114, xxiii

Food, determination (DAVID-SON and LECLERC)

1935, 108, 337

Minerals, pregnancy (Coons, Coons, and Schiefelbusch) 1934, 104, 757

Urine (SENDROY, SEELIG, and VAN SLYKE)

1934, 106, 479

-, ammonia secretion, nephritis, relation (Briggs)

1935, 109, xii

Acidity: Gastric juice, composition and, relation (Hollander) 1934, 104, 33

——, mucus secretion, relation (Helmer, Fours, and Zer-FAS) 1934, 105, xxxvii Urine (Morgulis)

1933, 103, 757

Acidosis: (SENDROY, SEELIG, and VAN SLYKE)

1934, 106, 463, 479

| Acidosis—continued:

Ammonia excretion (ALVING and Gordon)

1937, 120, 103

Creatinine excretion (ALVING and GORDON)

1937, 120, 103

Fatigue, relation (Morse, Schlutz, and Hastings)

1934, 105, lxiv

-Producing hormone, urine, normal (Funk)

1934, 105, xxix

Respiratory, blood and muscle salt and water exchange, effect (Eichelberger and Hastings) 1937, 118, 197
Urea excretion (Alving and Gordon) 1937, 120, 103

Acridine salts: Yeast and muscle adenylic acid (Tipson)

1937, 120, 621

Acrodynia: Fatty acids, essential, relation (QUACKENBUSH and STEENBOCK)

1938, 123, xevii

Production and cure (GUER-RANT, CHORNOCK, and DUTCHER)

1937, 119, xlii

Acrylic acid: \(\textit{\beta}\)-3-Indole-, tryptophane-deficient diet supplement, growth effect (Bauguess and Berg)

1934, 104, 675

Adenine: Nucleotide, blood (Buell) 1935, 108, 273 —, —, hemoglobin relation

(Buell)

1935–36, **112,** 523

—, hemoglobin, hematocrit, and red blood cell count, relation (Buell)

1935, 109, xii

Adrenal(s)—continued:

raising principle

Cortex extract, blood pressure-

(LOONEY

Adenosine: Diacetyl, phosphorylation (LEVENE and TIPSON) 1937, 121, 131 Fate, dog (CERECEDO and ALLEN) 1934, 107, 421 Monoacetone, phosphorylation (LEVENE and TIPSON) 1937, 121, 131 Adenylic acid: Yeast and muscle, acridine salts (TIPSON) 1937, 120, 621 -, ribosephosphoric acid from (LEVENE and HARRIS) 1933, 101, 419 Adolescence: Calcium retention (STEARNS) 1934, 105, lxxxiv Adolescents: Creatinuria, males (LIGHT and WARREN) 1934, 104, 121 Adrenal(s): Autolysis (Bradley and Belfer) 1938, 123, xv Cortex (KENDALL, MASON, HOEHN, and McKENZIE) 1937, 119, lvi -, chemistry (Mason, Myers, and Kendall) 1936, 116, 267 -, - and physiology (Ken-DALL, MASON, MYERS, and

ALLERS)

(Mason)

DALL)

and KENDALL)

1936, 114, lvii

1938, 124, 475

1938, 124, 475

1937, **120,** 719

1938, 124, 459

—, Compound E conversion

to adrenosterone (Mason)

-, - - to C₂₁O₄ series

-, compounds, structure (MA-

SON. HOEHN, McKENZIE,

(Mason, Hoehn, and Ken-

and DARNELL) 1936, 114, lxii - extracts, inactive crystalline compounds in (WINTER-STEINER and PFIFFNER) 1935, 111, 599 -, hormone, adrenalectomy, requirement (Pfiffner, SWINGLE, and VARS) 1934, 104, 701 assay (Pfiffner, Swingle, and Vars) 1934, 104, 701 — —, chemical nature and physiological action (KEN-DALL, MASON, MCKENZIE, MYERS, and KOELSCHE) 1934, 105, xlv — —, chemistry (WINTER-STEINER, VARS, and PFIFF-NER) 1934, 105, c (WINTERSTEINER and PFIFF-1935, 109, c NER) (Priffner and WINTER-1936, 114, lxxx STEINER) - —, distribution (PFIFFNER and VARS) 1934, 106, 645 — — extract, organ vitamin C, ascorbic acid administration with, effect (SVIRBELY) 1935, 111, 147 extracts, preparation (CARTLAND and KUIZENGA) 1936, 116, 57 —, preparation (Pfiffner, VARS, and TAYLOR) 1934, 106, 625 - -, - for oral administration (GROLLMAN, FIROR, and GROLLMAN) 1935, 109, 189

Adrenal(s)—continued:

Cortex hormone, various species (Vars, Taylor, and PFIFFNER) 1934, 106, 639

 hormones, fractionation (Pfiffner, Wintersteiner, and Vars)

1935, 111, 585

--, inactive compounds, isolation (Wintersteiner and Pfiffner)

1936, 116, 291

Crystalline compounds, chemistry (Mason, Myers, and Kendall)

1936, 114, 613

Demedullated, blood sugar, physostigmine and, effect (Harned and Cole)

1938, 123, li

Epinephrine, hypertension, essential, relation (Koeh-Ler) 1936, 114, lix

-Inactivated cats, brain glycogen, free sugar, and lactic acid, insulin effect (Kerr, Hampel, and Ghantus)

1937, 119, 405

Insufficiency, tissue effect (Darrow and Harrison) 1938, 123, xxvii

Lipolytic enzymes, distribution (GLICK and BISKIND) 1935, 110, 575

Medulla, purine metabolism, insulin and, relation (Larson and Brewer)

1936, 115, 279

— removal, blood lactic acid, insulin and, effect (Scott and Berg)

1936, 115, 163

Adrenal(s)—continued:

Phosphatides, fatty acids, beef (Ault and Brown)

1934, 107, 607

Tissue, autolysis (Bradley and Belfer)

1938, 12**4,** 331

Tumor, urine compound, new (MARRIAN and BUTLER)

1937, 119, lxvi

—, — $3(\alpha)$ -hydroxyetiocholane-17-one, $3(\beta)$ -hydroxyetioallocholane-17-one, and a triol, isolation (Butler and Marrian)

1938, 124, 237

Vitamin C distribution (GLICK and BISKIND)

1935, 110, 1

— — —, development relation (GLICK and BISKIND)
1936, 115, 551

— —, temperature and postmortem effect (Peters and Martin) 1938, 124, 249 See also Suprarenal

Adrenalectomy: Blood amino acid, insulin and epinephrine effect (Davis and Van Winkle) 1934, 104, 207

— and muscle water and electrolyte distribution, effect (Hegnauer and Robinson)
1936, 116, 769

- fatty acids, total, effect (YEAKEL and BLANCHARD) 1938, 123, 31

— phospholipids, effect (YEA-KEL and BLANCHARD)

1938, 123, 31

Carbohydrate metabolism effect (Buell, Anderson,

Adrenalectomy—continued: and STRAUSS)

1936, **114,** xvi

Cortical hormone requirement (Pfiffner, Swingle, and Vars) 1934, 104, 701

Glucose absorption, sexual variation (DEUEL, HALL-MAN, MURRAY, and SAM-UELS) 1937, 119, 607

Glycogen formation, sexual variation (Deuel, Hall-man, Murray, and Samuels) 1937, 119, 607

-Pancreatectomy, effect (Long and Lukens)

1935, **109**, Ivi

Adrenalin: Exercise, effect (DILL and EDWARDS)

1934, 105, xx

See also Epinephrine

Adreno-genital syndrome: 3 (α)-Hydroxyetiocholane-17-one, 3 (β)-hydroxyetioallocholane-17-one, and triol, urine, isolation (Butler and Marrian) 1938, 124, 237

Pregnane-3, 17, 20-triol, urine, isolation (Butler and Mar-RIAN) 1937, 119, 565

Adrenosterone: Suprarenal cortex Compound E conversion to (Mason)

1938, 124, 475

Aerogenes: Bacteria, sugars, rare, fermentation (Poe and Klemme) 1935, 109, 43
Colon bacteria and, cellobiose fermentation (Poe and Klemme) 1935, 109, 43

Again Blood, calcium, chickon

Age: Blood calcium, chicken, effect (Heller, Paul, and

Age—continued:

THOMPSON)

1934, 106, 357

Blood lipids, effect (Lorenz, Entenman, and Chaikoff)

1937–38, 122, 619

 phosphorus partition, chicken, effect (Heller, Paul, and Thompson)

1934, 106, 357

— plasma calcium, effect (Kirk, Lewis, and Thompson) 1935, 111, 641

 — lipids, effect (Page, Kirk, Lewis, Thompson, and Van Slyke)

1935, 111, 613

serum inorganic phosphorus,
 horse, effect (Pearson)

1934, 106, 1

Brain protein amino acids, effect (BLOCK)

1937, **120,** 467

Liver arginase, effect (LIGHT-BODY) 1938, 124, 169

— glycogen, sexual variation, effect (Deuel, Butts, Hallman, Murray, and Blunden) 1937, 119, 617

Metabolism effect (DILL, EDwards, and Robinson)

1938, 123, xxx

Pancreas insulin, cattle, effect (FISHER and Scott)

1934, 106, 305

Trout, brook, calcium and phosphorus, effect (McCay, Tunison, Crowell, and Paul) 1936, 114, 259

Aglycones: Cardiac, chemical constitution (JACOBS and

Aglycones—continued:

ELDERFIELD)

1935, 108, 497

Cardiac, lactone group, Grignard reagent effect (JACOBS and ELDERFIELD)

1936, 114, 597

Air: Respiration chamber, analysis (CARPENTER)

1933, 101, 595

Alanine: Anhydride, alkali hydrolysis (Srinivasan and Sreenivasaya)

1934, 105, 563

β-, radical, l-carnosine depressor action, relation (Hunt and Du Vigneaud)

1938, 123, lxi

Cystinyldi-, synthesis (White) 1934, 106, 141

d-, fate (Butts, Dunn, and HALLMAN)

1935-36, 112, 263

Diffusion coefficients (MEHL and SCHMIDT)

1936, 1**14,** lxvii

3,4-Dihydroxyphenyl-, tyrosine, mixtures, components, determination, colorimetric (Arnow) 1937, 118, 531 dl-, fate (Butts, Dunn, and Hallman)

1935–36, 112, 263

—, ionization (NIMS and SMITH) 1933, 101, 401
Growth relation (GUNTHER and Rose) 1938, 123, 39
Metabolism (BUTTS and DUNN) 1935, 109, xiii
Oxidation, tissues (BERNHEIM and BERNHEIM)

1934, 106, 79

Alanyl-l-histidine: d-, preparation and blood pressure effect (Hunt and Du Vigneaud) 1938, 124, 699

l-, preparation and blood pressure effect (Hunt and DU VIGNEAUD)

1938, 124, 699

Albumin: Biological fluids, determination, precipitin method (GOETTSCH and KENDALL)
1935, 109, 221

Blood serum and plasma (CAMPBELL and HANNA)

1937, 119, 15

— —, determination, angle centrifuge (Price, Robinson, and Hogden)

1938, 1**23,** xcvi

— —, —, errors (Robinson, Price, and Hogden)

1937, 119, lxxxiii 1937, 120, 481

— —, synthetic solution, specific gravity (Nugent and Towle) 1934, 104, 395

Egg, acetyl derivatives, denaturation effect (Hendrix and Paquin)

1936, 1**14,** xlix

-, activity coefficient, glycine effect (RICHARDS)

1937–38, **122,** 727

—, carbohydrate, antigenic behavior (FERRY and LEVY) 1934, 105, xxvii

-, crystalline, enzyme hydrolysis (Calvery)

1933, 102, 73

-, -, hydrolysis, amino nitrogen, cystine, tyrosine, and tryptophane liberation rate

Albumin—continued:

Albumin—continued: (CALVERY, BLOCK, and Schock) 1936, 113, 21 Egg, crystalline, metabolism, cystinuria (BRAND, CAHILL, and KASSELL) 1938, 125, 415 -, -, peptic hydrolysis prodfractionation ucts, (Cal-1935-36, 112, 171 VERY) (CALVERY and SCHOCK) 1936, 113, 15 —, —, solutions, α -particles, irradiation effect (Arnow) 1935, 110, 43 denatured, monolayers 1938, 125, 585 (Bull) -, heat denaturation, hydrogen ion concentration effect (HENDRIX and WHARTON) 1934, 105, 633 -, heat-denatured, optical rotation (BARKER) 1933, 103, 1 -, -, refractivity (BARKER) 1934, 104, 667 -, isoelectric point, apparent, ionic strength effect (SMITH) 1935, 108, 187 -, peptic hydrolysis (CALVERY and Schock) 1935, 109, xvi -, solutions, sulfhydryl groups (GREENSTEIN) 1938, 125, 501 -, structure (BERGMANN and NIEMANN) 1937, 118, 301 -, surface denaturation (Bull and NEURATH) 1937, 118, 163

(Bull)

1938, 123, 17

(Wu and WANG) 1938, 123, 439 (Bull and Neurath) 1938, 125, 113 Milk, globulin, crystalline, from (PALMER) 1934, 104, 359 Ov-, amide nitrogen (SHORE, WILSON, and STUECK) 1935-36, 112, 407 -, isoelectric point, factors influencing (SMITH) 1936, 113, 473 Solutions, neutral salts, action (FERRY, COHN, and NEW-1935, 109, xxxii MAN) Alkyl, proteino-Alcamine(s): (Christman genic LEVENE) 1938, 125, 709 Proteinogenic, and N-dialkyl derivatives, synthesis (CHRISTMAN and LEVENE) 1938, 124, 453 Alcaptonuria: Rat (PAPAGEORGE and Lewis) 1937, 119, lxxvi 1938, 123, 211 -Extracted animal Alcohol(s): tissues, growth and lactation, effect (SEEGERS and MATTILL) 1934, 105, lxxvii Liver proteins, effect (SEEGERS and MATTILL) 1935, 110, 531 Oxidation, tissues, alloxan effect (Bernheim) 1938, 123, 741 Sugar (CARR and KRANTZ) 1938, 124, 221 Tissue nutrients, extraction effect (SEEGERS) 1935, 109, lxxx and

(FRIEDE-

1938, 123, 161

Alcohol(s)—continued:

determination

Volatile.

MANN)

identification

See also Butyl alcohol, Cetyl

alcohol, Ethyl alcohol, etc. Aldehyde(s): Acetoacetic acid. reaction (FRIEDEMANN and KLAAS) 1935, 109, xxxiv Configurationally related, optical rotation (Levene and ROTHEN) 1935, 111, 739 Cysteine determination, effect (HESS and SULLIVAN) 1937, 119, xlvii (SULLIVAN and HESS) 1937, 120, 537 -, effect (HESS and SULLIVAN) 1937, 121, 323 Cystine determination, effect (Hess and Sullivan) 1937, 119, xlvii (SULLIVAN and HESS) 1937, 120, 537 -, effect (HESS and SULLIVAN) 1937, 121, 323 compounds Thiol acids, (SCHUBERT) 1936, 114, 341 tetraacetylmethyl-d-Aldehvdo galacturonate: Synthesis (CAMPBELL and LINK) 1937, 120, 471 Flaxseed Aldobionic acid(s): mucilage (NIEMANN and 1934, 104, 205 Link) Gum arabic, glycosidic union, configuration (LEVENE and Tipson) 1938, 125, 355 - -, hexamethyl methylglycoside methvlester. catalytic reduction to methylglycoside of hexaAldobionic acid(s)—continued: methyl 6-glucosidogalactose (LEVENE. MEYER. and Kuna) 1938, 125, 703 Gum arabic, transformation to disaccharide (Levene and Tipson) 1938, 125, 345 Pneumococcus Type TIT polysaccharide, structure (Hotchkiss and Goebel) 1937, 121, 195 Synthesis (Hotchkiss and 1936, 115, 285 GOEBEL) Aldobionides: Synthesis (Goe-BEL and REEVES) 1938, 123, xlii 1938, 124, 207 Aldohexose: l-Ribose, preparation from, cyanohydrin reaction (Austin and Humol-LER) 1934, 105, v Acetylated. Aldoses: uronic acids and, molecular rotations, relation (Goebel and Reeves) 1938, 124, 207 Alfalfa: Hay carotene, vitamin A activity, relation (HART-MAN, KANE, and SHINN) 1934, 105, xxxvi Vitamin A destruction, enzymatic. curing process (HAUGE) 1935, 108, 331 See also Hay Algæ: Growth, bromine-free medium, synthetic (McIn-

TYRE and BURKE)

and CLARKE)

Marine, amino acids (MAZUR

Alkaline reserve: Organic salts,

ingestion effect (CAPE and

1937, 119, lxviii

1938, 123, 729

Alkaline reserve—continued: Alkyl alcamines: Proteinogenic SEVRINGHAUS) (CHRISTMAN and LEVENE) 1933, 103, 257 1938, 125, 709 (CAPE) 1935, 109, xvii Alkyl halides: 2-Halogeno acids, Sodium citrate and sodium configurational relationship bicarbonate ingestion effect (Levene and Rothen) (CAPE and SEVRINGHAUS) 1937, 119, 189 1937, 121, 549 Allantoin: Excretion, glycine Urine, gastric Alkaline tide: administration effect (MARsecretion. relation (Hub-TIN and CORLEY) BARD, Munford, 1934, 105, lvii and TYNER) 1933, 101, 781 -, insulin effect (Larson and Chin-shih-hu (CHEN Alkaloids: CHAIKOFF) and CHEN) 1935, 111, 653 1935, 108, 457 Ergot (Jacobs and Craig) -, purine-free and protein-free 1934, 104, 547 diets (Martin and Corley) 1934, 106, 393 1934, 105, lvii 1935, 108, 595 Microdetermination (Bor-1935, 110, 521 sook) 1935, 110, 481 1935, 111, 455 Alligator mississippiensis: Blood 1936, 113, 759, 767 (Rosenblatt) 1936, 115, 227 1936, 116, 81 (JACOBS and GOULD) Allocholane: $3(\beta)$ -Hydroxyetio-, 1937, 120, 141 -17-one, adrenal tumor, iso-(JACOBS and CRAIG) lation (BUTLER and MAR-1937-38, 122, 419 1938, 124, 237 RIAN) (CRAIG. SHEDLOVSKY, Allocholanic acid: 3-Hydroxy-6-Gould, and Jacobs) keto-, bile, isolation (An-CHEL and SCHOENHEIMER) 1938, 125, 289 Han-fang-chi 1938, 124, 609 (CHEN and CHEN) 1935, 109, 681 Allocholesterol: (Schoenheimer Veratrine (JACOBS and CRAIG) and Evans) 1937, 119, 141 1936, 114, 567 1937, 120, 447 Absorption (Schoenheimer, 1938, 124, 659 DAM, and VON GOTTBERG) 1938, 125, 625 1935, 110, 667 Alkalosis: Overventilation, fixed Body, absence (Schoenbase excretion (BRIGGS) HEIMER, DAM, andVON 1937, 119, xv GOTTBERG) Respiratory, blood and muscle 1935, 110, 659 salt and water exchange, (Evans) 1936, 115, 449 (EICHELBERGER and Allomethylose: d-, synthesis, 5effect 1937, 118, 197 tosyl monoacetone l-rham-HASTINGS)

Allomethylose—continued: hydrolysis, relation nose (LEVENE and COMPTON) 1936, 116, 169 d-, theophyl-Allomethyloside: line, synthesis (LEVENE and COMPTON) 1937, 117, 37 Allomucic acid: dl-Alluronic acid synthesis from (NIEMANN, KARJALA, and LINK) 1934, 104, 189 d-, preparation Allothreonine: and nutrition value (WEST and CARTER) 1937-38, 122, 611 dl-, preparation (West. KRUMMEL, and CARTER) 1937-38, 122, 605 l-, preparation and nutrition value (WEST and CARTER) 1937-38, 122, 611 Alloxan: Alcohol oxidation, tissues, effect (Bernheim) 1938, 123, 741 dl-, allomucic Alluronic acid: acid synthesis (NIEMANN, KARJALA, and LINK) 1934, 104, 189 Altitude: Blood physicochemical effect properties, (DILL, TALBOTT, and Consolazio) 1937, 119, xxiii - system, effect (DILL, TALBOTT, and CONSOLAZIO) 1937, 118, 649 Hemoglobin oxygen affinity, effect (HALL) 1936, 115, 485 High, blood lactic acid, rest and work influence (ED-1935, 114, xxx WARDS) Altrose: β -l-, l-ribose, prepara-

tion from, cyanohydrin re-

action (Austin and Humol-1934, 105, v LER) Aluminum: Biological material. determination, colorimetric (EVELETH and MYERS) 1936, 113, 449 Storage, intravenous injection effect (EVELETH and MYERS) 1936, 113, 467 Amandin: Osmotic pressure, molecular weight, and stability (Burk) 1937, 120, 63 Amide(s): Betaine, physiological activity (RENSHAW a.n.d Hotchkiss) 1933, 103, 183 Metabolism (CARTER, HAND-LER, BINKLEY, FISHBACK. RISSER, and WEISIGER) 1938, 123, xx Rhubarb leaf. metabolism (VICKERY, PUCHER, LEAV-ENWORTH, and WAKEMAN) 1938, 125, 527 hemoglobin and Solutions. properties pepsin (STEIN-HARDT) 1938, 123, 543 metabolism Tobacco leaf.

(VICKERY, PUCHER, WAKE-MAN, and LEAVENWORTH) 1937, 119, 369 l-Tryptophane, growth and kynurenic acid production, effect (BAUGUESS and BERG) 1934, 106, 615 Amide nitrogen: Ovalbumin (SHORE, WILSON, and STUECK) 1935-36, 112, 407 Amine(s): Aliphatic, homologous optical rotations series.

Amine(s)—continued:

(LEVENE and MARKER)

1936, 115, 267

Configurationally related, rotatory dispersion (Levene, Rothen, and Kuna)

1937, 120, 759

Dithioethyl-, dietary cystine substitute (MITCHELL)

1935, 111, 699

Ethanol-, choline and, separation (Chargaff)

1937, 118, 417

Iodoacetic acid reaction (MICHAELIS and SCHUBERT)
1934, 106, 331

β-Naphthyl-, metabolism (Wiley) 1938, 123, exxvii 1938, 124, 627

Oxidation (Bernheim and Bernheim) 1938, 123, 317 β-Phenylpropyl-, nitrous acid and nitrosyl chloride action (Levene and Marker)

1933, 103, 373

Tertiary, iodoacetic acid action (Schubert)

1936, 116, 437

Amino acids: α -, bone phosphatase, effect (Bodansky)

1936, 11**4,** 273

—, deamination, structural configuration influence (SNYDER and CORLEY)

1937–38, 122, 491

—, α -ketonic acids, reaction (Herbst and Engel)

1934, 1**07**, 505

-, kidney and intestinal phosphatases, effect (Bodansky) 1936, 115, 101

Amino acids-continued:

α-, synthetic, subcutaneous injection, fate (Leighty and Corley) 1937, 120, 331 Acids and bases, gaseous, combination (Czarnetzky and Schmidt)

1934, 1**05,** 301

Activity coefficients (SMITH and SMITH)

Algæ, marine (MAZUR and CLARKE) 1938, 123, 729
Aliphatic, activity, aqueous solution (SMITH and SMITH)
1937, 121, 607

 and aromatic, configurational relationships (Levene and Mardashew)

1937, 117, 179

—, ionization, aqueous solution (SMITH, TAYLOR, and SMITH) 1937-38, 122, 109 Basic, anlage, tissue proteins (BLOCK) 1934, 105, 663—, blood cell, red, posthemo-

—, blood cell, red, posthemolytic residue (Beach, Erickson, Bernstein, and Williams)

1938, **123,** vi

-, - serum proteins (Block) 1933, 103, 261

(Block, Darrow, and Cary) 1934, 104, 347 (Block) 1934, 105, 455

—, — —, heat effect (Block) 1934, 104, 343

—, casein (Vіскену and Wніте) 1933, 103, 413

-, equilibria, formol titration (Levy) 1935, 109, 365

-, finger nails and cattle horn (Block) 1934, 104, 339

Amino acids-continued:

Basic, hemoglobin, crystalline, mammalian (Block)

1934, 105, 663

-, keratins (Block)

1934, 104, 339

—, Limulus hemocyanin(MAZUR) 1937, 118, 631—, metabolism (Doty and

EATON) 1937–38, 122, 139
—, porcupine quills and

echidna spines (Block and Horwitt) 1937, 121, 99

—, proteins, determination (Block) 1934, 106, 457

Blood, adrenalectomy, insulin and epinephrine effect (Davis and Van Winkle)

1934, 104, 207

Brain, mammalian, proteins (Block) 1937, 119, 765 —, primate, proteins, sex

differences (BLOCK)

1937, 121, 411

— proteins, age effect (BLOCK) 1937, 120, 467

— —, sex differences (Block)
1938, 123, xiii

Branched chain, catabolism (Corley and Snyder)

1937, 119, xx

Carbamate and, equilibrium (STADIE and O'BRIEN)

1935-36, 112, 723

Carbamate-carbon dioxide equilibrium, blood carbon dioxide transport, relation (STADIE and O'BRIEN)

1935, 109, lxxxvii

Carbon dioxide and, equilibrium (STADIE and O'BRIEN)

1935-36, 112, 723

Catabolism, phlorhizin effect

Amino acids—continued:

(Corley and Leighty)

1936, 114, xxii

Compounds, alkaline mercuric chloride effect (VICKERY and GORDON) 1933, 103, 543

Creatine and creatinine excretion, ingestion effect (Bodansky)

1935–36, 112, 615

 formation and storage, injection effect (BEARD and BOGGESS)

1936, 114, viii, 771
(BEARD, BOGGESS, and PIZZOLATO) 1937, 119, ix
Derivatives, spectroscopy
(FERAUD, DUNN, and KAPLAN) 1935-36, 112, 323
Deuterium oxide-treated, nonlabile deuterium (STEKOL and HAMILL)

1937, 120, 531

- stability in (Keston and RITTENBERG)

1938, 123, lxviii

Deutero-, formation, biological, deuterium as indicator (Foster, Rittenberg, and Schoenheimer)

1938, 125, 13

Dielectric constants, aqueous solutions (Lindquist and Schmidt) 1937, 119, lxiii Dissociation constants, apparent acid, aqueous formaldehyde solution (Dunn and Loshakoff)

1936, **113,** 691

(DUNN and WEINER)

1937, 117, 381

— —, —, water-ethanol mixtures (Jukes and Schmidt) 1934, 105, 359 Amino acids—continued: Essential. adult (CORLEY, Wolf, and Nielsen) 1938, 123, xxvi -, new, isolation and identification (McCoy, Meyer, and 1935-36, 112, 283 Ethyl esters, vapor pressure-temperature reactions (DUNN, SMART, REDEMANN, and Smith) 1934, 105, xxiii Feeding, purified (CALDWELL and Rose) 1934, 107, 45, 57 (Womack and Rose) 1935-36, 112, 275 Foods (Csonka) 1935, 109, xxv 1936, 114, xxiii Formaldehyde reaction (Tomi-YAMA) 1935, 111, 51 (WADSWORTH and PANG-1936, 116, 423 (LEVY and SILBERMAN) 1937, 118, 723 Formamide and, compounds (McMeekin)

(McMeekin)

1936, 114, lxvi

Formol titration, glass electrode (Dunn and Loshakoff)

1936, 113, 359

Growth utilization, isomerism, optical, effect (Totter and Berg)

1938, 123, cxxii

Hair, cow and chimpanzee (Block and Lewis)

1938, 125, 561

1938, 125, 561
Heats of solution and dilution
(ZITTLE and SCHMIDT)
1935, 108, 161

Hydrogen stability (Keston and RITTENBERG)

1938, 123, lxviii

Amino acids-continued:

Hydrogen stability, deuterium as indicator (RITTENBERG, KESTON, SCHOENHEIMER, and FOSTER)

1938, 125, 1 Hydroxy-, phosphoric esters, synthesis (Levene and Schormüller)

> 1934, **105**, 547 1934, **106**, 595

Keto acid synthesis, acetyl derivative, rôle (DU VI-GNEAUD and IRISH)

> 1935, 109, xciv 1937–38, 122, 349

Kidney deamination, oxygen tension effect (Kempner)

1938, **124**, 229 nation (Jukes)

Livetin, fractionation (Jukes) 1933, 103, 425 Metabolism (Chase and

Metabolism (CHASE and Lewis) 1934, 106, 315 (Butts, Dunn, and Hall-MAN) 1935-36, 112, 263 (Butts, Blunden, and Dunn) 1937, 119, 247 1937, 120, 289

(Papageorge and Lewis) 1938, 123, 211

(Butts, Dunn, and Hall-MAN) 1938, 123, 711 (Butts, Blunden, and Dunn) 1938, 124, 709 —, deuterium as indicator

—, deuterium as indicator (Rittenberg, Foster, and Schoenheimer)

1938, 123, cii
Multivalent (Greenstein)
1935, 109, 529, 541
(Greenstein and Joseph)

1935, 110, 619 (Greenstein)

1935-36, 112, 35, 517

Amino acids-continued: Amino acids—continued: 1936, 116, 463 Proteins, neurofibrils (BLOCK) 1937, 118, 321 1937, 119, xi 1937, 121, 9 Raman spectrum (Edsall) 1938, **123**, xxxiii 1938, 124, 255 Nail, finger, normal and -Related compounds, physical arthritic (HESS) properties and constants 1935, 109, xliii (Dalton and Schmidt) Neuroproteins (Block) 1935, 109, 241 1937, 119, xi - substances, creatine formation and storage, injection Nitrogen, blood, determinaeffect (BEARD, BOGGESS, and tion (DANIELSON) 1933, 101, 505 1937, 119, ix Pizzolato) -, -, insulin effect (Powers —, dielectric constants, and Reis) 1933, 101, 523 aqueous solutions (Lind-Nutrition, influence (Rose, QUIST and SCHMIDT) KEMMERER, WOMACK, 1937, 119, lxiii MERTZ, GUNTHER, McCoy, - -, dissociation constants, and MEYER) apparent, water-ethanol 1936, 114, lxxxv mixtures (Jukes and Oxidation, Bacillusproteus SCHMIDT) 1934, 105, 359 (BERNHEIM, BERNHEIM, and Salts, complex (BERGMANN and WEBSTER) 1935, 109, vi 1935, 109, 317 Fox) 1935, 110, 165 (Bergmann) -, - pyocyaneus (Webster 1935, 110, 471 1937-38, 122, 569 and Bernheim) 1936, 114, 265 Sodium chloride reaction -, enzyme purification for 1935, 111, 489 (Joseph) (BERNHEIM and BERNHEIM) Solubility (Conn and Mc-1935, 109, 131 1936, 114, xx MEEKIN) -, keto acids and hydrogen -, sulfuric acid (Andrews) peroxide production (BERN-1937, 119, v HEIM, BERNHEIM, and GIL--, water (Dunn, Ross, and 1936, 114, 657 LASPIE) READ) 1933, 103, 579 -, silver oxide (HERBST and -, water-ethyl alcohol mix-1934, 104, 769 CLARKE) tures (Dunn, Ross, and Pepsin, crystalline, determina-STODDARD) tion (CALVERY, HERRIOTT, 1937, 119, xxviii and Northrop) (Dunn and Ross) 1936, 113, 11 1938, 125, 309 Physical properties and Solutions, thermodynamic (DALTON constants and

1933, 103, 549

1935, 109, 241

SCHMIDT)

properties (SMITH)

1938, 123, cx

Amino acids-continued:

Specific heat(ZITTLE and SCHMIDT) 1935, 108, 161 Spectroscopy (FERAUD, DUNN, and KAPLAN)

1935-36, 112, 323

Stratum corneum, human keratins, comparison (WIL-KERSON) 1934, 107, 377 Sulfur-containing, diet, cystine replaceability (BENNETT)

1938, 123, viii

-, growth effect (Brand) 1938, 123, xv

-. nutrition deficiency, iodoacetic acid effect on (Simon and WHITE)

1938, 123, cix

Tetravalent, and derivatives, synthesis (GREENSTEIN)

1935, 109, 529

Thallous chloride reaction (Joseph) 1935, 111, 489 Titration, perchloric-acetic acid method (Toennies and CALLAN) 1938, 125, 259 Trivalent, peptides (GREEN-STEIN) 1933, 101, 603 Wheat (Csonka)

1937, 118, 147 Zinc chloride reaction (JOSEPH) 1935, 111, 479

Amino-5-azotoluene: 2-, liver tumors, relation (SHEAR)

1936, 114, xc

Aminobenzenesulfonamide: p-. See Sulfanilamide

p-, fate. Aminobenzoic acid: rabbit (HARROW, MAZUR, and SHERWIN)

1933, 102, 35

Amino compounds: Semimercaptals, reactions (Schu-1937, 121, 539 BERT)

Aminocyclohexane: Carboxylic acids, polarity (GREENSTEIN and WYMAN)

1938, 123, xliv

(2-Aminoethyl) disulfide: bis-, cystine and methionine inadequacy, growth relation (JACKSON and BLOCK)

1936, 113, 135

Amino group(s): Free, insulin (JENSEN and EVANS)

1935, 108, 1

and proteins. peptides allocation (Gurin and CLARKE) 1934, 107, 395

Aminoheptane: 3-, norleucine, configurational relationship (LEVENE and KUNA)

1937-38, 122, 291

Aminohexane: 2-, norleucine, configurational correlation (LEVENE and MARDASHEW) 1937, 117, 707

Amino- β -hydroxy-n-butyric

acid(s): α -. configuration. spatial (MEYER and Rose) 1936, 115, 721

-, synthesis (Carter) 1935-36, 112, 769

(WOOD, MADDEN, and CAR-1937, 117, 1

(WEST and CARTER)

1937, 119, 103, 109

KRUMMEL, and (West, CARTER)

1937–38, 122, 605

(WEST and CARTER) 1937-38, 122, 611

See also Threonine

Amino-2-hydroxypropane: 1-, synthesis, new (Levene) 1936, 113, 153

peptides

Intestine,

son)

Amino-N-methylhistidine: dl-, Aminopropionic acids: Deamigrowth effect (FISHMAN and nation, oxidative, liver and WHITE) 1936, 113, 175 kidney tissues (RODNEY and l-, preparation from histidine GARNER) 1938, 125, 209 (DU VIGNEAUD and BEHR-**Aminosorbitol** hydrochloride: ENS) 1937, 117, 27 Hydriodic acid, reduction Amino-N-methyltryptophane: d-, (Levene and Christman) growth effect (Gordon) 1938, 123, xliii Determination Amino sugar: dl-, growth effect (Gordon) (PALMER and MEYER) 1938, 123, xliii 1935, 109, lxxiii Synthesis and configurational Aminotricarballylic acid: α -, disrelationships (CAHILL and JACKSON) ent 1938, 123, xviii JOSEPH) Amino nitrogen: Blood, deterdl- α -, mination, various methods, STEIN) comparison (VAN SLYKE and 1933, 102, 651 Kirk) Determination, manometric, iodine use (Kendrick and Excretion. HANKE) 1937, 117, 161 Egg albumin, crystalline, hydrolvsis. liberation rate (CALVERY, BLOCK, and Schock) 1936, 113, 21 Urine, determination, various methods, comparison (VAN SLYKE and KIRK) 1933, 102, 651 sook) Aminopeptidase: Specificity (BERGMANN and FRUTON) 1937, 117, 189 Aminophenol: p-, liver xanthine oxidase, action (BERNHEIM ance, and BERNHEIM)

sociation constants, appar-(Greenstein 1935, 110, 619 derivatives (Green-1936, 116, 463 Ammonia: Blood, determination (VAN SLYKE and HILLER) 1933, 102, 499 acidosis (ALVING and Gordon) 1937, 120, 103 -, neutrality regulation, relation (Briggs) 1934, 104, 231 Intestine (HERRIN) 1937, 118, 459 Microdetermination (Bor-1935, 110, 481 -, boric acid use (Sobel, YUSKA, and COHEN) 1937, 118, 443 Secretion, urine acid-base balnephritis, relation 1935, 109, xii (Briggs) 1938, 123, 307 Urine, excretion Ammonium: Aminopolypeptidase: Cystinyl 1935, 109, 481 (Logan) substrates as Ammonium chloride: Inorganic (GREENSTEIN) salts, metabolism, ingestion 1938, 124, 255 effect (WILEY, WILEY, and specificity (John-1933, 101, 73 1937-38, 122, 89 WALLER)

1938, 123, 77

Ammonium chloride—continued: Water metabolism, ingestion effect (WILEY, WILEY, and WALLER) 1933, 101, 73 Amylase(s): Amyloclastic tivity determination (CALD-

WELL and HILDEBRAND)

1935, 111, 411

Barley malt, concentration and properties (CALDWELL and DOEBBELING)

1935, 110, 739

determination Blood serum, (THOMPSON, TENNANT, and Wies) 1935, 108, 85 Determination, starch sub-

strate preparation (Thomp-1935, 109, 201

Formation, barley, heavy water influence (CALDWELL and Doebbeling)

> 1936, 114, xvii 1938, 123, 479

Malt, purification and properties (SHERMAN, CALDWELL, and Doebbeling)

1934, 104, 501

-, ultrafiltration (SNELL)

1934, 104, 43

Saliva, inactivation, protease (TAUBER and KLEINER)

1934, 105, 411

Androgenic activity: Urine, acid hydrolysis effect (Peterson, GALLAGHER, and Koch)

1937, 119, 185, lxxvii

Androgenic substances: Blood lipids, effect (Kochakian, MACLACHLAN, and Mc-1937-38, 122, 433 EWEN) Excretion, testosterone effect (DORFMAN)

1938, 123, xxx

Androgenic substances-continued:

Inactive, blood and urine (Mc-CULLAGH, OSBORN, and Os-1938, 123, lxxxi -, urine, nature (Peterson, Hoskins. COFFMAN, Koch) 1938, 123, xciii

Androstenedione: Cortin-like substance, relation (Mason, Myers, and Kendall)

1936, 116, 267

Anemia: Abscess nitrogen metabolism. protein relation (DAFT, Robscheit-Rob-BINS, and WHIPPLE)

1937, 121, 45

Blood lipids and minerals, distribution, children (ERICK-SON, COPE, STERNBERGER. LEE, COOLEY, and MACY)

1935, 109, xxx

Casein, deaminized, production (Hogan and RITCHIE) 1934, 107, 179

(Hogan and Guerrant)

1936, 114, li

(HOGAN, GUERRANT, and RITCHIE) 1936, 115, 659 Diet relation, monkey (DAY,

LANGSTON, and SHUKERS)

1936, 114, xxv

Hemoglobin, new formed ROBSCHEIT-ROB-(DAFT, BINS, and WHIPPLE)

1935, 108, 487

- production, liver function, nitrogen metabolism. liver injury by chloroform, effect (DAFT, ROBSCHEIT-ROB-BINS, and WHIPPLE)

1936, 113, 391

Anemia—continued:

Hemolytic and hypochromic, blood lipid and mineral distribution, children (ERICK-SON, WILLIAMS, HUMMEL, LEE, and MACY)

1937, 118, 569

Liver extract, potency determination (CLARK and COENE) 1936, 114, xix Metabolism, protein-free diet (DAFT, ROBSCHEIT-ROB-

BINS, and WHIPPLE)

1933, 103, 495
Milk iron and copper relation
(KRAUSS and WASHBURN)
1936, 114, 247

Milk-produced, cobalt, iron and copper with, effect (UNDERWOOD and ELVE-HJEM) 1938, 124, 419

—, therapy (Fitz-Hugh, Roвson, and Drabkin)

1933, 103, 617

Nutritional (Heinle and Bing) 1933, 101, 369 (Bing, Saurwein, and Myers) 1934, 105, 343 —, blood copper (Schultze,

ELVEHJEM, and HART) 1936, 116, 107

-, - glutathione (Schultze and Elvehjem)

1936, 116, 711

—, hemoglobin regeneration, iron and copper effect (SMITH and OTIS)

1937, 119, xcii

-, iron, parenteral administration (EVELETH, BING, and MYERS) 1933, 101, 359

Anemia—continued:

Nutritional, tissue and organ copper and iron (Schultze, Elvehjem, and Hart)

1936, 116, 93

-, vitamin B complex, relation (KYER and BETHELL)

1935, **109**, p. l

Pernicious, blood lipid and mineral distribution (WIL-LIAMS, ERICKSON, BERN-STEIN, HUMMEL, and MACY) 1937, 118, 599

—, principle, liver, chemical study (Subbarow and Jacobson)

1936, 114, cii

Protein catabolism (DAFT, ROBSCHEIT-ROBBINS, and WHIPPLE)

1935, 108, 487

Reticulocyte response, iron and copper effect (Schultze and Elvehjem)

1933, 102, 357

Tissue iron distribution (WAKEHAM and HALENZ)

1936, 1**15,** 429

Anesthesia: Ether, urine ascorbic acid, effect (Bowman and Muntwyler)

1936, 114, xiv

Anhydremia: Insulin effect (Chaikelis)

1934, 105, 767

Anhydro-l-cystinyl-l-cystine: bis-, synthesis (Greenstein)

1937, 118, 321

Anhydrostrophanthidins:

(Jacobs and Elderfield) 1935, 108, 693

Anisic acid: Isolation, tubercle bacillus, human, acetone-

Antigen(s)—continued:

soluble fat (Anderson and NEWMAN) 1933, 101, 773 Annelid: Muscle (Kurtz and 1935, 111, 577 Luck) Anoxia: Blood, turtle, effect (Jon-LIN and MORELAND) 1933, 103, 107 (MORELAND) 1937, 117, 471 l-1-Methylhistidine Anserine: synthesis (Behrens and Du VIGNEAUD) 1937, 120, 517 Muscle, mammalian, determination (ZAPP) 1938, 123, cxxxii -, skeletal (Wolff and Wil-1935, 109, 565 Anthracene: Derivatives, carcinogenic activity (SHEAR) 1938, 123, eviii Dibenz-, mitochondria lipid, effect (Goerner) 1937-38, 122, 529 Anthraguinone sulfonates: Semiquinones (HILL and SHAF-FER) 1936, 114, li Anticoagulant: Blood, action (CHARGAFF and OLSON) 1937-38, 122, 153 - lipids, effect (Boyn and Murray) 1937, 117, 629 Antigen(s): Antibody union, multiple reactive groups, cross precipitation, relation (HEI-DELBERGER and KENDALL) 1934. 105, xxxvii Artificial, glucose- and glucuronic acid-containing, im-

munological

(GOEBEL and GOODNER)

Chemo-, carcinogenesis (FRANKS and CREECH) 1938, 123, xxxviii Antiglyoxalase: Kidney (Wood-WARD. MUNRO. and SCHROEDER) 1935, 109, 11 (SCHROEDER, MUNRO, and 1935, 110, 181 WEIL) Pancreas (WOODWARD, MUN-RO, and SCHROEDER) 1935, 109, 11 Antimony trichloride: Monoheterocyclic ring compounds, 5-membered, reaction (LE-VINE and RICHMAN) 1933, 101, 373 Antioxidant: Butter fat (SHREWS-BURY and KRAYBILL) 1933, 101, 701 Antithrombin: Blood, factors affecting (Quick) 1937, 119, lxxxi Antithrombogen: Blood thrombin, relation (Quick) 1937, 119, lxxxi Antitrypsin: Activity, egg white, nutritional disorder, relation (Parsons) 1936, 116, 685 Egg white (BALLS and SWENson) 1934, 106, 409 Apparatus: Blood vapor pressure determination (CULBERT) 1935, 109, 547 Carbon dioxide determination, yeast fermentation (FRANKE

and Moxon)

Chemical

Bois)

properties

1936, 114, xl

1934, 105, 415

1936, 116, 575

fast,

reactions.

photoelectric method for re-

cording (STERN and Du-

242Apparatus—continued: Colloid osmotic pressure. microdetermination (Du-BACH and HILL) 1935-36, 112, 313 Colorimeter, micro-, photoelectric (EVELYN and CIPRIANI) 1937, 117, 365 —, absorption cell (EVELYN and GIBSON) 1937-38, 122, 391 —, photoelectric (Goudsmit and Summerson) 1935, 111, 421 1936, 115, 315 (DILLER) -, -, stabilized (EVELYN) 1936, 115, 63 Electrode, ferricyanide, sugar determination (SHAFFER and WILLIAMS) 1935, 111, 707

-, hydrogen ion concentration determination, biological fluids (Horwitt)

1938, 123, lx -, microquinhydrone (PIERCE and Montgomery)

1935, 110, 763 (Pierce) 1935, 111, 501 1937, 117, 651

Gasometric analysis, pipette, air-free reagents, storage (Guest and Holmes)

1935, 110, 781 - methods, Van Slyke, vessels solution for storage (Holmes) 1936, 113, 411 Histological sections, stained,

color definition (Kelley) 1935, 110, 141

Hygrometer, chemical (CAR-PENTER)

1935–36, 112, 123

Apparatus—continued:

Magnesium determination, 8hydroxyquinoline, titration flask (Greenberg, Anderson, and Tufts)

1935, 111, 561

Metabolism, smallanimals (Werthessen)

1937, 119, 233

Milking, small laboratory animals (Cox and MUELLER) 1936, 114, xxii

Mineral analysis, evaporation, concentrated salt solutions (Guest and Leva)

1935, 110, 777 photoelectric, Photometer. vitamin A determination (BILLS and WALLENMEYER) 1938, 123, xi

Rehberg burette, modified, mercury-reacting titration. solutions (Longwell and HILL) 1935-36, 112, 319 Respiration, stack, constant volume (BENEDICT)

1936, 116, 307

Respiratory exchange, small animals, automatic (Lewis and Luck)

1933, 103, 209

Tonometer, blood equilibration (IRVING and BLACK)

1937, 118, 337

Apple: Coloring matter (SANDO) 1937, 117, 45

Leaf tissue, starch polysaccharide, isolation and properties (NIEMANN, ANDERSON, and 1936, 116, 447 Link) Tree, woody tissue, starch

polysaccharide, isolation and

properties (NIEMANN, ROB-ERTS, and LINK) 1935, 110, 727 Aqueous humor: Calcium (SALIT) 1934, 104, 275 Cerebrospinal fluid, lymph, and blood, comparison (WALKER) 1933, 101, 269 Hydrogen ion concentration determination. microquinhydrone electrode, rachitic and normal rats (PIERCE) 1935, 111, 501 Inorganic phosphate, frog and higher animals (WALKER) 1933, 101, 269 Reducing substances, frog and higher animals (WALKER) 1933, 101, 269 Urea, frog and higher animals (WALKER) 1933, 101, 269 Uric acid, frog and higher animals (WALKER) 1933, 101, 269 Arabinose: 5-Phospho-d-, synthesis (LEVENE and CHRIST-1938, 123, 607 MAN) Arabofuranoside: Monoacetone l-, preparation (Levene and COMPTON) 1936, 116, 189 Arachidonic acid: Butter fat (Bosworth and Sisson) 1934, 107, 489 Chemistry (Ault and Brown) 1934, 107, 615 Determination (AULT and Brown) 1934, 107, 615 Arachin: Methionine, limiting nutritive factor of (BEACH and WHITE) 1937, 119, viii

Aragonite: Solubility, salt solutions (Browman and Hast-1937, 119, 241 Arbacia punctulata: Egg, nucleic acid (BLANCHARD) 1935, 108, 251 Arctomys monax: See Woodchuck Arginase: Activation (WEIL) 1935, 110, 201 -, metal ions, rôle (Heller-MAN and PERKINS) 1935-36, 112, 175 Blood (Weil and Russell) 1934, 106, 505 Jack bean (STOCK, PERKINS, and HELLERMAN) 1938, 125, 753 Kidney, activity, distribution (Weil and Ely) 1935-36, 112, 565 Liver, activation, metal ions, rôle (Hellerman and STOCK) 1938, 125, 771 -, age effect (Lightbody) 1938, 124, 169 -, myasthenia gravis (MIL-HORAT) 1935, 111, 379 Microdetermination, manometric (WEIL and RUSSELL) 1934, 106, 505 Proteins, action (Kraus-RAGINS) 1938, 123, 761 Specificity (CALVERY and BLOCK) 1934, 107, 155 (HELLERMAN and STOCK) 1938, 125, 771 Urease, crystalline, non-identity (Sumner and Dounce) 1937, 119, xcvii

Arginine: Aspergillus sydowi, iso-

lation

Peterson)

(WOOLLEY

1937, 118, 363

Arginine—continued: Arthritis: Nail, finger, amino Citrulline preparation, acids (HESS) hydrolysis (Fox) 1935, 109, xliii Ascorbic acid: Benzidine blood 1938, 123, 687 Determination, color stabilizatest, inhibition (Kohn and tion (Thomas) WATROUS) 1938, 123, cxxi 1938, 124, 163 Blood plasma, determination Dietary, creatine-creatinine (MINDLIN and BUTLER) production, growth, effect 1937-38, 122, 673 (MEYER and Rose) 1933, 102, 461 -, reduced, partition (STEPH-ENS and HAWLEY) essential, chick (Klose, STOKSTAD, and Almquist) 1936, 11**5**, 653 - serum phosphatase activa-1938, 123, 691 tion (THANNHAUSER, REICH-Fattv acids, combination EL, and GRATTAN) (JUKES and SCHMIDT) 1937, 121, 697 1935, 110, 9 Cystinuria, effect (Andrews, Growth factor, chick, relation ANDREWS, and RUTENBER) (ARNOLD, KLINE, ELVE-HJEM, and HART) 1938, **123**, iii Dehydro-, reduction, guinea 1936, 116, 699 pig tissue (SCHULTZE, STOTZ, Hydrolysis, metal ions and urease, effect (Hellerman and King) and PERKINS) 1937–38, 122, 395 Determination (TAUBER and 1935-36, 112, 175 KLEINER) 1935, 108, 563 Peptides, physical constants colorimetric, dichloro-(GREENSTEIN) phenol indophenol titration 1933, 101, 603 method, comparison (RoE) Placenta (GRAFF and GRAFF) 1935, 109, lxxv 1937, 121, 79 glucoreductone for 2,6-Tissue, determination (GRAFF, dichlorophenol indophenol MACULLA, and GRAFF) standardization (Kertesz) 1937, 121, 71 1934, 104, 483 Aromatic acids: Uric acid excrephosphophotometric, tion, relation (Quick) tungstic acid use (KASSELL 1934, 105, lxix and BRAND) Arsanilic acid: Protein compound 1938, 125, 115 formation (Boyn and Tillmans method, study HOOKER) 1934, 104, 329 (Mack and TRESSLER) Arteriosclerosis: Nerve lipids, 1937, 118, 735 effect (RANDALL) -, various methods, compari-

1938, 125, 723

son (Roe)

1936, 116, 609

Ascorbic acid—continued:

Formaldehyde, reaction (West and New) 1937, 119, cii Galacturonic acid as precursor (Johnstin and Potter)

1935, 110, 279

l-, and sodium salt, Raman spectra (Edsall)

1936, 114, xxviii
Organ vitamin C, administration with thyroid, α-dinitrophenol, and cortical hormone extract, effect (Syirbely)

1935, 111, 147

Oxidase (Tauber, Kleiner, and Mishkind)

1935, 110, 211

—, copper relation (Stotz, Harrer, and King)

1937, 119, xcv, 511

–, vegetables (Kertesz, Dearborn, and Mack)

1936, 116, 717

Oxidation and reduction (Borsook, Davenport, Jeff-REYS, and WARNER)

1937, 117, 237

—, biological fluids, effect (Barron, Barron, and Klemperer)

1936, 116, 563

—, catalytic, metaphosphoric acid effect (LYMAN, SCHULTZE, and KING)

1937, 118, 757

--, copper and hemochromogens as catalysts (Barron, DeMeio, and Klemperer) 1935-36, 112, 625

--, liver effect (STOTZ, HARRER, SCHULTZE, and KING)
1937-38, 122, 407

Ascorbic acid-continued:

Oxidation, mechanism (Bar-RON, DEMEIO, and KLEM-PERER) 1935-36, 112, 625 Oxidation-reduction (Ball)

1937, 118, 219

- potentials (Fruton)

1934, **105**, 79

Phospho-18-tungstic acid, reaction (Shinohara and Padis)

1935–36, 112, 697

System, oxidation-reduction potentials (Ball)

1936, 1**14,** vii

Urine, determination, phospho-18-tungstic acid (Shinohara and Padis)

1935–36, 112, 709

—, ether anesthesia effect (Bowman and Muntwyler) 1936, 114, xiv

See also Vitamin C

Ash: Tissue, dietary inorganic salts, relation (Eppright and Smith) 1937, 118, 679

Asparaginase: Activity, hydrolytic (McMeekin)

1938, 123, lxxxii Preparation (McMeekin)

1938, 123, lxxxii

Asparagine: Tobacco leaves (Vickery and Pucher)

1936, 113, 157

Aspartic acid(s): dl-, fate (Butts, Blunden, and Dunn)

1937, 119, 247

(Butts, Dunn, and Blun-DEN) 1937, 119, xv

l-, fate (Butts, Blunden, and Dunn) 1937, 119, 247 (Butts, Dunn, and Blunden) 1937, 119, xv

246 Aspartic acid(s)—continued: physical Peptide, constants (GREENSTEIN) 1933, 101, 603 Synthesis (Dunn and Fox) 1933, 101, 493 Aspartyl-l-histidine: β -l-, l-carnosine precursor (DU VIGNEAUD and Hunt) 1938, 125, 269 Aspergillus niger: Fatty acids, formation, from glucose 1935, 110, 511 (SCHMIDT) Aspergillus parasiticus: Peptidase system (Johnson and Peterson) Aspergillus son)

1935-36, 112, 25 sydowi: Arginine, histidine, and lysine isolation (Woolley and Peter-1937, 118, 363 Choline sulfate, cyclic, isolation (Woolley and Peter-1937-38, 122, 213 Leucine and isoleucine isolation (Woolley and Peter-1936, 114, 85 Monoaminomonocarboxy and monoaminodicarboxy acids, isolation (WOOLLEY and Peterson)

1937, 121, 507
Nitrogenous compounds, isolation (Woolley and Peterson) 1937, 119, cvii
Assimilation: (See note on p. 221)
Aucuba: Mosaic virus protein, ultracentrifugal analysis (Wyckoff)

1938, 124, 585

— —, tobacco mosaic protein, crystalline, relation (Stan-Ley) 1937, 117, 325

Audouinia spirabranchus: Taurine (Kurtz and Luck)
1935, 111, 577

Avitaminosis: Enzyme efficiency (Sure, Kik, and Buchanan) 1935, 108, 19, 27

Oxygen uptake, tissues (Sure and DEWITT)

1938, 123, cxx Vitamin A, nerve degeneration, relation (Sutton, Setterfield, and Krauss)

1934, 105, lxxxix

Avocado: -Rich diet, growth and
body fat, influence (McAmis
and Sweet)

1936, 114, lxiv Azelaic acid: Metabolism (SMITH) 1933, 103, 531

Azides: Configurationally related, optical rotations (LE-VENE and ROTHEN)

1936, 115, 415

Azochloramid: Sodium hypochlorite, chloramine-T, and, organic substrates, comparative action (Guiteras and Schmelkes)

1934, 107, 235

Azoproteins: (Boyd and Hooker) 1934, 104, 329 (Boyd and Mover) 1935, 110, 457

Azotobacter: Nitrogen gas, solubility and absorption (Line-WEAVER)

1937-38, 122, 549

В

Bacillus: Acid-fast, biological activity, proteins, nitrogen partition, relation (Seibert and Munday) 1933, 101, 763

Bacillus-continued:

Diphtheria. See Diphtheria bacillus

Leprosy. See Leprosy bacillus Timothy-grass. See Timothygrass bacillus

Tubercle. See Tubercle bacillus

See also Escherichia coli, Lactobacillus acidophilus

Bacillus aertrycke: Citric acid decomposition (Bruce)

1934, 107, 119

Bacillus Calmette-Guérin: Fractions, properties (Chargaff and Schaefer)

1935, 109, xix

Polysaccharide, specific (Chargaff and Schaefer)

1935-36, 112, 393

Bacillus lepræ: See Leprosy bacillus

Bacillus proteus: Amino acid oxidation (Bernheim, Bernheim, and Webster)

> 1935, 109, vi 1935, 110, 165

Bacillus pyocyaneus: Amino acid oxidation (Webster and Bernheim)

1936, 114, 265

Bacillus subtilis: Nuclease activity (MacFadyen)

1934, 107, 297

Bacteria: Colon. See Colon bacteria

Dehydrogenase activity in vivo (Gould and Sizer)
1938, 124, 269

Enzymes, creatinine-decomposing (Dubos and Miller)
1937, 121, 429

Bacteria—continued:

Enzymes, proteolytic (Berger, Johnson, and Peterson)

1938, 124, 395

Lactic acid, riboflavin and synthetic flavins, growth effect (SNELL and STRONG) 1938, 123, cxii

Metabolism (Blanchard and MacDonald)

1935, 110, 145

Peptidase systems, properties (Berger and Johnson)

1938, 123, ix

Photosynthetic, chromoproteins (FRENCH)

1938, 123, xxxviii

Propionic acid, glucose dissimilation, mechanism (WOOD and WERKMAN)

1934, 105, 63

See also Azotobacter, Clostridium, Corynebacterium

Bacterium tumefaciens: Lipid fractions, chemistry (Chargaff) 1938, 123, xxi Lipids (Chargaff and Le-

vine) 1938, 124, 195

Barbituric acid: Iso-, metabolism, growing dog (Cerecedo and Stekol)

1934, 107, 425

Barley: Amylase formation, heavy water influence (CALDWELL and DOEBBEL-ING) 1936, 114, xvii 1938, 123, 479

Malt, amylase, concentration and properties (Caldwell and Doebbeling)

1935, 110, 739

Basal metabolism: Boys and girls (WANG)

1937, 119, cii

Basal metabolism—continued: Eskimo (Levine) 1937, 119, lxi Nembutal effect (CAVETT) 1937, 119, xvii Phosphorus-deficient diet (Goss and Kleiber) 1937, 119, xxxviii Base(s): Blood, determination (HALD) 1933, 103, 471 -, distribution (HALD and EISENMAN) 1937, 118, 275 determination serum, (HALD) 1933, 103, 471 —, exercise, dehydration influence (Morse and SCHLUTZ) 1936, 114, lxxiv - -, kidney excretion, exercise effect (Morse and 1937, 119, lxxi SCHLUTZ) Fixed, excretion, alkalosis of overventilation (Briggs) 1937, 119, xv Gaseous, amino acids and proteins, combination (CZAR-NETZKY and Schmidt) 1934, 105, 301 Microdetermination, boric acid use (SOBEL, YUSKA, and COHEN) 1937, 118, 443 Organic. See Organic bases Total, blood and biological fluids, determination (KEYS) 1936, 114, 449 -, - - serum, determination 1934, 105, 675 (HALD) -, - serum, chloride and, microdetermination, simultaneous (Joseph STADIE) 1938, **123**, lxv 1938, 125, 795 Bean: Black, proteins (Jones, GERSDORFF, and PHILLIPS) 1937-38, 122, 745 Jack, arginase (STOCK, PER-KINS, and HELLERMAN) 1938, 125, 753 -, globulin, crystalline, from canavalin (Sumner and Howell) 1936, 113, 607 -, hemagglutinin, inactivation, reversible, divalent metals, relation (SUMNER and Howell) 1936, 115, 583 Navy, meal, bromobenzene and l-cystine supplement, growth effect (Stekol) 1937-38, 122, 55 Soy, saponin (BURRELL and WALTER) 1935, 108, 55 -. See also Soy bean oil Bee-moth: Reducing substances, metamorphosis effect (CRES-CITELLI and TAYLOR) 1935, 108, 349 Beet: Root pigment, red, determination (PUCHER, CURTIS, and VICKERY) 1938, **123,** 71 - —, —, preparation (Рисн-ER, CURTIS, and VICKERY) 1938, 123, 61 Sugar. See Sugar-beet Bence-Jones: Protein (CALVERY and FREYBERG) 1935, 109, 739, xv -, blood serum (KYDD) 1934, 107, 747 Rossiter: Benedict, Stanley Obituary (SHAFFER) 1937, 117, preceding p. 429 Benzaldehyde: Oxidation

(MEYER)

1933, 103, 25

Benzene: Bromo-, absorption and detoxication, bile rôle (Ste-KOL and MANN)

1937, 117, 619

—, p-bromophenylmercapturic acid synthesis, relation (Stekol) 1937, 118, 155 —, cystine utilization, growth.

-, cystine utilization, growth, effect (White and Jackson) 1935, 111, 507

—, dietary, growth effect (Sтеког) 1937-38, 122, 55

—, glutathione and, growth relation (Stekol)

1938, 123, exvi

—, methionine utilization, growth, effect (White and Jackson) 1935, 111, 507
Monobromo-, detoxication (Haley and Samuelsen)

1937, 119, 383

Benzenesulfonamide: See Sulfanilamide

Benzidine: Blood test, ascorbic acid effect (Kohn and Wat-ROUS) 1938, 124, 163

Benzoic acid: p-Acetylamino-, formation, rabbit (Harrow, Mazur, Borek, and Sherwin) 1934, 105, xxxiv p-Amino-, fate, rabbit (Har-

row, Mazur, and Sherwin) 1933, 102, 35

Detoxication, inorganic salts, effect (GRIFFITH)

1935, 109, xxxix (Sheppeck and Griffith)

1936, 114, xcii

3,5-Dinitro-, blood creatine determination (ANDES) 1937, 119, iv

Uric acid excretion, liver disease, influence (QUICK)
1935, 110, 107

Benzoylglucuronic acid: Structure (GOEBEL)

1937-38, 122, 649

Benzyl butyrate: Enzyme hydrolysis (Balls and Matlack) 1938, 125, 539

Benzyl chloride: Benzylmercapturic acid, conversion, animal organism (Stekol)

1938, 124, 129

Benzylcysteine: S-, benzylmercapturic acid, conversion, animal organism (STEKOL) 1938, 124, 129

Benzylcysteinylglycine: Crystalline, synthesis and isolation from glutathione (LORING and DU VIGNEAUD)

1935, 111, 385

Benzyl group: Carbobenzoxy derivatives and benzylthio ethers, splitting (Sifferd and DU VIGNEAUD)

1935, 108, 753

Benzylmercapturic acid: Benzyl chloride relation, animal organism (STEKOL)

1938, 124, 129

S-Benzylcysteine relation, animal organism (STEKOL)

1938, 124, 129

Benzyl stearate: Enzyme hydrolysis (Balls and Matlack) 1938, 125, 539

Benzylthio ethers: Benzyl group splitting (Sifferd and DU Vigneaud)

1935, 108, 753

Beryllium: Rickets, "local factor" and viosterol, rôle (SOBEL, GOLDFARB, and KRAMER) 1935, 108, 395 Be-still nut: Constituents (CHEN and CHEN)

1934, 105, 231

Betaine(s): Polarity (Edsall and WYMAN) 1934, 105, xxiv Raman spectrum (Edsall)

1938, 123, xxxiii

Betaine amides: Physiological activity (RENSHAW and HOTCHKISS)

1933, 103, 183

Betanin: Beet root, determination (Pucher, Curtis, and Vickery) 1938, 123, 71—, preparation (Pucher,

CURTIS, and VICKERY)
1938, 123, 61

Bile: Bile acids, analysis, differential (Doubilet)

1936, 114, 289

Bilirubin determination, oxidative, photoelectric colorimeter (Malloy and Evelyn) 1937-38, 122, 597— isolation (Gibson and

Lowe) 1938, 123, xli Blood plasma cholesterol esterification, effect (RIEGEL, RAVDIN, and ROSE)

1937, 120, 523

Bromobenzene absorption and detoxication, rôle (STEKOL and MANN)

1937, 117, 619

Calculi, human (RAY)

1935, 111, 689

Cholesterol, free and combined, determination (RIEGEL and Rose) 1936, 113, 117

Fistula, blood serum and bile phosphatase activation, effect (Thannhauser, Reichel, Grattan, and Maddock) 1937, 121, 715

Bile-continued:

Hog, lithocholic acid gallstone (Schoenheimer and Johnston) 1937, 120, 499

3-Hydroxy-6-ketoallocholanic acid isolation (Anchel and Schoenheimer)

1938, 124, 609

Kynurenic acid effect (Cor-RELL, BERG, and COWAN)

1935, 109, xxiv

— excretion, kynurenic acid and l- and dl-tryptophane administration effect (Cor-RELL, BERG, and COWAN) 1938, 123, 151

Naphthalene absorption and detoxication, rôle (Stekol and Mann)

1937, 117, 619

Obstruction, blood serum phosphatase activation, effect (Thannhauser, Reichel, Grattan, and Maddock)

1937, 121, 709

Sodium cholate, thyroxine effect (SCHMIDT)

1937, 119, lxxxvii

dl-Tryptophane effect (Cor-RELL, BERG, and COWAN) 1935, 109, xxiv

l-Tryptophane effect (Cor-RELL, BERG, and COWAN) 1935. 109, xxiv

Vitamin D absorption and excretion, effect (Heymann) 1937-38, 122, 249

— — —, rôle (Greaves and Schmidt)

1933, **102,** 101

Bile acid(s): Bile and duodenal drainage, analysis, differential (Doublet)

1936, 114, 289

Bilirubin:

Bile acid(s)—continued:

Bile. determination.

Blood serum phosphatase oxidative. photoelectric activity, effect (THANNcolorimeter (MALLOY and REICHEL. HAUSER, GRAT-EVELYN) TAN, and MADDOCK) 1937-38, 122, 597 1937, 121, 721 isolation (Gibson and Conjugated, synthesis (Cor-LowE) 1938, 123, xli TESE and BAUMAN) Blood serum, jaundice (Bo-1936, 113, 779 DANSKY and JAFFE) (Cortese and Bashour) 1935, 109, x 1937, 119, 177 Determination, photoelectric Formation, deuterium as indicolorimeter (MALLOY and cator (Schoenheimer, Rit-EVELYN) 1937, 119, 481 TENBERG, BERG, and Rous-Isolation and detection (MAY. SELOT) 1936, 115, 635 MARTINDALE, and BOYD) Hemolytic properties (BER-1934, 104, 255 1937, 119, xi LINER) Kidney threshold (Bensley) - -, structure relation (Ber-1933, 103, 71 LINER and SCHOENHEIMER) Meconium, determination, oxi-1938, 124, 525 dative, photoelectric colorim-Phosphatase identification, use (MALLOY eter and (Bodansky) EVELYN) 1937, 118, 341 1937-38, 122, 597 Bile duct: Ligation, blood plasma Biochemical reactions: Reaction cholesterol and phospholipid velocity (Bodansky) phosphorus, effect (CHAN-1937, 120, 555 UTIN and LUDEWIG) Biological fluid(s): (See note on 1936, 115, 1 p. 221) Bile salts: Blood serum choles-Ascorbic acid oxidation, effect terol esters, enzymatic syn-(BARRON, BARRON, and thesis and hydrolysis, effect KLEMPERER) (SPERRY and STOYANOFF) 1936, 116, 563 1937, 119, xciii Base, determination total. 1937, 121, 101 1936, 114, 449 (Keys) Body fluids, determination by Biological material: (See note on bile salt hemolysis (LICHTp. 221) 1934. 107, 717 Biological system(s): (See note Cholesterol digitonide precipion p. 221) tation, effect (Bashour and Directive influences (FALK) BAUMAN) 1933, 103, 363 1937, 117, 551 (McGuire and Falk) (BASHOUR and - solubility 1934, 105, 669 BAUMAN) 1937, 121, 1

Bipyridine: Iron, available, de-Blood—continued: termination, use in (Kon-Acid-base equilibrium, displace-LER, ELVEHJEM, and HART) ment (SHOCK and HASTINGS) 1935-36, 112, 239 1936, 113, 49 Bird: Blood, oxygen dissociation microdetermination curves (Christensen and (SHOCK and HASTINGS) 1935, 109, 443 DILL) 1934, 104, 565 Liver lipids (Lorenz, Chai--, nomogram (Hastings and KOFF, and ENTENMAN) SHOCK) 1934, 104, 575 1938, 123, 577 -, work, effect (HASTINGS, Orosins, relationship (BLOCK) DILL, and EDWARDS) 1934, 105, 455 1936, 114, xlvii See also Chick, Chicken, Fowl, Acid change, first (LAUG) 1934, 106, 161 mississippiensis Bixin: Solutions, carotene de-Alligator termination, use (Holmes (Rosenblatt) and BROMUND) 1936, 116, 81 1935-36, 112, 437 Androgenic material, inactive Black tongue: Anti-, factor, (McCullagh, Osborn, and identification (ELVEHJEM, 1938, 123, lxxxi Osgard) Anemia, milk-produced (FITZ-MADDEN. STRONG, and HUGH, ROBSON, and DRAB-WOOLLEY) 1933, 103, 617 1938, 123, 137 Aqueous humor, cerebrospinal Pyridine derivatives, effect fluid, and lymph, compari-(Woolley, STRONG, and MADDEN) son (WALKER) 1938, 123, cxxxi 1933, 101, 269 (Woolley, Strong, Mad-Arterial, carbon dioxide DEN, and ELVEHJEM) dioxide capacity, carbon inhalation effect (HIMWICH. 1938, 124, 715 Blood: (See note on p. 221) GILDEA, RAKIETEN, Acid-base (Robinson, Price, 1936, 113, 383 DuBors) and Cullen) Base, determination (HALD) 1934, 106, 7 1933, 103, 471 1935, 109, lxxiv -, distribution (HALD and 1936, 114, 321 EISENMAN) (ROBINSON, PRICE, HOGDEN, 1937, 118, 275 NELSON, and CULLEN) determination total, 1936, 114, lxxxiv 1934, 105, 675 (HALD) - equilibrium (Hastings and (KEYS) 1936, 114, 449 SHOCK) 1934, 104, 575 Coagulant, placenta (GREEN, (SHOCK and HASTINGS) Lowry, ELEY, and Mc-1936, 114, xlii 1934, 104, 585 KHANN)

Coagulation, blood platelet constituents and lipids, relation (CHARGAFF, BANCROFT, and STANLEY-BROWN)

1936, 116, 237

cerebroside sulfuric acids, synthetic, effect (Chargaff) 1937, 121, 187
 heparin and anticoagulants, action (Chargaff and Olders)

action (CHARGAFF and OLson) 1937-38, 122, 153 —, inhibition, substances

affecting (CHARGAFF, BANCROFT, and STANLEY-BROWN) 1936, 115, 155

—, —, technique for measuring (Chargaff, Bancroft, and Stanley-Brown)

1936, 115, 149

—, lipid inhibitor, spleen (Снакдаят)

1938, 125, 677

—, — inhibitors (Снагдагг) 1937, 121, 175

-, protamine effect (CHAR-GAFF and OLSON)

1937-38, 122, 153

—, protamines, effect (Chargaff) 1938, 125, 671 Dissociation constant, apparent, oxygenation and reduction effect (Van Slyke and Sendroy) 1933, 102, 505 Electrolyte distribution, glucose intraperitoneal injection

cose intraperitoneal injection effect (Robinson and Hegnauer)

1936, **116,** 779

 muscle and, distribution, adrenalectomy effect (Heg-NAUER and ROBINSON)

1936, 116, 769

Blood—continued:

Equilibration, tonometer (IRV-ING and BLACK)

Ethyl iodide solubility, erythrocyte count, correlation (Cool, Gamble, and Starr) 1934, 105, 97
Fatty acids, adrenalectomy effect (Yeakel and Blanchard)

1938, 123, 31

— —, depancreatized dog (Lichtman) 1937, 120, 35 — —, microdetermination (SMITH and KIK)

1933, 103, 391

Filtrates, protein-free, zinc hydroxide powder for preparation (LETONOFF)

1934, 106, 693 Fish (Vars) 1934, 105, 135 Flow, kidney, measurement,

direct (Mason, Blalock, and Harrison)

1936, 114, lxiv Fowl, domestic, properties (Morgan and Chichester) 1935, 110, 285

Gas analysis, Van Slyke (RAPPAPORT and KÖCK-MOLNAR) 1934, 104, 29

— and electrolyte equilibrium (VAN SLYKE and SENDROY)
1933, 102, 505

(VAN SLYKE, DILLON, and MARGARIA)

1934, 105, 571 (Sendroy, Dillon, and Van Slyke) 1934, 105, 597

SLYKE) 1934, 105, 597

— determination, collection methods (LOONEY and CHILDS) 1934, 104, 53

Gas, exercise effect (Looney)

1938, **123,** lxxvi

Glycolysis, purine nucleotide catabolism, relation (EILER and ALLEN)

1938, 123, 655

— rate, mammal (Somogyi) 1933, 103, 665

Helium solubility in (HAWKINS and SHILLING)

1936, 113, 649

Hen, composition (Heller and Pursell) 1937, 118, 549

Inorganic composition (Kerr) 1937, 117, 227

Intestinal juice loss, effect (Herrin) 1935, 108, 547

Jaundiced, blood serum phosphatase effect (FREEMAN and CHEN) 1938, 123, 239

Lactation, cod liver oil, shark liver oil, and salmon oil, effect (McCay and May-NARD) 1935, 109, 29

Lipid chlorine (CHRISTEN-SEN and CORLEY)

1938, 123, 129

— distribution, anemia, children (Erickson, Cope, Sternberger, Lee, Cooley, and Macy) 1935, 109, xxx (Erickson, Williams, Hummel, Lee, and Macy)

1937, 118, 569

— —, —, pernicious (WIL-LIAMS, ERICKSON, BERN-STEIN, HUMMEL, and MACY) 1937, 118, 599

— —, children (Erickson, Williams, Hummel, and Macy) 1937, 118, 15

Blood-continued:

Lipid metabolism, depancreatized dog, insulin and choline effect (Kaplan and Chai-Koff) 1937, 120, 647
Lipids, age, sex, and ovarian activity, effect (Lorenz, Entenman, and Chaikoff) 1937-38, 122, 619

—, androgens, effect (Kochakian, MacLachlan, and McEwen)

1937-38, 122, 433

—, anticoagulants, effect (Boyd and Murray)

1937, 117, 629

-, depancreatized dog, insulin effect (Chaikoff and Kaplan) 1934, 106, 267

—, — — with insulin, pancreas ingestion effect (CHAIKOFF and KAPLAN)

1935-36, 112, 155

—, determination and partition (Rose, Schattner, and Exton) 1937, 119, lxxxiv

-, extraction (Boyd)

1936, 114, 223

—, — and saponification (MAN and GILDEA)

1937-38, 122, 77

-, fasting effect (SURE, KIK, and CHURCH)

1933, 103, 417

—, liver damage influence (Chanutin and Ludewig) 1936, 114, xviii

-, overfeeding effect (BLOOR) 1933, 103, 699

--, regeneration, hemorrhage effect (Boyd and Stevenson) 1937-38, 122, 147

Lipids, thyroxine injection effect (SCHMIDT and BRAD-FORD) 1934, 105, lxxv -, total, lipemia, alimentary

(WILSON and HANNER)

1934, 106, 323

Magnesium deprivation effect (ORENT, KRUSE, and Mc-Collum) 1934, 106, 573

— — with calcium deficiency, effect (DAY, KRUSE, and McCollum)

1935–36, 112, 337

Milk fat precursor in (MAY-NARD, HODSON, ELLIS, and McCay) 1937, **119**, lxvi Mineral constituents, inorganic salt intake, effect (Heller and PAUL) 1934, **105**, 655

- distribution, anemia, chil-(ERICKSON, COPE, STERNBERGER, LEE, COOLEY, and MACY)

1935, 109, xxx (ERICKSON, WILLIAMS, HUM-MEL, LEE, and MACY)

1937, 118, 569

—, —, pernicious (Will-LIAMS, ERICKSON, BERN-STEIN, HUMMEL, and MACY) 1937, 118, 599

-, children (Erickson, WILLIAMS, HUMMEL, 1937, 118, 15 Macy) Muscle, volume determination (Eichelberger)

1937-38, 122, 323

Nitrogen solubility in (HAW-KINS and SHILLING)

1936, 113, 273

Osmotic adjustments (Eisen-MAN, HALD, and PETERS)

1937, 118, 289

Blood—continued:

Oxygen capacity (Johnson and 1936, 114, 157 HANKE)

- -, glutathione state, relation (OBERST and WOODS)

1935, 111, 1

-, uncombined, solubility and physical state (SENDROY, DILLON, and VAN SLYKE)

1934, 105, 597

Phospholipids, adrenalectomy effect (YEAKEL and BLAN-1938, 123, 31 CHARD)

-, as transport mechanism (SINCLAIR)

1936, 115, 211

-, determination (ELLIS and MAYNARD) 1937, 118, 701 Phosphorus, organic, phosphatase hydrolysis, effect (KERK and ANTAKI)

1937, 121, 531

Physicochemical properties, altitude effect (DILL, TALBOTT, and CONSOLAZIO) 1937, 119, xxiii

- system (DILL, EDWARDS, and Consolazio)

1937, 118, 635

- -, altitude effect (Dill, TALBOTT, and CONSOLAZIO) 1937, 118, 649

Pigment, salt-low ration, realimentation effect (ORTEN and SMITH) 1934, 105, lxvi

Pregnancy, gonadotropic hormone preparation (Gustus, MEYER, and Woods)

1936, 114, 59

Reducing substance, fermentable, zinc-precipitable, diabetes, coma (REINHOLD and LETONOFF)

1936, 114, lxxxiii

Reducing substances, frog and higher animals (WALKER)

1933, 101, 269

Saccharoids, diet and drugs, relation (SMELO, KERN, and 1938, 125, 461 Drabkin) Salt and water, muscle and, exchange (HASTINGS EICHELBERGER)

1935, 109, xli

(EICHELBERGER)

1937-38, 122, 233

-, - and, exchange. body water effect (HAST-INGS and EICHELBERGER)

1937, 117, 73

- - -, - and, exchange, dehydration effect (EICHEL-BERGER and HASTINGS)

1937, 118, 205

- -, - and, exchange, hydronephrosis effect (E1-CHELBERGER)

1937, 119, xxx

- -. - and, exchange, respiratory alkalosis acidosis. effect (Eichel-BERGER and HASTINGS)

1937, 118, 197

Spectrophotometric technique (DRABKIN and AUSTIN)

1935-36, 112, 105

Sterol, nature, Liebermann-Burchard reaction (REIN-1934, 105, lxxi HOLD) Swine, glucose ingestion effect (EVELETH)

1934, 104, 559

(EVELETH and EVELETH)

1935, 111, 753

Test, benzidine, ascorbic acid effect (Kohn and Watrous) 1000 10A 162 Blood—continued:

Trichinosis, chemistry (PIERCE and HARTMAN)

1938, 123, xciv

Turtle (VARS)

1934, 105, 135

-, anoxia, effect (Johlin and MORELAND)

1933, 103, 107

(Moreland)

1937, 117, 471

Vapor pressure determination (Culbert) 1935, 109, 547 See also Hematopoietic substance

Blood cell(s): (See note on p. 221) Lipids, microdetermination, gasometric (KIRK, PAGE, and VAN SLYKE)

1934, 106, 203

Nitrogen, atmospheric, solubility and physical state (VAN SLYKE, DILLON, and MARGARIA)

1934, 105, 571

Protein, blood plasma and, in vitro, distribution (Bellis and Scott)

1935, 111, 17

Red, count, blood adenine nucleotide relation (BUELL) 1935, 109, xii

-, -, ethyl iodide solubility, blood, correlation (Cool, GAMBLE, and STARR)

1934, 105, 97

-, -, men, healthy (NELSON and STOKER)

1936, 114, lxxvi

-, determination (HEINLE and 1933, 101, 369 Bing)

dissociation constant. apparent (DILL, DALY, and FORRES) 1937, 117, 569 Blood cell(s)—continued:

Red, electrolytes, blood plasma electrolytes, relation (YAN-NET, DARROW, and CARY)

1935–36, 112, 477

—, enzyme, carbon dioxide hydration and carbonic acid dehydration, catalytic effect (STADIE and O'BRIEN)

1933, 103, 521

—, form, pregnancy (Rottschaefer and Bethell)

1936, 114, lxxxv

, lactate-pyruvate oxidation,
 methylene blue and, effect
 (Wendel) 1933, 102, 373

-, lipids, extraction (Boyd)

1936, 115, 37

 membrane, phosphorus, inorganic, transfer across (Halpern)

1936, 114, 747

—, oxidation, methylene blue and, methemoglobin and cyanide effect (WENDEL)

1933, 102, 385

—, residue, posthemolytic, basic amino acids (Beach, Erickson, Bernstein, and Williams)

1938, 123, vi

—, —, —, lipid distribution (Erickson, Williams, Bernstein, Avrin, Jones, and Macy)

1937-38, 122, 515

—, —, —, — partition (Erickson, Williams, Bernstein, and Jones)

1936, 114, xxxii

-, -, -, preparation (ERICKSON, JONES, BERNSTEIN, WILLIAMS, LEE, and MACY)
1936, 114, xxxii

Blood cell(s)—continued:

(BERNSTEIN, JONES, ERICKSON, WILLIAMS, AVRIN, and MACY) 1937-38, 122, 507
Red, stromata, diaminophosphatide determination

(THANNHAUSER and SETZ) 1936, 116, 533

--, volume, determination
(EISENMAN, MACKENZIE,
and PETERS)

1936, 116, 33

Salt-low ration, realimentation effect (ORTEN and SMITH)

1934, 105, lxvi

Volume, determination (EI-SENMAN) 1936, 114, xxx White, lipids (Boyd)

1933, 101, 623

(Boyd and Stevenson) 1937, 117, 491

—, polymorphonuclear, proteinase and peptidase activity, pleural exudates (Weiss, Kaplan, and Larson) 1938, 125, 247

See also Reticulocyte

Blood plasma: (See note on p. 221)

Colloids, recovery from work, relation (KEYS and TAYLOR) 1935, 109, 55

Electrolytes, blood cells, red, electrolytes, relation (YAN-NET, DARROW, and CARY)

1935-36, 112, 477

Lipids, age effect (PAGE, KIRK, Lewis, Thompson, and Van SLYKE) 1935, 111, 613

-, analysis, microoxidation (Boyd) 1933, 101, 323

—, determination, gasometric (Kirk, Page, and Van Slyke) 1934, 105, xlvii Blood plasma—continued:

Lipids, diurnal variations
(BOYD) 1935, 110, 61

—, microdetermination
(STREET) 1936, 116, 25

—, —, gasometric (KIRK,

Page, and Van Slyke)

1934, 106, 203
Nitrogen, atmospheric, solubility and physical state
(VAN SLYKE, DILLON, and
MARGARIA)

1934, 105, 571

Protein binding, phenol red and diodrast, effect (SMITH and SMITH)

1938, 124, 107

-, blood cells and, in vitro distribution (Bellis and Scott) 1935, 111, 17

- solubilities (Butler, Blatt, and Southgate)

1935, 109, 755

—, total (LEHMAN and Scott) 1935, 111, 43

Proteins, hepatectomy and laparotomy effect (Chanutin, Hortenstine, Cole, and Ludewig)

1938, 123, 247

—, injection, metabolism, effect (DAFT, ROBSCHEIT-ROBBINS, and WHIPPLE)

1938, 123, 87

—, nephrectomy, partial, effect (Chanutin and Ludewig)

1937, 119, xviii

Specific gravity and protein, relation (WEECH, REEVES, and GOETTSCH)

1936, 113, 167

Blood platelets: Blood clotting, relation (Chargaff, Bancroff, and Stanley-Brown) 1936, 116, 237 Lipid distribution (Erickson, Lee, and Williams)

1938, 123, xxxiv

Blood pressure: d-Alanyl-l- and l-alanyl-l-histidine and l-carnosine, comparative effects (Hunt and du Vigneaud) 1938, 124, 699 d-Carnosine effect (Du Vigneaud Hunt)

1936, 115, 93

Electrolyte, cisterna magna injection, effect (Mason Resnik, and Harrison)

1935, 109, lix

-Raising principle, adrenal cortex extract (Looney and Darnell) 1936, 114, lxii

Blood serum: (See note on p. 221)
Acid-base equilibrium, diet
low in inorganic constituents, effect (SMITH and
SMITH) 1934, 105, lxxxi

SMITH) 1934, 105, 1xxxi
—, fatigue effect (Morse and Schlutz)

1935, 109, lxix

— —, hyperthermia (DANIELson and Stecher)

1936, **114,** xxiii

Antipneumococcus, globulin fractions (GREEN)

1938, 123, xliv

Ashing, dry (Wilkins)

1934, 105, 177

--, thorium nitrate use (Strauss)

1937, 118, 331

Base, determination (HALD) 1933, 103, 471 Blood serum-continued:

Base, exercise, dehydration influence (Morse and Schlutz) 1936, 114, lxxiv

-, kidney excretion, exercise effect (Morse and Schlutz)

1937, 119, lxxi

—, total, and chloride, microdetermination, simultaneous (Joseph and Stadie)

1938, 123, lxv

--, --, determination (Hald) 1934, 105, 675

—, —, —, electrodialysis (Joseph and Stadie)

1938, 125, 795

Colloid osmotic pressure determination (Keys and Taylor) 1935, 109, 47 Dissociation constant, appar-

ent (DILL, DALY, and FORBES) 1937, 117, 569

— —, —, Henderson-Hasselbalch equation (Robinson, Price, and Cullen)

1934, 106, 7

Electrolytes (SMITH and SMITH) 1934, 107, 673 (SUNDERMAN)

1936, 113, 111

—, balance, diet deficient in inorganic constituents, effect (Smith and Smith)

1934, 107, 681

concentration

--, exercise effect (Morse and Schlutz)

1938, 123, lxxxvii

, nutritional hypoproteinemia, effect (Darrow and Carr) 1934, 105, 327

Evaporation rate, vapor pressure, osmotic pressure,

solute

and

Blood serum—continued:

measured by (Culbert, McCune, and Weech)

1937, 119, 589

Horse, lipase action (Falk and McGuire) 1934, 105, 379
Lipase action (McGuire and Falk) 1934, 105, 373
Lipids (Wilson and Hansen) 1935-36, 112, 457

-, extraction and saponification (Man and Gildea)

1937–38, 122, 77

—, fat metabolism, intermediary, relation (Hansen, Wilson, and Williams)

1936, 114, 209

-, protein-low diet, effect (PAGE, FARR, and WEECH)

1937, 121, 111

Lipoid-chlorine (PETERS and MAN) 1934, 107, 23 Osmotic pressure, colloid, pregnancy (ROTTSCHAEFER and BETHELL)

1936, 114, lxxxv Phosphate buffer-phenol red

solution, effect (Robinson, Price, Hogden, Nelson, and Cullen)

1936, 114, lxxxiv Phosphatides, precipitation (Turner)

1934, 105, xciv Physicochemical study (Zozaya) 1935, 110, 599 Pregnancy, gonadotropic hor-

mone (Bischoff)

1938, 125, 697

—, gonad-stimulating hormone, preparation and purification (Cartland and Nelson) 1937, 119, 59

Blood serum—continued:

Protein, Bence-Jones (Kydd) 1934, 107, 747

-, blood cholesterol, relation (SCHWARZ and LICHTEN-

BERG) 1937, 121, 315
—, total (LEHMAN and SCOTT)
1935, 111, 43

Proteins, amino acids, basic (Block) 1933, 103, 261 (Block, Darrow, and Cary) 1934, 104, 347 (Block) 1934, 105, 455

—, — —, —, heat effect (Block) 1934, 104, 343

—, carbamate-carbon dioxide equilibrium, blood carbon dioxide transport, relation (Stadie and O'Brien)

1935, **109**, lxxxvii

—, edema fluids and, comparison (GILLIGAN, VOLK, and ALTSCHULE)

1933, 103, 745

-, solubility precipitation patterns (Perlzweig, Kondritzer, and Bruch)

1938, 123, xcii

-, various origins, relationship (BLOCK, DARROW, and CARY) 1934, 104, 347
Proteolysis, uremia (MASON and EVERS)

1937, 119, 735

Solute molality, specific gravity and water, relation (SUNDER-MAN) 1936, 113, 111 Specific gravity and protein, relation (WEECH, REEVES, and GOETTSCH)

1936, 113, 167

- -, water and solute

Blood serum—continued:

Ultrafiltrates, creatinine isolation (GAEBLER and ABBOTT) 1938, 123, 119

—, picrate precipitate (GAEB-LER and Aввотт)

1937, 119, xxxvi

Volume, measurement (Sun-DERMAN) 1935, 109, xci (SUNDERMAN and AUSTIN)

1936, 1**14,** ciii

Blood sugar: Adrenals, demedulated, physostigmine effect (HARNED and COLE)

1938, 123, li

Carbohydrate ingestion, high (Talbott) 1935, 109, xei Cataract from lactose-containing diet, relation (Day)

1935, **109,** xxvi

-- vitamin G-deficient diet, relation (DAY)

1935, 109, xxvi

Decapitation and venesection, values, comparison (HRU-BETZ and DOTTI)

1934, 107, 731

Determination, Benedict method, color development study (Sunderman and RAZEK) 1937, 118, 397—, — —, light filters, use

(SUNDERMAN and RAZEK)

1936, **114**, civ

gasometric, Somogyi filtrate (VAN SLYKE and KUGEL) 1933, 102, 51
 photoelectric (Hoffman)

1937, 120, 51

Dithio acids, substituted, effect (Greenstein and Fried-

Blood sugar—continued: Fermentable, determination, gasometric (Holden) 1937, 119, 347 fasting, gizzardectomized (Burrows, Fritz, and Titus) 1935, 110, 39 Goat (Cutler) 1934, 106, 653 effect Insulin (Dotti and HRUBETZ) 1936, 113, 141 In vitro (KLEINER and HAL-PERN) 1933, 101, 535 (Neuwirth) 1934, 104, 129 Low, diabetes (PAUL and GIBSON) 1938, 123, xci Mammal, distribution (Somo-GYI) 1933, 103, 665 Microtitration method (MIL-LER and VAN SLYKE)

LER and VAN SLYKE)
1936, 114, lxxi, 583
Pancreatectomy effect (Lichtman)
1937, 120, 35
True, insulin convulsions
(Dotti)
1934, 104, 535
Body composition: Diet poor in

Salts, effect (Light, Smith, Smith, and Anderson)

1934, **107,** 689

Body fluids: Epinephrine destruction (KOEHLER)

1934, 105, p. l

Halides, distribution, chronic bromide intoxication (Mason) 1936, 113, 61

Photooxidation (SMETANA) 1938, 124, 667

Protein (BRUGER)

1934, **105,** xiii

Bombicysterol: (BERGMANN)

Bone: Calcification, rickets, salt solutions, effect (Gerstenberger) 1938, 123, xli Composition (Logan)

1935, 110, 375

—, diet poor in inorganic constituents, effect (Brooke, Smith, and Smith)

1934, 104, 141

Extract, skeletal growth and bone phosphatase, effect (Landauer, Upham, and Rubin) 1935, 108, 121 Fluoride feeding, effect (Smith and Lantz)

1933, 101, 677

Growth, normal and rachitic rats (Russell, Taylor, and Dungan)

1937, 119, lxxxv

Magnesium deprivation effect (ORENT, KRUSE, and McCOLLUM)

1934, 106, 573

Marrow, anemia, milk-produced (Fitz-Hugh, Robson, and Drabkin)

1933, 103, 617

Phosphatase, α-amino acids, effect (Bodansky)

1936, 114, 273

—, blood organic phosphorus hydrolyzed by, nature (Kerr and Antaki)

1937, 121, 531

—, bone extract effect (LANDAUER, UPHAM, and RUBIN) 1935, 108, 121

--, fluorine effect (SMITH and LANTZ) 1935-36, 112, 303

— identification, bile acids as aid (Bodansky)

Bone—continued:

Phosphates, molecular constitution (Hodge, Bale, and Lefevre)

1937, 119, xlix
Salt, formation (Logan and
Taylor) 1938, 125, 377

—, — and nature (Logan and
Taylor) 1937, 119, lxiv

—, solubility (Logan and
Taylor) 1937, 119, 293
1938, 125, 377, 391

Sodium (HARRISON)

1937, 120, 457

Water, extracellular and intracellular (IoB and SWANSON) 1937-38, 122, 485
See also Skeleton

Boric acid: Ammonia and bases, microdetermination, use (Sobel, Yuska, and Cohen) 1937, 118, 443

Borneolglucuronic acid: Glucuronic acid preparation from (SWARTZ and MILLER)

1933, 103, 651

Boys: Basal metabolism, preformed and total creatinine nitrogen (Wang)

1937, 119, cii

Muscle dystrophy, pseudohypertrophic, mineral metabolism (WANG, KAUCHER, and WING) 1935, 109, xcv

Brain: Carbohydrate metabolism (KERR) 1936, 116, 1

-, narcotics and convulsant drugs, effect (Kerr and Antaki)

1937-38, 122, 49

— oxidation, normal and diabetic (Baker, Fazekas, and Himwich) 1938, 125, 545

Brain-continued:

Cephalins, origin (McConnell and Sinclair)

1937, 118, 131

Chemical topography (RAN-DALL) 1938, 123, c 1938, 124, 481

Glycogen, insulin, and epinephrine, effect (KERR, HAMPEL, and GHANTUS)

1937, **119,** 405

-, isolation (KERR)

1938, 123, 443

Glycolysis, anaerobic (QUASTEL and WHEATLEY)

1937, 119, lxxx

Lactic acid, insulin and epinephrine, effect (Kerr, Hampel, and Ghantus)

1937, 119, 405

— —, origin (KERR and GHANTUS) 1937, 117, 217 Lecithins, origin (McConnell and Sinclair)

1937, 118, 131

Mammalian, glycogen, free sugar and lactic acid, carbohydrate and insulin effect (Kerr and Ghantus)

1936, 116, 9

, lactic acid (Avery, Kerr, and Ghantus)

1935, 110, 637

-, proteins, amino acids (Block) 1937, 119, 765 Oxidations, drug influence (Brand, Brand, and Herrmann) 1934, 105, xiii Phosphocreatine (Kerr)

1935, 110, 625

—, narcotics and convulsant drugs, effect (Kerr and Antaki) 1937-38, 122, 49 Brain-continued:

Phosphorus, rickets (Kerr)

1937-38, 122, 53

Primate, proteins, amino acids, sex differences (Block)

1937, 121, 411

Proteins, amino acids, age effect (Block)

1937, 120, 467

-, - -, sex differences (Block) 1938, 123, xiii Sugar, free, insulin and epinephrine, effect (Kerr, Hampel, and Ghantus)

1937, 119, 405

Water and electrolytes, growth effect (Yannet and Darnow) 1938, 123, 295

See also Cerebrum

Bran: Crude fiber, feces fatty acids, volatile, influence (OLMSTED, CURTIS, and TIMM) 1935, 108, 645
Pentosan, feces fatty acids, volatile, influence (OLMSTED, CURTIS, and TIMM)

1935, 108, 645

Prepared, hemoglobin regeneration influence (Rose, Vahlteich, and MacLeod) 1934, 104, 217

Bromide(s): Biological fluids, determination (Brodie and FRIEDMAN) 1938, 124, 511 Dietary, body bromine, effect (WINNEK and SMITH)

1937, 119, cvi
Intoxication, chronic, body
fluids, halide distribution
(Mason) 1936, 113, 61
Tissues, determination (BroDIE and FRIEDMAN)

1938, 124, 511

Bromine: Biological substances, determination (WINNER and SMITH) 1937, 119, 93 Body, dietary bromide and chloride, effect (WINNER and SMITH) 1937, 119, cvi oxidation Carbohydrate (Duff. SHEPPARD, and Everett) 1938, 123, xxxii --- , second stage (SHEPPARD and EVERETT)

1934, 105, lxxx
-Free medium, synthetic, algæ
growth (McIntyre and
Burke) 1937, 119, lxviii
Glucoside differentiation, action (Sheppard and Everett) 1936, 114, xci
Metabolism (Corley, Tripp,
and Newton)

1935, 109, xxiii
Nutrition rôle (WINNEK and
SMITH) 1937, 121, 345
Bromine water: Carbohydrates.

Bromine water: Carbohydrates, behavior (Everett, Edwards, and Sheppard)

1934, 104, 11

Urine, normal, sugar, behavior (EVERETT, EDWARDS, and SHEPPARD) 1934, 104, 11
Bromobenzene: Absorption and detoxication, bile rôle (STEKOL and MANN)

1937, 117, 619

p - Bromophenylmercapturic acid synthesis, relation (STEKOL) 1937, 118, 155 Cystine utilization, growth effect (White and Jackson) 1935, 111, 507

Dietary, glutathione, growth effect (STEKOL)

1938, 123, exvi

Bromobenzene—continued: Buffer(s)—continued: (KHARASCH, LEGAULT, WIL-Dietary, growth effect (STEKOL) 1937-38, 122, 55 DER, and GERARD) Methionine utilization, growth 1936, 113, 537 effect (WHITE and JACKSON) Urease activity, effect (How-1935, 111, 507 ELL and SUMNER) Bromophenylhydrazine: p-, de-1934, 104, 619 rivatives, d-galacturonic and Bufo: See Toad d-mannuronic acids (NIE-Butter: Carotene (BAUMANN and MANN, SCHOEFFEL, and STEENBOCK) LINK) 1933, 101, 337 1933, 101, 547 Bromophenylmercapturic breed and diet, cows, p-, synthesis, body weight, influence (BAUMANN, STEENrelation (STEKOL) BOCK, BEESON, and RUPEL) 1934, 105, 167 1937, 119, xciv 1937, 121, 93 Vitamin A (BAUMANN and —, —, diet effect (Stekol) STEENBOCK) 1937, 117, 147 1933, 101, 547 -, -, fasting rabbit (Con-- -, breed and diet, cows, 1937, 121, 27 influence (BAUMANN, STEEN-WAY) -, -, food and bromobenzene BOCK, BEESON, and RUPEL) relation (STEKOL) 1934, 105, 167 Butter fat: Acids, determination 1937, 118, 155 determination and characterization (HILurine, 1936, 113, 279 DITCH and LONGENECKER) (STEKOL) Bromotriacetylglucuronic 1937-38, 122, 497 α -, methyl ester, prepara-Antioxidants (SHREWSBURY tion (GOEBEL and BABERS) and KRAYBILL) 1935, 111, 347 1933, 101, 701 Marino-, cino-, and Arachidonic acid (Bosworth Bufagin: gama-, chemical constituand Sisson) tion (JENSEN) 1934, 107, 489 Carotene (Shrewsbury and 1937, **119**, lii Dimethylglycine KRAYBILL) 1933, 101, 701 Buffer(s): (MICHAELIS and SCHUBERT) - determination (BARNETT) 1936, 115, 221 1934, 105, 259 Phosphate, -phenol red soluspectrophotometric tion, blood serum effect (WISEMAN and CARY) (ROBINSON, PRICE, HOGDEN, 1935, 109, ci isolation NELSON, and CULLEN) Fatty and acids, 1936, 114, lxxxiv identification (Bosworth Thioglycolic acid oxidation, and Brown)

1933, 103, 115

metal, dithiol and, effect

Butyric acid(s)—continued:

(WEST and CARTER)

1937, 119, 103, 109

Butter fat—continued:

Fatty acids, saturated, higher

(HELZ and Bosworth)

(WEST, KRUMMEL, and CAR-1936, 116, 203 Linoleic acid (Eckstein) 1937-38, 122, 605 1933, 103, 135 (West and Carter) Linolenic acid (Eckstein) 1937-38, 122, 611 1933, 103, 135 Glycogen formation, ingestion Monohydroxypalmitic effect (Eckstein) acid (Bosworth and Helz) 1933, 102, 591 β-Hydroxy-, acetoacetic acid, 1935-36, 112, 489 Vitamin A (SHREWSBURY and reduction from (STARK and KRAYBILL) COHEN) 1938, 123, cxv 1933, 101, 701 dl- α -Hydroxy- γ -methio-, me-— —, determination (Shinn tabolism, cystinuria (BRAND, and CARY) BLOCK, and CAHILL) 1937, 119, 681 1936, 114, xcii Butyl acids: Iso-, normal series, Metabolism, deuterium as inconfigurational relationship dicator (RITTENBERG. (LEVENE and MARKER) Schoenheimer, and Evans) 1935, 111, 299 1937, 120, 503 Butyl alcohol: Acetone-, fermen $dl-\gamma$ -Methiol- α -hydroxy-, metation, intermediary comtabolism, cystinuria (Block, BRAND, and CAHILL) pounds (Johnson, Peterson, and Fred) 1937, 119, xii γ -Thio-, and γ , γ' -dithiodi-, me-1933, 101, 145 tabolism, cystinuria (BRAND, Extracts, cystine and cysteine determination (HESS and BLOCK, and CAHILL) 1937, 119, 689 SULLIVAN) 1935, 108, 195 -Isopropyl alcohol fermenta-Cabbage: Chinese, calcium availtion (OSBURN, BROWN, and ability (KAO, CONNER, and WERKMAN) 1938, 123, 221 SHERMAN) 1937, 121, 685 Iodine determination (Mc-Butyric acid(s): α -Amino- β -hy-CLENDON, HAMILTON, and droxy-n-, configuration, spa-HOLDRIDGE) tial (MEYER and Rose) 1934, **105**, lviii 1936, 115, 721 Calciferol: Blood serum calcium, -, synthesis (Carter) nephrectomized and thyro-1935-36, 112, 769 parathyroidectomized-ne-(WOOD, MADDEN, and CARphrectomized rat, effect 1937, 117, 1 TER) (TWEEDY, McNamara,

Calciferol-continued:

TEMPLETON, and PATRAS)

1937, 119, xcix

Toxicity (HARTMAN)

1937, **119,** xlvi

Calcification: Cartilage, rachitic, phosphate and parathyroid extract effect (McLean and McCoy) 1936, 114, lxv Protein intake, relation (Con-

ner and Sherman)

1936, 115, 695

Rickets, salt solutions, effect (Gerstenberger)

1938, 123, xli

Tooth enamel, variations (Hol-LANDER, BODECKER, SAPER, and APPLEBAUM)

1934, 105, xl

Calcified material: Sodium (Har-RISON) 1937, 120, 457

Calcium: Aqueous humors
(SALIT) 1934, 104, 275
Biological fluids, determination, spectrographic (Thomson and Lee)

1937, 118, 711

— material, determination (WANG) 1935, 111, 443

— —, —, ceric sulfate titration (Larson and Green-BERG) 1938, 123, 199

Blood, determination, ceric sulfate titration (Larson and GREENBERG)

1938, **123**, 199

-, partition, chicken (Hel-LER, PAUL, and THOMPSON) 1934, 106, 357

 phosphate and, relation (McLean and Hinrichs)
 1935, 109, lxiii Calcium—continued:

Blood plasma, age effect (KIRK, LEWIS, and THOMPSON)

1935, 111, 641

— — and serum, state (GREEN-WALD and RUBIN)

1936, 1**14,** xlv

— —, dairy cattle (HAAG and Jones) 1935, 110, 439

— —, diffusibility, parathormone effect (Gilligan, Volk, and Altschule)

1933, 103, 745

— ultrafiltrates, bicarbonate ion concentration and hydrogen ion concentration, effect (DILLMAN and VISSCHER)

1933, 103, 791

— serum (Salit)

1934, 104, 275

----, age relation (STEARNS and WARWEG)

1933, 102, 749

— — and edema fluids, concentration, comparison (GIL-LIGAN, VOLK, and ALT-SCHULE) 1933, 103, 745

— determination, ceric sulfate use (KATZMAN and JA-COBI) 1937, 118, 539

— —, forms (Greenberg and Larson) 1935, 109, 105 (Benjamin) 1935, 109, 123

--, --, hypercalcemia (Ben-JAMIN and Hess)

1933, 103, 629

— —, ingested calcium effect (Freeman, Kant, and Ivy) 1935-36, 112, 1

 -- , nephrectomized and thyroparathyroidectomizednephrectomized rat, calciferol effect (Tweedy, McCalcium—continued:

NAMARA, TEMPLETON, and PATRAS) 1937, 119, xcix Blood serum, nutritional hypoproteinemia, effect (DARROW

proteinemia, effect (DARROW and CARY) 1934, 105, 327

— —, partition, mathematical relations (GREENBERG and LARSON) 1937, 119, xxxix

Body, calcium and phosphorus intake levels, effect (Toer-FER and SHERMAN)

1936, 115, 685

- fluids, ionization (McLean and Hastings)

1935, 108, 285

— —, state (McLean and Hastings)

1934, **105**, lx

—, food calcium, and phosphorus, relation (Whitcher, Booher, and Sherman)

1936, 115, 679

—, — —, effect (Lanford and Sherman)

1938, 123, lxxiii

Cabbage, Chinese, availability (KAO, CONNER, and SHER-MAN) 1938, 123, 221

Chick (ELVEHJEM and KLINE) 1933, 103, 733

Deficiency with magnesium deprivation, blood and body effect (DAY, KRUSE, and McCOLLUM)

1935–36, 112, 337

Deposits, pathological (MEEKER and KESTEN)

1936, 113, 289

Determination, microtitration, acidimetric (Sobel and Sklersky)

1937–38, 122, 665

Calcium—continued:

Determination, potentiometric (Tendeloo)

1936, 113, 333

(GREENBERG and LARSON) 1936, 115, 769

Dietary, hematopoiesis effect (DAY, STEIN, and McCol-LUM) 1938, 123, xxviii

-, magnesium requirement, relation (Tufts and Green-BERG) 1937-38, 122, 715

Diffusible, blood serum and transudates in vivo (MIL-LER) 1937-38, 122, 59

Edema fluids and blood serum, concentration, comparison (GILLIGAN, VOLK, and ALT-SCHULE) 1933, 103, 745

Electrodes, crystals as (Anderson) 1936, 115, 323 (Tendeloo)

1937, 118, 253

Filtrable, non-filtrable, blood, chicken, relation (CORRELL and HUGHES)

1933, 103, 511

Food availability (FINCKE and SHERMAN) 1935, 110, 421—, body calcium, relation

(WHITCHER, BOOHER, and SHERMAN) 1936, 115, 679

Gestation requirement (Cox and Imboden)

1934, 105, xviii

Gossypol and, reaction, physiological significance (GAL-LUP and REDER)

1935, 109, xxxvi

Intake levels, body calcium and growth, effect (Toepfer and Sherman)

1936, 115, 685

Calcium—continued:

Ionized and total, blood serum and ultrafiltrates, relation (Morison, McLean, and Jackson)

1937-38, 122, 439

-, blood serum and transudates in vivo (MILLER)

1937-38, 122, 71

Lactation requirement (Cox and Imboden)

1934, 105, xviii

-Low adult rats (CAMPBELL, Bessey, and Sherman)

1935, 110, 703

diets, calcium and phosphorus metabolism, dairy cows, effect (Meigs, Turner, Kane, and Shinn)

1934, 105, lx

— —, rickets and tetany production (Shohl)

1935, 109, lxxxv

Metabolism, calcium-low ration, dairy cows, effect (Meigs, Turner, Kane, and Shinn) 1934, 105, lx Microdetermination (Sobel.

PEARL, and KRAMER)

1936, 114, xcvii (Sobel, Pearl, Gerchick, and Kramer)

1937, 118, 47

Non-diffusible, protein sols (EVERSOLE, FORD, and THOMAS) 1934, 104, 107 (GREENBERG)

1934, 105, 511 (EVERSOLE) 1934, 105, 515 Phosphorus and, intake levels, body calcium and growth, effect (Toepfer and Sher-MAN) 1936, 115, 685 Calcium—continued:

Retention, carbon dioxide effect (Forbes)

1934, 107, 283

—, infancy to adolescence (STEARNS)

1934, **105**, lxxxiv

—, —, vitamin D effect (Stearns and Jeans)

1936, 114, c

Skeleton and tissues, soft, distribution (Bessey, King, Quinn, and Sherman)

1935, 111, 115

Storage, skeletal maturity, children, relation (Hunscher, Hummel, Macy, Todd, and Francis) 1937, 119, lii

Tissue, thyroparathyroidectomy effect (Underhill and Jaleski)

1933, 101, 11

Trout, brook, factors affecting (McCay, Tunison, Crowell, and Paul)

1936, 114, 259

Urine, excretion (Logan)

1935, 109, 481

Vitreous humors (Salit)

1934, 104, 275

Calcium carbonate: Solubility, calcium protein ionization constants, determination, relation (Weir and Hastings) 1936, 114, 397

Calcium citrate: Ionization
(Hastings, McLean,
Eichelberger, Hall, and
Da Costa)

1934, 107, 351

Milk, buffer action (WHITTIER) 1938, 123, 283

Canaline:

stants.

YAMA)

Calcium ion: Concentration, de-

LEAN and HASTINGS)

termination, biological (Mc-

(Tomi-

1935, 111, 45

Dissociation

apparent

1934, 107, 337 -Related compounds (Borek Calcium phosphate(s): Colloidal, and CLARKE) blood, hypercalcemia, forma-1938, 125, 479 Canavalin: Con-, A and B, moletion (GREENBERG cular weight (SUMNER, GRA-Tufts) 1934, 105, xxxii Milk, buffer action (WHITTIER) LÉN, and ERIKSSON-QUEN-1938, 125, 45 1933, 102, 733 Jack bean crystalline globulin Molecular constitution (Hodge and BALE) 1938, 123, lvii from trypsin digestion of Precipitates, (SUMNER and Howell) carbonate-containing, solubility (Logan 1936, 113, 607 Molecular weight (SUMNER, and TAYLOR) and Eriksson-1938, 125, 391 (GRALÉN, Calcium proteinate: Ionization 1938, 125, 45 QUENSEL) constants, determination Canavanine: Dissociation con-(WEIR and HASTINGS) (Томіapparent stants. 1936, 114, 397 1935, 111, 45 YAMA) Calcium salt(s): Dissociation -Related compounds (BOREK (GREENWALD) and CLARKE) 1938, 125, 479 1938, **123**, xlv 1938, 124, 437 Cancer: Tissue, glyoxalase (PLATT and SCHROEDER) Blood Calcomine-fast pink: antithrombin. relation 1934, 106, 179 1937, 119, lxxxi Urine cholesterol (Bloch and (Quick) Calculi: Bile, human (RAY) SOBOTKA) 1938, 124, 567 See also Carcinogenesis 1935, 111, 689 Candy: Acidified, enamel effect Cystine (GREEN, Morris, (WEST and JUDY) CAHILL, and BRAND) 1936, 114, 91 1938, 123, exxv Calf: Cod liver oil toxicity (Tur-Cannizzaro reaction: Catalytically induced reaction re-NER. MEIGS. and Con-1936, 114, civ sembling (Levene verse) Magnesium studies (Duncan, CHRISTMAN) HUFFMAN, and ROBINSON) 1937, 120, 575 Capillary: Fragility, Eskimos and 1935, 108, 35 whites in Arctic (LEVINE) Callicrein: Chemistry (Bischoff and Ellion) 1937, 119, lxii Permeability, proteins (KEYS 1937, 117, 7 Purification (BISCHOFF and and TAYLOR) 1935, 109, 419 ELLIOT) 1935, 109, 55 Caproic acid: Glycogen formation, ingestion effect (Eck-1933, 102, 591 STEIN) α-Hydroxy-n-, α-hydroxyisocaproic acid, configurational relationship (BARTLETT. Kuna, and Levene) 1937, 118, 513 Metabolism, deuterium as indicator (RITTENBERG, SCHOENHEIMER, and EVANS) 1937, 120, 503 Capsicum annuum: See Pimiento Carballvlic acid: \(\alpha \)- Aminotri-. dissociation constants, apparent (GREENSTEIN and Joseph) 1935, 110, 619 Glycyl-α-aminotri-, dissociaconstants. apparent (GREENSTEIN and JOSEPH) 1935, 110, 619 Carbamate: Amino acids and, equilibrium (STADIE and O'BRIEN) 1935-36, 112, 723 -Carbon dioxide equilibrium (STADIE and O'BRIEN) 1935-36, 112, 723 -, amino acids, hemoglobin, and blood serum proteins, blood carbon dioxide transport, relation (STADIE and O'BRIEN) 1935, 109, lxxxvii Determination. Ferguson-

Roughton method (STADIE

Carbamino compounds: Carbon

(DALY and DILL)

dioxide transport, relation

1935-36, 112, 723

1937, 117, 439

1935, 109, xxv

and

(STADIE

and O'BRIEN)

Equilibrium

O'BRIEN)

Bromine, stage

rationally related, rotatory dispersion (Levene ROTHEN) 1936, 116, 209 Isopropyl-, configurational relationship (Levene and 1933, 101, 413 MARKER) Methylcyclohexyl-, methylhexyl-, configurational relationship (Levene HARRIS) 1936, 113, 55 Phenyl-, separation (LEVENE and MARKER) 1933, 103, 373 hydrogenation Phenylated, (LEVENE) 1936, 115, 275 Carbobenzoxy derivatives: Benzvl group splitting (SIFFERD and DU VIGNEAUD) 1935, 108, 753 Carbohydrate(s): Absorption, intestine (PIERCE and HAEGE) 1938, 123, xciii Blood serum phosphatase, ingestion effect (Bodansky) 1934, 104, 473 Brain, mammalian, glycogen, free sugar and lactic acid. insulin and, effect (KERR and GHANTUS) 1936, 116, 9 -, narcotics and convulsant drugs, effect (KERR and 1937-38, 122, 49 Antaki) oxidation. second (SHEPPARD and EVERETT) 1934, 105, lxxx - water, behavior (EVERETT, EDWARDS, and SHEPPARD) 1934, 104, 11 Classification, new (EVERETT and SHEPPARD) 1937, 119, xxxii

Carbinol(s): Aliphatic, configu-

Carbohydrate(s)—continued: Dietary, feces nitrogen, effect (MITCHELL) 1934, 105, 537 Egg albumin, antigenic behavior (FERRY and LEVY) 1934, 105, xxvii Hypophysectomy effect (FISHER, Russell, and 1936, 115, 627 Cori) Immunological specificity, acetyl group, influence (Goebel and BABERS) 1934, 105, xxx Ingestion, high, blood sugar and respiratory exchange, effect (TALBOTT) 1935, 109, xci Intermediates, glycogenic and ketolytic action, comparison 1935, 108, 373 (SHAPIRO) action (DEUEL, Ketonuria. HALLMAN, and MURRAY) 1938, 123, xxix 1938, 124, 385 Metabolism (Dotti) 1934, 104, 535 adrenalectomy effect (Buell, Anderson, and STRAUSS) 1936, 114, xvi -, brain (KERR) 1936, 116, 1 (KERR and GHANTUS) 1937, 117, 217 (KERR, HAMPEL, and GHAN-TUS) 1937, 119, 405 (Kerr) 1938, 123, 443 -, copper rôle (Keil and Nelson) 1934, 106, 343 -, dietary factor (Wesson and MURRELL) 1933, 102, 303

Carbohydrate(s)—continued: Metabolism factor, vegetables, boiling effect (Wesson) 1938, 123, cxxv -, fat-deficient diet (WESSON and MURRELL) 1934, 105, xcix -, galactosuria (Mason) 1934, **105**, lviii -, goat (Cutler) 1934, 106, 653 - hormone, anterior pituitary, assay (BERGMAN and TUR-1938, 123, 471 -, pancreatectomy (BARKER, CHAMBERS, and DANN) 1937, 118, 177 -, sexual variation (Deuel, Gulick, Grunewald, and CUTLER) 1934, 104, 519 (Gulick, Samuels, and 1934, 105, 29 DEUEL) (GRUNEWALD, CUTLER, and 1934, 105, 35 DEUEL) (Butts, CUTLER. and DEUEL) 1934, **105**, 45 (DEUEL, HALLMAN, MUR-RAY, and SAMUELS) 1937, 119, 607 (DEUEL, BUTTS, HALLMAN, MURRAY, and BLUNDEN) 1937, 119, 617 Muscle, anaerobic, frog, hydrogen ion concentration effect (KERLY and RONZONI) 1933, 103, 161 Oxidation, brain, normal and diabetic (BAKER, FAZEKAS, and Himwich) 1938, 125, 545 -, bromine (DUFF, SHEPPARD, and EVERETT)

1938, 123, xxxii

Carbohydrate(s)—continued:

Proteins, determination (SHEP-PARD and EVERETT)

> 1937, 119, lxxxix obulin, nature (Cog-

Pseudoglobulin, nature (Cog-HILL and CREIGHTON)

1938, 123, xxiii Storage, liver, undernutrition

effect (Johnston and New-Burgh) 1937, 119, liv

Tissue, determination (Bla-THERWICK, BRADSHAW, EW-ING, LARSON, and SAWYER) 1935, 111, 537

Vitamin B synthesis, digestive tract (Guerrant, Dutcher, and Tomey)

1935, 110, 233

Carboline carbonic acid(s): 4-, synthesis (Jacobs and Craig) 1936, 113, 759

Carbon: Metabolism, Gibberella saubinetii on glucose (Hess-LER and GORTNER)

1937, 119, 193

Organic compounds, microdetermination, manometric (VAN SLYKE, PAGE, and KIRK) 1933, 102, 635

Carbon dioxide: Absorption curve, blood, oxygenation and reduction effect (VAN SLYKE and SENDROY)

1933, 102, 505

Amino acids and, equilibrium (STADIE and O'BRIEN)

1935-36, 112, 723

Blood, transport, carbamatecarbon dioxide equilibrium of amino acids, hemoglobin, and blood serum proteins, relation (Stadie and O'BRIEN) Carbon dioxide—continued:

Calcium retention, effect (Forbes) 1934, 107, 283
Capacity, blood, arterial, carbon dioxide inhalation effect (Himwich, Gildea, Rakieten, and DuBois)

1936, **113,** 383

Carbamate-, equilibrium (STA-DIE and O'BRIEN)

1935-36, 112, 723

—, —, amino acids, hemoglobin, and blood serum proteins, blood carbon dioxide transport, relation (STADIE and O'BRIEN)

1935, **109,** lxxxvii

Hemoglobin combination, carbonic acid dissociation constant, first, relation (Mar-GARIA and GREEN)

1933, 102, 611

Hydration, blood cell, red, enzyme from, catalytic effect (Stadie and O'Brien)

1933, 103, 521

Phosphorus retention, effect (Forbes) 1934, 107, 283 Production, yeast zymin, electrolyte effect (Stavely, Christensen, and Fulmer)

1935, 111, 771

—, — —, ethanol effect (Stavely, Christensen, and Fulmer)

1935, 111, 785

Sugar-beet hydrogen ion concentration and nitrogen fractions, effect (FIFE and FRAMPTON) 1935, 109, 643 Tension, intestine (HERRIN) Carbon dioxide—continued:

Tension, substituted phenols, metabolism effect (KRAHL and CLOWES)

1937, 119, lx

—, urine (SENDROY, SEELIG, and VAN SLYKE)

1934, 106, 479

Transport, carbamino compounds, relation (Daly and Dill) 1935, 109, xxv Yeast fermentation, deter-

Yeast fermentation, determination, apparatus (FRANKE and MOXON)

1934, 105, 415

Carbonic acid(s): 4-Carboline, synthesis (Jacobs and Craig) 1936, 113, 759 Dehydration, blood cell, red, enzyme from, catalytic effect (Stadie and O'Brien)

1933, 103, 521

Derivatives, tryptophane, growth and kynurenic acid production, relation (BAU-GUESS and BERG)

1936, 114, 253

Dissociation constant, first, hemoglobin solutions, hemoglobin and carbon dioxide, relation (MARGARIA and GREEN) 1933, 102, 611
Thermochemistry, rapid

(Roughton)

1936, 114, lxxxvi

Carbon monoxide: Absorption, reduced hematin and pyridine hemochromogen (Clif-CORN, MELOCHE, and ELVE-HJEM) 1935, 111, 399

Air, determination (CHRIST-MAN and BLOCK) Carbon monoxide—continued:

Blood, determination (CHRIST-MAN and RANDALL)

1933, 102, 595

Capacity, hemoglobin (Mor-RISON and HISEY)

1935, 109, 233

-Combining power, blood hemoglobin, fish, acidity effect (ROOT and GREEN)

1934, 106, 545

Hemocyanin combination (Root) 1934, 104, 239 Hemoglobin, union (Adams)

1934, **105,** iii

Carbon tetrachloride: Liver injury, fat metabolism, effect (WINTER) 1938, 124, 339

Carbonyl compounds: Unsaponifiable material, isolation (Anchel and Schoenheimer) 1936, 114, 539

Carboxy acids: Monoaminomono- and monoaminodi-, Aspergillus sydowi, isolation (Woolley and Peterson)

1937, 121, 507

Carboxycytochrome: C-, spectroscopy (Altschul and Hog-NESS) 1938, 124, 25

Carboxyhemoglobin: Activity coefficient, glycine effect (RICHARDS)

1937-38, 122, 727

Solubility, neutral salts (FERRY, COHN, and NEW-MAN) 1936, 114, xxxiv

Carboxylase: Co-, enzyme synthesis (Lipschitz, Potter, and Elvehjem)

1938, 124, 147

System (TAUBER)

1938, 125, 191

Carboxylic acid(s): Aminocyclohexane, polarity (GREEN-STEIN and WYMAN)

1938, 123, xliv Di-, sodium salts, citric acid formation, effect (ORTEN and SMITH) 1937, 119, lxxiv (SMITH and ORTEN)

1938, 124, 43

1, 5 - Diphenylpyrazoline - 3 -, body temperature, environmental temperature effect (Schultz and Hill)

1938, 123, cvi

Disubstituted. symmetrical disubstituted methanes from optically active homologous series (Levene and 1934, 106, 173 MARKER) Phenethyl group-containing,

maximum rotations (LE-VENE and HARRIS)

1935, 111, 725

Phenyl or cyclohexyl groupcontaining, maximum rotations (Levene and Marker) 1935, 110, 329

Pyrrolidone-, glutamic acid-, system (Wilson and Can-1937, 119, 309

α-Substituted, normal, rotatory dispersion curves (LE-VENE and ROTHEN)

1934, 107, 533

Carboxypeptidase: Specificity (BERGMANN and FRUTON) 1937, 117, 189

Carcinogenesis: (SHEAR)

1936, 114, xc

Anthracene derivatives, effect 1938, 123, eviii (SHEAR) Chemo-antigens and (FRANKS and CREECH)

Carcinogenesis—continued:

Cholanthrene and methylcholanthrene isomers, (SHEAR) 1936, 114, lxxxix Physiological (HALL FRANKS) 1938, 123, xlix See also Cancer

Cardiac: See Heart

Cardiovascular disease: Vitamin relation (Sure and JONES) 1937, 119, xcvii Carnivora: Kynurenic acid excretion (Jackson)

> 1938, 123, lxiii d-, synthesis

Carnosine: blood pressure effect (DU VIGNEAUD and HUNT)

1936, 115, 93

— depressor effect (DU VIGNEAUD and HUNT) 1936, 114, cv

l-, β-l-aspartyl-l-histidine, precursor (DU VIGNEAUD and 1938, 125, 269 HUNT)

-, blood pressure effect (Hunt and DU VIGNEAUD)

1938, 124, 699

—, depressor action, β -alanine radical, relation (Hunt and DU VIGNEAUD)

1938, 123, lxi

utilization, histidine-deficient diet (DU VIGNEAUD, SIFFERD, and IRVING)

1937, 117, 589

Muscle. mammalian. termination (ZAPP)

1938, 123, cxxxii

-, skeletal (Wolff and Wilson) 1935, 109, 565 Synthesis (SIFFERD and DU VIGNEAUD)

Carotene(s)—continued:

Determination, vitamin A po-

relation

(SHINN,

Carnosine—continued: Utilization, diphtheria bacillus (MUELLER) 1938, 123, 421 Carotene(s): α -, hydrogenation 1933, 102, 157 (SMITH) -, properties (STRAIN) 1935, 111, 85 Alfalfa hay, vitamin A activity, relation (HARTMAN, KANE, and SHINN) 1934, 105, xxxvi β -, hydrogenation (SMITH) 1933, 102, 157 -, jaundice and choledochocolostomy, absorption and utilization, vitamin A deficiency (Greaves SCHMIDT) 1934, **105**, xxxi -, properties (STRAIN) 1935, 111, 85 Butter (BAUMANN and STEEN-1933, 101, 547 воск) -, breed and diet, cows, influence (BAUMANN, STEEN-BOCK, BEESON, and RUPEL) 1934, 105, 167 fat (SHREWSBURY and 1933, 101, 701 KRAYBILL) —, determination (BAR-1934, 105, 259 — —, —, spectrophotometric (WISEMAN and CARY) 1935, 109, ci Colostrum (SEMB, BAUMANN, and Steenbock) 1934, 107, 697 Determination (CLAUSEN and McCoord) 1936, 113, 89 bixin solutions, (Holmes and Bromund) 1935-36, 112, 437

KANE, WISEMAN, and CARY) 1937, 119, lxxxix Dihydro-, ozonization, geronic acid formation (STRAIN) 1933, 102, 137 Hay and fresh green plants, (WISEMAN, determination KANE, and CARY) 1934, 105, ci - meal, storage effect (KANE and SHINN) 1935, 109, xlviii Leaf (Mackinney) 1935, 111, 75 -, properties (Mackinney) 1935, 108, 45 Occurrence (STRAIN) 1935, 111, 85 acid Ozonization, geronic formation (STRAIN) 1933, 102, 137 Plant, determination (WISE-MAN and KANE) 1936, 114, cviii --, properties (Smith and 1934, 104, 437 MILNER) -Related compounds, ozonization, geronic acid formation 1933, 102, 137 (STRAIN) Roots, properties (MACKIN-NEY) 1935, 108, 45 Separation, adsorption 1934, 105, 523 (STRAIN) Solutions, stability (BAUMANN and STEENBOCK) 1933, 101, 561 Stability, fatty acids, ethyl esters, liver, and vegetable oils (McDonald) 1933, 103, 455 Carotene(s)—continued:

Stability, olive oil (TURNER) 1934, 105, 443 Synthesis, microorganisms (BAUMANN, STEENBOCK, IN-GRAHAM, and FRED) 1933, 103, 339 Utilization. fetus, human (CLAUSEN and McCoord) 1937, 119, xviii Acids, effect Carotenoid(s): (QUACKENBUSH, STEEN-BOCK, and PETERSON) 1938, 123, xcviii Fruit, light effect (SMITH and Morgan) 1933, 101, 43 Pigments, absorption spectra, liquid air temperatures (HIL-BERT and JANSEN) 1934, 106, 97 -, cow-pea leaves, absorption spectra, liquid air temperatures (HILBERT and JANSEN) 1934, 106, 97 -Protein pigment, lobster egg (STERN and SALOMON) 1937-38, 122, 461 Retina, chicken (WALD and Zussman) 1937-38, 122, 449 Cartilage: Composition (Lo-1935, 110, 375 GAN) Epiphyseal, reaction, normal and rachitic rats (PIERCE) 1938, 124, 115 Rachitic, calcification, phosphate and parathyroid extract effect (McLean and McCoy) 1936, 114, lxv Water, extracellular and intracellular (IOB and SWAN-1937-38, 122, 485 son)

Casein: Amino acids, basic (VICKERY and WHITE) 1933, 103, 413 Antirachitic property (HAR-RIS and BUNKER) 1937, 119, xlv Arsanilic acid and (Boyn and 1934, 104, 329 HOOKER) Cystine, alkali effect (Jones and Gersdorff) 1934, 104, 99 - determination, colorimetric (Jones and Gersdorff) 1933, 101, 657 - liberation rate, hydrolysis (Jones and Gersdorff) 1933, 101, 657 -, tryptic digestion (Jones and Gersdorff) 1936, 114, liii Deaminized, anemia production (Hogan and RITCHIE) 1934, 107, 179 (Hogan and Guerrant) 1936, 114, li (HOGAN, GUERRANT, and RITCHIE) 1936, 115, 659 -, cystine (White) 1933, 103, 295 , nutrition (Hogan and RITCHIE) 1934, 105, xxxix Decystinized (Jones and GERSDORFF) 1938, 123, lxiv Dipeptide phosphoric acid from (LEVENE and HILL) 1933, 101, 711 Erepsin digestion, vitamin B deficiency influence (SURE, Kik, and Buchanan) 1935, 108, 19

Subjects

Castration—continued:

Casein—continued:

Flavin-deficient diets, cataract,	Theelol sensitivity, female rats
effect (DAY and DARBY)	(Curtis, Miller, and
1937, 119, xxii	Witt) 1937, 119, xxi
Fractions, amino acid inade-	Catabolism: Amino acids
quacy, supplement (Cald-	(LEIGHTY and CORLEY)
WELL and Rose)	1937, 120, 331
1934, 107, 45	(Snyder and Corley)
Lysine, dry heat and alkali	1937–38, 122, 491
effect (Block, Jones, and	— —, branched chain (Corley
Gersdorff)	and SNYDER)
1934, 105, 667	1937, 1 19, xx
Metabolism, cystinuria	— —, phlorhizin effect (Сок-
(Brand, Block, Kassell,	LEY and LEIGHTY)
and Cahill)	1936, 114, xxii
1937, 119, 669	Purine nucleotides (EILER and
Organ and tissue protein	Allen) 1938, 123, 655
formation rate, refeeding	Catalase(s): (Marks)
effect (Addis, Poo, and	1934, 1 07, 623
Lew) 1936, 116, 343	Absorption spectrum (STERN)
Peptic digestion (Jones and	1937, 121, 561
Gersdorff)	Crystalline (SUMNER and
19 34, 105, xlii	Dounce) 1937, 121, 417
1934, 106, 707	-, molecular weight (Sumner
Sulfur distribution (Kassell	and Gralén)
and Brand)	1938, 125, 33
1938, 1 25, 435	Inactivation (Rosenblum)
Trypsin digestion, vitamin B	1935, 109, 635
deficiency influence (Sure,	-, glutathione effect (MARKS)
Kik, and Buchanan)	1936, 115, 299
1935, 108, 19	Liver (Dunn and Morgulis)
— effect (Tauber and Klei-	1937, 118, 545
NER) 1934, 104, 271	Marine animals, inactivation
Tryptophane determination	by oxygen (Marks)
(Sullivan, Milone, and	1934, 105, 489
EVERITT) 1938, 125, 471	Monoethyl hydrogen peroxide
Castration: Diacetic acid metab-	decomposition (STERN)
olism, with and without	1936, 114, 473
theelin, effect (GRUNEWALD,	
Cutler, and Deuel)	Mussel, oxygen, inactivation
1934, 105, 35	(MARKS and Fox)
Ketone body excretion, effect	1933, 103, 269
(Chamberlin, Furgason,	Prosthetic group (STERN)
and Hall) 1937, 121, 599	1935–36, 112, 661

Catalase(s)—continued:

Ultracentrifugal study (STERN and WYCKOFF)

1938, 124, 573

Catalyst-substrate: Compounds, chemical reactions, method for recording (STERN and 1936, 116, 575 DuBois) Catalytic reaction: (Levene and

CHRISTMAN)

Nutritional

Dodge)

1937, 120, 575

Cataract: Flavin-deficient diets, casein effect (DAY and 1937, 119, xxii DARBY) Galactose-producing action, protein effect (MITCHELL and Cook)

1938, 123, lxxxvi (MITCHELL and 1934, **105**, lxi Production, lactose-containing diet, blood sugar, relation

1935, 109, xxvi (DAY) -, vitamin G-deficient diet, blood sugar, relation (DAY) 1935, 109, xxvi

Catechol: Oxidation product, tyrosinase relation (WAGREICH and NELSON)

1936, 115, 459

Cathode ray: Vitamin D formation, effect (Hoffman and DANIELS) 1936, 115, 119

Cations: Ovalbumin isoelectric point, effect (SMITH)

1936, 113, 473 Cell: Division, stimulants and depressants, oxidative, action (CLOWES and KRAHL) 1935, 109, xxi

Respiration, reversible dyes, catalysis, mechanism (DE- Cell-continued:

MEIO, KISSIN, and BARRON) 1934, 107, 579

reactions Substances, dyes, (KELLEY and MILLER)

1935, 110, 113, 119

(Kelley) 1935, 110, 141 Swelling, normal and tumor, invitro, protein effect 1934, 105, lxxix (SHEAR)

Cellobiose: Acetyl derivatives, uronic acid methyl esters. molecular rotations, relationship (GOEBEL and REEVES) 1938, 123, xlii

p-Aminophenol β -glycosides, synthesis (BABERS and GOE-

1934, 105, 473 Fermentation, colon and aerogenes bacteria (PoE and 1935, 109, 43 KLEMME)

Reactions, new (BERGMANN and GRAFE)

1935, 110, 173

Cellulose: Enzyme adsorption, effect (TAUBER)

1936, 113, 753

determination (WIL-Feces, LIAMS and OLMSTED)

1935, 108, 653

Cephalin(s): Blood plasma and red blood cells, adults (KIRK) 1938, 123, 637

- -, red blood cells, and tissues, microdetermination (KIRK) 1938, 123, 623

Brain, origin (McConnell and SINCLAIR) 1937, 118, 131

Electrometric titration(Jukes)

1934, 107, 783

Lecithin-, fraction, milk, fatty acids (Kurtz, JAMIESON, and Holm) 1934, 106, 717

Cephalin(s)—continued:

Phospholipids, choline estimation, determination (WILLIAMS, ERICKSON, AVRIN, BERNSTEIN, and MACY)

1938, 123, 111

Yeast (Salisbury and Anderson) 1935-36, 112, 541
Cereal: Low phosphorus diet, vitamin D₂ response (Schneider and Steenbock) 1938, 123, cv
Cerebronic acid: (Levene and Heymann)

1933, 102, 1

(LEVENE and YANG)

1933, 102, 541

(Klenk) 1934, 105, 467 Chemical constitution, dl-αhydroxystearic acid oxida-

hydroxystearic acid oxidation, relationship (Klenk and Ditt) 1935, 111, 749 (Levene and Yang)

1935, 111, 751

Fraction (TAYLOR and LE-VENE) 1933, 102, 535 Cerebrosidase: Nature (THANN-

HAUSER and REICHEL)

1936, 113, 311

Polydiaminophosphatide hydrolysis by polydiaminophosphatase, relation (THANN-HAUSER and REICHEL)

1936, **113,** 311

Cerebroside(s): Blood plasma and red blood cells, adults (Kirk) 1938, 123, 637

— —, red blood cells, and tissues, microdetermination (Kirk) 1938, 123, 623

Determination, titrimetric (Kirk) 1938, 123, 613

Cerebroside sulfuric acids: Synthetic, blood clotting, effect (Chargaff)

1937, 121, 187

Cerebrospinal fluid: Aqueous humor, lymph, and blood, comparison (WALKER)

1933, 101, 269

Chlorides, microdetermination, dichlorofluorescein (SAIFER and KORNBLUM)

1935-36, 112, 117

Fructose (Hubbard and Russell) 1937, 119, 647 Inorganic phosphate, frog and higher animals (Walker)

1933, 101, 269

Lead (RABINOWITCH, DING-WALL, and MACKAY)

1933, 103, 725

detection, spectrographic (RABINOWITCH, DINGWALL, and MACKAY)

1933, 103, 707

—, determination (RABINO-WITCH, DINGWALL, and MACKAY) 1933, 103, 707 Reducing substances, frog and higher animals (WALKER)

1933, 101, 269

Urea, frog and higher animals (WALKER)

1933, 101, 269

Uric acid, frog and higher animals (WALKER)

1933, 101, 269

Cerebrum: Cortex metabolism, pyocyanine effect (Young) 1937, 120, 659

See also Brain

Cerevisterol: Composition and properties (Honeywell and Bills) 1933, 103, 515

Cerevisterol—continued: Chick-continued: Sterol relation (Honeywell MER, and JUKES) and Bills) 1937, 119, xxxiv 1933, 103, 515 (Woolley, Waisman, Mick-Ceric sulfate: Blood serum, cal-ELSEN, and ELVEHJEM) determination. 1938, 125, 715 cium (KATZMAN and JACOBI) Anti-gizzard erosion factor, 1937, 118, 539 chondroitin effect (BIRD and Calcium determination, titra-OLESON) 1938, 123, xi Antiparalytic factor (Jukes tion (Larson and Greenand BABCOCK) BERG) 1938, 123, 199 Cetyl alcohol: Animal organism, 1938, 125, 169 significance (SCHOEN-- vitamin (JUKES and BAB-1934, 105, lxxvi 1938, 123, lxv HEIMER) cock) Occurrence and secretion Arginine. essential dietary mechanism, animal organism STOKSTAD. (Klose, and (Schoenheimer and Hilge-ALMQUIST) 1934, 105, 73 1938, 123, 691 Cevine: Degradation (JACOBS Calcium studies (ELVEHJEM and CRAIG) and KLINE) 1937, 119, 141 1933, 103, 733 1938, 124, 659 Dermatitis, dietary, feeding-- products, basic (JACOBS and stuff filtrate factor distribu-1937, 120, 447 CRAIG) tion (Jukes and LEP-Cevine methiodide: Degradation KOVSKY) 1936, 114, 117 (JACOBS and CRAIG) -, -, filtrate factor relation 1938, 125, 625 and properties (LEPKOVSKY Ch'an su: (JENSEN and EVANS) and Jukes) 1934, 104, 307 1936, 114, 109, lxi Chemical constitution: Physio--. nicotinic acid inactivity logical response, relationship (MICKELSEN, WAISMAN, and 1933, 101, 475 (Quick) ELVEHJEM) Chemical reactions: Apparatus 1938, 124, 313 for recording (STERN and Disease, hemorrhagic, diet rela-DuBois) 1936, 116, 575 tion (ALMQUIST and STOK-Kinetics, spectroscopy (STERN 1935, 111, 105 STAD) and DuBors) Embryo, copper metabolism 1937, 121, 573 (McFarlane and Milne) Cherry: Cuticle, wax-like constit-1934, 107, 309 (MARKLEY uents and - extract, dipeptidase (PAL-1937, 119, 641 SANDO) MER and LEVY) Chick: Antidermatitis factors

1938, 123, xc

(Fouts, Lepkovsky, Hel-

Chick—continued:

Embryo, iron metabolism (Mc-FARLANE and MILNE)

1934, 107, 309

 reproductive system, sex hormones, effect (Willier, Gallagher, and Koch)

1935, 109, xeix

Encephalomalacia, nutritional, soy bean oil non-saponifiable matter, action (GOETTSCH and PAPPENHEIMER)

1936, 114, xl

—, —, vegetable oils, effect (GOETTSCH and PAPPEN-HEIMER) 1936, 114, 673 Gizzard factor, distribution and properties (BIRD, ELVEHJEM, and HART)

1936, 114, x

Growth factor, arginine relation (Arnold, Kline, Elve-HJEM, and HART)

1936, 116, 699

— —, new (Stokstad and Manning)

1938, 125, 687

Growth-promoting factor (Jukes and Babcock)

1938, 125, 169

Nutritional factors, new (KEENAN, KLINE, ELVE-HJEM, HART, and HALPIN) 1933, 103, 671

Phosphorus studies (ELVEHJEM and KLINE)

1933, 103, 733

Vitamin G requirements (Lepkovsky and Jukes)

1935, 111, 119

See also Bird, Chicken, Fowl, Hen

Chicken: Antirachitic factor, fate (RUSSELL, TAYLOR, and WILCOX) 1934, 105, lxxiv 1934, 107, 735

Blood calcium and phosphorus, partition (Heller, Paul, and Thompson)

1934, 106, 357

- hemoglobin (Holmes, Pi-GOTT, and CAMPBELL)

1933, **103**, 657 1934, **105**, xli

— — determination (Schultze and Elvehjem)

1934, 105, 253

Ergosterol, activated, action (Bills, Massengale, Mc-Donald, and Wirick)

1935, 108, 323

Retina, carotenoids (WALD and ZUSSMAN)

1937–38, 122, 449

See also Bird, Chick, Fowl, Hen Childhood: Creatine and creatinine metabolism (Catherwood and Stearns)

1936, 114, xviii

Children: Anemias, blood cell and plasma, lipid and mineral distribution (Erickson, Cope, Sternberger, Lee, Cooley, and Macy)

1935, 109, xxx

-, - lipid and mineral distribution (ERICKSON, WILLIAMS, HUMMEL, LEE, and MACY) 1937, 118, 569

Blood lipid and mineral distribution (ERICKSON, WILLIAMS, HUMMEL, and MACY)

1937, 118, 15

Calcium storage and skeletal maturity, relation (Hun-

Children—continued:

HUMMEL, SCHER, MACY. TODD, and FRANCIS)

1937, 119, lii

metabolism Dental caries. DRAIN, (Boyd, and 1933, 103, 327 STEARNS) Nephrotic, mineral metabolism (WANG, KAUCHER, Wing) 1935, 109, xcv Urine copper (Ross and RAB-INOWITCH)

1935, 111, 803

Chin-shih-hu: Alkaloid (CHEN and CHEN)

1935, 111, 653

Chloramine-T: Sodium hypochlorite, azochloramid, and, organic substrates, comparative action (Guiteras and SCHMELKES)

1934, 107, 235

Chloride(s): Biological fluids, determination (Exton and 1938, 123, xxxv -, microdetermination, colorimetric, silver iodate

(SENDROY)

1937, 120, 419

- -, -, gasometric, silver iodate (SENDROY)

1937, 120, 335

- -, -, titrimetric, silver iodate (SENDROY)

1937, 120, 405

 materials, determination 1936, 115, 239 (COLLIER)

microdetermination (Keys) 1937, 119, 389

Blood and blood plasma, determination, dry ashing (WILKINS method and Jones) 1937, 117, 481 Chloride(s)—continued:

Blood filtrates, microdetermination, diphenylamine blue (SAIFER and KORNBLUM)

1936, 114, 551

- plasma, sodium and potassium intake effect (Power, WILDER, and CUTLER)

1938, 123, xciv

- serum, determination, gasometric (SENDROY)

1935, 109, lxxxi

-- --, exercise, dehydration (Morse influence 1936, 114, lxxiv SCHLUTZ)

- -, kidney excretion, exercise effect (Morse and 1937, 119, lxxi SCHLUTZ)

 — , microdetermination, dichlorofluorescein (SAIFER and KORNBLUM)

1935-36, 112, 117

- -, total base and, microdetermination, simultaneous (JOSEPH and STADIE)

> 1938, 123, lxv 1938, 125, 795

Cerebrospinal fluid, microdetermination, dichlorofluorescein (Saifer and Korn-1935–36, **112,** 117 Dietary, body bromine, effect

(WINNER and SMITH) 1937, 119, cvi

Glucose-, relationship, blood, insulin effect (CHAIKELIS)

1934, 105, 767

Neutral, gastric juice hydrochloric acid, relation (HoL-1938, 125, 161 LANDER) Tissue, determination (Sun-

DERMAN and WILLIAMS) 1933, 102, 279 Chloride(s)—continued:

Urine, albuminous, analysis, errors (Sendroy)

1937, 120, 441

-, determination, gasometric (SENDROY)

1935, 109, lxxxi

—, glomerulus, frog and Necturus (Westfall, Findley, and Richards)

1934, **107**, 661

 microdetermination, diphenylamine blue (Saifer and Kornblum)

1936, 114, 551

—, sodium and potassium intake effect (Power, Wilder, and Cutler)

1938, 123, xciv

Chlorine: Lipid, blood and tissues (Christensen and Corley) 1938, 123, 129
Lipoid-, blood serum (Peters and Man) 1934, 107, 23

Chloroform: Liver injury, function, hemoglobin production, nitrogen metabolism, anemia, relation (DAFT, ROBSCHEIT-ROBBINS, and

WHIPPLE) 1936, 113, 391 Chlorotriacetylglucuronic acid:

 α -, methyl ester, preparation (Goebel and Babers)

1935, 111, 347

1-, methyl ester, synthesis (Goebel and Babers)

1934, 106, 63

Cholane: 3(a)-Hydroxyetio-, -17one, urine, adrenal tumor, isolation (BUTLER and MAR-RIAN) 1938, 124, 237 Cholanthrene: Isomers, carcinogenesis effect (Shear)

1936, 114, lxxxix

Methyl-, isomers, carcinogenesis effect (Shear)

1936, 114, lxxxix

Choledochocolostomy: β-Carotene absorption and utilization, vitamin A deficiency (Greaves and Schmidt)

1934, 105, xxxi

Cholestenone: Preparation (SCHOENHEIMER)

1935, 110, 461

Cholesterilene: Chemical activation (Eck and Thomas)

1937, 119, 631

Preparation (Müller and Page) 1933, 101, 127 Cholesterol: Allo- (Schoen-HEIMER and EVANS)

1936, 114, 567

-, absorption (Schoen-HEIMER, DAM, and von GOTTBERG) 1935, 110, 667

 body, absence (Schoen-HEIMER, DAM, and von GOTTBERG)

1935, 110, 659

(Evans) 1936, 115, 449 β- (Evans and Schoenheimer) 1936, 115, 17

Blood, cholesterol injection, intravenous, effect (Firz and BRUGER) 1936, 114, xxxv

—, determination, Liebermann-Burchard reaction, color development study (Sunderman and Razek)

1937, 118, 397

—, —, light filters, use (Sunderman and Razek)

1936, 114, civ

Cholesterol-continued:

Blood, extraction (Holmes and Cullen) 1938, 123, lx

-, fractionation (Drekter, Sobel, and Natelson)

1936, 115, 391

-, fractions, dextrose ingestion effect (Sperry)

1936, 116, 65

 hemoglobin and serum protein, relation (Schwarz and Lichtenberg)

1937, 121, 315

plasma, esterification, bile
 effect (Riegel, Raydin, and
 Rose) 1937, 120, 523

— —, hepatectomy, partial, and bile duct ligation, effect (Chanutin and Ludewig) 1936, 115, 1

- -, normal and nephrec-

tomized rats (Ludewig) 1938, 123, lxxviii

— —, urea and water ingestion, effect (Bruger and Poin-Dexter) 1933, 101, 21

— serum and plasma, heparinized and oxalated, comparison (Sperry and Schoenheimer)

1935, 110, 655

— —, determination (MAN and PETERS)

1933, 101, 685

 — —, esterification, tissue extracts, effect (Sperry)

1936, 113, 599

— —, extraction (DREKTER, BERNHARD, and LEOPOLD) 1935, 110, 541

 — —, jaundice (Bodansky and Jaffe)

1935, 109, x

Cholesterol-continued:

Blood serum, precipitation (Turner)

1934, 105, xciv
—, ultraviolet light irradiation,
effect (KNUDSON, STURGES,
and BRYAN)

1938, 123, lxx

-, various blood vessels (SHIL-LITO, BIDWELL, and TUR-NER) 1935-36, 112, 551 Body fluids, pathological, state (BRUGER) 1934, 105, xiii 1935, 108, 463

— —, —, total protein, relation (Bruger)

1934, **105,** xiii

Chemical activation (Eck, THOMAS, and YODER)

1937, 117, 655

(Eck and Thomas)

1937, 119, 621, 631

— treatment, effect (MILLER, ZSCHEILE, KOCH, HOGNESS, and KOCH)

1935, 109, lxv

Derivatives, chemical activation (Eck, Thomas, and Yoder) 1937, 117, 655 Determination (Sperry)

1937, 118, 377

Diets, high and low, tissue cholesterol, effect (Sperry and Stoyanoff)

1934, 105, lxxxii

Epiallo- (Schoenheimer and Evans) 1936, 114, 567 Esterase, blood (Sperry and Schoenheimer)

> 1935, **109**, lxxxvi 1935, **111**, 467

Feces (Schoenheimer)

(Sperry)

1934, 105, 355

Cholesterol-continued:

-Fed rats, liver lipids, undernutrition and vitamin deficiency, effect (OKEY and GILLUM) 1935, 109, lxxii Floridin activation, nature (YODER) 1936, 116, 71 Formation, deuterium as indicator (RITTENBERG and SCHOENHEIMER)

1937, 121, 235

Fractions, blood, dextrose ingestion effect (Fitz and Bruger) 1936, 113, 297

Free and combined, bile, determination (Riegel and Rose) 1936, 113, 117

— —, determination, colorimetric (SMITH and MARBLE)

1937, 117, 673

— — —, microdetermination (Schoenheimer and Sperry) 1934, 106, 745

— — total, blood serum, human, relation (SPERRY)

1936, 114, 125, xcviii

—, blood, determination
(Drekter, Sobel, and
Natelson)

1936, 114, xxviii

—, determination (Sobel,
DREKTER, and NATELSON)
1936, 114, xcvi

-, -, colorimetric (Fitz)

1935, 109, 523 Heat-treated, provitamin D (HATHAWAY and LOBB)

1936, 113, 105

 —, — — potency and properties, relation (Натнаwач and Косн)

1935, 108, 773

Cholesterol—continued:

Irradiated, antirachitic efficacy (WADDELL)

1934, 105, 711

Isomers (Evans)

1936, 114, xxxiii Lipids, tissue, ingestion effect (Chanutin and Ludewig) 1933, 102, 57

Lithocholic acid preparation from (Schoenheimer and Berliner)

1936, **115,** 19

Liver fat, effect (Best and RIDOUT) 1936, 114, ix
—, yeast-containing diets, nephrectomy, effect (Hortenstine, Chanutin, and Ludewig)

1938, 125, 455

Microdetermination (SOBEL, DREKTER, and NATELSON) 1936, 115, 381

Milk (Ansbacher and Supplee) 1934, 105, 391 Muscle (Blook and Snider) 1935, 109, ix

(Bloor) 1936, 114, 639
— activity, effect (Bloor)

1937, 119, 451

dystrophy, content
 (WILDER) 1937, 119, civ
 -Protein complex, body fluids,
 pathological (Bruger)

1935, 108, 463

Skin, ultraviolet light irradiation, effect (Knudson, Sturges, and Bryan)

1938, 123, lxx

Solubility, bile salt solutions (Bashour and Bauman)

1937, 121, 1

Tissue,

Cholesterol—continued:

Synthesis and destruction, aniorganism (SCHOEN-HEIMER and BREUSCH)

1933, 103, 439

-, biological, deuterium use (RITTENBERG)

1937, 119, lxxxiii animal, deposition (OKEY, GILLUM, and Yo-

1934, 107, 207 KELA) -, high and low cholesterol diets, effect (SPERRY and STOYANOFF)

1934, 105, lxxxii

-, paratyphoid infection effect (SPERRY and STOYANOFF)

1934, 105, lxxxii

-, pregnancy and lactation, effect (OKEY, GODFREY, and 1938, 124, 489 GILLUM) Total and free, blood serum, human, relation (Sperry) 1936, 114, 125, xeviii

-, blood serum (Sperry) 1937, 117, 391

-, determination, colorimetric

1935, 109, 523 (FITZ) Triacetyl-d-galacturonide,

methyl ester, synthesis (SELL and LINK)

1938, 1**25**, 235

Tumor tissue, ultraviolet light irradiation, effect (KNUD-SON, STURGES, and BRYAN)

1938, 123, lxx

Urine, cancer (Bloch and SOBOTKA) 1938, 124, 567

Cholesterol digitonide: Precipitation, bile salts, effect (BASHour and BAUMAN)

1937, 117, 551

Cholesterol ester(s): Blood serum, enzyme synthesis and hydrolysis (SPERRY and STOYANOFF)

1938, 123, cxiii

- -, - - and hydrolysis, bile salts, effect (SPERRY and STOYANOFF)

> 1937, 119, xciii 1937, 121, 101

-, - and hydrolysis, sodium glycocholate influence (SPERRY and STOY-1937, 117, 525 ANOFF)

ethers: Aliphatic, Cholesteryl preparation (MÜLLER and 1933, 101, 127 PAGE)

Cholic acid: Cystine and methionine deficiency relation (WHITE)

1935-36, 112, 503

Glycodesoxy-, synthesis (Cor-TESE and BAUMAN)

1936, 113, 779

Litho-, preparation from cholesterol (Schoenheimer and Berliner)

1936, 115, 19

Choline: Aryl ethers, physiological activity (RENSHAW and ARMSTRONG)

1933, 103, 187

Blood and liver, lipid metabolism, depancreatized dog, insulin and, effect (KAPLAN and CHAIKOFF)

1937, 120, 647

Determination, phospholipid cephalin determination by (WILLIAMS, ERICKSON, AV-RIN, BERNSTEIN, and MACY) 1938, 123, 111

1938, 124, 321

1937, 118, 405

Choline—continued: Chymotrypsin: (Bergmann and Esterase, muscle, activity, pro-FRUTON) stigmine effect (STADIE and Substrates, synthetic (Berg-Jones) 1938, 123, exiv MANN and FRUTON) -, nerve impulses, relation (GLICK) 1938, 123, xlii -, specificity (GLICK) 1938,125, 729 Ethanolamine and, separation (CHARGAFF) 1937, 118, 417 effect (DEUEL. Ketonuria. MURRAY, HALLMAN, TYLER) 1937, 120, 277 Liver fat, effect (BEST and 1936, 114, ix RIDOUT) Oxidase (BERNHEIM and WEB-1937, 119, xi Raman spectrum (EDSALL) 1938, 123, xxxiii Choline sulfate: Cyclic, Asperaillus sydowi, isolation (Woolley and Peterson) 1937-38, 122, 213 Chondroitin: Anti-gizzard erosion factor, chick, effect (BIRD and OLESON) 1938, 123, xi Chondroitinsulfuric acid: Preparation (MEYER and SMYTH) 1937, 119, 507 Protein complexes (MEYER, PALMER, and SMYTH) 1937, 119, 501 Chromoproteins: Bacteria, photo-

synthetic (French)

mann)

and SHERMAN)

Chrysalis oil: Fatty acids (BERG-

Chrysanthemin: Maize, purple-

husked (SANDO, MILNER,

1938, 123, xxxviii

1936, 114, 27

1935, 109, 203

Cinobufagin: Chemical constitution (JENSEN) 1937, 119, lii Cirrhosis: Liver preparation, effect (Forbes) 1938, **123**, xxxvii Citric acid: Biological material, microdetermination (Рисн-ER, SHERMAN, and VICKERY) 1936, 113, 235 Decomposition by Bacillusaertrycke (BRUCE) 1934, 107, 119 Determination (SHERMAN, MENDEL, and SMITH) 1935, 109, lxxxiii Endogenous, precursors (OR-TEN and SMITH) 1936, 114, lxxviii 1937, 117, 555 Formation, dicarboxylic acids. sodium salts, injection effect (ORTEN and SMITH) 1937, 119, lxxiv (SMITH and ORTEN) 1938, 124, 43 Iso-, synthesis, citric acid (Greenstein) 1936, **114**, xliii Metabolism (Kuyper and MATTILL) 1933, 103, 51 (SHERMAN, MENDEL, and SMITH) 1935, 109, lxxxiii -, oral administration effect (SHERMAN, MENDEL, and SMITH) 1936, 113, 265

Citric acid-continued:

Origin, animal metabolism
(SHERMAN, MENDEL, and
SMITH) 1936, 113, 247
Precipitation, quantitative
(KUYPER)

1938, 123, 405

Citrulline: dl-, synthesis (Kurtz) 1937-38, 122, 477

Preparation, arginine hydrolysis (Fox) 1938, 123, 687 Citrus: Leaves, fumigated, hy-

Citrus: Leaves, fumigated, hydrocyanic acid (Bartholomew and Raby)

1936, 113, 655

Citrus grandis: See Grapefruit
Clostridium acetobutylicum: Propionaldehyde and propionic
acid reduction (BLANCHARD
and MACDONALD)

1935, 110, 145

Racemase (Christensen, Peterson, and Johnson)

1938, **123,** xxi

Clover: Sweet, disease, coagulation defect (Quick)

1936, **114**, lxxxii

Coagulation: Blood, blood platelet constituents and lipids, relation (CHARGAFF, BAN-CROFT, and STANLEY-BROWN) 1936, 116, 237 —, cerebroside sulfuric acids,

-, cerebroside sulfuric acids, synthetic, effect (Chargaff) 1937, 121, 187

---, heparin and anticoagulants, action (CHARGAFF and OL-SON) 1937-38, 122, 153

-, inhibition, substances affecting (Chargaff, Bancroft, and Stanley-Brown) 1936, 115, 155

-, -, technique for measuring

Coagulation—continued:

(CHARGAFF, BANCROFT, and STANLEY-BROWN)

1936, 115, 149

Blood, lipid inhibitors (Char-GAFF) 1937, 121, 175

-, protamine effect (CHAR-GAFF and OLSON)

1937–38, **122**, 153 1938, **125**, 671

-, spleen lipid inhibitor (Chargaff)

1938, 125, 677

Defect, peptone shock and sweet clover disease (Quick) 1936, 114, lxxxii

Milk, papain action (Balls and Hoover)

1937, 121, 737

Cobalt: Anemia, milk-produced, iron and copper with, effect (UNDERWOOD and ELVE-HJEM) 1938, 124, 419
Cocarboxylase: Enzyme synthe-

Cocarboxylase: Enzyme synthesis (Lipschitz, Potter, and Elvehjem)

1938, 124, 147

Cod liver oil: Antirachitic factor, distribution, chicken (Russell, Taylor, and Wilcox) 1934, 105, lxxiv 1934, 107, 735

Blood, lactation, effect (Mc-CAY and MAYNARD)

1935, 109, 29

Milk, effect (McCay and May-NARD) 1935, 109, 29 Toxicity, rabbit and calf

(Turner, Meigs, and Converse) 1936, 114, civ

Vitamin A, nature (TISCHER) 1938, 125, 475

Colon—continued:

Bacteria, sugars, rare, fermen-

tation (Poe and Klemme)

Cod liver oil—continued: Vitamin D, new (BILLS, MAS-HICKMAN. SENGALE. GRAY) 1938, 123, x Coenzyme: Hemophilus parainfluenzæ, stability (Kohn) 1938, 123, lxxi Coffee-bean: Chemistry (BENGIS and Anderson) 1934, 105, 139 Coffee-bean oil: Glycerides (BEN-GIS and ANDERSON) 1934, 105, 139 Microdetermination Collagen: (SPENCER) 1937, 119, xcii Muscle, normal and dystrophic (SPENCER, MORGULIS, and WILDER) 1937, 120, 257 Colloid(s): Blood plasma, recovery from work, relation (KEYS and TAYLOR) 1935, 109, 55 Depressor, urine, purification (BISCHOFF and ELLIOT) 1935, 109, 419 Osmotic pressure, blood serum, determination (KEYS and TAYLOR) 1935, 109, 47 ---, ---, pregnancy (Rott-SCHAEFER and BETHELL) 1936, 114, lxxxv ---, microdetermination, apparatus (Dubach and Hill) 1935-36, 112, 313 Sterol, short electric waves. effect (Malisoff and Sten-BUCK) 1936, 115, 87 Colloidal solutions: Ultrafiltration (FLEXNER) 1937, 121, 615 Colon: Bacteria and aerogenes,

cellobiose fermentation (Poe

and KLEMME) 1935, 109, 43

1935, 109, 43 Histological sections. Color: stained, definition (Kelley) 1935, 110, 141 Colorimeter: Micro-, photoelectric (EVELYN and CIPRIANI) 1937, 117, 365 -, -, absorption cell (EVELYN and GIBSON) 1937-38, 122, 391 Photoelectric (Goudsmit and SUMMERSON) 1935, 111, 421 1936, 115, 315 (DILLER) -, stabilized (EVELYN) 1936, **115**, 63 -, uric acid determination (DILLER) 1937, 118, 161 Colorimetry: Capillary tube, technique (RICHARDS, BORD-LEY, and WALKER) 1933, 101, 179 Coloring matter: Apples (SANDO) 1937, 117, 45 Colostrum: Carotene (SEMB, BAUMANN, and STEENBOCK) 1934, 107, 697 Vitamin A (SEMB, BAUMANN, and STEENBOCK) 1934, 107, 697 Comb: Growth, male hormone preparation, reaction (GAL-LAGHER and Koch) 1936, 114, xxxix Response, sex hormones, effect (DORFMAN and GREULICH) 1937, 119, xxv -, testicle hormone, light, relation (Koch and GAL-1934, 105, xlix LAGHER)

Complement: Activity, chemical Copper—continued: agents, effect (ECKER, PILLEtreated milk, relation (Sum-MARTIENSEN, 1938, 123, cxix MER, and MERSON) WERTHEIMER) Dietary, tissue cytochrome and 1938, 123, 351 oxidase, relation (Cohen and Function, hexoxidase effect ELVEHJEM) 1934, 107, 97 Egg yolk, hemoglobin forma-(ECKER, PILLEMER, MAR-TIENSEN, and WERTHEIMER) tion, influence (SHERMAN, 1938, 123, 359 ELVEHJEM, and HART) molecular Concanavalin: A, 1934, 107, 289 weight (SUMNER, GRALÉN, Glutathione oxidation, catalyst and Eriksson-Quensel) (LYMAN and BARRON) 1938, 125, 45 1937, 121, 275 B, molecular weight (SUMNER, Hemoglobin formation, iron GRALÉN, and ERIKSSONsupplement (SCHULTZE, QUENSEL) 1938, 125, 45 ELVEHJEM, and HART) Conine: (JACOBS and CRAIG) 1934, 106, 735 1936, 115, 453 1938, 124, 659 Connective tissue: Electrolytes - regeneration, anemia, iron (MANERY, DANIELSON, and and, effect (SMITH and OTIS) 1938, 124, 359 1937, 119, xcii Hastings) Copper: Anemia, milk-produced, -Low milk, anemia, hemocobalt with iron and, effect globin production, iron and copper metabolism (BING, (Underwood and ELVE-1938, 124, 419 SAURWEIN, and MYERS) Ascorbic acid oxidase, relation 1934, 105, 343 (STOTZ, HARRER, and KING) Metabolism and hemoglobin 1937, 119, xev, 511 production, nutritional - - oxidation catalyst (BARanemia (BING, SAURWEIN, RON, DEMEIO, and KLEMPand Myers) 1935-36, 112, 625 ERER) 1934, 105, 343 -, chick embryo (McFarlane Blood, anemia, nutritional and MILNE) (SCHULTZE, ELVEHJEM, and 1936, 116, 107 HART) 1934, 107, 309 -, Eskimos (LEVINE, SACHS, Microdetermination, thiol and FABIAN) acids, oxidation, relation (Bjerrum) 1936, 114, 357 1937, 119, lxiii - plasma (Boyden and Pot-Milk, anemia relation (KRAUSS 1937-38, 122, 285 and WASHBURN) Carbohydrate metabolism, rôle 1936, 114, 247 (Keil and Nelson) Shaffer-Somogyi Reagent,

1934, 106, 343

Deficiency, hydrogen sulfide-

(HARDING and Downs)

1933, 101, 487

Copper—continued: Requirement. pig embryo (WILKERSON) 1934, 104, 541 -, pregnancy (KYER and Bethell) . 1936, 114, lx Reticulocyte response, anemia. effect (SCHULTZE and ELVE-HJEM) 1933, 102, 357 Tissue and organ, anemia, nutritional (SCHULTZE, ELVE-HJEM, and HART) 1936, 116, 93 - respiration, relation (ELVE-HJEM, COHEN, and STARE) 1934, 105, xxv Tissues (HAHN and FAIRMAN) 1936, 113, 161 Urine, children (Ross and RABINOWITCH) 1935, 111, 803 Copper selenite: Nitrogen determination. Kieldahl. catalyst (Schwoegler, Babler, and 1936, 113, 749 Coproporphyrin: I, embryo, formation (Schønheyder) 1938, 123, 491 Coprosterol: Formation, deuterium as indicator (Schoen-HEIMER, RITTENBERG, and 1935, 111, 183 GRAFF) (ANCHEL SCHOENand 1938, 125, 23 HEIMER) secretion sterol and (Schoenheimer and SPERRY) 1934, 107, 1 Corn: Yellow, white zein preparation (MASON and PALMER) 1934, 107, 131 See also Maize

Cornus florida: See Dogwood

Corpuscle: Blood. See Blood cell Corpus luteum: Vitamin C, estrous cycle and pregnancy, relation (BISKIND and GLICK) 1936, 113, 27 Cortin: Chemical nature (KEN-DALL, MASON, McKENZIE. and Myers) 1935, 109, p. I Chemistry and physiological activity (KENDALL, MASON, HOEHN, and McKENZIE) 1938, 123, lxvii -Like compounds, crystalline, chemistry and physiological activity (KENDALL, MASON, HOEHN, and McKENZIE) 1938, 123, lxvii - substance, androstenedione relation (Mason, Myers, and KENDALL) 1936, 116, 267 Corynebacterium diphtheriæ: See Diphtheria bacillus Cottonseed meal: Milk, goat, fatty acids, distribution, ingestion effect (RIEMEN-SCHNEIDER and ELLIS) 1936, 114, 441 Cottonseed oil: Body fat, effect (SPADOLA and ELLIS) 1936, 113, 205 Cotvledons: Fat and sterol metabolism (MacLachlan) 1936, 114, 185 Coumaric acid: Plant tissue, determination (ROBERTS and Link) 1937, 119, 269 Coumarin: Plant tissue, determination (ROBERTS and 1937, 119, 269 LINK) Cow-pea: See Pea

Cranberry: Pomace, petroleum ether- and ether-soluble constituents (Markley 1934, 105, 643 Sando) Creatine: Blood, determination. 3,5-dinitrobenzoic acid reagent (Andes) 1937, 119, iv -Creatinine metabolism, purines and drugs, injection effect (BEARD and Pizzo-1938, 123, vii LATO) - production, growth, arginine, dietary, effect (MEYER and Rose) 1933, 102, 461 Excretion, amino acid ingestion effect (Bodansky) 1935-36, 112, 615 -, infancy (Catherwood and STEARNS) 1937, 119, 201 Formation and storage, amino acids and related substances. injection effect (Beard, Boggess, and Pizzolato) 1937, 119, ix - —, — acids, injection effect (BEARD and Boggess) 1936, 114, viii, 771 Glycine and guanidoacetic acid as precursors (Bodansky) 1936, 115, 641 Heart, thyroid and thyroxine effect (Bodansky) 1935, 109, 615 Liver, thyroid and thyroxine effect (Bodansky) 1935, 109, 615 Metabolism, infancy and childhood (CATHERWOOD 1936, 114, xviii STEARNS) -, temperature and thyroid function relation (Bodansky and Duff) 1936, 114, xiii Creatine—continued: Microdetermination (Bor-1935, 110, 481 sook) KRAMER, Muscle (Corley, and Wolf) 1935, 109, xxiii -, phosphorus and potassium relation (MANGUN and MY-ERS) 1938, 123, lxxix -, potassium and, relation (Myers and Mangun) 1936, 114, lxxv -, thyroid and thyroxine effect (Bodansky) 1935, 109, 615 Origin (BLOCK and BRAND) 1935, 109, viii (Bodansky) 1935, 109, xi (MILHORAT) 1935, 111, 379 Testes, thyroid and thyroxine effect (Bodansky) 1935, 109, 615 Creatine ester hydrochloride: -Related compounds, titration, electrometric (FAILEY and BRAND) 1933, 102, 767 Titration. electrometric (FAILEY and BRAND) 1933, 102, 767 Creatinine: Blood (HAYMAN, JOHNSTON, and BENDER) 1935, 108, 675 (BEHRE and BENEDICT) 1935, 110, 245 (Danielson) 1936, **113**, 181 (MILLER and DUBOS) 1937, 121, 447 -, laked, ultrafiltrates, pres-

ence (GAEBLER)

1937, 117, 397

Creatinine—continued:

Blood, normal and nephritic, enzymatic determination (MILLER and DUBOS)

1937, 121, 457

 plasma concentration, excretion rate, relation (Dominguez and Pomerene)

1934, 104, 449

— serum, isolation (GAEBLER) 1935, 109, xxxv

 — —, picrate precipitates (GAEBLER and ABBOTT)

1937, 119, xxxvi

— — ultrafiltrates, isolation (GAEBLER and ABBOTT)

1938, 123, 119

— — —, precipitation (GAEB-LER) 1936, 114, XXXVIII

— — —, presence (GAEBLER) 1937, 117, 397

Clearance (RICHARDS, WEST-FALL, and BOTT)

1936, 116, 749

Creatine-, metabolism, purines and drugs, injection effect (BEARD and PIZZOLATO) 1938, 123, vii

—, production, growth, arginine, dietary, effect (Meyer and Rose)

1933, 102, 461

-Decomposing enzymes, bacterial, production (Dubos and Miller)

1937, 121, 429

Determination, sodium 3,5dinitrobenzoate use (Lang-LEY and EVANS)

1936, 115, 333

Excretion, acidosis (ALVING and GORDON)

1937, 120, 103

Creatinine—continued:

Excretion, amino acid ingestion effect (Bodansky)

1935–36, 112, 615

-, infancy (Catherwood and Stearns) 1937, 119, 201

 rate, blood plasma concentration, relation (Do-MINGUEZ and POMERENE)

1934, 104, 449

Metabolism, infancy and childhood (Catherwood and STEARNS)

1936, 11**4,** xviii

Microdetermination (Borsook) 1935, 110, 481 Nitrogen, preformed and total, basal metabolism, boys and

girls (WANG) 1937, 119, cii

Reaction, color, new (BENE-DICT and BEHRE)

1936, 114, 515

Urine, glomerulus, frog (Bord-LEY, HENDRIX, and RICH-ARDS) 1933, 101, 255

—, normal and nephritic, enzymatic determination (MIL-LER and DUBOS)

1937, 121, 457

—, origin (Goudsmit)

1936, 115, 613

Creatinine rubidium picrate:
Blood plasma filtrates, precipitation (Behre and Benedict)

1937, 117, 415

Creatinuria: Adolescent males
(Light and Warren)

1934, 104, 121

Creeper fowl: (LANDAUER, UP-HAM, and RUBIN)

1935, 108, 121

Cresol: Dinitro-, oxidation and fermentation effects (KRAHL and CLOWES)

1935, 111, 355

Cresol red: Dissociation constant, sea water (MITCHELL and TAYLOR)

1934, 105, lxii

Crude fiber: Bran, feces fatty acids. volatile, influence (OLMSTED, CURTIS, and TIMM) 1935, 108, 645 Feces. determination (WIL-LIAMS and OLMSTED)

1935, 108, 653

Cuticulin: Silkworm, isolation and analysis (BERGMANN) 1938, 123, ix

Dihydrostrophan-Cvanhvdrin: thidin, syntheses (JACOBS and ELDERFIELD)

1936, 113, 625

Cyanide: Blood cell, red, oxidation, methylene blue and, effect (WENDEL)

1933, 102, 385

Limulus polyphemus hemocyanin, reaction (PEARSON) 1936, 115, 171

Oxidation, induced (HARNED and DEERE)

1934, 104, 727

-Thiocyanate conversion, thyrelation (BAUMANN, roid Sprinson, and Metzger) 1933, 102, 773

Cyanide hemochromogen: (Hog-NESS, ZSCHEILE, SIDWELL, and BARRON)

1937, 118, 1

Oxidation-reduction potentials (BARRON and HASTINGS) 1935, 109, iv Cyclohexane: Amino-, carboxylic acids, polarity (GREENSTEIN and WYMAN)

1938, 123, xliv

Cyclopropane: Blood, determination (ORCUTT and WATERS) 1937, 117, 509

Cymarose: Chemical constitution (Elderfield)

1935, 111, 527

Cystamine: Cystine and methionine inadequacy, growth relation (JACKSON and 1936, 113, 135 BLOCK) Fate, (VIRTUE and dog

DOSTER-VIRTUE)

1938, 123, cxxiii

Cysteic acid: Glycyl-, preparation (WHITE)

1933, 102, 249

Mercuric sulfate and chloride action, cystine dismutation relation (LAVINE)

1937, 117, 309

Metabolism (White, Lewis, and WHITE) 1937, 117, 663 Taurine formation, relation (WHITE and FISHMAN)

1936, 116, 457

Cysteine: Aldehyde effect (HESS and SULLIVAN)

1937, 121, 323

S-Benzyl-, benzylmercapturic acid conversion, animal organism (STEKOL)

1938, 124, 129

Butyl alcohol extracts, determination (HESS and SULLI-VAN) 1935, 108, 195

hydrochloride, l-Cysteinyl-l-, synthesis crystalline, (GREENSTEIN)

1937, 119, xli

Cysteine—continued:
Cystine excretion, cystinuria, ingestion effect (Lewis, Brown, and White)
1936, 114, 171

Cystinuria, administration effect (HESS and SULLIVAN)

1938, **123,** lv

Determination (SHINOHARA) 1935, 109, 665, lxxxiv 1935, 110, 263 1935, 111, 435 1935-36, 112, 671, 683

(Shinohara and Padis) 1935-36, 112, 697

-, aldehyde effect (HESS and SULLIVAN)

1937, 119, xlvii (Sullivan and Hess)

1937, 120, 537

-, cystine presence (HESS) 1934, 105, xxxix

—, gasometric (HESS)

1933, 103, 449

--, iodometric (LAVINE) 1935, 109, 141

—, photometric, phosphotungstic acid use (Kassell and Brand)

1938, 125, 115

-, pyruvic acid effect (Sullivan and Hess)

1937-38, 122, 11

S-Ethylhomo-, synthesis and growth availability (DYER) 1938, 124, 519

Homo-, isolation (RIEGEL and DU VIGNEAUD)

1935-36, 112, 149

—, metabolism, cystinuria
(Brand, Cahill, and
Block) 1935, 110, 399

—, thiolactone conversion

Cysteine—continued:

from (RIEGEL and DU VI-GNEAUD)

1935-36, 112, 149

Hypotrichosis, hereditary, effect (Roberts)

l-, purity, 1937, 118, 627 stereochemical

(Toennies and Bennett) 1935-36, 112, 497

Mercuric sulfate and chloride action, cystine dismutation relation (LAVINE)

1937, 117, 309

Metabolism, cystinuria
(Brand, Cahill, and HarRIS) 1935, 109, 69
N-Methyl- and derivatives

N-Methyl-, and derivatives (Bloch and Clarke)

1938, 12**5,** 275

S-Methyl-, metabolism, cystinuria (Brand, Block, and Cahill) 1937, 119, 689

-, sulfur, oxidation, body
(DU VIGNEAUD, LORING, and
CRAFT) 1934, 105, 481
Oxidation (LAVINE)

1938, 123, lxxiv

-, iodine, sulfinic acid formation (Simonsen)

1933, 101, 35

—, sulfenic acid formation (TOENNIES)

1937, 119, xeix 1937-38, 122, 27

A-Phospho-18-tungstic acid and, color reaction, molecular ratio (Shinohara)

1937, 120, 743

Proteins, determination (Kassell and Brand)

1938, 125, 145

Cysteine—continued:

Thiourea and corresponding disulfides, relations (Toennies) 1937, 120, 297

Urine, determination, phospho-18-tungstic acid (Shinohara and Padis)

1935-36, 112, 709

Cysteine hydrochloride: Standardization (Shinohara)

1935, 109, lxxxiv 1935–36, 112, 671

Cysteine sulfinic acid: Mercuric sulfate and chloride action, cystine dismutation relation (LAVINE) 1937, 117, 309

Cysteinyl-l-cysteine hydrochloride: l-, crystalline, synthesis (GREENSTEIN)

1937, 119, xli

Cystine: Absorption and metabolism, intestinal loop (Andrews, Johnston, and Andrews) 1935, 109, iii
Aldehyde effect (Hess and Sullivan) 1937, 121, 323
bis-Anhydro-l-cystinyl-l-, syn-

thesis (GREENSTEIN)

1937, 118, 321

Blood plasma, cystine and methionine administration, effect (Lewis and Brown) 1938, 123, lxxv

Butyl alcohol extracts, determination (Hess and Sullivan) 1935, 108, 195

Calculi, cystinuria, dog (Green, Morris, Cahill, and Brand) 1936, 114, 91

Casein, acid digest, determination, colorimetric (Jones and GERSDORFF)

1933, 101, 657

Cystine—continued:

Casein, alkali effect (Jones and Gersdorff)

1934, 104, 99

—, deaminized (White)

1933, 103, 295

— digestion, trypsin, liberation rate (Jones and Gersdorff) 1936, 114, liii

— hydrolysis, liberation rate (Jones and Gersporff)

1933, 101, 657

 —, peptic digests, determination, colorimetric (Jones and Gersdorff)

1933, 101, 657

l-Cystinyl-l-, synthesis (Greenstein)

1937, 121, 9

d-, acetyl and formyl derivatives, sulfur, oxidation, animal body (DU VIGNEAUD, LORING, and CRAFT)

1934, 107, 519

Deficiency, cholic acid administration relation (White) 1935-36, 112, 503

-Deficient diet, cystamine, inadequate methionine, growth relation (Jackson and Block) 1936, 113, 135

— —, di-N-methylhomocystine and N-methylmethionine, growth effect (Patterson, Dyer, and du Vigneaud) 1936, 116, 277

— —, glutathione utilization (DYER and DU VIGNEAUD) 1936, 115, 543

---, homocystine, growthpromoting properties (DU VIGNEAUD, DYER, and HAR-MON) 1933, 101, 719 Cystine—continued:

-Deficient diet, mesocystine, growth effect (LORING, DORFMAN, and DUVIGNEAUD)

1933, **103**, 399

Derivatives, absorption and metabolism, intestinal loop (Andrews, Johnston, and 1935, 109, iii Andrews) -, growth effect (Jones, An-

DREWS, and ANDREWS)

1935, 109, xlvii oxidized, replaceability (Bennett) 1937, 119, x -, reactivity (FRUTON and 1934, 106, 667 CLARKE) Determination (SHINOHARA)

> 1935, 109, 665 1935, 110, 263 1935, 111, 435

1935-36, 112, 671 (Shinohara and Padis)

1935-36, 112, 697

(Shinohara)

1937, 120, 743

-, aldehyde effect (HESS and SULLIVAN)

1937, 119, xlvii (Sullivan and Hess)

1937, 120, 537

-, cysteine presence (HESS) 1934, 105, xxxix

-, gasometric (HESS)

1933, 103, 449

-, phospho-18-tungstic acid and sulfite (SHINOHARA)

1935-36, 112, 683

photometric, phosphotungstic acid use (KASSELL and Brand)

1938, 125, 115

-, Pulfrich photometer (Kas-SELL) 1935, 109, xlix Cystine—continued:

Determination, pyruvic acid effect (Sullivan and Hess)

1937-38, 122, 11

-, Sullivan method (Andrews and Andrews)

1936, **114**, iv

-, Van Slyke amino nitrogen manometric method (KEND-RICK and HANKE)

1936, 114, lviii

Dicholyl-, and related substances, synthesis (Velick and WHITE)

1938, **123**, exxiii

Dietary, cystine amine as substitute (MITCHELL)

1935, 111, 699

-, dithioethylamine as substitute (MITCHELL)

1935, 111, 699

-, tissue proteins, effect (LEE and Lewis) 1934, 107, 649 Diketopiperazines, synthesis (GREENSTEIN)

1937, 118, 321

Di-N-methylhomo-, synthesis and growth effect, cystinedeficient diet (PATTERSON, DYER, and DU VIGNEAUD) 1936, 116, 277

Dismutation, mercuric sulfate and chloride action relation (LAVINE) 1937, 117, 309

dl-, metabolism, growing dog, protein, dietary (STEKOL) 1934, 107, 641

-, -, protein-free diet, effect (STEKOL) 1934, 107, 225

-, precipitation, phospho-12tungstic acid (Toennies and ELLIOTT) 1934, 105, xciii 1935, 111, 61

Cystine—continued:

Egg albumin, crystalline, hydrolysis, liberation (CALVERY, BLOCK, and Schock) 1936, 113, 21 Epidermis, pellagra, relation 1934, 105, lii (Lewis) Excretion, cystinuria, cystine, cysteine, and methionine ingestion, effect (Lewis, Brown, and White)

1936, 114, 171

—, —, methionine and cysteine effect (Hess and Sullivan)

1938, 123, lv

Glutenin (Neglia, Hess, and Sullivan)

1938, **125,** 183

Growth relation (Womack, Kemmerer, and Rose)

1937, 121, 403

Hair and stone, identity (Lor-ING and DU VIGNEAUD)

1934, 107, 267

cystinuria (Lewis and Frayser) 1935, 110, 23
 Hexo-, synthesis and physiological availability (Jones

and DU VIGNEAUD) 1937, 120, 11

Homo-, acetyl derivatives, optical isomers, structure and physiological action, relation (DU VIGNEAUD, DYER, and JONES)

1937, 119, 47

-, chemical constitution (DU VIGNEAUD, DYER, and HARMON) 1933, 101, 719

—, growth-promoting properties, cystine-deficient diet (DU VIGNEAUD, DYER, and HARMON) 1933, 101, 719

Cystine-continued:

Homo-, isomers, optically active, methionine, naturally occurring, configurational relationship (DU VIGNEAUD and PATTERSON)

1935, 109, 97
--, --, -- --, preparation (du
Vigneaud and Patterson)
1935, 109, 97

—, metabolism, cystinuria (Brand, Cahill, and Block) 1935, 110, 399 —, nutrition rôle (White and

—, nutrition rôle (White and Beach)

1937-38, 122, 219
—, sulfur, oxidation, body (DU VIGNEAUD and CRAFT)

1934, 105, xcvi
(DU VIGNEAUD, LORING, and
CRAFT) 1934, 105, 481

—, synthesis (PATTERSON and
DU VIGNEAUD)

1935, 111, 393

d-Homo-, growth effect (Dyer and DU VIGNEAUD)

1935, 109, 477

l-Homo-, growth effect (DYER and DU VIGNEAUD)

1935, 109, 477

Hydantoin, preparation and properties (Andrews and Andrews) 1934, 105, iv Insulin (Miller and DU VIGNEAUD) 1937, 118, 101

(Sullivan and Hess) 1937, 119, xcvi

l-, acetyl and formyl derivatives, sulfur, oxidation, animal body (DU VIGNEAUD, LORING, and CRAFT)

1934, 107, 519

Cystine—continued:

l-, dietary, growth effect (Stekol)

1937–38, 122, 55

—, mercapturic acid synthesis, relation (STEKOL)

1937–38, 122, 333

—, metabolism (Butts, Blunden, and Dunn)

1938, 1**24,** 709

—, —, growing dog, dietary protein, effect (Stekol)

1934, 107, 641

—, —, protein-free diet, effect (STEKOL) 1934, 107, 225

—, dl-methionine, and, metabolism, comparison (Vir-TUE and LEWIS)

1934, 104, 59

—, precipitation, phospho-12tungstic acid (Toennies and Elliott)

> 1934, 105, xciii 1935, 111, 61

—, specific rotation (Toen-NIES, LAVINE, and BEN-NETT) 1935-36, 112, 493 Liver fat, effect (Tucker and Eckstein)

1937, 121, 479

m-, precipitation, phospho-12-tungstic acid (Toennies and Elliott)

> 1934, 105, xciii 1935, 111, 61

Mercuric sulfate and chloride action, cystine dismutation relation (LAVINE)

1937, 117, 309

Meso-, cystine-deficient diet, growth effect (Loring, Dorfman, and Du VIgneaud) 1933, 103, 399 Cystine—continued:

Meso-, isolation and characterization (Loring and DU VI-GNEAUD) 1933, 102, 287 Metabolism (White, Lewis, and White)

1937, 117, 663

(HALEY and SAMUELSEN) 1937, 119, 383

(Jackson and Block)

1937–38, 122, 425

cystine sulfoxide relation
 (Medes) 1935, 109, lxiv
 cystinuria (Brand, Ca-

HILL, and HARRIS)

1935, 109, 69

Nail, finger, determination (Sullivan, Howard, and Hess) 1937, 119, 721

Nails, cystinuria (Lewis and Frayser) 1935, 110, 23 Nitrous acid reaction (Lough

and Lewis)

1934, 104, 601

Nutrition rôle (WHITE and BEACH) 1937-38, 122, 219
Oxidation (LAVINE and TOENNIES) 1933, 101, 727

(Toennies and Lavine)

1934, 105, 107

1936, 113, 571 (LAVINE) 1936, 113, 583

—, acid solution (Andrews) 1933, 102, 263

Oxygenation, non-hydrolytic, course (Toennies and Lavine) 1934, 105, 115

Pento-, availability (DYER and DU VIGNEAUD)

1935, **108,** 73

-, synthesis (DU VIGNEAUD, DYER, JONES, and PATTER-SON) 1934. 106, 401 300 Cystine—continued: Proteins, deaminized (HESS and Sullivan) 1936, 114, xlix determination (BAERN-1936, 115, 33 STEIN) 1937, 119, lvi (Kassell) -, -, hydrolysis time, relation (SULLIVAN and HESS) 1937, 117, 423 acid solution Racemization, (Andrews) 1933, 102, 263 Reactivity (FRUTON and 1934, 106, 667 CLARKE) -Related disulfides, determination, Pulfrich photometer (Kassell) 1935, 109, xlix sulfur-containing pounds, nitrous acid reaction (Lough and Lewis) 1934, 104, 601 Stability, acid solution (Shino-HARA and KILPATRICK)

1934, 105, 241

-, digestion mixtures (Jones and GERSDORFF)

1936, 114, liii Stereoisomers, infra-red absorption spectra (WRIGHT) 1937, 120, 641

-, oxidation, animal body (pu VIGNEAUD, CRAFT, and LOR-1934, 104, 81 ING)

-, solubility (Loring)

1934, 105, liv (Loring and Du Vigneaud) 1934, 107, 267

Stone and hair, identity (Lor-ING and DU VIGNEAUD)

1934, 107, 267

Cystine—continued:

Sulfur-containing amino acids, diet, replaceability (BEN-NETT) 1938, 123, viii Test, colorimetric, Sullivan, substances affecting (An-DREWS and ANDREWS)

1937, 118, 555

Tetradeuterohomo-, synthesis (PATTERSON and DU VI-GNEAUD) 1938, 123, 327 Tissue, determination (GRAFF, MACULLA, and GRAFF)

1937, 121, 81 source Urine, cystinuria, (BRAND, BLOCK, and CA-HILL) 1937, 119, xiv -, determination (SULLIVAN

and HESS)

1936, 116, 221 -, -, iodometric (VIRTUE and 1934, 104, 415 Lewis) -, -, phospho-18-tungstic acid (Shinohara and Padis) 1935-36, 112, 709

-, normal (Medes)

1936, 114, lxvii Utilization, growth, bromobenzene effect (WHITE and JACKSON) 1935, 111, 507 Wool hydrolysates, isolation (Toennies and Bennett)

1934, 105, xcii 1935-36, 112, 39

Cystine amine: Dietary cystine substitute (MITCHELL)

1935, 111, 699

Cystine cyamidene: (Green-1935-36, 112, 35 STEIN) Cystine dimethyl ester: Decomposition, spontaneous (Cog-HILL) 1936, 114, xx, 419

Cystine disulfoxide: l- (LAVINE and TOENNIES)

1935, **109**, liii

-, isolation (Toennies and Lavine) 1936, 113, 571

-, reactions (LAVINE)

1936, 113, 583

Cystine perchlorate: Oxygenation products, acetonitrile (TOENNIES and LAVINE)

1934, 105, 107

Cystine phenylhydantoin: Decomposition (Andrews and Andrews) 1933, 102, 253

Cystine sulfoxide: Cystine metabolism, relation (MEDES) 1935, 109, lxiv

Cystinuria: (Lewis)

1935, 109, lv

Ascorbic acid administration, effect (Andrews, Andrews, and Rutenber)

1938, 123, iii

Casein metabolism (BRAND, BLOCK, KASSELL, and CA-HILL) 1937, 119, 669 Cysteine administration, effect (HESS and SULLIVAN)

1938, 123, lv

— metabolism (Brand, Caніць, and Harris)

1935, 109, 69

Cystine, cysteine, and methionine ingestion, effect (Lewis, Brown, and White) 1936, 114, 171

— metabolism (Brand, Ca-HILL, and HARRIS)

1935, **109**, 69

γ, γ'-Dithiodibutyric acid metabolism (Brand, Block, and Cahill)

1937, 119, 689

Cystinuria—continued:

Dog (Brand and Cahill)

1936, 114, xv

(Brand, Cahill, and Slanetz) 1938, 123, xvi

—, cystine calculi and urine sulfur distribution (GREEN, MORRIS, CAHILL, and BRAND) 1936, 114, 91

Egg albumin, crystalline, metabolism (Brand, Cahill, and Kassell)

1938, 125, 415

Glutathione metabolism (Brand, Cahill, and Harris) 1935, 109, 69

Hair and nails, cystine (Lewis and Frayser)

1935, 110, 23

Homocysteine and homocystine metabolism (Brand, Cahill, and Block)

1935, 110, 399

dl-α-Hydroxy-γ-methiobutyric acid metabolism (Brand, Block, and Cahill)

1937, 119, 681

Lactalbumin and reduced lactalbumin, metabolism (Kassell, Cahill, and Brand)
1938, 125, 423

— metabolism (BRAND, BLOCK, KASSELL, and CAHILL)

1937, 119, 669

—, reduced, metabolism (Kassell) 1938, 123, lxvi dl- γ -Methiol- α -hydroxybutyric

acid metabolism (Block, Brand, and Cahill)

1937, 119, xii

Cystinuria—continued:

Methionine administration, effect (Andrews, Andrews, and Rutenber)

1938, 123, iii
(Hess and Sullivan)

1938, 123, lv

hydroxy analogue, metabolism (Brand, Block, and Cahill)

1937, 119, 681

olism (Brand, Block, and Cahill) 1937, 119, 681
— metabolism (Brand, Cahill, and Harris)
1935, 109, 69

S-Methylcysteine metabolism
(Brand, Block, and CaHILL) 1937, 119, 689
Serine metabolism (Brand and
Cahill) 1935, 109, 545
γ-Thiobutyric acid metabolism
(Brand, Block, and CaHILL) 1937, 119, 689
Urine (Stekol)

1934, 105, lxxxv — cystine, source (Brand, Block, and Cahill)

1937, 119, xiv Cystinyl-l-cystine: bis-Anhydro-l-, synthesis (Greenstein)

l-, synthesis (GREENSTEIN)
1937, 118, 321
l-, synthesis (GREENSTEIN)

Cystinyldialanine: Synthesis
(White) 1934, 106, 141
Cystinyldiglycine: Crystalline,
synthesis and isolation from
glutathione (Loring and DU

1935, 111, 385

Synthesis (WHITE)

VIGNEAUD)

1934, 106, 141

Cystinyl peptide(s): Aminopolypeptidase and dipeptidase, substrate relation (GREEN-STEIN) 1938, 124, 255

Cystinyl peptide(s)—continued:

Physical chemistry (GREEN-STEIN, KLEMPERER, and WYMAN) 1938, 125, 515 Cytochrome(s): Action, mecha-

Cytochrome(s): Action, mechanism (Coolidge)

1938, 123, 451

C-cytochrome oxidase complex (STOTZ, ALTSCHUL, and HOGNESS) 1938, 124, 745 C, oxidized, films (HARKINS and ANDERSON)

1938, 125, 369
—, potential (STOTZ, SIDWELL,

—, potential (STOTZ, SIDWELL, and HOGNESS)

1938, **123,** exviii 1938, **124,** 11

Carboxy-, C, spectroscopy (Altschul and Hogness) 1938, 124, 25

Indophenol oxidase action, rôle (Stotz, Sidwell, and Hogness) 1938, 124, 733

Muscle contraction, oscillographic study (URBAN and PEUGNET) 1937, 119, c

Tissue, dietary iron and copper, relation (Cohen and Elvehjem) 1934, 107, 97 Yeast, spectrography, temperature effect (Urban)

1935, 109, xciii

Cytochrome oxidase: Cytochrome C-, complex (STOTZ ALTSCHUL, and HOGNESS) 1938, 124, 745

D

Dalmatian coach-dog: Purine metabolism, epinephrine influence (Chaikoff, Larson, and Read) 1935, 109, 395——, insulin effect (Chaikoff and Larson) 1935, 109, 85

Decenoic acids: Hexa-, natural fats, unsaturated linkage, position (Spadola and Rie-Menschneider)

1937, 121, 787

Deficiency disease: Growth, wheat germ oil effect (BLUMBERG) 1935, 108, 227
Vitamin B complex, relation

(Hogan, Richardson, and Johnson)

1937, **119,** p. l

Dehydration: Blood and muscle salt and water exchange, effect (EICHELBERGER and HASTINGS)

1937, 118, 205

— serum chloride, base, and protein, exercise, influence (Morse and Schlutz)

1936, 114, lxxiv

Inorganic salt balance (WILEY and WILEY)

1933, 101, 83

Pancreas and intestine enzymes, effect (Ross and Shaw) 1934, 104, 131
Tissues, effect (Hamilton and

Schwartz)

1935, 109, 745

Dehydroascorbic acid: Reduction, guinea pig tissue (Schultze, Stotz, and King) 1937-38, 122, 395

Dehydrogenase: Anaerobic, Escherichia coli, activity, temperature effect (Gould and Sizer) 1938, 124, 269

Dental caries: Enamel and dentin, fluorine (Armstrong)

1937, 119, v Metabolism, children (Boyd, Drain, and Stearns)

1933, 103, 327

Decenoic acids: Hexa-, natural fats, unsaturated linkage, x-ray (HOLLANDER)

1936, **114,** lii

Composition (ARMSTRONG)

1935, **109,** iv

(Logan) 1935, 110, 375 Constitution (Armstrong and Brekhus)

1937, 120, 677

Crystal structure and composition, relation (GRUNER, McConnell, and Armstrong) 1937, 121, 771
Fluorine, sound and carious teeth (Armstrong)

1937, 119, v

Depressor activity: d-Carnosine
(DU VIGNEAUD and HUNT)
1936, 114, cv
1936, 115, 93

l-Carnosine, β-alanine radical, relation (HUNT and DU VI-GNEAUD) 1938, 123, lxi

Dermatitis: Anti-, factor, chick (Woolley, Waisman, Mick-Elsen, and Elvehjem)

1938, 125, 715

—, —, identity (Hogan and Richardson)

1935, **109,** xliii

—, factors, rat and chick, deficiency, puppies on synthetic diet, effect (Fouts, Lepkovsky, Helmer, and Jukes) 1937, 119, xxxiv Chick, dietary, feedingstuff filtrate factor distribution (Jukes and Lepkovsky)

1936, 114, 117

-, -, filtrate factor relation and properties (Lepkovsky and Jukes)

1936, 114, 109, lxi

Dermatitis—continued:

Chick, nicotinic acid inactivity (MICKELSEN, WAISMAN, and ELVEHJEM)

1938, 124, 313

Egg white, curative factor, extraction (LEASE and PAR-1934, 105, p. l sons) Erythematous, dietary oils, effect (Salmon)

1938, **123**, civ

Florid, production and cure (GUERRANT, CHORNOCK, and Dutcher) 1937, 119, xlii Rat, vitamin G complex relation (DANN)

1936, 114, xxiv

See also Acrodynia

Desoxysarsasapogenin: (SIMPson and Jacobs)

1935, 110, 565

Processes, dog Detoxication: (STEKOL and CERECEDO)

1934, 105, lxxxv

Deuterium: Amino acid metabolism indicator (RITTEN-BERG, FOSTER, and Schoen-HEIMER) 1938, 123, cii - - stability in (KESTON and RITTENBERG)

1938, 123, lxviii

Bile acid formation indicator (SCHOENHEIMER, RITTEN-BERG, BERG, and ROUSSE-1936, 115, 635

Butyric acid metabolism indicator (RITTENBERG, SCHOEN-HEIMER, and EVANS)

1937, 120, 503

Caproic acid metabolism indicator (RITTENBERG, SCHOEN-HEIMER, and Evans)

1937, 120, 503

Deuterium—continued:

Cholesterol, synthesis, biological, use (RITTENBERG)

1937, 119, lxxxiii

-Containing fatty acids, preparation (VAN HEYNINGEN, RITTENBERG, and Schoen-1938, 125, 495 HEIMER) Coprosterol formation indicator (Schoenheimer, Rit-TENBERG, and GRAFF)

1935, 111, 183

(ANCHEL SCHOENand 1938, 125, 23 HEIMER) Fat and cholesterol formation,

indicator (RITTENBERG and SCHOENHEIMER)

1937, 121, 235

indicator metabolism and RIT-(Schoenheimer TENBERG) 1935, 111, 175 mammalian Fate. body, (SMITH, TRACE, and BAR-1936, 116, 371 BOUR) Fatty acid desaturation indicator (Schoenheimer and RITTENBERG)

1936, 113, 505

- - hydrogenation indicator (RITTENBERG and SCHOEN-HEIMER) 1937, 117, 485

- - metabolism, intermediary, indicator (Schoen-HEIMER)

1937, 119, lxxxvii

- - synthesis and destruction indicator (Schoenheimer and RITTENBERG)

1936, 114, 381

Labile, compounds containing, metabolism indicators (An-CHEL and SCHOENHEIMER)

1938, 125, 23

Deuterium—continued:

Metabolism, intermediary, indicator (Schoenheimer and Rittenberg)

1935, 111, 163
(RITTENBERG and SCHOENHEIMER) 1935, 111, 169
(FOSTER, KESTON, RITTENBERG, and SCHOENHEIMER)
1938, 124, 159
(RITTENBERG, KESTON,
SCHOENHEIMER, and FOSTER) 1938, 125, 1
(FOSTER, RITTENBERG, and
SCHOENHEIMER)

1938, 125, 13 Non-labile, amino acids treated with deuterium oxide

(STEKOL and HAMILL)

1937, 120, 531
Organic compounds, determination (Keston, Rittenberg, and Schoenheimer)
1937-38, 122, 227

 molecules, synthesis and destruction, body, as indicator (Schoenheimer and RITTENBERG)

1936, 114, lxxxvii Stearic acid conversion to palmitic acid, indicator (Schoenheimer and Rittenberg) 1937, 120, 155

Deuterium oxide: Amino acid deuterium, non-labile (Stekol and Hamill)

1937, 120, 531

Deuteroamino acids: Formation, biological, deuterium as indicator (Foster, Rittenberg, and Schoenheimer) 1938, 125, 13

Dextrins: Molecular size determination, periodic acid oxidation (Caldwell and Hixon) 1938, 123, 595

Dextrose: Blood cholesterol fractions, ingestion effect (Fitz and Bruger)

> 1936, 113, 297 (Sperry) 1936, 116, 65

— serum inorganic sulfate, ingestion effect (Mattice, Bruger, and Deren)

1935, 109, lx

See also Glucose

Diabetes: Blood sugar, low, tolerance (Paul and Gibson)

1938, 123, xci

Brain carbohydrate oxidation (Baker, Fazekas, and Himwich) 1938, 125, 545

Coma, blood reducing substance, fermentable, zincprecipitable (REINHOLD and LETONOFF)

1936, 114, lxxxiii

Glucose excretion, exercise effect (Chambers, Himwich, and Kennard)

1935, 108, 217

Hypoglycemia, autogenous (Paul and Gibson)

1938, **123,** xci

Nerve lipids, effect (RANDALL) 1938, 125, 723

Remissions (Paul and Gibson) 1938, 123, xci Skin lipids (Matthews, New-

TON, and BLOOR)

1935, 108, 145

Tendency, rats (Cole and Harned) 1938, 123, xxv

306 Diabetes—continued: Tissue. ketone substances, production and destruction (GOLDFARB and HIMWICH) 1933, 101, 441 Diacetic acid: Metabolism, normal and castrated rats, with and without theelin (GRUNE-WALD, CUTLER, and DEUEL) 1934, 105, 35 -, pituitary extract, anterior, rôle (Butts, Cutler, and DEUEL) 1934, 105, 45 Diacetone d-galacturonic acid: Methyl ester, catalytic reduction (LEVENE and CHRIST-1937-38, 122, 661 MAN) Diacetyl adenosine: Phosphory-Starch lation (LEVENE and TIPSON) 1937, 121, 131 Diacetylchloroglucurone: Synthesis (Goebel and Babers) 1933, 101, 173 Diaminodiphenyl sulfide: -Related compounds. B-Streptohæmolyticus, effect coccus (RAIZISS. SEVERAC. MOETSCH, and CLEMENCE)

1938, 123, xcix β-Streptococcus hæmolyticus, effect (RAIZISS, SEVERAC, MOETSCH, and CLEMENCE) 1938, 123, xcix

Diaminodiphenyl sulfone: -Related compounds, \(\beta\)-Streptohæmolyticus, coccus effect SEVERAC, (RAIZISS. MOETSCH. and CLEMENCE) 1938, 123, xcix

hæmolyticus, β-Streptococcus effect (RAIZISS, SEVERAC, MOETSCH, and CLEMENCE) 1938, 123, xcix Diaminophosphatide: Blood cells. red, stromata, determination (THANNHAUSER and SETZ)

1936, 116, 533

determination serum. (THANNHAUSER and SETZ) 1936, 116, 533

Organs and fluids, determination (THANNHAUSER and SETZ) 1936, 116, 533

Microdetermination Diastase: (Somogyi) 1938, 125, 399 Plant, types (Teller)

1936, 114, 425

Saliva (Conn and Brookes) 1936, 114, 139

split-products (So-MOGYI) 1938, 124, 179 Diazobenzenesulfonic acid: Theelin determination, reagent (SCHMULOVITZ and WYLIE)

Mitochon-Dibenzanthracene: dria, vitamin A and total lipids, effect (Goerner)

1937-38, 122, 529

1936, 116, 415

Alkali Dibromoxyhydrouracil: action (HEYROTH)

1936, 114, p. l

Sodium Dicarboxylic acids: salts, citric acid formation, injection effect (ORTEN and 1937, 119, lxxiv SMITH) (SMITH and ORTEN)

1938, 124, 43

Dichlorofluorescein: Cerebrospinal fluid and blood serum chlorides. microdetermination (SAIFER and KORN-1935-36, 112, 117 BLUM)

Dichlorophenol indophenol: 2,6-, standardization by glucoreductone, ascorbic acid determination (Kertesz)

1934, 104, 483

Dicholylcystine: -Related substances, synthesis (Velick and White)

1938, 123, exxiii Synthesis (Velick and White) 1938, 123, exxiii

Dideuteromethionire: Synthesis (PATTERSON and DU VI-GNEAUD) 1938, 123, 327

Diet: (See note on p. 221)

Anemia relation, monkey (DAY, LANGSTON, and SHUKERS) 1936, 114, xxv Blood lipids and (BLOOR)

1933, 103, 699

- saccharoids, relation (SMELO, KERN, and DRAB-KIN) 1938, 125, 461 Dermatitis, chick, feedingstuff filtrate factor distribution

(Jukes and Lepkovsky) 1936, 114, 117

—, —, filtrate factor relation and properties (Lepkovsky and Jukes)

1935, 114, 109, lxi Egg protein composition, effect (CALVERY and TITUS)

1934, 105, 683

Encephalomalacia, chick, soy bean oil non-saponifiable matter, action (GOETTSCH and PAPPENHEIMER)

1936, 114, xl

—, —, vegetable oils, effect (Goettsch and Pappen-HEIMER) 1936, 114, 673 Diet—continued:

Essential element, proteins (Rose) 1934, 105, lxxiii — —, —, isolation (Rose,

McCoy, Meyer, Carter, Womack, and Mertz)

1935, 109, lxxvii

Factor, essential, new (ELVE-HJEM, KOEHN, and OLESON)

1936, 1**15,** 707

—, —, yeast and liver extract (Ецуенјем, Коени, and Oleson) 1936, 114, xxxi— in carbohydrate metabolism

— in carbohydrate metabolism (Wesson and Murrell)

1933, 102, 303

Fat deficiency, effect (Brown and Burn)

1936, 114, xvi

Fatty liver production (Blath-ERWICK, MEDLAR, BRAD-SHAW, POST, and SAWYER) 1933, 103, 93

Hemoglobin formation, pregnancy, influence (KYER and BETHELL) 1936, 114, lx Hemorrhagic disease, chick, relation (Almouist and

STOKSTAD)

1935, 111, 105

Inorganic salts, tissue ash, influence (Eppright and Smith) 1937, 118, 679

Ketone body excretion, effect (Chamberlin, Furgason, and Hall) 1937, 121, 599

Leucopenia relation, monkey (Day, Langston, and Shukers) 1936, 114, xxv

Liver phosphate compounds, effect (FLOCK, BOLLMAN, and MANN) 1936, 114, XXXVI 1936, 115, 179

Dihydrolysergic

acid:

C, ascorbic acid administra-

Isomer

Diet-continued:

Milk effect (MUELLER and (JACOBS and CRAIG) 1937, 119, lxxii 1936, 115, 227 Cox) Organic constituents, fluorine Dihydrostrophanthidin: Cyanhydrin syntheses with (JACOBS toxicosis, effect (Phillips and HART) 1935, 109, 657 and Elderfield) 1936, 113, 625 Parathyroid hypertrophy production, relation (BAUMANN synthesis Dihydrovitamin: Α, and Sprinson) (Gould) 1936, 114, xli Dihydroxyphenylalanine-tyro-1937, 119, vii lactoflavin sine: 3,4-, mixtures, com-Vitamin-free. (SUPPLEE, FLANIGAN, HANponents, determination, FORD, and ANSBACHER) colorimetric (ARNOW) 1936, 113, 787 1937, 118, 531 See also Feedingstuff, Food, Diiodotyrosine: Absorption spec-Nutrition, Ration trum, ultraviolet (HEIDT) Diethoxypyrimidine: 2,4-, aceto-1936, 115, 223 bromo-d-ribose and, inter-Peptone, myxedema-relieving action (HILBERT and RIST) artificial protein, relation 1937, 117, 371 (SALTER and PEARSON) Diffusion layers: Technique for 1935-36, 112, 579 study (TEORELL) Thyroid iodine and thyroxine, 1936, 113, 735 administration effect (Fos-Digestion: (See note on p. 221) 1934, 104, 497 Digitalis: Sapogenins (JACOBS Diketopiperazines: 2,5-, hydrolyand SIMPSON) sis (Srinivasan and Sreeni-1935, 110, 429 VASAYA) 1934, 105, 563 Dihalophenol: Metabolism effect, Dimethylglycine: Buffer (MImechanism (CLOWES and CHAELIS and SCHUBERT) Krahl) 1936, 114, xix 1936, 115, 221 Dihydric substrates: Tyrosin-Dimethyllysine: α -N-, growth, ase action (GRAUBARD and availability (Gordon) Nelson) 1935, 111, 757 1937, 119, xxxvii Dihydrocarotene: Ozonization, Dinitrobenzoic acid: 3,5-, blood geronic acid formation creatine determination (AN-(STRAIN) 1933, 102, 137 DES) 1937, 119, iv Dihydroequilenin: Determina-Dinitrocresol: Oxidation and fertion, colorimetric (MARX mentation effects (KRAHL and SOBOTKA) and CLOWES) 1938, 124, 693 1935, 111, 355 Dihydroergosterol: 22-, irradiated (McDonald) Dinitrophenol: α -, organ vitamin

1936, 114, lxv

Dinitrophenol—continued: tion with, effect (SVIRBELY) 1935, 111, 147 Metabolism effect, mechanism (CLOWES and KRAHL) 1936, 114, xix Muscle, frog, metabolism effect (Ronzoni and Ehren-FEST) 1936, 115, 749 Organ and tissue proteins. thyroidectomy, effect (AD-DIS, KARNOFSKY, LEW, and Poo) 1938, 124, 33 Diodrast: Blood plasma protein binding, effect (SMTIH and SMITH) 1938, 124, 107 Dioxalatodianilinochromiato acid: Salts (BERGMANN) 1937-38, 122, 569 Dioxalatodipyridinochromiato acid: Salts (BERGMANN) 1937-38, 122, 569 Dioxane: Iodide microdetermination, use (SAIFER and Hughes) 1937, 118, 241 1937, 121, 801 Dioxanilic acid: Salts (BERG-1937-38, 122, 569 MANN) Dioxpyridic acid: Salts (Berg-1937-38, 122, 569 Dipeptidase: Cystinyl peptides as substrates (GREENSTEIN) 1938, 124, 255 Embryo, cephalic region, chick (LEVY and PALMER) 1938, 123, lxxiv extracts, chick (PALMER and Levy) 1938, 123, xe Specificity (BERGMANN, ZER-VAS. FRUTON. SCHNEIDER. and SCHLEICH) 1935, 109, 325

Dipeptide: Phosphoric acid, isolation, casein (LEVENE and 1933, 101, 711 Diphenylamine blue: Blood filtrates and urine chlorides, microdetermination (SAIFER and Kornblum) 1936, 114, 551 Diphenylpyrazoline-3-carboxylic acid: 1,5-, body temperaenvironmental temperature effect (SCHULTZ and HILL) 1938, 123, cvi Diphosphoglyceric acid: Blood cells (GUEST and RAPOPORT) 1938, 123, xlvii -, ergosterol, irradiated, effect (GUEST and RAPO-1938, 124, 599 PORT) Diphospho-l-glyceric acid: Phosphatase, hydrolysis (Bodan-SKY and BAKWIN) 1934, 104, 747 Diphtheria: Toxin, ketene and formaldehyde action (PAP-PENHEIMER) 1938, 125, 201 -, vitamin C, effect (Tor-RANCE) 1937, 121, 31 Diphtheria bacillus: Carnosine utilization (MUELLER)

1938, 123, 421

Nicotinic acid as growth accessory (Mueller)

1937, 120, 219

Pimelic acid as growth accessory (Mueller)

1937, 119, 121

Toxic protein from filtrates (PAPPENHEIMER)

1937, 120, 543 Tryptophane metabolism (BAUGUESS) 1935, 109, v Disulfide(s): Cysteine relation Dithiol: Thioglycolic acid oxidation, metal, buffer and, effect (Toennies) (KHARASCH. LEGAULT. 1937, 120, 297 WILDER, and GERARD) determina-Cystine-related, tion, Pulfrich photometer 1936, 113, 537 1935, 109, xlix Diuresis: Antidiuretic factor, pi-(Kassell) Thiourea relation (Toennies) tuitary, anterior (Downes 1937, 120, 297 and RICHARDS) Disulfide compounds: Determi-1935, 110, 81 nation (Shinohara) Divinyl oxide: See Vinyl ether Dienkolic acid: Homo-, metab-1935, 109, 665 1935, 110, 263 olism (DYER) 1935, 111, 435 1937, 119, xxviii 1935-36, 112, 671, 683 Metabolism (DYER) 1937, 119, xxviii (SHINOHARA and PADIS) Synthesis (DU VIGNEAUD and 1935-36, 112, 697, 709 PATTERSON) (Shinohara) 1937, 120, 743 1936, 114, 533 Phosphotungstic acid reaction Dogwood: Flowering, chemical rate (Kassell and Brand) constituents (SANDO, MARK-1938, 125, 131 LEY, and MATLACK) Sulfite reaction rate (KASSELL 1936, 114, 39 and BRAND) Dopa: Formation from tyrosine, 1938, 125, 131 ultraviolet radiation (Ar-Disulfide groups: Protein, reduc-1937, 120, 151 tion, immunological effect Drug(s): Blood saccharoids, rela-(Blumenthal) tion (SMELO, KERN, and DRAB-1936, 113, 433 1938, 125, 461 KIN) Dithio acids: Substituted, blood Brain influence oxidations. sugar, effect (Greenstein (BRAND, BRAND, and HERRand FRIEDGOOD) 1934, 105, xiii MANN) 1936, 114, xliv Convulsant, brain carbohy-Dithiodibutyric acid: γ , γ' -, medrate and phosphocreatine, tabolism, cystinuria (BRAND, effect (KERR and ANTAKI) BLOCK, and CAHILL) 1937-38, 122, 49 1937, 119, 689 Dulcitan: Fate (CARR and Dithioethylamine: Dietary cys-1934, 107, 371 KRANTZ) tine substitute (MITCHELL) (Carr and Dulcitol: Fate 1935, 111, 699 1934, 107, 371 KRANTZ) Dithioformamidine: Cysteine oxi-Duodenum: Drainage, bile acids, dation, sulfenic acid formaanalysis, differential (Doution (Toennies)

BILET)

1937, 119, xcix

1936, 114, 289

Duodenum--continued:

Glucose entering rate (KARR, AUSTIN, ABBOTT, and HOFF-MAN) 1937, 119, lv

Dye(s): Cell substances, reactions (Kelley)

1935, 110, 141
Mucin, staining (Kelley and
Miller) 1935, 110, 119
Nuclear substances, staining
(Kelley and Miller)

1935, 110, 113

Nucleoprotein, staining (Kel-LEY and MILLER)

1935, 110, 119

Reversible, cellular respiration, catalysis, mechanism (De-Meio, Kissin, and Barron) 1934, 107, 579

Dyestuffs: Yeast extract fermentation and respiration, effect (MICHAELIS and SMYTHE) 1936, 113, 717

E

Echidna: Spines, amino acids, basic (Block and Horwitt) 1937, 121, 99

Echinochrome: Isolation and composition (Ball)

1936, 114, vi

Ectoderm: Eukeratins and pseudokeratins (BLOCK)

1937, 121, 761

Edema fluid: Calcium, blood serum and, comparison (GIL-LIGAN, VOLK, and ALT-SCHULE) 1933, 103, 745 Phosphate, blood serum and,

comparison (GILLIGAN, Volk, and Altschule)

1933, 103, 745

Edema fluid—continued:

Protein, blood serum and, comparison (GILLIGAN, VOLK, and ALTSCHULE)

1933, 103, 745

Edestin: Crystalline, pepsin partial hydrolysis products (White) 1937, 119, ciii Dietary protein source, saltpoor diet, effect (Swanson, Timson, and Frazier)

1935, 109, 729

Sulfur distribution (KASSELL and BRAND)

1938, 125, 435

Egg: Albumin, acetyl derivatives, denaturation effect (Hendrix and Paquin)

1936, 114, xlix

-, activity coefficient, glycine effect (Richards)

1937-38, 122, 727

- carbohydrate, antigenic behavior (FERRY and LEVY)
1934, 105, xxvii

--, crystalline, enzyme hydrolysis (Calvery)

1933, 102, 73

—, —, hydrolysis, amino nitrogen, cystine, tyrosine, and tryptophane liberation rate (Calvery, Block, and Schock) 1936, 113, 21

—, —, metabolism, cystinuria (Brand, Cahill, and Kassell) 1938, 125, 415

-, -, peptic hydrolysis products, fractionation (Calvery) 1935-36, 112, 171 (Calvery and Schock)

1936, 113, 15

Egg-continued:

Albumin, crystalline, solutions, α-particles, irradiation effect (Arnow) 1935, 110, 43

—, denatured, monolayers (Bull) 1938, **125**, 585

—, heat denaturation, hydrogen ion concentration effect (HENDRIX and WHARTON)
1934, 105, 633

-, heat-denatured, optical rotation (BARKER)

1933, **103,** 1

--, --, refractivity (BARKER) 1934, 104, 667

—, isoelectric point, apparent,
 ionic strength effect (Sмітн)
 1935, 108, 187

-, peptic hydrolysis (CAL-VERY and SCHOCK)

1935, 109, xvi

— solutions, sulfhydryl groups (Greenstein)

1938, 125, 501

-, structure (Bergmann and Niemann) 1937, 118, 301

-, surface denaturation (Bull and Neurath)

1937, 118, 163 (Bull) 1938, 123, 17 (Wu and Wang)

1938, 123, 439

(Bull and Neurath)

1938, 125, 113

Anti-, injury factor, isolation (György) 1937, 119, xliii Hemoglobin regeneration influence (Rose, Vahlteich, and MacLeod)

1934, 104, 217

Lobster, ovoverdin (Stern and Salomon)

1937–38, 122, 461

Egg-continued:

Proteins (Block)

1934, 1**05,** 455

-, diet of hen, effect (CAL-VERY and TITUS)

1934, 105, 683

Salmon, casing, protein (Young and Inman)

1938, 123, cxxxi 1938, 124, 189

Turkey, chemistry (HEPBURN and MIRAGLIA)

1934, 105, xxxviii

White, antitrypsin (Balls and Swenson) 1934, 106, 409

-, antitryptic activity, nutritional disorder, relation (Parsons)

1936, **116,** 685

-, cooking effect (Parsons and Johnson)

1938, 123, xci

-, dermatitis, curative factor, extraction (Lease and Parsons) 1934, 105, p. l

—, hydrolysis, enzymatic (Cohn and White)

1935, 109, 169

 injury, protective factor, body storage (Parsons, Lease, and Johnson)

1937, 119, lxxvii

—, pellagra-like symptoms from, curative factor (Lease, Kelly, and Parsons)

1936, 114, lxi

 proteins, separation and characterization (Young)

1937, 120, 1

—, toxicity, papain digestion, effect (Parsons, Janssen, and Schoenleber)

1934, 105, lxvii

Egg-continued:

Yolk color, pimiento pigments, effect (Brown)

1937-38, 122, 655

depot fat, relation (ALMQUIST, LORENZ, BURMESTER)

1934, 106, 365

-, iron and copper, hemoglobin formation, influence (SHERMAN, ELVEHJEM, and HART) 1934, 107, 289

Elaidic acid: Milk and, relation (McConnell and Sinclair) 1937, 118, 123

Placenta and, relation (Mc-CONNELL and SINCLAIR)

1937, 118, 123

Tissue phospholipids, relation (SINCLAIR)

> 1935, 109, lxxxv 1935, 111, 515

Elastin: Composition (STEIN and 1938, 125, 599 MILLER)

Electrical transport: Fractional, analytical use (WILLIAMS) 1935, 110, 589

Electric heater: Mineral analysis, evaporation, concentrated salt solutions (Guest and LEVA) 1935, 110, 777

Electric waves: Short, sterol colloids, effect (MALISOFF and STENBUCK) 1936, 115, 87

Electrode: Calcium, crystals as (ANDERSON)

1936, 115, 323

(Tendeloo)

1937, 118, 253

Ferricyanide, sugar determination (SHAFFER and WIL-1935, 111, 707 LIAMS)

Electrode—continued:

Glass, amino acids and peptides, determination, formol titration (Dunn and Lo-1936, 113, 359 SHAKOFF)

-, hydrogen ion concentration determination, biological fluids (Horwitt)

1938, 123, lx

Microquinhydrone (PIERCE) 1937, 117, 651

-, aqueous humor hydrogen ion concentration determination, rachitic and normal rats (PIERCE)

1935, 111, 501

-, urine, glomerulus, hydrogen ion concentration determination (PIERCE and MONTGOMERY)

1935, 110, 763

Electrokinetics: (Moyer and 1937, 121, 331 ABELS) Surface chemistry (Moyer) 1937-38, 122, 641

(Moyer and Abramson)

1938, 123, 391

Electrolyte(s): Balance, blood serum, diet deficient in inorganic constituents, effect (SMITH and SMITH)

1934, 107, 681

Blood and muscle, distribution, adrenalectomy effect (HEG-NAUER and ROBINSON)

1936, 116, 769

-, distribution, glucose intraperitoneal injection effect (ROBINSON and HEGNAUER) 1936, 116, 779

-, gas and, equilibrium (VAN SLYKE and SENDROY) 1933, 102, 505 Electrolyte(s)—continued:

(Van Slyke, Dillon, and Margaria)

1934, 105, 571

(Sendroy, Dillon, and Van Slyke)

1934, 105, 597

Blood plasma and blood cells, red, relation (Yannet, Dar-ROW, and CARY)

1935–36, 112, 477

 pressure, cisterna magna, injection, effect (Mason, Resnik, and Harrison)
 1935, 109, lix

- serum (SMITH and SMITH) 1934, 107, 673

(Sunderman)

1936, 113, 111

 — —, exercise effect (Morse and Schlutz)

1938, **123,** lxxxvii

— —, nutritional hypoproteinemia, effect (Darrow and Cary) 1934, 105, 327

Body, body water distribution, relation (Harrison, Darrow, and Yanner)

1936, 113, 515

Brain, liver, and muscle, water and, growth effect (Yanner and Darrow)

1938, 123, 295

Connective tissue (MANERY, DANIELSON, and HASTINGS) 1938, 124, 359

Heart, disease effect (Cullen, Wilkins, and Harrison)

1933, 102, 415

Muscle dystrophy (Fenn and Goettsch)

1937, 120, 41

Electrolyte(s)—continued:

Tissue, human, determination (Cullen and Wilkins)

1933, 102, 403

-, -, disease effect (Cullen, Wilkins, and Harrison) 1933, 102, 415

Yeast zymin carbon dioxide production, effect (STAVELY, CHRISTENSEN, and FULMER) 1935, 111, 771

— — fermentation, phosphate content, effect (STAVELY, CHRISTENSEN, and FULMER) 1935, 111, 791

Electrophoresis: Measurements, microscopic and moving boundary methods, comparison (MOYER)

1937-38, 122, 641

Elm: Slippery, bark, mucilage (Anderson)

1934, 104, 163

Embryo: Chick, copper metabolism (McFarlane and Milne) 1934, 107, 309

-, dipeptidase, cephalic region (Levy and Palmer)

1938, 123, lxxiv

—, extracts, dipeptidase (Palmer and Levy)

1938, 123, xc

—, iron metabolism (McFar-LANE and MILNE)

1934, 107, 309

-, reproductive system, sex hormones, effect (Willier, Gallagher, and Koch)

1935, 109, xcix

Coproporphyrin I formation (Schønheyder)

1938, 123, 491

Enterokinase:

Embryo—continued:

Determination

Hemoglobin formation (BATES and KOCH) (SCHØNHEYDER) 1935, 111, 197 1938, 123, 491 Enzyme(s): Action (McGuire requirement Pig, and FALK) copper (WILKERSON) 1934, 105, 373 1934, 104, 541 (FALK and McGuire) Enamel: Absorption coefficients, 1934, 105, 379 x-ray (Hollander) 1935, 108, 61 1936, 114, lii (HECHT and CIVIN) Candy, acidified, effect (West 1936, 116, 477 and Judy) -, mechanism (STERN) 1936, 114, ci, 473 1938, 123, exxv Composition (Armstrong) Activation (HELLERMAN and 1935, 109, iv Perkins) 1934, 107, 241 1935, 110, 375 (Logan) 1935-36, 112, 175 Constitution (ARMSTRONG and PERKINS. and (STOCK. Brekhus) HELLERMAN) 1937, 120, 677 1938, 125, 753 Crystal structure and compo-(HELLERMAN and STOCK) sition, relation (GRUNER, 1938, 125, 771 McConnell, and ARM-Adsorption, cellulose effect 1936, 113, 753 STRONG) 1937, 121, 771 (TAUBER) Fluorine, sound and carious Alfalfa vitamin A destruction teeth (Armstrong) (HAUGE) 1935, 108, 331 Artificial, proteolytic, hemato-1937, 119, v Tooth, calcification (HoLporphyrin (Boyd) LANDER, BODECKER, SAPER, 1933, 103, 249 and APPLEBAUM) Avitaminosis (Sure, Kik, and 1934, 105, xl BUCHANAN) Encephalomalacia: Nutritional, 1935, 108, 19, 27 creatinine-decomchicks, soy bean oil non-Bacterial. saponifiable matter, action posing, production (Dubos (GOETTSCH and PAPPENand MILLER) HEIMER) 1936, 114, xl 1937, 121, 429 Benzyl stearate and benzyl -, -, vegetable oils, effect butvrate, hydrolysis (BALLS (GOETTSCH and PAPPEN-HEIMER) 1936, 114, 673 and MATLACK) Energy: Input, irradiated milk 1938, 125, 539 vitamin D potency, relation Blood cell, red, carbon dioxide hydration, catalytic effect (O'BRIEN, McEWEN, and (STADIE and O'BRIEN) MORGAREIDGE) 1933, 103, 521 1937, 119, lxxiii

Enzyme(s)—continued:

Blood cell, red, carbonic acid dehydration, catalytic effect (Stadie and O'Brien)

1933, 103, 521

— serum cholesterol esters, synthesis and hydrolysis (SPERRY and STOYANOFF) 1938, 123, cxiii

— — —, synthesis and hydrolysis, bile salts, effect (Sperry and Stoyanoff) 1937, 119, xciii 1937, 121, 101

— — —, synthesis and hydrolysis, sodium glycocholate influence (Sperry and Stoyanoff)

1937, 117, 525

Cocarboxylase synthesis (LIP-SCHITZ, POTTER, and ELVE-HJEM) 1938, 124, 147 Creatinine, blood and urine, normal and nephritic, determination (MILLER and DUBOS) 1937, 121, 457 Egg white, raw and heattreated, hydrolysis (Cohn and White)

1935, 109, 169

Fibrinolytic, hemolytic streptococcus (GARNER)

1935, 109, xxxvi

Glucose-1-phosphoric ester, 6-ester, conversion, tissue extracts (Cori, Colowick, and Cori) 1938, 124, 543
Glycogen hydrolysis, conver-

sion products (Somogyi)

1934, 105, lxxxi Histochemistry (WEIL and ELY) 1935-36, 112, 565 Enzyme(s)—continued:

Intestine, new (Bergmann and Fruton) 1937, 117, 189
Jejunal loop, transplanted (Pierce, Nasset, and Murlin) 1935, 108, 239
Kidney, glutathione hydrolysis (Schroeder and Woodward) 1937, 120, 209
Lactalbumin hydrolysis (Miller and Calvery)

1936, 116, 393

Lactate-, -pyruvate system, oxidation-reduction potentials (BARRON and HASTINGS) 1934, 107, 567
Lactic acid-racemizing, Clos-

tridium butylicum (CHRIS-TENSEN, PETERSON, and JOHNSON) 1938, 123, xxi Lipolytic (SOBOTKA and

GLICK) 1934, 105, 221
—, action (SOBOTKA and GLICK) 1934, 105, 199
—, adrenals, distribution

(GLICK and BISKIND)

Milk-curdling, inhibitors (TAUBER) 1934, 107, 161
Pancreas and intestine, dehydration effect (Ross and SHAW) 1934, 104, 131
Papain, activation (BERGMANN and Ross) 1936, 114, 717

Pectic (Kertesz) 1937, 121, 589

Peptide bonds, synthesis (Bergmann and Fraenkel-Conrat) 1938, 124, 1 (Bergmann and Behrens) 1938, 124, 7

Pneumococcus, autolytic, vitreous humor, umbilical cord, Enzyme(s)—continued:

and streptococcus polysaccharide acids, hydrolysis by (Meyer, Dubos, and Smyth) 1937, 118, 71 Protein degradation (Bergmann and Niemann)

1937, 118, 781

— synthesis, intracellular
(Bergmann and FraenkelConrat) 1937, 119, 707

Proteolytic (Bergmann, Zervas, Fruton, Schneider,
and Schleich)

(BERGMANN, ZERVAS, and FRUTON) 1935, 111, 225 (BERGMANN, ZERVAS, and Ross) 1935, 111, 245 (BERGMANN and Ross)

1935, 111, 659 (Bergmann and Zervas)

1936, 114, 711 (BERGMANN, ZERVAS, and FRUTON) 1936, 115, 593 (BERGMANN and FRUTON)

1937, 118, 405

—, bacteria (Berger, Johnson, and Peterson)

1938, 124, 395

-, fig tree latex (ROBBINS and LAMSON)

1934, 106, 725

—, intracellular, nature (Bergmann, Fruton, and Fraenkel-Conrat)

1937, 119, 35

-, molds (Berger, Johnson, and Peterson)

1937, 117, 429

—, peptides in heavy water, action (Foster, Keston, RITTENBERG, and Schoenheimer) 1938, 124, 159

Enzyme(s)—continued:

Proteolytic, synthetic substrates, action (GREENSTEIN) 1935-36, 112, 517

Purification, amino acid oxida-

tion (Bernheim and Bernheim) 1935, 109, 131

Solanum indicum (TAUBER and KLEINER) 1934, 105, 679 Starch hydrolysis, conversion products (SOMOGYI)

1934, 105, lxxxi Succinate-fumarate-, system (Stotz and Hastings)

1937, 118, 479

Urea-splitting, gastric juice protein, relation (MARTIN) 1933, 102, 131

Vitamin B₁, interaction (TAU-BER) 1938, 123, 499 — C determination (TAUBER

and Kleiner)

1935, 110, 559 Wool digestion (Routh and

Lewis) 1938, 124, 725
— hydrolysis (Routh)

1938, 123, civ

Yeast nucleic acid decomposition by (Dubos and Thompson) 1938, 124, 501

See also Aminopeptidase, Amylase, etc.

Epiallocholesterol: (Schoen-Heimer and Evans)

1936, 114, 567

Epidermis: Cystine and iron, pellagra relation (Lewis)

1934, 105, lii

Stratum corneum amino acids, human keratins, comparison (WILKERSON)

1934, 107, 377

— —, isoelectric point (WILK-ERSON) 1935-36, 112, 329 Epidermis—continued:

Stratum corneum keratins, isoelectric point (WILKERSON) 1935, 109, xcix

---, ζ-potential, salts, effect (WILKERSON)

1938, 123, exxviii

Epinephrine: Adrenal, hypertension, essential, relation (KOEHLER) 1936, 114, lix Blood amino acid, adrenalectomy, effect (Davis and VAN WINKLE)

1934, 104, 207

determination (White-1935, 108, 633 HORN) Brain glycogen, free sugar, and lactic acid, effect (KERR, HEMPEL, and GHANTUS)

1937, 119, 405

Destruction, body tissues and body fluids (KOEHLER)

1934, 105, p. l

Injection rate, normal and hypertensive cases, effect (KOEHLER. Marsh. and HILL) 1937, 119, lix

Muscle, frog, influence (HEG-NAUER and CORI)

1934, 105, 691

Oxidation-reduction (BALL and CHEN) 1933, 102, 691

Purine metabolism, influence, Dalmatian coach-dog (CHAI-KOFF, LARSON, and READ) 1935, 109, 395

-Related compounds, oxidation-reduction (BALL and CHEN) 1933, 102, 691

See also Adrenalin

Epiphysis: Cartilage reaction. normal and rachitic rats (PIERCE) 1938, 124, 115 Epithelium: Cells, proteinase and peptidase activity, pleural exudates (WEISS, KAPLAN, and LARSON)

1938, 125, 247

Equilenin: Determination, colorimetric (Marx and Sobotka)

1938, 124, 693

Dihydro-, determination, colorimetric (MARX and So-1938, 124, 693 BOTKA) Equilibrium: (See note on p. 221)

Equilin: Urine, pregnancy, preparation (CARTLAND MEYER) 1935-36, 112, 9

Erepsin: Animal, magnesiumactivated leucyl peptidase (Johnson, Johnson, and Peterson)

1936, 116, 515

Casein digestion, vitamin B deficiency influence (SURE, Kik, and Buchanan)

1935, 108, 19

Trypsin-, protein digestion, study technique (SURE, KIK, and Buchanan)

1935, **108,** 11

Ergosterol: Activated, chicken, action (BILLS, MASSENGALE, McDonald, and Wirick)

1935, 108, 323

Crude, provitamin D (BILLS, MASSENGALE, McDonald. and WIRICK)

1935, 108, 323

22-Dihydro-, irradiated (Mc-DONALD) 1936, 114, lxv Irradiated, antirachitic factor, tissue distribution, chicken (Russell, TAYLOR, and 1934, 105, lxxiv Wilcox) 1934, 107, 735

Ergosterol—continued: Irradiated, blood cell diphosphoglyceric acid. effect (GUEST and RAPOPORT) 1938, 124, 599 -, fish liver oil concentrates and, hypervitaminoses, comparison (Morgan, Kimmel, and HAWKINS) 1937, 119, lxx 1937, 120, 85 dog and rat toxicity, 1936, 114, liv (Jones) Oxidation (MEYER) 1933, 103, 607 Triacetyl-d-galacturonide, methyl ester, synthesis (Sell and Link) 1938, 125, 235 See also Viosterol Ergosteryl sulfate salts: Antirachitic activity, irradiated aqueous solutions (NATEL-SON, SOBEL, and KRAMER) 1934, 105, 761 Preparation (NATELSON, So-BEL, and KRAMER) 1934, 105, 761 Ergot: Alkaloids (JACOBS and CRAIG) 1934, 104, 547 1934, 106, 393 1935, 108, 595 1935, 110, 521 1935, 111, 455 1936, 113, 759, 767 1936, 115, 227 (JACOBS and GOULD) 1937, 120, 141 (JACOBS and CRAIG) 1937-38, 122, 419 SHEDLOVSKY, (CRAIG, GOULD, and JACOBS) 1938, 125, 289

Ergothioneine: Urine (Sullivan and Hess) 1933, 102, 67 Ergotinine: Cleavage, sodium and butyl alcohol (JACOBS and CRAIG) 1935, 108, 595 Degradation, alkali (JACOBS and CRAIG) 1934, 104, 547 Hydrolysis (JACOBS and CRAIG) 1935, 110, 521 Erythrocyte: See Blood cell, red Escherichia coli: Dehydrogenase, anaerobic, activity, tempera- $_{
m effect}$ (Gould and ture 1938, 124, 269 SIZER) Growth factors, effect (SAH-1935, 109, lxxviii Eschscholtzxanthin: Poppy, California, petals (STRAIN) 1938, 123, 425 Eskimo: Basal metabolism (LE-1937, 119, lxi VINE) Blood iron and copper (LE-VINE, SACHS, and FABIAN) 1937, 119, lxiii Capillary fragility (LEVINE) 1937, 119, lxii Metabolism (RABINOWITCH) 1936, 114, lxxxii Cholesterol. blood Esterase: SCHOENand (Sperry HEIMER) 1935, 109, lxxxvi 1935, 111, 467 (Sperry) Choline, muscle, activity, prostigmine effect (STADIE and 1938, 123, exiv Jones) -, nerve impulses, relation 1938, 123, xlii (Glick) specificity (Glick) 1938, 125, 729 Esterase—continued:

Liver, activity, hydrogen ion concentration influence (SOBOTKA and GLICK)

1934, 105, 221

-, specificity and inhibition (Weber and King)

1935, 108, 131

Pancreas, vitamin B deficiency influence (Sure, Kik, and Buchanan) 1935, 108, 27

Esterification: Muscle (Corl and Corl) 1936, 116, 129

Estradiol: β- (Whitman, Wintersteiner, and Schwenk)
1937, 118, 789

Estrone, estriol, and, comparison (Sevringhaus, Heller, Lauson, and Golden)

1938, 123, evii

Estrin: Pregnancy, excretion
(Marrian, Cohen, and
Watson) 1935, 109, lix
Urine, determination, colorimetric (Pincus, Wheeler,
Young, and Zahl)

1936, 116, 253
-, -, photoelectric color-

imeter (Venning, Evelyn, Harkness, and Browne) 1937, 120, 225

Estriol: Estradiol, estrone, and,

comparison (Seveninghaus, Heller, Lauson, and Golden) 1938, 123, cvii

Estrogenic activity: Urine, acid hydrolysis effect (Peterson, Gallagher, and Koch)

1937, 119, 185

Estrogenic diols: Urine, pregnant mares (Wintersteiner and Hirschmann)

1937, 119, cvii

Estrogenic diols-continued:

Urine, pregnant mares, isolation (HIRSCHMANN and WINTERSTEINER)

1937–38, 122, 303

Estrogenic substances: Liquor folliculi, isolation (MacCorquodale, Thayer, and Doisy) 1936, 115, 435

Ovary, ketonic (WESTERFELD, MACCORQUODALE, THAYER, and DOISY)

1938, **123,** cxxvi

Urine (WILSON, STRICKLER, and McEllroy)

1938, 123, cxxix

—, extraction, tungstic acid precipitation method (FREED, MIRSKY, and Sos-KIN) 1935-36, 112, 143

—, menstrual cycle, determination (Gustavson, Hays, and Wood)

1937, 119, xlii

—, normal female, determination (Gustavson and Green) 1934, 105, xxxiv (Gustavson, Wood, and Hays) 1936, 114, xlvi Uterus and vagina, infantile, effect (Dorfman)

1937, 119, xxiv

Estrone: Estradiol, estriol, and, comparison (Sevringhaus, Heller, Lauson, and Golden) 1938, 123, cvii

Estrus: Corpus luteum vitamin C, relation (BISKIND and GLICK) 1936, 113, 27

-Inhibiting substances, testis concentrates (Duncan, Gal-Lagher, and Koch)

1937, 119, xxvii

Ethanol: Yeast zymin carbon Ethyl alcohol—continued: dioxide production, effect (STAVELY. CHRISTENSEN. and FULMER)

1935, 111, 785

- fermentation, phosphate content, effect (STAVELY, CHRISTENSEN, and FULMER) 1935, 111, 791

See also Ethyl alcohol

Ethanolamine: Choline and, separation (CHARGAFF)

1937, 118, 417

Ether: Anesthesia, urine ascorbic acid, effect (Bowman and MUNTWYLER)

1936, 114, xiv

Blood oxygen determination, Van Slvke-Neill modified method, presence (SHAW and Downing)

1935, 109, 405

-Containing gases. analysis. Haldane apparatus (Sny-1937-38, 122, 21

Ethereal sulfate: Blood serum, microdetermination (Power, WAKEFIELD, and PETERSON) 1934, 105, lxvii

Ethionine: See Ethylhomocysteine

Ethyl alcohol: Body storage. equilibrium (HARGER, HUL-PIEU, and LAMB)

> 1937, 119, xliv 1937, 120, 689

(FRIEDEMANN Determination and KLAAS)

1936, 115, 47

Formation, yeast, heavy water effect (Evans and RITTEN-BERG) 1937, 119, xxxi

Saliva. determination (FRIEDE-1934, 105, xxviii MANN) (FRIEDEMANN and BROOK) 1936, 114, xxxvii

See also Ethanol

Ethylene: Blood, determination (ORCUTT and WATERS)

1937, 117, 509

Ethylenic double bonds: Oxidation, photochemical (MEYER) 1933, 103, 597

Ethylhomocysteine: S-. synthesis and availability growth (DYER) 1938, 124, 519

Ethyl iodide: Blood solubility, erythrocyte count, correlation (Cool, GAMBLE, and STARR) 1934, 105, 97

Ethylphenylacetic acid: Hydrocarbons derived from (LE-VENE and MARKER)

1935, 108, 409

Euglobulin: Blood serum, acid and base combination (GREEN)

1937, 119, xxxix

Eukeratins: Ectoderm (Block) 1937, 121, 761

Excelsin: Osmotic pressure, molecular weight, and stability (Burk)

1937, 120, 63

Excretion (See note on p. 221)

Paths, alkaline and saline waters, effect (HELLER and HADDAD) 1936, 113, 439

Exercise: Adrenalin effect (DILL and EDWARDS)

1934, 105, xx Blood gases, effect (Looney) 1938, 123, lxxvi Exercise—continued:

Blood hydrogen ion concentration, effect (Looney)

1938, 123, lxxvi

— lactate and pyruvate, effect (Johnson and Edwards)

1937, 118, 427 1937, 119, liv

- lactic acid, effect (Looney) 1938, 123, lxxvi

— serum chloride and base, kidney excretion, effect (Morse and Schlutz)

1937, 119, lxxi

— — —, base, and protein, dehydration influence (Morse and Schlutz)

1936, 114, lxxiv

— electrolytes, effect (Morse and Schlutz)

1938, 123, lxxxvii

Glucose excretion, diabetes, effect (Chambers, Himwich, and Kennard)

1935, 108, 217

Metabolism effect (DILL, ED-WARDS, and ROBINSON)

1938, 123, xxx

Severe, recovery (Keys)

1934, 105, xlvi

Uric acid excretion, effect (QUICK) 1935, 110, 107
Urine lactate and pyruvate,

effect (Johnson and Edwards) 1937, 118, 427 1937, 119, liv

See also Muscle, Work

Exudate: Pleural, cellular proteinase and peptidase activity (Weiss, Kaplan, and Larson) 1938, 125, 247

F

Factor 1: Crystalline, isolation (Lepkovsky)

1938, 124, 125

Factor W: (FROST and ELVE-HJEM) 1937, 119, xxxiv 1937, 121, 255

Fasting: Blood lipids, effect (Sure, Kik, and Church) 1933, 103, 417

— sugar, fowl, gizzardectomized (Burrows, Fritz, and Titus) 1935, 110, 39

p-Bromophenylmercapturic acid synthesis (CONWAY)

1937, 121, 27

Ketone body excretion, effect (Chamberlin, Furgason, and Hall)

1937, 121, 599

Ketonuria, choline effect
(Deuel, Murray, HallMan, and Tyler)

1937, 120, 277

—, fatty livers, relation (Deuel, Hallman, and Murray)

1937, 119, 257

Ketosis (Goldfarb, Barker, and Himwich)

1934, 105, 287

(Friedemann)

1934, 105, 335

Liver protein, effect (Addis, Poo, and Lew)

1936, **115,** 117

Lymph lipids, thoracic duct (Rony, Mortimer, and Ivy)

1933, 102, 161

Muscle glycogen, effect (Blatherwick, Bradshaw, and Sawyer)

1936, 114, xii

Fasting—continued:

Organ and tissue proteins, effect (Addis, Poo, and Lew) 1936, 115, 111

Phospholipid formation and destruction (Perlman, Ruben, and Chaikoff)

1937-38, 122, 169

Tissue proteins, effect (LEE and LEWIS)

1934, 107, 649

Urine nitrogen partition, woodchuck (CARPENTER)

1937-38, 122, 343

Fat(s): Abdominal, horse (Schuette, Garvin, and Schwoegler)

1934, 107, 635

Absorption, intestinal mucosa phospholipids (SINCLAIR)

1937, 119, xc

— rate, comparative (STEEN-BOCK, IRWIN, and WEBER) 1936, 114, c

Acetone-soluble, Bacillus lepræ (Anderson, Reeves, and Crowder)

1937, 121, 669

—, tubercle bacillus, human, pigment and anisic acid isolation (Anderson and Newman)

1933, 101, 773

-, - -, -, trehalose isolation (Anderson and Newman) 1933, 101, 499
-, yeast (Newman and Anderson)

1933, **102,** 219

Blood, lipemia, alimentary, effect (Wilson and Hanner)
1934, 106, 323

Fat(s)—continued:

Body, avocado-rich diet, influence (McAmis and Sweet) 1936, 114, lxiv —, cottonseed oil effect (Spa-

—, cottonseed oil effect (Spa-DOLA and ELLIS)

1936, 113, 205

-, fatty acids, saturated, dietary, effect (Barbour)

1934, 106, 281

—, thiamine, riboflavin, and rice polish concentrate, effect (McHenry and Gavin)

1938, 125, 653

Butter. See Butter fat

Deficiency, dietary (Brown and Burr) 1936, 114, xvi-Deficient diet, carbohydrate

metabolism (Wesson and Murrell)

1934, 105, xcix

Dietary, feces nitrogen, effect (MITCHELL)

1934, 105, 537

—, hair sterol, effect (Eckstein) 1938, 125, 107

—, liver lipids, effect (Rubin, Present, and Ralli)

1937, 121, 19

-, sterol balances, effect (Eck-STEIN) 1938, 125, 107

-, vitamin B₁ growth requirement, relation (STIRN and ARNOLD) 1938, 123, exvii

Egg yolk, depot fat, relation (Almquist, Lorenz, and Burmester)

1934, 106, 365

Fatty acids, milk, goat (RIE-MENSCHNEIDER and ELLIS) 1936, 113, 219 Fat(s)—continued:

Formation, deuterium as indicator (RITTENBERG and SCHOENHEIMER)

1937, 121, 235

-Free diet, male sterility effect (EVANS, LEPKOVSKY, and MURPHY) 1934, 106, 445

 — —, reproduction and lactation, effect (Evans, Lepkovsky, and Murphy)

1934, 106, 431

Glycogen formation, relation (Deuel, Butts, Blunden, Cutler, and Knott)

1937, 117, 119

-High diet, fasting ketonuria, choline effect (Deuel, Mur-RAY, HALLMAN, and TYLER) 1937, 120, 277

Hydroxylated acids, determination (HAFNER, SWINNEY, and WEST)

1936, 116, 691

Ketosis relation (GOLDFARB, BARKER, and HIMWICH)

1934, 105, 287

Liver and muscle, comparison (Deuel, Gulick, Grunewald, and Cutler)

1934, 104, 519

—, cholesterol and choline effect (Везт and Ridout)

1936, 114, ix

—, depancreatized dogs, insulin effect (Chaikoff and Kaplan)
 —, ketonuria relation (Deuel,

HALLMAN, and MURRAY)

1937, 119, xxii
—, source (Barrett, Best, and Ridout)

1938, 123, iii

Fat(s)—continued:

Liver, water storage relation (Kaplan and Chaikoff)

1936, 1**16**, 663

Metabolism, deuterium as indicator (Schoenheimer and RITTENBERG)

1935, 111, 175

— hormone, genital tract, effect (Harrow and Nai-Man) 1934, 105, xxxv

—, intermediary, blood serum lipids, relation (Hansen, Wilson, and Williams)

1936, 114, 209

--, lactation (MAYNARD and McCay) 1935, 109, lxi

—, liver injury by carbon tetrachloride, effect (Win-TER) 1938, 124, 339

-, - phospholipid, relation (Sinclair) 1935, 111, 515

—, plants (MacLachlan)

1936, **113**, 197 1936, **114**, 185

—, vitamin B₁ relation (Whip-PLE and Church)

1935, 109, xcviii

Milk, blood precursor (May-NARD, Hodson, Ellis, and McCay) 1937, 119, lxvi

-, diet lipids, effect (MUELLER and Cox)

1938, 1**23**, lxxxviii

—, human (Bosworth)

WALD, and CUTLER)

1934, 106, 235

— lactose utilization relation (SCHANTZ, ELVEHJEM, and HART) 1937-38, 122, 381 Muscle and liver, comparison (Deuel, Gulick, Grune-

1934, 104, 519

Fat(s)—continued:

Natural, hexadecenoic acids, unsaturated linkage, position (Spadola and Riemenschneider)

1937, 121, 787

—, vitamin B-sparing action (EVANS, LEPKOVSKY, and MURPHY) 1934, 107, 439 Neutral, Lactobacillus acid-

Neutral, Lactobacillus acidophilus (Crowder and Anderson)

1934, 104, 399

Oxidation system, Lupinus albus (CRAIG)

1936, 114, 727

Phospholipid metabolism, stomach and intestine, rôle (FRIES, RUBEN, PERLMAN, and CHAIKOFF)

1938, 123, 587

Refection, rôle (Whipple and Church)

1935, 109, xeviii

Slash-pine growing tips (HALL and GISVOLD)

1936, 113, 487

-Soluble ester glycerol, lymph, microdetermination (FREE-MAN and FRIEDEMANN)

1935, 108, 471

Sterol metabolism, ingestion effect (Eckstein and TREADWELL)

1935-36, 112, 373

Vitamin B-sparing action (EVANS and LEPKOVSKY)

1934, 105, xxvii 1935, 108, 439

— —, protein and vitamin G levels, influence (EVANS, LEPKOVSKY, and MURPHY) 1934, 107, 429 Fat(s)—continued:

Vitamin B, tissue, animal, sparing action (KEMMERER and STEENBOCK)

1933, 103, 353

— G-sparing action (EVANS, LEPKOVSKY, and MURPHY)

1934, 107, 443

Fatigue: Acidosis, relation
(Morse, Schlutz, and
Hastings) 1934, 105, lxiv
Blood serum acid-base balance,
effect (Morse and Schlutz)
1935, 109, lxix

Fatty acid(s): Arginine combination (Jukes and Schmidt)

1935, 1**10,** 9

Blood, depancreatized dogs (Lichtman)

1937, 120, 35

-, microdetermination (SMITH and Kik) 1933, 103, 391
Brominated, fate (TRIPP and CORLEY) 1934, 105, xciv
-, metabolism (CORLEY, TRIPP, and NEWTON)

1935, 109, xxiii

Butter fat, isolation and identification (Bosworth and Brown) 1933, 103, 115

Catabolism, phlorhizin effect (Corley and Leighty)

1936, 114, xxii

Chrysalis oil (BERGMANN)

1936, 114, 27

Desaturation, deuterium as indicator (Schoenheimer and Rittenberg)

1936, 113, 505

Destruction and synthesis, deuterium as indicator (Schoenheimer and Rittenberg) 1936, 114, 381

Fatty acid(s)—continued:

Deuterium-containing, preparation (van Heyningen, Rittenberg, and Schoenheimer) 1938, 125, 495 Deutero, preparation (van Heyningen)

1938, **123,** lv

Essential, acrodynia, relation (QUACKENBUSH and STEENBOCK) 1938, 123, xcvii Ethyl esters, carotene stability (McDonald)

1933, 103, 455

— —, glycogen synthesis relation (Butts, Blunden, Goodwin, and Deuel)

1937, 117, 131

— —, oxidation (Deuel, Hallman, Butts, and Murray) 1936, 116, 621 Factor, unsaturated, vitamin B6, relation (Birch)

1938, 124, 775

Formation from glucose by Aspergillus niger (SCHMIDT) 1935, 110, 511

Glycogen formation, relation (Deuel, Butts, Hallman, and Cutler)

1935-36, 112, 15

Hydrogenation, deuterium as indicator (RITTENBERG and SCHOENHEIMER)

1937, 117, 485

Hydroxylated, acetyl values, determination (West, Hoad-LAND, and CURTIS)

1934, 104, 627

Isomerism, spectroscopy (Kass, Miller, and Burr) 1938, 123, lxvi

Fatty acid(s)—continued:

Lard, and esters, nutritive value (Lepkovsky, Ouer, and Evans)

1935, **108**, 431

Lysine combination (Jukes and Schmidt)

1935, 110, 9

Metabolism, intermediary, deuterium as indicator (Schoenheimer)

1937, 119, lxxxvii

Milk fat, goat (RIEMEN-SCHNEIDER and ELLIS)

1936, 113, 219

—, goat, distribution, cottonseed meal ingestion effect (RIEMENSCHNEIDER and ELLIS) 1936, 114, 441

—, lecithin-cephalin fraction (KURTZ, JAMIESON, and HOLM) 1934, 106, 717

Oxidation, phosphate-hydrogen peroxide system, alkaline, mechanism (WITZEMANN)

1934, 107, 475

Phenylated, fate (TRIPP and CORLEY) 1934, 105, xciv Phosphatides, suprarenals, beef (AULT and BROWN)

1934, 107, 607

Phospholipids (SINCLAIR)

1935, 111, 261

-, muscle (SNIDER)

1936, 116, 503

-, tumor, unsaturation degree (HAVEN) 1935, 109, xlii Salmine combination (JUKES and SCHMIDT)

1935, 110, 9

Fatty acid(s)—continued:

Saturated, as energy source, reproduction and lactation effect (Evans, Lepkovsky, and Murphy)

1934, 106, 441

-, dietary, body fat, effect (BARBOUR)

1934, 106, 281

-, higher, butter fat (HELZ and Bosworth)

1936, 116, 203

Synthesis \mathbf{and} destruction, deuterium indicator as (Schoenheimer and RIT-TENBERG) 1936, 114, 381 Testosterone activation (EH-

RENSTEIN and COREY)

1937-38, 122, 297

Tissues. pregnancy andeffect lactation. (OKEY. GODFREY, and GILLUM)

1938, 124, 489

Total, blood, adrenalectomy effect (YEAKEL and BLANCHARD)

1938, 123, 31

liver. veast-containing diets, nephrectomy, effect (HORTENSTINE, CHANUTIN, and Ludewig)

1938, 125, 455

Unsaturated, essential, synthesis, rat (SINCLAIR)

1936, 114, xciv

-, oxidation, blood hemin and hemochromogens as catalysts (Barron and Lyman) 1938, 123, 229

-, tissue phospholipids, selection and retention (SIN-CLAIR) 1935, 111, 275 Fatty acid(s)—continued:

Unsaturated, vital need (EVANS, LEPKOVSKY, and MURPHY)

1934, 106, 431, 441, 445

Volatile, feces, bran pentosan and crude fiber, influence (OLMSTED, CURTIS, TIMM) 1935, 108, 645

soluble, absorption (Hughes and Wimmer)

1935, 108, 141

Fatty acid ester: Nutritive value 1933, 103, 777 (Cox)

Fatty constituents: Slash-pine phloem (HALL and GISVOLD) 1935, 109, 585

Cellulose determination (WILLIAMS and OLMSTED) 1935, 108, 653

Cholesterol (Schoenheimer) 1934, 105, 355

fiber, determination Crude (WILLIAMS and OLMSTED)

1935, 108, 653

Fatty acids, volatile, bran pentosan and crude fiber, influence (OLMSTED, CURTIS, 1935, 108, 645 and Timm)

Hemicellulose, non-water-solu-(WILdetermination LIAMS and OLMSTED)

1935, 108, 653

Lignin, determination (WIL-LIAMS and OLMSTED)

1935, 108, 653

Lipids, determination and partition (TIDWELL and HOLT) 1935-36, 112, 605

Nitrogen (Schneider)

1935, 109, 249

-, dietary fat and carbohydrates, effect (MITCHELL) 1934, 105, 537 Feces—continued:

Porphyrin excretion (Do-BRINER) 1937, 120, 115 Silkworm, sterols (BERGMANN) 1937, 117, 175

Feedingstuff: Filtrate factor (Jukes and Lepkovsky)

1936, 114, 117

Toxic, protein selenium, removal (PAINTER and FRANKE) 1935, 111, 643

See also Diet, Food, Nutrition, Ration

Fermentation: (See note on p. 221)

Dinitrocresol effect (KRAHL and CLOWES)

1935, 111, 355

Iodoacetate and iodoacetamide, action (SMYTHE)

1936, 114, xcv

Ferricyanide: Electrode, sugar determination (SHAFFER and WILLIAMS)

1935, 111, 707

Oleic acid, oxygen absorption, catalyst (Chow and KAMERLING)

1935, 104, 69

Ferrihemate: Globin-, conjugation, mechanism (WILLIAMS and Morrison)

1938, **123**, exxix

Ferriheme hydroxide-cyanide:
Reaction, mechanism and
equilibrium (Hogness,
Zscheile, Sidwell, and
Barron) 1937, 118, 1

Ferrihemic acid: Properties
(Morrison and Williams)
1938, 123, lxxxvii

Ferrocyanide: Muscle, microdetermination (Edwards and Langley)

1935-36, 112, 469

Urine, microdetermination (Edwards and Langley)

1935-36, 112, 469

Ferrous hydroxide: Autoxidation, active hydrogen formation (BAUDISCH)

1934, **105,** vii

Ferrous sulfate: Starch hydrolysis (Brown)

1936, 113, 417

Fetus: Human, carotene utilization (Clausen and McCoord)

1937, 119, xviii

-, composition (GIVENS and MACY) 1933, 102, 7 Iron (IOB and SWANSON)

1938, 124, 263

Fever: Therapy, blood, venous, oxygen, effect (Adams and Boothby) 1936, 114, iii

Fibrin: Blood (BERGMANN and NIEMANN) 1936, 115, 77 Cattle, structure (BERGMANN and NIEMANN)

1937, 118, 301

Fibrinogen: Blood serum and plasma (CAMPBELL and HANNA) 1937, 119, 15

Fibrinolysis: Hemolytic streptococcus (Garner)

1935, **109,** xxxvi

Fibroin: Silk, hydrolysis products (Grant and Lewis)

1935, 108, 667

-, structure (Bergmann and NIEMANN)

1937-38, 122, 577

Ficin: Crystalline (WALTI)
1937, 119, ci

Fig: Tree, latex, proteolytic enzyme (Robbins and Lamson) 1934, 106, 725

Filtrate factor: Feedingstuffs (Jukes and Lepkovsky)

1936, 114, 117

Properties (Lepkovsky and Jukes)

1936, 114, 109, lxi
—, assay, and distribution
(Jukes) 1937, 117, 11

Filtration process: Extremities, standing effect (Keys and Butt) 1938, 123, lxviii

Fish: Blood (VARS)

1934, **105,** 135

 hemoglobin carbon monoxide-combining power, acidity effect (Root and Green)

1934, 106, 545

Vitamin A (BILLS, McDonald, Massengale, Imboden, Hall, Hergert, and Wallenmeyer) 1935, 109, vii

 D (BILLS, McDonald, Massengale, Imboden, Hall, Hergert, and Wallenmeyer)

1935, 109, vii

See also Salmon, Trout

Fish liver oil: Concentrates, irradiated ergosterol and, hypervitaminoses, comparison (Morgan, Kimmel, and Hawkins) 1937, 119, lxx 1937, 120, 85

See also Cod, Halibut, Sable-fish liver oils

Flavianates: Organic bases, identification (LANGLEY and ALBRECHT) 1935, 108, 729

Flavin(s): -Deficient diets, cataract, casein effect (DAY and DARBY) 1937, 119, xxii
Hepato-, potentiometry
(STARE)

1935-36, 112, 223

-, preparation and nutritional value (STARE) 1935, 111, 567
Lacto-, extraction and stability (BISBEY and SHERMAN) 1935-36, 112, 415

—, growth effect (ITTER, ORENT, and McCollum)
1935, 108, 579

oxidation-reduction potentials (Barron and Hastings)
 1934, 105, vii

-, preparation (ITTER, ORENT, and McCollum)

1935, 108, 579

—, semiquinone (MICHAELIS and SCHWARZENBACH)

1938, 123, lxxxiv

-, tissue metabolism, effect (Muus, Bessey, and Hastings) 1937, 119, lxxii

—, vitamin-free diets, contaminant (Supplee, Flan-IGAN, HANFORD, and ANS-BACHER) 1936, 113, 787 Liver, preparation and proper-

ties (STARE)

1935, 109, lxxxviii
Oxidation-reduction, intermediate forms (Michaelis
and Schwarzenbach)

1938, 123, 527

Potentiometric study (MICH-AELIS, SCHUBERT, and SMYTHE) 1936, 116, 587 Ribo-, body fat, effect (Mc-HENRY and GAVIN)

1938, 125, 653

Fluorine—continued:

Flavin(s)—continued:

Ingestion, milk effect (PHIL-Ribo-. growth requirement LIPS, HART, and BOHSTEDT) (DAY and DARBY) 1934, 105, 123 1938, 123, xxviii -, lactic acid bacteria, growth Tooth phosphatase, effect effect (SNELL and STRONG) (SMITH and LANTZ) 1935-36, 112, 303 1938, 123, exii Toxicosis, dietary organic con-Synthetic, lactic acid bacteria, growth effect (SNELL and stituents, effect (Phillips and HART) 1938, 123, cxii STRONG) 1935, 109, 657 Vitamin B₂, non-identity Fluorosis: Chronic, body vitamin (ELVEHJEM and KOEHN) 1935, 108, 709 C, influence (PHILLIPS and 1934, 105, 405 Flaxseed: Mucilage, aldobionic CHANG) acid (NIEMANN and LINK) Reducing substances (PHIL-LIPS, STARE, and ELVEHJEM) 1934, 104, 205 Floridin: Cholesterol activation, 1934, 106, 41 nature (Yoder) Tissue respiration (PHILLIPS, STARE, and ELVEHJEM) 1936, 116, 71 1934, 106, 41 Fluorescein: Dichloro-, cerebrospinal fluid and blood serum Folin, Otto: Obituary, 1934, 107, preceding p. 607 chlorides. microdetermina-Follicle: Ovarian hormone (MACtion (SAIFER and KORN-1935-36, 112, 117 CORQUODALE, THAYER, and BLUM) 1935, 109, lviii Fluorides: Feeding, bone and -Stimulating hormone, antetooth effect (Sмітн 1933, 101, 677 rior pituitary (WALLEN-LANTZ) Fluorine: Blood plasma phos-LAWRENCE) phatase, effect (SMITH and 1934, 105, xcvii LANTZ) ---, urine, women, meno-1935-36, 112, 303 pause (Block, Brand, Har-Bone phosphatase, effect RIS, and HINSIE) (SMITH and LANTZ) 1936, 114, xii 1935-36, 112, 303 Food: Acid-base equilibrium de-Dentin, sound and carious termination (Davidson and teeth (Armstrong) LECLERC) 1935, 108, 337 1937, 119, v Amino acids (Csonka) Enamel, sound and carious 1935, 109, xxv teeth (Armstrong) 1936, 114, xxiii 1937, 119, v 1937, 118, 147 -Fed cows, tissues, vitamin C Ammonolyzed, growth effect distribution (PHILLIPS and (ROBERTS and HORVITZ) STARE) 1934, 104, 351 1938, 123, cii **Food**—continued:

p - Bromophenylmercapturic
 acid synthesis, relation
 (STEKOL) 1937, 118, 155
 Calcium availability (FINCKE
 and SHERMAN)

1935, 110, 421

—, body calcium, relation
(WHITCHER, BOOHER, and
SHERMAN) 1936, 115, 679
Hemoglobin regeneration, factors influencing (Rose,
VAHLTEICH, and MACLEOD)
1934, 104, 217

Phosphorus, body calcium, relation (Whitcher, Booher, and Sherman)

Trout, brook, calcium and phosphorus, effect (McCay, Tunison, Crowell, and Paul) 1936, 114, 259

See also Diet, Feedingstuff, Nutrition, Ration

Formaldehyde: Acidity, formol titration end-point and 1934, 105, 157 (LEVY) Amino acids, reaction (Tomi-YAMA) 1935, 111, 51 (Wadsworth and PANG-1936, 116, 423 BORN) - and imino acids, reactions (LEVY and SILBERMAN)

1937, 118, 723
Ascorbic acid reaction (West and Ney) 1937, 119, cii
Diphtheria toxin, action (Pappenheimer)

1938, 125, 201

Formamide: Amino acids and, compounds (McMeekin)
1936, 114, lxvi

Formamidine: Dithio-, cysteine oxidation, sulfenic acid formation (TOENNIES)

1937, 119, xcix
Formic acid: Isobutyryl-, ergot
alkaloid, precursor (JACOBS
and CRAIG)

1937–38, **122,** 419

Nucleic acid hydrolysis, source (Stevens) 1937, 120, 751

Formol titration: Amino acids and peptides, determination (Dunn and Loshakoff)

1936, 113, 359
Basic amino acids, equilibria
(Levy) 1935, 109, 365
End-point, formaldehyde acidity and (Levy)

1934, 105, 157 Histidine behavior (Levy)

1934, **105,** li

Fowl: Blood lipids (Lorenz, Entenman, and Chaikoff) 1937-38, 122, 619

—, properties (Morgan and Chichester)

1935, 110, 285
— sugar, gizzardectomy effect
(Burrows, Fritz, and

TITUS) 1935, 110, 39
Hemoglobin, spectrophotometric characteristics
(KLEIN, HALL, and KING)
1934, 105, 753

See also Bird, Chick, Chicken, Creeper fowl, Hen

Fox-squirrel: Porphyria (Turn-ER) 1937, 118, 519

Fructose: Blood, determination (Roe) 1934, 107, 15 Cerebrospinal fluid (HUBBARD and RUSSELL)

1937, 119, 647

Fructose—continued:

Destruction by oxygen, factors influencing (CLINTON and HUBBARD)

1937, 119, 467

Glucose tolerance, normal and depancreatized animals, effect (FLETCHER and WATERS) 1937, 119, XXXIII Urine, determination (ROE)

1934, 107, 15

Fruit: Carotene, light effect (SMITH and MORGAN)

1933, 101, 43

Vitamin A, light effect (SMITH and MORGAN)

1933, 101, 43

Fullers' earth: Vitamin G concentration (Lepkovsky, Popper, and Evans)

1935, 108, 257

Fumarate: -Succinate-enzyme, system (Stotz and Hastings) 1937, 118, 479

Fumaric acid: Determination (Stotz) 1937, 118, 471

Fungus: Lipase, activity (Kirsh) 1935, 108, 421

See also Aspergillus, Gibberella, Mold, Rhizopus

Furanose: Derivatives, pentoses, preparation (Levene and Compton)

1936, 116, 189

G

Galactonic acid: l-, 3,4,5-trimethyl, preparation (Tipson) 1938, 125, 341

Galactose: Absorption, intestine (Cajori and Karr)

1935, 109, xiv

Galactose—continued:

Cataract-producing action, protein effect (MITCHELL and COOK)

1938, 123, lxxxvi d-, dimethyl acetal (CAMPBELL and LINK)

1937-38, 122, 635

—, d-galacturonic acid synthesis from (NIEMANN and LINK) 1934, 104, 195 Glycogen formation and retention, effect (Deuel, Mac-

tion, effect (Deuel, Mac-Kay, Jewel, Gulick, and Grunewald)

1933, 101, 301

Heptamethyl 6-glucosido-, methylation (Levene, Meyer, and Kuna)

1938, 125, 703

Hexamethyl 6-glucosido-, methylglycoside of, methyl ester of aldobionic acid hexamethyl methylglycoside, relation (Levene, Meyer, and Kuna) 1938, 125, 703

Ketolytic action, other sugars, comparison (Butts)

1934, 105, 87 l-, l-galacturonic acid synthesis from (NIEMANN and LINK) 1934, 104, 743

Lymph, thoracic (FAY and WHARTON) 1935, 109, 695
Respiratory quotient, normal and depanceatized dogs, in-

and depancreatized dogs, ingestion effect (Roe, Gilman, and Cowgill)

Tolerance, determination,
Folin sugar methods
(Looney and Jellinek)

1935, 109, lvii

Galactose-1-phosphoric acid:
Synthesis (Colowick)

1938, 124, 557

Galactoside: 2,3,4-Trimethyl α methyl-d-, 2,3,4-trimethyl α - methyl - d- galacturonide
methyl ester conversion
(Levene and Kreider)

1937, 121, 155

Galactosuria: Carbohydrate metabolism (Mason)

1934, 105, lviii

Galacturonate: Aldehydo tetraacetylmethyl-d-, synthesis (Campbell and Link)

1937, 120, 471

Galacturonic acid: Ascorbic acid precursor (Johnstin and Potter) 1935, 110, 279

d-, α-acetobromo-, methyl ester, β-methyl-d-galacturonide, conversion to (Morell, Baur, and Link)

1935, 110, 719

—, —, — —, synthesis (Mor-ELL, BAUR, and LINK)

1935, 110, 719

--, p-bromophenylhydrazine derivatives (NIEMANN, SCHOEFFEL, and LINK)

1933, 101, 337

(Sell and Link)

1938, 12**5,** 235

—, diacetone, methyl ester, catalytic reduction (Levene and Christman)

1937-38, 122, 661

—, esterification and acylation (Morell and Link)

1935, 1**08**, 763

—, d-galactose synthesis (Nie-MANN and Link)

1934, 104, 195

Galacturonic acid-continued:

d-, mercaptal, synthesis (Campbell and Link)

1937, 120, 471

-, methyl ester, preparation (Sell and Link)

1938, 125, 229

—, phenylhydrazine derivatives (Niemann, Schoeffel, and Link)

1933, 101, 337

—, preparation (Morell, Baur, and Link)

1934, 105, 15

Determination, Bertrand's method (Kertesz)

1935, 108, 127

dl-, resolution (NIEMANN and LINK) 1934, 106, 773 l-, l-galactose synthesis (NIE-

MANN and LINK)

1934, 104, 743

Poly-, methylglycosides, Ehrlich's Pektolsäure and Pektolactonsäure (BAUR and LINK) 1935, 109, 293

—, — from pectin (Morell,

—, — from pecun (Mor Baur, and Link)

1934, 105, 1

Galacturonide: α-Methyl-d-, and derivatives, ring structure (Levene and Kreider)

1937, 120, 597

—, hydrolysis, kinetics (Mor-ELL and LINK)

1934, 104, 183

β-Methyl-d-, α-acetobromo-d-galacturonic acid methyl ester, conversion from (Morell, Baur, and Link)
1935, 110, 719

Poly-, methyl ester, oxidation and hydrolysis to levo-tar-

Galacturonide—continued: taric acid (Levene and Kreider)

1937, 120, 591

Triacetyl-d-, cholesterol, sitosterol, and ergosterol methyl esters, synthesis (Sell and Link) 1938, 125, 235

2,3,4-Triacetyl \(\alpha\)-methyl-d-, methyl ester, catalytic reduction and deacetylation (Levene and Christman) 1937-38, 122, 203

2,3,4-Trimethyl α-methyl-d-, methyl ester, catalytic reduction (LEVENE, TIPSON, and KREIDER)

1937–38, 122, 199

- -, - conversion to 2,3,4-trimethyl α-methyl-d-galactoside (Levene and Kreider) 1937,121,155

Galac yeast: Preparation (KIRBY and ATKIN)

1936, 116, 511

Galleria mellonella: See Beemoth

Gallstones: Hog bile, lithocholic acid (SCHOENHEIMER and JOHNSTON)

1937, 120, 499

Gallus domesticus: See Fowl
Gamabufagin: Chemical constitution (JENSEN)

1937, 119, lii

Gas: Analysis, pipette, air-free reagents, storage (Guest and Holmes) 1935, 110, 781—, respiration trials (Kleiber)

1933, 101, 583 —, Van Slyke, vessels for solu-

tion storage (Holmes)
1936, 113, 411

Gas-continued:

Blood analysis, Van Slyke (RAPPAPORT and KÖCK-MOLNAR) 1934, 104, 29

-, determination, blood collection (Looney and Childs)
1934, 104, 53

—, electrolyte and, equilibrium (Van Slyke and Sendroy)
1933, 102, 505
(Van Slyke, Dillon, and

Margaria)

1934, 105, 571 (SENDROY, DILLON, and VAN SLYKE) 1934, 105, 597

--, exercise effect (Looney) 1938, 123, lxxvi

Ether-containing, analysis,
Haldane apparatus (SNYDER) 1937-38, 122, 21
Solubility, determination (Orcutt and Seevers)

1937, 117, 501

Gastric: See Stomach

Gastrointestinal tract: Hydrogen ion concentration determination, glass electrode (East-MAN and MILLER)

1935, 110, 255

Gelatin: Arsanilic acid and (Boyd and Hooker)

1934, 104, 329

Chemical constitution (BERG-MANN) 1935, 110, 471

Microdetermination (Spencer, Morgulis, and Wilder)

1937, 120, 257

Salts and, activity coefficients and membrane equilibrium (JOSEPH)

1936, 116, 353

— —, interaction (JOSEPH)
1936, 114, lv

Gelatin—continued:

Structure (BERGMANN and NIEMANN)

1937, 118, 301

Genital tract: Male hormone, anterior pituitary-like hormone, and fat metabolism hormone, effect (Harrow and Naiman)

1934, 105, xxxv

Gentiobiose: Adetyl derivatives, uronic acid methyl esters, molecular rotations, relationship (GOEBEL and REEVES) 1938, 123, xlii

p-Aminophenol β-glycosides, synthesis (Babers and Goebel) 1934, 105, 473

Geronic acid: Formation, carotene and dihydrocarotene ozonization (STRAIN)

1933, 102, 137

Gestation: Calcium requirement (Cox and IMBODEN)

1934, **105,** xviii

Magnesium requirement, calcium relation (Tufts and Greenberg)

1937–38, 122, 715

Phosphorus requirement (Cox and Imboden)

1934, **105,** xviii

Pituitary, anterior, extract, growth hormone, effect (Watts) 1935, 109, xcv

See also Pregnancy

Gibberella saubinetii: Carbon metabolism on glucose (Hessler and Gortner)

1937, 119, 193

Gingiva: Lipids (Hodge)

1933, 101, 55

Girls: Adolescent, mineral metabolism (Wang, Kaucher, and Wing)

1935, 109, xcv

Basal metabolism, preformed and total creatinine nitrogen (Wang) 1937, 119, cii

Gitogenin: (JACOBS and SIMP-SON) 1934, 105, 501

Gizzard: Anti-erosion factor, chick, chondroitin effect (BIRD and OLESON)

1938, **123**, xi

Factor, chick, distribution and properties (Bird, Elvehjem, and Hart) 1936, 114, x

Gliadin: Osmotic pressure, molecular weight, and stability

(Burk) 1938, 124, 49 Globin: Amphoteric properties (Cohn, Salter, and Ferry) 1938, 123, xxiv

-Ferrihemate conjugation, mechanism (Williams and Morrison)

1938, 123, exxix Hemoglobin relation (Wil-

LIAMS and Morrison)
1937, 119, cv

Iodized, amphoteric properties (Cohn, Salter, and Ferry) 1938, 123, xxiv

Globulin(s): Antipneumococcus serum (GREEN)

1938, 123, xliv Biological fluids, determina-

tion, precipitin method (GOETTSCH and KENDALL) 1935, 109, 221

Blood serum and plasma (CAMPBELL and HANNA)

1937, 119, 15

Globulins—continued:

Blood serum, determination, angle centrifuge (PRICE, ROBINSON, and HOGDEN)

1938, 123, xcvi

— —, —, errors (Robinson, Price, and Hogden)

1937, **119**, lxxxiii 1937, **120**, 481

— —, osmotic pressure, molecular weight, and stability (Burk) 1937, 121, 373

— —, synthetic solution, specific gravity (Nugent and Towle) 1934, 104, 395 Crystalline, milk, from albumin

fraction (PALMER)

1934, 104, 359

Jack bean, crystalline, from canavalin (Sumner and Howell) 1936, 113, 607 Placenta, immune (Green and McKhann)

1935, **109,** xxxvii

Pseudo-, carbohydrate, nature (Coghill and Creighton) 1938, 123, xxiii

Glomerulus: Inulin excretion, frog and Necturus (Hendrix, Westfall, and Richards) 1936, 116, 735
Urine (Richards, Bordley,

Urine (RICHARDS, BORDLEY and WALKER)

—, chloride, frog and Necturus (Westfall, Findley, and Richards)

1934, 107, 661

1933, 101, 179

—, creatinine, frog (Bordley, Hendrix, and Richards)

1933, 101, 255

—, hydrogen ion concentration
determination, microquinhy-

Glomerulus—continued:

drone electrode, Necturus (PIERCE and MONTGOMERY)
1935, 110, 763

Urine, inorganic phosphate, frog and *Necturus* (WALKER) 1933, **101**, 239

—, reaction, frog and Necturus (Montgomery)

1935, 110, 749

—, reducing substances, frog and Necturus (WALKER and REISINGER)

1933, 101, 223

-, uric acid, snake and frog (Bordley and Richards) 1933, 101, 193

Glucoreductone: 2,6-Dichlorophenol indophenol standardization, ascorbic acid determination (Kertesz)

1934, 104, 483

Glucosamine: d-, oxidation
(HERBST) 1937, 119, 85
Isolation (CHARGAFF and Bovarnick) 1937, 118, 421
Glucosaminic acid: d-, oxidation
(HERBST) 1937, 119, 85
Hydrogen iodide, reduction
(LEVENE and CHRISTMAN)
1938, 123, 83

Glucose: Absorption, intestine (Cajori and Karr)

1935, 109, xiv

—, —, rate (MacKay and Bergman) 1933, 101, 453 (Trimble and Maddock) 1934, 107, 133

—, normal and adrenalectomized rats, sexual variation (Deuel, Hallman, Murray, and Samuels)

1937, 119, 607

Glucose—continued:

Acetoacetic ester and, compounds (Moore, Erlanger, and WEST)

1936, 113, 43

Acetyl derivatives, uronic acid methyl esters, molecular rotations, relationship (Goe-BEL and REEVES)

1938, 123, xlii

 β -, preparation (Whistler and Buchanan)

1938, 125, 557

Blood changes, swine, ingestion effect (EVELETH)

> 1934, 104, 559 1935, 111, 753

- serum potassium, injection (FLOCK, BOLLMAN, effect MANN, and KENDALL)

1938, 125, 57

 water and electrolyte distribution, intraperitoneal injection effect (Robinson and HEGNATIER)

1936, 116, 779

Carbon metabolism, Gibberella saubinetii effect (HESSLER and GORTNER)

1937, **119**, 193

-Chloride relationship, blood, insulin effect (CHAIKELIS)

1934, 105, 767

-Containing antigens, artificial, immunological properties (GOEBEL and GOODNER)

1936, 114, xl

d-, absorption, stomach (MAD-DOCK, TRIMBLE, and CAREY) 1933, 103, 285

-, metabolism (Deuel, Hall-MAN, MURRAY, and HIL-1938, 125, 79 LIARD)

Glucose—continued:

d-, sugar acids, preparation from (HART, SHEPPARD, and EVERETT) 1938, 123, lii

Destruction by oxygen, factors influencing (CLINTON and HUBBARD)

1937, 119, 467

Dissimilation, mechanism, propionic acid bacteria (Wood and WERKMAN)

1934, 105, 63

Duodenum entry rate (KARR, AUSTIN, ABBOTT, and HOFF-1937, 119, lv Excretion, diabetes, exercise

effect (Chambers, Himwich, and KENNARD)

1935, 108, 217

Fate, stomach (HOFFMAN, AB-BOTT, KARR, and MILLER) 1938, 123, lvii

Fatty acid formation Aspergillus niger (SCHMIDT) 1935, 110, 511

Glycogen formation and retention, effect (DEUEL, MAC-KAY, JEWEL, GULICK, and GRUNEWALD)

1933, 101, 301

Glycogenic ketolytic and action, comparison (SHA-1935, 108, 373 PIRO)

Ketolytic action, other sugars, comparison (Butts)

1934, 105, 87

Liver, hexoses and trioses, relation (CORI and SHINE) 1936, 114, xxi

Metabolism, trypanosomes (REINER, SMYTHE, and PED-1936, 113, 75 row)

Glucose—continued:

Microdetermination, maltose presence (Somogyi)

1937, 119, 741

Oxidation, air, iron pyrophosphate (Goerner)

1934, 105, 705

Reducing action, physicochemical study (Wood)

> 1934, **105**, cii 1935, 110, 219

determination, Skin. Hagedorn-Jensen method (PILLS-BURY and KULCHAR)

1934, 106, 351

Stomach emptying rate, administration effect (PIERCE, HAEGE, and FROESCHLE)

1937, 119, lxxviii

Tolerance, normal and depancreatized animals, fructose effect (FLETCHER and WA-1937, 119, xxxiii TERS) oral and intravenous (KOEHLER and HILL)

1938, 123, lxx

-, vitamin C, relation (SIGAL and King)

1936, 116, 489

Urine, determination, photoelectric (Hoffman)

1937, 120, 51

See also Dextrose

Glucosemonophosphate: Calcium salt, yeast extract, isolation (SMYTHE)

1937, 117, 135

Glucose-4-phosphate: (RAY-MOND) 1936, 113, 375

Glucose-1-phosphoric acid: Isolation and synthesis (Cori, CORI, and COLOWICK)

1937, 119, xix

Glucose-l-phosphoric acid - continued:

(Corr, Colowick, Cori) 1937, 121, 465 Tissue, mammalian, extracts,

formation (Cori, Colowick, and Cori) 1938, 123, 375 Yeast extract, formation

(CORI, COLOWICK, and CORI) 1938, 123, 375

Glucose-1-phosphoric ester: Glucose-6-phosphoric ester conversion, enzyme, tissue extracts (CORI, COLOWICK, and 1938, 124, 543 Cori)

Glucose-6-phosphoric ester: Glucose-1-phosphoric ester conversion to, enzyme, tissue extracts (CORI, COLOWICK, 1938, 124, 543 and Cori)

specificity Glucosidase: α-, (TAUBER and KLEINER)

1934, 105, xci

Glucurone: Diacetylchloro-, synthesis (GOEBEL and BABERS) 1933, 101, 173

Glucuronic acid: Benzoyl-, chemical constitution (GOEBEL) 1937-38, 122, 649

Borneol-, glucuronic acid preparation from (SWARTZ and MILLER) 1933, 103, 651

 α -Bromotriacetyl-, methyl ester, preparation (Goebel and BABERS)

1935, 111, 347

α-Chlorotriacetyl-, methyl ester, preparation (Goebel and BABERS)

1935, 111, 347

1-Chlorotriacetyl-, methyl ester, synthesis (Goebel and BABERS) 1934, 106, 63

Glucuronic acid-continued: -Containing antigens, artificial, immunological properties (Goebel and Goodner) 1936, 114, xl Derivatives (GOEBEL and Babers) 1933, 101, 173 1935, 110, 707 (Hotchkiss and Goebel) 1936, 115, 285 (Goebel and Reeves) 1938, 124, 207 Determination, Bertrand's method (Kertesz) 1935, 108, 127 l-, synthesis (NIEMANN and 1934, 106, 773 Link) Preparation, borneolglucuronic acid (SWARTZ and MILLER) 1933, 103, 651 Source (AMBROSE and SHER-1934, 105, iv win) α -Tetraacetyl- and β -tetraacetyl-, methyl ester, synthesis (Goebel and Babers) 1934, 106, 63 Glucuronidase: β - (FISHMAN) 1938, 123, xxxvi Glucuronide(s): β -, synthesis (GOEBEL and BABERS) 1935, 111, 347 Synthesis (GOEBEL and 1935, 110, 707 Babers) Glutamic acid(s): Calorigenic action (Luck and Lewis) 1934, 105, lv d-, fate (Butts, Blunden, and Dunn) 1937, 119, 247 (Butts, Dunn, and Blun-1937, 119, xv dl-, crystalline, anhydrous and monohydrated (Dunn and 1937, 121, 521 STODDARD)

Glutamic acid(s)—continued: dl-, fate (Butts, Blunden, and 1937, 119, 247 Dunn) (Butts, Dunn, and Blun-1937, 119, xv Lysyl-, derivatives, synthesis (GREENSTEIN) 1935, 109, 541 Peptide, physical constants (Greenstein) 1933, 1**01,** 603 dl-Pyro-, fate (Butts, Blun-DEN, and DUNN) 1937, 119, 247 -Pyrrolidonecarboxylic acid system (Wilson and Can-1937, 119, 309 NAN) Glutamine: Preparation (Vick-ERY, PUCHER, and CLARK) 1935, 109, 39 Tobacco leaves (Vickery and Pucher) 1936, 113, 157 Glutamylcysteinylglycine: synthesis (DU VIGNEAUD, LORING, and MILLER) 1937, 118, 391 Glutathione: Benzylcysteinylglycine isolation from (LORING and DU VIGNEAUD) 1935, 111, 385 Blood, anemia. nutritional (SCHULTZE and ELVEHJEM) 1936, 116, 711 schizophrenia (Looney and CHILDS) 1934, **105,** liii Bromobenzene-containing diets, growth effect (STEKOL) 1938, 123, cxvi Catalase inactivation, effect

1936, 115, 299

(Marks)

Glutathione—continued: isolation Cystinyldiglycine from (LORING and DU VIG-1935, 111, 385 biological Disappearance, fluids (OBERST) 1935, 111, 9 Glycolysis, effect (Morgulis) 1935, 109, lxviii 1938, 123, 1 Iso-, synthesis (DU VIGNEAUD, LORING, and MILLER) 1937, 118, 391 Kidney enzyme, hydrolysis (SCHROEDER andWood-1937, 120, 209 WARD) Mercapturic acid synthesis, relation (STEKOL) 1937-38, 122, 333 Metabolism, cystinuria (BRAND, CAHILL, and HAR-1935, 109, 69 Microdetermination, glvoxalase in (WOODWARD) 1935, 109, 1 Naphthalene-containing diets, growth effect (STEKOL) Oxidation, copper and hemo-

1938, 123, cxvi chromogens catalysts as (LYMAN and BARRON) 1937, 121, 275 Phospho-18-tungstic acid, re-(Shinohara action and Padis) 1935-36, 112, 697 Reduced and oxidized, blood oxygen capacity and content, relation (OBERST and Woods) 1935, 111, 1 Synthesis (DU VIGNEAUD and MILLER) 1936, 116, 469

Glutathione—continued: cystine-deficient Utilization, diet (DYER and DU VI-GNEAUD) 1936, 115, 543 X-ray, effect (KINSEY) 1935, 110, 551 Glutenin: Cystine (NEGLIA, HESS, and SULLIVAN) 1938, 125, 183 Glyceric acid: Diphospho-, blood cells (Guest and Rapoport) 1938, 123, xlvii -, -, ergosterol, irradiated, effect (Guest and Rapo-1938, 124, 599 PORT) Diphospho-l-, phosphatase, hydrolysis (Bodansky and Bakwin) 1934, 104, 747 Glyceride(s): Coffee-bean oil (BENGIS and ANDERSON) 1934, 105, 139 Hydrolysis, pancreas lipase, crude (BALLS, MATLACK, and Tucker) 1937-38, 122, 125 Glycerol: Ester, fat-soluble, lymph, microdetermination (FREEMAN and FRIEDE-MANN) 1935, 108, 471 Muscle extract, glycogen hydrolysis (CARRUTHERS and 1935, 108, 525 LEE) Glycerophosphate: Calcium salt, extract. isolation yeast (SMYTHE) 1937, 117, 135 Glycine: Activity, aqueous solution (SMITH and SMITH) 1937, 117, 209 coefficient, glycine effect

(RICHARDS)

1937-38, 122, 727

Glycine—continued:

Allantoin excretion, administration effect (Martin and Corley) 1934, 105, lvii
Anhydride, alkali hydrolysis (Srinivasan and Sreenivasaya) 1934, 105, 563
Benzylcysteinyl-, crystalline, synthesis and isolation from glutathione (Loring and Du Vigneaud)

1935, 111, 385
Calorigenic action (Lewis and Luck) 1933, 103, 227
Carboxyhemoglobin activity coefficient, effect (Richards)
1937-38, 122, 727
Creating precursor (Bodan-

Creatine precursor (Bodansky) 1936, 115, 641 Cystinyldi-, crystalline, synthesis and isolation from glutathione (Loring and du Vigneaud)

1935, 111, 385

—, synthesis (White)

1934, 106, 141

Determination, Van Slyke amino nitrogen manometric method (KENDRICK and HANKE) 1936, 114, lviii Diffusion coefficients (MEHL and SCHMIDT)

1936, 114, lxvii Dimethyl-, buffer (MICHAELIS and SCHUBERT)

1936, 11**5,** 221

Egg albumin activity coefficient, effect (RICHARDS)

1937-38, 122, 727

Fate (Butts, Dunn, and Hallman)

1935-36, 112, 263

Glycine—continued:

α-Glutamylcysteinyl-, synthesis (DU VIGNEAUD, LORING, and MILLER)

1937, 118, 391

Glycyl-, Raman spectrum (EDSALL) 1938, 123, xxxiii
Growth relation (McCoy and
Rose) 1937, 117, 581
Metabolism (Butts and
Dunn) 1935, 109, xiii
Metal complex salts, specificity
(Bergmann and Fox)

1935, 109, 317
Proteins, determination (PATTON) 1935, 108, 267
Salicylic acid conjugation with (QUICK) 1933, 101, 475
Solutions, absorption spectra (ANSLOW, FOSTER, and KLINGLER)

1933, 103, 81

Synthesis, muscle dystrophy, pseudohypertrophic (FREI-BERG and WEST)

1933, 101, 449

—, protein metabolism influence (Griffith)

1934, 105, xxxiii

Uric acid excretion, administration effect (Martin and Corley) 1934, 105, lvii

Glycocyamine: Urine (WEBER) 1935, 109, xcvi

Glycodesoxycholic acid: Synthesis (Cortese and Bauman)

1936, 113, 779

Glycogen: Body, ovariectomy and theelin administration, effect (Gulick, Samuels, and Deuel)

1934, 105, 29

Glycogen—continued:

Brain, insulin and epinephrine, effect (Kerr, Hampel, and Ghantus)

1937, 119, 405

-, isolation (Kerr)

1938, 123, 443

--, mammalian, carbohydrate and insulin effect (Kerr and Ghantus) 1936, 116, 9

Determination (Sahyun)

1933, 103, 203

Formation and retention, glucose, galactose, and lactose effect (Deuel, Mackay, Jewel, Gulick, and Grunewald) 1933, 101, 301

—, butyric acid ingestion (Eckstein)

1933, **102**, 591

-, caproic acid ingestion (Eckstein) 1933, 102, 591

 fats, relation (Deuel, Butts, Blunden, Cutler, and Knott)

1937, 117, 119

—, fatty acids, relation (Deuel, Butts, Hallman, and Cutler)

1935–36, **112,** 15

—, normal and adrenalectomized rats, sexual variation (Deuel, Hallman, Murray, and Samuels)

1937, 119, 607

-, propionic acid ingestion (Eckstein)

1933, 102, 591

—, *l*-rhamnose ingestion effect (SILBERMAN and LEWIS)

1933, 101, 741

-, valeric acid ingestion (Eck-STEIN) 1933, 102, 591 Glycogen—continued:

Fractions (CAMPBELL)

1937, 119, xvii

Glucose and carbohydrate intermediates, comparison (Shapiro) 1935, 108, 373

Hydrolysis, enzymic and acid, conversion products (Somogyi) 1934, 105, lxxxi

—, liver extract (CARRUTH-ERS) 1935, 108, 535

—, muscle extract (Carruthers) 1935, 108, 535

—, — glycerol extract (CAR-RUTHERS and LEE)

1935, 108, 525

Hypophysectomy effect (Fish-ER, Russell, and Cori)

1936, 115, 627

Liver (HRUBETZ and DOTTI) 1934, 107, 731

 and muscle, comparison (Deuel, Gulick, Grunewald, and Cutler)

1934, 104, 519

 —, diurnal changes (Deuel, Butts, Hallman, Murray, and Blunden)

1938, 123, 257

-, low oxygen pressure, effect (Evans) 1934, 105, xxvi

-, molecular structure (Hassid and Chaikoff)

1938, 123, 755

—, sexual variation, age effect (Deuel, Butts, Hallman, Murray, and Blunden) 1937, 119, 617

—, water storage, relation (MacKay and Bergman) 1934, 105, 59

(Kaplan and Chaikoff) 1936, 116, 663

Glycolysis—continued:

and ALLEN)

Blood, purine nucleotide ca-

tabolism, relation

(Eiler

1938, 123, 655

Glycogen—continued: determination Muscle. (Guest) 1938, 123, xlviii -, fasting effect (BLATHER-WICK, BRADSHAW, and SAW-YER) 1936, 114, xii -, low oxygen pressure, effect (Evans) 1934, 105, xxvi -, resynthesis, hexosemonophosphate (Cori, Cori, and HEGNAUER) 1937, 120, 193 determination Nerve tissue, 1936, 116, 1 (Kerr) Phosphorus- and nitrogen-free, solubility and preparation (Somogyi) 1934, 104, 245 nucleotide Phosphorylation, (Cori. action Colowick, and Cori) 1938, 123, 381 Resynthesis, pancreatectomy (Long, Lukens, and Fry) 1934, 105, lii Synthesis, fatty acids, ethyl relation (Butts. esters, GOODWIN, and BLUNDEN. 1937, 117, 131 DEUEL) Glycogenase: Liver, insulin effect (VOLLMAR and KOEHLER) 1936, 114, cvi Glycolic acids: Metabolism, dystrophy, muscular gressive (MILHORAT and 1936, 114, 461 Toscani) Thio-, oxidation, metal, buffer, and dithiol, effect (KHA-RASCH, LEGAULT, WILDER, and GERARD) 1936, 113, 537 Glycolysis: Blood, mammal, rate (Somogyi)

1933, 103, 665

Brain, anaerobic (QUASTEL and WHEATLEY) 1937, 119, lxxx Glutathione effect (Morgulis) 1935, 109, lxviii 1938, 123, 1 (MEYER and Glycoproteins(s): 1936, 114, 689 PALMER) (MEYER, SMYTH, and PALMER) 1937, 119, 73 (PALMER. SMYTH. and MEYER) 1937, 119, 491 (MEYER, PALMER. and 1937, 119, 501 Smyth) (MEYER and SMYTH) 1937, 119, 507 Classification. new (MEYER and PALMER) 1936, 114, lxviii Glycoside(s): β -, p-aminophenol, maltose, lactose, cellobiose, and gentiobiose, synthesis (BABERS and GOEBEL) 1934, **105**, 473 Differentiation, bromine action (SHEPPARD and EVERETT) 1936, 114, xci Hexamethyl methyl-, methyl ester, aldobionic acid, catalytic reduction to methylglycoside of hexamethyl 6glucosidogalactose (Levene, MEYER, and KUNA) 1938, 125, 703 Methyl-, hexuronic acids. naturally occurring (Morell and LINK) 1934, 104, 183 344 Glycoside(s)—continued: (Morell, Baur, and Link) 1934, 105, 1 (BAUR and LINK) 1935, 109, 293 Methyl-, polygalacturonic acid-, Ehrlich's Pektolsäure and Pektolactonsäure (BAUR and 1935, 109, 293 - -, pectin (Morell, BAUR, and LINK) 1934, 105, 1 Glycyl- α -aminotricarballylic acid: Dissociation constants, apparent (GREENSTEIN and Joseph) 1935, 110, 619 Glycylcysteic acid: Preparation (WHITE) 1933, 102, 249 Glycylglycine: Raman spectrum (Edsall) 1938, 123, xxxiii Glycyltaurine: Preparation (WHITE) 1933, 102, 249 Methyl-, thiol acids, Glyoxal:

combination (Schubert)

1935, 111, 671 Glyoxalase: Anti-, kidney (Schroeder, Munro, and 1935, 110, 181

-, - and pancreas (Wood-WARD, Munro, and SCHROEDER)

1935, 109, 11 Determination. manometric (PLATT and SCHROEDER)

1934, 104, 281 Glutathione microdetermination, reagent (WOODWARD) 1935, 109, 1

Tissue, normal and cancerous (PLATT and SCHROEDER)

1934, 106, 179

Goat: Blood phosphate, inorganic (Cutler)

1934, 106, 653

- sugar (Cutler)

1934, 106, 653

Milk fat fatty acids (RIEMEN-SCHNEIDER and ELLIS)

1936, 113, 219

- fatty acids, distribution, cottonseed meal ingestion effect (RIEMENSCHNEIDER and Ellis) 1936, 114, 441

Goiter: Iodide administration. (REMINGTON Lassek) 1937, 119, lxxxii Iodine and, in Far East (McClendon)

1933, 102, 91 Thyroglobulin iodine and thyroxine (CAVETT, RICE, and McCLENDON)

1935, 110, 673

- nitrogen distribution, tyrosine \cdot and tryptophane (CAVETT) 1936, 114, 65 Gonadotropic extracts:

pregnancy, tungstic acid precipitation. preparation (KATZMAN and Doisy)

1934, 107, 513

Gonadotropic hormone: Blood, pregnancy, preparation (Gustus, MEYER, and Woods) 1936, 114, 59

- serum, pregnancy, chemistry (Bischoff)

1938, 125, 697 -, -, preparation and purification (CARTLAND and Nelson) 1937, 119, 59 Pituitary, chemistry (Max-WELL and BISCHOFF)

1935-36, 112, 215

Gonadotropic hormone—continued:
Urine, pregnancy (Gurin, Bachman, and Wilson)
1938, 123, xlix
Gonadotropic substance: Determination (Katzman and

termination (KATZMAN and DOISY) 1934, 105, xliv

Urine, castrates, female (Levin and Tyndale)

1935, 109, liv Gonococci: Pyruvic acid oxidation, effect (Barron)

1936, 113, 695

Gossypol: Calcium and, reaction, physiological significance (Gallup and Reder)

1935, 109, xxxvi

Grape: Pomace, ether-soluble and petroleum ether-soluble constituents (Markley, Sando, and Hendricks)

1938, 1**23**, 641

Grapefruit: Peel oil wax-like constituents (Markley, Nelson, and Sherman)

1937, 118, 433

Pink, pigments (MATLACK) 1935, 110, 249

Grignard reagent: Cardiac aglycones, lactone group, effect (JACOBS and ELDERFIELD) 1936, 114, 597

Growth: Alanine relation (Gun-THER and Rose)

1938, 123, 39
Alcohol-extracted animal tissues, effect (Seegers and Mattill)

1934, 105, lxxvii

Growth—continued:

Amino acid isomerism, optical, effect (Totter and Berg)

1938, **123**, cxxii

dl - Amino - N - methylhistidine availability (FISHMAN and WHITE) 1936, 113, 175 d-Amino-N-methyltrypto-

d-Amino-N-methyltryptophane effect (Gordon)

1938**, 123,** xliii

dl-Amino-N-methyltryptophane effect (Gordon)

`1938, **123,** xliii

Ammonolyzed foods, effect (Roberts and Horvitz)

1938, 123, cii

Avocado-rich diet, influence (McAmis and Sweet)

1936, 114, lxiv

Body magnesium relation (GREENBERG and TUFTS)

1936, 114, 135

Bromobenzene, dietary, effect (STEKOL)

1937-38, 122, 55

Calcium and phosphorus intake levels, effect (Toepfer and Sherman)

1936, 115, 685

Creatine-creatinine production, dietary arginine effect (Meyer and Rose)

1933, 102, 461

Cystamine with cystine and methionine inadequacy, relation (Jackson and Block) 1936, 113, 135

Cystine-deficient diet, mesocystine effect (Loring, Dorfman, and Du Vigneaud) 1933, 103, 399

Growth—continued:

derivatives. effect Cystine (Jones. Andrews, and Andrews)

1935, 109, xlvii

- relation (WOMACK, KEM-MERER, and Rose)

1937, 121, 403

- utilization, bromobenzene effect (White and Jackson) 1935, 111, 507

dl-Cystine metabolism, dietary protein, effect (STEKOL)

1934, 107, 641

dietary, effect l-Cystine, (STEKOL)

1937-38, 122, 55

 metabolism, dietary protein, effect (STEKOL)

1934, 107, 641

Deficiency disease, wheat germ oil effect (Blumberg)

1935, 108, 227

Di-N-methylhomocystine, cystine-deficient diet, relation (PATTERSON, DYER, and DU VIGNEAUD)

1936, 116, 277

Embryo, chemistry (WILKER-1934, 104, 541 son) Essential, proteins, properties (CALDWELL and Rose)

1934, 107, 57

-, unknown, nature (Womack and Rose)

1935-36, 112, 275

S-Ethylhomocysteine availability (DYER)

1938, 124, 519 Factor, chick, arginine relation (ARNOLD, KLINE, ELVEHJEM, and HART)

1936, 116, 699

Growth-continued:

Factor, liver (KLINE, ELVE-HJEM, KEENAN, and HART) 1934, 107, 107

-, new, chick (STOKSTAD and 1938, 125, 687 Manning) Factors, Escherichia coli, effect (SAHYUN)

1935, 109, lxxviii

-, pathogens, effect (Sahyun) 1935, 109, lxxviii

Glutathione, bromobenzeneand naphthalene-containing diets, effect (STEKOL)

1938, 123, cxvi

Glycine relation (McCov and Rose) 1937, 117, 581

d-Histidine, effect (Cox and 1934, 107, 497 Berg)

l-Histidine, effect (Cox and 1934, 107, 497 Berg)

d-Homocystine, effect (DYER and DU VIGNEAUD)

1935, 109, 477

l-Homocystine, effect (DYER and DU VIGNEAUD)

1935, 109, 477

Homomethionine effect (DYER and DU VIGNEAUD)

1935, 108, 73

Hormone, pituitary, anterior, extract, gestation and weight of new-born, effect (WATTS) 1935, 109, xev

Rhizopus suinus

plant, (THIMANN)

1935, 109, 279

Isobarbituric acid metabolism, (CERECEDO effect 1934, 107, 425 STEKOL) Isoleucine relation (WOMACK and Rose)

1936, 116, 381

Growth—continued:

effect Lactoflavin (ITTER. ORENT, and McCollum)

1935, 108, 579

Leucine relation (Womack and Rose)

1936, 116, 381

d-Lysine and (HAMMETT)

1937, 119, xliv

Magnesium requirement, calcium relation (Tufts and GREENBERG)

1937-38, 122, 715

(STEKOL Metabolism and CERECEDO)

1934, 105, lxxxv

Methionine relation (WOMACK, KEMMERER, and Rose)

1937, 121, 403

(HEARD and LEWIS)

1938, 123, 203

- utilization, bromobenzene effect (White and Jackson) 1935, 111, 507

d-Methionine and formyl derivatives, effect (Jackson and Block)

1937-38, 122, 425

dl-Methionine metabolism, dietary protein, effect (STEKOL) 1935, 109, 147

l-Methionine and formyl derivatives, effect (Jackson and BLOCK)

1937-38, 122, 425

metabolism, dietary protein, effect (STEKOL)

1935, 109, 147

N-Methylmethionine, cystinediet. deficient relation (PATTERSON, DYER. and DU VIGNEAUD)

1936, 116, 277

Growth-continued:

 α -N-Monomethyllysine and α -N-dimethyllysine. availability (Gordon)

1937, 119, xxxvii

Naphthalene in diet, effect 1937, 121, 87 (STEKOL)

- metabolism (STEKOL)

1935, 110, 463

Norleucine relation (WOMACK 1936, 116, 381 and Rose) Pentocystine effect (DYER and DU VIGNEAUD)

1935, 108, 73

Phenylalanine relation (Wo-MACK and Rose)

1934, 107, 449

Preparation, pituitary, terior, protein metabolism, effect (GAEBLER and PRICE) 1937, 121, 497

-, -, sulfur metabolism, effect (GAEBLER and PRICE) 1936, 114, xxxix

-Promoting chick factor, (JUKES and BABCOCK)

1938, 125, 169

- -, vitamin B, whole wheat (HALLIDAY) 1934, **106,** 29

- pituitary extract, thiamine deficiency, effect (Burke and McIntyre)

1938, 123, xvii

properties, homocystine, cystine-deficient diet (pu DYER. VIGNEAUD, and HARMON) 1933, 101, 719

- -, vitamin G concentrates BLODGETT, and (Booner, 1934, 107, 599 PAGE) Protein intake, relation

(CONNER and SHERMAN)

1936, 115, 695

Growth—continued:

Pyrimidine metabolism (SILver and Cerecedo)

1936, 114, xciii

Riboflavin requirement (DAY and DARBY)

1938, **123**, xxviii

Serine relation (McCov and 1937, 117, 581 Rose) Sulfur-containing amino acids,

effect (Brand)

1938, 123, xv

Trout, brook, calcium and phosphorus, effect (McCAY, TUNISON. CROWELL, 1936, 114, 259 PAUL)

Tryptophane carbonic acid derivative, relation (BAUGUESS and Berg)

1936, 114, 253

Tryptophane-deficient diets. various indole acid supplements, effect (BAUGUESS and 1934, 104, 675

Tryptophane, optical activity influence (Berg)

1934, 104, 373

l-Tryptophane amides, effect (BAUGUESS and BERG)

1934, 106, 615

Tyrosine relation (Womack and Rose)

1934, 107, 449

Vitamin B₁, composition, effect (WHIPPLE and CHURCH)

1936, 114, cvii

- requirements, diet fat relation (STIRN and ARNOLD) 1938, 123, cxvii

- E relation (OLCOTT and MATTILL)

1936, 114, lxxvii

Growth—continued:

Water and electrolytes, brain, liver, and muscle, effect (YANNET and DARROW)

1938, 123, 295

Yeast alcohol extract, relation (RYMER and LEWIS)

1936, 114, 361

Guanidine: Derivatives, muscle dystrophies, relation (SuL-LIVAN) 1935, 109, lxxxix -, urine, muscle dystrophies

(SULLIVAN, HESS. and IRREVERRE)

1936, 114, 633

-Like substance, blood, uranium nephritis (WEBER)

1938, 123, exxiv

- substances, urine, determination, colorimetric (ANDES and Myers)

1937, 118, 137

Muscle dystrophies, relation (Sullivan)

1935, 109, lxxxix

Test, colorimetric, Sullivan (BRAUN and REES)

1936, 114, 415

(SULLIVAN)

1936, 116, 233

Guanidino compounds: Nonenzymatic hydrolysis (HEL-LERMAN and STOCK)

1938, 125, 771

Guanidoacetic acid: Creatine precursor (Bodansky)

1936, 115, 641

Excretion (Bodansky, Duff, and HERRMANN)

1937, 119, xiii

Metabolism (WEBER)

1936, 114, cvii

Guanine: Fate, dog (ALLEN and CERECEDO)

1933, 102, 313

Guanosine: Fate, dog (CERECEDO and ALLEN)

1934, 107, 421

Gulomethylose: d-, crystalline, and derivatives (Levene and Compton)

1935, 111, 335

Gum: Lemon tree (Anderson, Russell, and Seigle)

1936, 113, 683

Gum arabic: Aldobionic acid glycosidic union, configuration (LEVENE and TIPSON)

1938, 125, 355

- —, hexamethyl methylglycoside methyl ester. reduction catalytic to methylglycoside of hexamethyl 6-glucosidogalactose (LEVENE, MEYER, and 1938, 125, 703 Kuna) - -, transformation to disaccharide (LEVENE and TIP-1938, 125, 345 son)

H

Hagedorn-Jensen: Skin glucose, determination (PILLSBURY and KULCHAR)

1934, 106, 351

Hair: Amino acids, cow and chimpanzee (Block and Lewis) 1938, 125, 561
Cystine, cystinuria (Lewis and Frayser) 1935, 110, 23
—, stone cystine, identity (Loring and Du Vigneaud) 1934, 107, 267

Hydrolysis (Andrews)

1936, 114, iii

Hair—continued:

Isoelectric point (WILKERSON) 1935-36, 112, 329

Methionine, dietary, effect (Heard and Lewis)

1938, 123, 203

Sterol, dietary fat, effect (Eckstein)

1938, 1**25,** 107

Haldane: Apparatus, ether-containing gases, analysis (SNYDER)

1937-38, 122, 21

Halibut liver oil: Vitamins A and D, potency, seasonal variation (BILLS, IMBODEN, and WALLENMEYER)

1934, 105, x

Halibut viscera oil: Vitamins A and D (Pugsley)

1938, 123, xevii

Halide(s): Alkyl, 2-halogeno acids, configurational relationship (Levene and Rothen) 1937, 119, 189
Body fluids, distribution, chronic bromide intoxication (Mason) 1936, 113, 61

Halogeno acids: 2-, alkyl halides, configurational relationship (Levene and Rothen)

1937, 119, 189

Han-fang-chi: Alkaloids (CHEN and CHEN)

1935, **109,** 681

Hatching: Blood hemoglobin, effect (HOLMES, PIGOTT, and CAMPBELL)

1934, **105**, xli

Hay: Alfalfa, carotene, vitamin A activity, relation (HART-MAN, KANE, and SHINN)

1934, 105, xxxvi

Hay-continued:

Carotene determination (WISE-MAN, KANE, and CARY)

1934, 1**05,** ci

— storage effect (Kane and Shinn) 1935, 109, xlviii See also Alfalfa

Heart: Cardiac aglycones (Jacobs and Elderfield)

1935, 108, 497

— —, lactone group, Grignard reagent effect (JACOBS and ELDERFIELD)

1936, **114,** 597

Creatine, thyroid and thyroxine effect (Bodansky)

1935, 109, 615

Hypertrophy, lipoid phosphorus (Ludewig and Chanutin)

1936, 115, 327

See also Muscle

Heat: Dissipation, heat production, comparison (Johnson and Newburgh)

1935, 109, xlv

Liver proteins, effect (SEEGERS and MATTILL)

1935, 110, 531

Tissue nutrients, effect (Seegers) 1935, 109, lxxx Helium: Solubility, blood

(Hawkins and Shilling)

1936, 113, 649

Hemagglutinin: Jack bean, inactivation, reversible, divalent metals, relation (Sumner and Howell)

1936, 115, 583

Hematin: Reduced, carbon monoxide absorption (Clifcorn, Meloche, and Elvehjem)
1935. 111. 399

Hematocrit: Blood adenine nucleotide relation (Buell)

1935, **109,** xii

Hematopoiesis: Dietary calcium, phosphorus, and iron, effect (DAY, STEIN, and Mc-COLLUM)

1938, 123, xxviii

Reticulocyte, index (ORTEN) 1938, 123, lxxxix

Hematopoietic substance: Liver, chemistry (Dakin and West) 1935, 109, 489

(Dakin, Ungley, and West) 1936, 115, 771

Hematoporphyrin: Enzyme action (Boyd)

1933, 1**03,** 249

Fate, parenteral administration (SMETANA)

1938, 125, 741

Hemicellulose(s): Mesquite wood (Sands and Gary)

1933, 101, 573

(Sands and Nutter)

1935, 110, 17

Non-water-soluble, feces, determination (WILLIAMS and OLMSTED)

1935, 108, 653

Oat hulls (Anderson and Krznarich)

1935, 111, 549

Hemin: Acid properties (Morrison and Williams)

1938, 123, lxxxvii Blood fatty acids, unsaturated

oxidation, catalyst (Barron and Lyman)

1938, 1**23,** 229

-, oxidation-reduction potentials (BARRON)

1937, 121, 285

Hemin-continued:

Fate, alimentary (BING, BENES, and REMP)

1936, 114, x

Spirographis, oxidation-reduction potentials (BARRON)

1937, 119, vi

Hemochromogen(s): Ascorbic acid oxidation catalyst (Barron, DeMeio, and Klemperer)

1935–36, 112, 625

Blood, fatty acids, unsaturated, oxidation, catalysts (Barron and Lyman)

1938, 123, 229

-, oxidation-reduction potentials (Barron)

1937, 121, 285

Cyanide (Hogness, Zscheile, Sidwell, and Barron)

1937, 118, 1

—, oxidation-reduction potentials (Barron and Hast-INGS) 1935, 109, iv Equilibria (Drabkin)

1938, 123, xxxi

Glutathione oxidation, catalyst (Lyman and Barron)

1937, 121, 275

Pyridine, carbon monoxide absorption (CLIFCORN, MELOCHE, and ELVEHJEM) 1935, 111, 399

Spectrophotometry (DRABKIN and AUSTIN)

1935–36, 112, 89

Spirographis, oxidation-reduction potentials (Barron)

1937, 119, vi

Hemocyanin: Carbon monoxide combination (Root)

1934, 104, 239

Hemocyanin—continued:

Equilibrium, acids and bases, oxygenation and reduction, effect (Shack)

1935, 109, 383

Limulus polyphemus, cyanide reaction (Pearson)

1936, 115, 171

— —, sulfur distribution and basic amino acids (MAZUR) 1937, 118, 631

Oxidation (Conant, Chow, and Schoenbach)

1933, 101, 463

Prosthetic group, Limulus
(Conant, Dersch, and
Mydans) 1934, 107, 755

[amoglobin: Absorption spectre

Hemoglobin: Absorption spectra (Drabkin)

1936, 114, xxvii

Adsorbed, isoelectric point (White and Monaghan)

1936, 113, 371

Amide solutions, properties (STEINHARDT)

1938, 123, 543

Blood adenine nucleotide relation (Buell) 1935, 109, xii 1935–36, 112, 523

—, beef, spectrophotometric characteristics (SHENK, HALL, and KING)

1934, 105, 741

—, carbon monoxide-combining power, fish, acidity effect (ROOT and GREEN)

193**4**, **106**, 545

-, chicken (Holmes, Pigott, and Campbell)

1933, 103, 657

—, —, determination (Schultze and Elveнјем) 1934, **105,** 253 Hemoglobin—continued:

Blood, chicken, hatching effect (HOLMES, PIGOTT, and CAMP-1934, 105, xli BELL)

relation cholesterol LICHTEN-(Schwarz and 1937, 121, 315 BERG)

relation Building, protein (PEARSON, ELVEHJEM, and 1937, 119, 749 HART)

Carbamate-carbon dioxide equilibrium, blood carbon dioxide transport, relation (STADIE and O'BRIEN)

1935, 109, lxxxvii

Carbon dioxide combination, carbonic acid dissociation constant, first, relation (MARGARIA and GREEN)

1933, 102, 611

- monoxide capacity (Morrison and Hisey)

1935, 109, 233

- - union (Adams)

1934, 105, iii

Cattle, structure (BERGMANN and NIEMANN)

1937, 118, 301

Crystalline, mammalian, basic amino acids (Block)

1934, 105, 663

Derivatives, absorption spectra 1937, 119, xxvi (Drabkin)

-, nitrite reactions (BARNARD) 1937, 120, 177

-, nomenclature (DRABKIN) 1938, 123, xxxi

Determination (Heinle and Bing) 1933, 101, 369 Dried, denaturation, oxygen

(HISEY) 1938, 123, lvi -, oxygen uptake (HISEY)

1937, 119, xlix

Hemoglobin—continued:

Dried, preparation and properties (Morrison and Hisey) 1936, 114, lxxiii

Embryo, formation (Schøn-HEYDER) 1938, 123, 491 Fate, intravenous injection (DRABKIN, WIDERMAN, and Landow)

1935, 109, xxvii Formation, copper supplement to iron (SCHULTZE, ELVE-HJEM, and HART)

> 1934, 106, 735 1936, 115, 453

-, egg yolk iron and copper, influence (SHERMAN, ELVE-HJEM, and HART)

1934, 107, 289

-, iron, availability (ELVE-HJEM, HART, and SHERMAN) 1933, 103, 61

-, pregnancy, diet influence (KYER and BETHELL)

1936, 114, lx

Fowl, spectrophotometric characteristics (KLEIN, HALL, and King)

1934, 105, 753

Globin displacement by pyridine (WILLIAMS and MORRI-1937, 119, cv

Iron (Morrison and Hisey)

1935, 109, 233

Men, healthy (NELSON and 1936, 114, lxxvi STOKER) reduction, Methemoglobin

methylene blue (WENDEL)

1938, 123, exxiv

Muscle, beef, spectrophotometric characteristics (SHENK, HALL, and KING)

1934, 105, 741

Hemoglobin-continued:

New formed, anemia (DAFT, ROBSCHEIT-ROBBINS, and WHIPPLE) 1935, 108, 487

— —, protein catabolism and (DAFT, ROBSCHEIT-ROBBINS, and WHIPPLE)

1933, 103, 495

Nitric oxide, spectrophotometry (Drabkin and Austin)

1935–36, 112, 51

Nitrogen, total (Morrison and Hisey) 1935, 109, 233 Oxygen affinity, altitude effect (Hall) 1936, 115, 485 -Oxygen equilibrium, salt effect (Sidwell, Munch, Barron, and Hogness)

1938, 123, 335

- union (Adams)

1934, 105, iii

Oxygenated, titration curves (German and Wyman)

1937, 117, 533

Preparation (Morrison and HISEY) 1937, 117, 693 Production (FITZ-HUGH, ROB-SON, and DRABKIN)

1933, 103, 617

—, anemia, nitrogen metabolism, liver function injury by chloroform, relation (DAFT, ROBSCHEIT-ROBBINS, and WHIPPLE) 1936, 113, 391—, —, nutritional, milk low in

--, --, nutritional, milk low in copper, iron and copper metabolism (BING, SAUR-WEIN, and MYERS)

1934, 105, 343

Reduced, carbamate equilibrium (Stadie and O'Brien) 1937, 117, 439 Hemoglobin—continued:

Reduced, titration curves (GERMAN and WYMAN)

1937, 117, 533

Regeneration, anemia, copper and iron, effect (SMITH and OTIS) 1937, 119, xcii

 eggs, cereals, beef liver and muscle, comparison (Rose, Vahlteich, and MacLeod)

1934, 104, 217

Salt solutions, solubility
(GREEN, COHN, and
BLANCHARD) 1935, 109, 631
Solution, carbonic acid dissociation constant, first, hemoglobin and carbon dioxide,
relation (MARGARIA and
GREEN) 1933, 102, 611

—, concentrated, spectrophotometric technique (Drabkin and Austin)

1935-36, 112, 105

Solutions, hydrogen ion concentration determination, errors (DILL, FORBES, and HENDERSON)

1935, 109, xxvii

-, methemoglobin determination (MICHEL)

1937, 119, lxix

Urea solutions, molecular weight and volume (HAND) 1935, 109, xl

— —, properties (Steinhardt) 1938, 123, 543

See also Carboxyhemoglobin, Methemoglobin, Oxyhemoglobin

Hemolysin: Pneumococcal, inactivation, metal compounds, effect (Shwach-Man, Hellerman, and Cohen) 1934, 107, 257 Hemolysin—continued: Pneumococcal, inactivation, oxidation and reduction, effect (SHWACHMAN, HELLERMAN, and Cohen) 1934, 107, 257 Hemolysis: Bile acids and sterols, effect (BERLINER) 1937, 119, xi - - -, structure relation (Berliner and SCHOEN-HEIMER) 1938, 124, 525 Post-, residue, blood cell, red, lipid partition (ERICKSON, WILLIAMS, BERNSTEIN, and Jones) 1936, 114, xxxii -, -, red, preparation (ERICKSON, JONES, BERN-STEIN, WILLIAMS, LEE, and 1936, 114, xxxii MACY) Hemophilia: Prothrombin (Quick) 1935, 109, lxxiii Hemophilus parainfluenzæ: Coenzyme stability (Kohn) 1938, **123**, lxxi Hemorrhage: Anti-, factor, biological assay (THAYER, MAC-CORQUODALE, McKEE, and 1938, 123, cxx Doisy) -, vitamin (Almquist) 1937, 120, 635 -, -, properties (Almquist) 1937, 117, 517 (KLOSE, ALMQUIST, and 1938, 125, 681 Mecchi) -, -, purification (Almquist) 1936, 114, 241 1936, 115, 589 Blood lipid regeneration, effect (BOYD and STEVENSON)

1937-38, 122, 147

1935, 111, 105

Chick disease, diet relation

(ALMQUIST and STOKSTAD)

Hen: Blood composition (HEL-LER and PURSELL) 1937, 118, 549 See also Bird, Chick, Chicken, Fowl Henderson-Hasselbalch: Equation, blood serum, apparent dissociation constant, value (Robinson, PRICE. 1934, 106, 7 Cullen) -, urine, application (SEND-ROY, SEELIG, and VAN 1934, 106, 463 Slyke) Blood antithrombin. Heparin: relation (Quick) 1937, 119, lxxxi - coagulation, action (CHAR-GAFF and Olson) 1937-38, 122, 153 - plasma phospholipid, effect (SCHMIDT) 1935, 109, 449 - - sugar, effect (Neuwirth) 1937, 120, 463 - serum and plasma cholesterol, effect (SPERRY and SCHOENHEIMER) 1935, 110, 655 Chemistry (ASTRUP and JEN-1938, 124, 309 SEN) Preparation (CHARLES and 1933, 102, 425 Scott) Purification (Scott and 1933, 102, 437 CHARLES) Structure (Jorpes and Berg-STRÖM) 1937, 118, 447 Tissue (CHARLES and SCOTT) 1933, 102, 431 Hepatectomy: Blood plasma proteins, effect (CHANUTIN, HORTENSTINE, COLE, and LUDEWIG)

1938, 123, 247

Hepatectomy—continued:

Nitrogen, non-protein, metabolism, Dalmatian dog (Trimble and Maddock)

1938, 123, exxiii

Partial, blood plasma cholesterol and phospholipid phosphorus, effect (Chanutin and Ludewig)

1936, 115, 1

Hepatoflavin: Potentiometry (STARE)

1935-36, 112, 223

Preparation and nutritional value (STARE)

1935, 111, 567

Heptamethyl 6-glucosidogalactose: Methylation (Levene, Meyer, and Kuna)

1938, 125, 703

Heptane: 3-Amino-, norleucine, configurational relationship (LEVENE and KUNA)

1937-38, 122, 291

Heptoses: Metabolism (Roe)

1937, 119, lxxxiv

Physiological availability (Roe and Hudson)

1937, 121, 37

Hexadecenoic acids: Natural fats, unsaturated linkage, position (SPADOLA and RIEMENSCHNEIDER)

1937, 121, 787

Hexamethyl 6-glucosidogalactose: Methylglycoside of, methyl ester of aldobionic acid hexamethyl methylglycoside, relation (Levene, Meyer, and Kuna)

1938, 1**25,** 703

Hexamethyl methylglycoside:
Methyl ester, aldobionic

acid, catalytic reduction to methylglycoside of hexamethyl 6-glucosidogalactose (Levene, Meyer, and Kuna) 1938, 125, 703

Hexane: 2-Amino-, norleucine, configurational correlation (Levene and Mardashew) 1937, 117, 707

Hexocystine: Synthesis and physiological availability (Jones and Du Vigneaud) 1937, 120, 11

Hexomethionine: Synthesis and physiological availability (Jones and Du Vigneaud) 1937, 120, 11

Hexosamine(s): Determination (PALMER, SMYTH, and MEYER) 1937, 119, 491 Oxidation (HERBST)

1937, 119, 85

Hexose(s): Liver glucose, relation (Cori and Shine)

1936, 114, xxi
Uronic acid conversion (Levene and Kreider)

1937, 121, 155

(LEVENE, TIPSON, and KREIDER)

1937–38, 122, 199

(Levene and Christman) 1937-38, 122, 203, 661

(LEVENE and TIPSON)

1938, **125,** 345, 355

(LEVENE, MEYER, and KUNA) 1938, 125, 703

Hexosemonophosphate(s): (RAY-MOND) 1936, 113, 375

Muscle, disappearance (Cori and Cori) 1934, 107, 5

—, frog (Cori and Cori) 1934, 105, xvii

Hibernation: Urine nitrogen Hexosemonophosphate(s)-conpartition, woodchuck (CARtinued: Muscle glycogen resynthesis PENTER) from (Cori, Cori, and Heg-1937-38, 122, 343 NAUER) 1937, 120, 193 Hippuric acid: Phenaceturic acid and, synthesis and excretion Yeast extract. preparation rates, comparison (Tulane (MICHAELIS and SMYTHE) and Lewis) 1936, 114, lxx 1937, 118, 619 1933, 103, 151 (SMYTHE) Synthesis, hydrazine intoxica-Hexosephosphate: Esters, fortion and (TULANE, CHRISTmation, muscle, frog (Cori MAN, and LEWIS) and Cori) 1936, 116, 119 1933, 103, 141 Muscle, frog, disappearance Histamine: -Like substance, hy-(RONZONI and KERLY) drolyzed proteins 1933, 103, 175 MEEKIN) 1935, 109, lxiv Hexoxidase: Complement func-Histidine: d-Alanyl-l-, preparation and blood pressure effect tion, effect (ECKER, PILLE-(Hunt and DU VIGNEAUD) MARTIENSEN. 1938, 124, 699 WERTHEIMER) 1938, 123, 359 l-Alanyl-l-, preparation and blood pressure effect (Hunt Hexuronic acid(s): Hydrazine and DU VIGNEAUD) derivatives. substituted. from (NIEMANN, SCHOEFFEL. 1938, 124, 699 and LINK) dl-Amino-N-methyl-, growth 1933, 101, 337 effect (FISHMAN and WHITE) Naturally occurring, methyl-1936, 113, 175 glycosides (Morell and l-Amino-N-methylhistidine LINK) 1934, 104, 183 preparation from (DU VI-(Morell, Baur, and Link) GNEAUD and BEHRENS) 1934, 105, 1 1937, 117, 27 (BAUR and LINK) β-l-Aspartyl-l-, l-carnosine pre-1935, 109, 293 cursor (DU VIGNEAUD and Synthesis (NIEMANN, Kar-Hunt) 1938, 125, 269 JALA, and LINK) Aspergillus sydowi, isolation 1934, 104, 189 (Woolley and Peterson) (NIEMANN and LINK) 1937, 118, 363 1934, 104, 195 d-, growth effect (Cox and (NIEMANN, McCubbin, and 1934, 107, 497 BERG) Link) 1934, 104, 737 -, optical inversion in body (NIEMANN and LINK) (CONRAD and BERG) 1934, 104, 743 1934, 106, 773 1937, 117, 351 Histidine—continued:

Deficient diet, *l*-carnosine utilization (DU VIGNEAUD, SIFFERD, and IRVING)

1937, 117, 589

Determination, color stabilization (Thomas)

1938, 123, cxxi

Formol titration, behavior (Levy) 1934, 105, li Imidazole ring protection (DU VIGNEAUD and BEHRENS) 1937, 117, 27

l-, growth effect (Cox and Berg) 1934, 107, 497

—, monohydrochloride, absorption rate (Doty and Eaton)

1937-38, 122, 139

l-1-Methyl-, anserine synthesis from (Behrens and du Vigneaud) 1937, 120, 517 Peptide, physical constants (Greenstein)

1933, 101, 603

Preparation (GILSON)

1938, 124, 281

Yeast, determination, Kapeller-Adler method (Woolley and Peterson)

1937-38, 122, 207

Homocysteine: Isolation (RIE-GEL and DU VIGNEAUD)

1935-36, 112, 149

Metabolism, cystinuria
(Brand, Cahill, and
Block) 1935, 110, 399
Thiolactone conversion from
(RIEGEL and DU VIGNEAUD)
1935-36, 112, 149

Homocystine: Acetyl derivatives, optical isomers, structure and physiological action, reHomocystine—continued:

lation (DU VIGNEAUD, DYER, and JONES)

1937, 119, 47

Chemical constitution (DU VI-GNEAUD, DYER, and HAR-MON) 1933, 101, 719 d-, growth effect (DYER and DU VIGNEAUD)

1935, 109, 477

Growth-promoting properties, cystine-deficient diet (DU VIGNEAUD, DYER, and HARMON) 1933, 101, 719
Isomers, optically active, methionine, naturally occurring, configurational relationship (DU VIGNEAUD and PATTERSON)

1935, 109, 97 —, preparation (DU

Vigneaud and Patterson) 1935, 109, 97

l-, growth effect (DYER and DU VIGNEAUD)

1935, 109, 477

Metabolism, cystinuria
(BRAND, CAHILL, and
BLOCK) 1935, 110, 399
Nutrition rôle (WHITE and
BEACH)

1937-38, 122, 219

Sulfur, oxidation, body (DU VIGNEAUD and CRAFT)

1934, 105, xevi (DU VIGNEAUD, LORING, and CRAFT) 1934, 105, 481 Synthesis (PATTERSON and DU VIGNEAUD)

1935, 111, 393

Homodjenkolic acid: Metabolism (DYER)

1937, 119, xxviii

Homologous series: Molecular rotations (Levene and Marker) 1933, 103, 299 Homomethionine: Availability

(Dyer and DU VIGNEAUD)

1935, 108, 73

Synthesis (DU VIGNEAUD, DYER, JONES, and PATTER-SON) 1934, 106, 401

Hormone(s): Phyto-, structure and physiological activity (KOEPFLI, THIMANN, and WENT)

1937-38, 122, 763

Plant, wound (English and Bonner) 1937, 121, 791

See also Sex hormones

Horn: Cattle, amino acid, basic (Block) 1934, 104, 339

Horse: Abdominal fat (Schuette, Garvin, and Schwoegler)

1934, 107, 635

Blood serum lipase, action (FALK and McGuire)

1934, 105, 379

— phosphorus, inorganic, age and nutrition effect (Pearson) 1934, 106, 1

Hydantoin: Cystine, preparation and properties (Andrews and Andrews)

193**4**, **105**, iv

Phenyl-, cystine, decomposition (Andrews and Andrews) 1933, 102, 253

Hydrazine: Acetone bodies, production, phlorhizinized animal (GREENBERG)

1935-36, 112, 431 Derivatives, hexuronic acids

(NIEMANN, SCHOEFFEL, and LINK) 1933, 101, 337 Hydrazine—continued:

Intoxication, hippuric acid synthesis and (TULANE, CHRIST-MAN, and LEWIS)

1933, 103, 141

Hydriodic acid: Aminosorbitol hydrochloride reduction (Levene and Christman)

1938, 123, 77

Protein hydrolysis (Kassell and Brand)

1938, 125, 145

Hydrocarbons: Methylphenyland ethylphenylacetic acids, derived from (Levene and Marker)

1935, 108, 409

Hydrochloric acid: Gastric juice, chloride, neutral, relation (Hollander)

1938, 125, 161

Hydrocyanic acid: Citrus leaves, fumigated (Bartholomew and Raby)

1936, 113, 655

Hydrogen: Active, ferrous hydroxide autoxidation, formation (Baudisch)

1934, 105, vii

Amino acid stability in (Keston and Rittenberg)

1938, 123, lxviii

Stability, amino acids, deuterium as indicator (RITTEN-BERG, KESTON, SCHOEN-HEIMER, and FOSTER)

1938, 125, 1

Hydrogen iodide: Glucosaminic acid reduction (Levene and Christman)

1938, 123, 83

Subjects ion concentration: Hydrogen Aqueous humor, determination, microquinhydrone electrode, rachitic and normal rats (PIERCE) 1935, 111, 501 Biological fluids, determination, glass electrode (Hor-1938, 123, lx WITT) Blood and blood serum, potendrift, quinhydrone method (HANKE and JOHN-1935, 109, xl son) -, determination, colorimetric (MYERS, MUNTWYLER, BINNS, and DANIELSON) 1933, 102, 19 -, -, glass electrode (Send-ROY, SHEDLOVSKY, and BEL-1936, 115, 529 CHER) -, exercise effect (LOONEY) 1938, 123, lxxvi - serum, determination, colorimetric, protein effect (Rob-INSON, PRICE, and CULLEN) 1935, 109, lxxiv 1936, 114, 321 Cartilage, epiphyseal, normal and rachitic (PIERCE)

and rachitic (Pierce)
1938, 124, 115
Gastrointestinal tract, determination, glass electrode

(EASTMAN and MILLER) 1935, 110, 255

Hemoglobin solutions, determination errors (DILL, Forbes, and Henderson)
1935, 109, xxvii

Intestine (HERRIN)

1937, 118, 459

-, small (Robinson)

1935, 108, 403

Hydrogen ion concentration—continued:

Liver proteins, extractability, effect (Luck and Nimmo) 1937, 119, lxv

Papilloma virus protein, stability (Beard and Wyckoff) 1938, 123, 461

Saliva, determination (Sovenkoff and Hinck)

1935, 109, 467

Sugar-beet, carbon dioxide effect (Fife and Frampton)
1935, 109, 643

Tobacco mosaic virus protein, stability (WYCKOFF)

1937-38, 122, 239

Urine, glomerulus, frog and Necturus (Montgomery)

1935, 110, 749

--, --, Necturus, determination, microquinhydrone electrode (PIERCE and MONT-GOMERY) 1935, 110, 763

Hydrogen peroxide: Monoethyl, decomposition, catalase (STERN) 1936, 114, 473

Phosphate-, system, alkaline, fatty acid oxidation, mechanism (WITZEMANN)

1934, 107, 475

Production, amino acid oxidation (Bernheim, Bernheim, and Gillaspie)

1936, 114, 657

Starch hydrolysis (Brown) 1936, 113, 417

l-Xyloketose, action (ENKLE-WITZ) 1936, 116, 47

Hydrogen sulfide: Milk treated with, copper deficiency development (Summerson)

1938, 123, exix

Hydrogen sulfide-continued:

Sulfur compounds reduced to, intestinal microorganism (Andrews)

1937-38, 122, 687

Hydronephrosis: Blood and muscle salt and water exchange, effect (Eichelberger)

1937, 119, xxx

Hydroxy acid(s): 2-, acetic acids, disubstituted, configurational correlation (Levene and Harris)

1935–36, 112, 195

Poly-, pepper, sweet (BAU-MANN, SPRINSON, and METZ-GER) 1937, 119, viii

Hydroxyamino acids: Phosphoric esters, synthesis (Levene and Schormüller)

1934, 105, 547 1934, 106, 595

Hydroxybutyric acid: β-, acetoacetic acid reduction to in liver, malonic acid effect (Stark and Cohen)

1938, 123, exv

Hydroxy-n-caproic acid: α-, α- hydroxyisocaproic acid, configurational relationship (ΒΑΚΤΙΕΤΤ, ΚUNA, and LEVENE)
 1937, 118, 513

Hydroxyetioallocholane-17-one: 3(β)-, urine, adrenal tumor, isolation (Butler and Marrian) 1938, 124, 237

Hydroxyetiocholane-17-one:

 $3(\alpha)$ -, urine, adrenal tumor, isolation (Butler and Marrian) 1938, 124, 237

Hydroxyisocaproic acid: α-, αhydroxy-n-caproic acid, configurational relationship (BARTLETT, KUNA, and LE-VENE) 1937, 118, 513

Hydroxyisovaleric acid: α-, αhydroxy-n-valeric acid, configurational relationship (Bartlett, Kuna, and Levene) 1937, 118, 503

Hydroxy-6-ketoallocholanic acid: 3-, bile, isolation (Anchel and Schoenheimer)

1938, 124, 609

Hydroxylated acids: Fats, determination (HAFNER, SWINNEY, and WEST)

1936, 116, 691

Hydroxy- γ -methiobutyric acid: dl- α -, metabolism, cystinuria (Brand, Block, and Cahill) 1937, 119, 681 Hydroxymethyl-2-thiolimidazole:

4-, and 5- (Jackson and Marvel) 1933, 103, 191

Hydroxyprolinephosphoric acid: l-, synthesis (Levene and Schormüller)

1934, 106, 595

Hydroxyquinoline: 8-, magnesium determination (GREENBERG, ANDERSON, and TUFTS) 1935, 111, 561
Blood serum magnesium determination, colorimetric (HOFFMAN)

1937, 118, 37

Hydroxystearic acid: dl-α-, derivatives (Levene and Yang) 1933, 102, 557
 —, oxidation (Levene and Yang) 1933, 102, 557

—, —, cerebronic acid chemical constitution, relationship (Klenk and Ditt)

1935, 111, 749

(LEVENE and YANG)

1935, 111, 751

Hydroxy-n-valeric acid: α-, αhydroxyisovaleric acid, configurational relationship
(BARTLETT, KUNA, and
LEVENE) 1937, 118, 503

Hygrometer: Chemical (CARPEN-TER) 1935-36, 112, 123

Hypercalcemia: Blood calcium phosphate, colloidal, formation (GREENBERG and TUFTS) 1934, 105, xxxii — serum calcium, forms (BEN-

JAMIN and HESS)

1933, 103, 629

— phosphorus, inorganic, forms (Benjamin and Hess) 1933, 103, 629

Hyperglycemia: Factor, urine (Harrow, Mazur, Chamelin, and Lesuk)

1937, 119, xlvi Insulin, insulin sensitivity measure (Dotti)

1934, 105, xxii

Hyperparathyroidism: Kidney insufficiency (HIGHMAN)

1938, 123, lvi

Hypersideremia: Iron administration effect (BING, HANZAL, and MYERS)

1935, 109, viii

Hypertension: Chemistry (Sul-LIVAN) 1938, 123, cxix Epinephrine injection rate, effect (Koehler, Marsh, and Hill) 1937, 119, lix Essential, adrenal epinephrine relation (Koehler)

1936, **114**, lix

Hyperthermia: Blood serum acid-

base equilibrium (Danielson and Stecher)

1936, 114, xxiii

Hyperthyroidism: Liver function (Buell and Strauss)

1934, **105**, xiv

Hypertrophy: Tissue, frog, lipids, relation (Boyd)

1937, 121, 783

Hypervitaminosis: Ergosterol, irradiated, fish liver oil concentrates and, comparison (Morgan, Kimmel, and Hawkins) 1937, 119, lxx 1937, 120, 85

Hypoglycemia: Autogenous, diabetes (Paul and Gibson)
1938, 123, xei

Hypophysectomy: Glycogen disappearance and carbohydrate oxidation (FISHER, RUSSELL, and CORI)

1936, 115, 627

-Pancreatectomy, effect (Long and Lukens)

1935, 109, lvi

Hypophysis: See Pituitary

Hypoproteinemia: Nutritional, blood serum electrolytes and calcium, effect (Dar-ROW and CARY)

1934, 105, 327

Hypotrichosis: Hereditary, cysteine effect (Roberts)

1937, 118, 627

-, sulfhydryl group, trichogenic action (Martin and Gardner) 1935, 111, 193

T

Imidazole(s): Blood (Schmidt, Schmulovitz, Szczpinski, and Wylie) 1937, 120, 705 362Imidazole(s)—continued: Derivatives, titration constants (Levy) 1935, 109, 361 4-Hydroxymethyl-2-thiol-(JACKSON and MARVEL) 1933, 103, 191 5-Hydroxymethyl-2-thiol-(JACKSON and MARVEL) 1933, 103, 191 Imidazole ring: Histidine, protection (DU VIGNEAUD Behrens) 1937, 117, 27 Imino acids: Formaldehyde reaction (LEVY and SILBERMAN) 1937, 118, 723 Inanition: Pyruvic acid metabolism (Lipschitz, Potter, and ELVEHJEM) Indican: Urine, determination

1938, 123, 267

(Rose and Exton) 1935, 109, lxxvi

Indigo sulfonates: Absorption spectra (Loeffel)

1935, 109, lvi

Indole: Derivatives, kynurenic acid production (BAUGUESS and BERG)

> 1934, 104, 691 1934, 105, viii

Indoleacrylic acid: β -3-, tryptophane-deficient diet supplement, growth effect (BAU-GUESS and BERG)

1934, 104, 675 Indolelactic acid: l- and dl- β -3-, tryptophane-deficient diet supplement, growth effect (BAUGUESS and BERG)

1934, 104, 675

Indolepropionic acid: \(\alpha \)-Oximino- β -3-, tryptophane-deficient diet supplement, growth effect (BAUGUESS and BERG) 1934, 104, 675

Indophenol oxidase: Cytochrome effect (STOTZ, SIDWELL, and 1938, 124, 733 Hogness)

Indoxyl compounds: Blood, determination (Sharlit)

1934, 104, 115

Infancy: Calcium retention (STEARNS)

1934, 105, lxxxiv vitamin D effect (STEARNS and JEANS)

1936, 114, c

Creatine and creatinine excretion (CATHERWOOD and STEARNS) 1937, 119, 201

--- metabolism (CATHER-WOOD and STEARNS)

1936, 114, xviii

Infant: Urine, sulfanilamide secretion (HEPBURN, PAXSON. and Rogers) 1938, 123, liv

Inflammation: Pleural exudates. cellular proteinase and peptidase activity (WEISS, KAP-LAN, and LARSON)

1938, 125, 247

Inorganic acids: Ascorbic acid oxidation, catalytic, effect (LYMAN, SCHULTZE, King) 1937, 118, 757 Inorganic composition: Blood

(KERR) 1937, 117, 227

Inorganic constituents: Diet deficient in, blood serum electrolyte balance, effect (SMITH and Smith) 1934, 107, 681

- low in, blood serum acidequilibrium, base effect (SMITH and SMITH)

1934, 105, lxxxi

Inorganic constituents—continued:
Diet poor in, bone composition
(BROOKE, SMITH, and SMITH)
1934, 104, 141

— — —, kidney effect (Swanson, Storvick, and Smith)
1936, 114, 309

Saliva, mixed and parotid gland (BAXTER)

1933, 102, 203

Inorganic salt(s): Benzoic acid detoxication, effect (GRIF-FITH) 1935, 109, xxxix (SHEPPECK and GRIFFITH) 1936, 114, xcii

Blood minerals, intake effect (Heller and Paul)

1934, **105**, 655

-Deficient diet, reticulocytes, effect (ORTEN and SMITH) 1934, 105, 181

Dehydration and recovery, balance (WILEY and WILEY)

1933, 101, 83

Dietary, tissue ash, influence (Eppright and Smith)

1937, 118, 679

Metabolism, sodium, potassium, and ammonium chlorides and sodium bicarbonate, ingestion effect (WILEY, WILEY, and WALLER)

1933, 101, 73

Nutrition (BROOKE, SMITH, and SMITH)

1934, **104,** 141

(Smith and Smith)

1934, 107, 681 (Light, Smith, Smith, and Anderson)

1934, 107, 689 (SWANSON, STORVICK, and SMITH) 1936, 114, 309 Inosinic acid: Muscle (Levene and Tipson)

1935, 111, 313

Inositol: Oxidation products, oxidation-reduction potentials (Preisler, Hill, Ronzoni, and Young)

1938, 123, xcv Yeast growth, effect (WILLIAMS and SAUNDERS)

1934, 105, xcix Insulin: Acetylation, ketene action (STERN and WHITE) 1937-38, 122, 371

Action, prolongation (FISHER and Scott)

1937, 119, xxxiii
—, protamine and zinc effect
(Scott and Fisher)

1936, 114, lxxxviii
Allantoin excretion, effect
(Larson and Chaikoff)

1935, 108, 457

Amino groups, free (JENSEN and EVANS) 1935, 108, 1
Anhydremia, effect (CHAIKELIS) 1934, 105, 767
Blood amino acid nitrogen, effect (Powers and Reis)
1933, 101, 523

— — acids, adrenalectomy, effect (Davis and Van

Winkle) 1934, 104, 207
— glucose-chloride relationship, effect (Chaikelis)

1934, 105, 767

— lactic acid, adrenal medulla removal and, effect (Scott and Berg) 1936, 115, 163

— lipid metabolism, depancreatized dog, choline and, effect (Kaplan and Chaikoff) 1937, 120, 647 Insulin-continued:

Blood lipids, depancreatized dog, effect (Chaikoff and Kaplan) 1934, 106, 267

——, ——, pancreas ingestion and, effect (Chaikoff and Kaplan)

1935–36, 112, 155

— sugar, effect (Dotti and HRUBETZ)

1936, 113, 141

- urea nitrogen, effect (Pow-ERS and REIS)

1933, 101, 523

Brain glycogen, free sugar, and lactic acid, normal and adrenal-inactivated cats, effect (Kerr, Hampel, and Ghantus) 1937, 119, 405

-, mammalian, glycogen, free sugar and lactic acid, carbohydrate and, effect (Kerr and Ghantus)

1936, 116, 9

Constitution, sulfur relation (STERN and WHITE)

1937, 119, xcv

Convulsions, blood sugar, true (Dotti) 1934, 104, 535
Crystalline, chemistry (Jensen, Evans, Pennington, and Schock)

1935, 109, xliv

—, phenylalanine isolation (Jensen and Evans)

1935, 108, 1

-, proline isolation (JENSEN and EVANS) 1935, 108, 1
Cystine (MILLER and DU VIGNEAUD) 1937, 118, 101
(SULLIVAN and HESS)

1937, 119, xcvi

Insulin—continued:

Heat precipitation (DU VI-GNEAUD, SIFFERD, and SEA-LOCK) 1933, 102, 521

Hyperglycemia, insulin sensitivity measure (Dotti)

1934, **105**, xxii

Inactivation, metal derivatives and sulfhydryl compounds, effect (Schock, Jensen, and Hellerman)

1935, 111, 553

-Like hormone (Laughton and Macallum)

1935, **109**, lii

(Macallum)

1936, 114, lxiii

Liver fat, depancreatized dogs, effect (Kaplan and Chal-KOFF) 1937, 119, 423

— glycogenase, effect (Voll-MAR and KOEHLER)

1936, 114, cvi

— metabolism, depancreatized dog, choline and, effect (Карьан and Снагкогг)

1937, 120, 647

— lipids, depancreatized dog, effect (Kaplan and Chaikoff) 1935, 108, 201

— —, — —, pancreas feeding and, effect (Kaplan and Chaikoff)

1937, 119, 435

Pancreas antagonism and synergism (Macallum)

1938, 123, lxxviii

-, cattle, age effect (FISHER and Scott)

1934, 106, 305

Peptic hydrolysis (FISHER and Scott) 1934, 106, 289

Insulin—continued:
Purine metabolism, adrenal

medulla and, relation (Larson and Brewer)

1936, 115, 279

 — —, Dalmatian coach-dog (Снагког and Larson)

1935, 109, 85

Reactions (JENSEN, EVANS, PENNINGTON, and SCHOCK) 1936, 114, 199

Reduced, properties (STERN and WHITE)

1937, 117, 95

(White and Stern)

1937, 119, 215
Stability, factors influencing
(SAHYUN, GOODELL, and
NIXON) 1937, 117, 685

Sulfhydryl compounds, effect (WINTERSTEINER)

1933, 102, 473

Intestine: Aminopolypeptidase specificity (Johnson)

1937–38, 122, 89

Ammonia (Herrin)

1937, 11**8,** 459

Carbohydrate absorption (Pierce and Haege)

1938, 123, xciii

Carbon dioxide tension (Her-RIN) 1937, 118, 459 Enzyme, new (BERGMANN and FRUTON) 1937 117 189

FRUTON) 1937, 117, 189 Enzymes, dehydration effect (Ross and Shaw)

1934, **104,** 131

Hydrogen ion concentration (HERRIN) 1937, 118, 459 Juice loss, blood effect (HERRIN) 1935, 108, 547

— —, effect (Herrin)

1935, 108, 547

Intestine—continued:

Lactase, characteristics (Ca-JORI) 1935, 109, 159 Microorganism, sulfur com-

pounds reduced to hydrogen sulfide (Andrews)

1937-38, 122, 687

Mineral partition, digestion (SCHAIBLE, BANDEMER, and MOORE) 1935, 109, lxxix Mucosa, lactose (Cajori)

1935, 109, 159

—, phospholipid turnover (SIN-CLAIR and SMITH)

1937, 121, 361

-, phospholipids, fat absorption (Sinclair)

1937, 119, xc

Phosphatase, α-amino acids and magnesium, effect (Bo-DANSKY) 1936, 115, 101

— identification, bile acids as aid (Bodansky)

1937, 118, 341

Phospholipid metabolism, rôle, ingested fat effect (FRIES, RUBEN, PERLMAN, and CHAIKOFF)

1938, 123, 587

Plant sterols, fate (BREUSCH) 1938, 124, 151

Secretions, composition (DE BEER, JOHNSTON, and WILSON) 1935, 108, 113

Small, hydrogen ion concentration (Robinson)

1935, 108, 403

—, vitamin C distribution (Glick and Biskind)

1936, 113, 427

Vitamin D excretion (HEY-MANN) 1937-38, 122, 257 See also Duodenum, Jejunum

Clearance (RICHARDS, Iodine-continued: Inulin: (McClendon and Bratton) WESTFALL, and BOTT) 1938, 123, 699 1936, 116, 749 Blood, amount (BAUMANN and Diffusion coefficient (BUNIM, Metzger) 1937, 121, 231 SMITH, and SMITH) -, determination (McClen-1937, 118, 667 DON, HAMILTON, and HOLDglomerulus, frog Excretion, 1934, 105, lviii Necturus(HENDRIX, RIDGE) and WESTFALL, and RICHARDS) (McClendon, BRATTON, 1936, 116, 735 and WHITE) Molecular weight (WESTFALL 1937, 119, lxvii (McClendon and Bratton) and LANDIS) 1938, 123, 699 1936, 116, 727 (McClendon and Rice) Invertase: Yeast, activity, protein influence (SAUL and 1938, 123, lxxxi (STRICKLER and WILSON) NELSON) 1935, 111, 95 -, preparation (Lutz and 1938, 123, cxviii Cabbage, determination (Mc-1934, 107, 169 Nelson) Iodide(s): Goiter, administration CLENDON, HAMILTON, and effect (REMINGTON and LAS-HOLDRIDGE) 1937, 119, lxxxii 1934, 105, lviii Microdetermination, dioxane Cysteine oxidation (SIMONSEN) 1933, 101, 35 use (SAIFER and HUGHES) 1937, 118, 241 Determination (McCullagh) 1937, 121, 801 1934, 107, 35 dibromides, (STIMMEL and McCullagh) Sterol action 1936, 116, 21 (Schoenheimer) Diffusible, blood, determina-1935, 110, 461 Thyroid iodine and thyroxine, tion (McCullagh administration effect (Fos-PICHA) 1934, 105, lix 1934, 104, 497 Goiter and, in Far East (Mc-TER) Iodine: Amino nitrogen deter-1933, 102, 91 CLENDON) mination, manometric, use Papain inactivation (BERG-(KENDRICK and HANKE) MANN and Zervas) 1937, 117, 161 1936, 114, 711 Pituitary and tissues (BAU-Balance (Cole and Curtis) 1934, 105, xvii MANN and METZGER) 1935, 109, xxii 1938, 123, vi Biological material, determistandard (Scott) Solutions, nation (TREVORROW and FA-1936, 113, 511 1935, 110, 29 Thyroglobulin (CAVETT, RICE, SHENA) (FASHENA and TREVORROW) and McCLENDON) 1936, 114, 351 1935, 109, xvii Iodine—continued:

Thyroglobulin, normal and goitrous (CAVETT, RICE, and McCLENDON)

1935, 110, 673

Thyroid, iodide and diiodotyrosine administration effect (FOSTER)

1934, 104, 497

-, microdetermination (Blau) 1938, 123, xii

Urine, determination (Mc-CLENDON, HAMILTON, and HOLDRIDGE)

1934, 105, lviii

Iodoacetamide: Sulfhydryl groups, urease, and fermentation, action (SMYTHE)

1936, 114, xcv

— —, —, — yeast preparations, reaction (SMYTHE)

1936, 114, 601

Iodoacetate: Sulfhydryl groups, urease, and fermentation, action (Smythe)

1936, 114, xcv

---, ---, --- yeast preparations, reaction (SMYTHE)

1936, 114, 601

Iodoacetic acid: Amines, tertiary, action (Schubert)

1936, 116, 437

Amino acids, sulfur-containing, nutrition deficiency (Simon and White)

1938, 123, cix

Mercaptans and amines, reaction (Michaelis and Schu-Bert) 1934, 106, 331

Yeast fermentation inhibition, sulfhydryl relation (Schroeder, Woodward, and Platt) 1933, 101, 133

Ion(s): Activity coefficients and reaction rate, systems containing (STRAUP-COPE and COHN) 1934, 105, lxxxvii

— in systems containing (Joseph) 1934, 105, xliii Zwitter. See Zwitter ions

Iron: Anemia, milk-produced, cobalt with copper and, effect (UNDERWOOD and ELVE-HJEM) 1938, 124, 419

—, nutritional, parenteral administration (Еvепетн, Вімс, and Муевз)

1933, 101, 359

Available, determination, bipyridine (Kohler, Elve-HJEM, and HART)

1936, 113, 49

Biological materials, availability (SHERMAN, ELVE-HJEM, and HART)

1934, 107, 383

— —, determination (Rose, Exton, and Blacker)
1934, 105, lxxiii

(Klumpp)

1934, 107, 213

(Farrar)

1935, 109, xxxi 1935, 110, 685

— —, microestimation, titrimetric (Horwitt)

1934, **105,** xli

Blood (Helmer and Emerson) 1934, 104, 157

(Johnson and Hanke)

1936, 114, 157

—, determination (Bur-MESTER) 1934, 105, 189—, Eskimos (LEVINE, SACHS,

and Fabian) 1937, 119, lxiii

Iron—continued:

Dietary, hematopoiesis effect (DAY, STEIN, and McCol-1938, 123, xxviii

-, tissue cytochrome and oxidase, relation (Conen and Elvehjem)

1934, 107, 97

Egg yolk, hemoglobin formation, influence (SHERMAN, ELVEHJEM, and HART)

1934, 107, 289

Epidermis, pellagra, relation 1934, 105, lii (Lewis) Fetus (IoB and Swanson)

1938, 124, 263

Hemoglobin (Morrison and 1935, 109, 233 HISEY) formation. availability

(Elvehjem, HART, and SHERMAN) 1933, 103, 61

supplement copper (Schultze, Elvehjem, and HART) 1934, 106, 735 1935, 115, 453

- regeneration, anemia, copper and, effect (SMITH and 1937, 119, xcii OTIS) Hypersideremia, administration effect (BING, HANZAL,

and Myers)

1935, 109, viii

Inorganic, animal tissues, determination (Borgen and ELVEHJEM)

1937, 119, 725

Liver, distribution, peptic digestion and autolysis (Mc-FARLANE) 1934, 106, 245 Metabolism and hemoglobin production, nutritional anemia (BING, SAURWEIN, and Myers) 1934, 105, 343 Iron—continued:

Metabolism, chick embryo (Mc-FARLANE and MILNE)

1934, 107, 309

Milk, anemia relation (KRAUSS and WASHBURN)

1936, 114, 247

histochemical Plant tissue, (Reed and Duanalysis 1934, 105, lxx FRENOY) Requirement, pregnancy (KYER and BETHELL)

1936, 114, lx

Reticulocyte response, anemia, effect (Schultze and Elve-HJEM) 1933, 102, 357 Storage, sex influence (STEEN-

BOCK, SEMB, and VAN DONK) 1936, 114, ci

Tissue and organ, anemia, nutritional (SCHULTZE, ELVE-HJEM, and HART)

1936, 116, 93

Tissues, distribution, normal and anemic rats (WAKEHAM and HALENZ)

1936, 115, 429

-, -, peptic digestion and autolysis (McFarlane) 1934, 106, 245

Iron pyrophosphate: Glucose oxidation in air (GOERNER)

1934, 105, 705 Isoandrosterone: See also $3(\beta)$ -Hydroxyetioallocholane-17-

Isobarbituric acid: Metabolism, growing dog (CERECEDO and 1934, 107, 425

Isobutyl acids: Normal series, configurational relationship (LEVENE and MARKER)

1935, 111, 299

Configura-

1933, 101, 413

Subjects Isobutyrylformic acid: Ergot al-Isopropylcarbinols: kaloid, precursor (Jacobs tional relationship (LEVENE and MARKER) and CRAIG) 1937-38, 122, 419 Isocitric acid: Synthesis, citric acid (Greenstein) 1936, 114, xliii Isoelectric points: Calculation (HITCHCOCK) 1936, 114, 373 Calculation Isoelectric zones: (HITCHCOCK) 1936, 114, 373 Isoglutathione: Synthesis (DU VI-GNEAUD, LORING, and MIL-LER) 1937, 118, 391 Isoleucine: Aspergillus sudowi. isolation (WOOLLEY 1936, 114, 85 Peterson) B-Carotene dl., fate (Butts, Blunden, and Dunn) ciency 1937, 120, 289 Growth relation (Womack and 1936, 116, 381 Rose) Metabolism (CARTER) (Quick) 1935, 108, 619 Phenyl derivatives, synthesis enzyme production (PIERCE. (CARTER) 1935, 108, 619 NASSET, and MURLIN) Isooleic acid: Hydrogenation, de-

position and utilization, body

Isoouabain: Degradation (JACOBS

1933, 101, 63

1933, 101, 15

(BARBOUR)

and Bigelow)

fermentation

Tack bean: See Bean Jaundice: Blood, blood serum phosphatase, effect (FREE-MAN and CHEN) 1938, 123, 239 - serum bilirubin (Bodansky and JAFFE) 1935, 109, x - - cholesterol (Bodansky and JAFFE) 1935, 109, x - - phosphatase (Bodansky and JAFFE) 1935, 109, x (FREEMAN, CHEN, and IVY) 1938, 124, 79 absorption and utilization, vitamin A defi-(GREAVES and SCHMIDT) 1934, 105, xxxi Obstructive. prothrombin 1935, 109, lxxiii Tejunum: Loop, transplanted.

Ţ

K

Jelly: Wharton, lipid (Boyd)

1935, 108, 239

1935, 111, 667

Keratin(s): (GODDARD and MICH-Isopropyl acids: Normal series, AELIS) 1934, 106, 605 configurational relationship Amino acids, basic (Block) (LEVENE and MARKER) 1934, 104, 339 1935, 111, 299 (Block and Horwitt) Isopropyl alcohol: Butyl alcohol-, 1937, 121, 99 (GODDARD (Osburn, Derivatives and Brown, and Werkman) MICHAELIS) 1937, 121, 685 1935-36, 112, 361

Keratin(s)—continued:
Eu-, ectoderm (Block)
1937, 121, 761
Human, isoelectric point (WilKERSON)
1935, 109, xcix
—, stratum corneum amino
acids, comparison (Wilkerson)
1934, 107, 377
Pseudo-, ectoderm (Block)
1937, 121, 761

Ketene: Diphtheria toxin, action (PAPPENHEIMER)

1938, 125, 201

Insulin acetylation (STERN and WHITE)

1937-38, 122, 371
— reaction (STERN and WHITE)
1937, 119, xcv

Keto acids: Amino acid synthesis from, acetyl derivative, rôle (DU VIGNEAUD and IRISH) 1935, 109, xciv 1937-38, 122, 349

Production, amino acid oxidation (Bernheim, Bernheim, and Gillaspie)

1936, 114, 657

Ketogenesis: (Cohen)

1937, 119, 333

Liver (Cohen and Stark) 1938, 123, xxiii

Ketogenic principle: Hypophysis, nature (Shipley)

1938, 123, cix

Ketolysis: Liver (Cohen and Stark) 1938, 123, xxiii Ketone: Reagents, ketonic acids.

Ketone: Reagents, ketonic acids, isolation (Anchel and Schoenheimer)

1938, 124, 609

Ketone body: Excretion, factors influencing (CHAMBERLIN, FURGASON, and HALL)
1937, 121, 599

Ketone substance: Tissue, diabetes, production and destruction (GOLDFARB and HIMWICH)

1933, 101, 441

Ketonic acids: α-, α-amino acids, reaction (Herbst and Engel) 1934, 107, 505 Isolation, ketone reagents in (Anchel and Schoenheimer) 1938, 124, 609

Ketonuria: Carbohydrate action (DEUEL, HALLMAN, and MURRAY)

1938, **123,** xxix 1938, **124,** 385

Choline effect (DEUEL, MUR-RAY, HALLMAN, and TYLER) 1937, 120, 277

Fasting, fatty livers, relation (Deuel, Hallman, and Murray)

1937, 119, 257

Liver fat, relation (DEUEL, HALLMAN, and MURRAY)

1937, 119, xxii

Pituitary, anterior, relation (Deuel) 1934, 105, xix

Ketopiperazines: 2,5-Di-, hydrolysis (Srinivasan and Sreenivasaya)

1934, 105, 563

Ketose: Urine, normal (EVERETT, EDWARDS, and SHEPPARD) 1934. 104. 11

Ketosis: (DEUEL, MACKAY, JEWEL, GULICK, and GRUNE-WALD) 1933, 101, 301

Ketosis—continued: Ketosis—continued: (BUTTS, CUTLER, HALLMAN, Primates (GOLDFARB) and DEUEL) 1936, 116, 787 1935, 109, 597 Sugars, comparative action (DEUEL, BUTTS, HALLMAN, (Butts) 1934, 105, 87 and CUTLER) Uric acid excretion, relation 1935-36, 112, 15 1934, 105, lxix (Quick) (DEUEL, HALLMAN, BUTTS, Kidney: Amino acids, deaminaand MURRAY) tion, oxygen tension effect 1936, 116, 621 (Kempner) (DEUEL, BUTTS, BLUNDEN, 1938, 124, 229 CUTLER, and KNOTT) Aminopropionic acid deamina-1937, 117, 119 tion, oxidative (Rodney and (Butts, Blunden, Good-GARNER) 1938, 125, 209 WIN, and DEUEL) 1937, 117, 131 Antiglyoxalase (WOODWARD, (DEUEL. HALLMAN, and Munro, and Schroeder) 1937, 119, 257 1935, 109, 11 Murray) (DEUEL, MURRAY, HALL-(SCHROEDER, MUNRO, and MAN, and TYLER) 1935, 110, 181 WEIL) 1937, 120, 277 Arginase activity distribution (DEUEL, BUTTS, HALLMAN, (Weil and Ely) MURRAY, and BLUNDEN) 1935-36, 112, 565 1938, 123, 257 measurement Blood flow, HALLMAN, and (DEUEL, (MASON, BLALOCK, and 1938, 124, 385 MURRAY) HARRISON) (DEUEL, HALLMAN, MUR-1936, 114, lxiv RAY, and HILLIARD) Diet poor in inorganic constit-1938, 125, 79 (SWANSON, Fasted and fat-fed rats (Goldeffect uents. FARB, BARKER, and HIM-STORVICK, and SMITH) 1936, 114, 309 1934, 105, 287 WICH) Enzyme, glutathione hydroly-(FRIEDEmonkey Fasting sis (Schroeder and Wood-1934, 105, 335 mann) Glucose and carbohydrate in-1937, 120, 209 comparison Excretion, blood serum chlotermediates, ride and base, exercise effect (SHAPIRO) 1935, 108, 373 (Morse and Schlutz) Paradoxical (Somogyi) 1937, **119,** lxxi 1936, 114, xcviii Function, nephrectomy effect Phlorhizin (GOLDFARB, BARK-(CHANUTIN and LUDEWIG) ER, and HIMWICH) 1935, 109, xviii

1934, 105, 283

Kidney-continued:

Hypertrophy, lipoid phosphorus (Ludewig and Chanutin)

1936, 115, 327

Insufficiency, blood plasma and urine magnesium, magnesium sulfate ingestion, effect (Hirschfelder)

1934, 104, 647

-, hyperparathyroidism (HIGHMAN)

1938, 123, lvi

—, parathyroid hormone action, effect (Tweedy, Templeton, and McJunkin)

1935, 109, xcii

Oxygen consumption, measurement, direct (Mason, Blalock, and Harrison)
1936, 114, lxiv

Phenylalanine oxidation (Bernheim and Bernheim) 1934, 107, 275

Phosphatase, α-amino acids and magnesium, effect (Bodansky)

1936, 115, 101

 —, blood organic phosphorus hydrolyzed by, nature (Kerr and Antaki)

1937, 121, 531

— identification, bile acids as aid (Bodansky)

1937, 118, 341

-, physiological materials, effect (PYLE, FISHER, and CLARK) 1937, 119, 283

-, vasoligated (Kinard and Chanutin)

1933, 103, 461

Kidney-continued:

Respiration, normal and scorbutic animals (Stotz, Har-RER, SCHULTZE, and KING) 1937, 120, 129

Tyrosine oxidation (Bernheim and Bernheim)

1934, 107, 275

dl-Tyrosine oxidation (Bern-Heim) 1935, 111, 217 l-Tyrosine oxidation (Bern-Heim) 1935, 111, 217 Urea precursor in (Kirk)

1933, 102, 683

See also Nephrectomy, Nephritis, Nephrosis

Kinetics: Chemical reactions, rapid, spectroscopic method for study (STERN and Du-Bois) 1937, 121, 573

Kynurenic acid: Bile, administration effect (Correll, Berg, and Cowan)

1935, **109,** xxiv

—, kynurenic acid and l- and dl-tryptophane administration effect (Correll, Berg, and Cowan)

1938, 123, 151

Excretion, Carnivora (JACKson) 1938, 123, lxiii

--, mammals (Gordon, Kaufman, and Jackson)

1936, 113, 125

Microidentification (Gordon, Kaufman, and Jackson)

1936, 113, 125

Production, indole derivatives (Bauguess and Berg)

1934, 104, 691 1934, 105, viii Kynurenic acid—continued:

Production, tryptophane carbonic acid derivatives, relation (BAUGUESS and BERG)

1936, 114, 253

-, - derivatives (Bauguess and BERG)

1934, **105**, viii

-, -, optical activity influence (BERG)

1934, 104, 373

-, l-tryptophane amides, effect (BAUGUESS and BERG) 1934, 106, 615

Urine, kynurenic acid, and land dl-tryptophane adminiseffect tration (CORRELL, BERG, and COWAN)

1938, 123, 151

L

Lactalbumin: Cystinuria, metabolism (Brand, Block, Kas-SELL, and CAHILL)

1937, 119, 669

(KASSELL, CAHILL. and 1938, 125, 423 Brand)

Hydrolysis, enzyme (MILLER and CALVERY)

1936, 116, 393

Nutritive value (KIK)

1937, 119, lvii

Peptic hydrolysis (MILLER)

1935, 109, lxvi

Reduced, cystinuria, metabolism (Kassell)

> 1938, 123, lxvi CAHILL, and

(KASSELL, Brand) 1938, 125, 423

Sulfur distribution (KASSELL and Brand)

1938, 125, 435

Lactase: Intestine, characteristics (Cajori)

1935, 109, 159

- mucosa (Cajori)

1935, 109, 159

Lactate: Blood, determination (EDWARDS)

1938, 125, 571

 exercise effect (Johnson) and EDWARDS)

> 1937, 118, 427 1937, 119, liv

d-, oxygen consumption, influence (Buchwald, Cori, and 1933, 103, 763 Fisher)

-Enzyme-pyruvate system, oxidation-reduction potential (BARRON and HAST-INGS) 1934, 107, 567

l-, oxygen consumption, influence (Buchwald, Cori, and 1933, 103, 763 Fisher)

Oxidation to pyruvate, erythand methylene rocytes blue effect (WENDEL)

1933, 102, 373

Urine, exercise effect (Johnson and Edwards)

> 1937, 118, 427 1937, 119, liv

Lactation: Alcohol-extracted animal tissues, effect (SEEGERS and MATTILL)

1934, 105, lxxvii Blood, cod liver oil, shark liver oil, and salmon oil,

effect (McCay and May-1935, 109, 29 NARD)

 plasma lactose (Hubbard and Brock)

1935, 110, 411

Lactic acid—continued: Lactation—continued: Calcium requirement (Cox Blood, high altitudes, rest and and Imboden) work influence (EDWARDS) 1936, 114, xxx 1934, 105, xviii insulin and adrenal medulla Fat-free diet, effect (EVANS, LEPKOVSKY, and MURPHY) removal, effect (Scott and 1936, 115, 163 1934, 106, 431 Berg) -, liver injury and (HAHN) metabolism (MAYNARD 1933, 101, 29 and McCAY) -, schizophrenia (Looney and 1935, **109**, lxi 1934, 105, liii Fatty acids, saturated, as en-CHILDS) Brain, insulin and epinephrine, ergy source (Evans, Lepeffect (KERR, HAMPEL, and KOVSKY, and MURPHY) GHANTUS) 1934, 106, 441 1937, 119, 405 Lactic acid utilization, mam--, mammalian (Avery, Kerr, mary gland (GRAHAM) and GHANTUS) 1937-38, 122, 1 1935, 110, 637 Magnesium requirement, cal--, -, carbohydrate and incium relation (Tufts and sulin effect (KERR GREENBERG) GHANTUS) 1936, 116, 9 1937-38, 122, 715 -, origin (KERR and GHAN-Milk, cod liver oil, shark liver 1937, 117, 217 oil, and salmon oil, effect Crystalline, preparation (Bor-(McCay and Maynard) sook, HUFFMAN, and LIU) 1935, 109, 29 1933, 102, 449 Phosphorus requirement (Cox Determination (WENDEL) and Imboden) 1934, 105, xviii 1933, 102, 47 -, aeration method (Scott) Tissue cholesterol. effect 1936, 114, lxxxvii (OKEY, GODFREY, and GIL $l-\beta$ -3-Indole- and $dl-\beta$ -3-indole-, 1938, 124, 489 - fatty acids, effect (OKEY. tryptophane-deficient supplement, growth Godfrey, and Gillum) effect 1938, 124, 489 (BAUGUESS and BERG) Lactic acid: Bacteria, riboflavin 1934, 104, 675 and synthetic flavins, growth Ionization (NIMS and SMITH) effect (Snell and Strong) 1935, 109, lxx 1938, 123, exii 1936, 113, 145 Liver (Bott and Wilson) Blood (Bott and Wilson) 1935, 109, 463 1935, 109, 463

-, formation (Bott and Wil-

1935, 109, 455

son)

-, exercise effect (LOONEY)

1938, 123, lxxvi

Lactic acid—continued:

Mandelic acid, configurational relationship (Kuna LEVENE) 1937, 118, 315 Metabolism, uric acid excre-

tion, relation (QUICK)

1934, 105, lxix -Racemizing enzyme, Clostridium butulicum (CHRISTEN-SEN, PETERSON, and JOHN-1938, 123, xxi

Utilization, mammary gland, lactating (GRAHAM)

1937-38, 122, 1

Lactobacillus acidophilus: Fat, neutral (CROWDER and AND-ERSON) 1934, 104, 399

Phosphatide fraction (CROWD-ER and ANDERSON)

1934, 104, 487

Lactobiose: Reactions, new (BERGMANN and GRAFE)

1935, 110, 173

Lactoflavin: Extraction and stability (BISBEY and SHER-1935-36, 112, 415 MAN) Growth effect (ITTER, ORENT.

and McCollum)

1935, 108, 579

Oxidation-reduction potentials (Barron and Hastings)

1934, 105, vii

Preparation (ITTER, ORENT. and McCollum)

1935, 1**08**, 579

Semiguinone (MICHAELIS and SCHWARZENBACH)

1938, 123, lxxxiv Tissue metabolism. effect (Muus, Bessey, and Hast-INGS) 1937, 119, lxxii

Lactoflavin—continued:

Vitamin-free diets, contaminant (SUPPLEE, FLANIGAN, HANFORD, and ANSBACHER) 1936, 113, 787

Lactogenic hormone: Extraction, various methods (BERGMAN and TURNER)

1937, 118, 247

Extracts, chemistry (McShan and FRENCH)

1937, 117, 111

Milk composition, effect (BERGMAN and TURNER)

1937, 120, 21

Lactose: p-Aminophenol β -glycosides, synthesis (BABERS and GOEBEL)

1934, 105, 473

Blood plasma, pregnancy and lactation (Hubbard Brock) 1935, 110, 411 -Containing diet, cataract from, blood sugar, effect 1935, 109, xxvi Glycogen formation and retention, effect (DEUEL, MAC-KAY, JEWEL, GULICK, and

1933, 101, 301

Ketolytic action, other sugars, comparison (Butts)

GRUNEWALD)

1934, 105, 87

Milk, utilization, fat relation (SCHANTZ, ELVEHJEM, and HART) 1937-38, 122, 381 Lapachol: Oxidation-reduction

(Ball) 1936, 114, 649

Laparotomy: Blood plasma proteins. effect (CHANUTIN, HORTENSTINE, COLE, and LUDEWIG)

1938, 123, 247

Lard: Fatty acids and esters, nutritive value (Lepkovsky, OUER, and EVANS) 1935, 108, 431 Latex: Fig tree, proteolytic enzyme in (Robbins and Lam-1934, 106, 725 Lead: Biological and organic materials, microchemical detection (Sulkowitch) 1934, 105, lxxxviii materials, determination (HORWITT and COWGILL) 1937, 119, 553 Blood (Willoughby and Wilkins) 1938, 124, 639 Cerebrospinal fluid (RABINO-WITCH, DINGWALL, 1933, 103, 725 MACKAY) detection, spectrographic (RABINOWITCH, DINGWALL, and MACKAY) 1933, 103, 707 ---, determination (RABINO-WITCH, DINGWALL, MACKAY) 1933, 103, 707 Dietary, minute amounts, absorption (Horwitt and Cowgill) 1938, 123, lxi -, - -, effect (Horwitt and 1937, 119, li Cowgill) Urine, microdetermination (Ross and Lucas) 1935, 111, 285 Leaf: Carotene (MACKINNEY) 1935, 111, 75 -, properties (MACKINNEY) 1935, 108, 45 Fat and sterol metabolism (MacLachlan) 1936, 114, 185

| Leaf—continued: Starch, isolation and properties (Spoehr and Milner) 1935, 111, 679 Tissue, apple tree, starch polysaccharide, isolation properties (NIEMANN, AN-DERSON, and LINK) 1936, 116, 447 Lecithin(s): Blood plasma and red blood cells, adults (KIRK) 1938, 123, 637 - -, red blood cells, and tismicrodetermination sues, 1938, 123, 623 (KIRK) Brain, origin (McConnell and 1937, 118, 131 Sinclair) -Cephalin fraction, milk, fatty acids (Kurtz, Jamieson, and Holm) 1934, 106, 717 Electrometric titration (Jukes) 1934, 107, 783 Liver lipids, effect (Rubin, PRESENT, and RALLI) 1937, 121, 19 Yeast (Salisbury and Anderson) 1935-36, 112, 541 Lemon: Tree, gum (ANDERSON, Russell, and Seigle) 1936, 113, 683 Leprosin: Composition (ANDER-SON, CROWDER, NEWMAN, and STODOLA) 1936, 113, 637 1936, 114, iii Leprosol: α - and β -, isolation (CROWDER, STODOLA, and ANDERSON) 1936, 114, 431 Leprosy: Malnutrition effect

(Lamb)

1935, 109, li

Leprosy bacillus: Fat, acetonesoluble (Anderson, Reeves, and Crowder)

1937, 121, 669

Leucine: Absorption rate, gastrointestinal tract (Chase and

intestinal tract (CHASE and LEWIS) 1934, 106, 315 Aspergillus sydowi, isolation (WOOLLEY and PETERSON) 1936, 114, 85

dl-, fate (Butts, Blunden, and Dunn) 1937, 120, 289

Growth relation (Womack and Rose) 1936, 116, 381

Iso-, Aspergillus sydowi, isolation (Woolley and Peterson) 1936, 114, 85

-, growth relation (Womack and Rose)

1936, 116, 381

—, metabolism (Carter) 1935, **108**, 619

-, phenyl derivatives, synthesis (Carter)

1935, 108, 619

dl-Iso-, fate (Butts, Blun-Den, and Dunn)

1937, 120, 289

Isomers, absorption rate, gastrointestinal tract (Chase and Lewis)

1934, 106, 315

Nor-, 3-aminoheptane, configurational relationship (LE-VENE and KUNA)

1937-38, 122, 291

 —, 2-aminohexane, configurational correlation (Levene and Mardashew)

1937, 117, 707

-, growth relation (Womack and Rose)

1936, 116, 381

Leucine—continued:

Nor-, metabolism (CARTER) 1935, 108, 619

-, phenyl derivatives, synthesis (Carter)

1935, **108,** 619

dl-Nor-, fate (Butts, Blun-DEN, and Dunn)

1937, 120, 289

Leucocyte: See Blood cell, white

Leuconostoc mesenterioides: Peptidases (Berger, Johnson, and Peterson)

1938, 124, 395

Leucopenia: Diet relation, monkey (DAY, LANGSTON, and SHUKERS)

1936, 114, xxv

Leucyl peptidase: Magnesiumactivated, erepsin, animal (Johnson, Johnson, and Peterson)

1936, 116, 515

Levulinic acid: Formation, lycopene ozonization (STRAIN)
1933, 102, 151

Levulinic aldehyde: Formation, lycopene ozonization (STRAIN) 1933, 102, 151

Levulose: See Fructose

Liebermann-Burchard: Reaction, blood sterol nature, relation (REINHOLD)

1934, **105,** lxxi

-, sterols, spectrophotometric studies (Morgareidge)

1935, 109, lxvii

Light: Comb response, testicle hormone, relation (Koch and Gallagher)

1934, 105, xlix

Light—continued: Fruit, carotene and vitamin A, effect (Smith and Morgan) 1933, 101, 43 See also Ultraviolet light determination Lignin: Feces, (WILLIAMS and OLMSTED) 1935, 108, 653 Oat straw (PHILLIPS and Goss) 1936, 114, 557 Wheat straw (PHILLIPS and 1938, 125, 241 Goss) Limulus polyphemus: Hemocyreaction anin, cyanide (PEARSON) 1936, 115, 171 -, prosthetic group (CONANT, DERSCH, and MYDANS) 1934, 107, 755 sulfur distribution and basic amino acids (MAZUR) 1937, 118, 631 Muscle, organic phosphates, distribution (Engel CHAO) 1935, 108, 389 Linoleic acid: Butter fat (Eck-STEIN) 1933, 103, 135 Linolenic acid: Butter fat (Eck-1933, 103, 135 STEIN) Linseed meal: Toxicity (McCAY and Tunison) 1938, 123, lxxx Lipase: Action, blood serum (Mc-Guire and Falk) 1934, 105, 373 , — —, horse (Falk and McGuire) 1934, 105, 379 Fungus, activity (KIRSH) 1935, 108, 421 Pancreas (Weinstein and WYNNE)

1935–36, 112, 641

Lipase—continued: Pancreas, action (BALLS and 1938, 123, 679 MATLACK) -, activity, factors influenc-(Weinstein and ing WYNNE) 1935-36, 112, 649 -, crude, glyceride hydrolysis (Balls, MATLACK, Tucker) 1937–38, 122, 125 -, specificity and inhibition (WEBER and KING) 1935, 108, 131 -, vitamin B deficiency influence (SURE, KIK, and Buchanan) 1935, 108, 27 Pneumococcus, Type I, effect (McGuire and Falk) 1934, 105, 669 Protease effect (FALK) 1933, 103, 363 Tissue, rickets (FALK and Mc-Guire) 1935, 108, 61 Lipemia: Alimentary, blood lipid, total, and iodine number, effect (Wilson and Han-NER) 1934, 106, 323 Streptococcus viridans infection, rabbits (Boyd, Orr. and REED) 1938, 124, 409 Variations (Man and GILDEA) 1937, 119, 769 Lipid(s): Acetyl values, determination (WEST, HOAGLAND, and Curtis) 1934, 104, 627 Animal (THANNHAUSER and REICHEL) 1936, 113, 311

(THANNHAUSER and SETZ)

1936, 116, 527, 533

Lipid(s)—continued:

Bacterium tumefaciens (CHAR-GAFF and LEVINE)

1938, 124, 195

Blood, age, sex, and ovarian activity, effect (Lorenz, Entenman, and Chaikoff) 1937-38, 122, 619

—, androgens, effect (Kochak-IAN, MacLachlan, and Mc-Ewen) 1937-38, 122, 433 —, anticoagulants. effect

—, anticoagulants, eff (Boyd and Murray)

1937, 117, 629

 cell, microdetermination, gasometric (Kirk, Page, and Van Slyke)

1934, 106, 203

— —, red, extraction (Boyd) 1936, 115, 37

— —, —, posthemolytic residue, distribution (Erickson, Williams, Bernstein, Avrin, Jones, and Macy)

1937–38, 122, 515

----, white (Boyd)

1933, 101, 623

(Boyd and Stevenson)

1937, 117, 491

 clotting, relation (Char-GAFF, BANCROFT, and STAN-LEY-BROWN)

1936, 116, 237

(CHARGAFF)

1937, 121, 175

—, depancreatized dog, insulin effect (Chaikoff and Kap-Lan) 1934, 106, 267

—, — — with insulin, pancreas ingestion effect (Снлкоff and Карlan)

1935-36, 112, 155

Lipid(s)—continued:

Blood, determination and partition (Rose, Schattner, and Exton)

1937, 119, lxxxiv

—, distribution, anemia, children (Erickson, Cope, Sternberger, Lee, Cooley, and Macy)

1935, 109, xxx (Erickson, Williams, Hummel, Lee, and Macy)

1937, 118, 569

—, —, —, pernicious (WIL-LIAMS, ERICKSON, BERN-STEIN, HUMMEL, and MACY) 1937, 118, 599

—, —, children (Erickson, Williams, Hummel, and Macy) 1937, 118, 15

-, extraction (Boyd)

1936, 114, 223

-, - and saponification (MAN and GILDEA)

1937-38, 122, 77

-, fasting effect (SURE, KIK, and CHURCH)

1933, 103, 417

-, liver damage influence (Chanutin and Ludewig) 1936, 114, xviii

-, overfeeding effect (Bloom) 1933, 103, 699

 plasma, age effect (Page, Kirk, Lewis, Thompson, and Van Slyke)

1935, 111, 613

— —, analysis, microoxidative (Boyd) 1933, 101, 323

— —, determination, gasometric (KIRK, PAGE, and VAN SLYKE) 1934, 105, xlvii

Lipid(s)—continued: Lipid(s)—continued: Feces, determination and par-Blood plasma, diurnal variatition (TIDWELL and HOLT) tions (Boyd) 1935-36, 112, 605 1935, 110, 61 Fractions, Bacterium tumefamicrodetermination 1936, 116, 25 ciens, chemistry (CHARGAFF) (STREET) 1938, 123, xxi - -, -, gasometric (KIRK, Gingival tissue (Hodge) PAGE, and VAN SLYKE) 1933, 101, 55 1934, 106, 203 Jelly, Wharton (Boyd) platelets, distribution 1935, 111, 667 (ERICKSON, LEE, and WILcholesterol-fed Liver. rats. LIAMS) 1938, 123, xxxiv undernutrition and vitamin -, regeneration, hemorrhage deficiency, effect (OKEY and effect (Boyn and Steven-GILLUM) 1935, 109, lxxii 1937-38, 122, 147 -, deparcreatized dog, insulin serum (Wilson and Hanand pancreas feeding, effect 1935-36, 112, 457 (KAPLAN and CHAIKOFF) ---, extraction and saponifi-1937, 119, 435 cation (MAN and GILDEA) —, — —, — effect (Kaplan 1937-38, 122, 77 and CHAIKOFF) — —, fat metabolism, inter-1935, 108, 201 mediary, relation (HANSEN, -, fat diet, effect (RUBIN, WILSON, and WILLIAMS) PRESENT, and RALLI) 1936, 114, 209 1937, 121, 19 - -, protein-low diet, effect -, fowl (Lorenz, Chaikoff, (PAGE, FARR, and WEECH) and ENTENMAN) 1937, 121, 111 1938, 123, 577 -, thyroxine injection effect -, sex differences (OKEY, GIL-(SCHMIDT and BRADFORD) LUM, and YOKELA) 1934, 105, lxxv 1934, 107, 207 Bound, tubercle bacillus, Metabolism, blood and liver, human (Anderson, Reeves, depancreatized dog, insulin and STODOLA) and choline, effect (KAPLAN 1937, 121, 649 and CHAIKOFF) Chlorine, blood and tissues 1937, 120, 647 (CHRISTENSEN and CORLEY) Milk (Kurtz, Jamieson, and 1938, 123, 129 Holm) 1934, 106, 717 Dietary, milk fat effect (MUEL-Muscle dystrophy (Morgulis, LER and Cox) WILDER, SPENCER, and EPP-1938, 123, lxxxviii STEIN) 1938, 124, 755

-, function, relation (BLOOR

and SNIDER) 1934, 105, x

Extracts, storage effect (Boyd)

1937, 121, 485

Lipid(s)—continued: Nerve, arteriosclerosis and diabetes, effect (RANDALL) 1938, 125, 723 pregnancy, relation Ovary, 1935, 108, 607 (Boyn) 1935-36, 112, 591 Partition, blood cell, red, posthemolytic residue (ERICK-SON, WILLIAMS, BERNSTEIN, and Jones) 1936, 114, xxxii Reabsorption, bowel (RONY, MORTIMER, and IVY) 1933, 102, 161 Saponifiable, sterol metabolism, effect (Eckstein) 1938, 125, 99 Secretion, bowel (Rony, Mor-TIMER, and IVY) 1933, **102**, 161 Skin. diabetes (MATTHEWS, NEWTON, and BLOOR) 1935, 108, 145 -, steer, distribution (Kop-PENHOEFER) 1936, 116, 321 Spleen, blood clotting inhibitor (CHARGAFF) 1938, 125, 677 Thoracic duct lymph (Reiser) 1937, 120, 625 ---, fasting (Rony, Mor-TIMER, and IVY) 1933, 102, 161 Tissue, cholesterol ingestion effect (Chanutin and Lude-1933, 102, 57 -, frog, hypertrophy relation 1937, 121, 783 (Boyd) -, microdetermination, gasometric (KIRK, PAGE, and VAN SLYKE) 1934, 106, 203 Lipid(s)—continued: Tissue, thyroxine injection effect (SCHMIDT and BRAD-FORD) 1934, 105, lxxv Tobacco seed, Connecticut shade-grown (Salisbury) 1937, 117, 21 Total, blood, lipemia, alimentary, effect (WILSON and HANNER) 1934, 106, 323 mitochondria, dibenzanthracene effect (GOERNER) 1937-38, 122, 529 Tubercle bacillus, chemistry (PANGBORN and ANDERSON) 1933, 101, 105 (Anderson and Newman) 1933, 101, 499, 773 1933, 103, 197, 405 (NEWMAN, CROWDER, and Anderson) 1934, 105, 279 (SPIELMAN) 1934, 106, 87 (Spielman and Anderson) 1935-36, 112, 759 (Anderson, CROWDER, NEWMAN, and STODOLA) 1936, 113, 637 STODOLA, and (Crowder, Anderson) 1936, 114, 431 (STODOLA and ANDERSON) 1936, 114, 467 (Reeves and Anderson) 1937, 119, 535, 543 (Cason and Anderson) 1937, 119, 549 (Anderson, Reeves, and 1937, 121, 649 STODOLA) REEVES, and (Anderson, Crowder) 1937, 121, 669

382 **Lipid**(s)—continued: (ANDERSON, LOTHROP, and CREIGHTON) 1938, 125, 299 Unsaturated, sterol metabolism, effect (Eckstein) 1938, 125, 99 Yeast, chemistry (NEWMAN and Anderson) 1933, 102, 219, 229 (Salisbury and Anderson) 1935-36, 112, 541 See also Phospholipids Lipoid-chlorine: Blood (Peters and Man) 1934, 107, 23 Lipoid phosphorus: Determination (Man and Peters)

1933, 101, 685

Hearts and kidneys, hypertrophied (Ludewig and Chanutin) 1936, 115, 327

Phosphate conversion, tissues, radioactive phosphorus as indicator (Entenman, Ruben, Perlman, Lorenz, and Chaikoff) 1938, 124, 795

Lipolysis: Enzymes (Sobotka and Glick)

1934, 105, 221

—, action (SOBOTKA and GLICK) 1934, 105, 199
—, adrenals, distribution (GLICK and BISKIND)

1935, 110, 575

Lipopeptides: Physical chemistry (VAN ORMONDT)

1936, 114, lxxvii

Lipoproteins: Protamine salts, phosphatides, relation (Chargaff)

1938, 125, 661

Lipotropic agent: Pancreas (AYL-WARD and HOLT)

1937, 121, 61

Liquor folliculi: Estrogenic substance isolation (MACCORQUODALE, THAYER, and DOISY) 1936, 115, 435
Lithocholic acid: Gallstones, hog

Lithocholic acid: Gallstones, hog bile (Schoenheimer and Johnston)

1937, 12**0,** 499

Preparation from cholesterol (Schoenheimer and Ber-LINER) 1936, 115, 19

Liver: Acetoacetic acid reduction to β-hydroxybutyric acid in, malonic acid effect (Stark and Cohen)

1938, 123, cxv

Aminopropionic acid deamination, oxidative (Rodney and Garner) 1938, 125, 209
Anemia, pernicious, principle, chemical study (Subbarow

and Jacobson)

1936, 114, eii
Arginase, activation, metal
ions, rôle (Hellerman and
Stock) 1938, 125, 771

—, age effect (Lightвору) 1938, 124, 169

—, myasthenia gravis (MIL-HORAT) 1935, 111, 379 Ascorbic acid oxidation, effect (STOTZ, HARRER, SCHULTZE,

and King)

1937-38, 122, 407

Beef, hemoglobin regeneration influence (Rose, Vahlteich, and MacLeod)

1934, 104, 217

Liver—continued:

Carbohydrate storage, undernutrition effect (Johnston and Newburgh)

1937, 119, liv

Carotene stability (Mc-Donald) 1933, 103, 455

Catalase (Dunn and Morgulis) 1937, 118, 545

Cholesterol, yeast-containing diets, nephrectomy, effect (Hortenstine, Chanutin, and Ludewig)

1938, 125, 455

Cirrhosis, liver preparation, effect (Forbes)

1938, 123, xxxvii

Creatine, thyroid and thyroxine effect (Bodansky)

1935, 109, 615

Damage, blood lipids, influence (CHANUTIN and LUDEWIG)

1936, 114, xviii

Disease, uric acid excretion, benzoic acid influence (QUICK) 1935, 110, 107

Electrolytes and water, growth effect (Yanner and Dar-ROW) 1938, 123, 295

Esterase activity, hydrogen ion concentration influence (So-BOTKA and GLICK)

1934, 105, 221

-, specificity and inhibition (Weber and King)

1935, 108, 131

Extract, anemia potency determination (CLARK and COENE) 1936, 114, xix

—, dietary factor, essential (Elveнјем, Коени, and Oleson) 1936, 114, хххі Liver—continued:

Extract, glycogen hydrolysis (Carruthers)

1935, 1**08,** 535

Fat, cholesterol and choline effect (Best and Ridout)

1936, 114, ix

---, depancreatized dog, insulin effect (Chaikoff and Kap-Lan) 1937, 119, 423

—, ketonuria relation (Deuel, Hallman, and Murray) 1937, 119, xxii

-, source (BARRETT, BEST, and RIDOUT)

1938, 123, iii

—, water storage, relation (KAPLAN and CHAIKOFF)

1936, 116, 663

Fatty acids, total, yeast-containing diets, nephrectomy effect (Hortenstine, Chanutin, and Ludewig)

1938, **125,** 455

—, dietary production (BLA-THERWICK, MEDLAR, BRAD-SHAW, POST, and SAWYER) 1933, 103, 93

-, ketonuria, fasting, relation

(DEUEL, HALLMAN, and MURRAY) 1937, 119, 257

—, methione and cystine effect

(Tucker and Eckstein)
1937, 121, 479

-, overfeeding effect, goose (Flock, Bollman, Hester, and Mann)

1937, 119, xxxiii 1937, 121, 117

Flavin, preparation and properties (STARE)

1935, 109, lxxxviii

Liver—continued:

Function, anemia, hemoglobin production, nitrogen metabolism, liver injury by chloroform, relation (DAFT, ROBSCHEIT-ROBBINS, WHIPPLE) 1936, 113, 391 Glucose, hexoses and trioses, relation (Cori and Shine)

1936, 114, xxi

and Glycogen (HRUBETZ Dotti) 1934, 107, 731 - and fat content, comparison

(DEUEL, GULICK, GRUNE-WALD, and CUTLER)

1934, 104, 519

-, diurnal changes (Deuel, BUTTS, HALLMAN, MURRAY, and Blunden)

1938, 123, 257

-, low oxygen pressure, effect 1934, **105,** xxvi (Evans) -, molecular structure (HAS-SID and CHAIKOFF)

1938, 123, 755

-, sexual variation, age effect (DEUEL, BUTTS, HALLMAN, MURRAY, and BLUNDEN)

1937, 119, 617

water storage, relation (Kaplan and Chaikoff) 1936, 116, 663

insulin effect

Glycogenase, (VOLLMAR and KOEHLER) 1936, 114, cvi

Growth factor (KLINE, EL-VEHJEM, KEENAN, HART) 1934, 107, 107

Hematopoietic substance, chemistry (Dakin and West) 1935, 109, 489 (DAKIN, Ungley, and West) 1936, 115, 771 Liver—continued:

Hyperthyroidism, function (Buell and Strauss)

1934, 105, xiv Injury, blood lactic acid and

(HAHN) 1933, 101, 29 -, - serum phosphatase relation (Bodansky)

1938, 123, xiv

-, carbon tetrachloride, fat metabolism effect (WINTER) 1938, 124, 339

Iron distribution, peptic digestion and autolysis (Mc-FARLANE) 1934, 106, 245

Ketogenesis $\mathbf{a}\mathbf{n}\mathbf{d}$ ketolysis (COHEN and STARK)

1938, 123, xxiii

Lactic acid (Bott and Wilson) 1935, 109, 463

— — formation (Bott and 1935, 109, 455 Wilson) Lipids, cholesterol-fed rats, undernutrition and vitamin deficiency, effect (OKEY and GILLUM) 1935, 109, lxxii

-, departreatized dog, insulin and pancreas feeding, effect (KAPLAN and CHAIKOFF)

1937, 119, 435

–, – –, – effect (Kaplan and CHAIKOFF)

1935, 108, 201

-, fat diet, effect (Rubin, PRESENT, and RALLI)

1937, 121, 19

-, fowl (Lorenz, Chaikoff, and Entenman)

1938, 123, 577

-, metabolism, deparcreatized dog, insulin and choline, effect (KAPLAN and CHAI-KOFF) 1937, 120, 647

Liver—continued:

KOFF)

Proteins, water storage, rela-

Respiration, normal and scor-

tion (KAPLAN and CHAI-

butic animals (STOTZ, HAR-

1936, 116, 663

Liver—continued: Lipids, sex differences (OKEY, GILLUM, and YOKELA) 1934, 107, 207 Peroxidase (Dunn and Mor-1937, 118, 545 GULIS) Phenylalanine oxidation (BERNHEIM and BERNHEIM) 1934, 107, 275 Phosphate compounds, autolysis effect (Flock) 1936, 115, 207 —, diet effect (Flock, BOLLMAN, and MANN) 1936, 114, xxxvi 1936, 115, 179 -, substances affecting (FLOCK, BOLLMAN, and 1936, 115, 201 Mann) Phospholipid, fat metabolism relation (SINCLAIR) 1935, 111, 515 Poisons, parathyroid extract, influence (GREENBERG) 1935, 109, xxxviii Proteins, crystallizable (Dounce and Sumner) 1938, 124, 415 -, extractability, hydrogen ion concentration, effect (Luck and Nimmo) 1937, 119, lxv -, fasting effect (Addis, Poo, and Lew) 1936, 115, 117 -, heat and alcohol, effect (SEEGERS and MATTILL) 1935, 110, 531 -, potassium iodate effect 1938, 123, lxxvii (Luck) -, storage (Luck) 1936, 115, 491

RER, SCHULTZE, and KING) 1937, 120, 129 Tumors, 2-amino-5-azotoluene, relation (SHEAR) 1936, 114, xc Tyrosine oxidation (Bern-HEIM and BERNHEIM) 1934, 107, 275 dl-Tyrosine oxidation (BERN-1935, 111, 217 HEIM) l-Tyrosine oxidation (BERN-1935, 111, 217 HEIM) Vitamin G (BLOCK and FAR-QUHAR) 1933, 103, 643 Water and electrolytes, growth effect (YANNET and DAR-ROW) 1938, 123, 295 - storage, glycogen, fat, and protein, relation (KAPLAN and CHAIKOFF) 1936, 116, 663 -, - relation (MACKAY and BERGMAN) 1934, 105, 59 Xanthine oxidase, p-aminophenol action (BERNHEIM and BERNHEIM) 1938, 123, 307 See also Hepatectomy Livetin: Amino acid fractionation 1933, 103, 425 (Jukes) Lobster: Egg, ovoverdin (STERN and SALOMON) 1937-38, 122, 461 Lomatiol: Oxidation-reduction 1936, 114, 649 (Ball)

Lung: Inflammatory exudates, Lymph—continued: cellular proteinase and pepti-Uric acid, frog and higher dase activity (WEISS, KAPanimals (WALKER) LAN, and LARSON) 1933, 101, 269 1938, 125, 247 Lysergic acid: (JACOBS and Lupinus albus: Fat oxidation CRAIG) 1934, 104, 547 system (Craig) 1934, 106, 393 1936, 114, 727 1935, 111, 455 Lycopene: Ozonization, levulinic Dihydro-, isomer (Jacobs and acid and levulinic aldehyde CRAIG) 1936, 115, 227 formation (STRAIN) Isomer. structure (Craig. 1933, 102, 151 SHEDLOVSKY, GOULD, and Lycopersicum esculentum: See JACOBS) 1938, 125, 289 Tomato -Related substances, synthesis Lymph: Acacia determination (Jacobs and Gould) (Power) 1937, 120, 141 1937, 119, lxxviii Structure (JACOBS and CRAIG) Aqueous humor, cerebrospinal 1936, 113, 767 fluid, and blood, comparison 1936, 115, 227 (WALKER) (CRAIG, SHEDLOVSKY, 1933, 101, 269 Gould, and Jacobs) ester, fat-soluble, Glycerol 1938, 125, 289 microdetermination (FREE-Lysine: Aspergillus sydowi, iso-MAN and FRIEDEMANN) (Woolley lation and 1935, 108, 471 Peterson) Inorganic phosphate, frog and 1937, 118, 363 higher animals (WALKER) Casein, dry heat and alkali 1933, 101, 269 effect (BLOCK, JONES, and Reducing substances, frog and GERSDORFF) higher animals (WALKER) 1934, 105, 667 1933, 101, 269 d-, growth and (HAMMETT) Thoracic duct, lipids (Reiser) 1937, 119, xliv 1937, 120, 625 monohydrochloride, ---, --, fasting (Rony, Morsorption rate (Doty and TIMER, and IVY) EATON) 1933, 102, 161 1937-38, 122, 139 galactose (FAY and dl-, resolution (BERG) Wharton) 1936, 114, viii 1935, 109, 695 1936, 115, 9 Urea, frog and higher animals (WALKER) synthesis (Eck and

1933, 101, 269

1934, 106, 387

MARVEL)

Lysine—continued:

Fatty acids, combination (Jukes and Schmidt)

1935, 110, 9

l-, peptides, papain effect (Bergmann, Zervas, and Ross) 1935, 111, 245

--, --, synthesis (Bergmann, Zervas, and Ross)

1935, 111, 245

α-N-Monomethyl-, and α-N-dimethyl-, growth availability (Gordon)

1937, 119, xxxvii

Peptides, nitrous acid, behavior (Greenstein)

1933, 101, 603

-, physical constants (Greenstein) 1933, 101, 603

Lysozyme: Action, mechanism (MEYER, PALMER, THOMPson, and KHORAZO)

1936, 113, 479

Purification and properties (Meyer, Thompson, Palmer, and Khorazo)

1936, 113, 303

Lysylglutamic acid: Derivatives, synthesis (Greenstein)

1935, 109, 541

M

Macromolecular solids: Long spacings (Corey and Wyck-off) 1936, 114, 407

Magnesium: -Activated leucyl

peptidase, erepsin, animal (Johnson, Johnson, and Peterson)

1936, 116, 515

Magnesium—continued:

Biological fluids, determination, colorimetric, Kolthoff method (HIRSCHFELDER and SERLES) 1934, 104, 635

— —, —, spectrographic (Thomson and Lee)

1937, 118, 711

Blood distribution (EVELETH) 1937, 119, 289

 — plasma, renal insufficiency, magnesium sulfate ingestion effect (HIRSCHFELDER)

1934, 104, 647

— serum (Benjamin, Hess, and Gross)

1933, 103, 383

— —, determination, colorimetric (HOFFMAN)

1937, 118, 37

Body, growth and development, relation (GREENBERG and TUFTS)

1936, 114, 135

Calf, study (Duncan, Huffman, and Robinson)

1935, 108, 35

Deficiency, biochemistry (GREENBERG and TUFTS)

1937, 119, xl

(Tufts and Greenberg) 1937-38, 122, 693

—, bone and blood effect (ORENT, KRUSE, and Mc-COLLUM) 1934, 106, 573

—, mineral metabolism effect (Kruse, Schmidt, and McCollum)

1934, 106, 553

 with calcium deficiency, blood and body effect (DAY, KRUSE, and McCollum)

1935-36, 112, 337

Magnesium—continued:

Excretion, renal insufficiency, magnesium sulfate ingestion effect (HIRSCHFELDER)

1934, 104, 647

Gestation requirement, calcium relation (Tufts and Green-Berg)

1937-38, 122, 715

Growth requirement, calcium relation (Tufts and Greenberg) 1937–38, 122, 715 Kidney and intestinal phos-

phatases, effect (Bodansky) 1936, 115, 101

Lactation requirement, calcium relation (Tufts and Green-Berg) 1937-38, 122, 715 -Low diet, effect (Greenberg

-Low diet, effect (Greenberg and Tufts)

1935, 109, xxxviii

— —, tissue changes (GreenBERG, Anderson, and
Tufts) 1936, 114, xliii
Milk (Benjamin, Hess, and
Gross) 1933, 103, 383
Tissues, determination
(Greenberg, Anderson,

1935, 111, 561

Urine, determination (GREEN-BERG, ANDERSON, and TUFTS) 1935, 111, 561

and Tufts)

Magnesium citrate: Ionization (Hastings, McLean, Eich-Elberger, Hall, and Da Costa) 1934, 107, 351

Magnesium sulfate: Blood plasma and urine magnesium, renal insufficiency, ingestion effect (Hirsch-Felder) 1934, 104, 647 Maize: Pigments (Sando, Mil-NER, and SHERMAN)

1935, 109, 203

Purple-husked, chrysanthemin (Sando, Milner, and Sher-Man) 1935, 109, 203 See also Corn

Malic acid: Plant tissue, determination (Pucher, Vickery, and Wakeman)

1934, **105,** lxviii

Rhubarb (Pucher, Clark, and Vickery)

1937, **117,** 599

Tobacco leaves (Pucher, Clark, and Vickery)

1937, 117, 599

Malnutrition: Leprosy, effect (LAMB) 1935, 109, li

Malonic acid: Acetoacetic acid reduction to β-hydroxybuty-ric acid in liver, effect (Stark and Cohen)

1938, 123, cvx

Malt: Amylase, purification and properties (SHERMAN, CALD-WELL, and DOEBBELING)

1934, 104, 501

—, ultrafiltration (SNELL) 1934, 104, 43

Barley, amylase, concentration and properties (Caldwell and Doebbeling)

1935, 110, 739

Maltose: p-Aminophenol β-glycosides, synthesis (BABERS and GOEBEL)

1934, 105, 473

-Containing mixtures, glucose microdetermination (Somogyi) 1937, 119, 741

Fermentation, yeast activators (BLISH and SANDSTEDT) 1937, 118, 765 Malus malus: See Apple tree Mammary gland: Blood nitrogen partition, fractions, utilization (GRAHAM, PETERSON, HOUCHIN, and TURNER) 1937-38, 122, 275 Lactating, lactic acid utilization (GRAHAM) 1937–38, 122, 1 Proteins (Jackson and Gort-1938, 123, 719 NER) Urea production (GRAHAM, Houchin, and Turner) 1937, 120, 29 Mandelic acid: Lactic acid, configurational relationship (Kuna and Levene) 1937, 118, 315 Manganese: Perosis-preventing (GALLUP properties and Norris) 1937, 119, xxxvi Mannitan: Fate (CARR, MUSSER, SCHMIDT, and KRANTZ) 1933, 102, 721 Mannitol: Fate (CARR, MUSSER, SCHMIDT, and KRANTZ) 1933, 102, 721 (CARR and KRANTZ) 1938, 124, 221 Metabolism (CARR, FORMAN, and KRANTZ) 1938, 123, xviii Mannoheptulose: d-, utilization (Roe and Hudson) 1935-36, 112, 443 Mannoketoheptose: d-, utilization (RoE and Hudson) 1935-36, 112, 443

Maltose—continued:

Mannosaccharic acid: l-, l-mannuronic acid synthesis from (NIEMANN, McCubbin, and 1934, 104, 737 Mannose: d-, crystalline, preparation (Levene) 1935, **108**, 419 -, metabolism (Deuel, Hall-MAN, MURRAY, and HIL-LIARD) 1938, 125, 79 Mannose-1-phosphoric acid: Synthesis (Colowick) 1938, 124, 557 Mannuronic acid: d-, p-bromophenylhydrazine derivatives (NIEMANN, SCHOEFFEL, and LINK) 1933, 101, 337 l-, l-mannosaccharic acid synthesis (NIEMANN, McCub-BIN, and LINK) 1934, 104, 737 Marine products: (Bergmann) 1934, 104, 317, 553 1937, 117, 777 1937, 118, 499 Marinobufagin: Chemical constitution (JENSEN) 193**7**, **119**, lii Marsh dodder: Plastid pigments (MACKINNEY)

1935-36, 112, 421 vibration: Mechanical Pepsin

activity, influence (CHAM-BERS) 1937, 117, 639

Meconium: Bilirubin determination, oxidative, photoelectric colorimeter (MALLOY and EVELYN)

1937–38, 122, 597 Melanins: Ultraspectrographic studies (Spiegel-Adolf) 1938, 123, exiv Melilotic acid: Plant tissue, determination (ROBERTS and 1937, 119, 269 LINK) Membrane: Molecular sieve (BEUTNER, CAPLAN, 1933, 101, 391 LOEHR) Benedict: Mendel. Lafayette Obituary, 1935-36, 112, preceding p. 431 Menopause: Urine follicle-stimulating hormone (Block. BRAND, HARRIS, and HIN-1936, 114, xii Menstrual cycle: Urine estrogenic substances, determination (Gustavson, Hays, and 1937, 119, xlii Wood) Mercaptals: Semi-, amino compounds, reactions (Schu-1937, 121, 539 BERT) Mercaptan(s): N, N'-Diphenyland N.N'-diformazyl phenyldihydroformazyl, lead detection. microchemical. biological and organic materials (Sulkowitch) 1934, 105, lxxxviii Iodoacetic acid reaction

(MICHAELIS and SCHUBERT) 1934, 106, 331

Mercapturic acid(s): Benzyl-, chloride benzvl relation. animal organism (STEKOL) 1938, 124, 129

-, S-benzylcysteine relation, animal organism (STEKOL) 1938, 124, 129

p-Bromo-, synthesis. bodv weight relation (STEKOL)

1937, 121, 93

Mercapturic acid(s)—continued: p-Bromophenyl-, synthesis. body weight, relation (STEKOL)

1937, 119, xciv -, -, diet effect (STEKOL) 1937, 117, 147

—, —, fasting rabbit (Con-1937, 121, 27 WAY)

-, -, food and bromobenzene relation (STEKOL)

1937, 118, 155 urine, determination

(STEKOL) 1936, 113, 279 Synthesis, animals (STEKOL and Mann)

1937, 117, 619 (STEKOL) 1937, 121, 87 1937-38, 122, 55

l-cystine, dl-methionine, glutathione, and taurine. relation (STEKOL)

1937-38, 122, 333

Mercuric chloride: Amino acid compounds (VICKERY and GORDON) 1933, 103, 543 Cysteine, cysteine sul-

finic acid, and cysteic acid, action (LAVINE)

1937, 117, 309

Thiol compounds, reaction (SHINOHARA)

1935, 111, 435

Mercuric reagents: Alkaline, nitrogenous substances, precipitation (EVERETT, SHEP-PARD, and JOHNSON)

1934, 104, 1

Mercuric sulfate: Cysteine, cystine, cysteine sulfinic acid, and cysteic acid, action (LAVINE) 1937, 117, 309

1938, 123, 443

(Kerr)

Mercury: -Reacting titrating Metabolism—continued: (PAPAGEORGE and LEWIS) solution, Rehberg burette, modified, use with (Long-1938, 123, 211 WELL and HILL) (BUTTS, DUNN, and HALL-1938, 123, 711 1935-36, 112, 319 MAN) (Butts, Blunden, and Mescaline: Oxidation (BERN-Dunn) 1938, 124, 709 HEIM and BERNHEIM) 1938, 123, 317 Amino acids, basic (Doty and 1937-38, 122, 139 EATON) Cystine-deficient Mesocystine: animals diet, growth effect (LORING, Apparatus, small(Werthessen) and DU VI-DORFMAN. 1937, 119, 233 GNEAUD) 1933, 103, 399 Bacteria (BLANCHARD and Isolation and characterization MacDonald) (LORING and DU VIGNEAUD) 1935, 110, 145 1933, 102, 287 Basal. See Basal metabolism Mesquite: Wood, hemicelluloses Blood plasma protein, injec-(SANDS and GARY) tion effect (DAFT, 1933, 101, 573 SCHEIT-ROBBINS, and (SANDS and NUTTER) WHIPPLE) 1938, 123, 87 1935, 110, 17 copper effect Carbohydrate, Metabolism: (See note on p. 221) (Keil and Nelson) Age effect (DILL, EDWARDS, 1934, 106, 343 and Robinson) -, diet factor (Wesson and 1938, 123, xxx MURRELL) 1933, 102, 303 Amides (CARTER, HANDLER, - factor, vegetables, boiling BINKLEY, FISHBACK, RISeffect (Wesson) ser, and Weisiger) 1938, 123, exxv 1938, 123, xx Carbohydrates, adrenalectomy green plants (VICKERY, effect (Buell, Anderson, Pucher, Wakeman, and and STRAUSS) LEAVENWORTH) 1936, 114, xvi 1937, 119, 369 -, brain (Kerr) (VICKERY, PUCHER, LEAV-1936, 116, 1 ENWORTH, and WAKEMAN) (KERR and GHANTUS) 1938, 125, 527 1936, 116, 9 Amino acids (Chase and 1937, 117, 217 Lewis) 1934, 106, 315 (KERR, HAMPEL, and (Butts, Dunn, and Hall-GHANTUS) 1935-36, 112, 263 MAN) 1937, 119, 405 (Butts, BLUNDEN. and (KERR and ANTAKI) Dunn) 1937, 119, 247 1937-38, 122, 49

1937, 120, 289

Metabolism-continued: Metabolism—continued: Dog (STEKOL and CERECEDO) Carbohydrates, fat-deficient diet 1934, 105, lxxxv (Wesson and Murrell) 1934, 105, xcix Eskimo (Rabinowitch) -, galactosuria (Mason) 1936, 114, lxxxii 1934, 105, lviii Exercise effect (DILL, -, goat (CUTLER) EDWARDS, and ROBINSON) 1934, 1**06,** 653 1938, 123, xxx -, hormone, anterior pitui-Fat, intermediary, blood serum tary, assay (Bergman and lipids, relation (HANSEN, WILSON, and WILLIAMS) TURNER) 1938, 123, 471 -, pancreatectomy (BARKER, 1936, 114, 209 -, liver injury by carbon tetra-CHAMBERS, and DANN) chloride, effect (WINTER) 1937, 11**8**, 177 1938, 124, 339 -, sexual variation (Gulick, SAMUELS, and DEUEL) —, — phospholipid rôle (Sin-1935, 111, 515 CLAIR) 1934, **105**, 29 (GRUNEWALD, CUTLER, and -, plants (MacLachlan) 1936, 113, 197 DEUEL) 1934, 1**05,** 35 CUTLER, 1936, 114, 185 (Butts, and1934, 105, 45 -, vitamin B and (McHenry DEUEL) and GAVIN) (DEUEL, HALLMAN, MUR-RAY, and SAMUELS) 1938, 125, 653 —, — B₁ relation (Whipple and 1937, 119, 607 CHURCH) 1935, 109, xeviii (DEUEL, BUTTS, HALLMAN, Growth (STEKOL and CERE-MURRAY, and BLUNDEN) 1934, 105, lxxxv CEDO) 1937, 119, 617 (CERECEDO and STEKOL) Carbon, Gibberella saubinetii 1934, 107, 425 (HESSLER and GORTNER) Intermediary, deuterium as in-1937, **119,** 193 dicator (Schoenheimer and Children, dental caries (Boyd, RITTENBERG) DRAIN, and STEARNS) 1935, 111, 163 1933, **103**, 327 (RITTENBERG and Schoen-Citric acid origin in (SHERMAN, HEIMER) 1935, 111, 169 MENDEL, and SMITH) (Schoenheimer and Rit-1936, 113, 247 TENBERG) 1935, 111, 175 Dihalophenol effect, mecha-(Schoenheimer, RITTENnism (CLOWES and KRAHL) BERG, and GRAFF) 1936, 114, xix 1935, 111, 183 Dinitrophenol effect, mecha-(Schoenheimer and Rit-

TENBERG)

1936, 113, 505

1936, 114, 381

nism (Clowes and Krahl)

1936, 114, xix

Metabolism—continued:

(SCHOENHEIMER, RITTENBERG, BERG, and ROUSSELOT) 1936, 115, 635 (RITTENBERG and SCHOENHEIMER) 1937, 117, 485 (SCHOENHEIMER and RITTENBERG) 1937, 120, 155 (RITTENBERG, SCHOENHEIMER, and EVANS)

1937, 120, 503
(RITTENBERG and SCHOEN-HEIMER) 1937, 121, 235
(FOSTER, KESTON, RITTENBERG, and SCHOENHEIMER)
1938, 124, 159

(RITTENBERG, KESTON, SCHOENHEIMER, and FOSTER) 1938, 125, 1 (FOSTER, RITTENBERG, and SCHOENHEIMER)

1938, 125, 13
(ANCHEL and SCHOEN-HEIMER) 1938, 125, 23
Intermediary, fatty acids, deuterium as indicator (SCHOEN-HEIMER)

1937, 119, lxxxvii

—, nitrogen isotope for study
(Schoenheimer, Foster,
Rittenberg, and Ratner)
1938, 123, cv

Lipid, blood and liver, depancreatized dog with insulin, choline effect (Kaplan and Chaikoff)

1937, 120, 647
Mineral, adolescent girls, nephrotic children, and boys with pseudohypertrophic muscle dystrophy (Wang, Kaucher, and Wing)

1935, 109, xcv

Metabolism—continued:

Mineral, magnesium deprivation effect (Kruse, Schmidt, and McCollum)

1934, 106, 553

—, radioactive isotopes in study (Cohn and Green-Berg) 1938, 123, 185

Muscle, frog, dinitrophenol effect (Ronzoni and Ehren-Fest) 1936, 115, 749

Nitrogen, abscess, anemic and non-anemic dogs, protein relation (Daft, Robscheit-Robbins, and Whipple)

1937, 121, 45

—, liver function, hemoglobin production, liver injury by chloroform, anemia, relation (Daft, Robscheit-Robbins, and Whipple)

1936, 113, 391

--, non-protein, hepatectomy effect (TRIMBLE and MADDOCK) 1938, 123, cxxiii

—, suprarenalectomized rats (Sandberg and Perla)

1936, 113, 35

-, thyroxine and thyrotropic hormone, effect (GAEBLER and BARTLETT)

. 1938, **123,** xl

-, tissue, isolated (Borsook and Jeffreys)

1935, 110, 495

Phospholipids (Sinclair)

1935, 111, 261, 275

-, radioactive phosphorus as indicator (Perlman, Ruben, and Chaikoff)

1937-38, 122, 169

Metabolism—continued:

Metabolism—continued:

(FRIES, RUBEN, PERLMAN, Sterols (Eckstein) 1938, 125, 99, 107 and CHAIKOFF) -, plants (MacLachlan) 1938, 123, 587 (ENTENMAN, RUBEN, PERL-1936, 113, 197 MAN, LORENZ, and CHAI-1936, 114, 185 Sulfur (CHASE and LEWIS) 1938, 124, 795 Phospholipids, stomach and in-1933, 101, 735 testine, rôle, ingested fat (VIRTUE and LEWIS) effect (FRIES, RUBEN, PERL-1934, 1**04,** 59 (Lewis and Frayser) MAN, and CHAIKOFF) 1938, 123, 587 1935, 110, 23 -, tumors (Haven) (Lewis, Brown, and WHITE) 1936, 114, xlvii 1936, 114, 171 1938, 118, 111 (WHITE, Lewis, Phosphorus, invertebrate WHITE) 1937, 117, 663 (HEARD and LEWIS) nerve (Engel and Gerard) 1935-36, 112, 379 1938, 123, 203 Poliomyelitis (Magers) -, anterior pituitary growth preparation, effect (GAEB-1934, 105, lvi Protein (Howland and Haw-LER and PRICE) 1938, 123, 99 1936, 114, xxxix -, anterior pituitary growth -, cat (VIRTUE) hormone, effect (SCHAFFER 1936, 114, cvi and LEE) 1935, **108,** 355 -, dog and pig, comparison (GAEBLER and PRICE) 1936, 113, 675 (STEKOL) -, suprarenalectomized rats 1937, 121, 497 -, glycine synthesis, influence (SANDBERG and PERLA) (GRIFFITH) 1936, 113, 35 Tissue, lactoflavin and vitamin 1934, 105, xxxiii Be deficiency, effect (Muus, Purine, epinephrine influence BESSEY, and HASTINGS) (CHAIKOFF, LARSON, and 1937, 119, lxxii READ) 1935, 109, 395 Trihalophenol effect, mecha--, insulin and adrenal menism (Clowes and Krahl) dulla, relation (Larson and 1936, 114, xix Brewer) 1936, 115, 279 Metabolites: Oxidation (WITZE--, - effect, Dalmatian coach-MANN) 1934, 107, 475 dog (Chaikoff and Larson) Metal(s): Catalysts, oxidations, 1935, 109, 85 biological, tissue inhibitors Pyrimidines, growth (SILVER effect and, (KHARASCH, and Cerecepo's LEGAULT, WILDER, and

1936, 114, xciii

GERARD)

1936, 113, 557

Metal(s)—continued:

Divalent, jack bean hemagglutinin inactivation, reversible, relation (SUMNER and HOWELL) 1936, 115, 583

Thioglycolic acid oxidation, buffer, dithiol and, effect (Kharasch, Legault, Wilder, and Gerard)

1936, 113, 537

Metal compounds: Papain activity, influence (Hellerman and Perkins)

1934, 107, 241

Pneumococcal hemolysin inactivation, effect (Shwachman, Hellerman, and Cohen) 1934, 107, 257

Metal derivatives: Insulin inactivation effect (Schock, Jensen, and Hellerman)

1935, 111, 553

Metal ions: Arginase activation, rôle (Hellerman and Perkins) 1935-36, 112, 175 Arginine hydrolysis, urease and, effect (Hellerman and Perkins)

1935-36, 112, 175 Liver arginase activation, rôle (Hellerman and Stock)

1938, 125, 771

Metamorphosis: Bee-moth, reducing substances, effect (CRESCITELLI and TAYLOR) 1935, 108, 349

Metaphosphoric acid: Ascorbic acid oxidation, catalytic effect (Lyman, Schultze, and King) 1937, 118, 757 Vitamin C extraction and titra-

tion, reagent (Musulin and King) 1936, 116, 409 Methanes: Disubstituted, symmetrical, from optically active homologous series of disubstituted carboxylic acids and derivatives (Levene and Marker)

1934, 106, 173

Methyloctylphenethyl-, optical rotation (Levene and Harris) 1935, 111, 735

Methanol: Detection and determination (HARGER, JOHNSON, and BRIDWELL)

1938, 123, p. l

Methemoglobin: Blood cell, red, oxidation, methylene blue and, effect (WENDEL)

1933, 102, 385

Determination, photoelectric colorimeter (EVELYN and MALLOY)

1938, 123, xxxiv

Formation, tissues (BERNHEIM and MICHEL)

1937, 118, 743

Hemoglobin, reduction, methylene blue (Wendel) 1938, 123, exxiv

— solutions, determination, spectrophotometric (MI-CHEL) 1937, 119, lxix Spectrophotometry (DRABKIN and AUSTIN)

1934, 105, xxiii

• (Austin and Drabkin)

1935-36, 112, 67

Streptococcus viridans, formation (FISHBERG and BAUM)

1938, 123, xxxv Methiol- α -hydroxybutyric acid:

dl-γ-, metabolism, cystinuria (Block, Brand, and Cahill) 1937, 119, xii 396 Methionine: Arachin, nutritive limiting factor (BEACH and 1937, 119, viii Blood plasma cystine, administration effect (LEWIS and 1938, 123, lxxv Brown) Cystine excretion, cystinuria, ingestion effect (Lewis, Brown, and White) 1936, 114, 171 Cystinuria, administration effect (Andrews, Andrews, and RUTENBER) 1938, 123, iii (HESS and SULLIVAN) 1938, 123, lv

d-, and formyl derivatives, growth effect (Jackson and BLOCK)

1937-38, 122, 425 Deficiency, cholic acid administration relation (White)

1935-36, 112, 503

-Deficient diet, cystamine, inadequate cystine, growth relation (Jackson and Block) 1936, 113, 135

Dideutero-, synthesis (PATTERson and DU VIGNEAUD)

1938, 123, 327

Dietary, hair effect (HEARD and Lewis)

1938, 123, 203

dl-, absorption rate, gastrointestinal tract (CHASE and 1933, 101, 735 Lewis) -, l-cystine and, metabolism,

comparison (VIRTUE Lewis) 1934, 104, 59

-, mercapturic acid synthesis, relation (STEKOL)

1937-38, 122, 333

Methionine—continued:

dl-, metabolism, dietary protein, effect (STEKOL)

1935, 109, 147

Growth relation (Womack, KEMMERER, and Rose) 1937, 121, 403

(HEARD and LEWIS)

1938, 123, 203

Hexo-, synthesis and physiological availability (Jones and DU VIGNEAUD)

1937, 120, 11

Homo-, availability (DYER and DU VIGNEAUD)

1935, 108, 73

-, synthesis (DU VIGNEAUD, DYER, JONES, and PATTERson) 1934, 106, 401

Hydroxy analogue, metabocystinuria (BRAND, lism, Block, and Cahill)

1937, 119, 681

l-, and formyl derivatives, growth effect (Jackson and BLOCK) 1937-38, 122, 425 -, metabolism, dietary protein, effect (STEKOL)

1935, 109, 147

Liver fat, effect (TUCKER and Eckstein)

1937, 121, 479

(JACKSON Metabolism and BLOCK)

1937-38, 122, 425

-, cystinuria (Brand, Cahill, and HARRIS)

1935, 109, 69

N-Methyl-, synthesis and effect, growth cystinedeficient diet (PATTERSON, DYER, and DU VIGNEAUD) 1936, 116, 277

Methionine—continued: Methylthiol group, physiological specificity (DYER) 1938, 124, 519 Naturally occurring, homocystine isomers, optically configurational reactive, lationship (DU VIGNEAUD and PATTERSON) 1935, 109, 97 Nutrition rôle (WHITE and 1937-38, 122, 219 Beach) Proteins, determination (BAERNSTEIN) 1934, 106, 451 1936, 114, v 1936, 115, 25, 33 1937, 119, lvi (Kassell) (Kassell and Brand) 1938, 125, 145 Sulfur determination, Benedict-Denis method (RUTEN-BER and ANDREWS) 1937, 120, 203 -, oxidation, body (DU VI-LORING, GNEAUD, and 1934, 105, 481 CRAFT) Utilization, growth, bromobenzene effect (WHITE and 1935, 111, 507 JACKSON) Methoxybutyric nitrile: methoxypropionic nitrile.

(LEVENE and MARKER)
1933, 102, 297
Methoxylase: Pectin-, activity,
determination (Kertesz)
1937, 121, 589

configurational relationship

Methoxypropionic nitrile: βMethoxybutyric nitrile,
configurational relationship
(Levene and Marker)

1933, 102, 297

Methyl alcohol:

See also Methanol

Methylbenzylacetic acid: Derivatives, methylphenethylacetic acid derivatives, configurational relationship (Levene) 1935, 110, 323

Methylbenzylpropionic acid, configurational relationship (Levene and Marker)

1935, 110, 299

Methylbenzylpropionic acid:
Methylbenzylacetic acid,
configurational relationship
(Levene and Marker)

1935, 110, 299

Methylcholanthrene: Isomers, carcinogenesis effect (Shear) 1936, 114, lxxxix

Methylcyclohexylcarbinol:

Methylhexylcarbinol, configurational relationship (Levene and Harris)

1936, 113, 55

Methylcysteine: N-, and derivatives (Bloch and Clarke) 1938, 125, 275

S-, metabolism, cystinuria
(Brand, Block, and CaHILL) 1937, 119, 689

—, sulfur, oxidation, body
(DU VIGNEAUD, LORING, and
CRAFT) 1934, 105, 481

Methylene blue: Blood cell, red, oxidation, cyanide effect (Wendel)

1933, 102, 385

— —, —, —, methemoglobin effect (Wendel)

1933, 102, 385

Lactate-pyruvate oxidation, erythrocytes and, effect (Wendel) 1933, 102, 373 Methylene blue-continued:

Methemoglobin reduction to hemoglobin (WENDEL) 1938, 123, exxiv

Potassium determination, volumetric, with (Bolliger)

1934, 107, 229

Methyl-d-galacturonide: α-, and derivatives, ring structure (LEVENE and KREIDER) 1937, 120, 597

-, hydrolysis, kinetics (Mor-ELL and LINK)

1934, 104, 183

 α -acetobromo-d-galactuβ-, ronic acid methyl ester, con-(Morell, from version BAUR, and LINK)

1935, 110, 719

Hexuronic Methylglycoside(s): acids, naturally occurring (Morell and Link)

1934, 104, 183

Polygalacturonic acid-, Ehrlich's Pektolsäure and Pektolactonsäure (Baur 1935, 109, 293 LINK)

---, pectin (Morell, Baur, and LINK) 1934, 105, 1

Methylglyoxal: Thiol acids, combination (SCHUBERT)

1935, 111, 671

Methylheptylacetic acid: Derivamethyloctylacetic tives, acid derivatives, configurational relationship (LEVENE) 1935, 110, 323

Methylhexylacetic acid: Methylphenylacetic acid, configurational relationship (LEVENE and HARRIS)

1935-36, 112, 195

Methylhexylcarbinol: Methylcyclohexylcarbinol, configurational relationship (LEVENE and HARRIS)

1936, 113, 55

Methylhistidine: l-1-, anserine synthesis from (Behrens and DU VIGNEAUD)

1937, 120, 517

Methylhomocystine: Di-N-, synthesis and growth effect. cystine-deficient diet (PAT-TERSON, DYER, and DU VIGNEAUD)

1936, 116, 277

Methyl hypobromite: Unsaturated acids, effect (WEST, KRUMMEL, and CARTER)

1937-38, 122, 605

Methylmethionine: N-, synthesis and growth effect, cystinedeficient diet (PATTERSON, Dyer, and DU VIGNEAUD) 1936, 116, 277

Methyl monoacetone xylose: 5-, phosphoric esters, pentose, veast nucleic acid, relation (LEVENE and RAYMOND)

1933, 102, 347

Methyloctylacetic acid: Derivatives. methylheptylacetic acid derivatives, configurational relationship (LEVENE) 1935, 110, 323

Methyloctylphenethylmethane: Optical rotation (Levene and HARRIS)

1935, 111, 735

Methylose: d-Allo-, synthesis. 5tosyl monoacetone l-rhamhydrolysis, relation nose (LEVENE and COMPTON)

1936, 116, 169

Methylose—continued:

d-Gulo-, crystalline, and derivatives (Levene and Compton) 1935, 111, 335

d-Xylo-, and derivatives (Levene and Compton)

1935, 111, 325

—, chemical constitution (Levene and Compton)

1935–36, 112, 775

Methyloside: Theophylline-dallo-, synthesis (Levene and Compton)

1937, 117, 37

Methyl-β-oxyphenazine: N-, oxidation-reduction potentials (Preisler and Hem-Pelman) 1936, 114, lxxxi

Methylphenethylacetic acid: Derivatives, methylbenzylacetic acid derivatives, configurational relationship (Levene)

1935, 110, 323

Methylphenylacetic acid: Hydrocarbons derived from (Levene and Marker)

1935, 108, 409

Methylhexylacetic acid, configurational relationship (Levene and Harris)

1935-36, 112, 195

Methylthiol group: Methionine, physiological specificity (DYER) 1938, 124, 519

Methyl uridine: N-, uridine chemical constitution, relation (LEVENE and TIPSON) 1934, 104, 385

Methyl xylose: 3- and 5-(Levene and Raymond) 1933, 102, 331 Mice: Homozygous, test animals (McClendon and Street) 1935, 109, lxi

Microorganism(s): Carotene synthesis (BAUMANN, STEEN-BOCK, INGRAHAM, and FRED) 1933, 103, 339

Intestine, sulfur compounds reduced to hydrogen sulfide by (Andrews)

1937-38, 122, 687

Vitamin A synthesis (BAU-MANN, STEENBOCK, INGRA-HAM, and FRED)

1933, 103, 339

Milk: (See note on p. 221)

Anemia from, cobalt, iron and copper with, effect (Underwood and Elvehjem)

1938, 124, 419

— —, therapy (Fitz-Hugh, Robson, and Drabkin)

1933, 103, 617

Buffer intensity (WHITTIER) 1933, 102, 733 1938, 123, 283

-Clotting, papain action (Balls and Hoover)

1937, 121, 737

Cod liver oil, shark liver oil, and salmon oil, effect (McCay and Maynard)

1935, 109, 29

Constituents, antirachitic activation (Ansbacher and Supplee) 1934, 105, 391—, vitamin D and, relation (Supplee, Ansbacher, Bender, and Flanigan)

1936, 114, 95

Copper-low, anemia, hemoglobin production and iron and copper metabolism Milk—continued:

(Bing. SAURWEIN, and Myers) 1934, 105, 343 -Curdling enzymes, inhibitors (TAUBER)

1934, 107, 161

Diet effect (Mueller and 1937, 119, lxxii Cox) Elaidic acid relation (McCon-NELL and SINCLAIR)

1937, 118, 123

Fat, blood precursor (MAY-NARD, HODSON, ELLIS, and McCAY) 1937, 119, lxvi -, diet lipids, effect (MUELLER and Cox)

1938, **123**, lxxxviii ingestion Fluorine effect (PHILLIPS, HART. and BOHSTEDT)

1934, 105, 123 Goat, fat, fatty acids (RIE-MENSCHNEIDER and ELLIS)

1936, 113, 219

-, fatty acids, distribution. cottonseed meal ingestion effect (RIEMENSCHNEIDER and Ellis)

1936, 114, 441

Human (ERICKSON, STONER. and Macy)

1933, 103, 235

-, non-protein nitrogen constituents (Erickson, Gu-LICK, HUNSCHER, and MACY) 1934, 106, 145

Hydrogen sulfide-treated, copper deficiency development (Summerson)

1938, 123, cxix Lactogenic hormone stimulation, effect (BERGMAN and TURNER) 1937, 120, 21 Milk-continued:

Lipids (Kurtz, Jamieson, and HOLM) 1934, 106, 717

Rat (Cox and MUELLER)

1936, 114, xxii Tetany production, relation (Duncan, Huffman, and Robinson)

1935, 108, 35

Milking: Apparatus, small laboratory animals (Cox and Mueller)

1936, 114, xxii

Mineral(s): Acid-base balance, pregnancy (Coons, Coons, and Schiefelbusch)

1934, 104, 757

Analysis, apparatus, evaporation, concentrated salt solutions (Guest and Leva)

1935, 110, 777

Balance, alkaline and saline waters, effect (HELLER and HADDAD) 1936, 113, 439

Blood, distribution, anemia. children (ERICKSON, COPE, STERNBERGER, LEE, COO-LEY, and MACY)

1935, 109, xxx

(ERICKSON, WILLIAMS, HUM-MEL, LEE, and MACY)

1937, 118, 569

-, -, -, pernicious (WIL-LIAMS, ERICKSON, BERN-STEIN, HUMMEL, and MACY) 1937, 118, 599

-, --, children (Erickson, WILLIAMS. HUMMEL, and MACY) 1937, 118, 15 Metabolism, adolescent girls (WANG, KAUCHER, Wing) 1935, 109, xcv

de-

KAUCHER, and WING) 1935, 109, xcv -, nephrosis, children (WANG, KAUCHER, and WING) 1935, 109, xcv -, radioactive isotopes in study (Cohn and Green-BERG) 1938, 123, 185 Muscles, dystrophy-producing diet (Morgulis and Osn-1938, 124, 767 Partition, intestinal digestion (SCHAIBLE, BANDEMER, and MOORE) 1935, 109, lxxix Mineral constituents: Blood, inorganic salt intake, effect (HELLER and PAUL) 1934, 105, 655 Mitochondria: Lipids, total, dibenzanthracene effect (GOERNER) 1937-38, 122, 529 Tumor, vitamin A and (Goer-NER and GOERNER) 1938, 123, 57 Vitamin A, dibenzanthracene effect (Goerner) 1937-38, 122, 529 Moisture: Residual, dry biological substances, determination (FLOSDORF and WEB-STER) 1937, 121, 353 Mold(s): Enzymes, proteolytic (BERGER, Johnson, 1937, 117, 429 Peterson)

Mineral(s)—continued:

magnesium

SCHMIDT, and McCollum)

muscle dystrophy, pseudo-

hypertrophic, boys (WANG,

effect (KRUSE,

1934, 106, 553

Metabolism.

privation.

Mold(s)—continued: Tissue, chemistry (Woolley and Peterson) 1936, 114, 85 1937, 118, 363 1937, 121, 507 1937-38, 122, 213 See also Fungus Molecular rotation: Homologous series (LEVENE and 1933, 103, 299 MARKER) Molecular solids: Macro-, long spacings (Corey and Wyc-KOFF) 1936, 114, 407 Molecules: Uncharged, tems containing, activity coefficients and reaction rate (STRAUP-COPE and COHN) 1934, 105, lxxxvii Mollusk(s): Sterols (BERGMANN) 1934, 104, 317 Stigmasterol (BERGMANN) 1937, 118, 499 Monkey: Blood plasma and blood cells, red, electrolytes, relation (YANNET, DARROW, and CARY) 1935-36, 112, 477 Ketosis, fasting (FRIEDEMANN) 1934, 105, 335 Leucopenia and anemia, diet relation (DAY, LANGSTON, and Shukers) 1936, 114, xxv Monoacetone adenosine: Phosphorylation (Levene and Tipson) 1937, 121, 131 Monoacetone l-arabofuranoside: Preparation (Levene and COMPTON) 1936, 116, 189 Monoacetone d-xyloketose: (Levene and Tipson) 1934, 106, 603

tabolism

Jackson)

(Gordon

and

1935, 110, 151

tration stability (WYCKOFF)

1937-38, 122, 239

Monotrityl uridine: Chemical Monoacetone xylose: Derivatives (LEVENE and RAYconstitution (Levene and Tipson) 1934, **105,** 419 MOND) 1933, 102, 317 Morphine: Urine, determination Monoacetone d-xylulose: Structure (LEVENE and TIPSON) (OBERST) 1937, 120, 607 1938, 123, lxxxix Mosaic: Aucuba virus protein. Monoaminodicarboxy acids: Aspergillus sydowi, isolation ultracentrifugal analysis (Woolley and Peterson) (WYCKOFF) 1938, 124, 585 1937, 121, 507 - -, tobacco mosaic protein, Monoaminomonocarboxy acids: crystalline, relation (STAN-Aspergillus sydowi, isolation 1937, 117, 325 (Woolley and Peterson) Tobacco protein, x-ray diffrac-1937, 121, 507 Monobromobenzene: Detoxication patterns (WYCKOFF and tion (HALEY and SAMUEL-COREY) 1936, 116, 51 1937, 119, 383 - virus, plants diseased with, SEN) virus proteins, crystalline, Monocyte: Proteinase and peptidase activity, pleural exuultracentrifugal analysis dates (WEISS, KAPLAN, and (WYCKOFF, BISCOE, 1938, 125, 247 LARSON) STANLEY) 1937, 117, 57 Monoethyl hydrogen peroxide: - - protein, activity and vield (STANLEY) Decomposition, catalase (STERN) 1936, 114, 473 1937, 121, 205 — —, —, determination Monoheterocyclic ring com-(Loring) 1937, 121, 637 pounds: 5-Membered, anti----, --, factors influencing mony trichloride reaction (STANLEY) (LEVINE and RICHMAN) 1937, 117, 755 1933, 101, 373 - - -, crystalline, absorp-Monohydric substrates: Tyrotion spectrum, ultraviolet sinase action (GRAUBARD (LAVIN and STANLEY) and Nelson) 1937, 118, 269 1935, 111, 757 - -, -, isolation from Monohydroxypalmitic acid: Buttomato plants (Loring and ter fat (Bosworth STANLEY) HELZ) 1935-36, 112, 489 1937, 117, 733 Monomethyllysine: α-N-. - -, -, preparation growth availability (Gor-(STANLEY) 1937, 119, xxxvii DOM) 1936, 115, 673 Monomethyltryptophanes: Me----, hydrogen ion concenMosaic—continued:

Tobacco virus protein, molecular sedimentation constants (Wyckoff)

1937, 121, 219

——, nucleic acid (Loring)
1938, 123, lxxvi
Virus protein, latent, isolation
(Loring and Wyckoff)
1937, 121, 225

Mouth: Sore, nephritis, cause (BLISS) 1937, 121, 425

Mucic acid: Allo-, dl-alluronic

acid synthesis from (Niemann, Karjala, and Link) 1934, 104, 189

Mucilage: Flaxseed, aldobionic acid (NIEMANN and LINK)
1934, 104, 205

Psyllium seed (Anderson and Fireman)

1935, 109, 437 Slippery elm bark (Anderson) 1934, 104, 163

Mucin: Dyes, staining (Kelley and Miller)

1935, 110, 119

Gastric, mucoitin disulfuric acid from (MEYER and SMYTH) 1938, 123, lxxxiv Thionine staining (Kelley and Miller) 1935, 110, 119

Mucoid(s): Sugar radicals
(Meyer and Palmer)

1935, 109, lxv

Mucoitin disulfuric acid: Gastric mucin, isolation (Meyer and Smyth) 1938, 123, lxxxiv

Mucoitin polysulfuric acid: Heparin relations (Jorpes and Bergström)

1937, 118, 447

Mucoitinsulfuric acid: Gastrie juice, isolation (Komarov)

1935, 109, 177

Mucus: Gastric juice, acidity, relation (Helmer, Fours, and Zerfas)

1934, 105, xxxvii

Muscle: Activity, phospholipid, relation (Bloom and SNIDER) 1934, 107, 459

Adenylic acid, acridine salts (Tipson) 1937, 120, 621 Annelid (Kurtz and Luck)

1935, 111, 577

Beef, hemoglobin regeneration influence (Rose, Vahlteich, and MacLeod)

1934, 104, 217

Blood volume determination (Eichelberger)

1937-38, 122, 323

Cholesterol (Blook and SNI-DER) 1935, 109, ix (Blook) 1936, 114, 639

-, activity effect (Bloom) 1937, 119, 451

Choline esterase activity, prostigmine effect (STADIE and JONES) 1938, 123, exiv

Collagen, normal and dystrophic (Spencer, Morgu-LIS, and WILDER)

1937, 120, 257

Contraction, cytochromes, oscillographic study (URBAN and PEUGNET)

1937, 119, c

Creatine (Corley, Kramer, and Wolf)

1935, 109, xxiii

— and potassium, relation
(Myers and Mangun)
1936, 114, lxxy

Muscle—continued:

Creatine, phosphorus and potassium relation (Mangun and Myers)

1938, **123,** lxxix

thyroid and thyroxine effect (Bodansky)

1935, 109, 615

Dystrophies (Sullivan)

1936, **114,** ciii

—, urine guanidine derivatives (Sullivan, Hess, and Irreverre) 1936, 114, 633 Dystrophy (Morgulis and Spencer)

1936, 114, lxxii

—, cholesterol (WILDER)

1937, 119, civ

-, electrolytes (Fenn and Goettsch)

1937, 120, 41

-, guanidine and derivatives, relation (Sullivan)

1935, 109, lxxxix

—, lipids (Morgulis, Wilder, Spencer, and Eppstein)

1938, 124, 755

—, muscle minerals (Morgu-LIS and OSHEROFF)

1938, 124, 767

-, progressive, glycolic acid metabolism (MILHORAT and Toscani) 1936, 114, 461

—, —, urine (Sullivan and Hess) 1934, 105, lxxxix

 pseudohypertrophic, glycine synthesis (Freiberg and West)

1933, 101, 449

-, -, mineral metabolism, boys (Wang, Kaucher, and Wing) 1935, 109, xcv

Muscle—continued:

Electrolytes, blood and, distribution, adrenalectomy effect (HEGNAUER and ROBINSON) 1936, 116, 769

Esterification (Cori and Cori) 1936, 116, 129

Extract, glycogen hydrolysis (CARRUTHERS)

1935, 108, 535

Ferrocyanide, microdetermination (Edwards and Lang-Ley) 1935-36, 112, 469

Frog, anaerobic, carbohydrate, hydrogen ion concentration effect (Kerly and Ronzoni) 1933, 103, 161

—, epinephrine influence (Heg-NAUER and CORI)

1934, 105, 691

--, hexosemonophosphate (Cori and Cori)

1934, **105**, xvii

—, hexosephosphate disappearance (Ronzoni and Kerly) 1933, 103, 175

-, - esters, formation (Corr and Corr) 1936, 116, 119

-, metabolism, dinitrophenol effect (Ronzoni and Ehren-FEST) 1936, 115, 749

Gastric ulcer-producing substance, isolation (Tashiro)

1937, 119, xeviii Glycerol extract, glycogen hydrolysis (Carruthers and

Lee) 1935, 108, 525 Glycogen and fat content, comparison (Deuel, Gulick, Grunewald, and Cutler)

1934, 104, 519

— determination (Guest)
1938, 123, xlviii

Muscle-continued:

Pecten,

action (Macht and Bryan)

basic

(Moore and Wilson)

(Moore and Wilson)

nitrogenous

1935, 110, 101

1934, 105, lxiii

extractives

extractives

Muscle—continued: Glycogen, fasting effect (Bla-THERWICK, BRADSHAW, and SAWYER) 1936, 114, xii -, low oxygen pressure, effect 1934, **105**, xxvi (Evans) -, resynthesis, hexosemonophosphate (Cori, Cori, and HEGNAUER) 1937, 120, 193 electrolytes, disease Heart. effect (Cullen, Wilkins, and HARRISON) 1933, 102, 415 -, sugar, fermentable (Cori, Closs, and Cori) 1933, 103, 13 Hemoglobin, beef, spectrophotometric characteristics (SHENK, HALL, and KING) 1934, 105, 741 Hexosemonophosphate disappearance (Cori and Cori) 1934, 107, 5 Inosinic acid (LEVENE and 1935, 111, 313 Tipson) Limulus polyphemus, organic phosphates, distribution (ENGEL and CHAO) 1935, 108, 389 Lipids, function, relation (BLOOR and SNIDER) 1934, 105, x Mammalian, carnosine and anserine determination (ZAPP) 1938, 123, exxxii Minerals, dystrophy-producing diet (Morgulis and Oshe-1938, 124, 767 Necturus, nitrogenous extractives (Wilson and Wolff)

1938, 124, 103

Oxidase, milk and, synergistic

1936, 114, lxxi Phospholipid, activity effect (BLOOR and SNIDER) 1934, 107, 459 (BLOOR) 1937, 119, 451 - fatty acids (SNIDER) 1936, 116, 503 Phosphorus, potassium, and creatine relation (MANGUS and Myers) 1938, 123, lxxix Potassium and creatine, relation (Myers and Mangun) 1936, 114, lxxv Salt and water, blood and, exchange (Hastings EICHELBERGER) 1935, 109, xli - -, - and, exchange, body water effect (Hastings and Eichelberger) 1937, 117, 73 - - -, - and, exchange, dehydration effect (Eichel-BERGER and HASTINGS) 1937, 118, 205 - - -, - and, exchange, hydronephrosis (Eichelberger) 1937, 119, xxx - -, - and, exchange, respiratory alkalosis and acidosis, effect (EICHELBERGER and HASTINGS) 1937, 118, 197 Muscle-continued: Scallop, nitrogenous extractives (Moore and Wilson) 1937, 119, 585 octopine (Moore and Nail(s): Wilson) 1937, 119, 573 Skeletal, carnosine and anserine (Wolff and Wilson) 1935, 109, 565 -, sugar, fermentable (Cori, CLOSS, and CORI) 1933, 103, 13 Smooth, proteins (MEHL) 1938, 123, lxxxiii Water and electrolytes, growth effect (YANNET and DAR-Row) 1938, 123, 295 -, blood and, distribution adrenalectomy effect (HEG-NAUER and ROBINSON) 1936, 116, 769 See also Exercise, Myasthenia gravis, Work Mussel: Catalase, oxygen, inactivation (MARKS and Fox) 1933, 103, 269 Myasthenia gravis: Liver argi-· nase (Milhorat) 1935, 111, 379 Prostigmine effect (STADIE and Jones) 1938, 123, exiv Myelin sheath: Degenerative

changes, diagnosis by polarizing microscope (Sutton,

SETTERFIELD, and KRAUSS)

remedy, thyroid diiodoty-

rosine peptone derivative

Myoglobin: Solubility, ammonium sulfate solutions (Mor-

GAN)

Myxedema: Artificial

1934, 105, lxxxix

1935-36, 112, 557

protein

(Salter and Pearson)
1935–36, 112, 579

N

ail(s): Cystine, cystinuria
(Lewis and Frayser)
1935, 110, 23

Finger, amino acids, basic
(Block)
1934, 104, 339

—, ——, normal and arthritic
(Hess)
1935, 109, xliii
—, cystine determination (Sullivan, Howard, and Hess)

1937, 119, 721 Isoelectric point (WILKERSON) 1935-36, 112, 329

Naphthalene: Absorption and detoxication, bile rôle (Stekol and Mann)

1937, 117, 619

Dietary, glutathione, growth effect (STEKOL)

1938, **123,** exvi

—, growth effect (Stekol) 1937, 121, 87

Metabolism, adult and growing dogs (STEKOL)

1935, 110, 463

Naphthylamine: β -, metabolism (WILEY)

1938, 123, exxvii 1938, 124, 627

Narcotics: Brain carbohydrate and phosphocreatine, effect (Kerr and Antaki)

1937-38, 122, 49

Navy bean: See Bean

Necturus: Inulin excretion, glomerulus (HENDRIX, WEST-FALL, and RICHARDS) 1936, 116, 735 Necturus-continued:

Muscle, nitrogenous extractives (Wilson and Wolff)

1938, 124, 103

Urine, glomerulus, chloride (WESTFALL, FINDLEY, and RICHARDS)

1934, 107, 661

—, —, hydrogen ion concentration determination, microquinhydrone electrode (Pierce and Montgomery)
1935, 110, 763

—, —, inorganic phosphate (Walker)

1933, 101, 239

—, —, reaction (Mont-GOMERY) 1935, 110, 749

—, —, reducing substances (Walker and Reisinger)

1933, 101, 223

Nembutal: Basal metabolism effect (CAVETT)

1937, 119, xvii

Nephrectomy: Blood plasma cholesterol, effect (Ludewig)

1938, 123, lxxviii

— phospholipid phosphorus, effect (Ludewig) 1938, 123, lxxviii

— — proteins, effect (Снаnutin and Ludewig)

1937, 119, xviii

— serum calcium, calciferol effect (Tweedy, McNa-MARA, TEMPLETON, and PATRAS) 1937, 119, xcix Body water, effect (Chanutin)

Body water, effect (Chanutin) 1938, 123, xx

Kidney function, effect (Chanutin and Ludewig)

1935, 109, xviii

Nephrectomy—continued:

Liver total fatty acid and cholesterol, yeast-containing diets, effect (Hortenstine, Chanutin, and Ludewig)

1938, 125, 455

Nephritis: Ammonia secretion, urine acid-base balance, relation (Briggs)

1935, 109, xii

Blood creatinine, determination, enzymatic (MILLER and DUBOS)

1937, 121, 457

Sore mouth in, cause (BLISS)

1937, 121, 425

Uranium, blood guanidine-like substance (Weber)

1938, 123, exxiv

Urine creatinine, determination, enzymatic (MILLER and DUBOS)

1937, 121, 457

Xylose tolerance, blood urea, comparison (LARSON)

1935, **109,** lii

Nephrosis: Mineral metabolism, children (Wang, Kaucher, and Wing)

1935, 109, xcv

Nerve: Degeneration, avitaminosis A, relation (Sutton, Setterfield, and Krauss)

1934, 105, lxxxix

Impulses, choline esterase relation (GLICK)

1938, 123, xlii

Invertebrate, phosphorus metabolism (Engel and Gerard) 1935-36, 112, 379
Lipids, arteriosclerosis and diabetes, effect (Randall)

1938, 125, 723

1936, 116, 1

1937, 119, xi

amino

acids

Neurofibrils:

Neuroproteins:

(Block)

Nerve tissue: Glycogen deter-

Protein,

Amino

mination (KERR)

acids (BLOCK)

1937, 119, xi, 765 1937, 120, 467 1937, 121, 411, 761 1938, 123, xiii New-born: Thyroid thyroxine, microdetermination (PAL-MER, LELAND, and GUTMAN) 1938, 125, 615 Weight, pituitary, anterior, extract, growth hormone, effect (Watts) 1935, 109, xcv Nicotinamide: Urine, determination (VILTER, SPIES, and MATHEWS) 1938, 125, 85 Nicotinic acid: Chick dermatitis, inactivity (MICKELSEN, WAISMAN, and ELVEHJEM) 1938, 124, 313 Diphtheria bacillus growth accessory (Mueller) 1937, 120, 219 Urine, determination (VILTER, Spies, and Mathews) 1938, 125, 85 Hurd) Nitrate: Assimilation (BAUDISCH) -, - modification (CAMPBELL 1934, 105, vii and HANNA) Nitric oxide hemoglobin: Spectrophotometry (Drabkin and Austin) Distribution, normal and goitrous (CA-1935-36, 112, 51 VETT) Nitrile(s): Aliphatic, homologous Excretion, endogenous, protein series, optical rotations and dispersions rotatory (Lebiological ROTHEN, VENE, and (FRENCH and MATTILL) 1936, 115, 253 MARKER)

Nitrile(s)—continued: Methoxypropionic and Bmethoxybutyric. configurational relationship (LEVENE and MARKER) 1933, 102, 297 Nitrite: Assimilation (BAUDISCH) 1934, 105, vii Nitrogen: Abscess, metabolism. and non-anemic anemic dogs, protein relation (DAFT, ROBSCHEIT-ROBBINS. WHIPPLE) 1937, 121, 45 Amide. See Amide nitrogen Amino. See Amino nitrogen - acid, blood, determination (Danielson) 1933, 101, 505 - -, -, insulin effect (Pow-ERS and REIS) 1933, 101, 523 Atmospheric, blood cells and plasma, solubility and physical state (VAN SLYKE, DIL-LON, and MARGARIA) 1934, 105, 571 Creatinine, bovs and girls (WANG) 1937, 119, cii Determination, Kjeldahl, copselenite as catalyst (Schwoegler, Babler, and

1936, 113, 749

1937, 119, 1

thyroglobulin,

1936, 114, 65

value. relation

1936, 114, xxxvii

Nitrogen-continued:

Extractives, Necturus muscle (Wilson and Wolff)

1938, 124, 103

Feces (Schneider)

1935, 109, 249

-, dietary fat and carbohydrates, effect (MITCHELL)

1934, **105,** 537

Gas, Azotobacter, solubility and absorption (Line-WEAVER)

1937–38, 122, 549

Isotope, intermediary metabolism study (Schoenheimer, Foster, Rittenberg, and Ratner) 1938, 123, cv

Metabolism, liver function, hemoglobin production, liver injury by chloroform, anemia, relation (DAFT, ROB-SCHEIT-ROBBINS, and WHIPPLE)

1936, 113, 391

suprarenalectomized rats
 (Sandberg and Perla)

1936, 113, 35

temperature and thyroid function relation (Bodansky and Duff)

1936, 114, xiii

—, thyroxine and thyrotropic hormone effect (GAEBLER and BARTLETT)

1938, 123, xl

-, tissue, isolated (Borsook and Jeffreys)

1935, 110, 495

Microdetermination, manometric (Van Slyke and Kugel) 1933, 102, 489 Non-protein, constituents, milk, human (Erickson. Nitrogen-continued:

GULICK, HUNSCHER, and MACY) 1934, 106, 145 Non-protein, metabolism, hepatectomy effect (TRIMBLE and

Maddock) 1938, 123, exxiii

-, tissue, determination (ME-ZINCESCU and SZABO)

1936, 11**5,** 131

Partition, fractions, blood, mammary gland, utilization (Graham, Peterson, Houchin, and Turner)

1937-38, 122, 275

 proteins, bacilli, acid-fast, biological activity, relation (Seibert and Munday)

1933, 101, 763

-, tissues (AYRES and LEE) 1936, 115, 139

—, urine, primates (RHEIN-BERGER) 1936, 115, 343 —, —, woodchuck (CARPEN-

TER) 1937-38, 122, 343 Protein, protein denaturation, effect (HENDRIX and DEN-NIS) 1938, 123, liii

Solubility, blood (Hawkins and Shilling)

1936, 113, 273 Sugar-beet, carbon dioxide effect (Fife and Frampton) 1935, 109, 643

Total, hemoglobin (Morrison and Hisey) 1935, 109, 233

—, microdetermination (Borsook) 1935, 110, 481

sook) 1935, 110, 481 Urea, blood, insulin effect (Powers and Reis)

1933, 101, 523

Nitrogenous compounds: Aspergillus sydowi, isolation

(MARKLEY and SANDO)

1933, 101, 431

tinued:

Nitrogenous compounds-con-

3-Aminoheptane. Norleucine: (Woolley and Peterson) configurational relationship 1937, 119, cvii (LEVENE and KUNA) Nitrogenous constituents: Milk, 1937-38, 122, 291 determination (Erickson, 2-Aminohexane, configura-STONER, and MACY) tional correlation (LEVENE 1933, 103, 235 Nitrogenous extractives: Muscle, and Mardashew) pecten (Moore and Wil-1937, 117, 707 dl-, fate (Butts, Blunden, and 1936, 114, lxxi 1937, 120, 289 -, scallop (Moore and Wil-Dunn) Growth relation (WOMACK and 1937, 119, 573, 585 1936, 116, 381 Nitrogenous substances: Sugar Metabolism (CARTER) determination, effect (SHEP-PARD and EVERETT) 1935, 108, 619 Phenyl derivatives, synthesis 1935, 109, lxxxii 1935, 108, 619 Urine, precipitation, alkaline (CARTER) Nuclease: Activity, Bacillus submercuric reagents (EVERETT, tilis (MACFADYEN) SHEPPARD, and Johnson) 1934, 107, 297 1934, 104, 1 Nucleic acid(s): Egg, Arbacia Nitrosyl chloride: β-Phenylpropunctulata (BLANCHARD) pylamine, action (LEVENE 1935, 108, 251 and MARKER) Hydrolysis, acid, formic acid 1933, 103, 373 source (STEVENS) Nitrous acid: Cystine and related 1937, 120, 751 sulfur-containing com-Pneumococci. isolation pounds. reaction (Lough (Thompson and Dubos) and Lewis) 1934, 104, 601 1938, 125, 65 peptides, behavior Lysine Tobacco mosaic virus protein (GREENSTEIN) (Loring) 1938, 123, lxxvi 1933, 101, 603 Yeast, decomposition, enzyβ-Phenylpropylamine, action matic (Dubos and Thomp-(LEVENE and MARKER) 1938, 124, 501 1933, 103, 373 -, pentose, 5-methyl mono-Nitrous oxide: Blood, determinaacetone xylose phosphoric tion (ORCUTT and WATERS) esters, relation (Levene and 1937, 117, 509 RAYMOND) 1933, 102, 347 Nomogram: Blood acid-base -, -, xylose phosphoric es-(HASTINGS and SHOCK) ters, relation (LEVENE and 1934, 104, 575 RAYMOND) Nonacosane: n-, melting point 1933, 102, 347

Nucleoprotein(s): Dyes, staining (KELLEY and MILLER) 1935, 110, 119 Pneumococci. isolation (Thompson and Dubos) 1938, 125, 65 Streptococcus, components, serologically active, isolation (SEVAG, LACKMAN, 1938, 124, 425 Smolens) Thionine staining (Kelley and 1935, 110, 119 Miller) Nucleoside(s): Synthetic (LE-VENE and COMPTON) 1936, 114, 9 1937, 117, 37 Adenine, blood Nucleotide(s): (Buell) 1935, 108, 273 -, -, hemoglobin relation (Buell) 1935-36, 112, 523 hemoglobin, hematocrit,

relation (Buell)

1935, 109, xii
Glycogen phosphorylation, action (Cori, Colowick, and Cori)

1938, 123, 381
Purine, catabolism, blood glycolysis relation (Eiler and Allen)

1938, 123, 655
Ribose, synthesis (Levene and Tipson)

1934, 106, 113

and red blood cell count,

Nucleus: Substances, staining (Kelley and Miller)

1935, 110, 113

1935, 111, 313

Nut: Be-still, constituents (CHEN and CHEN)

1934, 105, 231

Nutrition: Blood serum inorganic phosphorus, horse, effect (PEARSON) 1934, 106, 1

Nutrition—continued:

Chick, new factors (KEENAN, KLINE, ELVEHJEM, HART, and HALPIN)

1933, 103, 671

Deficiency disease, vitamin B complex, relation (Hogan, Richardson, and Johnson) 1937, 119, p. 1

Disorder, egg white antitryptic activity, relation (Parsons) 1936, 116, 685

Pyridine derivatives in (Funk and Funk) 1937, 119, xxxv See also Diet, Feedingstuff, Food, Malnutrition, Ration, Undernutrition

O

Oat: Hulls, hemicellulose (An-DERSON and KRZNARICH)

1935, 111, 549

Straw, lignin (PHILLIPS and Goss) 1936, 114, 557

Oatmeal: Hemoglobin regeneration influence (Rose, Vahlteich, and MacLeod)

1934, 104, 217

Obituary: Abel, John Jacob (CLARK)

1938, 124, preceding p. 573 Benedict, Stanley Rossiter (Shaffer)

1937, 117, preceding p. 429 Folin, Otto

1934, 107, preceding p. 607 Mendel, Lafayette Benedict 1935-36, 112, preceding p. 431

Octopine: (IRVIN)

Scallop muscle (Moore and Wilson) 1937, 119, 573

Oil(s): Erythematous dermatitis, ingestion effect (Salmon)

1938, 123, civ

Peel, grapefruit, wax-like constituents (MARKLEY, NELson, and SHERMAN)

1937, 118, 433

Vitamin A, adsorption by sodium and potassium soaps (Brocklessy and Kuchel)

1938, 123, xvi

See also Chrysalis oil, Cod liver oil, etc.

Oleic acid: Iso-, hydrogenation, deposition and utilization, body (Barbour)

1933, **101,** 63

Oxygen absorption, ferricyanide as catalyst (Chow and KAMERLING)

1934, 104, 69

Olive oil: Carotene stability (Turner) 1934, 105, 443

Onium: Compounds, physiological activity (Renshaw and Hotchkiss)

1933, 103, 183

(Renshaw and Armstrong) 1933, 103, 187

Optical activity: See also Walden inversion

Orange: Juice, vitamin C (Jos-LYN, MARSH, and MORGAN) 1934, 105, 17

Organ(s): Protein determination, gravimetric (Addis, Poo, Lew, and Yuen)

1936, 113, 497

-, fasting effect (ADDIS, Poo, and Lew) 1936, 115, 111

—, formation rate, casein refeeding effect (ADDIS, Poo, and Lew) 1936, 116, 343

Organ(s)—continued:

Protein, thyroidectomy, thyroxine and dinitrophenol administration effect (Addis, Karnofsky, Lew, and Poo)
1938, 124, 33

Organic acid(s): Rhubarb (Pu-CHER, CLARK, and VICKERY) 1937, 117, 599

— leaves (Pucher, Clark, and Vickery) 1937, 117, 605 Tobacco leaf, metabolism during culture (Pucher, Wakeman, and Vickery)

1937, 119, 523

Organic bases: Flavianates, identification (Langley and Alberth) 1935, 108, 729

Organic compounds: Carbon, microdetermination, manometric (VAN SLYKE, PAGE, and KIRK)

1933, 102, 635

Deuterium, determination (Keston, Rittenberg, and Schoenheimer)

1937-38, 122, 227

Salts, alkaline reserve, effect (CAPE) 1935, 109, xvii

Organic constituents: Diet, fluorine toxicosis, effect (Phil-LIPS and HART)

1935, 109, 657

Organic molecules: Synthesis and destruction, body, deuterium as indicator (Schoen-HEIMER and RITTENBERG)

1936, 114, lxxxvii

Orosins: Avian, relationship
(BLOCK) 1934, 105, 455

Osmosis: Blood, adjustments (EISENMAN, HALD, and PETERS) 1937, 118, 289 Osmotic pressure: Blood serum evaporation rate as measure (Culbert, McCune, and Weech) 1937, 119, 589 Colloid, blood serum, pregnancy (Rottschaefer and Bethell)

1936, 114, lxxxv

—, microdetermination, apparatus (Dubach and Hill)

1935-36, 112, 313

Ostreasterol: Absorbability (Sperry and Bergmann)

1937, 119, 171

Chemistry (BERGMANN)

1934, 104, 553

Ouabain: (FIESER and NEWMAN) 1936, 114, 705

Iso-, degradation (Jacobs and Bigelow) 1933, 101, 15

Ovalbumin: Amide nitrogen (Shore, Wilson, and Stueck)

1935-36, 112, 407

Isoelectric point, factors influencing (SMITH)

1936, 113, 473

Ovariectomy: Body glycogen, effect (Gulick, Samuels, and Deuel)

1934, 105, 29

Ovary: Activity, blood lipids, effect (Lorenz, Entenman, and Chaikoff)

1937-38, 122, 619

Estrogen, ketonic (Wester-Feld, MacCorquodale, Thayer, and Doisy)

1938, 123, cxxvi

Follicular hormone (MacCor-QUODALE, THAYER, and DOISY) 1935, 109, lviii

Ovary—continued:

Lipid, pregnancy, relation (Boyd) 1935, 108, 607 1935-36, 112, 591

Pig, progesterone, crystalline, preparation (Allen and Goetsch) 1936, 116, 653

Ovoverdin: Lobster egg (STERN and SALOMON)

1937-38, 122, 461

Oxalate: Blood plasma phospholipid, effect (SCHMIDT)

1935, 109, 449

— sugar, effect (Neuwirth) 1937, 120, 463

— serum and plasma cholesterol, effect (Sperry and, Schoenheimer)

1935, 110, 655

Oxalic acid: Formation (WILEY, BERGEN, and BLOOD)

1937, 119, cv

Oxidase: Ascorbic acid (TAUBER, KLEINER, and MISHKIND)

1935, 110, 211

— —, copper relation (Stotz, Harrer, and King)

1937, 119, xcv, 511

— —, vegetables (Kertesz, Dearborn, and Mack)

1936, 116, 717

Choline (Bernheim and Webster) 1937, 119, xi

Cytochrome. See Cytochrome oxidase

Hex-, complement function, effect (Ecker, Pillemer, Martiensen, and Wertheimer) 1938, 123, 359

Indophenol. See Indophenol oxidase

Milk and muscle, synergistic

Oxidase—continued:

action (MACHT and BRYAN)

1935, 110, 101 inhibitors (POTTER Succin-, and ELVEHJEM) 1937, 117, 341 Tissue, dietary iron and copper, relation (COHEN and EL-VEHJEM) 1934, 107, 97 Xanthine, liver, p-aminophenol action (Bernheim and BERNHEIM) 1938, 123, 307 Oxidation(s): β , quantitative 1934, 105, xv (Butts) (BUTTS, CUTLER, HALLMAN, and DEUEL) 1935, 109, 597 (DEUEL, BUTTS, HALLMAN, and Cutler) 1935-36, 112, 15 Biological (Barron and Hast-INGS) 1934, 107, 567 (DEMEIO, KISSIN, and BAR-1934, 107, 579 RON) (BARRON, DEMEIO, and KLEMPERER) 1935-36, 112, 625 1936, 113, 695 (Barron) (BARRON, BARRON, and KLEMPERER) 1936, 116, 563 (LYMAN and BARRON) 1937, 121, 275 (BARRON) 1937, 121, 285 (BARRON and LYMAN) 1938, 123, 229 -, metal catalysts and tissue inhibitors, effect (Kharasch, LEGAULT, WILDER, and GE-1936, 113, 557 RARD)

-, - -, effect (Kharasch,

Oxidation(s)—continued: LEGAULT, WILDER, and GE-1936, 113, 537 RARD) Catalytic (MEYER) 1933, 103, 25, 39, 597, 607 Dinitrocresol effect (KRAHL and CLOWES) 1935, 111, 355 Stimulants and depressants (CLOWES and KRAHL) 1935, 109, xxi method for study Tissue, (POTTER and ELVEHJEM) 1936, 114, 495 (MICHAELIS and Two-step SCHUBERT) 1937, 119, 133 Oxidation-reduction: (BALL and 1933, 102, 691 CHEN) (BALL) 1934, 106, 515 1936, 114, 649 1937, 118, 219 Reactions, aqueous, velocity, equivalent-valence effect (SHAFFER) 1934, 105, lxxviii Systems. biological action (FISHBERG and DOLIN) 1933, 101, 159 -, equilibria, spectrophotometric determination (STOTZ, SIDWELL, and Hogness) 1938, 123, exviii 1938, 124, 11

(Chow and Kamerling)
1934, 104, 69
Blood, capacity (Johnson and
Hanke)
1936, 114, 157
—, — and content, glutathione
state, relation (Oberst and
Woods)
1935, 111, 1

Oxygen: Absorption, oleic acid,

ferricyanide, catalytic effect

Oxygen—continued:

Blood, determination, ether presence, Van Slyke-Neill modified method (Shaw and Downing) 1935, 109, 405

—, microdetermination (Do-NAL) 1934, 105, xxi

—, ultramicrodetermination (Donal) 1934, 106, 783

—, venous, fever therapy and oxygen administration effect (Adams and Boothby)

1936, 114, iii

Catalase inactivation, marine animals (Marks)

1934, 105, 489

Consumption, kidney, measurement, direct (Mason, Blalock, and Harrison)

1936, 114, lxiv

—, l-lactate and d-lactate influence (Buchwald, Cori, and Fisher)

1933, 103, 763

Dissociation curves, blood, bird (Christensen and Dill)

1935, 109, 443

Fructose destruction, factors influencing (CLINTON and HUBBARD) 1937, 119, 467

Glucose destruction, factors influencing (Clinton and Hubbard) 1937, 119, 467

Hemoglobin affinity, altitude effect (HALL)

1936, 115, 485

- denaturation (HISEY)

1938, 123, lvi

—, equilibrium, salt effect (Sidwell, Munch, Barron, and Hogness)

1938, 123, 335

Oxygen—continued:

Hemoglobin, union (ADAMS)

1934, **105**, iii

Mussel catalase, inactivation (Marks and Fox)

1933, 103, 269

Pressure, low, liver and muscle glycogen, effect (EVANS)

1934, 105, xxvi

Respiratory pigments, equilibrium between (Adams)

1937, 119, iii

Tension, amino acids, kidney deamination effect (Kemp-NER) 1938, 124, 229

Tissue uptake, avitaminosis (Sure and DeWitt)

1938, 123, cxx

Uncombined, blood, solubility and physical state (Send-ROY, DILLON, and VAN SLYKE) 1934, 105, 597

Uptake, hemoglobin, dried (HISEY) 1937, 119, xlix —, skin, rats, vitamin G defi-

ciency (Adams)

1936, 116, 641

Oxyhemoglobin: Carbamate
equilibrium (Stadie and
O'Brien) 1937, 117, 439
Light absorption, concentration effect (RAY and BLAIR)

1935, 111, 371

Oxytocic hormone: Pituitary, posterior, electrophoresis (IRVING and DU VIGNEAUD) 1938, 123, 485

Oxytocic substance: Pituitary gland, posterior, preparation (Stehle) 1933, 102, 573

See also Uterus-contracting substance

P

Palmitic acid: Monohydroxy-, butter fat (Bosworth and Helz) 1935-36, 112, 489 Stearic acid conversion, deuterium as indicator (Schoen-

1937, 120, 155

Pancreas: Antiglyoxalase (WOODWARD, MUNRO, and SCHROEDER)

HEIMER and RITTENBERG)

1935, 109, 11

Blood lipids, depancreatized dogs with insulin, ingestion effect (Chaikoff and Kap-Lan) 1935-36, 112, 155

Enzymes, dehydration effect (Ross and Shaw)

1934, 104, 131

Esterase, vitamin B deficiency influence (Sure, Kik, and Buchanan)

1935, 108, 27

Insulin antagonism and synergism (MACALLUM)

1938, **123,** lxxviii

-, cattle, age effect (FISHER and SCOTT)

1934, 106, 305

Lipase (Weinstein and Wynne)

1935-36, 112, 641

-, action (Balls and Mat-LACK) 1938, 123, 679

activity, factors influencing (Weinstein and Wynne)

1935-36, 112, 649

—, crude, glyceride hydrolysis (BALLS, MATLACK, and TUCKER)

1937–38, 122, 125

Pancreas-continued:

Lipase, specificity and inhibition (Weber and King)

1935, 108, 131

-, vitamin B deficiency influence (SURE, KIK, and BU-CHANAN) 1935, 108, 27 Lipotropic agent (AYLWARD 1937, 121, 61 and Holt) Liver lipids, depancreatized dog with insulin, feeding effect (Kaplan and Chai-1937, 119, 435 KOFF) Proteinase, egg albumin, crystalline, hydrolysis (CAL-1933, 102, 73 VERY)

See also Callicrein

Pancreatectomy: -Adrenalectomy, effect (Long and Lukens) 1935, 109, lvi
Blood fatty acids, effect (Lichtman)

1937, 120, 35

— glucose, effect (Lichtman) 1937, 120, 35

 lipid metabolism, choline and insulin effect (Kaplan and Chaikoff)

1937, 120, 647

— lipids, insulin effect (CHAI-KOFF and KAPLAN)

1934, 106, 267

— —, pancreas ingestion and insulin effect (Chaikoff and Kaplan)

1935-36, 112, 155

Carbohydrate metabolism
(BARKER, CHAMBERS, and
DANN) 1937, 118, 177
Glucose tolerance, fructose
effect (FLETCHER and WATERS) 1937, 119, xxxiii

Pancreatectomy—continued:

Glycogen resynthesis (Long, Lukens, and Fry)

1934, 105, lii

-Hypophysectomy, effect (Long and Lukens)

1935, 109, lvi

Liver fat, insulin effect (CHAI-KOFF and KAPLAN)

1937, 119, 423

 lipid metabolism, choline and insulin effect (KAPLAN and CHAIKOFF)

1937, 120, 647

— lipids, insulin effect (KAP-LAN and CHAIKOFF)

1935, 108, 201

— —, pancreas feeding and insulin effect (Kaplan and Chaikoff) 1937, 119, 435 Respiratory quotient, galactose

Respiratory quotient, galactose ingestion effect (Roe, Gil-MAN, and Cowgill)

1934, 105, lxxii

Pantothenic acid: Yeast growth effect (Williams and Saunders) 1934, 105, xcix (Richards)

1936, 113, 531

Papain: Activity, metal compounds, influence (HELLER-MAN and PERKINS)

1934, 107, 241

—, oxidation-reduction influence (Hellerman and Perkins) 1934, 107, 241

Digestion, egg white toxicity, effect (Parsons, Janssen, and Schoenleber)

1934, **105,** lxvii

Enzymes, activation (Berg-MANN and Ross)

1936, 114, 717

Papain—continued:

-Hydrocyanic acid, egg albumin, crystalline, hydrolysis (Calvery) 1933, 102, 73 Inactivation, iodine (Berg-

MANN and ZERVAS)

1936, 114, 711

l-Lysine peptides, effect (Berg-Mann, Zervas, and Ross)

1935, 111, 245

Milk-clotting action (Balls and Hoover)

1937, 121, 737

Peptidase I, specificity (Berg-MANN, ZERVAS, and FRUTON) 1936, 115, 593

Proteolytic systems (Berg-MANN and Ross)

1935, 111, 659

Specificity (BERGMANN, ZER-VAS, and FRUTON)

1935, 111, 225

Sulfur distribution (Kassell and Brand)

1938, 125, 435

Test (Sumner and Howell) 1935, 109, 429

Papilloma: Virus protein, hydrogen ion concentration stability (BEARD and WYCKOFF)
1938, 123, 461

Paralysis: Anti-, vitamin, chick (Jukes and Babcock)

1938, 123, lxv
-Preventing factor, chick
(Jukes and Babcock)

1938, 12**5,** 169

Vitamin E-deficient rats, young from (Olcott)

1937, 119, lxxiv

Parathormone: Blood plasma calcium diffusibility, effect

418 Parathormone—continued: (GILLIGAN, VOLK, and ALT-1933, 103, 745 schule) Coy) Parathyroid: Hormone, acid and action alkali (TWEEDY, SMULLEN, and BELL) 1936, 116, 163 ammonolyzed, reactions (ROBERTS, TWEEDY, and SMULLEN) 1935-36, 112, 209 -, chemistry (Tweedy, Bell, and VICENS-RIOS) 1935, 108, 105 -, kidney insufficiency effect (TWEEDY, TEMPLETON, and McJunkin) 1935, 109, xcii - potency, oxidizing and reeffect ducing agents. (TWEEDY, and BELL, VICENS-RIOS) 1934, 105, xcv Hypertrophy, dietary (BAU-MANN and Sprinson) 1937, 119, vii Tetany, blood serum phos-

phate relation (Jones)

1936, 114, liv 1936, 115, 371

Vitamin D relation (Jones) 1935, 109, xlvi 1935, 111, 155

Parathyroidectomy: Rickets. effect (Jones)

1934, 106, 701

Parathyroid extract: (Morgan, KIMMEL. THOMAS, Samisch) 1934, 106, 531 Liver poisons, influence (GREENBERG)

1935, **109,** xxxviii

Parathyroid extract-continued:

Rachitic cartilage calcification. effect (McLEAN and Mc-1936, 114, lxv Tissue effect (Morgan and 1934, 105, lxiv Samisch) 1935, 108, 741

Toxicity, dog and rat (Jones) 1936, 114, liv

Paratyphoid: Infection, tissue cholesterol, effect (SPERRY and Stoyanoff)

1934, 105, lxxxii

Parotid: Saliva, human, protein (Bramkamp)

1936, 114, 369

inorganic constituents 1933, 102, 203 (BAXTER)

Pea: Cow-, leaves, carotenoid pigments, absorption spectra (HILBERT and JANSEN)

1934, 106, 97

Peanut: Proteins, nutritive value (BAERNSTEIN)

1937–38, 122, 781

Pear: Coating, wax-like (MARK-LEY, HENDRICKS, SANDO) 1935, 111, 133

Pecten: Muscle, basic extractives (Moore and Wilson)

1934, 105, lxiii

nitrogenous extractives (Moore and Wilson)

1936, 114, lxxi

Pectic enzymes: (Kertesz)

1937, 121, 589

Pectic substances: Wood, isolation (Anderson)

> 1935-36, 112, 531 (Anderson, Seigle, Krzna-RICH, RICHARDS, and MAR-TENY) 1937, 121, 165

Pectin: -Methoxylase activity, determination (Kertesz)

1937, 121, 589

Polygalacturonic acid-methylglycosides (Morell, Baur, and Link) 1934, 105, 1

Pektolactonsäure: Ehrlich's, polygalacturonic acidmethylglycosides from (BAUR and LINK)

1935, 109, 293

Pektolsäure: Ehrlich's, polygalacturonic acid-methylglycosides from (Baur and Link) 1935, 109, 293

Pellagra: Anti-, factor, concentration (Koehn and Elve-HJEM) 1937, 118, 693 Enidermis systime and iron

Epidermis cystine and iron, relation (Lewis)

1934, 105, lii

Human, vitamin G complex relation (Dann)

1936, 114, xxiv

-Like symptoms, egg whiteproduced, curative factor (Lease, Kelly, and Parsons) 1936, 114, lxi

Pentocystine: Availability (DYER and DU VIGNEAUD)

1935, 108, 73

Synthesis (DU VIGNEAUD, DYER, JONES, and PAT-TERSON) 1934, 106, 401

Pentosan: Bran, feces fatty acids, volatile, influence (OLMSTED, CURTIS, and TIMM)

1935, 108, 645

Pentose(s): Furanose derivatives, preparation (Levene and Compton)

1936, 116, 189

Pentose(s)—continued:

Metabolism (SILBERMAN and Lewis) 1933, 101, 741 Urine, hydrogen peroxide action (ENKLEWITZ)

1936, 116, 47

—, origin (ENKLEWITZ and LASKER) 1935, 110, 443
Yeast nucleic acid, xylose and 5-methyl monoacetone xylose phosphoric esters, relation (LEVENE and RAYMOND) 1933, 102, 347

Pepper: Pigments (Brown) 1935, 110, 91

--, polyhydroxy acid (Baumann, Sprinson, and Metzger) 1935, 109, v 1937, 119, viii

Pepsin: Activity, mechanical vibration influence (Chambers) 1937, 117, 639
Amide solutions, properties (STEINHARDT)

1938, 123, 543

Casein digestion (Jones and Gersdorff)

1934, **105**, xlii 1934, **106**, 707

 — —, cystine test (Jones and Gersdorff) 1933, 101, 657
 Crystalline, amino acid determination (Calvery, Her-

1936, 113, 11

-, analysis (Calvery, Her-RIOTT, and Northrop)

RIOTT, and NORTHROP)

1935, 109, xvi

—, solubility (Steinhardt) 1938, 123, exv

Digestion, tissues, iron in (McFarlane)

1934, 106, 245

Pepsin—continued: Edestin, crystalline, partial hydrolysis products (WHITE) 1937, 119, ciii crystalline, albumin, Egg hydrolysis (CALVERY) 1933, 102, 73 --, --, amino acids and amino nitrogen liberation rate (CALVERY, BLOCK, and Schock) 1936, 113, 21 - -, -, - products, fractionation (CALVERY) 1935-36, 112, 171 (Calvery and Schock) 1936, 113, 15 - -, hydrolysis (Calvery and Schock) 1935, 109, xvi Gastric juice protein, relation 1933, 102, 131 (Martin) Inactivation, protease (TAU-BER and KLEINER) 1934, 105, 411 Insulin hydrolysis (FISHER and 1934, 106, 289 Scott) Lactalbumin hydrolysis (MIL-1935, 109, lxvi Proteins derived by, arginase action (KRAUS-RAGINS) 1938, 123, 761 Thyroid protein digest, thyroxine (Foster, Palmer, and 1936, 115, 467 LELAND) Trypsin and, digestion (TAU-BER and KLEINER) 1934, 105, xe Urea solutions, properties (STEINHARDT) 1938, 123, 543 Yeast, determination (HECHT

and Civin)

1936, 116, 477

Pepsin—continued: Zymogens (KLEINER and TAUBER) 1934, 106, 501 Peptidase(s): Amino-, specificity (BERGMANN and FRU-TON) 1937, 117, 189 Aminopoly-, cystinyl peptides as substrates (GREENSTEIN) 1938, 124, 255 intestine, specificity (Johnson) 1937–38, 122, 89 Bacterial, systems, properties (Berger and Johnson) 1938, 123, ix Carboxy-, specificity (BERG-MANN and FRUTON) 1937, 117, 189 Di-, cystinyl peptides as substrates (GREENSTEIN) 1938, 124, 255 -, embryo, cephalic region, chick (LEVY and PALMER) 1938, 123, lxxiv -, - extracts, chick (PALMER and Levy) 1938, 123, xc specificity (BERGMANN, ZERVAS, FRUTON, SCHNEI-DER, and SCHLEICH) 1935, 109, 325 I, papain specificity (BERG-MANN, ZERVAS, and FRUTON) 1936, 115, 593 Inflammatory exudates, pleu-

ral, activity (Weiss, Kap-Lan, and Larson) 1938, 125, 247 Leuconostoc mesenterioides (Berger, Johnson, and Peterson) 1938, 124, 395

Magnesium-activated leucyl, erepsin, animal (Johnson,

Peptidase(s)—continued: Johnson, and Peterson) 1936, 116, 515 System, Aspergillus parasiticus (Johnson and Peterson) 1935-36, 112, 25 Peptide(s): (Dunn and Ross) 1938, 125, 309 Amino groups, free, allocation (GURIN and CLARKE) 1934, 107, 395 Arginine, physical constants (Greenstein) 1933, 101, 603 Aspartic acid, physical constants (GREENSTEIN) 1933, 101, 603 synthesis Bonds. enzyme (BERGMANN and FRAENKEL-CONRAT) 1938, 124, 1 (BERGMANN and BEHRENS) 1938, 124, 7 Cystinyl, aminopolypeptidase and dipeptidase, substrate relation (GREENSTEIN) 1938, 124, 255 -, physical chemistry (Green-KLEMPERER, STEIN. WYMAN) 1938, 125, 515 Dissociation constants, apparent acid, aqueous formaldehyde solution (Dunn and LOSHAKOFF) 1936, 113, 691 (DUNN and WEINER) 1937, 117, 381 Formol titration, glass electrode (Dunn and Losha-1936, 113, 359 KOFF) Glutamic acid, physical constants (Greenstein) 1933, 101, 603

Peptide(s)—continued: Heavy water and proteolytic enzymes, action (Foster, KESTON, RITTENBERG, and SCHOENHEIMER) 1938, 124, 159 Histidine, physical constants (GREENSTEIN) 1933, 101, 603 Lysine, nitrous acid, behavior (GREENSTEIN) 1933, 101, 603 -, physical constants (GREEN-1933, 101, 603 STEIN) l-Lysine, papain effect (Berg-MANN, ZERVAS, and Ross) 1935, 111, 245 synthesis (BERGMANN, ZERVAS, and Ross) 1935, 111, 245 Multivalent (Greenstein) 1935, 109, 529, 541 (GREENSTEIN and JOSEPH) 1935, 110, 619 (GREENSTEIN) 1935-36, 112, 35, 517 1936, 116, 463 1937, 118, 321 1937, 121, 9

Salts, complex (BERGMANN and 1935, 109, 317 Fox) (Bergmann) 1935, 110, 471 1937-38, 122, 569 Solubility (Cohn and Mc-MEEKIN) 1936, 114, xx Solutions, neutral salts, action McMeekin, (Conn. GREENSTEIN)

1935, 109, xxi thermodynamic properties (SMITH) 1938, 123, cx Peptide(s)—continued: Sulfur-containing amino acids,

ulfur-containing amino acids, metabolism (White, Lewis, and White)

1937, 117, 663

Tyrosine, physical constants (GREENSTEIN)

1933, 101, 603

Peptone: Shock, coagulation defect (Quick)

1936, 114, lxxxii

Perchloric-acetic acid: Amino acid titration, use (Toennies and Callan)

1938, **125**, 259

Periodic acid: Starch and dextrin oxidation (CALDWELL and HIXON) 1938, 123, 595

Periplogenin: Derivatives, degradation (JACOBS and ELDERFIELD)

1933, 102, 237

Trianhydro- (Jacobs and Bigelow) 1933, 101, 697 —, derivatives, ultraviolet absorption spectra (Elder-

1934, 106, 71

Perosis: Manganese effect (GAL-LUP and Norris)

FIELD and ROTHEN)

1937, 119, xxxvi

Peroxidase: (Balls and Hale) 1934, 107, 767

Liver (Dunn and Morgulis) 1937, 118, 545

Perspiration: (DILL, DALY, and BOCK) 1936, 114, xxv

Phaseolus vulgaris: See Bean

Phenaceturic acid: Hippuric acid and, synthesis and excretion rates, comparison (Tulane and Lewis)

1933, 103, 151

Phenanthrenequinonesulfonate:

Oxidation, two-step (MI-CHAELIS and SCHUBERT)

1937, 119, 133

Phenazine: N-Methyl-β-oxy-, oxidation-reduction potentials (PREISLER and HEM-PELMAN)

1936, 114, lxxxi

Phenethyl acids: Normal series, configurational relationship (Levene and Marker)

1935, 110, 311

Phenol(s): p-Amino-, liver xanthine oxidase, action (Bern-HEIM and BERNHEIM)

1938, 123, 307

Blood (SCHMIDT, SCHMULOVITZ, SZCZPINSKI, and WYLIE)

1937, 120, 705

Determination (EDWARDS) 1935, 109, xxviii (STOUGHTON)

1936, 115, 293

--, bromometric (Edwards) 1937, 119, xxix

Dihalo-, metabolism effect, mechanism (CLOWES and KRAHL) 1936, 114, xix

Dinitro-, metabolism effect, mechanism (CLOWES and KRAHL) 1936, 114, xix

--, muscle, frog, metabolism effect (Ronzoni and Ehren-FEST) 1936, 115, 749

-, organ and tissue proteins, thyroidectomy, effect (Addis, Karnofsky, Lew, and Poo) 1938, 124, 33

α-Dinitro-, organ vitamin C, ascorbic acid administration with, effect (SVIRBELY)

1935, 111, 147

Phenol(s)—continued:

-Related substances. determination, bromometric (EDWARDS)

1937, 119, xxix Substituted, dissociation. physiological action, relation (KRAHL) 1938, 123, lxxii -, metabolic stimulation, carbon dioxide tension, effect (KRAHL and CLOWES)

1937, 119, lx

Trihalo-, metabolism effect. mechanism (CLOWES and KRAHL) 1936, 114, xix Water contaminated with.

effect (HELLER and PUR-SELL) 1937, 119, xlvi

Phenolase: Activity, determination (Samisch)

1935, 110, 643

Phenolic substances: Urine (Edwards)

1936, 114, xxix

Phenol red: Blood plasma protein binding, effect (SMITH and SMITH) 1938, 124, 107 Phosphate buffer-, solution, blood serum effect (Robin-PRICE, HOGDEN, NELSON, and CULLEN)

1936, 114, lxxxiv

Phenylacetic acid: Detoxication (AMBROSE, Power, SHERWIN) 1933, 101, 669

Phenylalanine: dl-, metabolism (BUTTS, DUNN, and HALL-1938, 123, 711 -, ultraviolet absorption spectrum (FERAUD, DUNN, and KAPLAN)

1935-36, 112, 323

Phenylalanine—continued:

Growth relation (WOMACK and 1934, 107, 449 Rose) Insulin, crystalline, isolation (JENSEN and EVANS)

1935, 108, 1

Oxidation, livers and kidneys (BERNHEIM and BERNHEIM) 1934, 107, 275

Protein material, spectroscopic identification (Ross)

1934, 104, 531

Phenylcarbinols: Separation (LEVENE and MARKER)

1933, 103, 373

Phenvl chlorides: Separation (LEVENE and MARKER) 1933, 103, 373

Phenylhydantoin: Cystine, decomposition (Andrews and Andrews) 1933, 102, 253

Phenylhydrazine: p-Bromo-, derivatives. d-galacturonic acid and d-mannuronic acid (NIEMANN, Schoeffel, and LINK) 1933, 101, 337

Derivatives, d-galacturonic acid (NIEMANN, SCHOEFFEL, and Link) 1933, 101, 337

Phenylpropylamine: β -, nitrous acid and nitrosyl chloride action (LEVENE MARKER) 1933, 103, 373

Phlorhizin: Acetone bodies, prohydrazine effect duction. (Greenberg)

1935-36, 112, 431

Action (WALKER and REI-1933, 101, 223 SINGER) Amino acids and fatty acids, catabolism, effect (Corley and LEIGHTY)

1936, 114, xxii

Phlorhizin—continued:

Blood serum phosphatase, effect (Anderson and Squires) 1938, 124, 71

Ketosis (Goldfarb, Barker, and Himwich)

1934, 105, 283

Protein metabolism, effect (Howland and Hawkins) 1938, 123, 99

Phosphatase(s): Bile, activation, bile fistula effect (THANN-HAUSER, REICHEL, GRATTAN, and MADDOCK)

1937, 121, 715

Blood, blood organic phosphorus, hydrolysis, nature (Kerr and Antaki)

1937, 121, 531

 plasma, age relation (STEARNS and WARWEG)

1933, 102, 749

- -, fluorine effect (SMITH and LANTZ)

1935-36, 112, 303

— serum (Bodansky and Jaffe) 1934, 105, xi

— —, activation, ascorbic acid effect (Thannhauser, Reichel, and Grattan)

1937, 121, 697

— —, —, bile fistula effect (Thannhauser, Reichel, Grattan, and Maddock)

1937, 121, 715

— —, —, biliary obstruction, effect (Thannhauser, Reichel, Grattan, and Maddock) 1937, 121, 709

— —, activity, thiol compounds and bile acids, effect (THANNHAUSER, REICHEL, GRATTAN, and MADDOCK)

1937, 121, 721

Phosphatase(s)—continued:

Blood serum, determination (BODANSKY) 1933, 101, 93 1937, 120, 167

 — —, disease effect (Thannhauser, Reichel, Grattan, and Maddock)

1937, 121, 727

— —, high activity, normal serum, effect (THANN-HAUSER, REICHEL, GRATTAN, and MADDOCK)

1938, **124,** 631

— —, jaundice (Bodansky and Jaffe) 1935, 109, x (Freeman, Chen, and Ivy) 1938, 124, 79

— —, jaundiced blood, effect (Freeman and Chen)

1938, 123, 239

— —, liver injury, effect (Bodansky) 1938, 123, xiv

— —, new born puppies (Bo-DANSKY) 1934, 104, 717

 — —, non-osseous origin, carbohydrate ingestion effect (Bodansky)

1934, 104, 473

— —, phlorhizin effect (Anderson and Squires) 1938, 124, 71

— —, vitamins D and A, effect (CRIMM and STRAYER)

1935-36, 112, 511

Bone, α -amino acids, effect (Bodansky)

1936, 114, 273

-, blood organic phosphorus, hydrolysis, nature (Kerr and Antaki)

1937, 121, 531

—, bone extract effect (Landauer, Upham, and Rubin) 1935, 108, 121 Phosphatase(s)—continued:

Bone, fluorine effect (SMITH and LANTZ)

1935-36, 112, 303

Diphospho-l-glyceric acid hydrolysis (Bodansky and Bakwin) 1934, 104, 747 Identification, bile acids as aid (Bodansky)

1937, 118, 341

Intestine, α-amino acids and magnesium, effect (Bodansky) 1936, 115, 101
Kidney, α-amino acids and magnesium, effect (Bodansky)

sky) 1936, 115, 101
—, blood organic phosphorus,

 —, blood organic phosphorus, hydrolysis, nature (Kerr and Antaki)

1937, 121, 531

—, physiological materials, effect (PYLE, FISHER, and CLARK) 1937, 119, 283
—, vasoligated (KINARD and CHANUTIN) 1933, 103, 461
Marine invertebrates (NORRIS and RAO) 1935, 108, 783
Polydiamino-, phosphatide hydrolysis,

phosphatide hydrolysis, cerebrosidase relation (Thannhauser and Reichel) 1936, 113, 311

Rat (Kinard and Chanutin) 1933, 103, 461

Tissue extracts, activity, measurement (Bakwin and Bodansky)

1933, 101, 641

-, vitamins D and A, effect (CRIMM and STRAYER)

1935-36, 112, 511 Tooth, fluorine effect (Smith

and LANTZ)

1935-36, 112, 303

Phosphate(s): Blood (SAHYUN) 1933, 101, 295

— calcium and, relation (McLean and Hinrichs)

1935, 109, lxiii

— serum and edema fluids, concentration, comparison (GILLIGAN, VOLK, and ALTSCHULE) 1933, 103, 745

— —, parathyroid tetany, relation (Jones)

1936, 115, 371

— —, tetany, parathyroid, relation (Jones)

1936, 114, liv
Bone, molecular constitution
(Hodge, Bale, and LeFevre) 1937, 119, xlix
Buffer-phenol red solution,
blood serum effect (Robinson, Price, Hogden,
Nelson, and Cullen)

1936, 114, lxxxiv Compounds, liver, autolysis effect (Flock)

1936, 115, 207

—, —, diet effect (Flock,
Bollman, and Mann)

1936, 114, xxxvi 1936, 115, 179

—, —, substances affecting
(Flock, Bollman, and
Mann) 1936, 115, 201
-Hydrogen peroxide system,
alkaline, fatty acid oxidation, mechanism (WITZEMANN) 1934, 107, 475
Inorganic, aqueous humor,
frog and higher animals

1933, 101, 269

-, blood, frog and higher animals (WALKER)

(WALKER)

1933, 101, 269

(THANN-

cere-

spleen

Phosphatide(s)—continued: Phosphate(s)—continued: Inorganic, blood, goat (CUTLER) Diamino-, organs and fluids, determination 1934, 106, 653 HAUSER and SETZ) determination . - serum, 1936, 116, 533 (Bodansky) Ether-insoluble, blood plasma 1937, 120, 167 and red blood cells, adults -, cerebrospinal fluid, frog higher (Kirk) 1938, 123, 637 animals and 1933, 101, 269 -, - -, red blood cells, and (WALKER) -, lymph, frog and higher tissues, microdetermination animals (WALKER) (KIRK) 1938, 123, 623 Fatty acids, suprarenals, beef 1933, 101, 269 -, urine, glomerulus, frog and (Ault and Brown) Necturus (WALKER) 1934, 107, 607 Lactobacillus acidophilus, frac-1933, 101, 239 Lipoid phosphorus, conversion tion (Crowder and Ander-1934, 104, 487 to, tissues, radioactive phosphorus as indicator (Enten-Polydiamino-, hydrolysis, polydiaminophosphatase, MAN. RUBEN. PERLMAN. brosidase relation (THANN-LORENZ, and CHAIKOFF) 1938, 124, 795 HAUSER and REICHEL) Organic, Limulus polyphemus 1936, 113, 311 muscle, distribution (ENGEL reineckate. and CHAO) (THANNHAUSER and SETZ) 1935, 108, 389 1936, 116, 527 Rachitic cartilage calcifica-Protamine salts, lipoproteins, tion, administration effect relation (CHARGAFF) (McLean and McCoy) 1936, 114, lxv Tubercle bacillus, constitu-Tooth, molecular tion (Hodge, Bale, and CREIGHTON) LeFevre) 1937, 119, xlix Yeast zymin fermentation. electrolytes and ethanol man)

1938, 125, 661 human (Anderson, Lothrop, and 1938, 125, 299 Phospho-d-arabinose: 5-, synthesis (Levene and Christ-1938, 123, 607 effect (STAVELY, CHRISTEN-Phosphocreatine: Brain (KERR) SEN, and FULMER) 1935, 110, 625 1935, 111, 791 -, narcotics and convulsant Phosphatide(s): Blood serum, drugs. effect (Kerr and precipitation (TURNER) Antaki) 1937-38, 122, 49 1934, 105, xciv Phosphoglycerate: Blood (WAR-Determination and stability WEG and STEARNS) (Man) 1937, 117, 183 1936, 115, 567

Phospholipid(s): Blood, adrenalectomy effect (Yeakel and Blanchard)

1938, **123**, 31

—, as transport mechanism (Sinclair)

1936, 115, 211

-, determination (ELLIS and MAYNARD)

1937, 118, 701

— plasma, oxalated and heparinized (Schmidt)

1935, 109, 449

Cephalin determination by choline estimation (WIL-LIAMS, ERICKSON, AVRIN, BERNSTEIN, and MACY)

1938, 123, 111

Fatty acids, muscle (SNIDER) 1936, 116, 503

— —, saturated and unsaturated (Sinclair)

1935, 111, 261

— —, tumor, unsaturation degree (HAVEN)

1935, **109**, xlii

Formation and destruction, fasting, radioactive phosphorus as indicator (Perlman, Ruben, and Chaikoff) 1937–38, 122, 169

Intestinal mucosa, fat absorption (SINCLAIR)

1937, 119, xc

— —, turnover (SINCLAIR and SMITH) 1937, 121, 361
Liver, fat metabolism relation (SINCLAIR)

1935, 111, 515

Metabolic and non-metabolic (SINCLAIR)

1936, 114, xciv

Phospholipid(s)—continued:

Metabolism, radioactive phosphorus as indicator (Entenman, Ruben, Perlman, Lorenz, and Chaikoff)

1938, 124, 795

—, — — indicator, various organs (FRIES, RUBEN, PERLMAN, and CHAIKOFF)

1938, 123, 587

--, stomach and intestine, rôle, ingested fat effect (FRIES, RUBEN, PERLMAN, and CHAIKOFF) 1938, 123, 587

-, tumors (HAVEN)

1936, 114, xlvii 1937, 118, 111

Muscle activity, effect (Bloom and SNIDER)

1934, 107, 459

(Bloor) 1937, 119, 451 Phosphorus, blood plasma, hepatectomy, partial, and bile duct ligation, effect (Chanutin and Ludewig)

1936, **115,** 1

—, — —, normal and nephrectomized rats (Ludewig)

1938, 123, lxxviii

—, radioactive, phosphorus distribution (HAVEN, BALE, and LEFEVRE)

1938, **123,** lii

Respiratory quotient, effect (Reiser and Hanes)

1938, 123, ci

Tissue, elaidic acid, relation (SINCLAIR)

1935, 109, lxxxv 1935, 111, 515

—, fatty acids, unsaturated, selection and retention (SIN-CLAIR) 1935, 111, 275

Phosphorus—continued:

Phospholipid(s)—continued: Yeast (NEWMAN and ANDER-1933, 102, 229 son) See also Lipid Phosphoric acid: Esters, yeast extract (Smythe) 1937, 117, 135 Microdetermination, gasometric (KIRK) 1934, **105**, xlvii 1934, 106, 191 Phosphorus: Acid-soluble fractions, blood, potassium relation (KERR) 1937, 117, 227 - organic, blood, hydrolysis, acid and enzyme (WARWEG and STEARNS) 1936, **115**, 567 Blood, partition (STEARNS and WARWEG) 1933, 102, 749 -, -, chicken (HELLER, PAUL, and Thompson) 1934, 106, 357 - serum, partition (STEARNS and WARWEG) 1933, 102, 749 ---, --, laying hens (ROEPKE and Hughes) 1935, **108**, 79 Brain, rickets (Kerr) 1937-38, 122, 53 Calcium and, intake levels, body calcium and growth, effect (Toepfer and Sher-1936, 115, 685 Chick (ELVEHJEM and KLINE) 1933, 103, 733 -Deficient diet, basal metabolism (Goss and Kleiber) 1937, 119, xxxviii

Dietary, hematopoiesis effect (DAY, STEIN, and McCol-1938, 123, xxviii Food, body calcium, relation (WHITCHER, BOOHER, and SHERMAN) 1936, 115, 679 Gestation requirement (Cox and Imboden) 1934, 105, xviii Inorganic, blood cell, red, permeability (HALPERN) 1936, 114, 747 -, — plasma, dairy cattle (HAAG and Jones) 1935, 110, 439 -, - serum, age and nutrition, effect (PEARSON) 1934, 106, 1 -, - -, forms (Greenberg and Larson) 1935, 109, 105 (Benjamin) 1935, 109, 123 , — —, —, hypercalcemia (BENJAMIN and HESS) 1933, 103, 629 -, -- --, new born puppies (Bodansky) 1934, 104, 717 Lactation requirement (Cox and Imboden) 1934, 105, xviii Lipoid. See Lipoid phosphorus -Low diets, vitamin D₂ effect (SCHNEIDER and STEEN-1938, 123, cv BOCK) Metabolism, calcium-low radairy cows. tion, effect (MEIGS, TURNER, KANE, and SHINN)

1934, 105, lx

Phosphorus—continued: Metabolism, nerve, invertebrate (ENGEL and GERARD) 1935-36, 112, 379 -, radioactive phosphorus as indicator (Cohn and Green-BERG) 1938, 123, 185 Muscle creatine, relation (MANGUN and MYERS) 1938, 123, lxxix Organic acid-soluble, erythrocytes (KERR and DAOUD) 1935, 109, 301 -, blood hydrolysis, phosphatases (KERR and AN-TAKI) 1937, 121, 531 Phospholipid, blood plasma, hepatectomy, partial, and bile duct ligation, effect (CHANUTIN and LUDEWIG) 1936, 115, 1 -, -, normal and nephrectomized rats (Ludewig) 1938, 123, lxxviii Radioactive, distribution (HAVEN, BALE, and LE-FEVRE) 1938, 123, lii phospholipid metabolism indicator (PERLMAN, RUBEN, and CHAIKOFF) 1937-38, 122, 169 (ENTENMAN, RUBEN, PERL-MAN, LORENZ, and CHAI-KOFF) 1938, 124, 795 -, - -, various organs (FRIES, RUBEN, PERLMAN, and CHAIKOFF) 1938, 123, 587 dioxide Retention, carboneffect (Forbes) 1934, 107, 283

Trout, brook, factors affecting

(McCAY, Tunison, Cro-

WELL, and PAUL) 1936, 114, 259 Phosphorus compounds: Brain (KERR) 1935, 110, 625 Phosphotungstic acid: Ascorbic determination, tometric, use (Kassell and Brand) 1938, 125, 115 Cysteine determination, photometric, use (Kassell and Brand) 1938, 125, 115 Cystine determination, photometric, use (Kassell and 1938, 125, 115 Brand) Disulfide compounds, reaction rate (Kassell and Brand) 1938, 125, 131 Sulfhydryl compounds, reaction rate (KASSELL and BRAND) 1938, 125, 131 Phospho-12-tungstic acid: Cystine precipitation (Toen-NIES and ELLIOTT) 1934, 105, xciii 1935, 111, 61 l-Cystine precipitation (Toen-NIES and ELLIOTT) 1934, 105, xciii 1935, 111, 61 m-Cystine precipitation (TOENNIES and ELLIOTT) 1934, 105, xciii 1935, 111, 61 Phospho-18-tungstic acid: A-, cysteine and, color reaction, molecular ratio (Shinohara) 1937, 120, 743

Ascorbic acid, reaction (Shino-

Cystine determination (Shino-

1935-36, 112, 697

1935–36, 112, 683

HARA and PADIS)

HARA)

MAN)

Phospho-18-tungstic acid-con-Phthiocol—continued: tinued: Tubercle bacillus, determination, synthesis (Anderson Glutathione, reaction (Shinoand NEWMAN) HARA and PADIS) 1933, 103, 405 1935-36, 112, 697 Non-thiol compounds, reaction (NEWMAN, CROWDER, and (SHINOHARA) ANDERSON) 1934, 105, 279 1935, 110, 263 Thiol compounds, color reac-Phthioic acid: Tubercle bacillus tion (SHINOHARA) (SPIELMAN and ANDERSON) 1935, 109, 665 1935-36, 112, 759 Physostigmine: Blood sugar, ad-Urine cysteine, cystine, and ascorbic acid, determination renals. demedullated and. (SHINOHARA and PADIS) effect (HARNED and COLE) 1935-36, 112, 709 1938, 123, li Photodynamic action: (SMETANA) Picoline: α -, dissociation con-1938, 124, 667 stant, basic (BARRON) 1938, 125, 741 1937, 121, 313 Photometer: Photoelectric com-Picrate: Precipitate, blood serum parison (Goudsmit and Sumultrafiltrates (GAEBLER and MERSON) 1935, 111, 421 ABBOTT) -, vitamin A determination 1937, 119, xxxvi (BILLS and WALLENMEYER) Pigment(s): Beet root, red, deter-1938, 123, xi mination (Pucher, Curtis, Phthiocerol: Tubercle bacillus, and VICKERY) bovine (Cason and Ander-1938, 123, 71 son) 1937, 119, 549 —, —, preparation (Pu-- -, human (Stodola and CHER, CURTIS, and VICKERY) ANDERSON) 1936, 114, 467 1938, 123, 61 (REEVES and ANDERSON) Blood, salt-low ration, reali-1937, 119, 535 mentation effect (ORTEN and Phthiocol: Tubercle bacillus, de-Smith) 1934, 105, lxvi termination. colorimetric Carotenoid, absorption spec-(REEVES and ANDERSON) tra, liquid air temperatures 1937, 119, 543 (HILBERT and JANSEN) ---, human (Ball) 1934, 106, 97 1934, 106, 515 -, cow-pea leaves, absorption ---, --, absorption spectrum spectra, liquid air temperacurve, ultraviolet (CROWE) tures (HILBERT and JANSEN) 1936, 115, 479 1934, 106, 97 - -, -, chemical constitu-Carotenoid-protein, lobster egg tion (Anderson and New-(STERN and SALOMON)

1933, 103, 197

1937-38, 122, 461

Pigment(s)—continued: Grapefruit, pink (MATLACK) 1935, 110, 249 Maize (SANDO, MILNER, and SHERMAN) 1935, 109, 203 Pimiento, egg yolk color, effect (Brown) 1937–38, 122, 655 —, Perfection (Brown) 1935, 110, 91 Plastid, marsh dodder (MAC-KINNEY) 1935-36, 112, 421 Respiratory. oxygen, equilibrium between (ADAMS) 1937, 119, iii Tomato, American red and purple (MATLACK Sando) Tubercle bacillus, (Ball)

and 1934, 104, 407 human 1934, 106, 515 ---, --, absorption spectrum curve, ultraviolet (CROWE) 1936, 115, 479

-, -, acetone-soluble fat, isolation (Anderson and NEWMAN)

1933, 101, 773

— —, —, chemical constitution (Anderson and New-MAN) 1933, 103, 197

----, ---, synthesis (Anderson and NEWMAN)

1933, 103, 405 (NEWMAN, CROWDER, and ANDERSON)

1934, 105, 279

Pilocarpine: Gastric secretion, effect (Hollander and SALTZMAN)

1938, 123, lix

Pimelic acid: Diphtheria bacillus growth accessory (MUEL-1937, 119, 121 LER) Pimiento: Perfection, pigment,

red (Brown)

1935, 110, 91 Pigments, egg yolk color, effect (Brown)

1937-38, 122, 655

Pine: Slash. See Slash-pine Pinus caribæa: See Slash-pine Piperazines: 2,5-Diketo-, drolvsis (SRINIVASAN and SREENIVASAYA)

1934, 105, 563

Pipette: Gasometric analysis, air-free reagents. storage (Guest and Holmes)

1935, 110, 781

Pituitary: Anterior, antidiuretic factor (Downes RICHARDS) 1935, 110, 81 -, carbohydrate metabolism hormone, assay (BERGMAN and TURNER)

1938, 123, 471

follicle-stimulating and luteinizing hormone (WAL-LEN-LAWRENCE)

1934, 105, xcvii

-, growth preparation, sulfur metabolism, effect (GAEBLER and Price)

1936, 114, xxxix

-, inhibitory substances, production (KATZMAN, WADE, and Doisy)

1936, 114, lvi

-, ketonuria relation (DEUEL) 1934, 105, xix

Gonadotropic hormone, chemistry (MAXWELL and BISCH-1935-36, 112, 215 OFF)

Pituitary—continued:

Hormones, preparation (BATES and RIDDLE)

1938, 123, v

Iodine (Baumann and Metzger) 1938, 123, vi

Ketogenic principle, nature (Shipley) 1938, 123, cix

-Like hormone, anterior, genital tract, effect (Harrow and Naiman)

.1934, 105, xxxv

— —, —, urine, pregnancy, separation (ELDEN)

1933, 101, 1

Posterior, oxytocic substance preparation (STEHLE)

1933, 102, 573

—, preparations, electrophoresis (DU VIGNEAUD, IRVING, DYER, and SEALOCK)

1938, 123, 45

—, press-juice, pressor and oxytocic hormones, electrophoresis (Irving and DU VIGNEAUD)

1938, 123, 485

—, pressor substance preparation (Stehle)

1933, 102, 573

Thyrotropic hormone, determination, chemical (McCul-LAGH and STIMMEL)

1935, **109,** lxii

Vitamin C distribution (GLICK and BISKIND)

1935, 110, 583

See also Hypophysectomy

Pituitary extract: Anterior, diacetic acid metabolism, rôle (Butts, Cutler, and Deuel) 1934, 105, 45

Pituitary extract—continued:

Anterior, growth hormone, gestation and weight of newborn, effect (WATTS)

1935, 109, xcv

—, — —, protein metabolism, effect (Schaffer and Lee) 1935, 108, 355

—, — preparation, protein metabolism effect (GAEBLER and PRICE)

1937, 121, 497

Growth-promoting, thiamine deficiency, effect (Burke and McIntyre)

1938, **123,** xvii

Placenta: Arginine (GRAFF and GRAFF) 1937, 121, 79
Blood coagulant (GREEN, LOWRY, ELEY, and MCKHANN)

1936, 114, xlii

Elaidic acid relation (McCon-NELL and SINCLAIR)

1937, 118, 123

Globulins, immune (GREEN and McKhann)

1935, 109, xxxvii

Plant(s): Fat and sterol metabolism (MacLachlan)

1936, 113, 197 1936, 114, 185

Green, amides, metabolism (Vickery, Pucher, Wake-Man, and Leavenworth)

1937, 119, 369

(VICKERY, PUCHER, LEAV-ENWORTH, and WAKEMAN) 1938, 125, 527

Growth hormone production, Rhizopus suinus (THIMANN) 1935, 109, 279 Plant(s)—continued:

Hormones, structure and physiclogical activity (Koepfli, Thimann, and Went)

1937-38, 122, 763

--, wound (English and Bon-NER) 1937, 121, 791 Juice, reducing substances,

non-sugar (Schlenker)

1937, 117, 727

-, sugars, reducing, microdetermination (Schlenker) 1933, 102, 29

Sterols, intestine, fate (Breusch)

1938, 124, 151

Tissue, acids, determination (Pucher, Vickery, and Wakeman)

1934, 105, lxviii

Plantago psyllium: See Psyllium Plastid: Pigment, marsh dodder (Mackinney)

1935–36, 112, 421

Pneumococcus: Antipneumococcus serum globulins (Green) 1938, 123, xliv

Enzyme, autolytic, vitreous humor, umbilical cord, and streptococcus polysaccharide acids, hydrolysis by (Meyer, Dubos, and Smyth) 1937, 118, 71

Fractions, ultraviolet absorption spectra (LAVIN, THOMPson, and Dubos)

1938, 1**25,** 75

Hemolysin, inactivation, metal compounds, effect (Shwach-Man, Hellerman, and Cohen) 1934, 107, 257—,—, oxidation and reduction, effect (Shwachman, Hel-

Pneumococcus—continued:

LERMAN, and COHEN)

1934, 107, 257

Nucleic acid isolation (THOMP-SON and DUBOS)

1938, 125, 65

Nucleoprotein fractions, isolation (Thompson and Dubos) 1938, 125, 65

1950, 125, 0

Type I, lipase action, effect (McGuire and Falk)

1934, 105, 669

----, specific precipitate (CAL-VERY) 1935-36, 112, 167

— II, specific precipitate (CAL-VERY, HEIDELBERGER, and KENDALL) 1935, 109, xv

— III, polysaccharide, aldobionic acid structure (Hotchkiss and Goebel)

1937, 121, 195

Types III and VIII, polysaccharides, capsular, chemical and immunological relationship (Goebel)

1935, 110, 391

Poison: Liver, parathyroid extract, influence (GREENBERG) 1935, 109, xxxviii
Toad, chemistry (JENSEN and EVANS) 1934, 104, 307
(JENSEN) 1935, 109, xliv
1937, 119, lii

Polarization: Tissue models (Spiegel-Adolf)

1936, 114, xcix

Poliomyelitis: Metabolism (Ma-GERS) 1934, 105, lvi

Polydiaminophosphatase: Polydiaminophosphatide hydrolysis, cerebrosidase relation (Thannhauser and Reichel) 1936, 113, 311

Polydiaminophosphatide: Hydrolysis, polydiaminophosphatase, cerebrosidase relation (Thannhauser and Reichel) 1936, 113, 311

Polydiaminophosphatide reineckate: Spleen (Thann-HAUSER and SETZ)

1936, 116, 527

Polygalacturonic acid: -Methylglycosides, Ehrlich's Pektolsäure and Pektolactonsäure (BAUR and LINK)

1935, **109,** 293

- from pectin (Morell, Baur, and Link)

1934, 105, 1

Polygalacturonide: Methyl ester, oxidation and hydrolysis to levo-tartaric acid (Levene and Kreider)

1937, 120, 591

Polygala senega: See Senega-root Polygalitol: Fate (CARR and KRANTZ) 1938, 124, 221 Metabolism (CARR, FORMAN, and KRANTZ)

1938, 123, xviii

Polyhydroxy acid: Pepper, sweet (Baumann, Sprinson, and Metzger) 1937, 119, viii

Polyneuritis: Vitamin B₁ determinations, criterion (KLINE, TOLLE, and NELSON)

1938, 123, lxix

Polypeptide(s): Degradation, stepwise (Bergmann and Zervas) 1936, 113, 341 Hydrolysis (Srinivasan and Sreenivasaya)

1934, 105, 563

Polysaccharide(s): Gastric mucosa, pig (MEYER, SMYTH,

Polysaccharide(s)—continued: and Palmer)

1937, 119, 73, lxix Pneumococcus Type III, aldobionic acid structure (Hotchkiss and Goebel)

1937, 121, 195

—, Types III and VIII, chemical and immunological relationship (Goebel)

1935, 110, 391

Specific, bacillus Calmette-Guérin (Chargaff and Schaefer)

1935–36, 112, 393

Starch, apple tree leaf tissue, isolation and properties (NIEMANN, ANDERSON, and LINK) 1936, 116, 447

—, — — woody tissue, isolation and properties (Nie-MANN, ROBERTS, and LINK) 1935, 110, 727

Streptococcus, hemolytic,

Group A mucoid strains (Kendall, Heidelberger, and Dawson)

1937, 118, 61

Synthesis, soil microorganism relation (Hassid and Chandler)

1937, 117, 203

Tubercle bacillus, Strain H-37 (Heidelberger and Menzel) 1937, 118, 79 Vitreous humor (Meyer and

PALMER) 1934, 107, 629

— and umbilical cord (MEYER and PALMER)

1936, 114, 689

Polysaccharide acids: Vitreous humor, umbilical cord, and streptococcus, hydrolysis by pneumococcus autolytic enzyme (Meyer, Dubos, and Smyth) 1937, 118, 71

Polyuronic acids: Vitreous humor and umbilical cord (Meyer and Palmer)

1936, 114, lxix

Poppy: California, petals, eschscholtzxanthin (STRAIN)

1938, 123, 425

Porcupine: Quills, amino acids, basic (Block and Horwitt) 1937, 121, 99

Porphyria: Fox-squirrel (Turner)

1937, 118, 519

Porphyrin(s): Copro-, I, embryo, formation (Schønheyder)

1938, 123, 491

Excretion, feces (Dobriner) 1937, 120, 115

—, porphyrinuria, congenital (Dobriner, Localio, and Strain) 1936, 114, xxvi Urine, disease effect (Dobriner) 1936, 113, 1

Porphyrinuria: Congenital, porphyrins, excretion (Dobrine, Localio, and Strain) 1936, 114, xxvi

Potassium: Biological fluids, determination, spectrographic (Thomson and Lee)

1937, 118, 711

— materials, determination, volumetric (Harrison and Darrow) 1937, 121, 631

Blood, phosphorus fractions.

Blood, phosphorus fractions, acid-soluble, relation (KERR) 1937, 117, 227

-- plasma, sodium and potassium intake effect Potassium—continued:

(Power, Wilder, and Cut-Ler) 1938, 123, xciv Blood serum, determination

(Strauss) 1937, 118, 331

 — —, glucose injection effect (Flock, Bollman, Mann, and Kendall)

1938, 125, 57

 — —, microdetermination, photoelectric (Hoffman)

1937, 120, 57

— —, —, photometric (Hoff-MAN) 1937, 119, p. 1 Determination, Shohl-Bennett method (HARTZLER)

1937-38, 122, 19

—, volumetric, with methylene blue (Bolliger)

1934, 107, 229

Dietary, blood cell, red, sodium, influence (BUTLER and MACKAY)

1934, 106, 107

Distribution, potassium injection effect (Winkler and Smith) 1938, 124, 589

Muscle, creatine and, relation (Myers and Mangun)

1936, 114, lxxv (Mangun and Myers)

1938, 123, lxxix

Tissue, thyroparathyroidectomy effect (UNDERHILL and JALESKI) 1933, 101, 11 Urine, determination

(Strauss)

1937, 118, 331

 —, sodium and potassium intake effect (Power, Wilder, and Cutler)

1938, 123, xciv

436 Potassium chloride: Diffusion coefficients (MEHL and SCHMIDT) 1936, 114, lxvii Inorganic salts, metabolism, (WILEY, ingestion effect WILEY, and WALLER) 1933, 101, 73 Water metabolism, ingestion effect (WILEY, WILEY, and 1933, 101, 73 WALLER) Potassium iodate: Liver proteins, effect (Luck) ELL) 1938, 123, lxxvii Potassium salts: Fate, intravenous injection (WINKLER and SMITH) 1938, 123, exxx Precipitin: Biological fluids, albumin and globulin determination (GOETTSCH and KENDALL) 1935, 109, 221 Pregnancy: Blood gonadotropic Tissue hormone preparation (Gus-TUS, MEYER, and WOODS) 1936, 114, 59

- plasma lactose (HUBBARD and Brock)

1935, 110, 411

- serum colloid osmotic pressure and erythrocyte form (ROTTSCHAEFER and BETH-1936, 114, lxxxv

- - gonadotropic hormone, chemistry (BISCHOFF) 1938, 125, 697

- -, gonad-stimulating hormone, preparation and puri-(CARTLAND fication 1937, 119, 59 NELSON)

- water, distribution (OBERST and PLASS)

1935, 109, lxxi

Pregnancy-continued: Copper requirement (KYER and BETHELL) 1936, 114, lx Corpus luteum vitamin C, relation (BISKIND and GLICK) 1936, 113, 27 Estrin excretion (MARRIAN. COHEN, and WATSON) 1935, 109, lix Hemoglobin formation, influence (KYER and BETH-1936, 114, lx Iron requirement (KYER and 1936, 114, lx Bethell) Mineral acid-base balance (Coons, Coons, and Schie-FELBUSCH) 1934, 104, 757 Ovary lipid, relation (Boyd) 1935, 108, 607 1935-36, 112, 591 cholesterol.

(OKEY, GODFREY, and GIL-LUM) 1938, 124, 489

- fatty acids, effect (OKEY, GODFREY, and GILLUM) 1938, 124, 489

Urea clearance (NICE)

1935, 109, lxix equilin preparation Urine, (CARTLAND and MEYER)

1935-36, 112, 9

-, estrogenic diols (WINTER-STEINER and HIRSCHMANN) 1937, 119, cvii

-, - -, isolation (HIRSCH-MANN and WINTERSTEINER) 1937-38, 122, 303

gonadotropic hormone (GURIN, BACHMAN, and WILson) 1938, 123, xlix Pregnancy—continued: Urine, gonadotropic substances. tungstic acid precipitation, preparation (KATZMAN and 1934, 107, 513 Doisy) -, pituitary-like hormone, anterior, separation (ELDEN) 1933, 101, 1 pregnanetriol, structure (ODELL and MARRIAN) 1938, 125, 333 See also Gestation Pregnanediol glucuronidate: Sodium, determination, gravimetric (VENNING) 1937, 119, 473 Pregnanetriol: Urine, pregnancy, structure (ODELL and MAR-1938, 125, 333 RIAN) Pregnane-3, 17, 20-triol: Urine, adreno-genital syndrome. isolation (BUTLER and MAR-RIAN) 1937, 119, 565 Pressor hormone: Pituitary, posterior, electrophoresis (IR-VING and DU VIGNEAUD) 1938, 123, 485

Pressor substance: Pituitary gland, posterior, preparation (STEHLE) 1933, 102, 573

Primates: Ketosis (Goldfarb)

1936, 116, 787 Urine nitrogen partition (Rheinberger)

1936, 115, 343

Progesterone: Crystalline, preparation from pig ovaries (AL-LEN and GOETSCH)

1936, 116, 653 Excretion product, determination, gravimetric (Venning) 1937, 119, 473 Progestin: Crystalline (WINTER-STEINER and ALLEN)

1934, 107, 321

Prolactin: Preparation (BATES and RIDDLE)

1938, 123, v

Prolan: Chemistry (BISCHOFF and LONG)

1936, 116, 285

Proline: Insulin, crystalline, isolation (Jensen and Evans) 1935, 108, 1

l-, determination, rhodanilic acid (BERGMANN)

1935, 110, 471

Oxidation, tissues (Bernheim and Bernheim)

1934, 106, 79

Prolinephosphoric acid: l-Hydroxy-, synthesis (Levene and Schormüller)

1934, 106, 595

Propane: 1-Amino-2-hydroxy-, synthesis, new (Levene)

1936, 113, 153

Cyclo-, blood, determination (ORCUTT and WATERS)

1937, 117, 509

Propionaldehyde: Reduction,

Clostridium acetobutylicum
(BLANCHARD and MACDONALD) 1935, 110, 145

Propionic acid(s): Amino-, deamination, oxidative, liver and kidney tissues (Rodney and Garner)

1938, 125, 209

Bacteria, glucose dissimilation, mechanism (Wood and WERKMAN)

1934, 105, 63

Disubstituted, nitrophenyl esters, and corresponding free

Propionic acid(s)—continued: acids. rotations (LEVENE, ROTHEN, and MEYER)

1934, 107, 555

Disubstituted, with ethyl group, configurational relationship (LEVENE, ROTHEN. 1936, 115, 401 Meyer) Glycogen formation, ingestion effect (Eckstein)

1933, 102, 591

Methylbenzyl-, methylbenzylacetic acid, configurational relationship (Levene and 1935, 110, 299 MARKER)

 α -Oximino- β -3-indole-, tryptophane-deficient diet supplement, growth effect (BAUguess and Berg)

1934, 104, 675

Reduction, Clostridium acetobutylicum (BLANCHARD and MACDONALD)

1935, 110, 145

Propyl acids: Iso-, normal series, configurational relationship (LEVENE and MARKER)

1935, 111, 299

Prostigmine: Muscle choline esterase activity, effect (STA-DIE and JONES)

1938, 123, cxiv

Myasthenia effect gravis, (STADIE and JONES)

1938, 123, exiv

Protaminase: Proteinase, influence, determination (WEIL) 1934, 105, 291

Protamine(s): Blood coagulation, effect (CHARGAFF and OL-1937-38, 122, 153 son) (CHARGAFF)

1938, 125, 671

Protamine(s)—continued:

Insulin action, effect (Scott and Fisher)

1936, 114, lxxxviii

Salts, phosphatides, lipoproteins, relation (CHARGAFF) 1938, 125, 661

Protease: Lipase action, effect 1933, 103, 363 (FALK) Pepsin, trypsin, and salivary amylase, inactivation (TAU-BER and KLEINER)

1934, 105, 411

Protein(s): Abscess nitrogen metabolism, anemic and nonanemic dogs, relation (DAFT, ROBSCHEIT-ROBBINS. WHIPPLE) 1937, 121, 45 Acetyl. See Acetyl proteins Acids and bases, gaseous, combination (CZARNETZKY and 1934, 105, 301 SCHMIDT)

Amino acids, basic, determination (BLOCK)

1934, 106, 457 groups, free, allocation (GURIN and CLARKE)

1934, 107, 395

Arginase action (KRAUS-RA-GINS) 1938, 123, 761 Arginine determination

(GRAFF. MACULLA. and GRAFF) 1937, 121, 71

Aucuba mosaic virus, ultracentrifugal analysis (Wyc-1938, 124, 585 KOFF)

Azo- (Boyd and Hooker)

1934, 104, 329

(Boyn and Mover)

1935, 110, 457

Bacilli, acid-fast, nitrogen partition, biological activity, reProtein(s)—continued:

lation (SEIBERT and Mun-DAY) 1933, 101, 763 Bean, black (Jones, Gers-DORFF, and PHILLIPS)

1937-38, 122, 745

Bence-Jones (CALVERY and FREYBERG)

1935, **109,** 739, xv

—, blood serum (Kydd)

1934, 107, 747

Biological value, nitrogen excretion, endogenous, relation (French and Mattill)

1936, 114, xxxvii

Blood cells (EISENMAN, MACKENZIE, and PETERS)

1936, 116, 33

- and plasma, in vitro, distribution (Bellis and Scott) 1935, 111, 17
- plasma, binding, phenol red and diodrast, effect (Sмітн and Sмітн)

1938, 124, 107

- —, hepatectomy and laparotomy effect (Chanutin, Hortenstine, Cole, and Ludewig) 1938, 123, 247
- —, injection, metabolism effect (DAFT, ROBSCHEIT-ROBBINS, and WHIPPLE)

1938, 123, 87

— —, nephrectomy, effect (Снапитін and Ludewig)

1937, 119, xviii

- —, solubility and precipitation, factors affecting (But-LER, BLATT, and SOUTH-GATE) 1935, 109, 755
- —, specific gravity and, relation (WEECH, REEVES, and GOETTSCH) 1936, 113, 167

Protein(s)—continued:

Blood serum (EISENMAN, MAC-KENZIE, and PETERS)

1936, 116, 33

— —, amino acids, basic (Block) 1933, 103, 261 (Block, Darrow, and Cary) 1934, 104, 347 (Block) 1934, 105, 455

——, ——, basic, heat effect (Block) 1934, 104, 343

— and edema fluids, concentration, comparison (GIL-LIGAN, VOLK, and ALT-SCHULE) 1933, 103, 745

— —, blood cholesterol relation (Schwarz and Lichten-BERG) 1937, 121, 315

— —, carbamate-carbon dioxide equilibrium, blood carbon dioxide transport, relation (Stadie and O'Brien)

1935, 109, lxxxvii

— —, exercise, dehydration influence (Morse and Schlutz) 1936, 114, lxxiv

 — hydrogen ion concentration determination, colorimetric, effect (Robinson, Price, and Cullen)

> 1935, 109, lxxiv 1936, 114, 321

— —, solubility precipitation patterns (Perlzweig, Kon-Dritzer, and Bruch)

1938, 123, xcii

- —, specific gravity and, relation (WEECH, REEVES, and GOETTSCH) 1936, 113, 167
- , various origins, relationship (Block, Darrow, and Carry)

1934, 104, 347

Protein(s)—continued: Brain, amino acids, age effect 1937, 120, 467 (Block) sex differences 1938, 123, xiii (Block) -, mammalian, amino acids (Block) 1937, 119, 765 -, primate, amino acids, sex differences (BLOCK) 1937, 121, 411 Capillary permeability (KEYS and TAYLOR) 1935, 109, 55 Carbohydrates, determination (SHEPPARD and EVERETT) 1937, 119, lxxxix Carotenoid-, pigment, lobster egg (STERN and SALOMON) 1937-38, 122, 461 Catabolism, anemia (DAFT, ROBSCHEIT-ROBBINS, and WHIPPLE) 1935, 108, 487 -, hemoglobin, new formed, relation (DAFT, ROBSCHEIT-ROBBINS, and WHIPPLE) 1933, 103, 495 Cells, normal and tumor, swelling, in vitro, effect (SHEAR) 1934, 105, lxxix Charge, calculation, electrokinetic theory (Moyer and 1937, 121, 331 ABELS) Cholesterol-, complex, body fluids, pathological (BRU-GER) 1935, 108, 463 Chondroitinsulfuric acid complexes (MEYER, PALMER, and Smyth) 1937, 119, 501 Chromo-, bacteria, photosynthetic (French) 1938, 123, xxxviii

Protein(s)—continued: Cysteine determination (Kas-SELL and BRAND) 1938, 125, 145 determination Cystine (BAERNSTEIN) 1936, 115, 33 (Sullivan and Hess) 1937, 117, 423 (KASSELL) 1937, 119, lvi (GRAFF, MACULLA, GRAFF) 1937, 121, 81 Deaminized, cystine (HESS and SULLIVAN) 1936, 114, xlix Degradation, enzymatic (BERGMANN and NIEMANN) 1937, 118, 781 Denaturation and hydration (NEURATH and BULL) 1936, 115, 519 (Bull and Neurath) 1937, 118, 163 -, nitrogen effect (HENDRIX and DENNIS) 1938, 123, liii -, sound waves, effect (CHAM-BERS and FLOSDORF) 1936, 114, 75 Dietary, l- and dl-cystine metabolism, growth effect (STEKOL) 1934, 107, 641 -, (edestin), salt-poor diet, effect (Swanson, Timson, and FRAZIER) 1935, 109, 729 - essential in (Rose) 1934, 105, lxxiii ----, isolation (Rose, Mc-COY, MEYER, CARTER, WO-MACK, and MERTZ)

1935, 109, lxxvii

tabolism (STEKOL)

relation (MARTIN)

Cook)

action, effect (MITCHELL and

-, urea-splitting enzyme,

1934, 107, 225

1938, 123, lxxxvi

1933, 102, 113

1933, 102, 131

Protein(s)—continued: Dietary, l- and dl-methionine metabolism (STEKOL) 1935, 109, 147 Digestibility in vitro (Jones and GERSDORFF) 1933, 101, 657 1934, 106, 707 1937, 114, liii Disulfide groups, reduction, immunological effect (BLU-MENTHAL) 1936, 113, 433 Ectoderm, nature (BLOCK) 1937, 121, 761 Edema fluids and blood serum, concentration. comparison (GILLIGAN, VOLK, and ALT-1933, 103, 745 schule) Egg (Block) 1934, 105, 455 -, diet of hen, effect (CALVERY and Titus) 1934, 105, 683 - white, separation and characterization (Young) 1937, 120, 1 Electric mobility and titration curves, molecular radius and weight calculation, relation (Moyer and Abramson) 1938, 123, 391 (CLOWES, Films. reactions Davis, and Krahl) 1938, 123, xxii -Free diet, allantoin and uric acid excretion (MARTIN and 1934, 105, lvii CORLEY) -, anemia, metabolism effect (DAFT, ROBSCHEIT-ROBBINS, and WHIPPLE)

1933, 103, 495

Protein(s)—continued: -Free diet, l- and dl-cystine me-Galactose cataract-producing Gastric juice (MARTIN)

Glycine determination (PAT-1935, 108, 267 TON) Growth essential, properties (CALDWELL and Rose) 1934, 107, 57 Hemoglobin building, relation (Pearson, Elvehjem, and 1937, 119, 749 HART) Hormones, resorption, delayed, influence (BISCHOFF MAXWELL) 1936, 114, xi Hydrolysates, toxic, selenium (PAINTER and removal FRANKE) 1935, 111, 643 -, tyrosine microdetermination (BERNHART) 1938, 123, x Hydrolysis, methods (Sulli-VAN and HESS) 1937, 117, 423 Hydrolyzed histamine-like substance, separation (McMee-1935, 109, lxiv Intake, growth and calcification, effect (Conner and SHERMAN) 1936, 115, 695 Lipo-, protamine salts, phosphatides, relation (CHAR-1938, 125, 661 GAFF)

Protein(s)—continued:

Protein(s)—continued:

Liver, crystallizable (Dounce (KASSELL) and SUMNER) 1937, 119, lvi (Kassell and Brand) 1938, 124, 415 -, extractability, hydrogen ion 1938, 125, 145 Monolayers (HARKINS and ANconcentration, effect (Luck 1938, 125, 369 and Nimmo) Mosaic virus, latent, isolation 1937, 119, lxv -, fasting effect (ADDIS, Poo, (Loring and Wyckoff) 1936, 115, 117 1937, 121, 225 and Lew) -, heat and alcohol, effect Muscle, smooth (Mehl) 1938, 123, lxxxiii (SEEGERS and MATTILL) 1935, 110, 531 Myxedema-relieving, artificial, potassium iodate effect from diiodotyrosine peptone (SALTER and PEARSON) (Luck) 1938, 123, lxxvii 1935-36, 112, 579 -, storage (Luck) Neuro-, amino acids (Block) 1936, 115, 491 water storage relation 1937, 119, xi (KAPLAN and CHAIKOFF) 1937, 120, 467 1937, 121, 411, 761 1936, 116, 663 Neurofibrils, amino -Low diet, blood serum lipids, acids effect (PAGE, FARR, and (Block) 1937, 119, xi 1937, 121, 111 Weech) Nitrogen, denaturation effect Mammary gland (Jackson and (HENDRIX and DENNIS) GORTNER) 1938, 123, 719 1938, 123, liii Nucleo-. See Nucleoproteins Metabolism, anterior pituitary Optical rotation, hydrogen ion hormone, growth effect concentration effect (ALM-(SCHAFFER and LEE) 1935, 108, 355 QUIST and GREENBERG) -, — — preparation, effect 1934, 105, 519 (GAEBLER and PRICE) Organs, determination, gravimetric (ADDIS, Poo, LEW, 1937, 121, 497 -, glycine synthesis, influence and YUEN) 1936, 113, 497 -, fasting effect (ADDIS, Poo, (GRIFFITH) 1934, **105,** xxxiii and Lew) 1936, 115, 111 -, phlorhizinized dogs (How--, formation rate, casein re-LAND and HAWKINS) feeding effect (ADDIS, Poo, 1936, 116, 343 1938, 123, 99 and Lew) Methionine -, thyroidectomy, thyroxine determination and dinitrophenol adminis-(BAERNSTEIN) 1934, 106, 451 tration effect (ADDIS, KAR-NOFSKY, LEW, and Poo) 1936, 114, v 1936, 115, 25, 33 1938, 124, 33

Protein(s)—continued:

Protein(s)—continued: Osmotic pressure, molecular weight, and stability (Burk) 1937, 120, 63 Papilloma virus, hydrogen ion concentration stability (BEARD and WYCKOFF) 1938, 123, 461 Peanut. nutritive value (BAERNSTEIN) 1937-38, 122, 781 Phenylalanine, spectroscopic identification (Ross) 1934, 104, 531 Physical chemistry (Cohn, Ed-SALL, and BLANCHARD) 1934, 105, 319 1935, 109, 631 Precipitants, sulfites as (CAMP-BELL and HANNA) 1937, 119, 9 Pyrrole formation from (Guest and McFarlane) 1938, 123, xlvii Respiratory, physical constants (SVEDBERG) 1933, 103, 311 Saliva, parotid, human (BRAM-KAMP) 1936, 114, 369 Salmon egg casing (Young and 1938, 123, cxxxi INMAN) 1938, 124, 189 Silk, chemical and immunological properties (FELL) 1935, 109, xxxi Sols. calcium. non-diffusible (Eversole, FORD, and THOMAS) 1934, **104,** 107 (Greenberg) 1934, 105, 511 1934, 105, 515 (Eversole) Solubility (STEINHARDT) 1938, 123, cxv

Solutions, equilibrium, heterogeneous (Joseph) 1936, 116, 353 -, refractivity (HAND) 1935, 108, 703 Structure (Bergmann and NIEMANN) 1936, 115, 77 1937, 118, 301 Sulfanilic acid, diazotized, and, reaction (EAGLE and VICK-ERS) 1936, 114, 193 Sulfate determination (KAS-SELL and BRAND) 1938, 125, 145 Sulfhydryl groups (Green-1938, 125, 501 STEIN) Sulfur (Blumenthal and CLARKE) 1935, 110, 343 determination (Baern-STEIN) 1936, 115, 33 - distribution (BAERNSTEIN) 1934, 105, vi -, labile (ZAHND and CLARKE) 1933, 102, 171 determination total, (PAINTER and FRANKE) 1936, 114, 235 Synthesis, enzymatic, intra-(Bergmann cellular and FRAENKEL-CONRAT) 1937, 119, 707 Systems, thallous chloride activity coefficient (STONE and FAILEY) 1934, 105, lxxxvi Thyroid, peptic digest, thyroxine (FOSTER, PALMER, and LELAND) 1936, 115, 467 Timothy-grass bacillus (MENzel and Heidelberger) 1938, 124, 301

Protein(s)—continued:
Tissue, basic amino acid anlage (Block)
1934, 105, 663
—, composition (Graff and Maculla)
1935, 110, 71
(Graff and Graff)
1937, 121, 79

-, dietary cystine, effect (LEE and LEWIS)

1934, 107, 649

—, fasting and refeeding, effect (Lee and Lewis)

1934, 107, 649

-, - effect (Addis, Poo, and Lew) 1936, 115, 111

-, formation rate, casein refeeding effect (Addis, Poo, and Lew) 1936, 116, 343

-, thyroidectomy, thyroxine and dinitrophenol administration effect (Addis, Kar-NOFSKY, Lew, and Poo)

1938, 124, 33

Tobacco mosaic, crystalline, aucuba mosaic virus, relation (STANLEY)

1937, 117, 325

— —, —, x-ray diffraction patterns (Wyckoff and Corey) 1936, 116, 51— virus. activity and yield

— virus, activity and yield (STANLEY)

1937, 121, 205

— — —, —, determination
(Loring) 1937, 121, 637

— — —, —, factors influencing (STANLEY)

1937, 117, 755

— — —, crystalline, absorption spectrum, ultraviolet
 (LAVIN and STANLEY)

1937, 118, 269

Protein(s)—continued:

Tobacco mosaic virus, crystalline, isolation from tomato plants (Loring and Stan-Ley) 1937, 117, 733

— —, —, preparation (STANLEY)

1936, **115,** 673

— — —, hydrogen ion concentration stability (WYCKOFF)
1937-38, 122, 239

———, molecular sedimentation constants (WYCKOFF)

1937, 121, 219

———, nucleic acid (Loring) 1938, 123, lxxvi

Total, blood plasma and serum (LEHMAN and SCOTT)

1935, 111, 43

—, body, determination, gravimetric (ADDIS, Poo, LEW, and YUEN)

1936, 113, 497

—, — fluids, pathological, cholesterol, relation (BRUGER) 1934, 105, xiii

Toxic, diphtheria bacillus filtrates (PAPPENHEIMER)

1937, 120, 543

Transudate, specific gravity and, relation (WEECH, REEVES, and GOETTSCH)

1936, 113, 167

Tryptic-ereptic digestion, study technique (SURE, KIK, and BUCHANAN)

1935, 108, 11

Tubercle bacillus, bovine and avian (MENZEL and HEIDEL-BERGER) 1938, 124, 301—, human (HEIDELBERGER

— —, human (HEIDELBERGER and Menzel)

1934, 104, 655

Protein(s)—continued: Proteolysis—continued: Tubercle : bacillus, human, Enzyme, fig tree latex (Rob-Strain H-37 (MENZEL and BINS and LAMSON) HEIDELBERGER) 1934, 106, 725 1938, 124, 89 Enzymes (BERGMANN, ZERVAS, Tuberculin, acid-base-com-FRUTON, SCHNEIDER, and bining capacity (Seibert) Schleich) 1936, 114, lxxxix 1935, 109, 325 Urine, dielectric constant dis-(Bergmann, ZERVAS, and persion (FRIEND, FERRY, and 1935, 111, 225 FRUTON) 1938, 123, xxxix ONCLEY) (BERGMANN, ZERVAS, and Virus, crystalline, ultracentrif-Ross) 1935, 111, 245 analysis (WYCKOFF, ugal (BERGMANN and ZERVAS) BISCOE, and STANLEY) 1936, 114, 711 1937, 117, 57 (BERGMANN and Ross) -, stream double refraction 1936, 114, 717 (Lauffer and Stanley) (BERGMANN, ZERVAS, and 1938, 123, 507 FRUTON) 1936, 115, 593 Vitamin B-sparing action, fat (BERGMANN and FRUTON) and, influence (EVANS, LEP-1937, 117, 189 KOVSKY, and MURPHY) 1937, 118, 405 (BERGMANN and NIEMANN) 1934, 107, 429 Yeast (Csonka) 1937, 118, 781 -, bacteria (Berger, John-1934, 105, xix 1935, 109, 703 son, and Peterson) 1938, 124, 395 - invertase activity, influence (SAUL and NELSON) -, intracellular, nature (Berg-1935, 111, 95 FRUTON, MANN, Proteinase: Inflammatory exu-Fraenkel-Conrat) 1937, 119, 35 dates. pleural, activity (WEISS, KAPLAN, and LAR--, molds (Berger, Johnson, and Peterson) 1938, 125, 247 Pancreatic, egg albumin, crys-1937, 117, 429 hydrolysis -, peptides in heavy water, (Caltalline, action (Foster, Keston, 1933, 102, 73 VERY) RITTENBERG, and SCHOEN-Preparation (Weil) 1934, 105, 291 HEIMER) 1938, 124, 159 Proteolysis: Blood serum, uremia -, synthetic substrates, action (Mason and Evers) (Greenstein) 1937, 119, 735 1935-36, 112, 517 Systems, papain (BERGMANN Enzyme, artificial, hematoporand Ross) phyrin (Boyd) 1933, 103, 249 1935, 111, 659

Determination Puppy: New born, blood serum Prothrombin: (Quick and Leu) phosphatase (Bodansky) 1937, 119, lxxxi 1934, 104, 717 Hemophilia (Quick) Rat and chick antidermatitis 1935, 109, lxxiii factors, deficiency effect (Fouts, Lepkovsky, Hel-Jaundice, obstructive (Quick) 1935, 109, lxxiii MER, and JUKES) Purification (SEEGERS, SMITH, 1937, 119, xxxiv WARNER, and BRINKHOUS) Creatine-creatinine Purine(s): 1938, 123, 751 metabolism, effect (BEARD Species differences (Quick) and Pizzolato) 1938, 123, xcix 1938, 123, vii Provitamin: D, cholesterol (WAD--Free diet, allantoin and uric DELL) 1934, 105, 711 acid excretion (MARTIN and -, ergosterol, crude (Bills, 1934, 105, lvii CORLEY) MASSENGALE, McDonald, Metabolism (ALLEN and CEREand WIRICK) CEDO) 1933, 102, 313 1935, 108, 323 (CERECEDO and ALLEN) heat-treated cholesterol 1934, 107, 421 (HATHAWAY and LOBB) epinephrine influence 1936, 113, 105 (CHAIKOFF, LARSON, and -, plant and animal (BETHKE, READ) 1935, 109, 395 RECORD, and WILDER) -, insulin and adrenal me-1935-36, 112, 231 dulla, relation (Larson and potency and properties, BREWER) 1936, 115, 279 heat-treated cholesterol -, - effect, Dalmatian coach-(HATHAWAY and KOCH) dog (Chaikoff and Larson) 1935, 108, 773 -, sterol derivatives, potency 1935, 109, 85 (Koch and Koch) Methylated, creatine-creatin-1936, 116, 757 metabolism, ine effect Prunus avium: See Cherry (BEARD and PIZZOLATO) Pseudoglobulin: Carbohydrate, 1938, 123, vii (Cognill nature and Nucleotides, catabolism, blood CREIGHTON) glycolysis relation (EILER and 1938, 123, xxiii 1938, 123, 655 Pseudokeratins: Ectoderm Tissue, determination (GRAFF 1937, 121, 761 (Block) and MACULLA) Pseudomonas aeruginosa: See 1935, 110, 71 Bacillus pyocyaneus Pyocyanine: Cerebral cortex me-Psyllium: Seed, mucilage (An-DERSON and FIREMAN) tabolism, effect (Young) 1937, 120, 659

1935, 109, 437

Pyocyanine—continued:

Isomer, oxidation-reduction potentials (Pressler and Hempelman)

1936, 114, lxxxi

Pyranoside: Acetone-methylrhamno-, chemical constitution and properties (Levene and Muskat)

1934, 105, 431

Pyridine: Derivatives, anti-black tongue, effect (Woolley, Strong, Madden, and Elvehjem) 1938, 124, 715—, black tongue, effect (Wool-

—, black tongue, enect (WOOL-LEY, STRONG, and MADDEN) 1938, 123, cxxxi

--, nutrition value (Funk and Funk) 1937, 119, xxxv Hemoglobin globin displacement (Williams and Morrison) 1937, 119, cv

-Like substances, urine, determination (VILTER, SPIES, and MATHEWS)

1938, **125,** 85

Sugars, action (Levene and Hill) 1933, 102, 563

Pyridine hemochromogen: Carbon monoxide absorption (CLIFCORN, MELOCHE, and ELVEHJEM)

1935, 111, 399

Pyrimidine(s): 2,4-Diethoxy-, acetobromo-d-ribose and, interaction (HILBERT and RIST) 1937, 117, 371 Metabolism, growth (SILVER and CERECEDO)

1936, 114, xciii

Pyroglutamic acid: dl-, fate (Butts, Blunden, and

Dunn) 1937, 119, 247 (Butts, Dunn, and Blunden) 1937, 119, xv

Pyrrole: Proteins, formation (Guest and McFarlane) 1938, 123, xlvii

Pyrrolidonecarboxylic acid: Glutamic acid-, system (Wilson and Cannan)

1937, 119, 309

Pyrus communis: See Pear

Pyruvate: Blood, exercise effect (Johnson and Edwards)

1937, 118, 427 1937, 119, liv

Lactate-enzyme-, system, oxidation-reduction potentials (Barron and Hastings)

1934, 107, 567

Lactate oxidation to, erythrocytes and methylene blue effect (Wendel)

1933, 102, 373

Urine, exercise effect (Johnson and Edwards)

1937, 118, 427 1937, 119, liv

Pyruvic acid: Cystine and cysteine determination, effect (Sullivan and Hess)

1937-38, 122, 11

Determination (WENDEL)

1933, 102, 47

Ergot alkaloid, precursor (Jacobs and Craig)

1937-38, 122, 419

Metabolism (FLOCK, BOLLMAN, and MANN)

1938, 123, xxxvi

Pyruvic acid-continued:

Metabolism, vitamin B₁ deficiency and inanition (Lipschitz, Potter, and Elvehjem) 1938, 123, 267 Oxidation (Meyer)

1933, **103,** 39

and dismutation (Barron and Lyman) 1938, 123, iv
gonococci effect (Barron)

1936, 113, 695

Utilization (FLOCK, BOLLMAN, and MANN)

1938, 125, 49

Yeast utilization (SMYTHE)

1938, **123**, cxi 1938, **125**, 635

Q

Quinhydrone: Electrode, micro-(PIERCE) 1937, 117, 651 —, —, aqueous humor hydrogen ion concentration determination, rachitic and nor-

mination, rachitic and mal rats (Pierce)

ts (PIERCE)

1935, 111, 501

-, -, urine, glomerulus, hydrogen ion concentration determination (PIERCE and MONTGOMERY)

1935, **110,** 763

Quinones: Semi-, anthraquinone sulfonate (HILL and SHAFFER) 1936, 114, li —, lactoflavin (MICHAELIS and

Schwarzenbach)

1938, **123**, lxxxiv

R

Racemase: Clostridium butylicum (Christensen, Peterson, and Johnson)

1938, 123, xxi

Ration: Wool, lamb, effect (Sur-LIVAN, HESS, HARDY, and Howe) 1935, 109, xc See also Diet, Feedingstuff,

Food, Nutrition Ray(s): α, egg albumin solutions, irradiation effect (Arnow)

1935, 110, 43

See also Cathode ray, Roentgen ray, Ultraviolet light, Ultraviolet radiation

Reaction velocity: Biochemical reactions (BODANSKY)

1937, 120, 555

Reducing substances: Aqueous humor, frog and higher animals (Walker)

1933, 101, 269
Bee-moth, metamorphosis
effect (CRESCITELLI and
TAYLOR) 1935, 108, 349
Blood, frog and higher animals
(WALKER)

1933, 101, 269

Cerebrospinal fluid, frog and higher animals (WALKER)

1933, 101, 269

Fermentable zinc-precipitable, blood, diabetic coma (Rein-HOLD and LETONOFF)

1936, 114, lxxxiii

Fluorosis (PHILLIPS, STARE, and ELVEHJEM)

1934, 106, 41

Lymph, frog and higher animals (WALKER)

1933, 101, 269

Non-sugar, plant juices (Schlenker)

1937, 117, 727

Scurvy (Phillips, Stare, and Elvehjem)

1934, 106, 41

Reducing substances—continued: Respiration—continued: Chamber, air analysis (CAR-Urine, glomerulus, frog and Necturus (WALKER and REI-PENTER) 1933, 101, 595 1933, 101, 223 Depressants, oxidative, action -, normal (Laug and Nash) (CLOWES and KRAHL) 1935, 108, 479 1935, 109, xxi Refection: Fat rôle (WHIPPLE Stimulants, oxidative, action and Church) (CLOWES and KRAHL) 1935, 109, xcviii 1935, 109, xxi Refeeding: Tissue proteins, effect Trials, gas analysis (KLEIBER) (LEE and LEWIS) 1933, 101, 583 1934, 107, 649 Respiratory exchange: Apparatus, automatic, small ani-Rehberg burette: Modified. (Longwell and Hill) mals (Lewis and Luck) 1935-36, 112, 319 1933, 103, 209 Renal: See Kidney Carbohydrate ingestion, high Rennin: Chemical nature (TAU-(TALBOTT) 1935, **109**, xci BER and KLEINER) Respiratory pigments: Oxygen 1934, 104, 259 and, equilibrium (ADAMS) 1937, 119, iii Zymogens (Kleiner and Tau-1934, 106, 501 Respiratory quotient: Galactose BER) ingestion effect, normal and Reproduction: Fat-free diet. effect (Evans, Lepkovsky, departereatized dogs (Roe, and MURPHY) GILMAN, and COWGILL) 1934, 105, lxxii 1934, 106, 431 acids, saturated, as Phospholipid ingestion effect Fatty (REISER and HANES) energy source (EVANS, LEP-1938, 123, ci KOVSKY, and MURPHY) 1934, 106, 441 Vitamin B₁, effect (Whipple Theelin and theelol effect and Church) (WADE) 1934, 105, xcvi 1937, 119, ciii Reproductive system: Embryo. Reticulocyte(s): Blood, inorganic sex hormones, effect (WILsalt-deficient effect diet. GALLAGHER, and (ORTEN and SMITH) LIER, 1935, 109, xcix 1934, 105, 181 Resins: Slash-pine growing tips Copper effect, anemia (HALL and GISVOLD) (Schultze and Elvehjem) 1936, 113, 487 1933, 102, 357 Respiration: Hematopoiesis index (ORTEN) (See note on p. 221) 1938, 123, lxxxix Iron effect, anemia (SCHULTZE Apparatus, stack, constant volume (Benedict) and Elvehjem) 1936, 116, 307 1933, 102, 357

450 Carotenoids, chicken Retina: (WALD and ZUSSMAN) 1937-38, 122, 449 Theophyl-Rhamnofuranoside: line-5-methyl-, synthesis (LEVENE and MUSKAT) 1934, 106, 761 Theophylline-5-methyl-l- (LE-VENE and COMPTON) Ribose: 1936, 114, 9 Rhamnose: l-, absorption rate (SILBERMAN and LEWIS) 1933, 101, 741 -, glycogen formation, ingestion effect (SILBERMAN and 1933, 101, 741 Lewis) -. 5-tosyl monoacetone, dallomethylose synthesis, hydrolysis relation (Levene and Compton) 1936, 116, 169 Rheum hybridum: See Rhubarb Rhizopus suinus: Plant growth hormone produced by (THI-1935, 109, 279 MANN)

Rhodanilic acid: l-Proline deter-

mination (BERGMANN)

1935, 110, 471

Rhubarb: Leaf, amides, metabolism (VICKERY, PUCHER, LEAVENWORTH, and WAKE-1938, 125, 527

-, organic acids (Pucher, CLARK, and VICKERY)

1937, 117, 605

Malic acid (Pucher, Clark, and VICKERY)

1937, 117, 599

Ribitol-5-phosphoric acid: d-, (LEVENE, HARRIS, and STILLER) 1934, 105, 153 Riboflavin: Body fat, effect (McHenry and Gavin)

1938, 125, 653

Growth requirement (DAY and 1938, 123, xxviii DARBY) Lactic acid bacteria, growth effect (SNELL and STRONG) 1938, 123, cxii

See also Vitamin B2

Acetobromo-d-, 2,4diethoxypyrimidine and, interaction (HILBERT 1937, 117, 371 Rist) d-, acetone derivatives (LE-VENE and STILLER)

> 1933, 102, 187 1934, 106, 421

crystalline, preparation (LEVENE) 1935, 108, 419 β -l-altrose preparation, cyanohydrin reaction (Aus-TIN and HUMOLLER)

1934, 105, v

Nucleotides, synthesis (LE-VENE and Tipson)

> 1934, 106, 113 1935, 111, 313

Ribosephosphoric acid: Yeast adenylic acid, formation (LE-VENE and HARRIS)

1933, 101, 419

Ribose-5-phosphoric acid: Synthesis (Levene and Stiller) 1934, 104, 299

Ribosidouracil: 1-d-, synthesis (HILBERT and RIST)

1937, 117, 371

Ribulose: Preparation (LEVENE and Tipson)

1936, 115, 731

Rice: Polish concentrate, body fat, effect (McHENRY and GAVIN) 1938, 125, 653 Rice—continued:

Polishings, vitamin B complex, fractionation (BOOHER and Lojkin) 1938, **123**, xiv

Rickets: Antirachitic activation, milk constituents BACHER and SUPPLEE)

1934, 105, 391

- activity, ergosteryl sulfate salts. irradiated aqueous solutions (NATELSON, SOBEL, and KRAMER)

1934, 105, 761

- effectiveness, vitamin D, various sources (HAMAN and STEENBOCK)

1936, 114, 505

- efficacy, cholesterol, irradiated (WADDELL)

1934, 105, 711

- factor, cod liver oil and irradiated ergosterol, distribution, chicken (Russell, TAYLOR, and WILCOX)

1934, 105, lxxiv

- -, - oil and irradiated ergosterol, tissue distribution, chicken (Russell, TAYLOR, and WILCOX)

1934, 107, 735

- property, casein (HARRIS and Bunker)

1937, 119, xlv

Aqueous humor hydrogen ion concentration determination, microquinhydrone electrode (PIERCE)

1935, 111, 501

Beryllium, "local factor" and viosterol, rôle (SOBEL, GOLD-FARB, and KRAMER)

1935, 108, 395

Rickets-continued:

Bone growth (Russell, Tay-LOR, and DUNCAN)

1937, 119, lxxxv

Brain phosphorus (KERR)

1937-38, 122, 53

salt solutions, Calcification, effect (Gerstenberger)

1938, 123, xli

Calcium-low diet, production (Shohl)

1935, 109, lxxxv

Cartilage calcification, phosphate and parathyroid extract effect (McLean and McCoy) 1936, 114, lxv Epiphyseal cartilage reaction (PIERCE) 1938, 124, 115 Parathyroidectomy effect (Jones) 1934, 106, 701 Tissue, lipase (FALK and McGuire) 1935, 108, 61 Ultraviolet radiation, wave-

length effect (KNUDSON and BENFORD)

> 1934, 105, xlviii 1938, 124, 287

Roentgen ray: Glutathione effect (KINSEY) 1935, 110, 551

properties Roots: Carotene, (MACKINNEY)

1935, 108, 45

and sterol metabolism (MacLachlan)

1936, 114, 185

S

Sable-fish viscera oil: Vitamins A and D (Pugsley)

1938, 123, xcvii

Determination Saccharase: (SUMNER and Howell) 1935, 108, 51

Saccharoid(s): Blood, diet and | Salmon: Egg casing, protein drugs. relation (SMELO, KERN, and DRABKIN) 1938, 125, 461

Determination (SMELO, KERN, and Drabkin)

1938, 125, 461

Saccharomyces cerevisiæ: See Yeast

Salicylic acid: Glycine conjugation, uric acid excretion, effect (QUICK)

1933, 101, 475

Saliva: Acid-neutralizing power (Soyenkoff and Hinck)

1935, 109, 467

Amylase inactivation, protease (TAUBER and KLEINER)

1934, 105, 411

Diastase (Cohn and Brookes) 1936, 114, 139

Ethyl alcohol determination (FRIEDEMANN)

1934, 105, xxviii (FRIEDEMANN and BROOK)

1936, 114, xxxvii

Hydrogen ion concentration determination (Sovenkoff and HINCK)

1935, 109, 467

Mixed, inorganic constituents (BAXTER) 1933, 102, 203

Parotid. human, protein (Bramkamp)

1936, 114, 369

constituents inorganic (BAXTER) 1933, 102, 203

Salmine: Fatty acids, combination (JUKES and SCHMIDT)

1935, 110, 9

(Young and Inman)

1938, 123, cxxxi 1938, 124, 189

Salmon oil: Blood and milk, lactation, effect (McCay and 1935, 109, 29 MAYNARD)

Blood and Salt(s): muscle. exchange (Hastings and EICHELBERGER)

1935, 109, xli

(Eichelberger)

1937-38, 122, 323

- - -, -, body water effect (Hastings and EICHEL-BERGER) 1937, 117, 73

— — —, —, dehydration effect (EICHELBERGER and HAST-1937, 118, 205

- -, -, hydronephrosis effect (Eichelberger)

1937, 119, xxx

-, -, respiratory alkalosis and acidosis, effect (EICHELBERGER and HAST-INGS) 1937, 118, 197

Calcification, rickets, effect (Gerstenberger)

1938, 123, xli

Diet poor in, body composition, effect (Light, Smith, SMITH, and ANDERSON)

1934, 107, 689

- -- , edestin as sole protein, effect (Swanson, Timson, and Frazier)

1935, 109, 729

Gelatin and, activity coefficients and membrane equilibrium (Joseph)

1936, 116, 353

and

gases,

(SIMPSON

1935, 110, 565

1937, 119, 585

1937, 119, 573

(Moore

Blood

Salt(s)—continued: Sarsasapogenin—continued: Hemoglobin-oxygen equilib-Degradations effect (SIDWELL, JACOBS) Munch, Barron, and Hog-Scallop: Muscle, nitrogenous ex-1938, 123, 335 tractives (Moore and WIL-Inorganic. See Inorganic salts son) -Low ration, blood cell and octopine blood pigment, realimenta-Wilson) effect (ORTEN tion and Schizophrenia: SMITH) 1934, 105, lxvi hydrogen ion concentration, Solutions, isotonic, blood and lactic acid and, exercise muscle salt and water exchange, intravenous injection effect (HASTINGS and EICHELBERGER) 1937, 117, 73 Stratum corneum 5-potential, effect (WILKERSON) 1938, 123, cxxviii Sapogenin(s): Desoxysarsa-(SIMPSON and JACOBS) 1935, 110, 565 Digitalis (JACOBS and SIMP-1935, 110, 429 son) Polygala senega (JACOBS and 1937, 119, 155 ISLER) Sarsa- (JACOBS and SIMPSON) 1934, 105, 501 (SIMPSON and JACOBS) 1935, 109, 573 -, degradations (SIMPSON and 1935, 110, 565 JACOBS) Saponin: Soy bean (BURRELL and WALTER)

effect (Looney) 1938, 123, lxxvi - lactic acid and glutathione (LOONEY and CHILDS) 1934, 105, liii Sciurus niger: See Fox-squirrel Scurvy: Kidney and liver respira-(Stotz, HARRER. tion SCHULTZE, and KING) 1937, 120, 129 Tissue respiration and reducing substances (Phillips, STARE, and ELVEHJEM) 1934, 106, 41 Selenium: Protein hydrolysates, toxic, removal (PAINTER and FRANKE) 1935, 111, 643 Semimercaptals: Amino compounds, reactions (Schu-1937, 121, 539 BERT) Seminal fluid: Uterus-contracting substance (Cockrill, MILLER, and KURZROK) 1935, 108, 55 1934, 105, xvi Sarcosine: Raman spectrum Semiquinone(s): Anthraquinone (Edsall) sulfonates (HILL and 1938, 123, xxxiii SHAFFER) 1936, 114, li Sarsasapogenin: (Jacobs and 1934, 105, 501 Lactoflavin (MICHAELIS and SIMPSON) (SIMPSON and JACOBS) SCHWARZENBACH) 1935, 109, 573 1938, 123, lxxxiv Senega-root: Sapogenins (JACOBS and Isler) 1937, 119, 155 Serine: dl-, metabolism (Butts, Blunden, and Dunn) 1938, 124, 709 Growth relation (McCov and 1937, 117, 581 Rose) Metabolism. cvstinuria (Brand and Cahill) 1935, 109, 545 Synthesis (DUNN, REDEMANN, and Smith) 1934, 104, 511 (SCHILTZ and CARTER) 1936, 116, 793 Serinephosphoric acid: dl-, resolution (LEVENE and SCHOR-MÜLLER) 1934, 106, 595 synthesis (Levene and SCHORMÜLLER) 1934, 105, 547 Vitellinic acid hydrolysis, formation (LEVENE and SCHOR-1933, 103, 537 MÜLLER) Sex: Blood lipids, effect (LORENZ, ENTENMAN, and CHAIKOFF) 1937-38, 122, 619 Brain, primate, proteins, amino acids, differences (BLOCK) 1937, 121, 411 - protein, amino acids, effect (BLOCK) 1938, 123, xiii Carbohydrate metabolism, ef-(DEUEL, GULICK, GRUNEWALD, and CUTLER) 1934, 104, 519 (Gulick, SAMUELS, and 1934, 105, 29 DEUEL) (GRUNEWALD, CUTLER, and DEUEL) 1934, 105, 35 (Burrs, CUTLER, and

DEUEL)

1934, 105, 45

Sex—continued:

(DEUEL, HALLMAN, MURRAY, and SAMUELS)

1937, 119, 607

Hormone, male, genital tract, effect (Harrow and Nar-Man) 1934, 105, xxxv

—, —, ketone body excretion, administration effect (Chamberlin, Furgason, and Hall) 1937, 121, 599

—, —, preparation, comb growth reaction (Gal-

1936, 114, xxxix
—, —, urine, bulls and rams
(Butz and Hall)

LAGHER and Koch)

1937, 119, xvi Hormones, chick comb response (Dorfman and Greulich)

—, female, urine, properties (Bowman, Visscher, and Mull) 1935, 109, xi —, reproductive system, em-

—, reproductive system, embryo, effect (WILLIER, GAL-LAGHER, and Koch) 1935, 109, xcix

—. See also Androstenedione, Dihydroequilenin, Equilenin, Equilin, Estradiol, Estrin, Estriol, Estrone, Isoandrosterone, Progesterone, Progestin, Theelin, Theelol

Iron storage, influence (STEEN-BOCK, SEMB, and VAN DONK) 1936, 114, ci

Ketone body excretion, effect (Chamberlin, Furgason, and Hall)

1937, 121, 599

Sex—continued:

Liver glycogen, effect (Deuel, Butts, Hallman, Murray, and Blunden)

1937, 119, 617

- lipids, effect (OKEY, GILLUM, and YOKELA)

1934, 107, 207

Shaffer-Somogyi: Copper reagent (Harding and Downs)

1933, 101, 487

Shark liver oil: Blood and milk, lactation, effect (McCay and Maynard) 1935, 109, 29

Shock: Peptone, coagulation defect (Quick)

1936, 114, lxxxii

Silicon: Microdetermination (DEEDs and EDDY)

1936, 114, 667

Silk: Fibroin, hydrolysis products (Grant and Lewis)

1935, **108,** 667

--, structure (Bergmann and Niemann)

1937–38, 122, 577

Hydrolysis products (Lewis and Grant)

1934, **105**, lii

Proteins, chemical and immunological properties
(Fell) 1935, 109, xxxi

Silkworm: Cuticulin, isolation and analysis (Bergmann)

1938, 123, ix

Feces, sterols (BERGMANN) 1937, 117, 175

Silver oxide: Amino acid oxidation (HERBST and CLARKE) 1934, 104, 769

Sinigrin: Preparation (Morell and Link)

1936, 114, 123

Sitosterol: Triacetyl-d-galacturonide, methyl ester, synthesis (Sell and Link)
1938, 125, 235

Skeleton: Calcium, bone extract effect (LANDAUER, UPHAM, and RUBIN)

1935, 108, 121

 —, soft tissues and, distribution (Bessey, King, Quinn, and Sherman)

1935, 111, 115

Maturity and calcium storage, children, relation (Hunscher, Hummel, Macy, Todd, and Francis)

1937, 119, lii

Skin: Cholesterol, ultraviolet light irradiation, effect (KNUDSON, STURGES, and BRYAN) 1938, 123, lxx Glucose, determination, Hagedorn-Jensen method (PILLSBURY and KULCHAR)

1934, 106, 351

Lipids, diabetes (MATTHEWS, NEWTON, and BLOOR)

1935, 108, 145

Oxygen uptake and composition, rats, vitamin G deficiency effect (ADAMS)

1936, 116, 641

Respiration, vitamin D relation (PRESNELL)

1937, 121, 5

Steer, lipids, distribution (KOPPENHOEFER)

1936, 116, 321

See also Epidermis

Slash-pine: Fats, waxes, and resins, growing tips (HALL and GISVOLD)

1936, 113, 487

Slash-pine-continued:

Phloem, fatty constituents (Hall and Gisvold)

1935, 109, 585

Snake: Urine, glomerulus, uric acid (Bordley and RICHARDS)

1933, 101, 193

Soap(s): Potassium, vitamin A adsorption from oils (Brock-Lesby and Kuchel)

1938, 123, xvi

Sodium, vitamin A adsorption from oils (Brocklesby and Kuchel) 1938, 123, xvi Sodium: Biological fluids, deter-

Sodium: Biological fluids, determination, spectrographic (THOMSON and LEE)

1937, **118,** 711

— —, microdetermination, photoelectric (Hoffman and Osgood) 1938, 123, lviii Blood cell, red, determination

(OBERST) 1935, 108, 153

— —, —, dietary sodium and potassium, influence (But-LER and MACKAY)

1934, 106, 107

 plasma, sodium and potassium intake effect (Power, Wilder, and Cutler)

1938, 123, xciv

- serum, determination (BALL and SADUSK)

1936, 113, 661

— —, —, uranyl zinc acetate method (Wilkins)

1934, 105, 177

— —, microdetermination, uranyl zinc acetate precipitation (HOFFMAN and Osgood) 1938, 124, 347 Sodium—continued:

Bone (HARRISON)

1937, **120, 457**

Calcified material (HARRISON) 1937, 120, 457

Determination, colorimetric (WOELFEL)

1938, 125, 219

Dietary, blood cell, red, sodium, influence (Butler and Mackay) 1934, 106, 107 Microdetermination (Wein-Bach) 1935, 110, 95

-, Ball and Sadusk method (Holmes and Kirk)

1936, 116, 377

Urine, microdetermination, uranyl zinc acetate precipitation (Hoffman and Osgood) 1938, 124, 347

—, sodium and potassium intake effect (Power, Wilder, and Cutler)

1938, 123, xciv

Sodium acetoacetate: Metabolism, intravenous injection effect (FRIEDEMANN)

1936, 116, 133

Sodium bicarbonate: Alkaline reserve, ingestion effect (CAPE and SEVRINGHAUS)

1937, 121, 549

Inorganic salts, metabolism, ingestion effect (WILEY, WILEY, and WALLER)

1933, 101, 73

Water metabolism, ingestion effect (Wiley, Wiley, and Waller) 1933, 101, 73

Sodium chloride: Amino acids, reaction (Joseph)

1935, 111, 489

Sodium chloride—continued:

Inorganic salts, metabolism, ingestion effect (WILEY, WILEY, and WALLER)

1933, 101, 73

Water metabolism, ingestion effect (Wiley, Wiley, and Waller) 1933, 101, 73

Sodium cholate: Bile, thyroxine effect (SCHMIDT)

1937, 119, lxxxvii

Sodium citrate: Alkaline reserve, ingestion effect (CAPE and SEVRINGHAUS)

1937, 121, 549

Sodium 3, 5-dinitrobenzoate: Creatinine determination, use (LANGLEY and EVANS)

1936, 115, 333

Sodium glycocholate: Blood serum cholesterol esters, enzyme synthesis and hydrolysis, influence (Sperry and Stoyanoff)

1937, 117, 525

Sodium hippurate: Toxic effect (GRIFFITH)

1938, 123, xlvi

Sodium hypochlorite: Chloramine-T, azochloramid, and, organic substrates, comparative action (Guiteras and Schmelkes)

1934, 107, 235

Sodium phosphate: Phosphorus, radioactive, phosphorus distribution (HAVEN, BALE, and LEFEVRE)

1938, 123, lii

Sodium pregnanediol glucuronidate: Determination, gravimetric (Venning)

1937, 119, 473

Sodium taurocholate: Synthesis (Cortese and Bashour)

1937, 119, 177

Sodium taurodesoxycholate: Synthesis (Cortese and Bashour) 1937, 119, 177

Sodium tungstate: Molybdatefree, preparation (Folin) 1934, 106, 311

Soil: Microorganism, polysaccharide synthesis, relation (HASSID and CHANDLER) 1937, 117, 203

Solanum indicum: Enzymes (TAUBER and KLEINER)

1934, 105, 679

Sorbitol: Amino-, hydrochloride, hydriodic acid, reduction (LEVENE and CHRISTMAN) 1938, 123, 77

Sound waves: Protein denaturation, effect (Chambers and Flosdorf) 1936, 114, 75

Soy bean: See Bean

Soy bean oil: Non-saponifiable matter, encephalomalacia, nutritional, chicks, action (Goettsch and Pappenheimer) 1936, 114, xl

Spacings: Long, macromolecular solids (Corey and Wyc-KOFF) 1936, 114, 407

Specific gravity: Blood plasma, protein and, relation (Weech, Reeves, and Goettsch)

1936, 113, 167

— serum, protein and, relation (Weech, Reeves, and Goettsch)

1936, 113, 167

Specific gravity—continued:

Blood serum, water and solute molality, relation (SUNDER-MAN) 1936, 113, 111 Transudate, protein and, rela-

tion (WEECH, REEVES, and GOETTSCH)

1936, 113, 167

Spectrophotometry: Solutions, color (Sunderman and RAZEK) 1936, 114, civ

Spirographis: Hemin and hemochromogen, oxidation-reduction potentials (Barron)

1937, 119, vi

Spleen: Lipid, blood clotting inhibitor (Chargaff)

1938, 125, 677

Polydiaminophosphatide reineckate (Thannhauser and Setz) 1936, 116, 527

Standing: Filtration process, extremities, effect (KEYS and BUTT) 1938, 123, lxviii

Starch(es): Amylase, viscosimetry (Thompson, Tennant, and Wies)

1935, 1**08,** 85

Hydrolysis, enzymic and acid, conversion products (Somogyi)

1934, 105, lxxxi

-, hydrogen peroxide and ferrous sulfate (Brown)

1936, 113, 417

Leaf, isolation and properties (Spoehh and Milner) 1935, 111, 679

Molecular size determination, periodic acid oxidation (CALDWELL and HIXON)

1938, 123, 595

Starch(es)—continued:

Plant, isolation, freezing method (Spoehr and Mil-NER) 1936, 116, 493

Polysaccharide, apple tree leaf tissue, isolation and properties (NIEMANN, ANDERSON, and LINK) 1936, 116, 447

-, - woody tissue, isolation and properties (Nie-MANN, ROBERTS, and LINK) 1935, 110, 727

Split-products, diastatic (So-MOGYI) 1938, 124, 179 Substrates, amylase determination, preparation

1935, 109, 201

Starfish: Sterols (BERGMANN) 1937, 117, 777

(THOMPSON)

Stearic acid: dl-α-Hydroxy-, oxidation and derivatives (Levene and Yang)

1933, 102, 557

—, —, cerebronic acid chemical constitution, relationship (Klenk and Ditt)

1935, 111, 749

(LEVENE and YANG)

1935, 111, 751

Palmitic acid, conversion, deuterium as indicator (Schoen-HEIMER and RITTENBERG) 1937, 120, 155

Stems: Fat and sterol metabolism (MacLachlan)

1936, 114, 185

Stercobilin: Crystalline, isolation (Watson) 1934, 105, 469 Origin (Watson)

1936, 114, 47

Sterility: Male, fat-free diet effect (Evans, LEPKOVSKY, and MURPHY) 1934, 106, 445 compounds: Built-up Steroid films (SOBOTKA and BLOCH) 1938, 124, 559 Sterol(s): Absorbability (Sperry and BERGMANN) 1937, 119, 171 Absorption, specificity (SCHOENHEIMER, SPERRY. and DAM) 1935, 109, lxxix Balance, dietary fat effect (Eckstein) 1938, 125, 107 Blood, nature, Liebermann-Burchard reaction (REIN-1934, 105, lxxi HOLD) Bombicysterol (BERGMANN) 1934, 107, 527 Cerevisterol relation (HONEY-WELL and BILLS) 1933, **103**, 515 Chemical activation (YODER) 1936, 116, 71 (Eck, Thomas, and Yoper) 1937, 117, 655 (Eck and Thomas) 1937, 119, 621, 631 Colloids, short electric waves, effect (Malisoff and Sten-BUCK) 1936, 115, 87 provitamin Derivatives. potency (Koch and Koch) 1936, 116, 757 Hair, dietary fat effect (Eck-STEIN) 1938, 125, 107 Hemolytic properties (Ber-LINER) 1937, 119, xi — —, structure relation (Ber-LINER and SCHOENHEIMER) 1938, 124, 525

Sterol(s)—continued: Liebermann-Burchard reacspectrophotometric studies (Morgareidge) 1935, 109, lxvii Metabolism, fat ingestion effect (Eckstein and TREADWELL) 1935-36, 112, 373 lipids, saponifiable and effect unsaturated, (Eck-1938, 125, 99 STEIN) -, plants (MacLachlan) 1936, 113, 197 1936, 114, 185 Mollusks (BERGMANN) 1934, 104, 317 Plant, intestine, fate (Breusch) 1938, 124, 151 -Related compounds, absorption spectra (Hogness, Sid-WELL, and ZSCHEILE) 1937, 120, 239 Secretion, coprosterol formation and (Schoenheimer and Sperry) 1934, 107, 1 Silkworm feces (BERGMANN) 1937, 117, 175 Starfish (BERGMANN) 1937, 117, 777 Vitamin D-containing materials, separation (NATELSON and SOBEL) 1935, 109, 687 Sterol dibromides: Iodides, action (Schoenheimer) 1935, 110, 461 Stigmasterol: Mollusks (BERG-1937, 118, 499 MANN) Stomach: Emptying rate, glucose intragastric administration,

Stomach—continued:

effect (Pierce, Haege, and Froeschle)

1937, 119, lxxviii

Gastric juice, acidity and composition, relation (Hollander) 1934, 104, 33

— — —, mucus secretion, relation (Helmer, Fours, and Zerfas)

1934, 105, xxxvii

— —, enzyme, urea-splitting, protein, relation (MARTIN)
1933, 102, 131

1935, 109, 177

— —, neutral chloride-hydrochloric acid relation (HoL-LANDER) 1938, 125, 161

— —, pepsin, protein, relation (Martin) 1933, 102, 131

---, proteins (MARTIN)
1933, 102, 113

 secretion, urine alkaline tide, relation (HUBBARD, MUNFORD, and TYNER)

1933, 101, 781

Glucose entering rate (KARR, AUSTIN, ABBOTT, and HOFF-MAN) 1937, 119, lv

— fate (Hoffman, Abbott, Karr, and Miller)

1938, 123, lvii
Mucin, mucoitin disulfuric
acid, isolation (Meyer and
Smyth) 1938, 123, lxxxiv
Mucosa, polysaccharides, pig
(Meyer, Smyth, and PalMer) 1937, 119, 73, lxix
Phospholipid metabolism, rôle,
ingested fat effect (Fries.

Stomach—continued:

RUBEN, PERLMAN, and CHAIKOFF)

1938, 123, 587

Secretion, pilocarpine effect (Hollander and Saltzman) 1938, 123, lix

Ulcer-producing substance, isolation, muscle (Tashiro)

1937, 119, xcviii
Stone: Cystine, hair cystine,
identity (Loring and Du
Vigneaud)

1934, 107, 267

Stratum corneum: Amino acids, human keratins, comparison (Wilkerson)

1934, 107, 377 Isoelectric point (WILKERSON) 1935-36, 112, 329

Keratins, isoelectric point (WILKERSON)

1935, 109, xcix

ζ-Potential, salts, effect (Wil-KERSON) 1938, 123, exxviii Straw: Oat, lignin (Phillips and

Goss) 1936, 114, 557 Streptococcus: Hemolytic, fibrin-

olytic enzyme (Garner) 1935, 109, xxxvi

—, Group A mucoid strains, polysaccharide (Kendall, Heidelberger, and Dawson) 1937, 118, 61

Nucleoproteins, components, serologically active, isolation (SEVAG, LACKMAN, and SMOLENS) 1938, 124, 425

Polysaccharide acids, hydrolysis by pneumococcus autolytic enzyme (Meyer, Dubos, and Smyth)

1937, 118, 71

Strophanthin:

Streptococcus hæmolyticus: β -,

and

(JACOBS

diaminodiphenyl sulfide. ELDERFIELD) diaminodiphenyl sulfone, 1933, 102, 237 (ELDERFIELD and ROTHEN) and related compounds, 1934, 106, 71 effect SEVERAC, (Raiziss, MOETSCH, and CLEMENCE) (ELDERFIELD and JACOBS) 1938, 123, xcix 1934, 107, 143 (JACOBS and ELDERFIELD) Streptococcus viridans: Infection, lipemia, rabbits (Boyd, 1935, 108, 693 ORR, and REED) 1936, 113, 625 1938, 124, 409 (Elderfield) Methemoglobin formation 1936, 113, 631 Anhydroaglucone derivatives, (FISHBERG and BAUM) (JACOBS 1938, **123**, xxxv oxidation and Strontium: Microdetermination ELDERFIELD) (SOBEL, PEARL, and KRA-1936, 113, 611 1936, 114, xcvii Styracitol: Metabolism (CARR, FORMAN, and KRANTZ) (SOBEL, PEARL, GERCHICK, and KRAMER) 1938, 123, xviii Substitution reaction: Walden 1937, 118, 47 inversion and, mechanism Strontium citrate: Ionization (HASTINGS, McLEAN, EICH-ROTHEN, (LEVENE, and ELBERGER, HALL, and DA KUNA) 1937, 120, 777 Costa) 1934, 107, 351 1937, 121, 747 Strophanthidin(s): Acid Substrate: Catalyst-. (C23H30O8) from, nature (ELDpounds, chemical reactions, method for recording (STERN ERFIELD) 1936, 113, 631 and DuBois) Anhydro- (Jacobs and Elder-FIELD) 1935, 108, 693 1936, 116, 575 Degradation (JACOBS -Fumarate-enzyme and Succinate: system (STOTZ and HAST-ELDERFIELD) 1937, 118, 479 1933, 102, 237 INGS) Dehydrogenation (Elderfield Succinoxidase: Inhibitors (Potand JACOBS) TER and ELVEHJEM) 1934, 107, 143 1937, 117, 341 cyanhydrin syn-Sucrose: Excretion, intravenous Dihydro-, (JACOBS and injection effect (Power and theses with ELDERFIELD) 1936, 114, lxxx KEITH) Plant juice, microdetermina-1936, 113, 625 tion (SCHLENKER) Trianhydro-, derivatives, ultraviolet absorption spectra 1933, 102, 29 (ELDERFIELD and ROTHEN) Ultrafiltration (FLEXNER) 1934, 106, 71 1937, 121, 615

Sugar(s)—continued:

Free, brain, mammalian, car-

Sucrosuria: (SOBOTKA, REINER, and WEINER) 1938, 123, exii Sugar(s): Acetals (CAMPBELL and LINK) 1937-38, 122, 635 acid. reaction Acetoacetic (FRIEDEMANN and KLAAS) 1935, 109, xxxiv Acids, preparation, d-glucose (HART. SHEPPARD, EVERETT) 1938, 123, lii Alcohols (CARR and KRANTZ) 1938, 124, 221 Amino, determination (PAL-MER and MEYER) 1935, 109, lxxiii Blood plasma, heparinized and oxalated (Neuwirth) 1937, 120, 463 Determination. ferricvanide electrode (SHAFFER and WILLIAMS) 1935, 111, 707 nitrogenous substances, effect (SHEPPARD and EVER-1935, 109, lxxxii ETT) -, precipitating agents (WEST, LANE, and CURTIS) 1935, 109, xcvii Fermentable, heart (Cori. CLOSS. and CORI) 1933, 103, 13 muscle, skeletal (Cori, CLoss, and Cori) 1933, 103, 13 Fermentation, colon and aerogenes bacteria (PoE and 1935, 109, 43 KLEMME) Free, brain, insulin and epinephrine, effect (KERR, HAMPEL, and GHANTUS) 1937, 119, 405

bohydrate and insulin effect (KERR and GHANTUS) 1936, 116, 9 Shaffer-Hartmann, Method, adaptation potentiometric (NEY and WEST) 1936, 114, 547 Microdetermination, copperiodometric (Somogyi) 1937, 117, 771 Non-, reducing substances, plant juices (SCHLENKER) 1937, 117, 727 Pyridine action (LEVENE and 1933, 102, 563 HILL) Radicals, mucoids (MEYER and 1935, 109, lxv PALMER) Reducing, plant juice, microdetermination (SCHLENKER) 1933, 102, 29 Thio (RAYMOND and LEVENE) 1934, 105, lxx (RAYMOND) 1934, 107, 85 Urine, normal, nature (EVER-ETT, EDWARDS, and SHEP-1934, 104, 11 PARD) Sugar-beet: Hydrogen ion concentration, carbon dioxide effect (Fife and Frampton) 1935, 109, 643 fractions. carbon Nitrogen dioxide effect (Fife and FRAMPTON) 1935, 109, 643 Acetylation Sulfanilamide: (KLEIN and HARRIS) 1938, 124, 613 Biological media, determination (Scudi)

1937-38, 122, 539

Sulfanilamide—continued:

٠٠ ۽ سم

Blood, determination (MAR-SHALL) 1937-38, 122, 263

 filtrates, determination, sodium β-naphthoquinone-4sulfonate (SCHMIDT)

1937-38, 122, 757

Milk, secretion (HEPBURN, PAXSON, and ROGERS)

1938, **123,** liv

Urine, determination (MAR-SHALL) 1937-38, 122, 263

—, infant, secretion (Hep-BURN, PAXSON, and ROGERS) 1938, 123, liv

Sulfanilic acid: Diazotized, proteins and, reaction (EAGLE and VICKERS)

1936, 114, 193

Sulfate(s): Ethereal, blood serum, determination, benzidine (Power and Wakefield) 1938, 123, 665

Inorganic, blood serum and urine, determination, colorimetric (LETONOFF and REINHOLD)

1936, 114, 147

-, - -, determination
(Hoffman and Cardon)

1935, 109, 717

-, -, -, benzidine (Power and Wakefield)

1938, 123, 665

—, — —, dextrose ingestion, effect (Mattice, Bruger, and Deren)

1935, 109, lx

Proteins, determination (BAERN-STEIN) 1936, 115, 33 (KASSELL and BRAND)

1938, 125, 145

Sulfenic acid: Formation, cysteine oxidation (Toennies) 1937, 119, xeix 1937-38, 122, 27

Sulfhemoglobin: (MICHEL)

1938, 123, lxxxv

Determination, photoelectric colorimeter (EVELYN and MALLOY)

1938, 123, xxxiv

Spectrophotometry (DRABKIN and Austin)

1935-36, 112, 51

Sulfhydryl: Oxidation-reduction potentials (Borsook, Ellis, and Huffman)

1937, 117, 281

Yeast fermentation inhibition, iodoacetic acid, relation (Schroeder, Woodward, and Platt)

1933, 101, 133

Sulfhydryl compounds: Insulin, effect (Wintersteiner)

1933, 102, 473

— inactivation effect (Schock, Jensen, and Hellerman) 1935, 111, 553

Phosphotungstic acid reaction rate (Kassell and Brand) 1938, 125, 131

Sulfite reaction rate (Kassell and Brand)

1938, **125**, 131

Sulfhydryl group(s): Egg albumin solutions (Greenstein) 1938, 125, 501

Hypotrichosis, hereditary, trichogenic action (MARTIN , and GARDNER)

1935, 111, 193

464 Sulfhydryl group(s)—continued: Sulfur—continued: l-Cystine, acetyl and formyl Iodoacetate and iodoacetamide reaction (SMYTHE) derivatives, oxidation, animal body (DU VIGNEAUD, 1936, 114, xcv, 601 Vitamin B2 deficiency, rôle LORING, and CRAFT) (ITTER, ORENT, and McCol-1935, 108, 585 Dietary, Sulfinic acid: Formation, cyscapturic teine oxidation with iodine effect (STEKOL) (SIMONSEN) 1933, 101, 35 Edestin, distribution (Kassell Sulfite(s): Cystine determination and Brand) (SHINOHARA) Homocystine, oxidation, body 1935-36, 112, 683 (DU VIGNEAUD and CRAFT) Disulfide compounds, reaction rate (Kassell and Brand) (DU VIGNEAUD, LORING, and 1938, 125, 131 CRAFT) Protein precipitants (Camp-Labile, proteins (ZAHND and BELL and HANNA) 1937, 119, 9 CLARKE) Sulfhydryl compounds, reac-Lactalbumin, tion rate (KASSELL 1938, 125, 131 BRAND) Diazobenzene-. Sulfonic acid: theelin determination, reagent (Schmulovitz WYLIE) 1936, 116, 415 Casein, Sulfur: distribution (KASSELL and BRAND) 1938, 125, 435

amino

1934, 107, 519

growth effect (BRAND)

MON and WHITE)

LORING, and CRAFT)

-Containing

(Kassell and Brand) 1938, 125, 435 Limulus hemocyanin, distribution (MAZUR) 1937, 118, 631 Metabolism (CHASE and 1933, 101, 735 Lewis) (VIRTUE and LEWIS) 1934, 104, 59 (Lewis and Frayser) acids. 1935, 110, 23 Brown, 1938, 123, xv (Lewis, 1936, 114, 171 WHITE) - - -, nutrition deficiency, (WHITE, LEWIS, and WHITE) iodoacetic acid effect (SI-1937, 117, 663 (HEARD and LEWIS) 1938, 123, cix 1938, 123, 203 d-Cystine, acetyl and formyl -, cat (VIRTUE) derivatives, oxidation, animal body (DU VIGNEAUD, 1936, 114, cvi

-, dog and pig, comparison

1936, 113, 675

(STEKOL)

1934, 107, 519

1937, 117, 147

1938, 125, 435

1934, 105, xcvi

1934, 105, 481

1933, 102, 171

distribution

p-bromophenylmer-

acid synthesis,

Sulfur—continued:

Metabolism, pituitary, anterior, growth preparation, effect (GAEBLER and PRICE)

1936, 114, xxxix

suprarenalectomized rats (SANDBERG and PERLA)

1936, 113, 35

determination. Methionine. Benedict-Denis method (RUTENBER and ANDREWS) 1937, 120, 203

-, oxidation, body (DU VI-GNEAUD, LORING, and CRAFT) 1934, 105, 481

S-Methylcysteine, oxidation, body (DU VIGNEAUD, LOR-ING, and CRAFT)

1934, 105, 481

Naphthalene with, growth effect (STEKOL)

1937, 121, 87

Papain, distribution (KASSELL and BRAND)

1938, 125, 435

Proteins (Blumenthal and CLARKE) 1935, 110, 343 determination (BAERN-

STEIN) 1936, 115, 33

-, distribution (BAERNSTEIN) 1934, 105, vi

Total, biological materials, determination, Benedict-Denis (RUTENBER and ANDREWS)

1937, 119, lxxxvi

-, plants and proteins, determination (PAINTER and 1936, 114, 235 FRANKE)

Urine, cystinuria, distribution, dog (GREEN, MORRIS, CA-HILL, and BRAND)

1936, 114, 91

Sulfur compounds: Absorption, intestinal loops (Andrews and Johnston)

1933, 101, 635

Reduction to hydrogen sulfide, intestinal microorganisms (Andrews)

1937-38, 122, 687

Suprarenal: See Adrenal

Suprarenalectomy: Nitrogen and sulfur metabolism (SAND-BERG and PERLA)

1936, 113, 35

Sweat: See Perspiration Swine: Blood (EVELETH)

1934, 104, 559

(EVELETH and EVELETH)

1935, 111, 753 Feces nitrogen (Schneider)

1935, 109, 249 Sulfur metabolism, dog and, comparison (Stekol)

1936, 113, 675

Т

Tartaric acid: Levo-, polygalacturonide methyl ester oxidation and hydrolysis (LE-VENE and KREIDER)

1937, 120, 591

Taurine: Audouinia spirabranchus (Kurtz and Luck) 1935, 111, 577

Formation, cysteic acid relation (WHITE and FISHMAN) 1936, 116, 457

Glycyl-, preparation (WHITE) 1933, 102, 249

Mercapturic acid synthesis, relation (STEKOL)

1937–38, 122, 333

466 Taurine—continued: Metabolism (WHITE, LEWIS, and WHITE) 1937, 117, 663 Taurocholate: Sodium, synthesis (CORTESE and BASHOUR) 1937, 119, 177 Precursors Taurocholic acid: (VIRTUE and DOSTER-VIR-TUE) 1937, 119, ci Production, dog (VIRTUE and DOSTER-VIRTUE) 1937, 119, 697 Sodium. Taurodesoxycholate: synthesis (Cortese and BASHOUR) 1937, 119, 177 Body, 1,5-di-Temperature: phenylpyrazoline - 3 - carboxylic acid effect, environmental temperature influence (SCHULTZ and HILL) 1938, 123, cvi

Environmental, nitrogen and creatine metabolism, relation (Bodansky and Duff) 1936, 114, xiii

High, chemical adjustments (FISHBERG, BIERMAN, and 1936, 114, xxxv WEISS)

Testicle: Hormone, comb response, light, relation (Koch and GALLAGHER)

1934, 105, xlix Testis: Concentrates, estrus-inhibiting substances (Dun-CAN, GALLAGHER, and KOCH) 1937, 119, xxvii

Creatine, thyroid and thyroxine effect (Bodansky)

1935, 109, 615 Extract, bull (GALLAGHER and Koch) 1934, 105, xxx Testis—continued:

Hormone, alkali effect (GAL-LAGHER and Koch)

1934, 104, 611

Testosterone: Activation, fatty acids, higher, and acid sodium salts (EHRENSTEIN and COREY)

1937-38, 122, 297

Androgenic substances, excretion effect (DORFMAN)

1938, 123, xxx

Tetany: Calcium-low diet, production (SHOHL)

1935, 109, lxxxv

Milk-produced (Duncan. HUFFMAN, and ROBINSON) 1935, 108, 35

Parathyroid, blood serum phosphates, relation (Jones) 1936, 114, liv 1936, 115, 371

Tetraacetylglucuronic acid: α and β -, methyl ester, synthesis (Goebel and Babers) 1934, 106, 63

Tetradeuterohomocystine: Synthesis (Patterson and Du VIGNEAUD)

1938, 123, 327

Thallous chloride: Activity coefficient. protein systems (STONE and FAILEY)

1934. 105, lxxxvi

acids, reaction (Jo-Amino 1935, 111, 489 SEPH)

Theelin: Body glycogen, effect SAMUELS, and (Gulick, 1934, 105, 29 DEUEL)

By-product, crystalline (Dox, BYWATER, and TENDICK)

1935-36, 112, 425

Theelin-continued:

Chemistry (MacCorquodale, Levin, and Thayer)

1934, 105, lv

Determination, colorimetric (CARTLAND, MEYER, MIL-LER, and RUTZ)

1935, 109, 213

—, diazobenzenesulfonic acid reagent (Schmulovitz and Wylie) 1936, 116, 415 Diacetic acid metabolism, normal and castrated rats, effect (Grunewald, Cutler, and

(GRUNEWALD, CUTLER, and DEUEL) 1934, 105, 35 ccretion and metabolism.

Excretion and metabolism, sexually immature rat (Dorfman)

1937, 119, xxv

Oxidation (MacCorquodale, Levin, Thayer, and Doisy) 1933, 101, 753

Preparation from urines and theelol, comparison (Curtis, MacCorquodale, Thayer, and Doisy)

1934, **107**, 191

(CARTLAND, MEYER, MILLER, and RUTZ)

1935, 109, 213

Reproduction effect (WADE)

1934, 105, xcvi

Theelol: Activity, castration effect (Curtis, Miller, and

WITT) 1937, 119, xxi

Biological activity (MEYER, MILLER, and CARTLAND)

1935–36, 112, 597

By-product, crystalline (Dox, BYWATER, and TENDICK)

1935-36, 112, 425

Theelol—continued:

Chemistry (MacCorquodale, Levin, and Thayer)

1934, 105, lv

Derivatives, oxidation (Mac-Corquodale, Levin, Thayer, and Doisy)

1933, 101, 753

Determination, colorimetric (CARTLAND, MEYER, MIL-LER, and RUTZ)

1935, 109, 213

Reproduction effect (WADE) 1934, 105, xcvi

Theelin from urines and, comparison (Curtis, MacCorquodale, Thayer, and Doisy) 1934, 107, 191 (Cartland, Meyer, Miller, and Rutz)

1935, 109, 213

Theophylline-d-allomethyloside:
Synthesis (Levene and
Compton) 1937, 117, 37

Theophylline-5-methyl-rhamnofuranoside: Synthesis (LE-VENE and MUSKAT)

1934, 106, 761

Theophylline-5-methyl-l-rhamnofuranoside: (Levene and Compton) 1936, 114, 9

Thevetia neriifolia: See Be-still

Thevetin: (ELDERFIELD)

1936, 115, 247

Thiamine: Body fat, effect (McHenry and Gavin)

1938, 12**5,** 653

Deficiency, growth-promoting pituitary extract, effect (Burke and McIntyre)

1938, 123, xvii

Thiobutyric acid: γ -, metabolism, Thiol compounds—continued: cystinuria (BRAND, BLOCK, (Shinohara and Padis) 1935-36, 112, 697, 709 and CAHILL) (SHINOHARA) 1937, 119, 689 Thiocyanate: -Cyanide conver-1937, 120, 743 sion, thyroid relation (BAUchloride reaction Mercuric MANN, SPRINSON, and METZ-(Shinohara) 1933, 102, 773 1935, 111, 435 GER) Excretion (BAUMANN, METZ-Phospho-18-tungstic acid. GER, and SPRINSON) color reaction (SHINOHARA) 1935, 109, 665 1934, 105, ix Tissues, determination (Bro-Thioneine: See also Ergothio-DIE and FRIEDMAN) neine 1937, 120, 511 Thionine: Nucleoprotein Urine, determination (BAUmucin staining (KELLEY and SPRINSON, and MANN, MILLER) 1935, 110, 119 Metzger) 1934, 105, 269 Thio sugars: (Raymond Thioglycolic acid: Oxidation, 1934, 105, lxx LEVENE) metal, buffer, and dithiol, (RAYMOND) 1934, 107, 85 effect (Kharasch, Legault, Thiourea: Cysteine and cor-WILDER, and GERARD) responding disulfides, rela-1936, 113, 537 tions (Toennies) Thiol acid(s): Aldehydes, com-1937, 120, 297 pounds (Schubert) Thoracic duct: Lymph, lipids 1936, 114, 341 1937, 120, 625 (Reiser) Methylglyoxal, combination -, -, fasting (Rony, Mor-1935, 111, 671 (SCHUBERT) TIMER, and IVY) Oxidation, copper microdeter-1933, 102, 161 mination, relation (Bjer-Thorium nitrate: Blood serum 1936, 114, 357 RUM) and urine ashing, Thiolactone: Homocysteine, con-1937, 118, 331 (STRAUSS) version relation (RIEGEL and Threonine: d(-)-, preparation DU VIGNEAUD) (WEST and CARTER) 1935-36, 112, 149 Thiol compounds: Blood serum 1937, 119, 109 phosphatase activity, effect d-Allo-, preparation and nutri-(THANNHAUSER, REICHEL, tion value (WEST and CAR-GRATTAN, and MADDOCK) 1937-38, 122, 611 1937, 121, 721 dl-Allo-, preparation (West, Determination (SHINOHARA) KRUMMEL, and CARTER) 1935, 109, 665 1937-38, 122, 605 1935, 110, 263 l(+)-, preparation (West and

1935-36, 112, 671, 683

CARTER)

1937, 119, 109

·Threonine—continued:

l-Allo-, preparation and nutrition value (West and Carter) 1937-38, 122, 611
 See also α-Amino-β-hydroxy-n-butyric acid

Thrombin: Species differences (QUICK) 1938, 123, xcix
Thromboplastin: Species differ-

ences (Quick)

1938, 123, xcix

Thymidine: Ring structure (Levene and Tipson)

1935, 109, 623

Thymus: Vitamin C, histological changes, relation (GLICK and BISKIND) 1936, 114, 1

Thyroglobulin: Absorption spectrum, ultraviolet (HEIDT)

1936, 115, 223

Adipose tissue, effect (Paquin and Anderson)

1936, 114, lxxix Iodine (CAVETT, RICE, and McCLENDON)

1935, **109,** xvii

— and thyroxine, normal and goitrous (CAVETT, RICE, and McCLENDON)

1935, 110, 673

Nitrogen distribution, tyrosine and tryptophane, normal and goitrous (CAVETT)

1936, 114, 65

Preparation and properties
(Heidelberger and PalMER) 1933, 101, 433
Thyroxine (Cavett, Rice, and

McClendon)

1935, 109, xvii

Thyroid: Calorigenic potency
(Foster, Palmer, and
Leland) 1936, 115, 467

Thyroid—continued:

Cyanide-thiocyanate, relation
(Baumann, Sprinson, and
Metzger) 1933, 102, 773
Diiodotyrosine peptone, myxedema-relieving artificial
protein, relation (Salter
and Pearson)

1935-36, 112, 579 Function, nitrogen and creatine metabolism, relation (BODANSKY and DUFF)

1936, 114, xiii

Heart creatine, effect (Bodansky) 1935, 109, 615
Iodine, iodide and diiodotyrosine administration effect (Foster) 1934, 104, 497

- microdetermination (Blau) 1938, 123, xii

Muscle and liver creatine, effect (Bodansky)

1935, 109, 615

Organ vitamin C, ascorbic acid administration with, effect (Svirbely)

1935, 111, 147

Protein, peptic digest, thyroxine (Foster, Palmer, and Leland)

1936, 115, 467

Testes, creatine, effect (Bodansky)

Thyroxine, 1935, 109, 615 determination 1933, 102, 269 1935, 110, 351

-, iodide and diiodotyrosine administration effect (Fos-TER) 1934, 104, 497

— microdetermination, newborn (Palmer, Leland, and Gutman) 1938, 125, 615

Thyroidectomy: Organ and tissue proteins, thyroxine and dinitrophenol administration effect (Addis, Karnofsky, LEW, and Poo) 1938, 124, 33

Thyronine: Absorption spectrum, ultraviolet (HEIDT)

1936, 115, 223

Thyroparathyroidectomy: Blood serum calcium, calciferol effect (TWEEDY, McNamara, TEMPLETON, and PATRAS)

1937, 119, xcix

Tissue calcium, effect (Under-HILL and JALESKI)

1933, 101, 11

- potassium, effect (Under-HILL and JALESKI)

1933, 101, 11

Thyrotropic hormone: Body weight and nitrogen metabolism, effect (GAEBLER and 1938, 123, xl BARTLETT) Pituitary gland, determination,

chemical (McCullagh and 1935, 109, lxii STIMMEL)

Thyroxine: Absorption spectrum, ultraviolet (HEIDT)

1936, 115, 223

Adipose tissue, effect (PAQUIN and ANDERSON)

1936, 114, lxxix

Bile sodium cholate, effect (SCHMIDT)

1937, 119, lxxxvii Blood lipids, injection effect (SCHMIDT and BRADFORD)

1934, 105, lxxv

Body weight, effect (GAEBLER and BARTLETT)

1938, 123, xl

Thyroxine—continued:

dl-, calorigenic potencies, comparison (FOSTER, PALMER, and LELAND)

1936, 115, 467

Heart creatine, effect (Bodan-1935, 109, 615 l-, calorigenic potencies, comparison (Foster, Palmer, and LELAND)

1936, 115, 467

Muscle and liver creatine, effect (Bodansky)

1935, 109, 615

Nitrogen metabolism, effect (GAEBLER and BARTLETT)

1938, 123, xl Organ and tissue proteins,

thyroidectomy and, effect (Addis, Karnofsky, Lew, 1938, 124, 33 and Poo)

Testes, creatine, effect (Bodan-1935, 109, 615

Thyroglobulin (CAVETT, RICE, and McClendon)

1935, 109, xvii

normal and goitrous (CAVETT, RICE, and Mc-1935, 110, 673 CLENDON) Thyroid, determination

(BLAU) 1933, 102, 269 1935, 110, 351

-, iodide and diiodotyrosine administration effect (Fos-TER) 1934, 104, 497

-, new-born, microdetermination (PALMER, LELAND, and GUTMAN) 1938, 125, 615

- protein peptic digest (Fos-TER, PALMER, and LELAND) 1936, 115, 467 Thyroxine—continued:

Tissue lipids, injection effect (SCHMIDT and BRADFORD) 1934, 105, lxxv

Timothy-grass bacillus: Protein fractions (Menzel and Heidelberger)

1938, 124, 301

Trehalose isolation (PANGBORN and ANDERSON)

1933, 101, 105

Tissue(s): (See note on p. 221)

Adipose, thyroglobulin and thyroxine effect (Paquin and Anderson)

1936, 114, lxxix

Adrenal insufficiency, effect (Darrow and Harrison) 1938, 123, xxvii

Alanine oxidation by (BERN-HEIM and BERNHEIM)

1934, 106, 79

Alcohol oxidation, alloxan effect (Bernheim)

1938, 123, 741

Analysis (Graeser, Ginsberg, and Friedemann)

1934, 104, 149

Animal, alcohol-extracted, nutritive value (SEEGERS and MATTILL)

1934, 105, lxxvii

Ash, dietary inorganic salts, relation (Eppright and Smith) 1937, 118, 679

Carbohydrates, determination (Blatherwick, Bradshaw, Ewing, Larson, and Sawyer) 1935, 111, 537

Connective. See Connective

tissue

Tissue(s)—continued:

Dehydration, effect (Hamilton and Schwartz)

1935, 109, 745

Dehydroascorbic acid reduction, guinea pig (Schultze, Stotz, and King)

1937-38, 122, 395

Digestion (CULLEN and WIL-KINS) 1933, 102, 403 Epinephrine destruction

(Koehler) 1934, 105, p. l

Extracts, blood serum cholesterol esterification, effect (SPERRY) 1936, 113, 599

—, glucose-1-phosphoric acid formation (Cori, Colowick, and Cori) 1938, 123, 375

-, - ester conversion to 6ester (Cori, Colowick, and Cori) 1938, 124, 543

Frog, hypertrophy, lipids, relation (Boyd)

1937, 121, 783

Human, electrolytes, determination (Cullen and Wilkins) 1933, 102, 403

—, —, disease effect (Cullen, Wilkins, and Harrison)

1933, 102, 415

Inhibitors, oxidations, biological, metal catalysts and, effect (Kharasch, Legault, Wilder, and Gerard)

1936, 113, 557

Isolated, nitrogen metabolism (Borsook and Jeffreys)

1935, 110, 495

Lipid chlorine (CHRISTENSEN and CORLEY)

1938, 123, 129

Tissue(s)—continued:

Lipids, cholesterol ingestion, effect (Chanutin and Ludewig) 1933, 102, 57

—, microdetermination, gasometric (KIRK, PAGE, and VAN SLYKE)

1934, 106, 203

-, thyroxine injection effect (SCHMIDT and BRADFORD)

1934, 105, lxxv

Magnesium-low diet, effect (Greenberg, Anderson, and Tufts)

1936, 114, xliii Metabolism, lactoflavin and vitamin B₆ deficiency, effect

(Muus, Bessey, and Hastings) 1937, 119, lxxii

Methemoglobin formation (Bernheim and Michel)

1937, 118, 743

Models, polarization (SPIEGEL-ADOLF) 1936, 114, xcix Nitrogen partition (AYRES and LEE) 1936, 115, 139

Nutrients, alcohol extraction and heating, effect (SEE-GERS) 1935, 109, lxxx

Oxidations, method for study (Potter and Elvenjem)

1936, 114, 495

Parathyroid extract effect (Morgan and Samisch)

1934, 105, lxiv 1935, 108, 741

Phospholipids, elaidic acid, relation (Sinclair)

1935, 111, 515

—, fatty acids, unsaturated, selection and retention (SINCLAIR)

1935, 111, 275

Tissue(s)—continued:

Proline oxidation by (Bern-HEIM and BERNHEIM)

1934, 106, 79

Proteins, amino acid, basic, anlage (BLOCK)

1934, 1**05**, 663

-, composition (Graff, Maculla, and Graff)

1937, 121, 71

(GRAFF and GRAFF)

1937, 121, 79

(GRAFF, MACULLA, and GRAFF) 1937, 121, 81

-, dietary cystine effect (LEE and LEWIS)

1934, 107, 649

—, fasting and refeeding effect (Lee and Lewis)

1934, 107, 649

--, -- effect (ADDIS, Poo, and Lew) 1936, 115, 111

-, formation rate, casein refeeding effect (Addis, Poo, and Lew) 1936, 116, 343

—, thyroidectomy, thyroxine and dinitrophenol administration effect (Addis, Kar-NOFSKY, Lew, and Poo)

1938, 124, 33

Purines, determination (GRAFF and MACULLA)

1935, 110, 71

Respiration, copper relation (ELVEHJEM, COHEN, and STARE) 1934, 105, xxv

--, fluorosis and scurvy (Phil-Lips, Stare, and Elvehjem)

1934, 106, 41

—, normal and scorbutic animals (Stotz, Harrer, Schultze, and King)

1937, 120, 129

Tobacco—continued:

Viosterol effect (Morgan and Samisch) 1934, **105**, lxiv 1935, 108, 741 Toad: Poison, chemistry (JEN-SEN) 1935, 109, xliv 1937, 119, lii Secretions, basic constituents (JENSEN and CHEN) 1936, 116, 87 Tropical, secretion (Jensen and Evans) 1934, 104, 307 ch'an su Venom, Chinese, (JENSEN and EVANS) 1934, 104, 307 Tobacco: Leaf, amides, metabolism (VICKERY, PUCHER, WAKEMAN. and LEAVEN-WORTH) 1937, 119, 369 asparagine (Vickery and Pucher) 1936, 113, 157 —, glutamine (VICKERY and 1936, 113, 157 Pucher) acid (Pucher, malic CLARK, and VICKERY) 1937, 117, 599 —, organic acids, metabolism during culture (Pucher, WAKEMAN, and VICKERY) 1937, 119, 523 Mosaic protein, crystalline, aucuba mosaic virus, relation (STANLEY) 1937, 117, 325 ---, --, x-ray diffraction patterns (Wyckoff and Corey) 1936, 116, 51 - virus, plants diseased with, virus proteins, crystalline, ultracentrifugal analysis (WYCKOFF, BISCOE, 1937, 11**7,** 57 STANLEY)

Tissue(s)—continued:

Mosaic virus protein, activity and yield (STANLEY) 1937, 121, 205 - - - -, factors influencing (STANLEY) 1937, 117, 755 -, measurement (Loring) 1937, 121, 637 – – , crystalline, absorption spectrum, ultraviolet (LAVIN and STANLEY) 1937, 118, 269 · — —, —, isolation from tomato plants (Loring and STANLEY) 1937, 117, 733 -, preparation (STANLEY) 1936, 115, 673 — — , hydrogen ion concentration stability (WYCKOFF) 1937-38, 122, 239 — — —, molecular sedimentation constants (WYCKOFF) 1937, 121, 219 --- nucleic acid (Loring) 1938, 123, lxxvi Seed. Connecticut shadegrown, lipids (Salisbury) 1937, 117, 21 Tocopherol(s): α -, vitamin E relation (Evans, Emerson, and Emerson) 1936, 113, 319 -, wheat germ oil, isolation EMERSON, and (Evans, Emerson) 1936, 113, 319 Chemistry (Emerson, Emer-Mohammad, son,

Evans)

1937-38, 122, 99

Toluene: 2-Amino-5-azo-, liver tumors, relation (SHEAR) 1936, 114, xc

1930, 114, X

Tomato: American red and purple, pigment (Matlack and Sando) 1934, 104, 407

Plants, tobacco mosaic virus protein, crystalline, isolation from (Loring and Stanley)
1937, 117, 733

Tonometer: Blood equilibration (IRVING and BLACK)

1937, 118, 337

Tooth: Composition (ARM-STRONG) 1935, 109, iv Enamel, calcification variations (Hollander, Bo-DECKER, SAPER, and APPLE-BAUM) 1934, 105, xl —, candy, acidified, effect

> (WEST and JUDY) 1938, 123, exxv

Fluoride feeding, effect (SMITH and LANTZ)

1933, 101, 677

Phosphatase, fluorine effect (Smith and Lantz)

1935-36, 112, 303

Phosphates, molecular constitution (Hodge, Bale, and Lefevre) 1937, 119, xlix

Tosyl monoacetone *l*-rhamnose:
5-, *d*-allomethylose synthesis, hydrolysis relation
(Levene and Compton)

1936, 116, 169

Transudate: Calcium, diffusible, in vivo (MILLER)

1937-38, 122, 59
—, ionized, in vivo (MILLER)
1937-38, 122, 71

Transudate—continued:

Specific gravity and protein, relation (WEECH, REEVES, and GOETTSCH)

1936, 113, 167

Traumatin: Bean test, active principle (English and Bonner) 1937, 121, 791

Trehalose: Isolation, timothygrass bacillus (Pangborn and Anderson)

1933, 101, 105

—, tubercle bacillus, human, acetone-soluble fat (Anderson and Newman)

1933, 101, 499

Triacetyl-d-galacturonide: Cholesterol, sitosterol, and ergosterol, methyl esters, synthesis (Sell and Link)

1938, 125, 235

Triacetyl α-methyl-d-galacturonide: 2,3,4-, methyl ester, catalytic reduction and deacetylation (Levene and Christman)

1937-38, 122, 203

Trianhydroperiplogenin: (JACOBS and BIGELOW)

1933, 101, 697

Derivatives, ultraviolet absorption spectra (ELDER-FIELD and ROTHEN)

1934, 106, 71

Trianhydrostrophanthidin: Derivatives, ultraviolet absorption spectra (Elder-Field and Rothen)

1934, 106, 71

Tricarballylic acid: dl-α-Amino-, derivatives (Greenstein) 1936, 116, 463 Trichinosis: Blood chemistry (PIERCE and HARTMAN) 1938, 123, xeiv Trichogenesis: Hypotrichosis, hereditary, sulfhydryl group action (MARTIN and GARD-1935, 111, 193 Trihalophenol: Metabolism, effect, mechanism (Clowes 1936, 114, xix and Krahl) Trimethyl l-galactonic acid: 3,4,5-, preparation (TIP-1938, 125, 341 son) α -methyl-d-galac-Trimethyl toside: 2,3,4-,2,3,4trimethyl \alpha-methyl-d-galacturonide methyl ester con-(LEVENE version and KREIDER) 1937, 121, 155 Trimethyl α -methyl-d-galacturonide: 2,3,4-, methyl catalytic reduction ester. TIPSON. (LEVENE. and KREIDER) 1937-38, 122, 199 2,3,4-trimethyl α-methyl-d-galactoside, conversion (LEVENE

α-methyl-d-galactoside, conversion (Levene and Kreider) 1937, 121, 155
Triol: Urine, adrenal tumor (Butler and Marrian) 1938, 124, 237

Triose: Liver glucose, relation (Cori and Shine)

1936, 114, xxi

Triticum vulgare: See Wheat
Trout: Brook, calcium and phosphorus, factors affecting
(McCay, Tunison, Crowbell, and Paul)

1936, 114, 259

Trypanosoma equiperdum: Glucose metabolism (REINER.

Trypanosoma equiperdum—continued:

SMYTHE, and PEDLOW)

1936, 113, 75

Trypanosoma lewisi: Glucose metabolism (Reiner, Smythe, and Pedlow) 1936, 113,75
Trypsin: Anti-, activity, egg white, nutritional disorder, relation (Parsons)

1936, 116, 685

—, egg white (Balls and Swenson) 1934, 106, 409
Canavalin, digestion effect (Sumner and Howell)

1936, 113, 607
Casein digestion, cystine liberation rate (Jones and GersDORFF) 1936, 114, liii

- -, vitamin B deficiency influence (Sure, Kik, and Buchanan) 1935, 108, 19 (TAUBER effect and KLEINER) 1934, 104, 271 Chemical nature (KLEINER and 1934, 104, 267 TAUBER) Chymo-(Bergmann and FRUTON) 1938, 124, 321 substrates, synthetic

(BERGMANN and FRUTON) 1937, 118, 405

Differentiation, anaphylactic test (Ten Broeck)

Digestion, determination
(JUKES) 1935, 109, xlvii
-Erepsin, protein digestion,
study technique (SURE, KIK,
and BUCHANAN)

1935, 108, 11 Inactivation, protease (Tau-BER and KLEINER)

1934, 105, 411

476 Trypsin—continued: Pepsin and, digestion (TAUBER and KLEINER) 1934, 105, xc Proteins derived by, arginase action (KRAUS-RAGINS) 1938, 123, 761 Test (SUMNER and HOWELL) 1935, 109, 429 Trypsinogen, enterokinase, system (BATES and KOCH) 1935, 111, 197 Urease inactivation. effect (Sumner and Dounce) 1937, 117, 713 Yeast, determination (HECHT and CIVIN) 1936, 116, 477 Trypsinogen: (BATES and Koch) 1935, 111, 197 Tryptophane: Amino-N-methyl-, relationships (CAHILL and

Determination

synthesis and configurational

1938, 123, xviii JACKSON) d-Amino-N-methyl-, growth availability (Gordon)

1938, 123, xliii dl-Amino-N-methyl-, growth availability (Gordon)

1938, 123, xliii Carbonic acid derivatives. growth and kynurenic acid production, relation (BAUguess and Berg)

1936, 114, 253 Casein, determination (Sulli-VAN, MILONE, and EVERITT) 1938, 125, 471

-Deficient diets, various indole supplements, growth effect (BAUGUESS and BERG) 1934, 104, 675 Tryptophane—continued:

Derivatives, kynurenic production (BAUGUESS and 1934, 105, viii Determination (BATES)

1937, 119, vii dl-, bile, administration effect (Correll, BERG.

1935, 109, xxiv COWAN) -, - and urine, kynurenic acid, administration effect (Correll, BERG. and 1938, 123, 151 Cowan)

Egg albumin, crystalline, hyliberation drolysis, BLOCK, and (CALVERY, 1936, 113, 21 Schock)

l-, amides, growth effect (BAUguess and Berg)

1934, 106, 615

-, -, kynurenic acid production (BAUGUESS and BERG) 1934, 106, 615

-, bile, administration effect (CORRELL. BERG. and Cowan) 1935, 109, xxiv

-, - and urine, kynurenic acid, administration effect (Correll, BERG, and Cowan) 1938, 123, 151

—, ultraviolet absorption spectrum (FERAUD, DUNN, and Kaplan)

1935-36, 112, 323 Metabolism (BAUGUESS and Berg) 1934, 104, 691

-, diphtheria bacillus (BAU-GUESS) 1935, 109, v

Monomethyl-, metabolism (Gordon and Jackson)

1935, 110, 151

Thyroglobulin, normal and

Tryptophane—continued: goitrous (CAVETT)

1936, 114, 65

Utilization, growth and kynurenic acid production, optical activity influence (BERG)

1934, 104, 373

-, subcutaneous injection effect (DU VIGNEAUD, SEA-LOCK, and VAN ETTEN)

1935-36, 112, 451

Tubercle bacillus: Avain, protein fractions (Menzel and HEIDELBERGER)

1938, 124, 301

protein fractions Bovine. (MENZEL and Heidel-BERGER) 1938, 124, 301

-, wax phthiocerol (Cason and Anderson)

1937, 119, 549

Human, anisic acid isolation, acetone-soluble fat (ANDERson and Newman)

1933, 101, 773

-, lipids, bound (Anderson, REEVES, and STODOLA)

1937, 121, 649

phosphatide (Anderson, LOTHROP, and CREIGHTON) 1938, 125, 299

-, phthiocol (BALL)

1934, 106, 515

-, -, absorption spectrum curve, ultraviolet (CROWE) 1936, 115, 479

-, -, chemical constitution (Anderson and Newman) 1933, 103, 197

-, synthesis (Anderson and NEWMAN)

1933, 103, 405

Tubercle bacillus-continued:

(NEWMAN, CROWDER, and ANDERSON)

1934, 105, 279

Human, pigment isolation, acetone-soluble fat (Anderson and NEWMAN)

1933, 101, 773

—, protein (Неібецвексек and MENZEL)

1934, 104, 655

-, Strain H-37, polysaccharides (HEIDELBERGER and MEN-1937, 118, 79 ZEL)

-, - -, protein (Menzel and Heidelberger)

1938, 124, 89

-, trehalose isolation, acetonesoluble fat (Anderson and NEWMAN) 1933, 101, 499

-, wax phthiocerol (Stodola and Anderson)

1936, 114, 467

(Reeves and Anderson)

1937, 119, 535

Lipids, chemistry (PANGBORN and Anderson)

1933, 101, 105

(ANDERSON, CROWDER, NEWMAN, and STODOLA)

1936, 113, 637

STODOLA, and (CROWDER, Anderson)

1936, 114, 431

(Cason and Anderson)

1937, 119, 549

Reeves, and (Anderson, CROWDER)

1937, 121, 669

Phthiocol. determination. (REEVES and colorimetric ANDERSON)

1937, 119, 543

Tumor-continued: Tubercle bacillus-continued: Phospholipid fatty acids, un-Phthioic acid (SPIELMAN and saturation degree (HAVEN) ANDERSON) 1935, 109, xlii 1935-36, 112, 759 - metabolism (HAVEN) Tuberculostearic acid. consti-1936, 114, xlvii tution (SPIELMAN) 1937, 118, 111 1934, 106, 87 Tissue, cholesterol, ultraviolet Bacillus Calmette-See also Guérin irradiation. effect light Tuberculin: Absorption spectrum (KNUDSON, STURGES, and (SPIEGEL-ADOLF and SEI-BRYAN) 1938, 123, lxx 1934, 105, lxxxiii (Musulin, BERT) vitamin \mathbf{C} 1934, 106, 373 WOODWARD, SILVERBLATT, Active principle, chemical comand King) position (Seibert and Mun-1936, 114, lxxiv 1933, 101, 763 DAY) Vitamin \mathbf{E} relation (Car-Protein, acid-base-combining RUTHERS) 1938, 123, xix capacity (Seibert) Tungstate: Blood uric acid deter-1936, 114, lxxxix mination (NEWTON) Tuberculostearic acid: Tubercle 1937, 120, 315 bacillus lipids (SPIELMAN) Turkey: Eggs, chemistry (HEP-1934, 106, 87 BURN and MIRAGLIA) Tumor: Adrenal, urine com-1934, 105, xxxviii pound, new (MARRIAN and Turtle: Blood (Vars) 1937, 119, lxvi Butler) 1934, 105, 135 $3(\alpha)$ -hydroxyetio--, anoxia effect (Johlin and cholane-17-one, $3(\beta)$ -hy-Moreland) droxyetioallocholane-17-one, 1933, 103, 107 a triol. isolation (Moreland) (BUTLER and MARRIAN) 1937, 117, 471 1938, 124, 237 Tyrosinase: Catechol oxidation Cells, swelling, in vitro, protein product, relation (WAGREICH effect (SHEAR) and NELSON) 1934, 105, lxxix 1936, 115, 459 2-amino-5-azotoluene, Liver, Determination (Graubard relation (SHEAR) and Nelson) 1936, 114, xc 1935-36, 112, 135 Mitochondria, vitamin A and Mono- and dihydric substrates, (GOERNER and GOERNER) action (GRAUBARD

1938, 123, 57

1935, 109, lxxxi

Mouse, titration (SHEAR)

Nelson)

Tyrosine: Absorption spectrum,

ultraviolet (FERAUD, DUNN,

and

1935, 111, 757

Tyrosine—continued:

and KAPLAN)

1936, 114, 665 (Heidt) 1936, 115, 223

3, 4-Dihydrophenylalanine-, mixtures, components, determination, colorimetric (ARNOW) 1937, 118, 531

Diiodo-, absorption spectrum, ultraviolet (HEIDT)

1936, 115, 223

 peptone, myxedema-relieving artificial protein, relation (Salter and Pearson)

1935-36, 112, 579

—, thyroid iodine and thyroxine, administration effect (Foster) 1934, 104, 497 dl-, metabolism (Butts, Dunn, and Hallman)

1938, 123, 711

—, oxidation, liver and kidney (Векинеім)

1935, 111, 217

Dopa formation from, ultraviolet radiation (Arnow)

1937, 120, 151

Egg albumin, crystalline, hydrolysis, liberation rate (Calvery, Block, and Schock) 1936, 113, 21
Growth relation (Womack and

Rose) 1934, 107, 449 l-, oxidation, liver and kidney (Bernheim)

1935, 111, 217

 ultraviolet absorption spectrum (Feraud, Dunn, and Kaplan)

1935-36, 112, 323 Oxidation, livers and kidneys (Bernheim and Bernheim)

1934, 107, 275

Tyrosine—continued:

Peptides, physical constants (Greenstein)

1933, 101, 603

Protein hydrolysates, microdetermination (BERNHART)

1938, 123, x

Thyroglobulin, normal and goitrous (CAVETT)

1936, 114, 65

U

Ulcer: -Producing substance, gastric, isolation from muscle (Tashiro)

1937, 119, xcviii

Ultrafiltration: Anaerobic (Lavieres) 1937, 120, 267 Thermodynamics (FLEXNER) 1937, 121, 615

Ultraviolet: Light, cholesterol, skin, blood, and tumor tissue, effect (Knudson, Sturges, and Bryan)

1938, 123, lxx

Radiation, rickets, wave-length effect (Knudson and Benford) 1934, 105, xlviii 1938, 124, 287

Umbilical cord: Polysaccharide
acids, hydrolysis by pneumoccus autolytic enzyme
(Meyer, Dubos, and
Smyth) 1937, 118, 71
Polysaccharides (Meyer and
Palmer) 1936, 114, 689
Polyuronic acids (Meyer and
Palmer) 1936, 114, lxix

Undernutrition: Liver carbohydrate storage, effect (Johnston and Newburgh)

1937, 119, liv

Undernutrition—continued:

Liver lipids, cholesterol-fed rats (OKEY and GILLUM)

1935, 109, lxxii

Unsaponifiable material: Carbonyl compounds, isolation (Anchel and Schoenheimer) 1936, 114, 539

Uracil: Dibromoxyhydro-, alkali action (Heyroth)

1936, 114, p. l

Oxidation, in vitro (SCHWOB and CERECEDO)

1934, **105,** lxxvi

1-d-Ribosido-, synthesis (HIL-BERT and RIST)

1937, 117, 371

Uranium: Nephritis, blood guanidine-like substance (Weber)

1938, **123**, exxiv

Poisoning, inulin and creatinine clearance, effect (RICHARDS, WESTFALL, and BOTT) 1936, 116, 749

Urates: Blood, distribution (TAL-BOTT and SHERMAN)

1936, 115, 361

Urea: Aqueous humor, frog and higher animals (WALKER)

1933, 101, 269

Blood, determination, manometric (VAN SLYKE and KUGEL) 1933, 102, 489

-, frog and higher animals (WALKER)

1933, 101, 269

— plasma cholesterol, ingestion effect (Bruger and Poin-DEXTER) 1933, 101, 21

-, xylose tolerance, nephritis, comparison (Larson)

1935, 109, lii

Urea-continued:

Cerebrospinal fluid, frog and higher animals (WALKER)

1933, 101, 269

Clearance, pregnancy (Nice) 1935, 109, lxix

Excretion, acidosis (ALVING and Gordon)

1937, 120, 103

Lymph, frog and higher animals (WALKER)

1933, 101, 269

Mammary gland, production (GRAHAM, HOUCHIN, and TURNER) 1937, 120, 29

Microdetermination (Borsook) 1935, 110, 481

Nitrogen, blood, insulin effect (Powers and Reis)

1933, 101, 523

Precursor, kidney tissue (KIRK) 1933, 102, 683
Solutions, hemoglobin and pep-

sin properties (Steinhardt) 1938, 123, 543

-, - molecular weight and volume (HAND)

1935, 109, xl -Splitting enzyme, gastric juice protein, relation (Martin)

1933, 102, 131

Thio-, cysteine, and corresponding disulfides, relations (TOENNIES)

1937, 120, 297

Urease: Activity, buffer effect (Howell and Sumner)

1934, 104, 619

Arginine hydrolysis, metal ions and, effect (Hellerman and Perkins)

1935-36, 112, 175

Urease—continued:

Crystalline, arginase, nonidentity (SUMNER and DOUNCE)

1937, 119, xcvii

-, oxidation effect (PILLEMER, ECKER, MYERS, and MUNT-WYLER) 1938, 123, 365

-, radiant energy effect (Pil-LEMER, ECKER, MYERS, and MUNTWYLER)

1938, 123, 365

Inactivation, trypsin effect (SUMNER and DOUNCE)

1937, 117, 713

Iodoacetate and iodoacetamide reaction (SMYTHE)

1936, 114, xev, 601

Molecular weight (SUMNER, GRALÉN, ERIKSSONand Quensel) 1938, 125, 37

Uremia: Blood serum proteolysis (Mason and Evers)

1937, 119, 735

Uric acid: Aqueous humor, frog and higher animals (WALKER)

1933, 101, 269

Blood, determination (Folin) 1933, 101, 111

(Newton) 1937, 120, 315 -, frog and higher animals (WALKER)

1933, 101, 269

Cerebrospinal fluid, frog and higher animals (WALKER)

1933, 101, 269

Determination, photoelectric colorimeter (DILLER)

1937, 118, 161

-, turbidity cause (DILLER) 1937, 118, 161 Uric acid—continued:

Excretion. exercise effect (Quick) 1935, 110, 107

-, glycine administration effect (Martin and Corley) 1934, 105, lyii

-, ketosis, lactic acid metabolism, and aromatic acids, relation (Quick)

1934, 105, lxix

-, liver disease, benzoic acid influence (Quick)

1935, 110, 107

-, purine-free and protein-free diets (MARTIN and CORLEY) 1934, 105, lvii

-, salicylic acid conjugation effect (Quick)

1933, 101, 475

Lymph, frog and higher animals (WALKER)

1933, 101, 269

Microdetermination (Bor-1935, 110, 481 sook) Reagent, preparation (Folin) 1934, 106, 311

Urine, determination (Folin) 1933, 101, 111

-, glomerulus, snake and frog (Bordley and Richards) 1933, 101, 193

Uricase: Dogs (KLEMPERER, TRIMBLE, and HASTINGS) 1938, 125, 445

Uridine: Chemical constitution, N-methyl uridine, relation (LEVENE and TIPSON)

1934, 104, 385

Monotrityl, chemical constitution (Levene and Tipson) 1934, 105, 419

Ring structure (Levene and 1933, 101, 529 Tipson)

Uridine 5-phosphoric acid: Synthesis (Levene and Tipson) 1934, 106, 113

Urine: (See note on p. 221)

Acid-base equilibrium (SEND-ROY, SEELIG, and VAN SLYKE) 1934, 106, 479

——, ammonia secretion, nephritis, relation (Briggs)

1935, **109,** xii

Acidity (Morgulis)

1933, 103, 757

Acidosis-producing hormone, normal (Funk)

1934, 105, xxix

Albuminous, chloride analysis, errors (SENDROY)

1937, 120, 441

Alkaline tide, gastric secretion, relation (Hubbard, Munford, and Tyner)

1933, 101, 781

Androgenic activity, acid hydrolysis effect (Peterson, Gallagher, and Koch)

1937, 119, 185, lxxvii

— material, inactive (McCul-LAGH, OSBORN, and OSGARD) 1938, 123, lxxxi

Androgens, inactive, nature (Peterson, Hoskins, Coff-Man, and Koch)

1938, 123, xciii

Ashing, thorium nitrate use (STRAUSS) 1937, 118, 331

Carbon dioxide tension (SEND-ROY, SEELIG, and VAN SLYKE) 1934, 106, 479

Compound, new, women with adrenal tumors (MARRIAN and BUTLER)

1937, 119, lxvi

Urine—continued:

Constituents, unidentified, buffer action (Kuyper)

1938, 123, 409

Cystinuria (Stekol)

1934, 105, lxxxv

Depressor colloid, purification (Bischoff and Elliot)

1935, 109, 419

Estrogenic activity, acid hydrolysis effect (Peterson, Gallagher, and Koch)

1937, 119, 185

--- diols, pregnant mares (Win-TERSTEINER and HIRSCH-MANN) 1937, 119, cvii

— —, — —, isolation (Hirsch-MANN and Wintersteiner) 1937-38, 122, 303

 substances, extraction, tungstic acid precipitation method (FREED, MIRSKY, and SOSKIN)

1935-36, 112, 143

— —, menstrual cycle, determination (Gustavson, Hays, and Wood)

1937, 119, xlii

— —, normal females (Gustavson and Green)

1934, 105, xxxiv (Gustavson, Wood, and

HAYS) 1936, 114, xlvi Estrogens (Wilson, Strick-

LER, and McEllroy)

1938, **123**, exxix

Glomerulus (RICHARDS, BORD-LEY, and WALKER)

1933, 101, 179

(HENDRIX, WESTFALL, and RICHARDS)

1936, 116, 735

-, chloride, frog and Necturus

Urine—continued:

(WESTFALL, FINDLEY, and RICHARDS)

1934, 107, 661

Glomerulus, creatinine, frog (Bordley, Hendrix, and Richards) 1933, 101, 255

—, hydrogen ion concentration determination, microquin-hydrone electrode, *Necturus* (PIERCE and MONTGOMERY)
1935, 110, 763

-, inorganic phosphate, frog and Necturus (WALKER)

1933, 101, 239

-, reaction, frog and Necturus (Montgomery)

1935, 110, 749

—, reducing substances, frog and Necturus (WALKER and REISINGER)

1933, 101, 223

—, uric acid, snake and frog (Bordley and Richards)

1933, 101, 193

Gonadotropic substance, castrates, female (Levin and Tyndale) 1935, 109, liv Guanidine derivatives, muscle dystrophies (Sullivan,

Hess, and IRREVERRE) 1936, 114, 633

Guanidine-like substances, determination, colorimetric (ANDES and MYERS)

1937, 118, 137

Henderson-Hasselbalch equation, application (SENDROY, SEELIG, and VAN SLYKE)

1934, 106, 463

Hormones, female, properties
(BOWMAN, VISSCHER, and
MULL) 1935, 109, xi

Urine—continued:

Hyperglycemic factor (Harrow, Mazur, Chamelin, and Lesuk)

1937, 119, xlvi

Ketose, normal (EVERETT, ED-WARDS, and SHEPPARD)

1934, 104, 11

Male hormone, bulls and rams
(Butz and Hall)

1937, 119, xvi

Menopause, follicle-stimulating hormone (Block, Brand, Harris, and Hinsie) 1936, 114, xii Muscle dystrophy, progressive

Muscle dystrophy, progressive (Sullivan and Hess)

1934, 105, lxxxix

Oxygen tension and consumption (SENDROY)

1934, 1**05,** lxxviii

Pentose, hydrogen peroxide action (Enklewitz)

1936, 116, 47

- origin (ENKLEWITZ and LASKER) 1935, 110, 443
Phenolic substances (Enwards) 1936, 114, xxix
Porphyrins, disease effect (Dobriner) 1936, 113, 1
Pregnancy, equilin preparation (Cartland and Meyer)

1935-36, 112, 9

—, gonadotropic extracts, tungstic acid precipitation, preparation (KATZMAN and DOISY) 1934, 107, 513

-, - hormone (Gurin, Bachman, and Wilson)

1938, 123, xlix

-, pituitary-like hormone, anterior, separation (ELDEN)

1933, 101, 1

Urine—continued:

Primates, nitrogen partition (RHEINBERGER)

1936, 115, 343

Proteins, dielectric constant (FRIEND, FERRY, and ON-CLEY) 1938, 123, xxxix Pyridine-like substances, de-

Pyridine-like substances, determination (VILTER, SPIES, and MATHEWS)

1938, **125**, 85

Reducing substances, normal (Laug and Nash)

1935, 108, 479

Sulfur distribution, cystinuria, dog (Green, Morris, Ca-HILL, and Brand)

1936, 114, 91

Triol, adrenal tumor (Butler and Marrian)

1938, 124, 237

Urobilin: Crystalline, natural, origin (WATSON)

1936, 114, 47

Urochrome: (FLEMING and MAC-ALLUM) 1935, 109, xxxiii

Uronic acid(s): Aldoses, acetylated, and, molecular rotations, relation (Goebel and Reeves) 1938, 124, 207

Hexoses, conversion (Levene and Kreider)

1937, 121, 155 (LEVENE, TIPSON, and KREIDER)

1937-38, 122, 199

(LEVENE and CHRISTMAN) 1937-38, 122, 203, 661

(LEVENE and Tipson)

1938, 125, 345, 355 (LEVENE, MEYER, and KUNA) 1938, 125, 703

Uronic acid(s)—continued:

Methyl esters, glucose, gentiobiose, and cellobiose acetyl derivatives, molecular rotations, relationship (Goebel and Reeves)

1938, 123, xlii

Microdetermination (Burk-HART, BAUR, and LINK)

1934, **104,** 171

Poly-, vitreous humor and umbilical cord (Meyer and Palmer) 1936, 114, lxix Ursolic acid: Esters, synthesis

Ursolic acid: Esters, synthesis (Sell and Kremers)

1938, 125, 451

Uterus: -Contracting substance, seminal fluid (Cockrill, Miller, and Kurzrok)

1934, 105, xvi

Infantile, estrogens, effect (DORFMAN)

1937, 119, xxiv

v

Vagina: Infantile, estrogens, effect (DORFMAN)

1937, 119, xxiv

Valeric acid: Glycogen formation, ingestion effect (Eck-STEIN) 1933, 102, 591

α-Hydroxy-n-, α-hydroxyisovaleric acid, configurational relationship (ΒΑΚΤΙΕΤΤ, ΚυΝΑ, and LEVENE)

1937, 118, 503

Valine: Absorption rate, gastrointestinal tract (Chase and Lewis) 1934, 106, 315 Isomers, absorption rate, gastrointestinal tract (Chase and Lewis)

1934, 106, 315

1937, 118, 269

Viosterol—continued: Valine—continued: Rickets, beryllium, rôle (So-Metabolism (CARTER) 1935, 108, 619 BEL, GOLDFARB, and KRA-Phenyl derivatives, synthesis 1935, 108, 395 MER) 1935, 108, 619 (CARTER) Tissue effect (Morgan and 1934, 105, lxiv Vapor pressure: Blood, deter-Samisch) mination (CULBERT) 1935, 108, 741 1935, 109, 547 See also Ergosterol - serum evaporation rate as Virus: Aucuba mosaic protein, (CULBERT, ultracentrifugal measure Mcanalysis CUNE; and WEECH) (WYCKOFF) 1937, 119, 589 1938, 124, 585 Vegetable(s): Ascorbic acid oxi-- -, tobacco mosaic protein, dase (KERTESZ, DEARBORN, crystalline, relation (STANand Mack) LEY) 1937, 117, 325 Mosaic, protein, latent, isola-1936, 116, 717 Carbohydrate metabolism faction (Loring and Wyckoff) tor, boiling effect (Wesson) 1937, 121, 225 Papilloma protein, hydrogen 1938, 123, cxxv Vitamin C (MACK and TRESSion concentration stability 1937, 118, 735 (BEARD and WYCKOFF) LER) Vegetable oils: Carotene sta-1938, 123, 461 bility (McDonald) Proteins, stream double refrac-1933, 103, 455 tion (Lauffer and Stanley) Encephalomalacia, nutritional, 1938, 123, 507 chicks, effect (GOETTSCH and Tobacco mosaic, plants dis-PAPPENHEIMER) eased with, virus proteins, crystalline, ultracentrifugal 1936, 114, 673 analysis (WYCKOFF, BISCOE, Venom: Toad, Chinese, ch'an su (Jensen and Evans) and STANLEY) 1934, 104, 307 1937, 117, 57 Veratrine: Alkaloids (JACOBS and - protein, activity and CRAIG) 1937, 119, 141 yield (STANLEY) 1937, 120, 447 1937, 121, 205 1938, 124, 659 -, -, determination 1937, 121, 637 1938, 125, 625 (Loring) ----, --, factors influencing Vigna sinensis: See Pea Vinyl ether: Tissues, human, iso-(STANLEY) lation (Domanski) 1937, 117, 755 - -, crystalline, absorp-1937, 119, 69 tion spectrum, ultraviolet Viosterol: (Morgan, KIMMEL, (LAVIN and STANLEY) THOMAS, and SAMISCH)

1934, 106, 531

Virus—continued:

Tobacco mosaic protein, crystalline, isolation from tomato plants (LORING and STANLEY) 1937, 117, 73

— — —, —, preparation
(STANLEY)

1936, 115, 673
— —, hydrogen ion con-

centration stability (Wvckoff)

1937–38, 122, 239

— — —, molecular sedimentation constants (WYCKOFF)

1937, 121, 219

— —, nucleic acid (Loring) 1938, 123, lxxvi

Vitamin(s): A, absorption and storage, rat (BAUMANN, RIISING, and STEENBOCK)

1934, 107, 705

 activity, alfalfa hay carotene, relation (HARTMAN, KANE, and SHINN)

1934, **105,** xxxvi

— adsorption from oils, sodium and potassium soaps (Brocklesby and Kuchel) 1938, 123, xvi

—, alcohol and ester, compara-

tive value (EMMETT and BIRD) 1937, 119, xxxi

--, alfalfa, destruction, enzymatic, curing process (HAUGE) 1935, 108, 331

—, animal body, distribution (CLAUSEN and McCoord)

1934, 105, xv

— avitaminosis, nerve degeneration, relation (Sutton, Setterfield, and Krauss)
1934, 105, lxxxix

-, blood serum and tissue

Vitamin(s)—continued:

phosphatase, effect (CRIMM and STRAYER)

1935-36, 112, 511

A, butter (BAUMANN and STEENBOCK)

1933, 101, 547

—, —, breed and diet, cows, influence (Baumann, Steen-BOCK, BEESON, and RUPEL)

1934, 105, 167

-, - fat (Shrewsbury and Kraybill)

1933, 1**01,** 701

-, - -, determination (Shinn and Cary)

1936, 114, xcii

-, cod liver oil, nature (Tischer)

1938, 125, 475

-, colostrum (SEMB, BAU-MANN, and STEENBOCK)

1934, 107, 697

deficiency, β-carotene absorption and utilization, jaundice and choledochocolostomy (Greaves and Schmidt) 1934, 105, xxxi

determination, photoelectric colorimeter (Bills and Wallenmeyer)

1938, 123, xi

(Dann and Evelyn)

1938, 123, xxvi

—, dihydro-, synthesis (Gould) 1936, 114, xli

 —, fishes (BILLS, McDonald, Massengale, Imboden, Hall, Hergert, and Wallenmeyer) 1935, 109, vii

LENMEYER) 1935, 109, VII

—, fruit, light effect (SMITH and MORGAN)

1933, 101, 43

A, halibut liver oil, potency, seasonal variation (BILLS, IMBODEN, and WALLEN-MEYER) 1934, 105, x

-, - viscera oil (Pugsley)

1938, 123, xevii

mitochondria, dibenzanthracene effect (GOERNER)

1937–38, 122, 529

— potency, carotene determinations, relation (Shinn, Kane, Wiseman, and Cary)
1937, 119, lxxxix

-, sable-fish viscera oi (Pugsley)

1938, 123, xcvii

-, storage (Clausen and Mc-Coord) 1935, 109, xx

—, synthesis, microorganisms
 (Baumann, Steenbock, Ingraham, and Fred)

1933, 1**03,** 339

—, tumor mitochondria and (Goerner and Goerner)

1938, 123, 57

Antihemorrhagic (ALMQUIST) 1937, 120, 635

—, properties (ALMQUIST)

1937, 117, 517

(KLOSE ALMOUIST and

(Klose, Almquist, and Mecchi) 1938, 125, 681

--, purification (ALMQUIST) 1936, 114, 241 1936, 115, 589

Antineuritic concentrate, preparation (STUART, BLOCK, and COWGILL)

1934, 105, 463

Antiparalytic, chick (Jukes and Babcock)

1938, 123, lxv

Vitamin(s)—continued:

B assay, technique (Knorr and Schlutz)

1937, 119, lviii

— complex (Schultz and Mattill)

1937–38, 122, 183

— —, anemia, nutritional, relation (KYER and BETHELL)

1935, 109, p. l

— —, chick dietary dermatitis preventive, feedingstuff, distribution (Jukes and Lepkovsky) 1936, 114, 117

— —, — — dermatitis preventive, properties (Lepkovsky and Jukes)

1936, **114,** 109, lxi

— —, deficiency disease, relation (Hogan, Richardson, and Johnson)

1937, 119, p. l

— —, fractionation, rice polishing (Booher and Lojkin)
1938, 123, xiv

— —, third factor, multiple nature (LEPKOVSKY, JUKES, and KRAUSE)

1936, 115, 557

— —, yeast, thermostability (SCHULTZ)

1937, 119, lxxxviii

-, crystalline, yeast growth effect (Williams and Saunders) 1934, 105, xcix

— deficiency, casein tryptic and ereptic digestion, influence (Sure, Kik, and Buchanan) 1935, 108, 19

 —, pancreas lipase and esterase, influence (Sure, Kik, and Buchanan)

1935, 108, 27

B extraction (ITTER, ORENT, and McCollum)

1935, **108,** 571

-, fat metabolism and (Mc-HENRY and GAVIN)

1938, 125, 653

-, - sparing action (Evans and Lepkovsky)

1934, 105, xxvii 1935, 108, 439

growth-promoting factor, whole wheat (Halliday)

1934, 106, 29

— loss, rat tissue (Evans and Lepkovsky)

1935, 108, 439

B-sparing action, fat, protein and vitamin G levels, influence (EVANS, LEPKOVSKY, and MURPHY)

1934, 107, 429

— —, fats, natural (EVANS, LEPKOVSKY, and MURPHY)

1934, 107, 439

B synthesis, digestive tract, carbohydrate effect (Guerrant, Dutcher, and Tomey) 1935, 110, 233

—, tissue, animal, fat sparing action (Kemmerer and Steenbock)

1933, 103, 353

See also Factor 1, Filtrate factor

B₁, animal tissue (ELVEHJEM, SHERMAN, and ARNOLD)

1935, 109, xxix

—, biological assay (Knott and Schlutz)

1936, 114, lix

-, cardiovascular diseases, re-

Vitamin(s)—continued:

lation (Sure and Jones)

1937, 119, xcvii

B₁, crystalline, effect (WATER-MAN and AMMERMAN)

1934, 105, xcviii

 deficiency, pyruvic acid metabolism (Lipschitz, Potter, and Elvehjem)

1938, 123, 267

— determination, chemical (Prebluda and McCollum) 1937, 119, lxxix

(MELNICK and FIELD)

1938, 123, lxxxiii

-- -, polyneuritis as criterion (KLINE, TOLLE, and NEL-son) 1938, 123, lxix

--, enzyme reactions, interaction (TAUBER)

1938, 123, 499

-, extraction and stability (BISBEY and SHERMAN)

1935-36, 112, 415

—, fat metabolism, relation (Whipple and Church)

1935, 109, xeviii

—, growth composition, effect (Whipple and Church)

1936, 114, cvii

—, — requirement, diet fat relation (STIRN and ARNOLD) 1938, 123, cxvii

—, respiratory quotient, effect (Whipple and Church)

1937, 119, ciii

--, stability (KEENAN and KLINE) 1934, 105, xlv

-, urine, human, determination (Helmer)

1936, 114, xlviii

-. See also Thiamine

B₂ complex, fractionation (Halliday and Evans)

1937, 118, 255

— deficiency, sulfhydryl group, rôle (ITTER, ORENT, and McCOLLUM)

1935, 108, 585

—, flavins, non-identity (Elveнјем and Koehn)

1935, 108, 709

—, stability (KEENAN and KLINE) 1934, 105, xlv
—, urine, human, determina-

tion (Helmer)

1936, 114, xlviii

—. See also Hepatoflavin, Lactoflavin, Riboflavin, Vitamin G

B4, stability (KEENAN and KLINE) 1934, 105, xlv

B₆ deficiency, dietary oils, effect (Salmon)

1938, 123, civ

— —, tissue metabolism, effect (Muus, Bessey, and Hastings) 1937, 119, lxxii

 fatty acid factor, unsaturated, relation (Віксн)

1938, 124, 775

— preparation (EMERSON, Mo-HAMMAD, EMERSON, and EVANS) 1938, 124, 377 C, adrenals, distribution

(Glick and Biskind)

1935, 110, 1

-, -, -, development relation (GLICK and BISKIND)

1936, 115, 551

-, -, temperature and postmortem effect (Peters and Martin) 1938, 124, 249

-, body, fluorosis, influence

Vitamin(s)—continued:

(PHILLIPS and CHANG)

1934, **105, 4**05

C, corpus luteum, estrous cycle and pregnancy, relation (BISKIND and GLICK)

1936, 113, 27

— determination (TAUBER and KLEINER) 1935, 108, 563

—, — as furfural from dehydroascorbic acid derivative (Roe) 1938, 123, ciii

-, -, chemical (GLICK)

1935, 109, 433
—, —, enzymic (TAUBER and

KLEINER) 1935, 110, 559

—, diphtheria toxin effect
(TORRANCE)

1937, **121,** 31

 extraction and titration, metaphosphoric acid reagent (Musulin and King)

1936, 116, 409

fluorine-fed cows, tissues, distribution (Phillips and Stare)
 1934, 104, 351
 glucose tolerance, relation

(SIGAL and KING)

1936, **116**, 489

—, guinea pig, effect (Svir-BELY) 1936, 116, 543

—, hypophysis cerebri, distribution (GLICK and BISKIND) 1935, 110, 583

—, orange juice (Joslyn, Marsh, and Morgan)

1934, 105, 17

—, organs, ascorbic acid administration with thyroid,
 α-dinitrophenol, and cortical hormone extract, effect
 (SVIRBELY)

1935, 111, 147

C, rat, effect (SVIRBELY)

1936, 116, 543

-, small intestine, distribution (GLICK and BISKIND)

1936, 113, 427

--, thymus, histological changes, relation (GLICK and BISKIND) 1936, 114, 1

-, tissues (TAUBER and KLEINER) 1935, 108, 563

---, ---, determination and distribution (Bessey and King) 1933, 103, 687

—, —, human (Yavorsky, Almaden, and King)

1934, 106, 525

—, tumor tissue (Musulin, Woodward, Silverblatt, and King)

1936, 114, lxxiv

—, vegetables (Kertesz, Dearborn, and Mack)

1936, 116, 717

(Mack and Tressler)

1937, 118, 735

-. See also Ascorbic acid

D, absorption and excretion, bile effect (HEYMANN)

1937–38, 122, 249

—, —, bile rôle (Greaves and Schmidt) 1933, **102**, 101

-, -, excretion, and action (HEYMANN)

1937, 119, xlviii

blood serum and tissue phosphatase, effect (Crimm and Strayer)

1935–36, **112,** 511

-, calcium retention, infancy, effect (STEARNS and JEANS) 1936, 114, c Vitamin(s)—continued:

D-containing materials, sterols, separation (NATELSON and SOBEL)

1935, 109, 687

D, excretion, intestine (HEY-MANN) 1937-38, 122, 257

—, fishes (BILLS, McDonald, Massengale, Imboden, Hall, Hergert, and Wal-LENMEYER)

1935, **109,** vii

-, formation, cathode rays, effect (Hoffman and Daniels) 1936, 115, 119

-, halibut liver oil, potency, seasonal variation (BILLS, IMBODEN, and WALLEN-MEYER) 1934, 105, x

-, - viscera oil (Pugsley) 1938, 123, xevii

—, milk constituents and, relation (Supplee, Ansbacher, Bender, and Flanigan)

1936, 114, 95

—, nature, multiple (Mc-Donald) 1936, 114, lxv

—, new, cod liver oil (BILLS, MASSENGALE, HICKMAN, and GRAY) 1938, 123, x

-, parathyroid action, relation (Jones)

1935, 109, xlvi 1935, 111, 155

 potency, irradiated milk, energy input relation (O'BRIEN, McEWEN, and MORGAREIDGE)

1937, 119, lxxiii

-, sable-fish viscera oil (Pugs-LEY) 1938, 123, xevii

—, skin respiration, relation (PRESNELL) 1937, 121, 5

D, storage, tissues (HEYMANN) 1937, 118, 371

 various sources, antirachitic effectiveness (Haman and Steenbock)

1936, 114, 505

D₂, phosphorus-low diets, effect (Schneider and STBENBOCK)

1938, **123**, ev

Deficiency, liver lipids, cholesterol-fed rats (OKEY and GILLUM) 1935, 109, lxxii Dihydro-, A, synthesis (GOULD) 1936, 114, xli E, chemical constitution and absorption spectrum (OLCOTT) 1935, 110, 695

—, — properties (OLCOTT)

1934, **105**, lxv —, chemistry (Emerson, Emerson, Mohammad, and Evans) 1937-38, **122**, 99

—, concentrates, preparation and properties (Evans, Murphy, Archibald, and Cornish) 1935, 108, 515

—, —, stability (Оссотт)

1934, 107, 471

E-deficient rats, paralysis in young from (OLCOTT)

1937, **119,** lxxiv

E, esters, utilization (Olcott) 1935, 110, 695

-, growth, relation (OLCOTT and MATTILL)

1936, 114, lxxvii

--, properties (Olcott and Mattill) 1934, 104, 423 (Olcott) 1935, 109, lxiii

--, α -tocopherol relation

Vitamin(s)—continued:

(Evans, Emerson, and Emerson)

1936, 113, 319

E, tumors, relation (CAR-RUTHERS) 1938, 123, xix

-, wheat germ and wheat germ oil, biological assay (Palmer) 1937, 119, lxxv Fat-soluble (Baumann and Steenbock)

1933, 1**01,** 561

 -Free diets, lactoflavin in (Sup-PLEE, FLANIGAN, HANFORD, and ANSBACHER)

1936, 113, 787

G, chick requirements (Lepkovsky and Jukes)

1935, 111, 119

 complex, dermatitis, rat, and pellagra, human, relation (DANN)

1936, 1**14,** xxiv

— —, fractionation (Lepkovsky and Jukes)

1937, 119, lx

—, concentrates, growth-promoting properties (BOOHER, BLODGETT, and PAGE)

1934, 1**07,** 599

-, concentration (BOOHER)

1933, 102, 39 1934, 105, xii

1934, 105, XII

(LEPKOVSKY, POPPER, and EVANS) 1935, 108, 257

—, crystalline, preparation (Lеркоvsкy, Роррев, and Evans) 1935, 109, liv

 deficiency, rat skin oxygen uptake and composition, relation (Adams)

1936, 116, 641

G-deficient diet, cataract from, blood sugar, relation (DAY) 1935, 109, xxvi

G, liver (BLOCK and FAR-QUHAR) 1933, 103, 643

-, nature (Booher)

1933, **102,** 39 1934, **105,** xii 1934, **107,** 591

--, photochemical phenomena (Supplee, Ansbacher, and Bender) 1935, 110, 365

- requirement (SHERMAN and ELLIS) 1934, 104, 91

G-sparing action, fat (EVANS, Lepkovsky, and Murphy) 1934, 107, 443

G, vitamin B-sparing action, fat and, influence (EVANS, LEPKOVSKY, and MURPHY)
1934, 107, 429

-, yeast (Block and Far-QUHAR) 1933, 103, 643

See also Antidermatitis,
 Vitamin B₂

H, concentration and properties (BOOHER)

1936, 114, xiv 1937, 119, 223

-, isolation (György)

1937, 119, xliii K, assay, biological (Thayer, MacCorquodale, McKee,

and Dorsy)
1938, 123, cxx

-, properties (Klose, Almquist, and Mecchi)

1938, 125, 681 Pro-, D, cholesterol (WAD-DELL) 1934, 105, 711

-, -, ergosterol, crude (Bills,

Vitamin(s)—continued:

MASSENGALE, McDonald, and Wirick)

1935, 1**08,** 323

Pro-, D, heat-treated cholesterol (HATHAWAY and LOBB) 1936, 113, 105

—, —, plant and animal (Bethke, Record, and Wilder)

1935–36, **112,** 231

—, —, potency and properties, heat-treated cholesterol (Натнаwаy and Косн)

1935, 108, 773

—, —, sterol derivatives, potency (Koch and Koch)
1936, 116, 757

Water-soluble, vitamin B complex-related, chick dietary dermatitis preventive, feedingstuff, distribution (Jukes and Lepkovsky)

1936, 114, 117

—, — — —, chick dietary dermatitis preventive, properties (Lepkovsky and Jukes) 1936, 114, 109

See also Avitaminosis, Factor W. Hypervitaminosis

Vitellinic acid: Serinephosphoric acid formation from hydrolysis of (Levene and Schor-MÜLLER) 1933, 103, 537

Vitreous humor: Calcium (Salit) 1934, 104, 275

Polysaccharide (MEYER and PALMER) 1934, 107, 629

— acids, hydrolysis by pneumococcus autolytic enzyme (Meyer, Dubos, and Smyth) 1937, 118, 71 Vitreous humor-continued:

Polysaccharides (MEYER and PALMER) 1936, 114, 689 Polyuronic acids (MEYER and PALMER) 1936, 114, lxix

W

Walden inversion: (Levene and ROTHEN) 1934, 107, 533 Substitution reaction and, mechanism (Levene, ROTHEN, and KUNA)

> 1937, 120, 777 1937, 121, 747

Water: Alkaline and saline, mineral balance and excretion paths, effect (Heller and Haddad) 1936, 113, 439 Blood and muscle, distribution, adrenalectomy effect (Hegnauer and Robinson)

1936, 116, 769

— —, exchange (Eichel-BERGER)

1937-38, 122, 323

- — —, —, body water effect (Hastings and Eichel-BERGER) 1937, 117, 73
- ———, —, dehydration effect (Eichelberger and Hastings) 1937, 118, 205
- —, —, hydronephrosis effect (Eichelberger)

1937, 119, xxx

- ———, —, respiratory alkalosis and acidosis, effect (Eichelberger and Hastings) 1937, 118, 197
- —, salt and, exchange (Hastings and Eichel-Berger) 1935, 109, xli — cells (Eisenman, Macken-

Water—continued:

zie, and Peters)

1936, 11**6,** 33

Blood, distribution, glucose intraperitoneal injection effect (ROBINSON and HEGNAUER)

1936, 116, 779

-, -, pregnancy (OBERST and PLASS) 1935, 109, lxxi

— plasma cholesterol, ingestion effect (Bruger and Poindexter) 1933, 101, 21

— serum (Eisenman, Mackenzie, and Peters)

1936, 116, 33

— —, solute molality and specific gravity, relation (Sun-DERMAN) 1936, 113, 111 Body, blood and muscle salt

and water exchange, effect
(Hastings and EichelBERGER) 1937, 117, 73

-, distribution, body electrolytes and, relation (HARRI-SON, DARROW, and YANNET)

1936, 113, 515

—, nephrectomy effect (Chanutin) 1938, 123, xx Brain, liver, and muscle, electrolytes and, growth effect (Yannet and Darrow)

1938, 123, 295

Extracellular and intracellular, bone and cartilage (IoB and Swanson)

1937-38, 122, 485

Heavy, amylase formation, barley, influence (Caldwell and Doebbeling)

> 1936, 114, xvii 1938, 123, 479

-, peptides, proteolytic enzymes, action (Foster, Kes-

494 Water—continued: RITTENBERG, and SCHOENHEIMER) 1938, 124, 159 Heavy, yeast alcohol formation, effect (Evans and RITTEN-1937, 119, xxxi Liver, glycogen, fat, and protein, relation (KAPLAN and CHAIKOFF) 1936, 116, 663 sodium, potas-Metabolism, sium, and ammonium chlorides and sodium bicarbonate. ingestion effect (WILEY, WILEY, and WAL-1933, 101, 73 Phenol-contaminated. effect (HELLER and PURSELL) 1937, 119, xlvi Sea, cresol red dissociation constant (MITCHELL and TAY-1934, 105, lxii LOR)

Storage, liver, glycogen, relation (MacKay and Bergman) 1934, 105, 59

Wax(es): Coating, pear (Markley, Hendricks, and Sando) 1935, 111, 133

-Like constituents, cherry cuticle (Markley and Sando) 1937, 119, 641

— —, grapefruit peel oil (Markley, Nelson, and

1936, 113, 487 Tubercle bacillus, bovine, phthiocerol in (Cason and Anderson)

Slash-pine growing tips (HALL

1937, 118, 433

SHERMAN)

and Gisvold)

1937, 119, 549
— —, human, phthiocerol in

(Stodola and Anderson) 1936, 114, 467 (Reeves and Anderson)

1937, 119, 535 Wharton jelly: Lipid (Boyd) 1935, 111, 667

Wheat: Amino acids (Csonka) 1937, 118, 147

Germ, vitamin E assay (Pal-MER) 1937, 119, lxxv Straw, lignin (Phillips and Goss) 1938, 125, 241

Whole, hemoglobin regeneration influence (Rose, Vahlteich, and MacLeod)

1934, **104,** 217

-, vitamin B growth-promoting factor (HALLIDAY)
1934, 106, 29

Wheat germ oil: Growth deficiency disease, effect (Blum-BERG) 1935, 108, 227

α-Tocopherol isolation (EVANS, EMERSON, and EMERSON) 1936, 113, 319

Vitamin E assay (PALMER) 1937, 119, lxxv

Wood: Mesquite, hemicellulose (Sands and Nutter)

1935, **110,** 17

Pectic substances, isolation (Anderson)

1935-36, 112, 531 (Anderson, Seigle, Krznarich, Richards, and Marteny) 1937, 121, 165

Tissue, apple tree, starch polysaccharides, isolation and properties (NIEMANN, ROB-ERTS, and LINK)

1935, 110, 727

Woodchuck: Urine nitrogen partition (CARPENTER)

1937-38, 122, 343

Wool: Enzyme digestion (Routh and Lewis) 1938, 124, 725

— hydrolysis (Routh)

1938, 123, civ

Hydrolysates, cystine isolation (Toennies and Bennett)

1935-36, 112, 39

Hydrolysis, cystine isolation (Toennies and Bennett)

1934, 105, xcii

Lamb, ration effect (Sullivan, Hess, Hardy, and Howe)

1935, 109, xc

Work: Blood acid-base, effect (Hastings, Dill, and Edwards) 1936, 114, xlvii

 lactic acid, high altitudes, influence (EDWARDS)

1936, 114, xxx

plasma colloids, effect
 (Keys and Taylor)

1935, 109, 55

See also Exercise, Fatigue

Wound: Hormone, plant (Eng-LISH and BONNER)

1937, 121, 791

X

Xanthin: Eschscholtz-, poppy, California, petals (STRAIN) 1938, 123, 425

Xanthine: Oxidase, liver, paminophenol action (Bern-HEIM and BERNHEIM)

1938, 123, 307

Xanthophyll: Determination (CLAUSEN and McCoord)

1936, 113, 89

Poppy, California, petals (STRAIN) 1938, 123, 425

Xenopus lævis: See Toad X-ray: See Roentgen ray

Xyloketose: d-, monoacetone (Levene and Tipson)

1934, 106, 603

l-, hydrogen peroxide action (Enklewitz)

1936, 116, 47

—, urine, detection and determination (LASKER and En-KLEWITZ) 1933, 101, 289 —, —, origin (ENKLEWITZ and

—, —, origin (Enklewitz and Lasker) 1935, 110, 443

Xylomethylose: d-, and derivatives (Levene and Compton) 1935, 111, 325

—, chemical constitution (LE-VENE and COMPTON)

1935-36, 112, 775

Xylose: d-, metabolism (Blatherwick, Bradshaw, Cullimore, Ewing, Larson, and Sawyer)

1936, 11**3, 4**05

3-Methyl (Levene and Raymond) 1933, 102, 331 5-Methyl (Levene and Ray-

b-Methyl (Levene and Raymond) 1933, 102, 331

— monoacetone, phosphoric esters, pentose, yeast nucleic acid, relation (Levene and RAYMOND)

1933, 102, 347

Monoacetone, derivatives (Levene and Raymond)

1933, 102, 317

Phosphoric esters, pentose, yeast nucleic acid, relation (LEVENE and RAYMOND)

1933, 102, 347

Tolerance, blood urea, nephritis, comparison (Larson) 1935, 109, lii Xylosephosphoric acids: (LEVENE and RAYMOND)

1934, 107, 75

Xylulose: d-, metabolism (LAR-SON, BLATHERWICK, BRAD-SHAW, EWING, and SAWYER) 1937, 117, 719

monoacetone, structure (LEVENE and TIPSON)

1937, 120, 607

1-, metabolism (LARSON, BLA-THERWICK, BRADSHAW, EWING, and SAWYER)

1938, 123, lxxiii

Preparation (LEVENE and TIP-1936, 115, 731 son)

Y

Yeast: Adenylic acid, acridine salts (TIPSON)

1937, 120, 621

- -, ribosephosphoric acid from (LEVENE and HARRIS) 1933, 101, 419

Alcohol extract, growth relation (RYMER and LEWIS)

1936, 114, 361

formation, heavy water effect (Evans and RITTEN-1937, 119, xxxi BERG) sugar, fermentable, Blood determination, gasometric (Holden)

1937, 119, 347

Cephalin (Salisbury and An-DERSON)

1935-36, 112, 541

Cytochrome, spectrograph, temperature effect (URBAN)

1935, 109, xciii

Dietary factor, essential (EL-VEHJEM, KOEHN, and OLE-1936, 114, xxxi son)

Yeast-continued:

Dietary, liver total fatty acid and cholesterol, nephrectomy, effect (Hortenstine, CHANUTIN, and LUDEWIG)

1938, 125, 455

Extract, fermentation and respiration, dyestuffs, (MICHAELIS and SMYTHE)

1936, 113, 717

-, glucosemonophosphate and glycerophosphate salt, isolation (SMYTHE)

1937, 117, 135

-, glucose-1-phosphoric acid formation (CORI, COLOWICK, and Cori)

1938, 123, 375

-, hexosemonophosphate from (MICHAELIS and SMYTHE)

1936, 114, lxx

1937, 118, 619 (SMYTHE) Fat, acetone-soluble (New-MAN and ANDERSON)

1933, 102, 219

Fermentation, carbon dioxide determination, apparatus (FRANKE and Moxon)

1934, 105, 415

-, iodoacetic acid inhibition, sulfhydryl relation (SCHROE-DER, WOODWARD, 1933, 101, 133 PLATT) Galac, preparation (KIRBY and ATKIN) 1936, 116, 511 Growth, inositol, crystalline vitamin B, and pantothenic acid, effect (WILLIAMS and SAUNDERS)

1934, 105, xcix

pantothenic acid effect (RICHARDS)

1936, 113, 531

Yeast-continued:

Histidine determination, Kapeller-Adler method (Wool-LEY and PETERSON)

1937-38, 122, 207

Invertase activity, protein influence (SAUL and NELSON) 1935, 111, 95

-, preparation (Lutz and Nelson) 1934, 107, 169 Lecithin (Salisbury and An-DERSON)

1935-36, 112, 541

Maltose fermentation, activators (BLISH and SAND-STEDT) 1937, 118, 765
Nucleic acid, decomposition, enzymatic (DUBOS and THOMPSON)

1938, 124, 501

— —, pentose, xylose and 5methyl monoacetone xylose phosphoric esters, relation (Levene and Raymond)

1933, 102, 347

Pepsin, determination (HECHT and CIVIN)

1936, 116, 477

Phospholipids (Newman and Anderson)

1933, 102, 229

Preparations, iodoacetate and iodoacetamide reaction (SMYTHE) 1936, 114, 601
Proteins (CSONKA)

1934, 105, xix 1935, 109, 703

Pyruvic acid utilization (SMYTHE) 1938, 123, cxi 1938, 125, 635

Trypsin, determination (HECHT and CIVIN)

1936, 116, 477

Yeast—continued:

Vitamin B complex, thermostability (SCHULTZ)

1937, 119, lxxxviii

- G (BLOCK and FARQUHAR) 1933, 103, 643

Zymin, carbon dioxide production, electrolyte effect (STAVELY, CHRISTENSEN, and FULMER)

1935, 111, 771

-, - - -, ethanol effect (STAVELY, CHRISTENSEN, and FULMER)

1935, 111, 785

-, fermentation, phosphate content, electrolytes and ethanol, effect (Stavely, Christensen, and Fulmer)
1935, 111, 791

\boldsymbol{z}

Zein: Amphoteric properties (Cohn, Edsall, and Blanchard)

1934, 105, 319

Arsanilic acid and (Boyn and Hooker) 1934, 104, 329

White, yellow corn, preparation (Mason and Palmer)

1934, 107, 131

Zinc: Biological material, determination (Sahyun and Feldramp) 1936, 116, 555
Insulin action, effect (Scott

and FISHER)

1936, 114, lxxxviii

Nutrition (STIRN, ELVEHJEM, and HART)

1935, 109, 347

Plant tissue, histochemical analysis (REED and DU-FRENOY) 1934, 105, lxx Zinc chloride: Amino acids, reaction (Joseph)

1935, 111, 479

Zinc hydroxide: Blood filtrates, protein-free, preparation (LETONOFF)

1934, 106, 693

Zwitter ions: Activity coefficients and reaction rate, systems containing (STRAUP-COPE and COHN)

1934, 105, lxxxvii — — in systems containing (Joseph) 1934, 105, xliii Zymin: Yeast, carbon dioxide production, electrolyte effect (STAVELY, CHRISTENSEN, and FULMER)

1935, 111, 771

—, — — —, ethanol effect (STAVELY, CHRISTENSEN, and FULMER)

1935, 111, 785

—, fermentation, phosphate content, electrolyte and ethanol effect (STAVELY, CHRISTENSEN, and FULMER)

1935, 111, 791



THE JOURNAL OF BIOLOGICAL CHEMISTRY

FOUNDED BY CERISTIAN A. HERTER AND SUSTAINED IN PART BY THE CHRISTIAN A. HERTER MEMORIAL FUND

EDITED FOR THE AMERICAN SOCIETY OF BIOLOGICAL CHEMISTS


EDITORIAL BOARD

RUDOLPH J. ANDERSON W. MANSFIELD CLARK HANS T. CLARKE CARL F. CORI EDWARD A. DOISY A. BAIRD HASTINGS

HOWARD B. LEWIS ELMER V. McCOLLUM WILLIAM C. ROSE WILLIAM C. STADIE DONALD D. VAN SLYKE HUBERT B. VICKERY

INDEX **VOLUMES 126-150** 1938-1943_

COMPILED BY ISAAC NEUWIRTH



NEW HAVEN

1947

Made in the United States of America

COPYRIGHT, 1947

THE AMERICAN SOCIETY OF BIOLOGICAL CHEMISTS, INC.

PUBLISHED AT YALE UNIVERSITY FOR
THE AMERICAN SOCIETY OF BIOLOGICAL CHEMISTS, INC.
WAVERLY PRESS, INC.
BALTIMORE, U. S. A.

AUTHOR INDEX

Abbott Lynn DeForrest, Jr., and Lewis, Howard B. Comparative studies of the metabolism of the amino acids. VIII. Glycine precursors. Availability of N-methylglycine, N,N-dimethylglycine, and betaine for the synthesis of hippuric acid by the rabbit, 131, 479

and —. IX. Glycine precursors.
 Availability of N-ethylglycine and glycolic acid for the synthesis of hippuric acid by the rabbit, 137, 535

 Availability of formylglycine, acetylglycine, and propionylglycine for the synthesis of hippuric acid by the rabbit,
 145, 241

and Salmon, C. Lester, Jr. Experimental alkaptonuria in the white rat on high tyrosine diets,
 150, 339

Abbott, William E. See Mellors, Muntwyler, Mautz, and Abbott, 144, 785

Abramowitz, A. A. Purification of the chromatophorotropic hormone of the crustacean evestalk, 132, 501

Abrams, Richard. See Altschul, Abrams, and Hogness, 130, 427 136, 777

Altschul, A. M., and Hogness, T. R.
 Cytochrome c peroxidase. II. The peroxidase-hydrogen peroxide complex,
 142, 303

Abramson, Harold A., and Moore, Dan H. Note on electrophoretic patterns following aeration of ragweed pollen extract, 144, 579

Adams, Mark H., Reeves, Richard E., and Goebel, Walther F. The synthesis of 2,4-dimethyl-β-methylglucoside,

140,653

128, 69

-. See Hogeboom and Adams, 145, 273

 See Goebel, Shedlovsky, Lavin, and Adams, 148, 1

Addis, T. See Poo, Lew, and Addis,

Adlersberg, David, and Ellenberg, Max-Effect of carbohydrate and fat in the diet on uric acid excretion, 128, 379

Adolph, William H., and Liang, Chih-Chuan. Calcium in the alimentary tract of the rat, 137, 517

— and —. The fate of oxalic acid administered to the rat, 146, 497

Agren, Gunnar, Hammarsten, Einar, and Rosdahl, Karl Gustaf. The disappearance of amino nitrogen from cellfree liver extracts. II, 127, 541

Albanese, Anthony A. An electrolytic method for the determination of the basic amino acids in proteins,

134, 467

 and Frankston, Jane E. A new color test for tryptophane in protein hydrolysates, 144, 563

—, Holt, L. Emmett, Jr., Kajdi, Charlotte N., and Frankston, Jane E. Observations on tryptophane deficiency in rats. Chemical and morphological changes in the blood, 148, 299

Albaum, H. G., and Worley, L. G. The development of cytochrome oxidase in the chick embryo, 144, 697

—. See DuBois, Albaum, and Potter, 147, 699

Albaum, Harry G., and Cohen, Philip P. Transamination and protein synthesis in germinating oat seedlings,

149, 19

Alburn, Harvey E., and Myers, Victor C.
The creatine, phosphorus, and collagen
content of different sections of the dog
heart.
131, 713

Alexander, Benjamin, and Subbarow, Yellapragada. A new bios factor in liver extract. 135, 341

 and Levi, J. Elliot. A simple method for the chemical determination of urinary thiamine based upon the Prebluda-McCollum reaction,

1**46**, 399

Allen, Della. See Collier and Allen, 140, 675

Allen, Frank Worthington, and Eiler,	Almquist, H. J.—continued:
John J. The action of crystalline	See Klose and Almquist, 132, 469
ribonuclease on ribonucleic acid,	-, Stokstad, E. L. R., Mecchi, E., and
137, 757	Manning, P. D. V. Identification of
See Bolomey and Allen, 144, 113	the rice factor, 134, 213
Allen, Thomas Hunter, Boyd, G. E., and	-, Mecchi, E., Stokstad, E. L. R., and
Bodine, Joseph Hall. Enzymes in	Manning, P. D. V. Identification of
ontogenesis (Orthoptera). XXI. Uni-	the rice factor. The carbohydrate
molecular films and fractions of	component, 134, 465
protyrosinase activators from grass-	See Klose and Almquist, 135, 153
hopper egg oil, 143, 785	— and Mecchi, E. Identification of the
Allen, Willard M., and Viergiver, Ellen-	rice factor. The essential nature of
mae. A titrimetric method for the	the glycine component, 135, 355
determination of sodium pregnanediol	 See Stokstad, 'Almquist, Mecchi,
glucuronidate in the urine of pregnant	Manning, and Rogers, 137, 373
women, 141, 837	See Klose and Almquist, 138, 467
See Woolf, Viergiver, and Allen,	-, Mecchi, E., and Kratzer, F. H.
146, 323	Creatine formation in the chick,
Alles, Gordon A., and Hawes, Roland C.	141, 365
Cholinesterases in the blood of man,	-, Kratzer, F. H., and Mecchi, E.
133, 375	Further experiments on creatine for-
-, Blohm, Clyde L., and Saunders, Paul	mation in the chick, 148, 17
R. Tyrosinase and phenolic pressor amines, 144, 757	- and Grau, C. R. Growth-promoting activity of betaine in the chick,
- and Heegaard, Erik V. Substrate	149, 575
specificity of amine oxidase, 147, 487	-, Mackinney, G., and Mecchi, E.
See Heegaard and Alles, 147, 505	The diet of hens and the vitamin A
Allinson, M. J. Carl. See Miller, Allin-	potency of their eggs, 150, 99
son, and Baker, 130, 383	Althausen, T. L. See Eiler, Stockholm,
A specific enzymatic method for the	and Althausen, 134, 283
determination of nicotinic acid in	Altschul, A. M., Sidwell, A. E., Jr., and
blood, 147, 785	Hogness, T. R. Note on the prepara-
Allison, Franklin E. See Hoover and	tion and properties of hemoglobin,
Allison, 134, 181	127, 123
Allison, James B., and Cole, William H.	- and Hogness, T. R. The hemo-
The nitrogen, copper, and hemocyanin	globin-oxygen equilibrium, 129, 315
content of the sera of several arthro-	-, Abrams, Richard, and Hogness, T. R.
pods, 135, 259	Soluble cytochrome C oxidase,
-, -, Leathem, James H., Nastuk,	130, 427
William L., and Anderson, John A.	-, -, and Cytochrome c peroxidase,
Acidosis and decreased urine flow in the rabbit during gravity shock,	136, 777
147, 255	—. See Abrams, Altschul, and Hogness, 142, 303
Almquist, H. J., and Mecchi, E. The	Alvarez-Tostado, C. Convection effects
influence of bile on erosions of the	in electrophoresis, 135, 799
chick gizzard lining, 126, 407	Alving, Alf S., Rubin, Jack, and Miller,
- and Klose, A. A. Antihemorrhagic	Benjamin F. A direct colorimetric
activity of 2-methyl-1,4-naphthoqui-	method for the determination of
none, 130, 787	inulin in blood and urine, 127, 609
- and A derivative of vitamin K1,	See Flox, Pitesky, and Alving,
130, 791	142, 147

Aleine Alf C
Alving, Alf S.—continued: —. See Sendroy and Alving, 142, 159
Amberson, William R. See Oster and
Amberson, William R. See Oster and Amberson, 131, 19
Ames, James B. See Ratish, Bullowa,
Ames, and Scudi, 128, 279
Ammundsen, Esther. Studies on the
presence of non-carbon monoxide-
combining (inactive) hemoglobin in
the blood of normal persons, 138, 563
Anchel, Marjorie, and Waelsch, Heinrich.
The higher fatty aldehydes. I. Iso-
lation from small amounts of tissue
with acidic carbonyl reagents,
145, 605
Andersch, Marie A. See Fay, Andersch,
and Behrmann, 144, 383
Anderson, Arthur K. See Matthews,
Dow, and Anderson, 135, 697 Anderson, Carl E. See Irvin, Merker,
Anderson, Carl E. See Irvin, Merker,
Anderson, and Johnston. 131, 439
See Tenery and Anderson, 135, 659
Anderson, Edith L., and Marrian, Guy
Frederic. The identification of equal
as 7-hydroxy-3-(4'-hydroxyphenyl)
chroman, and the synthesis of racemic
equol methyl ether, 127, 649
Anderson, Ernest, Hechtman, John, and
Seeley, Millard. Hemicelluloses from
cottonseed hulls, 126, 175
-, Seeley, Millard, Stewart, William T.,
Redd, John C., and Westerbeke, Don.
The origin and composition of the
hemicelluloses obtained from hard-
woods, 135, 189
-, Kesselman, Joseph, and Bennett,
Emil C. Polyuronide hemicelluloses
isolated from sap-wood and compres-
sion wood of white pine, Pinus strobus,
L., 140, 563
—, Gillette, Leslie A., and Seeley,
Millard G. The mucilage from Indian
wheat, Plantago fastigiata, 140, 569
-, Kaster, Robert B., and Seeley, Millard
G. Hemicelluloses and pectic mate-
rials from cottonwood, Populus mac-
dougali, 144, 767
Anderson, Evelyn. See Morton, Chaikoff,
Reinhardt, and Anderson. 147, 757

- Anderson, H. D., and Elvehjem, C. A. Variations in the blood calcium and phosphorus with the age of the dog, 134, 217
- Anderson, John A. See Allison, Cole, Leathem, Nastuk, and Anderson, 147, 255
- Anderson, R. J. See Stodola, Lesuk, and Anderson, 126, 505
- -. See Wieghard and Anderson,
 - 126, 515
- -. See Cason and Anderson,
- and Creighton, M. M. The chemistry of the lipids of tubercle bacilli. LVII.
 The mycolic acids of the avian tubercle bacillus wax,
- -. See Salisbury and Anderson,
 - 129, 505

- See Geiger and Anderson, 129, 519
 and Creighton, M. M. Concerning the
- synthesis of phthiocol, 130, 429

 -. See Geiger and Anderson, 131, 539
- and Creighton, M. M. The chemistry of the lipids of tubercle bacilli. LIX.
 The composition of the polysaccharide of the firmly bound lipids of the leprosy bacillus,
 131, 549
- —, —, and Peck, Robert L. The chemistry of the lipids of tubercle bacilli. LX. Concerning the firmly bound lipids of the avian tubercle bacillus, 133,675
- —, Peck, Robert L., and Creighton, M. M. The chemistry of the lipids of tubercle bacilli. LXI. The polysaccharide of the phosphatide obtained from cell residues in the preparation of tuberculin, 136, 211
- -. See Lesuk and Anderson, 136, 603
- -. See Peck and Anderson, 138, 135
- -. See Lesuk and Anderson, 139, 457
- -. See Peck and Anderson, 140, 89 Anderson, Thomas F. See Stanley and
- Anderson, 139, 325

 and Stanley, W. M. A study by means of the electron microscope of
- the reaction between tobacco mosaic virus and its antiserum, 139, 339
 - —. See Stanley and Anderson, 146, 25

139, 65

139, 953

145, 345

148, 415

The rela-

6 Andersson, Kjell J. I. See Miller and Artom, Camillo, and Freeman, John A. 144, 459, 465, 475 Individual phospholipids in plasma Andersson, Andrade, Sylvia O. See Rocha e Silva of rabbits after fatty meals, 135, 59 Cephalins, choline-containing phosand Andrade, 149, 9 Andrews, James C. See Kyker, Webb, pholipids, and total phospholipids in and Andrews, 139, 551 normal human plasma, Andrews, John S., and Brooks, H. J. -. Phospholipid metabolism in dener-A quantitative method for the detervated muscles, mination of blood in the feces of sheep See Fishman and Artom, by means of the Evelyn photoelectric - and Fishman, William H. tion of the diet to the composition of colorimeter. 138, 341 tissue phospholipids. I. The normal Ansbacher, S., and Fernholz, Erhard. Vitamin K activity in the benzocomposition of liver and muscle lipids quinone series. 131, 399 of the rat, with a note on the analytical See Martin and Ansbacher, 138, 441 procedures, Anslow, William P., Jr. See Fruton and - and -. II. Changes in tissue phos-127, 627 pholipids induced by experimental Bergmann, See Binkley, Anslow, and du Vidiets. gneaud. 143, 559 and —. III. Effects of supple-Anson, M. L. The sulfhydryl groups of mented experimental diets on tissue 135, 797 egg albumin, phospholipids in rats of two age Antopol, William, and Glick, David. Studies in histochemistry. XV. The - and Swanson, Marjorie. The action histological distribution of choline of bromo-substituted fatty acids on esterase in the adrenal gland, 132, 669 -. See Scudi, Unna, and Antopol, 135, 371 Archibald, Reginald M. See Beckman, Hiller, Shedlovsky, and Archibald, - and Hamilton, Paul B. Removal of canavanine from preparations of jack bean urease, 150, 155 -. See Van Slyke, Phillips, Hamilton, Archibald, Futcher, and Hiller,

acid with heat,

treatment with alkali.

-, Kazal, Louis A., and De Falco, Ralph

J. The preparation of apparently

non-antigenic beef serum protein by

liver fat, 148, 633 Astrup, Tage, and Darling, Sven. Preparation of thrombin, 133, 761 Astwood, E. B. See Talbot, Lowry, and Astwood, 132, 1 - and Jones, G. E. Seegar. A simple method for the quantitative determination of pregnanediol in human urine. 137, 397 Atkin, Lawrence, Schultz, A. S., and Frey, Charles N. Ultramicrodeter-150, 481 mination of thiamine by the fermenta-Armstrong, Marvin D. See Kilmer, tion method, 129, 471 Armstrong, Brown, and du Vigneaud, See Schultz, Atkin, and Frey, 145, 495 135, 267 Arnold, Aaron. See Weinstock, May, 136, 713 Arnold, and Price, 135, 343 Aull, J. C., and Kinard, Fredrick W. Arnow, L. Earle, and Opsahl, Jeanette C. The determination of tungsten in Partial racemization of glutamic acid biological materials, 135, 119 in boiling hydrochloric acid solutions, Austoni, Mario E., Rabinovitch, Alex-133, 765 ander, and Greenberg, David M. - and -. Racemization of glutamic The iron content of the tissues of

normal, anemic, and iron-enriched

rats freed from blood by viviperfusion,

- and Greenberg, David M. Studies in

iron metabolism with the aid of its

134, 17

134, 649

- and -. Synthesis of dimethyl ethers

Axelrod.

Axelrod, Bernard. See Balls,

and Kies, 149, 491 absorption, excretion, and distribution of iron in the rat on normal and В iron-deficient diets, Babbitt, Dorothea. See Bratton and Avrin, Ira. See Erickson, Avrin, Teague, 128, 537 Marshall. and Williams, 135, 671 Axelrod, A. E., and Elvehjem, C. A. Bacher, F. A. See Trenner and Bacher, 137, 745 The determination of coenzyme I in Bachman, Carl. See Gurin, Bachman, animal tissues. 131, 77 -, Madden, Robert J., and Elvehjem, and Wilson, 128, 525 Photometric determination of estro-C. A. The effect of a nicotinic acid gens. I. A modified Kober reaction deficiency upon the coenzyme I for determining the total estrogens content of animal tissues, 131, 85 -, Sober, H. A., and Elvehjem, C. A. in a mixture of estrogenic steroids, The d-amino acid oxidase content of II. A new color reaction for estriol, rat tissues in riboflavin deficiency, 134, 749 131, 463 See Gurin, Bachman, and Wilson, See Wagner, Axelrod, Lipton, and Elvehjem, 136, 357 133, 467, 477 - and Pettit, Dorothy Seymour. Photo--, Spies, Tom D., and Elvehjem, C. A. The effect of a nicotinic acid deficiency metric determination of estrogens. upon the coenzyme I content of the III. A procedure for the estimation human erythrocyte and muscle, of the estrogens of pregnancy urine, 138, 667 138, 689 - and Elvehjem, C. A. The xanthine See Lundgren, Gurin, Bachman, and oxidase content of rat liver in ribo-140, 725 flavin deficiency. Baer, Erich, and Fischer, Hermann O. L. -, Swingle, Karl F., and Elvehjem, Studies on acetone-glyceraldehyde. C. A. The stimulatory effect of IV. Preparation of d(+)-acetone glyccalcium upon the succinoxidase acerol, 128, 463 tivity of fresh rat tissues, 140, 931 - and -. V. Synthesis of optically -. See Katzenelbogen, Axelrod, and active glycerides from d(+)-acetone Elvehiem. 141, 611 glycerol, 128, 475 -, Potter, V. R., and Elvehjem, C. A. — and —. VI. Synthesis of the biologi-The succinoxidase system in ribocal l(-)- α -glycerophosphoric acid, flavin-deficient rats, 142, 85 128, 491 -. See Pilgrim, Axelrod, and Elvehjem, - and -. Synthesis of the d(+)- α -145, 237 glycerophosphoric acid and the action -, Swingle, Karl F., and Elvehjem, of phosphatases on synthetic d(+)-, C. A. Studies on the succinoxidase dl-α-glycerophosphoric l(-)-, and system of rat liver in riboflavin acids, 135, 321 deficiency, 145, 297 - and -. Studies on acctone-glycer--. See Swingle, Axelrod, and Elvehjem, aldehyde, and optically active glycer-145, 581 ides. IX. Configuration -, Gross, Paul, Bosse, M. D., and natural batyl, chimyl, and selachyl Swingle, K. F. Treatment of leucoalcohols. penia and granulopenia in rats receiv-- and -. Dimeric dl-glyceraldehydeing sulfaguanidine in purified diets. 1,3-diphosphate, 143, 563

artificial radioactive isotope. The

Baer, Erich—continued: of the two enantiomorphic α-butyrins and their hydrolysis by lipases, 145, 61 A suggested mechanism of biological The formation acylations. I. 146, 391 acetylcholine, - and Fischer, Hermann O. L. Glyceraldehyde 1,3-diphosphate (dimeric) **150**, 213 — and —. A synthesis of dl-glyceraldehyde 3-phosphate, 150, 223 Baernstein, Harry D., and Grand, J. A. The effect of lead acetate on oxygen uptake of rat liver slices, Bailey, B., Belfer, Samuel, Eder, Howard, and Bradley, H. C. Oxidation, reduction, and sulfhydryl in autolysis, 143, 721 Bailey, C. H. See Stamberg and Bailey, 126, 479 Baker, Dwight L., and Nelson, J. M. kidney Non-oxidase nature of "laccase," 147, 341 Baker, E. E. See Hassid, Baker, and McCready, 149, 303 Baker, Zelma. See Miller, Allinson, and Baker. 130, 383 - and Miller, Benjamin F. Studies on the metabolism of creatine and creatinine. II. The distribution of creatine and creatinine in the tissues of the rat, 130, 393 dog, and monkey, — and —. III. Formation of creatine by isolated rat tissues, 132, 233 Baldes, Edward J. See Roepke and Baldes, 126, 349 Baldwin, H. R. See Hale, Davis, and Baldwin. 146, 553, 565 Bale, William F. See Haven and Bale, 129, 23 See Manly and Bale, 129, 125 See Hahn, Granick, Bale, and Michaelis, 150, 407 Ball, Eric G. Xanthine oxidase: purification and properties, 128, 51 - and Ramsdell, Pauline A. The catalytic action of milk flavoprotein

in the oxidation of reduced diphospho-

131, 767

pyridine nucleotide (cozymase),

Ball, Eric G .- continued:

antiscorbutic properties, - and Meyerhof, Bettina. On the occurrence of iron-porphyrin compounds and succinic dehydrogenase in marine organisms possessing the copper blood pigment hemocyanin, 134, 483

A test of 2-keto-l-gulonic acid for

 See Tucker and Ball, 139, 71

-, Tucker, Helen F., Solomon, A. K., and Vennesland, Birgit. The source of pancreatic juice bicarbonate,

140, 119

Ballou, Gerald A., and Luck, James Murray. Buffer influence on takadiastase, 135, 111

 and —. The effects of different buffers on the activity of β -amylase, 139, 233

Balls, A. K., and Lineweaver, Hans. Isolation and properties of crystalline papain, 130,669

 See Martin, Balls, and McKinney, 130, 687

 See Jansen and Balls, 137, 459

-, Axelrod, Bernard, and Kies, Marian W. Soy bean lipoxidase, 149, 491 Bamman, Frieda. See Jensen, Tolksdorf. and Bamman, 135, 791

Barborka, Clifford J. See Friedemann and Barborka, 138, 785 141, 993

Barkan, Georg, and Walker, Burnham S. The red blood cell as a source of the iron and bilirubin of the blood plasma,

 and —. Determination of serum iron and pseudohemoglobin iron with ophenanthroline,

 and —. Differentiation of red blood cells by their pseudohemoglobin content, 135, 803

Barker, H. A. See Hassid and Barker, 134, 163

Studies on the methane fermentation. V. Biochemical activities Methanobacterium omelianskii,

137, 153

and Beck, J. V. The fermentative decomposition of purines by Clos-

tridium acidi-urici and Clostridium	The fate of trichloroethylene in the
cylindrosporum, 141, 3	organism, 127, 765
Barker, S. B., Shorr, Ephraim, and	Barron, E. S. Guzman, and Lyman, Carl
Malam, Muriel. Studies on the	M. Studies on biological oxidations.
Pasteur reaction: effect of iodoacetic	XI. The metabolism of pyruvic acid
acid on the carbohydrate metabolism	by animal tissues and bacteria,
of isolated mammalian tissues,	127, 143
129, 33	See Lyman and Barron, 132, 293
See Chambers, Chandler, and	 Studies on biological oxidations.
Barker, 131, 95	XIII. The oxidation-reduction poten-
Acetaldehyde in mammalian red	tials of Spirographis hemin and its
blood cells, 137, 783	hemochromogens, 133, 51
- and Summerson, William H. The	-, Dick, George F., and Lyman, Carl M.
colorimetric determination of lactic	The chemical nature of scarlet fever
acid in biological material, 138, 535	toxin, 137, 267
Barlow, O. W. See Huber and Barlow,	- and Friedemann, Theodore E. Studies
149, 125	on biological oxidations. XIV. Oxida-
Barnes, Richard H., and Wick, Arne N.	tions by microorganisms which do not
A method for the determination of	ferment glucose, 137, 593
blood acetone bodies, 131, 413	- and Lyman, Carl M. Studies on
See MacKay, Barnes, Carne, and	biological oxidations. XV. The rates
Wick, 135, 157	of reduction of thiamine and diphos-
—, Miller, Elmer S., and Burr, George O.	phothiamine, 141, 951
The absorption and transport of fatty	-, -, Lipton, M. A., and Goldinger,
acids across the intestinal mucosa,	J. M. Studies on biological oxida- tions. XVI. The effect of thiamine
140, 233	on condensation reactions of pyruvate,
-, -, and The adrenals and fat	141, 957
absorption, 140, 241	-, Goldinger, J. M., Lipton, M. A., and
-, -, and The influence of the	Lyman, Carl M. Studies on biological
adrenals on the transport of fat into	oxidations. XVII. The effect of
the liver, 140, 247	thiamine on the metabolism of α -
-, -, and Fat absorption in	ketoglutarate, 141, 975
essential fatty acid deficiency,	Barrus, Dorothy. See Sunderman,
140, 773	143, 185
See Swendseid, Barnes, Hemingway,	Bartlett, Paul. See Gaebler and Bartlett,
and Nier, 142, 47	129, 559
-, Lundberg, W. O., Hanson, H. T., and	Basinski, Daniel H. See Sealock, Perk-
Burr, George O. The effect of certain	inson, and Basinski, 140, 153
dietary ingredients on the keeping	Bastedo, W. A. See Scudi, Bastedo, and
quality of body fat, 149, 313	Webb, 136, 399
Barnes, S. T. See Mueller, Kemmerer,	Bauer, Walter. See Robertson, Ropes,
Cox, and Barnes, 134, 573	and Bauer, 133, 261
Barnum, Cyrus P. See MacKay, Wick,	Bauld, W. S. See Heard, Bauld, and
· · · · · · · · · · · · · · · · · · ·	Hoffman, 141, 709
and Barnum, 135, 183	Baumann, C. A., and Stare, F. J. The
136, 503	effect of malonate on tissue respiration
137, 183	133, 183
See MacKay, Wick, Carne, and	See Stare and Baumann, 133, 453
Barnum, 138, 63	 See Berger, Johnson, and Baumann
Barrett, H. M., and Johnston, J. H.	137, 389

Baumann, C. A .- continued:

See Jacobi, Baumann, and Meek,
138, 571
See Jacobi and Baumann,
142, 65

-, Foster, E. G., and Moore, P. R. The effect of dibenzanthracene, of alcohol, and of other agents on vitamin A in the rat, 142, 597

—, Field, John B., Overman, Ralph S., and Link, Karl Paul. Studies on the hemorrhagic sweet clover disease. X. Induced vitamin C excretion in the rat and its effect on the hypoprothrom-binemia caused by 3,3'-methylenebis-(4-hydroxycoumarin), 146, 7

Baumann, Emil J., and Metzger, Nannette. Iodine in pituitary and some other tissues, 127, 111

Baumberger, J. Percy. See Horowitz and Baumberger, 141, 407

Baxter, J. G., Harris, P. L., Hickman, K. C. D., and Robeson, C. D. Noncrystallizable vitamin A, 141, 991

Bazett, H. C. A modified Haldane gas analyzer for analysis of mixtures with one hundred per cent absorbable gas, 139, 81

Beach, Eliot F., and White, Abraham. Synthesis of cystine by the albino rat, 127, 87

—, Erickson, Betty Nims, Bernstein, Samuel S., Williams, Harold H., and Macy, Icie G. The amino acid composition of erythrocyte posthemolytic residue of five mammalian species,

128, 339

—, Bernstein, Samuel S., Hummel,
Frances C., Williams, Harold H., and
Macy, Icie G. Total sulfur, cystine,
and methionine content of blood
globins of five mammalian species,

130, 115

-. See Stern, Beach, and Macy,

—, Bernstein, Samuel S., Hoffman, Olive D., Teague, D. Maxwell, and Macy, Icie G. Distribution of nitrogen and protein amino acids in human and in cow's milk, 139, 57

- and Teague, D. Maxwell. A gravi-

Beach, Eliot F .- continued:

metric method for the determination of methionine, 142, 277

—, Munks, Bertha, and Robinson, Abner. The amino acid composition of animal tissue protein, 148, 431

Beadle, B. W., and Zscheile, F. P. Studies on the carotenoids. II. The isomerization of β -carotene and its relation to carotene analysis,

144, 21

—, Greenwood, D. A., and Kraybill, H. R. Stability of thiamine to heat. I. Effect of pH and buffer salts in aqueous solutions, 149, 339

 See Greenwood, Beadle, and Kraybill, 149, 349

Beadle, G. W. See Horowitz and Beadle, 150, 325

Bear, Richard S., and Cori, Carl F. X-ray diffraction studies of synthetic polysaccharides, 140, 111

Beard, Dorothy. See Neurath, Cooper, Sharp, Taylor, Beard, and Beard,

—. See Sharp, Taylor, Beard, and Beard, 142, 193

Beard, J. W. See Neurath, Cooper, Sharp, Taylor, Beard, and Beard, 140, 293

—. See Sharp, Taylor, Beard, and Beard, 142, 193

—. See Sharp, Hebb, Taylor, and Beard, 142, 217

Bebb, K. C. See Treadwell, King, Bebb, and Tidwell, 143, 203

Beck, J. V. See Barker and Beck,

Beck, Lyle Vibert. Organic phosphate and "fructose" in rat intestinal mucosa, as affected by glucose and by phlorhizin, 143, 403

Beckman, William W., Hiller, Alma, Shedlovsky, Theodore, and Archibald, Reginald M. The occurrence in urine of a protein soluble in trichloroacetic acid, 148, 247

Beecher, Henry K., Follansbee, R., Murphy, A. J., and Craig, F. N. Determination of the oxygen content of

Beecher, Henry K.—continued:	Bennett, Mary Adelia—continued:
small quantities of body fluids by	- and Toennies, Gerrit. A nutritional
polarographic analysis, 146, 197	assay of casein modified by the action
- and Craig, Francis N. Tissue metabo-	of hydrogen peroxide and formic acid,
lism following shock induced by	145, 671
hemorrhage, 148, 383	Benotti, Joseph. See Thannhauser, Setz,
Beeson, Paul B. See Goebel, Beeson,	and Benotti, 126, 785
and Hoagland, 129, 455	See Thannhauser, Benotti, and
Behre, Jeanette Allen. A modified	Reinstein, 129, 709
salicylaldehyde method for the deter-	See Thannhauser, Benotti, Walcott,
mination of acetone bodies in blood	and Reinstein, 129, 717
and urine, 136, 25	Benotti, Norbert. See Ginsburg and
Behrens, Otto K., and Bergmann, Max.	Benotti, 131, 503
Cosubstrates in proteolysis, 129, 587	Berg, Benjamin N. See Bloch, Berg,
-, Doherty, David G., and Bergmann,	and Rittenberg, 149, 511
Max. Resolution of dl-phenylalanine	Berg, Clarence P. See Totter and Berg,
by asymmetric enzymatic synthesis,	127, 375
136, 61	—. See Sharp and Berg, 141, 739
See Miller, Behrens, and du Vi-	—. See Borchers and Berg, 142, 693
gneaud, 140, 411	—. See Borchers, Totter, and Berg,
Preparation of l-alanine from dl-	142, 697 —. See Borchers, Berg, and Whitman,
alanine by the action of d-amino acid	—. See Borchers, Berg, and Wittman, 145, 657
oxidase, 141, 465	See Featherstone and Berg, 146, 131
—. Coenzymes for glyoxalase, 141, 503	Berg, Robert L. See Westerfeld, Stoiz,
Behrmann, Vivian G. See Fay, Andersch,	and Berg, 144, 657
and Behrmann, 144, 383	See Westerfeld and Berg, 148, 523
Belfer, Samuel. See Eder, Bradley, and	See Westerfeld, Stotz, and Berg,
Belfer, 128, 551	149, 237
See Bailey, Belfer, Eder, and	Bergeim, Olaf. See Kirch and Bergeim,
Bradley, 143, 721	143, 575
-, Koran, Pearl, Eder, Howard, and	148, 445
Bradley, H. C. The autolysis of	Berger, Julius, and Johnson, Marvin J.
invertebrate tissues, 147, 345	Metal activation of peptidases,
Bender, R. C. See Supplee, Jensen,	130, 641
Bender, and Kahlenberg, 144, 79	—and —. The leucylpeptidases of malt,
Bendich, Aaron. See Chargaff, Moore,	cabbage, and spinach, 130, 655
and Bendich, 145, 593	- and The occurrence of leucyl-
See Chargaff and Bendich, 149, 93	peptidase, 133, 157
Benditt, Eleanor. See Sunderman,	- and The activation of dipepti-
143, 185	dases, 133, 639
Bennett, Emil C. See Anderson, Kessel-	-, -, and Baumann, C. A. Enzymatic
man, and Bennett, 140, 563	hydrolysis of d -peptides, 137, 389
Bennett, Emmett. The hemicelluloses of	Bergmann, Max. See Fruton and Berg-
forage plants, 146, 407	mann, 127, 627
Bennett, Mary Adelia. The replace-	—, Fruton, Joseph S., and Pollok, Heinz.
ability of dl-methionine in the diet	The specificity of trypsin, 127, 643 — and Stein, William H. A new prin-
of the albino rat with dl-methionine	ciple for the determination of amino
sulfone and dl-methionine methyl-	acids, and its application to collager
sulfonium chloride, 141, 573	and gelatin. 128. 217

Bergmann, Max-continued: See Behrens and Bergmann, 129, 587 See Ing and Bergmann, 129,603 - and Stein, William H. Naphthalene- β -sulfonic acid as a reagent for amino acids, 129,609 See Fruton and Bergmann, 130, 19 See Hofmann and Bergmann, 130, 81 See Fruton, Irving, and Bergmann, 132, 465 See Fruton and Bergmann, 133, 153 See Fruton, Irving, and Bergmann, 133, 703 See Hofmann and Bergmann, 134, 225 See Stein and Bergmann, 134, 627 See Doherty, Stein, and Bergmann, 135, 487 See Behrens, Doherty, and Berg-136, 61 mann. See Fruton and Bergmann, 136, 559 See Irving, Fruton, and Bergmann, 138, 231 See Hofmann and Bergmann, 138, 243 See Fruton, Irving, and Bergmann, 138, 249 See Smith and Bergmann, 138, 789 See Stein, Moore, and Bergmann, 139, 481 See Irving, Fruton, and Bergmann, 139, 569 See Fruton, Irving, and Bergmann, 141, 763 See Stein, Moore, Stamm, Chou, and Bergmann, 143, 121 See Irving, Fruton, and Bergmann, 144, 161 - and Fruton, Joseph S. The influence of substrate structure on the kinetics of carboxypeptidase action, 145, 247 -. See Fruton and Bergmann, 145, 253 See Doherty, Tietzman, and Berg-147, 617 Bergmann, Werner. The splitting of digitonides. 132, 471 Bergström, Sune. See Wintersteiner and

Bergström,

Bergström, Sune-continued:

- and Wintersteiner, O. Autoxidation of sterols in colloidal aqueous solution.
 The nature of the products formed from cholesterol,
 141, 597
- and —. Autoxidation of sterols in colloidal aqueous solution. II. Δ⁶ Cholestenediol-3(β),5, a rearrangement product of 7(β)-hydroxycholesterol,
 143, 503
- and —. III. Quantitative studies on cholesterol,
 145, 309
- and —. IV. The influence of esterification and of constitutional factors, 145, 327
- Berkman, Sam. See Dorfman, Berkman, and Koser, 144, 393
- Berman, R. A. See Talbot, Wolfe, Mac-Lachlan, and Berman, 139, 521
- Lachlan, and Berman, 139, 521

 —. See Talbot, Berman, and Mac-Lachlan. 143, 211
- Bernhard, Karl, and Schoenheimer, Rudolf. The inertia of highly unsaturated fatty acids in the animal, investigated with deuterium, 133, 707
- and —. The rate of formation of stearic and palmitic acids in normal mice,
 133, 713
- Bernhart, F. W. Denaturation and molecular splitting of egg albumin by ultraviolet radiant energy, 128, 289
 —. Molecular weight of egg albumin,
- 132, 189

 and Skeggs, Leonard. The iron content of crystalline human hemoglobin,
 147, 19
- Bernheim, Frederick, Bernheim, Mary L. C., and Michel, Harry O. The effect of pyrrole on the oxidation of amines and the non-natural isomers of certain amino acids. 126, 273
- and —. The action of vanadium on the oxidation of phospholipids by certain tissues, 127, 353
- and —. The effect of titanium on the oxidation of sulfhydryl groups by various tissues,
 127, 695
- and —. Note on the action of manganese and some other metals on the oxidation of certain substances by liver, 128, 79

The action of papain and trypsin	 See Bernheim and Bernheim,
on certain dehydrogenases, 133, 141	127, 353, 695
The action of fatty acids on the	128, 79
choline oxidase of rat liver, 133, 291	134, 457
Note on the action of copper and	 See Handler, Bernheim, and Klein,
phenylhydrazine on certain dehydro-	138, 211
genases, 133, 485	 See Bernheim and Bernheim,
— and Bernheim, Mary L. C. Action of	138, 501
4-amino-2-methylnaphthol on the oxi-	140, 441
dation of certain sulfhydryl groups,	143, 391
134. 457	145, 213
See Handler, Bernheim, and Klein,	—. See Handler and Bernheim,
·	150, 335
138, 203	—. See Perlzweig, Bernheim, and Bern-
- and Bernheim, Mary L. C. The	heim, 150, 401
effect of 2,3,5-triiodobenzoate and	Bernstein, Samuel S. See Beach, Erick-
monoiodoacetate on the oxidation of	son, Bernstein, Williams, and Macy,
certain substances by rat brain,	128, 339
138, 501	See Beach, Bernstein, Hummel,
- and Klein, J. Raymond. Action of	Williams, and Macy, 130, 115
sodium selenite on the oxidation of	 See Beach, Bernstein, Hoffman, Teague, and Macy, 139, 57
<i>l</i> -proline, 139, 827	Teague, and Macy, 139, 57 Bessey, Otto A. A method for the
- and Bernheim, Mary L. C. Note on	determination of small quantities of
the oxidation of various sugars by	ascorbic acid and dehydroascorbic
brain tissue, 140, 441	acid in turbid and colored solutions in
—. The oxidation of benzoic acid and	the presence of other reducing sub-
related substances by certain Myco-	stances, 126, 771
bacteria, 143, 383	See Hastings, Muus, and Bessey,
- and Bernheim, Mary L. C. Note on	129, 295
the sarcosine oxidase, 143, 391	—. See Stotz and Bessey, 143, 625
-, Neurath, Hans, and Erickson, John	Bibler, Walter G. See Eichelberger and
O. The denaturation of proteins	
and its apparent reversal. IV. Enzy-	Bibler, 132, 645 Bills, Charles E., Massengale, O. N.,
matic hydrolysis of native, denatured,	
and apparently reversibly denatured	Hickman, K. C. D., and Gray, E. LeB.
proteins, 144, 259	A new vitamin D in cod liver oil,
See Handler and Bernheim,	126, 241
144, 401	Bina, Albert F., Thomas, James M., and
- and Bernheim, Mary L. C. The	Brown, Elmer B. The determination
action of phenylthiocarbamide on tyro-	of vitamin B ₆ (pyridoxine) in foods,
sinase, 145, 213	148, 111
See Handler and Bernheim,	Binkley, Francis. See du Vigneaud,
148, 649	Wood, and Binkley, 138, 369
See Perlzweig, Bernheim, and Bern-	 Anslow, William P., Jr., and du Vigneaud, Vincent. The formation of
heim, 150, 401	vigneaud, vincent. The formation of cysteine from ll -S-(β -amino- β -carboxy-
Bernheim, Mary L. C. See Bernheim.	ethyl)homocysteine by liver tissue,
Bernheim, and Michel, 126, 273	
120, 213	143, 559

Bernheim, Frederick.—continued: | Bernheim, Mary L. C.—continued:

- Binkley, Francis-continued:
- and du Vigneaud, Vincent. The formation of cysteine from homocysteine and serine by liver tissue of rats, 144, 507
- On the nature of serine dehydrase and cysteine desulfurase, 150, 261
 Binkley, S. B., MacCorquodale, D. W.,
- Binkley, S. B., MacCorquodale, D. W., Thayer, Sidney A., and Doisy, Edward A. The isolation of vitamin K₁,

130, 219

- See MacCorquodale, McKee, Binkley, Cheney, Holcomb, Thayer, and Doisy, 130, 433
- -. See McKee, Binkley, Thayer, Mac-Corquodale, and Doisy, 131, 327
- See MacCorquodale, Cheney, Binkley, Holcomb, McKee, Thayer, and Doisy, 131, 357
- —, McKee, R. W., Thayer, Sidney A., and Doisy, Edward A. The constitution of vitamin K₂, 133, 721
- Birch, T. W., and György, Paul. Physicochemical properties of the factor (vitamin H) curative of egg white injury, 131, 761
- Bird, H. R., Oleson, J. J., Elvehjem, C. A., and Hart, E. B. Effectiveness of chondroitin in preventing gizzard erosion in chicks, 126, 671
- -. See Oleson, Bird, Elvehjem, and Hart, 127, 23
- Bird, O. D., Vandenbelt, J. M., and Emmett, A. D. Adaptation of the Scudi colorimetric method for pyridoxine, 142, 317
- Birkinshaw, J. H., and Raistrick, H.
 Notatin: an antibacterial glucose
 aerodehydrogenase from *Penicillium*notatum Westling, 148, 459
- Bischoff, Fritz. The pieric acid and pierolonic acid precipitates of gonadotropic extracts, 132, 35
- Chemical studies on the pituitary
 "antagonist,"
 133, 621
- The action of cysteine or cyanide upon gonadotropic extracts, 134, 641
- Concerning the reversible inactivation of prolan,
 145, 545
- Biskind, M. S. See Shelesnyak and Biskind, 143.663

- Black, Simon, Frost, D. V., and Elvehjem, C. A. The relation of vitamin B₆ and pantothenic acid to factor W studies, 132, 65
- —, Overman, Ralph S., Elvehjem, C. A., and Link, Karl Paul. The effect of sulfaguanidine on rat growth and plasma prothrombin, 145, 137
- Blackwood, Frances C. See d'Elseaux, Blackwood, Palmer, and Sloman,

1**44,** 529

Blanchard, Kenneth C. The isolation of p-aminobenzoic acid from yeast,

140, 919

- Blatherwick, N. R. See Larson, Chambers, Blatherwick, Ewing, and Sawyer, 129, 701
- Larson, Hardy W., and Sawyer,
 Susan D. Metabolism of d-mannoheptulose. Excretion of the sugar after eating avocado,
 133, 643
- Bradshaw, Phoebe J., Ewing, Mary E., Larson, Hardy W., and Sawyer, Susan D. The metabolism of d-sorbitol,
 134, 549
- See Larson, Blatherwick, Bradshaw,
 Ewing, and Sawyer,
 136, 1
- --, Bradshaw, Phoebe J., Ewing, Mary
 E., and Sawyer, Susan D. Comparative metabolism of glucose and fructose in the rat,
- See Larson, Blatherwick, Bradshaw, Ewing, and Sawyer, 138, 353
 Blauch, Mary Brannock, and Koch,
- F. C. A new method for the determination of uric acid in blood, with uricase, 130, 443
- and —. Application of the uricase method to the study of changes in vitro in the uric acid content of certain mammalian bloods, 130, 455
- —, —, and Hanke, Martin E. A study of xanthine oxidase of rat blood,

130, 471

Bliss, Sidney. Increased excretion of urinary ammonia in the dog following the intravenous injection of both natural and unnatural forms of certain amino acids, 137, 217

Rudolf. Studies in protein metabo-XI. The metabolic relation of creatine and creatinine studied with isotopic nitrogen, 131, 111 - and -. The biological formation of creatine. 133, 633 — and —. The biological origin of the amidine group in creatine. $\cdot 134,785$ — and —. The biological demethylation of sarcosine to glycine, 135, 99 -, -, and Rittenberg, D. Rate of formation and disappearance of body creatine in normal animals, 138, 155 - and -. The biological precursors of creatine, 138, 167 - and Rittenberg, D. The biological formation of cholesterol from acetic acid. 143, 297 and —. On the utilization of acetic acid for cholesterol formation, 145, 625 - and -. The preparation of deuterio cholesterol. 149, 505 -, Berg, Benjamin N., and Rittenberg, D. The biological conversion of cholesterol to cholic acid, 149, 511 Block, Paul, Jr. A note on the conversion of diiodotyrosine into thyroxine, 135, 51 Block, Richard J., and Bolling, Diana. The amino acid composition of keratins. The composition of gorgonin, spongin, turtle scutes, and other keratins, 127,685 -. The composition of keratins. The amino acid composition of hair, wool, horn, and other eukeratins, 128, 181 - and Bolling, Diana. Chemical and metabolic studies on phenylalanine. I. The nitration of phenylalanine, 129, 1

Blix, Gunnar, Tiselius, Arne, and Svens-

son, Harry. Lipids and polysaccha-

rides in electrophoretically separated

Electrophoresis of lipid-free blood

On the nitrogenous constituent of

and

137, 485

137, 495

139, 471

Schoenheimer.

blood serum proteins.

Konrad,

serum.

Bloch,

cephalin,

Block, Richard J.—continued:

- and Bolling, Diana. The microestimation of threonine, 130, 365

-. The estimation of histidine, 133, 67

 Basic amino acid content of human serum proteins. The influence of the ingestion of arginine on the composition of the serum proteins, 133, 71

 See Jervis, Block, Bolling, and Kanze,
 134, 105

—, Jervis, George A., Bolling, Diana, and Webb, Merrill. Chemical and metabolic studies on phenylalanine. III. The amino acid content of tissue proteins of normal and phenylpyruvic oligophrenic individuals. A note on the estimation of phenylalanine,

Block, Walter D. See Murrill, Block, and Newburgh. 133, 521

— and Buchanan, Oliver H. The microdetermination of gold in biological fluids, 136, 379

Blohm, Clyde L. See Alles, Blohm, and Saunders, 144, 757

Blood, Frank R., and Lewis, Howard B.
The metabolism of sulfur. XXIX.
S-Carboxymethylcysteine, 139, 407

— and —. XXX. Thiourea, 139, 413 Bloor, W. R. Inheritance effect of

Bloor, W. R. Inheritance effect of exercise on the phospholipid and cholesterol content of muscle,

132, 77
- and Bullen, S. S. The determination

of adrenalin in blood, 138, 727

—. See Hodge, MacLachlan, Bloor, Stoneburg, Oleson, and Whitehead,

139,897

-. See Oleson and Bloor, 141, 349

See MacLachlan, Hodge, Bloor,
 Welch, Truax, and Taylor,
 Blotner, Harry.
 See Gibson and Blotner,

126, 551
Blunden, Harry, Hallman, Lois F.,
Morehouse, Margaret Gulick, and
Deuel, Harry J., Jr. Studies on
ketosis. XVIII. An experimental
study of the Van Slyke procedure for
the determination of β-hydroxybutyric
acid, 135, 757

16 Bobbitt, Blanche G., and Deuel, Harry J., Jr. Studies on ketosis. XX. The effect of glycogen on the oxidation of butyric acid by rat liver slices, 143. 1 Bock, Joseph C. A micromethod for the determination of urea nitrogen, 140, 519 Meyer. See Levine andBodansky, Bodansky. **133.** 193 -, Duff, Virginia B., and McKinney, Margaret G. The formation of creatine from glycocyamine in the liver. nephrectomized Experiments with rats. Intestinal excretion and bacterial decomposition of creatine and Dessauer, creatinine. 140, 365 Bodansky, Oscar. The energy of activation of the hydrolysis of sodium β-glycerophosphate by bone phosphatase at optimal pH, 129, 197 Bodine, Joseph Hall. See Allen, Boyd, and Bodine. 143, 785 Bohonos. Nestor. See Hutchings, andBohonos, Hegsted, Elvehjem, Peterson, 140,681 See Hutchings, Bohonos, and Peter-141, 521 son, - and Peterson, W. H. The chemistry of mold tissue. XVI. Isolation of fungus cerebrin from the mycelium of

Aspergillus sydowi, 149, 295 Bolling, Diana. See Block and Bolling, 127, 685 See Block, 128, 181 See Block and Bolling, 129, 1 130, 365 See Jervis, Block, Bolling, and 134, 105 Kanze

Borek, Ernest, and Waelsch, Heinrich. Webb.134, 567 Bollman, Jesse L. See Kendall, Flock, Bollman, and Mann, 126, 697 -. See Flock, Hester, and Bollman, 128, 153

Block, Jervis, Bolling, and

See Flock, Ingle, and Bollman,

See

129, 99 - and Flock, Eunice V. Pyruvate in working muscles of normal and vitamin B1-deficient rats. 130, 565 Bollman, Jesse L .- continued:

 See Flock and Bollman, 136, 469 144, 571

- and Flock, Eunice V. Phosphocreatine and inorganic phosphate in working and resting muscles of rats, studied with radioactive phosphorus, 147, 155 Bolomey, René A., and Allen, Frank

Worthington. The enzymic hydrolysis of ribonucleic acid and its relation to the structure. 144, 113

Bonner, John F. See Hodge, VanHuysen, Bonner, and Van Voorhis, 138, 451

See Hodge, Koss, Ginn, Falkenheim, Gavett, Fowler, Thomas, Bonner, and 148, 321

Bonsnes, Roy W. See duVigneaud, 141, 707 Brown, and Bonsnes,

 See White, Bonsnes, and Long, 143, 447

Borchers, Raymond, and Berg, Clarence P. The effect of conditions of hydrolysis and of prolonged heating upon the optical rotation of sulfuric acid hydrolysates of zein, 142, 693

- Totter, John R., and Berg, Clarence P. Threonine deficiency in hydrolysates of zein prepared by autoclaving, 142, 697

-, Berg, Clarence P., and Whitman, Newton E. Tryptophane metabolism. X. The effect of feeding l(-)-, dl-, and d(+)-tryptophane, d(-)- and dl- β -3indolelactic acid, β-3-indolepyruvic acid, and l(-)-kynurenine upon the storage of liver glycogen and the urinary output of kynurenic acid, kynurenine, and total acetone bodies,

Metabolism of methionine and its derivatives with tissue slices, 141, 99 Borsook, Henry, and Dubnoff, Jacob W. Methods for the determination of submicro quantities of total nitrogen. ammonia, amino nitrogen, amides, peptides, adenylic acid, and nitrates, 131, 163

- and —. The biological synthesis of hippuric acid in vitro, 132, 307

Borsook, Henry-continued:

and Dubnoff, Jacob W. The formation of creatine from glycocyamine in the liver.
 132, 559

-. The oxidation-reduction potential of coenzyme I, 133, 629

- and Dubnoff, Jacob W. Creatine formation in liver and in kidney,

134, 635

—. See Dubnoff and Borsook, 138, 381

 and Dubnoff, Jacob W. The formation of glycocyamine in animal tissues, 138, 389

-, -, Lilly, John C., and Marriott,

William. The formation of glycocyamine in man and its urinary excretion, 138, 405

— and —. The conversion of citrulline to arginine in kidney, 141, 717

Bosse, M. D. See Axelrod, Gross, Bosse, and Swingle, 148, 721

Bott, P. A., and Richards, A. N. The passage of protein molecules through the glomerular membranes, 141, 291

Quantitative studies of the composition of glomerular urine. XV. The concentration of sodium in glomerular urine of Necturi, 147, 653

Bourdillon, Jaques. An apparatus for the rapid and accurate determination of low osmotic pressures, 127, 617

Bovarnick, Marianna R. The formation of extracellular d(-)-glutamic acid polypeptide by *Bacillus subtilis*,

145, 415

—. Substitution of heated asparagineglutamate mixture for nicotinamide as a growth factor for Bacterium dysenteriae and other microorganisms,

148, 151

—. Chemical and biological assays of the nicotinamide-like substance formed in heated mixtures of asparagine and glutamic acid, 149, 301

Bowers, Russell V., Outhouse, Edgar L., and Forbes, J. C. Phosphatase studies: the hydrolysis of aminoethylphosphate and β -glycerophosphate by fecal and kidney phosphatase,

132, 675

Bowman, Donald E. Some of the oxidation-reduction properties of the chorionic gonadotropic hormone, 137, 293

Factors which greatly increase the activity of the phenolic hydroxyl group of l-tyrosine,
 141,877
 Boyd. Eldon M. See Clarke and Boyd.

Boyd, Eldon M. See Clarke and Boyd, 135, 691

— and Clarke, Eleanor L. The fractionation of cattle blood iodine with alcohol, 142, 619

 Species variation in normal plasma lipids estimated by oxidative micromethods.
 143, 131

Boyd, G. E. See Allen, Boyd, and
Bodine, 143, 785

Boyd, M. John, and Logan, Milan A. Colorimetric determination of serine,

146, 279
Boyd, William C., Conn, John B., Gregg,
Donald C., Kistiakowsky, G. B., and

Roberts, Richard M. The heat of an antibody-antigen reaction, 139, 787
Boyer, Paul D., Shaw, James H., and

Phillips, Paul H. Studies on manganese deficiency in the rat, 143, 417

Lardy, Henry A., and Phillips, Paul
 H. The rôle of potassium in muscle phosphorylations, 146, 673

-, -, and -. Further studies on the rôle of potassium and other ions in the phosphorylation of the adenylic system, 149, 529

Bradley, H. C. See Eder, Bradley, and Belfer, 128, 551

—. See Bailey, Belfer, Eder, and Bradley, 143, 721

See Belfer, Koran, Eder, and Bradley, 147, 345

Bradshaw, Phoebe J. See Blatherwick, Bradshaw, Ewing, Larson, and Sawyer, 134, 549

-. See Larson, Blatherwick, Bradshaw, Ewing, and Sawyer, 136, 1

-. See Blatherwick, Bradshaw, Ewing, and Sawyer. 136, 615

See Larson, Blatherwick, Bradshaw,
 Ewing, and Sawyer,
 138, 353

Brand, Elliott. See Brodie, Brand, and Leshin, 130, 555 Brand, Erwin, and Kassell, Beatrice. The photometric determination of tryptophane, tyrosine, diiodotyrosine, 131, 489 and thyroxine, -, Cahill, George F., and Kassell, cystinuria. V. Beatrice. Canine Family history of two cystinuric Irish terriers and cystine determina-133, 431 tions in dog urine, - and Kassell, Beatrice. The determination of reducing groups with porphyrindin, with special reference to 133, 437 egg albumin, - and -. Absence of methionine in crystalline horse serum albumin, 141, 999 - and -. Photometric determination 145, 359 of arginine, - and -. Analysis and minimum molecular weight of β-lactoglobulin, 145, 365 Brand, Florence C. See Block, 128, 181 See Sperry and Brand, 137, 377 - and Sperry, Warren M. The determination of cerebrosides, 141, 545 —. See Sperry, Brand, and Copen-144, 297 haver. See Sperry and Brand, 150, 315 Branning, W. Sterry. See Handler and 145, 145 Dann,Bratton, A. Calvin, and Marshall, E. K., Ir. A new coupling component for sulfanilamide determination, 128, 537 Braun, Albert E. The effect of some inorganic plant nutrients on malt 145, 197 diastase activity, Breuer, Rosalie, and Militzer, Walter E. A micromethod for the determination of iron in blood, 126, 561 Brewer, John I. See Weinhouse and 143.617 Brewer, Briggs, David R. The metaphosphoric acid-protein reaction, 134, 261 Briggs, G. M., Jr. See Hegsted, Briggs, Elvehjem, and Hart, 140, 191 -, Mills, R. C., Elvehjem, C. A., and Hart, E. B. The effect of added cystine in purified rations for the chick, 144, 47

Briggs, G. M., Jr.—continued: - Luckey, T. D., Elvehjem, C. A., and Hart, E. B. Studies on two chemically unidentified water-soluble vitamins necessary for the chick, 148, 163 -, --, Teply, L. J., Elvehjem, C. A., and Hart, E. B. Studies on nicotinic acid deficiency in the chick, 148, 517 -, —, Elvehjem, C. A., and Hart, E. B. The effectiveness of a mixture of arginine, glycine, and cystine in the prevention of the so called vitamin B4 deficiency in the chick, Brinkhous, K. M. See Seegers, Brinkhous, Smith, and Warner, 126, 91 Brode, Wallace R.' See Mowry, Brode, 142, 671, 679 and Brown, Brodie, Bernard B., Brand, Elliott, and Leshin, Seymour. The use of bromide as a measure of extracellular fluid, 130, 555 Brooks, H. J. See Andrews and Brooks, 138, 341 Brooks, S. C. See Cunningham, Kirk, and Brooks, 139, 11, 21 Brown, Andrea N. See Lowry, Hastings, Hull, and Brown, See Lowry, McCay, Hastings, and 143, 281 Brown,Brown, Barker H., and Lewis, Howard B. The metabolism of XXVII. The distribution of sulfur in the ultrafiltrates of blood plasma, 138, 705 - and -. XXVIII. The cystine content and sulfur distribution of ultrafiltrates of plasma after the administration of l-cystine and dl-methionine to rabbits. 138, 717 Brown, Elmer B. See Bina, Thomas, and Brown, 148, 111 Brown, George Bosworth. See du Vigneaud, Cohn, Brown, Irish, Schoenheimer, and Rittenberg, 131, 273 -. See du Vigneaud, Chandler, Cohn, and Brown, 134, 787 and du Vigneaud, Vincent. The synthesis of S-(β-amino-β-carboxy-

ethyl)-homocysteine,

See du Vigneaud and Brown,

- and du Vigneaud, Vincent. The
stereoisomeric forms of lanthionine,
140, 767
- and The effect of certain re-
agents on the activity of biotin,
141, 85
See du Vigneaud, Brown, and
Bonsnes, 141, 707
See du Vigneaud, Brown, and
Chandles 142 50
Chandler, 143, 59
See Kilmer, Armstrong, Brown,
and du Vigneaud, 145, 495
Brown, Harold V. See Dunn, Frieden,
Stoddard, and Brown, 144, 487
Brown, Herman, and Kolmer, John A.
Studies on the chemical constitution
of the antigenic substance in alcoholic
tissue extracts concerned in the
serum diagnosis of syphilis, 137, 525
Brown, J. B. See Shinowara and Brown,
134, 331
See Mowry, Brode, and Brown,
142, 671, 679
Brown, and Kamm, 132, 467
See Emmett, Peacock, and Brown,
135, 131
Brown, W. L. The threonine, serine,
cystine, and methionine content of
peanut proteins, 142, 299
Browne, J. S. L. See Maughan, Evelyn,
and Browne, 126, 567
See Karady, Selye, and Browne,
131, 717
See Venning, Hoffman, and Browne,
146, 369
See Hoffman, Kazmin, and Browne,
147, 259
See Venning, Hoffman, and Browne,
148, 455
Brückmann, Gerhard, and Zondek,
Samuel Georg. An improved method
for the determination of non-hemin
iron, 135, 23
Bruger, Maurice, and Member, Samuel.
On the fractionation of iodine in blood,
148, 77
Bryan, W. Ray. See Knudson, Sturges,
LIVERS IT . MAY . NOT INTRODUCTION DIUTUES.
and Bryan, 128, 721

- Buchanan, John M. See Solomon, Vennesland, Klemperer, Buchanan, and Hastings, 140, 171
- See Vennesland, Solomon, Buchanan, Cramer, and Hastings, 142, 371
- See Vennesland, Solomon, Buchanan, and Hastings, 142, 379
- —, Hastings, A. Baird, and Nesbett, Frances B. Glycogen formation from pyruvate in vitro in the presence of radioactive carbon dioxide, 145, 715
- -, -, and -. The rôle of carboxyllabeled acetic, propionic, and butyric acids in liver glycogen formation,
- Buchanan, Oliver H. See Block and Buchanan, 136, 379
- Bueding, Ernest. See Lipschitz and Bueding, 129, 333
- and Wortis, Herman. The stabilization and determination of pyruvic acid in the blood,
 133, 585
- —, Stein, Martin H., and Wortis, Herman. The formation of pyruvic acid following glucose ingestion in man, 137, 793
- --, --, and --. Blood pyruvate curves following glucose ingestion in normal and thiamine-deficient subjects,
 - 140, 697
- and Goldfarb, Walter. The effect of sodium fluoride and sodium iodoacetate on glycolysis in human blood, 141.539
- and Goodhart, Robert. Removal of pyruvic acid from human blood in vitro,
 141, 931
- and Goldfarb, Walter. Blood changes following glucose, lactate, and pyruvate injections in man, 147, 33
- —, Fazekas, Joseph F., Herrlich, Herman, and Himwich, Harold E. Effect of insulin on pyruvic acid formation in depancreatized dogs, 148, 97 Buel, Florence. See Devel and Hallman,
 - iel, Florence. See Deuel and Hallman, 140, 545
- Buell, Mary V. A method for ashing soft tissues preliminary to the determination of cations, 130, 357

Buell, Mary V .- continued: -. A new method for the isolation of crystalline adenine nucleotides, 150, 389 Buhs, Rudolf P. See Scudi and Buhs, 141, 451 See Scudi, Buhs, and Hood, 142, 323 143,665 See Scudi and Buhs, 144, 599 146, 1 Bulger, Harold A., and Johns, Helen E. The determination of plasma uric acid, 140, 427 Bull, Henry B. Viscosity of solutions of denatured and of native egg albumin, 133, 39 Osmotic pressure of egg albumin 137, 143 solutions. Bullen, S. S. See Bloor and Bullen, 138, 727 Bullowa, Jesse G. M. See RatishBullowa, Ames, and Scudi, 128, 279 Burk. Norval F. Osmotic pressure molecular weight, and dissociation of Limulus hemocyanin, 133, 511 Burr, George O. See Norris, Rusoff, Miller, and Burr, 139, 199 -. See Barnes, Miller, and Burr; 140, 233, 241, 247, 773 Norris, Rusoff, Miller, and See Burr, 147, 273 See Barnes, Lundberg, Hanson, and Burr, 149, 313 Burris, R. H. Distribution of isotopic nitrogen in Azotobacter vinelandii, 143, 509 See Wilson, Burris, and Coffee, 147, 475 -, Eppling, F. J., Wallin, H. B., and Wilson, P. W. Detection of nitrogen fixation with isotopic nitrogen, 148, 349 Burton, Irving F. See Cahill and Burton. 132, 161 Buskirk, Harold H., and Delor, R. A. The use of mylase P in the preparation

of natural materials for microbiologi-

Butler, Allan M. See Talbot, Butler,

145, 707

132, 595

cal pantothenic acid assay,

and MacLachlan,

Butler, Allan M .- continued: -. See Talbot, Wolfe, Mac Lachlan, Karush, and Butler, 134, 319 See Talbot, Butler, MacLachlan, and Jones, 136, 365 - and Cushman, Margaret. An ascorbic acid-like reducing substance in the buffy layer of centrifuged oxalated blood. 139, 219 -, -, and MacLachlan, E. A. The determination of ascorbic acid in whole blood and its constituents by means of methylene blue; macro- and micromethods. 150, 453 Butler, R. E. See Isbell, Wooley, Butler, and Sebrell. 139, 499 Butts, Joseph S. See Deuel, Hallman, Greeley, Butts, and Halliday, 133, 173 - and Sinnhuber, Russell O. Studies in amino acid metabolism. VI. The metabolism of dl-valine and dl-isovaline in the normal rat, 139, 963 - and -. VII. The metabolism of l(+)-arginine and dl-lysine in the normal rat. 140, 597 See Remmert and Butts, 144, 41 Butz, Lewis W., and Hall, S. R. Some characteristics of the androgenic fractions from bull urine, 126, 265 C

Cadden, J. F., and Dill, L. V. Some properties of a polyphenoloxidase present in cell-free kidney extracts, 143, 105 Cahill, George F. See Brand, Cahill, and Kassell, 133, 431 Cahill, William M., and Jackson, Richard W. The proof of synthesis and the configurational relationships of abrine, 126, 29 See Jackson and Cahill,

126, 37 - and Jackson, Richard W. Some observations on hypaphorine: racemization of its ester and properties of other derivatives, 126, 627 -. See Gordon, Cahill, and Jackson, 131, 189

- and Burton, Irving F. Racemization of amino acids and dipeptides on acetylation with ketene, 132, 161

Cahill, William M .- continued:

 and Rudolph, Guilford G. The replaceability of dl-methionine in the diet of the rat with its α-keto acid analogue.
 145, 201

Cain, C. K. See Roberts, Cain, Muir, Reithel, Gaby, Van Bruggen, Homan, Katzman, Jones, and Doisy, 147, 47

 See Van Bruggen, Reithel, Cain, Katzman, Doisy, Muir, Roberts, Gaby, Homan, and Jones,
 148, 365

-. See Katzman, Godfrid, Cain, and Doisy, 148,501

Cajori, F. A. The effect of various substances on the activity of purified yeast carboxylase, 143, 357

Caldwell, M. L. See Little and Caldwell, 142, 585

147, 229

Callan, Thomas P. See Toennies and Callan, 129, 481 Campbell, Dan H., and Fourt, Lyman. Immunochemistry of catalase,

129, 385

Campbell, H. L. See Lanford, Campbell, and Sherman, 137, 627

Campbell, Harold A., Roberts, Willard L., Smith, William K., and Link, Karl Paul. Studies on the hemorrhagic sweet clover disease. I. The preparation of hemorrhagic concentrates,

136, 47

- —, Smith, William K., Roberts, Willard L., and Link, Karl Paul. Studies on the hemorrhagic sweet clover disease. II. The bioassay of hemorrhagic concentrates by following the prothrombin level in the plasma of rabbit blood.
- and Link, Karl Paul. Studies on the hemorrhagic sweet clover disease. IV. The isolation and crystallization of the hemorrhagic agent, 138, 21

 See Overman, Stahmann, Sullivan, Huebner, Campbell, and Link,

Campbell, W. Wesley. See Greenberg, Campbell, and Murayama, 136, 35 Cannan, R. Keith. See Warner and Cannan, 142, 725 Cannan, R. Keith-continued:

 —, Palmer, Albert H., and Kibrick, Andre C. The hydrogen ion dissociation curve of β-lactoglobulin, 142, 803
 Cardini, C. E. See Marenzi and Cardini, 147, 363, 371

Carlson, Loren. See Marsh and Carlson, 136, 69

Carne, Herbert O. See MacKay, Wick, and Carne, 132, 613

—. See MacKay, Carne, and Wick, 133, 59

-. See MacKay, Barnes, Carne, and Wick, 135, 157

See Wick, MacKay, Carne, and Mayfield, 136, 237

-. See MacKay, Wick, Carne, and Barnum, 138, 63

-. See MacKay, Carne, Wick, and Visscher, 141, 889

Carpenter, F. H. See Loring and Carpenter, 150, 381

Carr, C. Jelleff, and Forman, Sylvan E. Sugar alcohols. XX. The fate of d-sorbitol, styracitol, and l-sorbose in the animal body, 128, 425

Carroll, W. R., and Stier, T. J. B. The nature of the stimulation of yeast respiration by chloroform-preserved cytochrome c extracts, 137, 787

Carter, Charles E. See Warren and Carter, 150, 267

Carter, Herbert E., Handler, Philip, and Melville, Donald B. Azlactones. I. Preparation of benzoyl-α-aminocrotonic acid azlactone and the conversion of allothreonine to threonine,

- and Melville, Donald B. Synthesis and determination of the lipotropic activity of the betaine hydrochlorides of dl-serine, dl-threonine, and dl-allothreonine.
 133, 109
- and Stevens, Carl M. Azlactones.
 II. Azlactone formation in glacial and in aqueous acetic acid and preparation of benzoyl-α-aminocrotonic acid azlactone II,
 133, 117
- --, Handler, Philip, and Stevens, Carl M.
 Azlactones. III. Acylation of amino
 acids in pyridine, 138, 619

	24 . 14 . W. W. W W
Carter, Herbert E.—continued:	Chaikoff, I. L.—continued:
- and Stevens, Carl M. Benzoylation of	See Jones, Chaikoff, and Lawrence,
amino acids, 138, 627	128, 631
-, -, and Ney, Luman F. Azlactones.	See Perlman and Chaikoff, 128, 735
IV. Synthesis of α -amino- β -thiol- n -	—. See Entenman, Chaikoff, and Mont-
butyric acids, 139, 247	gomery, 130, 121
— and Risser, William C. Azlactones.	—. See Perlman and Chaikoff, 130, 593
V. Preparation of benzoyl-α-amino-	See Fries, Changus, and Chaikoff,
cinnamic acid azlactones I and II.	132, 23
The use of β -phenethylamine in the	See Entenman, Lorenz, and Chaikoff,
purification of α-amino-β-methoxy	133, 231
(hydroxy) acids, 139, 255	See Jones, Chaikoff, and Lawrence,
-, Glick, Francis J., Norris, William P.,	133, 319
and Phillips, George E. The structure	See Perlman, Stillman, and Chaikoff,
of sphingosine, 142, 449	133, 651
- and Norris, William P. Isolation of	See Entenman, Changus, Gibbs, and
dihydrosphingosine from brain and	Chaikoff, 134, 59
spinal cord, 145, 709	See Entenman, Lorenz, and Chaikoff,
- and Dickman, S. R. Anomalous	134, 495
amino nitrogen values, 149, 571	See Entenman, Montgomery, and
Carter, Lawrence W. See Lough, Peril-	Chaikoff, 135, 329
stein, Heinen, and Carter, 139, 487	See Perlman, Stillman, and Chaikoff,
Cartland, George F. See Kuizenga,	135, 359
Wick, Ingle, Nelson, and Cartland,	See Fries, Entenman, Changus, and
147, 561	Chaikoff, 137, 303
Cason, James, and Anderson, R. J.	See Montgomery, Entenman, Chai-
The chemistry of the lipids of tubercle	koff, and Nelson, 137, 693
bacilli. LVI. The wax of the bovine	See Entenman, Chaikoff, and Mont-
tubercle bacillus, 126, 527	gomery, 137, 699
Cattell, McKeen, and Civin, Helen.	See Entenman and Chaikoff,
The influence of asphyxia and other	138, 477
factors on the serum potassium of	See Perlman, Chaikoff, and Morton,
cats, 126, 633	139, 433
Catterall, Alice. See Eichelberger and	See Perlman, Morton, and Chaikoff,
McLean, 142, 467	139, 449
Cawley, John D. See Gray and Cawley,	See Morton, Perlman, and Chaikoff,
134, 397	140, 603
See Jensen, Shantz, Embree, Cawley,	See Fries and Chaikoff,
and Harris, 149, 473	141, 469, 479
Chaffee, Eleanor. See Meyer and Chaffee,	See Fishler, Taurog, Perlman, and
133, 83	Chaikoff, 141, 809
138, 491	See Entenman and Chaikoff,
Chaikoff, I. L. See Entenman, Lorenz,	142, 129
and Chaikoff, 126, 133	See Fries, Schachner, and Chaikoff,
See Changus, Chaikoff, and Ruben,	144, 59
126, 493	See Morton and Chaikoff, 144, 565
See Lorenz, Chaikoff, and Entenman,	See Taurog, Chaikoff, and Perlman,
126, 763	145, 281
See Perlman and Chaikoff, 127, 211	See Schachner, Fries, and Chaikoff,
See Montgomery, Entenman, and	146, 95
Chaikoff, 128, 387	See Morton and Chaikoff, 147, 1
	1

Chaikoff, I. L.—continued:	Chanutin, Alfred, and Ludewig, Stephan.
See Sheline, Chaikoff, Jones, and	The distribution of body water and
Montgomery, 147, 409	electrolytes in the intact and partially
See Morton, Chaikoff, Reinhardt,	nephrectomized rat after dehydration
and Anderson, 147, 757	and hydration, 131, 519
 See Franklin and Chaikoff, 	-, Ludewig, Stephan, and Masket, A. V.
148, 719	Studies on the calcium-protein rela-
See Sheline, Chaikoff, Jones, and	tionship with the aid of the ultra-
Montgomery, 149, 139	centrifuge. I. Observations on cal-
See Fishler, Entenman, Mont-	cium caseinate solutions, 143, 737
gomery, and Chaikoff, 150, 47	See Ludewig, Chanutin, and Masket,
Chambers, William H. See Larson,	143, 753
Chambers, Blatherwick, Ewing, and	
	See Masket, Chanutin, and Ludewig,
Sawyer, 129, 701	143, 763
-, Chandler, Joseph P., and Barker,	Chargaff, Erwin. Unstable isotopes. I.
S. B. The metabolism of carbo-	The determination of radioactive
hydrate and protein during prolonged	isotopes in organic material, 128, 579
fasting, 131, 95	II. The relative speed of formation
Chandler, Joseph P. See du Vigneaud,	of lecithin and cephalin in the body,
Chandler, Moyer, and Keppel,	128, 587
131, 57	- and Cohen, Seymour S. On lysophos-
See Chambers, Chandler, and	phatides, 129, 619
Barker, 131, 95	The configuration of glutamic and
See du Vigneaud, Chandler, Cohn,	aspartic acids from pathogenic bac-
and Brown, . 134, 787	teria (Phytomonas tumefaciens and
- and du Vigneaud, Vincent. The	$Corynebacterium\ diphtheriae),$
comparative action of choline and	130, 29
betaine in effecting the replacement of	A study of the spleen in a case of
methionine by homocystine in the	Niemann-Pick disease, 130, 503
diet, 135, 223	- and Ziff, Morris. The compounds
See du Vigneaud, Chandler, and	between phosphatides and basic pro-
Moyer, 139, 917	teins, 131, 25
See du Vigneaud, Cohn, Chandler,	-, -, and Hogg, Bruce M. The reac-
Schenck, and Simmonds, 140, 625	tion between cephalin and hemo-
See du Vigneaud, Brown, and	globins, 131, 35
Chandler, 143, 59	-, Olson, Kenneth B., and Partington,
See Simmonds, Cohn, Chandler,	Philip F. The formation of phos-
and du Vigneaud, 149, 519	phatides in the organism under normal
Changus, G. W., Chaikoff, I. L., and	and pathological conditions, 134, 505
Ruben, S. Radioactive phosphorus	- and Keston, Albert S. The metabo-
as an indicator of phospholipid metab-	lism of aminoethylphosphoric acid,
olism. IV. The phospholipid metabo-	followed by means of the radioactive
lism of the brain, 126, 493	phosphorus isotope, 134, 515
See Fries, Changus, and Chaikoff,	-, Ziff, Morris, and Cohen, Seymour S.
132, 23	The conversion of prothrombin to
See Entenman, Changus, Gibbs, and	thrombin, followed by means of the
A12	
Chaikoff, 134, 59	radioactive phosphorus isotope,
See Fries, Entenman, Changus, and	135, 351
Chaikoff, 137, 303	—. See Cohen and Chargaff, 136, 243

Chargaff, Erwin-continued:

-, Ziff, Morris, and Cohen, Seymour S.
Studies on the chemistry of blood coagulation. X. The reaction between heparin and the thromboplastic factor, 136, 257

-. See Ziff and Chargaff, 136, 689

- Ziff, Morris, and Rittenberg, D.
 Determination of the bases of phospholipids by the isotope dilution method,
- and —. Coagulation of fibrinogen by simple organic substances as a model of thrombin action, 138, 787
- —, —, and Moore, Dan H. Studies on the chemistry of blood coagulation. XII. An electrophoretic study of the effect of anticoagulants on human plasma proteins, with remarks on the separation of the heparin complement,

139, 383

- See Cohen and Chargaff, 139, 741
 140, 689
- and Ziff, Morris. Note on the isolation of serine from beef brain phosphatides,
 140, 927

A study of lipoproteins, 142, 491
The formation of the phosphorus

compounds in egg yolk, 142, 505

—, Ziff, Morris, and Rittenberg, D.

A study of the nitrogenous constituents of tissue phosphatides,

144, 343

150, 433

- —. Note on the mechanism of conversion of β -glycerophosphoric acid into the α form, 144, 455
- -, Moore, Dan H., and Bendich, Aaron.
 Ultracentrifugal isolation from lung
 tissue of a macromolecular protein
 component with thromboplastic
 properties, 145, 593
- and Sprinson, David B. The mechanism of deamination of serine by Bacterium coli,
 148, 249
- and Bendich, Aaron. On the coagulation of fibrinogen, 149, 93
- Charles, A. F. See Jaques, Waters, and Charles, 144, 229
- Chase, Aurin M. The absorption spectrum of luciferin and oxidized luciferin.

Chen, Yen Ping, Freeman, Smith, and Ivy, A. C. The preparation of a concentrated fecal phosphatase and its effect on dogs and rats, 132, 445

Cheney, L. C. See MacCorquodale, McKee, Binkley, Cheney, Holcomb, Thayer, and Doisy, 130, 433

 See MacCorquodale, Cheney, Binkley, Holcomb, McKee, Thayer, and Doisy, 131, 357

Cheng, Amber L. S. See Weatherby and Cheng, 148, 707

Chesley, Leon C. The determination of thiocyanate in biological fluids,

Chinard, Francis P. See Hellerman, Chinard, and Deitz, 147, 443

Cholnoky, L. See Zechmeister and
Cholnoky, 135, 31
Chan Chi-Yuan See Stein Moore

Chou, Chi-Yuan. See Stein, Moore, Stamm, Chou, and Bergmann,

143, 121

Chow, Bacon F. See Greep, van Dyke, and Chow, 133, 289

Christensen, Bert E. See West, Christensen, and Rinehart, 132, 681

—, West, Edward S., and Dimick, Keene P. A simple apparatus and procedure for determination of amino acids by the ninhydrin reaction,

137, 735

Christensen, Halvor N. The contaminants of blood phospholipids,

- 129, 531

 —. Synthesis of esters of phosphoric acid related to phosphatides,
 - 135, 399
- and Hastings, A. Baird. Phosphatides and inorganic salts, 136, 387
- -. See Ross and Christensen, 137, 89
- and Ross, William F. Carbon suboxide and proteins. II. The determination of malonic acid, 137, 101
- Edwards, Raymond R., and Piersma,
 Henry D. The composition of gramicidin and tyrocidine,
 141, 187
- Christensen, W. Blake, Johnson, Marvin J., and Peterson, W. H. Properties of the lactic acid-racemizing enzyme of Clostridium butylicum,

Christman, A. A. See Roberts and	Clowes, G.
Christman, 145, 267	and Clowe
See Coryell and Christman,	Clutton, Rog
150, 143	and Ritter
Christman, Clarence C. See Tipson,	metabolisi
Christman, and Levene, 128, 609	ornithine
See Ovakimian, Christman, Kuna,	
and Levene, 134, 151	Coburn, Alvi
Chu, H. I. See Danielson, Chu, and	~ ~
Hastings, 131, 243	See Du
Civin, Helen. See Cattell and Civin,	C-# 377 1
126, 633 Clark, Leland C., Jr. See Kochakian	Coffee, W. I
and Clark, 143, 795	Coffee, Coffman, J.
Clark, W. Mansfield, Taylor, John Fuller,	effect of
Davies, T. Harrison, and Vestling,	induced cr
Carl S. Metalloporphyrins. I. Co-	Cohen, Dore
andination with nitronomous house	and Cohen
Theoretical relations, 135, 543	Cohen, Phil
Theoretical relations, 135, 543 See Taylor, 135, 569	Hepatic k
— and Perkins, Marie E. Metallo-	different s
porphyrins. V. A spectrophotometric	Transa
study of pyridine coproporphyrin I,	zyme pre
135, 643	
Clark, William G., Levitan, Nathan I.,	Kinetic
Gleason, Donald F., and Greenberg,	
Goodwin. Titrimetric microdetermi-	- and Hek
nation of chloride, sodium, and potas-	transamin
sium in a single tissue or blood sample,	
145, 85	—. See <i>All</i>
Clarke, Delphine H. See Ralli, Clarke,	Cohen, Sey
and Kennedy, 141, 105	Cohen,
Clarke, Eleanor L., and Boyd, Eldon M.	—. See Cha
A seasonal study of the iodine content	
of the blood of birds, 135, 691 See Boyd and Clarke, 142, 619	- and Char
See Boyd and Clarke, 142, 619	chemistry
Clarke, Florence, Solkot, Roy, and Corley,	The thro
Ralph C. Metabolism of certain rare	lungs, —. See Cha
sugars, 131, 135 Clarke, H. T., and Mazur, Abraham.	—. See Chi
The lipids of diatoms, 141, 283	- and Char
The lipids of diatoms, 141, 283 — See Mazur and Clarke, 143, 39 Clarke, Miriam F., Lechycka, Marie,	chemistry
 See Mazur and Clarke, 143, 39 Clarke, Miriam F., Lechycka, Marie, 	The phos
and Light, Amos E. A supplementary	thrombop
growth factor for Lactobacillus casei,	um ombop
	— and —.
See Light and Clarke. 147. 739	ties of t
See Light and Clarke, 147, 739 Cleary, Robert V., Maier, John, and	from lung
Hitchings, George H. The metabo-	- and Star
lism of chlorinated naphthalenes,	intestinal
127, 403	tobacco n

Clowes, G. H. A. See Krahl, Keltch, and Clowes, 136, 563 Clutton, Roger F., Schoenheimer, Rudolf, and Rittenberg, D. Studies in protein metabolism. XII. The conversion of ornithine into arginine in the mouse, 132, 227

Coburn, Alvin F. See Kapp and Coburn, 145, 549

 See Dubos, Hotchkiss, and Coburn, 146, 421

Coffee, W. B. See Wilson, Burris, and Coffee, 147, 475

Coffman, J. R., and Koch, F. C. The effect of testosterone propionate on induced creatinuria in rats, 135, 519
Cohen, Dorothy L. See Lowry, Smith, and Cohen, 146, 519
Cohen, Philip P., and Stark, Irene E.

Hepatic ketogenesis and ketolysis in different species, 126, 97

 Transamination with purified enzyme preparations (transaminase),

136, 565

Kinetics of transaminase activity,
 136, 585

- and Hekhuis, G. Leverne. Rate of transamination in normal tissues,

140, 711

See Albaum and Cohen, 149, 19
 Cohen, Seymour S. See Chargaff and Cohen, 129, 619

-. See Chargaff, Ziff, and Cohen,

135, 351

and Chargaff, Erwin. Studies on the chemistry of blood coagulation. IX.
 The thromboplastic protein from lungs,

—. See Chargaff, Ziff, and Cohen, 136, 257

 and Chargaff, Erwin. Studies on the chemistry of blood coagulation. XIII.
 The phosphatide constituents of the thromboplastic protein from lungs,

139, 741

- and -. The electrophoretic properties of the thromboplastic protein from lungs, 140, 689

- and Stanley, W. M. The action of intestinal nucleophosphatase on tobacco mosaic virus, 142, 863

Cohen, Seymour S .- continued:

- The isolation and crystallization of plant viruses and other protein macro molecules by means of hydrophilic colloids,
 144, 353
- and Stanley, W. M. The molecular size and shape of the nucleic acid of tobacco mosaic virus,
 144, 589
- The electrophoretic mobilities of desoxyribose and ribose nucleic acids,

 146, 471
- Cohn, David J., Tannenbaum, Albert, Thalhimer, William, and Hastings, A. Baird. Influence of oxygen and carbon dioxide on the blood of normal and pneumonic dogs, 128, 109
- Cohn, Gunther, and Kolthoff, I. M.

 Determination of calcium by precipitation with picrolonic acid and polarographic measurement of the residual picrolonic acid, 147,705
- and —. Amperometric titration of picrolonic acid and indirect volumetric determination of calcium by precipitation as picrolonate and backtitration of the excess of picrolonic acid with methylene blue,
- Cohn, Mildred. See du Vigneaud, Cohn, Brown, Irish, Schoenheimer, and Rittenberg, 131, 273
- See dw Vigneaud, Chandler, Cohn, and Brown, 134, 787
- —, Irving, George W., Jr., and du Vigneaud, Vincent. The amphoteric nature of the pressor principle of the posterior lobe of the pituitary gland, 137, 635
- See du Vigneaud, Cohn, Chandler,
 Schenck, and Simmonds,
 See Fishman and Cohn,
 148, 619
- -. See Schenck, Simmonds, Cohn, Stevens, and du Vigneaud, 149, 355
- -. See Simmonds, Cohn, Chandler, and du Vigneaud, 149; 519
- Cohn, Waldo E. See Joseph, Cohn, and Greenberg, 128, 673
- and Greenberg, David M. Studies in mineral metabolism with the aid of artificial radioactive isotopes. III.
 The influence of vitamin D on the phosphorus metabolism of rachitic rats,

- Cohn, Waldo E.—continued:
- The determination of hemoglobin in tissue extracts or other turbid solutions, 148, 219
- Cole, William H. See Allison and Cole, 135, 259
- See Allison, Cole, Leathem, Nastuk,
 and Anderson,
 147, 255
- Collier, H. Bruce, and Allen, Della, Inhibition of succinic dehydrogenase by phenothiazone, 140, 675
- Colowick, Sidney P. See Cori, Colowick, and Cori, 127, 771
- —, Welch, Mary S., and Cori, Carl F. Phosphorylation of glucose in kidney extract, 133, 359
- -, -, and -. Glucose oxidation and phosphorylation, 133, 641
- —, Kalckar, Herman M., and Cori, Carl F. Glucose phosphorylation and oxidation in cell-free tissue extracts, 137, 343
- and -. An activator of the hexokinase system, 137, 789
- -. See Sutherland, Colowick, and Cori, 140, 309
- and Sutherland, Earl W. Polysaccharide synthesis from glucose by means of purified enzymes, 144, 423
- and Kalckar, Herman M. The rôle of myokinase in transphosphorylations. I. The enzymatic phosphorylation of hexoses by adenyl pyrophosphate,
 148, 117
- Conant, James B., Cramer, Richard D., Hastings, A. Baird, Klemperer, Friedrich W., Solomon, A. K., and Vennesland, Birgit. Metabolism of lactic acid containing radioactive carboxyl carbon, 137, 557
- Conger, Theodore W., and Elvehjem, C. A. The biological estimation of pyridoxine (vitamin B₆), 138, 555
- Conn, John B. See Boyd, Conn, Gregg, Kistiakowsky, and Roberts, 139, 787
 - -. See Tishler, Stokes, Trenner, and Conn, 141, 197
- Conner, R. T., Kao, Hsueh-Chung, and Sherman, H. C. Further studies on the relationship of the plane of protein intake to the rate of normal calcification during growth, 139, 835

Connor, Edwin B. See Kaye, Leibner, and Connor, 132, 195	Corcoran, A. C
Consolazio, F. See Dill, Wilson, Hall,	lose in small
and Robinson, 136, 449 Consolazio, W. V., and Talbott, John H.	Wolmer O
Modification of the method of Shohl	—, Helmer, O The determi
and Bennett for the determination of	
potassium in serum and urine,	Cori, Carl F.
126, 55 — and —. The determination of total	Cori,
base in biological material by electro-	See Cori,
dialysis, 132, 753	See Cori
— and Dill, D. B. The determination	See Color
of sodium, 137, 587	
Conway, Catherine F. See Young and	See Cori
Conway, 142, 839	—. See Colo
Cook, E. V. See Cullen and Cook,	
147, 23	See Bear
Cook, J. W. See Dorfman, Cook, and Hamilton, 130, 285	—. See Suthe
Coolidge, Thomas B. A simple cata-	See Green
phoresis apparatus, 127, 551	Cori, Gerty ?
Chemistry of the van den Bergh	and Cori, Ca
reaction, 132, 119	phosphoryla
—. A simple ultrafiltration apparatus,	extract,
Coons, Albert H. See Muus, Coons, and	-, Cori, Carl
Salter, 139, 135	The rôle of
Cooper, Elizabeth. See Schmidt, Hughes,	formation of
Green, and Cooper, 145, 229	of glycogen
Cooper, Gerald R. See Neurath and	- and
Cooper, 135, 455	glycogen on glycogen fro
See Neurath, Cooper, and Erickson,	gry cogen in
138, 411	-and Th
See Neurath, Cooper, Sharp, Taylor, Beard, and Beard, 140, 293	synthesis of
Beard, and Beard, 140, 293 See Sharp, Cooper, and Neurath,	phosphate,
142, 203	See Green
See Neurath, Cooper, and Erickson,	—. See Hass
142, 249, 265	Contra Datate
See Sharp, Cooper, Erickson, and	Corley, Ralph
Neurath, 144, 139	and Corley, - See Visse
Copenhaver, Wilfred M. See Sperry,	Correll, John
Brand, and Copenhaver, 144, 297	dies on th
Copp, D. Harold. See Greenberg, Copp,	vitamin D
and Cuthbertson, 147, 749 Corbet, Ruth E. See Holmes and Corbet,	Influence o
127, 449	origins on b
Corcoran, A. C., and Page, Irvine H.	of the chick
Applications of diphenylamine in the	- and II
determination of levulose in biological	different or
media. I. The determination of in-	phatase of t

Corcoran, A. C.—continued: ulin. II. The determination of levulose in small amounts of blood,

127, 601

—, Helmer, O. M., and Page, Irvine H. The determination of nicotine in urine, 129, 89

Cori, Carl F. See Cori, Colowick, and Cori, 127, 771

-. See Cori, Cori, and Schmidt,

-. See Cori and Cori, 129, 629

 See Colowick, Welch, and Cori, 133, 359, 641

See Cori and Cori,
See Colowick, Kalckar, and Cori,

-. See Colowick, Kalckar, and Cort,

See Bear and Cori, 140, 111

-. See Sutherland, Colowick, and Cori; 140, 309

See Green, Cori, and Cori, 142, 447
 Cori, Gerty T., Colowick, Sidney P., and Cori, Carl F. The activity of the phosphorylating enzyme in muscle extract, 127, 771

—, Cori, Carl F., and Schmidt, Gerhard. The rôle of glucose-1-phosphate in the formation of blood sugar and synthesis of glycogen in the liver, 129, 629

— and —. The activating effect of glycogen on the enzymatic synthesis of glycogen from glucose-1-phosphate,

131, 397 enzymatic

— and —. The kinetics of the enzymatic synthesis of glycogen from glucose-1phosphate, 135, 733

See Green, Cori, and Cori, 142, 447
See Hassid, Cori, and McCready,

Corley, Ralph C. See Clarke, Solkot,

and Corley, 131, 135

-. See Visscher and Corley, 147, 291

Correll John T. and Wise F. C. Stud

Correll, John T., and Wise, E. C. Studies on the relative efficiency of vitamin D from several sources. I. Influence of vitamin D of different origins on bone ash and body weight of the chicken, 126, 573

 and —. II. Influence of vitamin D of different origins on the serum phosphatase of the chicken, 126, 581 Corsaro, Joseph F., Mangun, George H., and Myers, Victor. C. Comparative creatine concentration of three voluntary muscles in seventy-four autopsy cases,

135, 407

Coryell, Charles D., and Pauling, Linus.
A structural interpretation of the acidity of groups associated with the hemes of hemoglobin and hemoglobin derivatives,

132, 769

See Michaelis, Coryell, and Granick,
 148, 463

Coryell, Margaret Nalder, and Christman, A. A. The utilization of lactose by the fasting white rat, 150, 143 Cox, R. P. See Quackenbush, Cox, and Steenbock, 145, 169

Cox, Warren M., Jr. See Mueller, Kemmerer, Cox, and Barnes, 134, 573 Cox, William W. See Wendel, Wendel, and Cox, 131, 177

 and Wendel, William B. The normal rate of reduction of methemoglobin in dogs,
 143, 331

Craig, Francis N. See Beecher, Follansbee, Murphy, and Craig, 146, 197

—. See Beecher and Craig, 148, 383

 The effect of anoxia on the metabolism of liver slices from fed and fasted rats.
 150, 209

Craig, Lyman C. See *Jacobs and Craig*, 127, 361 128, 431

-. See Jacobs, Elderfield, and Craig, 128, 439

See Jacobs and Craig,
 and Jacobs, Walter A. The veratrine alkaloids. V. The selenium dehydrogenation of cevine,
 129, 79

- and -. VII. On decevinic acid, 134, 123

-. See Jacobs and Craig,

136, 303, 323

and Jacobs, Walter A. The veratrine alkaloids. VIII. Further studies on the selenium dehydrogenation of cevine,
 139, 263

-, -, and Lavin, George I. The veratrine alkaloids. IX. The nature of the hydrocarbons from the dehydrogenation of cevine, 139, 277 Craig, Lyman C .- continued:

 and Jacobs, Walter A. The veratrine alkaloids. X. The structure of cevanthridine, 139, 293

-. See Jacobs, Craig, and Lavin,

—. See Jacobs and Craig, 141, 51

— and Jacobs, Walter A. The veratrine alkaloids. XII. Further studies on the oxidation of cevine, 141, 253

— and —. XIII. The dehydrogenation of protoveratrine, 143, 427

See Jacobs and Craig, 143, 589, 605
and Jacobs, Walter A. The aconite

and Jacobs, Walter A. The aconite alkaloids. X. On napelline, 143, 611
See Gould, Craig, and Jacobs,

145, 487

-. See Jacobs and Craig,

147, 567, 571 148, 41, 51

 and Jacobs, Walter A. The veratrine alkaloids. XVII. On germine. Its formulation and degradation, 148, 57

See Jacobs and Craig, 149, 271
 and Jacobs, Walter A. The veratrine alkaloids. XX. Further correlations in the veratrine group. The relationship between the veratrine bases and solanidine, 149, 451

 Identification of small amounts of organic compounds by distribution studies. Application to atabrine,

150, 33

Cramer, Frank B., Jr., and Winnick, Theodore. Amino acid nitrogen of normal human plasma, 150, 259

Cramer, Richard D., and Kistiakowsky, G. B. The synthesis of radioactive lactic acid, 137, 549

 See Conant, Cramer, Hastings, Klemperer, Solomon, and Vennesland, 137, 557

--- See Vennesland, Solomon, Buchanan,
Cramer, and Hastings,
142, 371
Crandall Lathan A. Jr. A method for

Crandall, Lathan A., Jr. A method for acetone bodies in blood, applicable to the determination of small amounts of mercury, 133, 539

-. The form in which acetone bodies are produced by the liver, 135, 139

Crandall, Lathan A., Jr.—continued: —. A comparison of ketosis in man and dog, 138, 123 —. See Winter and Crandall, 140, 97 Creighton, M. M. See Anderson and	Dann, W. J., and Kohn, Henry I. The factor V (coenzymes I and II) content of rat tissues: evidence for synthesis of nicotinic acid by the rat, 136, 435 — and Handler, Philip. The quantita-
Creighton, 129, 57 130, 429 131, 549 —. See Anderson, Creighton, and Peck, 133, 675	tive estimation of nicotinic acid in animal tissues, 140, 201 —. See Handler and Dann, 140, 739 — and Handler, Philip. Synthesis of nicotinic acid by the chick embryo,
See Anderson, Peck, and Creighton, 136, 211	140, 935 —. The synthesis of nicotinic acid by
Cullen, S. C., and Cook, E. V. Solubility of nitrous oxide in human blood, 147, 23	the rat, 141, 803 See Handler and Dann, 145, 145, 146, 357
Cunningham, Burris. See Sisco, Cunningham, and Kirk, 139, 1 —, Kirk, Paul L., and Brooks, S. C. Quantitative drop analysis. XIV. Potentiometric determination of chloride, 139, 11 —, —, and —. XV. Determination of potassium, 139, 21 —. See Sandkuhle, Kirk, and Cunningham, 146, 427 Cushman, Margaret. See Buller and Cushman, 139, 219 —. See Butler, Cushman, and MacLachlan, 150, 453 Cuthbert, F. P. See Gray, Ivy, and Cuthbert, 128, 173 Cuthbertson, Elizabeth M. See Greenberg and Cuthbertson, 145, 179 —. See Greenberg, Copp, and Cuthbertson, 147, 749	Danowski, Thaddeus S. The transfer of potassium across the human blood cell membrane, 139, 693 Darby, Hugh H. Ultraviolet absorption spectrum of papain, 139, 721 — See Hofmann, Kilmer, Melville, du Vigneaud, and Darby, 145, 503 Darby, William J., and Day, Paul L. Blood sugar levels in rats receiving the cataractogenic sugars galactose and xylose, 133, 503 — and Lewis, Howard B. Urocanic acid and the intermediary metabolism of histidine in the rabbit, 146, 225 Darling, Sven. See Astrup and Darling, 133, 761 Darrow, Daniel C., Harrison, Harold E., and Taffel, Max. Tissue electrolytes in adrenal insufficiency, 130, 487 — See Yannet and Darrow, 134, 721 Davies, Dean F. See Free, Davies, and
D	Myers, 147, 167
Dakin, H. D. The formation of betaine from hydroxyamino acids on methylation, 140, 847 —. On methylaspartic acids and their methylation, 141, 945 —. On lysine and ornithine, 146, 237 Danielson, Irvin S., and Hastings, A. Baird. A method for determining tissue carbon dioxide, 130, 349 —, Chu, H. I., and Hastings, A. Baird. The pK'1 of carbonic acid in concentrated protein solutions and muscle, 131, 243	Davies, T. Harrison. See Clark, Taylor, Davies, and Vestling, 135, 543 —. Metalloporphyrins. III. Coordination of nitrogenous bases with iron meso-, proto-, and hematoporphyrins, 135, 597 Davis, Adelle. See Devel and Davis, 146, 649 Davis, Bernard D., Hollaender, Alexander, and Greenstein, Jesse P. Electrophoretic patterns, colloid osmotic pressure, and viscosity of serum denatured by ultraviolet radiation, 146, 668

Davis, G. K. See Hale, Davis, and 146, 553, 565 Baldwin, Davis, Orris L. See Lingane and Davis, 137, 567 Davis, W. W. See Plentl, Page, and 147, 143 Davis.Davison. Wilburt C. Relation of the concentration of starch suspensions to their viscosity, **144.** 419 Dawson, Martin H. See Meyer, Smyth, and Dawson. 128, 319 Day, Harry G., and McCollum, E. V. Mineral metabolism, growth, and symptomatology of rats on a diet extremely deficient in phosphorus, 130, 269 See Shils, Day, and McCollum, 139, 145 Day, Paul L. See Darby and Day, 133, 503 147, 257 -. See Totter and Day, Dean, R. B. The determination of chloride in single isolated muscle fibers. 137, 113 - and Fishman, M. M. Determination of chloride and base in the same tissue sample. 140, 807 De Falco, Ralph J. See Arnow, Kazal, and De Falco, 145, 347 Victor R. See Deitz, Hellerman, Chinard, and Deitz, 147, 443 Delor, R. A. See Buskirk and Delor, 145, 707 Dennis, Joe. See Hendrix and Dennis, 126, 315 Dessauer, Gerhard. See Hodge, Koss, Ginn. Falkenheim. Gavett. Fowler, Thomas, Bonner, and Dessauer, 148, 321 Deuber, Carl G. See Vickery, Pucher, and Deuber, 145, 45 Deuel, Harry J., Jr. See Halliday, Devel, Tragerman, and Ward, 132, 171 -, Hallman, Lois F., Greeley, Paul O., Butts, Joseph S., and Halliday, Nellie. Studies on ketosis. XVII. The rate of disappearance of β -hydroxybutyric acid in fasted and fed rats, 133, 173 See Blunden, Hallman, Morehouse, and Deuel, 135, 757 -. See Harper and Deuel, 137, 233

Deuel, Harry J., Jr.—continued: -, Halliday, Nellie, Hallman, Lois, Johnston, Cornelia, and Miller, Albert The effect of vitamin A intake on vitamin A content of butter fat, 139, 479 - and Hallman, Lois F. Studies on ketosis. XIX. Further studies on endogenous ketonuria in the rat, 140, 545 See Halliday and Devel, 140, 555 See Bobbitt and Deuel, 143, 1 The and Davis, Adelle. sexual variation in carbohydrate metabolism. X. The comparative glucose tolerance of normal rats and those with fatty 146, 649 livers, See Johnston and Devel, 149, 117 Deutsch, H. F., Kline, B. E., and Rusch, **H. P.** The oxidation of phospholipids in the presence of ascorbic acid and carcinogenic chemicals, 141, 529 Devlin, Henry B. See Orten and Devlin, 136, 461 - and Mattill, H. A. The chemical determination of tocopherols in muscle tissue, 146, 123 DeWitt. James B. See Sure and DeWitt. 126, 287 Dick, George F. See Barron, Dick, and Lyman, 137, 267

Dicken, Dorothy M. See Landy and

Dickman, S. R. See Carter and Dick-

Dill, D. B., Wilson, J. W., Hall, F. G.,

and Robinson, Sid. Properties of the

blood of Negroes and Whites in rela-

Dillon, MacFadyen, and Hamilton,

See Van Slyke, Hiller, and Dillon,

tion to climate and season,

Dill, L. V. See Cadden and Dill,

See Consolazio and Dill,

Dillon, Robert T. See

Dimick, Keene P. See

-. A quantitative method

determination of tyrothricin,

West, and Dimick,

146, 109

149, 571

136, 449

137, 587

143, 105

141,627

146, 137

137, 735

for the

149, 387

Van Slyke,

Christensen.

Dicken.

Dimler, Robert J. See Lohmar, Dimler,	Dolsy, Edward A.—continued:
Moore, and Link, 143, 551	 See MacCorquodale, Cheney,
— and Link, Karl Paul. The char-	Binkley, Holcomb, McKee, Thayer,
acterization of lactic acid as the	and Doisy, 131, 357
benzimidazole derivative, 143, 557	See Huffman, Thayer, and Doisy,
— and —. Carbohydrate characteriza-	133, 567
tion. IV. Identification of d-ribose,	See Binkley, McKee, Thayer, and
l-fucose, and d-digitoxose as benzi-	Doisy, 133, 721
midazole derivatives, 150, 345	See Huffman, MacCorquodale,
Di Somma, August A. The constitution	Thayer, Doisy, Smith, and Smith,
of conjugated phenolphthalein formed	134, 591
in the animal body, 133, 277	See Doisy, Huffman, Thayer, and
Divine, J. P. See Jones, Divine, and	Doisy, 138, 283
Horn, 146, 571	See Roberts, Cain, Muir, Reithel,
Dohan, Janetta Schoonover, and Wood-	Gaby, Van Bruggen, Homan, Katzman,
ward, Gladys E. Electrolytic reduc-	Jones, and Doisy, 147, 47
tion and determination of oxidized	See Van Bruggen, Reithel, Cain,
glutathione, 129, 393	Katzman, Doisy, Muir, Roberts, Gaby,
Glycolic acid oxidase, 135, 793	Homan, and Jones, 148, 365
See Woodward, Reinhart, and Dohan,	See Katzman, Godfrid, Cain, and
138, 677	
Doherty, David G., Stein, William H.,	Doisy, 148, 501 Dolan, Margery. See Sinclair and Dolan,
and Bergmann, Max. Aromatic	142, 659
sulfonic acids as reagents for amino	Dorfman, Albert. See Saunders, Dorf-
acids, 135, 487	man, and Koser, 138, 69
See Behrens, Doherty, and Berg-	-, Berkman, Sam, and Koser, Stewart
mann, 136, 61	A. Pantothenic acid in the metabo-
-, Tietzman, Josephine E., and Berg-	lism of Proteus morganii, 144, 393
mann, Max. Peptides of dehydro-	Dorfman, Ralph I., Cook, J. W., and
genated amino acids, 147, 617	Hamilton, James B. Conversion by
Doisy, E. A., Jr., Huffman, Max N.,	the human of the testis hormone,
Thayer, Sidney A., and Doisy, Edward	testosterone, into the urinary andro-
A. Solubilities of some estrogens,	gen, androsterone, 130, 285
138, 283	—. Conversion of etioallocholan-3,17-
- and Westerfeld, W. W. The relation-	dione into androsterone, 132, 457
ship of acetoin to metabolic acetyla-	- and Hamilton, James B. Concerning
tions, 149, 229	the metabolism of testosterone to
Doisy, Edward A. See Westerfeld,	androsterone, 133, 753
Thayer, MacCorquodale, and Doisy,	- and Fish, William R. The conversion
126, 181	of testosterone into etioallocholanol-
See Westerfeld, MacCorquodale,	$3(\beta)$ -17-one, 135, 349
Thayer, and Doisy, 126, 195	See Fish and Dorfman, 140, 83
See Binkley, MacCorquodale,	143, 15
Thayer, and Doisy, 130, 219	See Fish, Dorfman, and Young,
See Smith, Smith, Huffman, Thayer,	143. 715
MacCorquodale, and Doisy, 130, 431	Doster-Virtue, Mildred E. See Virtue
See MacCorquodale, McKee,	and Doster-Virtue, 126, 141
Binkley, Cheney, Holcomb, Thayer,	127, 431
and Doisy, 130, 433	127, 481
See McKee, Binkley, Thayer, Mac-	133, 573
Corquodale, and Doisy, 131, 327	137, 227
55. 4 accounts, and 2000 g, 201, 021	137, 22(

Doudoroff, M., Kaplan, N., and Hassid, W. Z. Phosphorolysis and synthesis of sucrose with a bacterial preparation, Dounce, Alexander L. See Sumner and 127, 439 Dounce. See Sumner, Dounce, and Frampton, 136, 343 An improved method for recrystal-140, 307 lizing urease, -. Further observations concerning the preparation and properties of catalase from different sources. I. Crystalline lamb liver catalase. II. Preparation of crystalline beef liver catalase by use of acetone or alcohol, 143, 497 Enzyme studies on isolated cell 147, 685 nuclei of rat liver, Dow, R. B. See Matthews, Dow, and Anderson, See Lauffer and Dow, Drabkin, David L., and Singer, Richard within the erythrocyte. basis. preparations. porphyrin.

135, 697 140, 509 -. See Borsook and Dubnoff, B. Spectrophotometric studies. VI. A study of the absorption spectra of Marriott, non-hemolyzed erythrocytes and of scattering of light by suspensions of tion of arginine, -. See Borsook and Dubnoff, particles, with a note upon the spectrophotometric determination of the pH Spectrophotometric studies. VII. The establishment of precise spectro- See Stern and Melnick, photometric constants for cytochrome c and hemin derivatives, upon an iron Lardy, DuBois, and Olson, See Potter and DuBois, VIII. The microdetermination of iron in cytochrome c and hemin 140, 387 IX. The reaction of cyanide with nitrogenous derivatives of ferriproto-142, 855 -. X. Structural interpretation of the anesthesia, spectra of cyanide, pyridine, and carbon monoxide derivatives of cytochrome c and hemoglobin, 146, 605 acetylcholine. -. See Rosenthal and Drabkin, 149, 437 150, 131 sinetriphosphatase, Drake, B. B., Smythe, C. V., and King, C. G. Complexes of dehydroascorbic Dubos, acid with three sulfhydryl compounds, 1/12 00 141, 155

Drekter, Leon. See Truhlar, Drekter, McGuire, and Falk, 127, 345 Drew, Charles R. See Smith, Tuthill, Drew, and Scudder, 133, 499 Drinker, Nancy, Green, Arda Alden, and Hastings. A. Baird. Equilibria between calcium and purified globulins, 131, 641 - and Zinsser, Hans H. The equilibrium between calcium and cephalin in various systems, 148, 187 Drury, Douglas R. See Wick and Drury, 138, 129 See Pauls and Drury, 145, 481 Dubnoff, Jacob W. See Borsook and Dubnoff. 131, 163 132, 307, 559 134, 635 - and Borsook, Henry. A micromethod for the determination of glycocyamine in biological fluids and tissue extracts, 138, 381 138, 389 -. See Borsook, Dubnoff, Lilly, and 138, 405 A micromethod for the determina-141, 711 141, 717 DuBois, Delafield. An apparatus for the study of rapid chemical reactions, 137, 123 139, 301 DuBois, K. P. See Moxon, Schaefer, 132, 785 142, 417 - and Potter, V. R. The preparation of hexose diphosphate, hexose monophosphate, and phosphoglyceric acid, 147, 41 -, Albaum, H. G., and Potter, V. R. Adenosine triphosphate in magnesium 147, 699 - and Potter, V. R. Activation of the adenosinetriphosphatase system by - and -. The assay of animal tissues for respiratory enzymes. III. Adeno-150, 185 Dubos, René J. See Hotchkiss and 132, 791, 793 136, 803

Dubos, René J.—continued: Eakin, Robert E.—continued: See Lipmann, Hotchkiss, and Dubos, -, Snell, Esmond E., and Williams, 141, 163 Roger J. The concentration and as--, Hotchkiss, Rollin D., and Coburn, say of avidin, the injury-producing Alvin F. The effect of gramicidin protein in raw egg white, and tyrocidine on bacterial metabo-Duff, Virginia B. See Bodansky, Duff, and McKinney, 140, 365 Duffendack, O. S., Thomson, K. B., Lee, William C., and Koppius, O. G. A method for the quantitative spectrochemical analysis of very amounts of biological materials for sodium, potassium, calcium, nesium, and lead, 126, 1 Dunbar, P. See Goettsch, Lyttle, Grim, and Dunbar, 144, 121 Dunn, Max S., and Porush, Irving. Quantitative investigations of amino complement from fresh guinea pig acids and peptides. V. The function serum, of iodine in amino nitrogen analyses by the nitrous acid method. 127, 261 See Redemann and Dunn, 130, 341 See Stoddard and Dunn, 142, 329 -, Frieden, Edward H., Stoddard, M. Palmer, and Brown, Harold V. Quantitative investigations of amino acids and peptides. IX. Some physical properties of l(-)-histidine, 144, 487 See Shankman, Dunn, and Rubin, 150, 477 Dyer, Helen M. See Kies, Dyer, Wood, and du Vigneaud, 128, 207 stein, -. See du Vigneaud, Dyer, and Kies, 130, 325 van Dyke, H. B. See Greep, van Dyke, and Chow, 133, 289 E Eadie, G. S. The inhibition of cholinesterase by morphine in vitro. 138, 597

The inhibition of cholinesterase by

Eakin, Robert E., Snell, Esmond E., and

Williams, Roger J. A constituent of

raw egg white capable of inactivating

146, 85

136, 801

physostigmine and prostigmine,

biotin in ritro,

Eastcott, Edna V. See Rae and Eastcott, 129, 255 136, 443 Eck, John C., and Thomas, Byron H. The chemical activation of sterols. V. A study of the relationship between chemical activation and configuration of various sterols and derivatives, 128, 257 - and -. VI. A study of various reagents in chemical activation and in sterol color reactions, Ecker, E. E., Pillemer, L., Jones, Chase Breese, and Seifter, S. Separation of

 See Pillemer and Ecker, 137, 139 Eckert, H. William. Determination of p-aminobenzoic acid, conjugated paminobenzoic acid, and p-nitrobenzoic acid in blood, 148, 197 A new micro colorimetric method

135, 347

for the determination of tryptophane, 148, 205

Eckstein, H. C. See Tucker and Eckstein, 126, 117

See Treadwell and Eckstein,

128, 373 -. See Tucker, Treadwell, and Eck-135, 85

 See Singal and Eckstein, 140, 27

See Treadwell and Eckstein,

140, 35 See Treadwell, Groothuis, and Eckstein, 142, 653

Eder, Howard, Bradley, H. C., and Belfer, Samuel. The survival of cathepsin in autolysis, 128, 551

See Bailey,Belfer, Eder, and Bradley, 143, 721

—. See Belfer, Koran, Eder, and 147, 345 Bradley.

Edman, P. V. A micromethod for the estimation of cerebrosides in nerve tissue, 143, 219

Edsall, John T. See Greenstein and Edsall.133, 397 Edsall, John T .- continued:

 and Mehl, John W. The effect of denaturing agents on myosin. II.
 Viscosity and double refraction of flow, 133, 409

Edson, M., and Heard, R. D. H. Hydrolysis of the conjugated estrogens in the urine of pregnant mares,

Edwards, G. A. See Scholander, Edwards, and Irving, 148, 495

—, Scholander, P. F., and Roughton, F. J. W. Micro gasometric estimation of the blood gases. III. Nitrogen, 148, 565

Edwards, Raymond R. See Christensen, Edwards, and Piersma, 141, 187

Egaña, Enrique, and Meiklejohn, Arnold P. The estimation of thiamine in urine, 141, 859

Eichelberger, Lillian. The distribution of body water in skeletal muscle in dogs with impaired renal function,

128, 137

and Bibler, Walter G. Water and electrolyte content of normal and hydronephrotic kidneys,
 132, 645

—, Fetcher, E. S., Jr., Geiling, E. M. K., and Vos, B. J., Jr. The distribution of water and electrolytes in the blood of dolphins (*Tursiops truncatus*),

—, Geiling, E. M. K., and Vos, B. J., Jr.
The distribution of water and electrolytes in skeletal muscle of the dolphin (Tursiops truncatus), 133, 661

—, Fetcher, E. S., Jr., Geiling, E. M. K., and Vos, B. J., Jr. The composition of dolphin milk, 134, 171

 The distribution of body water in skeletal muscle and liver in normal dogs following injections of potassium salts,
 138, 583

—. The distribution of body water and electrolytes in skeletal muscle of dogs with experimental hydronephrosis following injections of potassium salts, 140, 467

 and McLean, Franklin C. The distribution of calcium and magnesium between the cells and the extracellular fluids of skeletal muscle and liver in dogs, 142, 467

Eiler, John J., Stockholm, M., and Althausen, T. L. The effect of the rate of absorption of glucose on the phosphates in the intestinal mucosa, 134, 283

-. See Allen and Eiler, 137, 757

Eisenman, Anna J., Ott, Lawrence, Smith, Paul K., and Winkler, Alexander W. A study of the permeability of human erythrocytes to potassium, sodium, and inorganic phosphate by the use of radioactive isotopes,

135, 165

—. See Smith, Eisenman, and Winkler,
141, 555

Elam, Daniel W. See Norris and Elam, 134, 443

-. See Lundgren, Elam, and O'Connell, 149, 183

Elderfield, Robert C. See Jacobs, Elderfield, and Craig, 128, 439

Elgart, Samuel, and Nelson, Norton.

Elimination of acetoacetic acid in the determination of pyruvic acid by Lu's method,

138, 443

Ellenberg, Max. See Adlersberg and Ellenberg, 128, 379

Elliott, F. H. See Elliott and Elliott, 127, 457

Elliott, K. A. C., and Elliott, F. H. The influence of some intermediary metabolites and salts on the respiration of liver tissue suspensions,

127, 457 — and Libet, B. Oxidation of glycogen

by brain suspensions, 136, 797

— and —. Studies on the metabolism of brain suspensions. I. Oxygen uptake. 143, 227

—, Scott, D. B. McNair, and Libet, B. Studies on the metabolism of brain suspensions. II. Carbohydrate utilization, 146, 251

Ellis, Fred W., and Krantz, John C., Jr. Sugar alcohols. XXII. Metabolism and toxicity studies with mannitol and sorbitol in man and animals,

Ellis, N. R. See Riemenschneider, Ellis, and Titus, 126, 255 Ellis, Sydney, and Walker, Burnham S. The action of hippuricase on ringsubstituted derivatives of hippuricacid, 142, 291 Ells, Victor R. See Uber and Ells, 144, 229 Ells, Victor R. See Uber and Ells, 144, 229 Elman, Robert. See White and Elman, 143, 797 d'Elseaux, Frank C., Blackwood, Frances C., Palmer, Lucille E., and Sloman, Katherine G. Acid-base equilibrium in the normal, 144, 529 Elvehjem, C. A. See Potter, Elrehjem, and Hart, 126, 155 — See Bird, Oleson, Elvehjem, and Hart, 126, 671 — See Oleson, Bird, Elvehjem, and Hart, 127, 23 — See Wiese, Johnson, Elvehjem, and Hart, 127, 23 — See Woolley, Waisman, and Elrehjem, 128, 501 — See Acelrod, Madden, and Elrehjem, 129, 673 — See Acelrod, Madden, and Elvehjem, 131, 77 — See Acelrod, Madden, and Elvehjem, 131, 77 — See Acelrod, Madden, and Elvehjem, 132, 65 — See Black, Frost, and Elvehjem, 132, 65 — See Rober, Lipton, and Elvehjem, 134, 217 — See Anderson and Elvehjem, 134, 217 — See Acelrod, Sober, and Elvehjem, 134, 217 — See Acelrod, Sober, and Elvehjem, 134, 217 — See Acelrod, Sober, and Elvehjem, 134, 679 — See Rielsen and Elvehjem, and Hart, 134, 427 — See More, Elvehjem, and Hart, 134, 427 — See Rober, Lipton, and Elvehjem, 134, 679 — See Rober, Lipton, and Elvehjem, 136, 425 — See Rober, Lipton, and	Eilis, Gordon. See Voris, Ellis, and	Elvehjem, C. A.—continued:
Ellis, N. R. See Riemenschneider, Ellis, and Titus, 126, 255 Ellis, Sydney, and Walker, Burnham S. The action of hippuricase on ringsubstituted derivatives of hippuricase in the action, 142, 291 Ells, Victor R. See Uber and Ells, 141, 229 Elman, Robert. See White and Elman, 143, 797 d'Elseaux, Frank C., Blackwood, Frances C., Palmer, Lucille E., and Sloman, Katherine G. Acid-base equilibrium in the normal, 144, 529 Elvehjem, C. A. See Potter, Bleckjem, and Hart, 126, 155 — See Bird, Oleson, Elvehjem, and Hart, 126, 671 — See Oleson, Bird, Elvehjem, and Hart, 127, 411 — See Voolley, Waisman, and Elvehjem, 128, 501 — See Woolley, Waisman, and Elvehjem, 129, 673 — See Axelrod, Madden, and Elvehjem, 129, 673 — See Axelrod, Madden, and Elvehjem, 131, 77 — See Axelrod, Madden, and Elvehjem, 132, 65 — See Black, Frost, and Elvehjem, 132, 65 — See Nielsen, Oleson, and Elvehjem, 133, 637 — See Anderson and Elvehjem, 134, 425 — See Rober, Lipton, and Elvehjem, 134, 425 — See Axelrod, Spies, and Elvehjem, and Hart, 120, 671 — See Hegsted, Mills, Elvehjem, and Hart, 140, 191 — See Hegsted, Mills, Elvehjem, and Hart, 140, 191 — See Hegsted, Mills, Elvehjem, and Hart, 140, 191 — See Hegsted, Hier, Elvehjem, and Hart, 140, 191 — See Hegsted, Hier, Elvehjem, and Hart, 140, 191 — See Hegsted, Mills, Elvehjem, and Hart, 140, 191 — See Hegsted, Mills, Elvehjem, and Hart, 140, 191 — See Hegsted, Mills, Elvehjem, and Hart, 140, 191 — See Hegsted, Mills, Elvehjem, and Hart, 140, 191 — See Hegsted, Hier, Elvehjem, and Hart, 140, 191 — See Hegsted, Hier, Elvehjem, and Hart, 140, 191 — See Hegsted, Hier, Elvehjem, and Hart, 140, 191 — See Hegsted, Hier, Elvehjem, and Hart, 140, 191 — See Hegsted, Hier, Elvehjem, and Hart, 126, 515 — See Katzendo, Spies, and Elvehjem, 138, 697 — See Hegsted, Hier, Elvehjem, and Hart, 126, 515 — See Katzendo, Spies, Elvehjem, and Hart, 126, 515 — See Katzendo, Swingle, and Elvehjem, 142, 77 — See Jewingle, Marlin, 192, 77 — See See See See See See See See See Se		
Ellis, Sydney, and Walker, Burnham S. The action of hippuricase on ringsubstituted derivatives of hippuricacid, 142, 291 Ells, Victor R. See Uber and Ells, 141, 229 Elman, Robert. See White and Elman, 143, 797 d'Elseaux, Frank C., Blackwood, Frances C., Palmer, Lucille E., and Sloman, Katherine G. Acid-base equilibrium in the normal, 144, 529 Elvehjem, C. A. See Potter, Elvehjem, and Hart, 126, 671 — See Bird, Oleson, Elvehjem, and Hart, 127, 23 — See Wiese, Johnson, Elvchjem, and Hart, 127, 411 — See Wiese, Johnson, Elvchjem, and Hart, 128, 501 — See Woolley, Waisman, and Elvehjem, 128, 501 — See Hegsted, Piers, and Elvehjem, and Hart, 130, 423 — See Kohler, Elvchjem, and Hart, 130, 423 — See Kohler, Elvchjem, and Hart, 130, 423 — See Back, Frost, and Elvehjem, 131, 85 — See Back, Frost, and Elvehjem, 132, 65 — See Nielsen, Oleson, and Elvehjem, 133, 637 — See Anderson and Elvehjem, 134, 605 — See Axelrod, Speer, and Elvehjem, 134, 749 — See Schaefer, Lipton, and Elvehjem, 134, 749 — See Wagner, Axelrod, Lipton, and Elvehjem, 134, 749 — See Wagner, Axelrod, Lipton, and Elvehjem, 134, 749 — See Wagner, Axelrod, Lipton, and Elvehjem, 134, 749 — See Wagner, Axelrod, Lipton, and Elvehjem, 134, 749 — See Wagner, Axelrod, Lipton, and Elvehjem, 134, 749 — See Wagner, Axelrod, Lipton, and Elvehjem, 134, 749 — See Briggs, Luckey, Elvchjem, and Hart, 148, 163 — See Briggs, Luckey, Elvchjem, and Elvehjem, 134, 749 — See Briggs, Luckey, Elvchjem, and Elvehjem, 136, 357 — See Briggs, Luckey, Elvchjem, and Elvehjem, 136, 425 — See Briggs, Luckey, Elvchjem, and Hart, 148, 163 — See Briggs, Luckey, Elvchjem, and Hart, 148, 163 — See Briggs, Luckey, Elvchjem, and Hart, 148, 163 — See Briggs, Luckey, Elvchjem, and Hart, 148, 163 — See Briggs, Luckey, Elvchjem, and Hart, 148, 163 — See Briggs, Luckey, Elvchjem, and Hart, 148, 163 — See Briggs, Luckey, Elvchjem, and Hart, 148, 163 — See Briggs, Luckey, Elvchjem, and Hart, 148, 163 — See Briggs, Luckey, Elvchjem, and Hart, 148, 163 — See Briggs, Luckey, Elvchjem, and 148, 261 — S	Ellis, N. R. See Riemenschneider, Ellis,	
The action of hippuricase on ring substituted derivatives of hippuric acid, 142, 291 Ells, Victor R. See Uber and Ells, 141, 229 Elman, Robert. See White and Elman, 143, 797 d'Elseaux, Frank C., Blackwood, Frances C., Palmer, Lucille E., and Sloman, Katherine G. Acid-base equilibrium in the normal, 144, 529 Elvehjem, C. A. See Potter, Elrehjem, and Hart, 126, 155 — See Bird, Oleson, Elrehjem, and Hart, 127, 23 — See Wiese, Johnson, Elvchjem, and Hart, 127, 23 — See Wiese, Johnson, Elvchjem, and Hart, 128, 501 — See Woolley, Waisman, and Elvehjem, and Hart, 128, 501 — See Woolley, Waisman, and Elvehjem, and Hart, 129, 673 — See Axelrod and Elvehjem, and Hart, 130, 423 — See Hegsted, Hier, Elvehjem, and Hart, 126, 155 — See Bird, Oleson, Elrehjem, and Hart, 127, 23 — See Wiese, Johnson, Elvchjem, Hart, 127, 23 — See Wiese, Johnson, Elvchjem, and Hart, 128, 501 — See See Kohler, Elvchjem, and Hart, 128, 501 — See Woolley, Waisman, and Elvehjem, and Hart, 130, 425 — See Axelrod and Elvehjem, 131, 85 — See Hegsted, Hier, Elvehjem, and Hart, 126, 155 — See Mixel Plegsted, Hier, Elvehjem, and Hart, 140, 191 — See Hutchings, Bohonos, Hegsted, Elvehjem, and Hort, 126, 155 — See Wiese, Johnson, Elvchjem, and Elvehjem, 140, 725 — See Mixelrod, Swingle, and Elvehjem, 140, 725 — See Mixelrod, Swingle, and Elvehjem, 140, 791 — See Hutchings, Bohonos, Hegsted, Elvehjem, and Elvehjem, and Hart, 128, 501 — See Mixelrod, Swingle, and Elvehjem, 140, 725 — See Mixelrod, Swingle, and Elvehjem, 140, 725 — See Mixelrod, Swingle, and Elvehjem, 142, 77 — See Katzenelbogen, Axelrod, and Elvehjem, 142, 77 — See Nielsen and Elvehjem, 131, 75 — See Nielsen, 126, 671 — See Nielsen, 127, 411 — See Nielsen, 127, 411 — See Nielsen, 128, 501 — See Nielsen, 129, 673 — See Riggs, Milo, Elvehjem, and Elvehjem, 127, 411 — See Nielsen, 120, 72 — See Ni	and Titus, 126, 255	See Hegsted, Mills, Elvehjem, and
substituted derivatives of hippuric acid, 142, 291 Ells, Victor R. See Uber and Ells, 141, 229 Elman, Robert. See White and Elman, 143, 797 d'Elseaux, Frank C., Blackwood, Frances C., Palmer, Lucille E., and Sloman, Katherine G. Acid-base equilibrium in the normal, 144, 529 Elvehjem, C. A. See Potter, Elrehjem, and Hart, 126, 155 - See Bird, Oleson, Elrehjem, and Hart, 126, 671 - See Oleson, Bird, Elvchjem, and Hart, 127, 213 - See Wiese, Johnson, Elvchjem, Hart, and Halpin, 127, 411 - See Kohler, Elvchjem, and Hart, 128, 501 - See Woolley, Waisman, and Elvehjem, 128, 501 - See Axelrod and Elvehjem, and Hart, 130, 423 - See Nielsen, Oleson, Elvchjem, and Hart, 130, 423 - See Nielsen, Oleson, and Elvchjem, 131, 85 - See Black, Frost, and Elvchjem, 133, 637 - See Axelrod, Sober, and Elvchjem, 134, 425 - See Sober, Lipton, and Elvchjem, 134, 605 - See Axelrod, Sober, and Elvchjem, 134, 425 - See Sober, Lipton, and Elvchjem, 134, 425 - See Wagner, Axelrod, Lipton, and Elvchjem, 134, 426 - See Wagner, Axelrod, Lipton, and Elvchjem, 134, 426 - See Wagner, Axelrod, Lipton, and Elvchjem, 134, 426 - See Wagner, Axelrod, Lipton, and Elvchjem, 134, 425 - See Wagner, Axelrod, Lipton, and Elvchjem, 134, 425 - See Wagner, Axelrod, Lipton, and Elvchjem, 134, 605 - See Briggs, Luckey, Elvchjem, and Hart, 148, 163 - See Briggs, Luckey, Elvchjem, and Hart, 148, 163 - See Briggs, Luckey, Elvchjem, and Hart, 148, 163 - See Briggs, Luckey, Elvchjem, and Hart, 148, 163 - See Briggs, Luckey, Elvchjem, and Hart, 148, 163 - See Briggs, Luckey, Elvchjem, and Hart, 148, 161 - See Briggs, Luckey, Elvchjem, and Hart, 148, 161 - See Briggs, Luckey, Elvchjem, and Hart, 148, 161 - See Briggs, Luckey, Elvchjem, and Hart, 148, 161 - See Briggs, Luckey, Elvchjem, and Hart, 148, 161 - See Briggs, Luckey, Elvchjem, and Hart, 148, 161 - See Briggs, Luckey, Elvchjem, and Hart, 148, 161 - See Briggs, Luckey, Elvchjem, and Hart, 148, 161 - See Briggs, Luckey, Elvchjem, and Hart, 148, 161 - See Briggs, Luckey, Elvchjem, and Hart, 148, 161 - See Briggs,	Ellis, Sydney, and Walker, Burnham S.	Hart, 138, 459
acid, 142, 291 Ells, Victor R. See Uber and Ells, 141, 229 Elman, Robert. See White and Elman, 143, 797 d'Elseaux, Frank C., Blackwood, Frances C., Palmer, Lucille E., and Sioman, Katherine G. Acid-base equilibrium in the normal, 144, 529 Elvehjem, C. A. See Potter, Elrehjem, and Hart, 126, 155 — See Bird, Oleson, Elvehjem, and Hart, 126, 671 — See Oleson, Bird, Elvehjem, and Hart, 126, 671 — See Oleson, Bird, Elvehjem, and Hart, 127, 23 — See Wiese, Johnson, Elvehjem, and Hart, 128, 23 — See Kohler, Elvehjem, and Hart, 128, 23 — See Kohler, Elvehjem, and Hart, 128, 23 — See Axelrod and Elvehjem, 131, 77 — See Black, Frost, and Elvehjem, 132, 65 — See Nielsen, Oleson, and Elvehjem, 134, 217 — See Nielsen, Oleson, and Elvehjem, 134, 217 — See Anderson and Elvehjem, 134, 217 — See Axelrod, Sober, and Elvehjem, 134, 425 — See Sober, Lipton, and Elvehjem, 134, 425 — See Wagner, Axelrod, Lipton, and Elvehjem, 134, 749 — See Wagner, Axelrod, Lipton, and Elvehjem, 134, 635 — See Wagner, Axelrod, Lipton, and Elvehjem, 134, 749 — See Wagner, Axelrod, Lipton, and Elvehjem, 134, 635 — See Hegsted, Hier, Elvehjem, and Hart, 140, 191 — See Hegsted, Hier, Elvehjem, and Hart, 140, 191 — See Hutchings, Bohonos, Hegsted, Elvehjem, and Hart, 140, 191 — See Axelrod and Elvehjem, 140, 635 — See Mickfibin, Schaefer, Frost, and Elvehjem, 142, 77 — See See Axelrod, Neibin, Schaefer, Frost, and Elvehjem, 142, 87 — See Briggs, Mills, Elvehjem, and Hart, 144, 407 — See Wielsen and Elvehjem, 144, 407 — See McKibbin, Schaefer, Frost, and Elvehjem, 142, 87 — See Briggs, Mills, Elvehjem, and Hart, 144, 407 — See McKibbin, Schaefer, Frost, and Elvehjem, 131, 77 — See Axelrod, Oleson, Elvehjem, 132, 63 — See Medster, McKibbin, and Elvehjem, 144, 407 — See McKibbin, Schaefer, McKibbin, and Elvehjem, 131, 77 — See McKibbin, Schaefer, McKibbin, and Elvehjem, 132, 107 — See McKibbin, Schaefer, McKibbin, and Elvehjem, 134, 107 — See McKibbin	The action of hippuricase on ring-	See Conger and Elvehjem, 138, 555
Ells, Victor R. See Uber and Ells, 141, 229 Biman, Robert. See White and Elman, 143, 797 d'Elseaux, Frank C., Blackwood, Frances C., Palmer, Lucille E., and Sloman, Katherine G. Acid-base equilibrium in the normal, 144, 529 Elvehjem, C. A. See Potter, Elvehjem, and Hart, 126, 155 — See Bird, Oleson, Elvehjem, and Hart, 126, 671 — See Oleson, Bird, Elvehjem, and Hart, 127, 23 — See Wiese, Johnson, Elvehjem, and Hart, 128, 501 — See Katzenelbogen, Axelrod, and Elvehjem, 128, 501 — See Kohler, Elvehjem, and Hart, 128, 501 — See Arclrod and Elvehjem, 131, 77 — See Arclrod and Elvehjem, 131, 75 — See Arclrod and Elvehjem, 132, 65 — See Nielsen, Oleson, and Elvehjem, 133, 637 — See Anderson and Elvehjem, 134, 217 — See Hore, Elvehjem, and Elvehjem, 134, 425 — See Axelrod, Sober, and Elvehjem, 134, 425 — See Sober, Lipton, and Elvehjem, 134, 425 — See Wagner, Axelrod, Lipton, and Elvehjem, 134, 749 — See Wagner, Axelrod, Lipton, and Elvehjem, 136, 425 — See Briggs, Luckey, Elvehjem, and Hart, 136, 425	substituted derivatives of hippuric	See Axelrod, Spies, and Elvehjem,
Elman, Robert. See White and Elman, 141, 229 d'Elseaux, Frank C., Blackwood, Frances C., Palmer, Lucille E., and Sloman, Katherine G. Acid-base equilibrium in the normal, 144, 529 Elvehjem, C. A. See Potter, Elrehjem, and Hart, 126, 671 — See Bird, Oleson, Elvehjem, and Hart, 126, 671 — See Oleson, Bird, Elvehjem, and Hart, 126, 671 — See Wiese, Johnson, Elvehjem, and Hart, 127, 23 — See Katzenelbogen, Axelrod, and Elvehjem, 128, 501 — See Katzenelbogen, Axelrod, and Elvehjem, 141, 611 — See McKibbin, Schaefer, Frost, and Elvehjem, 128, 501 — See Briggs, Mills, Elvehjem, and Hart, 130, 423 — See Kroller, Mills, Elvehjem, and Hart, 130, 423 — See McKibbin, Schaefer, McKibbin, and Elvehjem, 131, 85 — See Axelrod, Madden, and Elvehjem, 131, 85 — See Black, Frost, and Elvehjem, 132, 65 — See Nielsen, Oleson, and Elvehjem, 133, 637 — See Magner, Axelrod, Lipton, and Elvehjem, 134, 425 — See Sober, Lipton, and Elvehjem, 134, 425 — See Wagner, Axelrod, Lipton, and Elvehjem, 134, 749 — See Wagner, Axelrod, Lipton, and Elvehjem, 134, 673 — See Briggs, Luckey, Elvehjem, and Hart, 130, 428 — See Black, Overman, Elvehjem, and Hart, 140, 931 — See Katzenelbogen, Axelrod, and Elvehjem, See Schaefer, McKibbin, Schaefer, Frost, and Elvehjem, 142, 85 — See Briggs, Mills, Elvehjem, and Hart, See Nielsen and Elvehjem, and Hart, See Black, Overman, Elvehjem, and Hart, See McKibbin, Schaefer, Frost, and Elvehjem, See Rrighom, 144, 470 — See Briggs, Mills, Elvehjem, and Hart, See Nielsen and Elvehjem, and Hart, See Black, Overman, Elvehjem, and Hart, See Black, Overman, Elvehjem, and Hart, See Rielrod, Modden, and Elvehjem, and Hart, See Black, Overman, Elvehjem, and Hart, See Briggs, Luckey, Elvehjem, and Hart, See Briggs, Mills, Elvehjem, and Hart, See Black, Overman, Elvehjem, and Hart, See Briggs, Mills, Elvehjem, and Hart, See Briggs, Mills, Elvehjem, and Hart, See Black,	acid, 142, 291	138, 667
Elman, Robert. See White and Elman, 143, 797 d'Elseaux, Frank C., Blackwood, Frances C., Palmer, Lucille E., and Sloman, Katherine G. Acid-base equilibrium in the normal, 144, 529 Elvehjem, C. A. See Potter, Elrehjem, and Hart, 126, 155 — See Bird, Oleson, Elvehjem, and Hart, 126, 155 — See Oleson, Bird, Elvehjem, and Hart, 127, 23 — See Wiese, Johnson, Elvehjem, and Hart, 127, 23 — See Kohler, Elvehjem, and Hart, 128, 501 — See Woolley, Waisman, and Elvehjem, 128, 501 — See Moolley, Waisman, and Elvehjem, 131, 85 — See Axelrod and Elvehjem, 131, 85 — See Axelrod and Elvehjem, 131, 85 — See Black, Frost, and Elvehjem, 131, 85 — See Nielsen, Oleson, and Elvehjem, 134, 679 — See Nielsen, Oleson, and Elvehjem, 134, 679 — See Axelrod, Sober, and Elvehjem, 144, 405 — See Morkibin, Schaefer, Elvehjem, and Hart, 145, 137 — See Nielsen and Elvehjem, 144, 405 — See Black, Frost, and Elvehjem, 134, 679 — See Nielsen, Oleson, and Elvehjem, 134, 217 — See Axelrod, Sober, and Elvehjem, 134, 425 — See Axelrod, Sober, and Elvehjem, 134, 425 — See Wagner, Axelrod, Lipton, and Elvehjem, 134, 749 — See Wagner, Axelrod, Lipton, and Elvehjem, 136, 425 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 267 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 149, 109 145, 297 146, 681 — See Axelrod, Sober, Elvehjem, and Elvehjem, 140, 931 — See Axelrod, Swingle, and Elvehjem, 142, 77 — See Schaefer, McKibbin, Schaefer, Frost, and Elvehjem, 144, 47 — See Schaefer, McKibbin, Schaefer, Elvehjem, and Hart, 148, 679 — See Mekibin, Schaefer, Frost, and Elvehjem, 144, 47 — See Briggs, Mills, Elvehjem, and Hart, 145, 107 — See Briggs, Luckey, Elvehjem, and Link, 109 145, 681 — See Schaefer, McKibbin, and Elvehjem, 145, 679 — See Black, Overman, Elvehj	Ells, Victor R. See Uber and Ells,	See Hegsted, Hier, Elvehjem, and
d'Elseaux, Frank C., Blackwood, Frances C., Palmer, Lucille E., and Sloman, Katherine G. Acid-base equilibrium in the normal, 144, 529 Elvehjem, C. A. See Potter, Elrehjem, and Hart, 126, 155 — See Bird, Oleson, Elvehjem, and Hart, 127, 23 — See Wiese, Johnson, Elvehjem, and Haptn, 127, 411 — See Woolley, Waisman, and Elvehjem, and Hart, 128, 501 — See Moolley, Waisman, and Elvehjem, and Hart, 130, 423 — See Axelrod and Elvehjem, and Elvehjem, and Haptn, 127, 411 — See Mielsen, Oleson, Elvehjem, and Hart, 128, 501 — See Woolley, Waisman, and Elvehjem, and Hart, 130, 423 — See Moolley, Waisman, and Elvehjem, and Hart, 131, 77 — See Axelrod and Elvehjem, 131, 77 — See Maclord and Elvehjem, 132, 65 — See Moolley, Waisman, and Elvehjem, 132, 65 — See Nielsen, Oleson, and Elvehjem, 133, 637 — See Nielsen, Oleson, and Elvehjem, 134, 425 — See Sober, Lipton, and Elvehjem, 134, 425 — See Sober, Lipton, and Elvehjem, 134, 425 — See Wagner, Axelrod, Lipton, and Elvehjem, 134, 749 — See Wagner, Axelrod, Lipton, and Elvehjem, 134, 749 — See Wagner, Axelrod, Lipton, and Elvehjem, 136, 425 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 150, 117 — See Briggs, Luckey, Elvehjem, and Hart, 150, 117 — See Briggs, Luckey, Elvehjem, and Hart, 150, 117 — See Briggs, Luckey, Elvehjem, and Hart, 150, 117 — See Briggs, Luckey, Elvehjem, and Hart, 150, 117 — See Briggs, Luckey, Elvehjem, and Hart, 150, 118 — See Briggs, Luckey, Elvehjem, and Hart, 150, 117 — See Briggs, Luckey, Elvehjem, and Hart, 150, 117 — See Briggs, Luckey, Elvehjem, and Hart, 150, 117 — See Briggs, Luckey, Elvehjem, and 150, 118 — See Briggs, Luckey, Elvehjem, and 150, 118 —	141, 229	Hart, 139, 863
d'Elseaux, Frank C., Blackwood, Frances C., Palmer, Lucille E., and Sloman, Katherine G. Acid-base equilibrium in the normal, 144, 529 Elvehjem, C. A. See Potter, Elrehjem, and Hart, 126, 671 — See Bird, Oleson, Elvehjem, and Hart, 126, 671 — See Oleson, Bird, Elvehjem, and Hart, 127, 23 — See Wiese, Johnson, Elvehjem, and Hart, 127, 23 — See Wiese, Johnson, Elvehjem, Hart, and Halpin, 127, 411 — See Frost and Elvehjem, 128, 23 — See Kohler, Elrehjem, and Hart, 128, 501 — See Woolley, Waisman, and Elvehjem, and Hart, 130, 423 — See Megsted, Oleson, Elvehjem, and Hart, 130, 425 — See Axclrod and Elvehjem, 131, 77 — See Axelrod, Madden, and Elvehjem, 131, 85 — See Black, Frost, and Elvehjem, 133, 637 — See Nielsen, Oleson, and Elvehjem, 134, 425 — See Nielsen, Oleson, and Elvehjem, 134, 425 — See Sober, Lipton, and Elvehjem, 134, 425 — See Axelrod, Sober, and Elvehjem, 134, 425 — See Wagner, Axelrod, Lipton, and Elvehjem, and Hart, 134, 426 — See Wagner, Axelrod, Lipton, and Elvehjem, and Hart, 134, 427 — See Wagner, Axelrod, Lipton, and Elvehjem, and Hart, 136, 425 — See Hore, Elvehjem, and Hart, 136, 425 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Luckey, Elvehjem, and Hart, 148, 163 — See Briggs, Mills, Elvehjem, and Link	Elman, Robert. See White and Elman,	See Hegsted, Briggs, Elvehjem, and
C., Palmer, Lucille E., and Sloman, Katherine G. Acid-base equilibrium in the normal, 144, 529 Elvehjem, C. A. See Potter, Elvehjem, and Hart, 126, 155 — See Bird, Oleson, Elvehjem, and Hart, 126, 156 — See Oleson, Bird, Elvehjem, and Hart, 127, 23 — See Wiese, Johnson, Elvehjem, and Halpin, 127, 411 — See Frost and Elvehjem, 128, 23 — See Kohler, Elvehjem, and Hart, 128, 501 — See Woolley, Waisman, and Elvehjem, 129, 673 — See Woolley, Waisman, and Elvehjem, and Hart, 130, 423 — See Axelrod and Elvehjem, and Hart, 131, 85 — See Kohler, Elvehjem, and Hart, 131, 85 — See Megsted, Oleson, Elvehjem, and Hart, 131, 85 — See Axelrod and Elvehjem, 131, 77 — See Moolley, Waisman, and Elvehjem, and Hart, 131, 85 — See Mielsen, Oleson, and Elvehjem, 131, 85 — See Axelrod and Elvehjem, 142, 673 — See Miese, Johnson, Elvehjem, and Elvehjem, 144, 405 — See Kohler, Elvehjem, and Hart, 131, 85 — See Moolley, Waisman, and Elvehjem, 131, 85 — See Axelrod Axelrod, Swingle, and Elvehjem, 142, 673 — See Katzenelbogen, Axelrod, and Elvehjem, 142, 87 — See Schaefer, McKibbin, and Elvehjem, 143, 821 — See Schaefer, McKibbin, and Elvehjem, and Hart, 144, 475 — See McKibbin, Schaefer, Frost, and Elvehjem, and Hart, 144, 475 — See Schaefer, McKibbin, and Elvehjem, and Hart, 144, 475 — See McKibbin, Schaefer, Frost, and Elvehjem, and Hart, 144, 475 — See Schaefer, McKibbin, and Elvehjem, and Hart, 155, 107 — See McKibbin, Schaefer, Frost, and Elvehjem, and Hart, 144, 475 — See Be Briggs, Mills, Elvehjem, and Link, 679 — See Schaefer, McKibbin, and Elvehjem, and Hart, 155, 107 — See McKibbin, Schaefer, McKibbin, and Elvehjem, and Hart, 155, 107 — See Briggs, Mills, Elvehjem, and Hart, 150, 107 — See Black, Overman, Elvehjem, and Link, 679 — See Black, Overman, Elvehjem, and Link, 165 — See Schaefer, McKibbin, and Elvehjem, and Hart, 155, 107 — See Black, Overman, Elvehjem, and Link, 165 — See Schaefer, McKibbin, and Elvehjem, and Hart, 155, 107 — See Black, Overman, Elvehjem, and Link, 165 — See Schae	143, 797	Hart, 140, 191
Katherine G. Acid-base equilibrium in the normal, 144, 529 Elvehjem, C. A. See Potter, Elrehjem, and Hart, 126, 671 — See Bird, Oleson, Elvehjem, and Hart, 126, 671 — See Oleson, Bird, Elvehjem, and Hart, 127, 23 — See Wiese, Johnson, Elvehjem, and Halpin, 127, 411 — See Kohler, Elvehjem, and Hart, 128, 531 — See Woolley, Waisman, and Elvehjem, 129, 673 — See Woolley, Waisman, and Elvehjem, 131, 85 — See Axelrod and Elvehjem, 131, 77 — See Axelrod Madden, and Elvehjem, 131, 85 — See Black, Frost, and Elvehjem, 131, 65 — See Nielsen, Oleson, and Elvehjem, 132, 657 — See Nielsen, Oleson, and Elvehjem, 134, 217 — See Anderson and Elvehjem, 134, 217 — See Arelrod, Swingle, and Elvehjem, 144, 479 — See Black, Overman, Elvehjem, and Hart, 134, 425 — See Nielsen, Oleson, and Elvehjem, 134, 425 — See Nielsen and Elvehjem, 134, 425 — See Nielsen and Elvehjem, 145, 537 — See Nielsen and Elvehjem, 145, 137 — See Nielsen and Elvehjem, and Hart, 145, 137 — See Nielsen and Elvehjem, 144, 475 — See Black, Overman, Elvehjem, and Hart, 150, 11 — See Briggs, Luckey, Elvehjem, and Hart, 150, 11 — See Briggs, Mills, Elvehjem, 144, 475 — See Nielsen and Elvehjem, 144, 475 — See Nielsen and Elvehjem, 145, 137 — See Pilgrim, Axelrod, and Elvehjem, 145, 137 — See Nielsen, Oleson, Elvehjem, and Hart, 150, 11 — See Briggs, Mills, Elvehjem, 144, 475 — See Black, Overman, Elvehjem, 145	d'Elseaux, Frank C., Blackwood, Frances	—. See Hutchings, Bohonos, Hegsted,
in the normal, Elvehjem, C. A. See Potter, Elrehjem, and Hart, See Bird, Oleson, Elvehjem, and Hart, See Oleson, Bird, Elvehjem, and Hart, See Wiese, Johnson, Elvehjem, and Halpin, See Frost and Elvehjem, and Hart, See Kohler, Elvchjem, and Hart, See Woolley, Waisman, and Elvehjem, See Hegsted, Oleson, Elvehjem, and Hart, See Axelrod Andelen, and Elvehjem, See Axelrod And Elvehjem, and Hart, See Moolley, Waisman, and Elvehjem, See Axelrod And Elvehjem, and Hart, See Axelrod And Elvehjem, and Hart, See Moolley, Waisman, and Elvehjem, See Axelrod And Elvehjem, and Hart, See Axelrod And Elvehjem, and Hart, See Axelrod And Elvehjem, and Hart, See Nielsen and Elvehjem, and Hart, See Black, Frost, and Elvehjem, 131, 85 See Anderson and Elvehjem, 134, 217 See Briggs, Luckey, Elvehjem, and Hart, See Briggs, Mills, Elvehjem, and Elvehjem, See McKibbin, Schaefer, McKibbin, and Elvehjem, See Nielsen and Elvehjem, See Axelrod, Potter, and Elvehjem, See Briggs, Mills, Elvehjem, and Hart, See B	C., Palmer, Lucille E., and Sloman,	Elvehjem, and Peterson, 140, 681
Elvehjem, C. A. See Potter, Elvehjem, and Hart, 126, 155 — See Bird, Oleson, Elvehjem, and Hart, 126, 671 — See Oleson, Bird, Elvehjem, and Hart, 127, 23 — See Wiese, Johnson, Elvehjem, Hart, and Halpin, 127, 411 — See Frost and Elvehjem, and Hart, 128, 501 — See Woolley, Waisman, and Elvehjem, 128, 501 — See Woolley, Waisman, and Elvehjem, 129, 673 — See Hogsted, Oleson, Elvehjem, and Hart, 130, 423 — See Axelrod and Elvehjem, 131, 77 — See Axelrod Madden, and Elvehjem, 131, 85 — See Black, Frost, and Elvehjem, 131, 85 — See Nielsen, Oleson, and Elvehjem, 132, 657 — See Anderson and Elvehjem, 134, 217 — See Anderson and Elvehjem, 134, 217 — See Sober, Lipton, and Elvehjem, 134, 425 — See Sober, Lipton, and Elvehjem, 134, 425 — See Sober, Lipton, and Elvehjem, 134, 425 — See Wagner, Axelrod, Lipton, and Elvehjem, 134, 749 — See Wagner, Axelrod, Lipton, and Elvehjem, 136, 357 — See Hove, Elvehyem, and Hurt, 136, 117 — See Briggs, Luckey, Elvehjem, and Hart, 148, 617 — See Briggs, Luckey, Elvehjem, and Hart, 150, 118 — See Briggs, Luckey, Elvehjem, and Hart, 150, 118 — See Briggs, Luckey, Elvehjem, and Hart, 150, 118 — See Briggs, Luckey, Elvehjem, and Hart, 150, 118 — See Briggs, Luckey, Elvehjem, and Hart, 150, 118 — See Briggs, Luckey, Elvehjem, and Hart, 150, 118 — See Spector, Maass, Michaud, Elve-hjem, and Hart, 150, 118 — See Katzenelbogen, Axelrod, and Elvehjem, 142, 77 — See Axelrod, Potter, and Elvehjem, 142, 75 — See Axelrod, Potter, and Elvehjem, 142, 75 — See Schaefer, McKibbin, Schaefer, Frost, and Elvehjem, 142, 75 — See Briggs, Mills, Elvehjem, and Hart, 144, 470 — See Briggs, Mills, Elvehjem, and Hart, 150, 118 — See Black, Overman, Elvehjem, and Hart, 144, 405 — See Black, Overman, Elvehjem, and Elvehjem, 145, 581 — See Nielsen and Elvehjem, 144, 405 — See Nielsen and Elvehjem, 145, 713 — See Nielsen and Elve	Katherine G. Acid-base equilibrium	—. See Axelrod and Elvehjem, 140, 725
and Hart, See Bird, Oleson, Elvehjem, and Hart, See Oleson, Bird, Elvehjem, and Hart, 127, 23 See Wiese, Johnson, Elvehjem, Hart, and Halpin, See Frost and Elvehjem, and Hart, See Kohler, Elvehjem, and Hart, 128, 501 See Woolley, Waisman, and Elvehjem, and Hart, See Axelrod Oleson, Elvehjem, and Hart, See Axelrod Madden, and Elvehjem, See Axelrod Madden, and Elvehjem, See Axelrod, Madden, and Elvehjem, See Black, Frost, and Elvehjem, 131, 85 See Black, Frost, and Elvehjem, 132, 65 See Nielsen, Oleson, and Elvehjem, 133, 637 See Axelrod, Sober, and Elvehjem, See Briggs, Luckey, Elvehjem, and Hart, See Axelrod, Sober, and Elvehjem, 134, 425 See Wagner, Axelrod, Lipton, and Elvehjem, See Briggs, Luckey, Elvehjem, and Juday, See Briggs, Luckey, Elvehjem, and Hart, See Briggs Arelrod, and Elvehjem, see Briggs, Luckey, Elvehjem, and H	in the normal, 144, 529	See Axelrod, Swingle, and Elvehjem,
- See Bird, Oleson, Elvehjem, and Hart, 126, 671 - See Oleson, Bird, Elvehjem, and Hart, 127, 23 - See Wiese, Johnson, Elvehjem, Hart, 128, 501 - See Kohler, Elvehjem, and Hart, 128, 501 - See Woolley, Waisman, and Elvehjem, 129, 673 - See Hegsted, Oleson, Elvehjem, and Hart, 130, 423 - See Axelrod and Elvehjem, 131, 77 - See Axelrod, Madden, and Elvehjem, 131, 85 - See Black, Frost, and Elvehjem, 132, 65 - See Nielsen, Oleson, and Elvehjem, 132, 65 - See Nielsen, Oleson, and Elvehjem, 134, 217 - See Axelrod, Sober, and Elvehjem, 134, 425 - See Sober, Lipton, and Elvehjem, 134, 605 - See Wagner, Axelrod, Lipton, and Elvehjem, 136, 357 - See Hore, Elvehjem, and Hart, 136, 425 - See Wagner, Axelrod, Lipton, and Elvehjem, 136, 357 - See Hore, Elvehjem, and Hart, 136, 425 - See Briggs, Luckey, Elvehjem, and Hart, 136, 425 - See Briggs, Luckey, Elvehjem, and Hart, 136, 425 - See Briggs, Luckey, Elvehjem, and Hart, 148, 163 - See Briggs, Luckey, Elvehjem, and Hart, 148, 163 - See Briggs, Luckey, Elvehjem, and Hart, 148, 163 - See Briggs, Luckey, Elvehjem, and Hart, 150, 11 - See Spector, Maass, Michaud, Elvehjem, 136, 425	Elvehjem, C. A. See Potter, Elrehjem,	140, 931
Hart, — See Oleson, Bird, Elvchjem, and Hart, — 127, 23 — See Wiese, Johnson, Elvchjem, Hart, and Halpin, 127, 411 — See Frost and Elvchjem, 128, 23 — See Kohler, Elvchjem, and Hart, 128, 501 — See Woolley, Waisman, and Elvchjem, and Hart, 129, 673 — See Hegsted, Oleson, Elvchjem, and Hart, 130, 423 — See Axclrod and Elvchjem, 131, 77 — See Axclrod, Madden, and Elvchjem, 131, 85 — See Black, Frost, and Elvchjem, 132, 65 — See Nielsen, Oleson, and Elvchjem, 133, 637 — See Axelrod, Sober, and Elvchjem, 134, 217 — See Sober, Lipton, and Elvchjem, 134, 425 — See Sober, Lipton, and Elvchjem, 134, 425 — See Wagner, Axclrod, Lipton, and Elvchjem, 134, 749 — See Wagner, Axclrod, Lipton, and Elvchjem, 136, 357 — See Hove, Elvchjem, and Hart, 136, 357 — See Hove, Elvchjem, and Hart, 136, 357 — See Hove, Elvchjem, and Hart, 136, 425	and Hart, 126, 155	See Katzenelbogen, Axelrod, and
- See Oleson, Bird, Elvehjem, and Hart, - See Wiese, Johnson, Elvchjem, Hart, - See Frost and Elvehjem, and Hart, - See Kohler, Elvchjem, and Hart, - See Woolley, Waisman, and Elvehjem, - See Hegsted, Oleson, Elvchjem, and Hart, - See Axelrod and Elvchjem, and Hart, - See Axelrod and Elvchjem, and Elvchjem, - See Axelrod and Elvchjem, - See Black, Frost, and Elvchjem, - See Nielsen, Oleson, and Elvchjem, - See Nielsen, Oleson, and Elvchjem, - See Anderson and Elvchjem, - See Anderson and Elvchjem, - See Arelrod, Sober, and Elvchjem, - See Briggs, Mills, Elvchjem, and Hart, - See Nielsen and Elvchjem, and Hart, - See Nielsen and Elvchjem, and Hart, - See McKibbin, Schaefer, Elvchjem, and Hart, - See Black, Overman, Elvchjem, and Hint, - See Pilgrim, Axelrod, and Elvchjem, - See Axelrod, Sober, and Elvchjem, - See Nielsen and Elvchjem, - See Pilgrim, Axelrod, and Elvchjem, - See Swingle, Axelrod, and Elvchjem, - See Nielsen and Elvchjem, - See Pilgrim, Axelrod, and Elvchjem, - See Swingle, Axelrod, and Elvchjem, - See Nielsen and Elvchjem, - See Pilgrim, Axelrod, and Elvchjem, - See Pilgrim, Axelrod, and Elvchjem, - See Swingle, Axelrod, and Elvchjem, - See Nielsen and Elvchjem, - See Black, Overman, Elvchjem, and Hari, - See Pilgrim, Axelrod, and Elvchjem, - See Nielsen and Elvchjem, - See Black, Overman, Elvchjem, - See Pilgrim, Axelrod, and Elvchjem, - See Nielsen and Elvchjem, - See Nielsen and Elvchjem, - See Nielsen and Elvchjem, - See Nielsen, - See Schaefer, McKibbin, and - See Nielsen and Elvchjem, - See Nielsen, Oleson, Elvchjem, - See Nielsen, Oleson, Elvchjem, - See Nielsen, Oleson, Elvchjem, - See Black, Overman, Elvchjem, - See Nielsen, Overman, Elvchjem, - See Nielsen, Overman, Elvchjem, - See Pilgrim, Axelrod, and Elvchjem, - See Nielsen and Elvchjem, - See Nielsen and Elvchjem, - See Nielsen and Elvchjem, - See Black, Overman, Elvchjem, - See Pilgrim, Axelrod, See, Nielsen and Elvchjem, - See Swingle, Axelrod, See, Nielsen and Elvchjem, - See Swingle, Axelrod, See, Nielsen, Overman, Elvchjem, - S	The state of the s	
- See Wiese, Johnson, Elvehjem, Hart, and Halpin, 127, 411 - See Frost and Elvehjem, and Hart, 128, 501 - See Kohler, Elvehjem, and Hart, 129, 673 - See Woolley, Waisman, and Elvehjem, and Hart, 120, 428 - See Axelrod and Elvehjem, and Hart, 131, 85 - See Axelrod, Madden, and Elvehjem, 131, 85 - See Black, Frost, and Elvehjem, 131, 85 - See Nielsen, Oleson, and Elvehjem, 132, 65 - See Nielsen, Oleson, and Elvehjem, 133, 637 - See Anderson and Elvehjem, 134, 425 - See Sober, Lipton, and Elvehjem, 134, 425 - See Sober, Lipton, and Elvehjem, 134, 425 - See Wagner, Axelrod, Lipton, and Elvehjem, 134, 713 - See Wagner, Axelrod, Lipton, and Elvehjem, 134, 517 - See Hore, Elvehjem, and Hart, 148, 517 - See Hore, Elvehjem, and Hart, 148, 517 - See Briggs, Luckey, Elvehjem, and Link, 148, 163 - See Sober, Lipton, and Elvehjem, 134, 425 - See Sober, Lipton, and Elvehjem, 134, 425 - See Wagner, Axelrod, Lipton, and Elvehjem, 134, 517 - See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 517 - See Briggs, Luckey, Elvehjem, and Hart, 148, 517 - See Briggs, Luckey, Elvehjem, and Hart, 148, 517 - See Briggs, Luckey, Elvehjem, and Hart, 148, 517 - See Briggs, Luckey, Elvehjem, and Hart, 148, 517 - See Briggs, Luckey, Elvehjem, and Hart, 148, 517 - See Briggs, Luckey, Elvehjem, and Hart, 148, 517 - See Briggs, Luckey, Elvehjem, and Hart, 148, 517 - See Briggs, Luckey, Elvehjem, and Hart, 148, 517 - See Briggs, Luckey, Elvehjem, and Hart, 144, 47 - See Briggs, Mills, Elvehjem, and Hart, 144, 47 - See Briggs, Mills, Elvehjem, and Hart, 144, 47 - See Nielsen and Elvehjem, 144, 47 - See McKibbin, Schaefer, McKibbin, and Elvehjem, 144, 47 - See McKibbin, Schaefer, McKibbin, and Elvehjem, 144, 47 - See McKibbin, Schaefer, Elvehjem, and Hart, 145, 107 - See Black, Overman, Elvehjem, 145, 107 - See Pilgrim, Axelrod, swingle, and Elvehjem, 145, 237 - See Nielsen and Elvehjem, 145, 207 - See Swingle, Axelrod, swingle, and Elvehjem, 145, 207 - See Briggs, Mills, Elvehjem, 144, 47 - See McKibbin, Schaefer, McKibbin, and Elvehjem, 145, 107	· · · · · · · · · · · · · · · · · · ·	
See Wiese, Johnson, Elvchjem, Hart, and Halpin, 128, 23 See Frost and Elvehjem, and Hart, 128, 501 See Woolley, Waisman, and Elvehjem, 129, 673 See Hegsted, Oleson, Elvchjem, and Hart, 130, 423 See Axelrod and Elvehjem, 131, 77 See Axelrod, Madden, and Elvehjem, 131, 85 See Black, Frost, and Elvehjem, 132, 65 See Nielsen, Oleson, and Elvehjem, 132, 65 See Nielsen, Oleson, and Elvehjem, 134, 217 See Hore, Elvehjem, and Hart, 134, 425 See Sober, Lipton, and Elvehjem, 134, 425 See Wagner, Axelrod, Lipton, and Elvehjem, 134, 749 See Wagner, Axelrod, Lipton, and Elvehjem, 136, 357 See Hove, Elvehjem, and Hart, 136, 425 See Hove, Elvehjem, and Hart, 136, 425 See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 163 See Briggs, Luckey, Elvehjem, and Hart, 148, 163 See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 163 See Briggs, Luckey, Elvehjem, and Hart, 148, 163 See Briggs, Mills, Elvehjem, and Hart, 144, 405 See Schaefer, McKibbin, and Elvehjem, 244, 405 See McKibbin, Schaefer, Elvehjem, and Hart, 145, 107 See Black, Overman, Elvehjem, 245, 107 See Black, Overman, Elvehjem, 245, 107 See Briggs, Mills, Elvehjem, and Hart, 144, 405 See Briggs, Mills, Elvehjem, 244, 405 See Briggs, Mills, Elvehjem, 244, 405 See Briggs, M		,
- See Frost and Elvehjem, 128, 23 - See Kohler, Elvehjem, and Hart, 128, 501 - See Woolley, Waisman, and Elvehjem, 129, 673 - See Hegsted, Oleson, Elvehjem, and Hart, 130, 423 - See Axelrod and Elvehjem, 131, 77 - See Axelrod, Madden, and Elvehjem, 131, 85 - See Black, Frost, and Elvehjem, 132, 65 - See Nielsen, Oleson, and Elvehjem, 132, 65 - See Anderson and Elvehjem, 134, 217 - See Hore, Elvehjem, and Hart, 134, 425 - See Sober, Lipton, and Elvehjem, 134, 425 - See Wagner, Axelrod, Lipton, and Elvehjem, 136, 357 - See Wagner, Axelrod, Lipton, and Elvehjem, 136, 357 - See Hore, Elvehjem, and Hart, 136, 425	the state of the s	
 See Frost and Elvehjem, and Hart, 128, 501 See Kohler, Elvehjem, and Hart, 128, 501 See Woolley, Waisman, and Elvehjem, 129, 673 See Hegsted, Oleson, Elvehjem, and Hart, 130, 428 See Axelrod and Elvehjem, 131, 77 See Axelrod, Madden, and Elvehjem, 131, 85 See Black, Frost, and Elvehjem, 132, 65 See Nielsen, Oleson, and Elvehjem, 132, 65 See Anderson and Elvehjem, 134, 217 See Anderson and Elvehjem, 134, 217 See Fore Hore, Elvehjem, and Hart, 134, 425 See Sober, Lipton, and Elvehjem, 134, 425 See Sober, Lipton, and Elvehjem, 134, 749 See Wagner, Axelrod, Lipton, and Elvehjem, 136, 357 See Hove, Elvehjem, and Hart, 136, 357 See Hove, Elvehjem, and Hart, 136, 425 See Briggs, Luckey, Elvehjem, and Hart, 148, 163 See Briggs, Luckey, Elvehjem, and Hart, 160, 11 See Briggs, Mills, Elvehjem, 144, 405 See Schaefer, McKibbin, Schaefer, Elvehjem, and Hart, 148, 167 See Black, Overman, Elvehjem, and Hart, 148, 163 See Axelrod, Swingle, Axelrod, and Elvehjem, 145, 237 See Briggs, Mills, Elvehjem, 144, 405 See Briggs, Mills, Elvehjem, 144, 405 See Briggs, Mills, Elvehj	, , , , ,	•
 See Kohler, Elvchjem, and Hart, 128, 501 See Woolley, Waisman, and Elvehjem, and Hart, 129, 673 See Hegsted, Oleson, Elvchjem, and Hart, 130, 423 See Axelrod and Elvchjem, 131, 77 See Axelrod, Madden, and Elvchjem, 131, 85 See Black, Frost, and Elvchjem, 132, 65 See Nielsen, Oleson, and Elvchjem, 133, 637 See Anderson and Elvchjem, 134, 217 See Hore, Elvchjem, and Elvchjem, 134, 425 See Sober, Lipton, and Elvchjem, 134, 425 See Axelrod, Sober, and Elvchjem, 134, 425 See Axelrod, Sober, and Elvchjem, 134, 425 See Briggs, Mills, Elvchjem, 144, 47 See Nielsen and Elvchjem, 144, 405 See Schaefer, McKibbin, and Elvchjem, 144, 679 See McKibbin, Schaefer, Elvchjem, and Hart, 145, 107 See Black, Overman, Elvchjem, and Link, 135, 637 See Pilgrim, Axelrod, swingle, and Elvchjem, 145, 581 See Swingle, Axelrod, swingle, and Elvchjem, 145, 581 See Briggs, Luckey, Elvchjem, and Hart, 148, 163 See Field, Elvchjem, and Juday, 148, 163 See Briggs, Luckey, Teply, Elvchjem, and Hart, 148, 517 See Briggs, Luckey, Elvchjem, and Hart, 150, 11 See Spector, Maass, Michaud, Elvchjem, 200 See Schaefer, McKibbin, 200 See McKibbin, Schaefer, Elvchjem, 200 See Black, Overman, Elvchjem, 200 See Pilgrim, Axelrod, and Elvchjem, 200 See Swingle, Axelrod, see Pilgrim, 200 See Briggs, Luckey, Elvchjem, 200 See Briggs, Luckey, 145, 100 See Briggs, Luckey, 145, 100<!--</td--><td></td><td></td>		
128, 501 - See Woolley, Waisman, and Elvehjem, 129, 673 - See Hegsted, Oleson, Elvehjem, and Hart, 130, 423 - See Axelrod and Elvehjem, 131, 77 - See Axelrod, Madden, and Elvehjem, 131, 85 - See Black, Frost, and Elvehjem, 132, 65 - See Nielsen, Oleson, and Elvehjem, 133, 637 - See Anderson and Elvehjem, 134, 217 - See Hore, Elvehjem, and Hart, 134, 425 - See Sober, Lipton, and Elvehjem, 134, 425 - See Axelrod, Sober, and Elvehjem, 134, 425 - See Wagner, Axelrod, Lipton, and Elvehjem, 134, 749 - See Wagner, Axelrod, Lipton, and Elvehjem, 136, 357 - See Hore, Elvehjem, and Hart, 136, 425 - See Briggs, Luckey, Elvehjem, and Hart, 148, 517 - See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 517 - See Briggs, Luckey, Elvehjem, and Hart, 148, 517 - See Briggs, Luckey, Elvehjem, and Hart, 148, 517 - See Briggs, Luckey, Elvehjem, and Hart, 148, 517 - See Briggs, Luckey, Elvehjem, and Hart, 150, 11 - See Briggs, Luckey, Elvehjem, and Hart, 150, 11 - See Spector, Maass, Michaud, Elvehjem, and Hart, 150, 11	÷ ,	•
 See Woolley, Waisman, and Elvehjem, 129, 673 See Hegsted, Oleson, Elvehjem, and Hart, 130, 423 See Axelrod and Elvehjem, 131, 77 See Axelrod, Madden, and Elvehjem, 131, 85 See Black, Frost, and Elvehjem, 132, 65 See Nielsen, Oleson, and Elvehjem, 133, 637 See Anderson and Elvehjem, 134, 217 See Hore, Elvehjem, and Hart, 134, 749 See Axelrod, Sober, and Elvehjem, 134, 749 See Wagner, Axelrod, Lipton, and Elvehjem, 136, 357 See Hore, Elvehjem, and Hart, 136, 425 See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 637 See Briggs, Luckey, Elvehjem, and Hart, 148, 637 See Briggs, Luck	* * * * * * * * * * * * * * * * * * * *	
hjem, See Hegsted, Oleson, Elvehjem, and Hart, See Axelrod and Elvehjem, See Axelrod and Elvehjem, See Axelrod, Madden, and Elvehjem, 131, 85 See Black, Frost, and Elvehjem, 132, 65 See Nielsen, Oleson, and Elvehjem, 133, 637 See Anderson and Elvehjem, 134, 217 See Hore, Elvehjem, and Hart, See Sober, Lipton, and Elvehjem, 134, 425 See Sober, Lipton, and Elvehjem, 134, 749 See Wagner, Axelrod, Lipton, and Elvehjem, 136, 357 See Hore, Elvehjem, and Hart, 136, 425 See Sobetor, McKibbin, and Elvehjem, 144, 679 See McKibbin, Schaefer, Elvehjem, and Hart, 145, 107 See Black, Overman, Elvehjem, and Link, 145, 107 See Pilgrim, Axelrod, and Elvehjem, 145, 297 See Swingle, Axelrod, and Elvehjem, 145, 581 See Briggs, Luckey, Elvehjem, and Hart, 148, 163 See Field, Elvehjem, and Juday, 148, 605 See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Elvehjem, and Hart, 150, 11 See Spector, Maass, Michaud, Elvehjem,		
 See Hegsted, Oleson, Elvehjem, and Hart, See Axelrod and Elvehjem, 131, 77 See Axelrod, Madden, and Elvehjem, 131, 85 See Black, Frost, and Elvehjem, 132, 65 See Nielsen, Oleson, and Elvehjem, 133, 637 See Anderson and Elvehjem, 134, 217 See Hore, Elvehjem, and Hart, 134, 425 See Sober, Lipton, and Elvehjem, 134, 425 See Axelrod, Sober, and Elvehjem, 134, 425 See Axelrod, Sober, and Elvehjem, 134, 425 See Briggs, Luckey, Elvehjem, and Hart, 148, 163 See Briggs, Luckey, Teply, Elvehjem, and Hart, 136, 357 See Briggs, Luckey, Elvehjem, and Hart, 148, 617 See Briggs, Luckey, Elvehjem, and Hart, 148, 617 See Briggs, Luckey, Elvehjem, and Hart, 148, 617 See Black, Overman, Elvehjem, 145, 137 See Axelrod, Swingle, and Elrehjem, 145, 297 See Swingle, Axelrod, and Elvehjem, 145, 581 See Briggs, Luckey, Elvehjem, and Hart, 148, 637 See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 617 See Briggs, Luckey, Elvehjem, and Hart, 145, 107 See Briggs, Luckey, Elvehjem, and Hart, 148, 617 See Briggs, Luckey, Elvehjem, and Hart		• ,
Hart, 130, 423 — See Axelrod and Elvehjem, 131, 77 — See Axelrod, Madden, and Elvehjem, 131, 85 — See Black, Frost, and Elvehjem, 132, 65 — See Nielsen, Oleson, and Elvehjem, 133, 637 — See Anderson and Elvehjem, 134, 217 — See Hore, Elvehjem, and Hart, 134, 425 — See Sober, Lipton, and Elvehjem, 134, 425 — See Sober, Lipton, and Elvehjem, 134, 749 — See Wagner, Axelrod, Lipton, and Elvehjem, 136, 357 — See Hore, Elvehjem, and Hart, 136, 357 — See Briggs, Luckey, Elvehjem, and Hart, 148, 517 — See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 517 — See Briggs, Luckey, Elvehjem, and Hart, 148, 517 — See Briggs, Luckey, Elvehjem, and Hart, 148, 517 — See Briggs, Luckey, Elvehjem, and Hart, 148, 517 — See Briggs, Luckey, Elvehjem, and Hart, 148, 517 — See Briggs, Luckey, Elvehjem, and Hart, 150, 11 — See Spector, Maass, Michaud, Elvehjem, 200, 110 — See Briggs, Luckey, Elvehjem, 200 — See Briggs, Luckey, Elvehj		
 See Axclrod and Elvehjem, 131, 77 See Axelrod, Madden, and Elvehjem, 131, 85 See Black, Frost, and Elvehjem, 132, 65 See Nielsen, Oleson, and Elvehjem, 133, 637 See Anderson and Elvehjem, 134, 217 See Hore, Elvehjem, and Hart, 134, 425 See Sober, Lipton, and Elvehjem, 134, 425 See Axelrod, Sober, and Elvehjem, 134, 425 See Axelrod, Sober, and Elvehjem, 134, 425 See Axelrod, Sober, and Elvehjem, 134, 605 See Exingle, Axelrod, and Elvehjem, and Hart, 148, 163 See Briggs, Luckey, Elvehjem, and Hart, 148, 163 See Briggs, Luckey, Teply, Elvehjem, and Hart, 136, 357 See Briggs, Luckey, Elvehjem, and Hart, 136, 425 See Briggs, Luckey, Elvehjem, and Hart, 150, 11 See Spector, Maass, Michaud, Elvehjem, 200 		
 See Axelrod, Madden, and Elvehjem, 131, 85 See Black, Frost, and Elvehjem, 132, 65 See Nielsen, Oleson, and Elvehjem, 133, 637 See Anderson and Elvehjem, 134, 217 See Hore, Elvehjem, and Elvehjem, 134, 425 See Sober, Lipton, and Elvehjem, 134, 605 See Axelrod, Sober, and Elvehjem, 134, 749 See Wagner, Axelrod, Lipton, and Elvehjem, 136, 357 See Wagner, Axelrod, Lipton, and Elvehjem, 136, 425 See Briggs, Luckey, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Elvehjem, and Hart, 150, 11 See Spector, Maass, Michaud, Elvehjem 	· · · · · · · · · · · · · · · · · · ·	
131, 85 See Black, Frost, and Elvehjem, 132, 65 See Nielsen, Oleson, and Elvehjem, 133, 637 See Anderson and Elvehjem, 134, 217 See Hore, Elvehjem, and Hart, 134, 425 See Sober, Lipton, and Elvehjem, 134, 605 See Axelrod, Sober, and Elvehjem, 134, 749 See Wagner, Axelrod, Lipton, and Elvehjem, 136, 357 See Hove, Elvehjem, and Hart, 136, 425 Link, See Pilgrim, Axelrod, and Elrehjem, 145, 237 See Swingle, Axelrod, and Elvehjem, 145, 297 See Swingle, Axelrod, and Elvehjem, 145, 287 See Nielsen and Elvehjem, 145, 287 See Nielsen and Elvehjem, 145, 881 See Nielsen and Elvehjem, 148, 163 See Field, Elvehjem, and Juday, 148, 261 See Briggs, Luckey, Teply, Elvehjem, and Hart, 136, 357 See Briggs, Luckey, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Elvehjem, and Hart, 148, 517 See Field, Elvehjem, and Juday, 148, 261 See Briggs, Luckey, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Elvehjem, and Hart, 148, 517		
 See Black, Frost, and Elvehjem, 132, 65 See Nielsen, Oleson, and Elvehjem, 133, 637 See Anderson and Elvehjem, 134, 217 See Hore, Elvehjem, and Hart, 134, 425 See Sober, Lipton, and Elvehjem, 134, 605 See Axelrod, Sober, and Elvehjem, 134, 749 See Wagner, Axelrod, Lipton, and Elvehjem, 136, 357 See Briggs, Luckey, Elvehjem, and Hart, 136, 357 See Briggs, Luckey, Teply, Elvehjem, and Hart, 136, 425 See Briggs, Luckey, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Elvehjem, and Hart, 150, 11 See Spector, Maass, Michaud, Elvehjem 		l
132, 65 See Nielsen, Oleson, and Elvehjem, 133, 637 See Anderson and Elvehjem, 134, 217 See Hore, Elvehjem, and Hart, 134, 425 See Sober, Lipton, and Elvehjem, 134, 605 See Axelrod, Sober, and Elvehjem, 134, 749 See Wagner, Axelrod, Lipton, and Elvehjem, 134, 749 See Wagner, Axelrod, Lipton, and Elvehjem, 136, 357 See Hove, Elvehjem, and Hart, 136, 425 145, 237 See Swingle, Axelrod, and Elvehjem, 145, 581 See Swingle, Axelrod, and Elvehjem, 145, 581 See Nielsen and Elvehjem, 145, 581 See Briggs, Luckey, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Elvehjem, and Hart, 150, 11 See Swingle, Axelrod, swingle, and Elvehjem, 145, 297 See Nielsen and Elvehjem, 148, 163 See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Elvehjem, and Hart, 150, 11		,
 See Nielsen, Oleson, and Elvehjem, 133, 637 See Anderson and Elvehjem, 134, 217 See Hore, Elvehjem, and Hart, 134, 425 See Sober, Lipton, and Elvehjem, 134, 605 See Axelrod, Sober, and Elvehjem, 134, 749 See Wagner, Axelrod, Lipton, and Elvehjem, 136, 357 See Hove, Elvehjem, and Hart, 136, 425 See Briggs, Luckey, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Elvehjem, and Hart, 150, 11 See Swingle, Axelrod, swingle, and Elvehjem, 145, 297 See Nielsen and Elvehjem, 145, 713 See Field, Elvehjem, and Juday, 148, 517 See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Elvehjem, and Hart, 150, 11 		
133, 637 See Anderson and Elvehjem, 134, 217 See Hore, Elvehjem, and Hart, 134, 425 See Sober, Lipton, and Elvehjem, 134, 605 See Axelrod, Sober, and Elvehjem, 134, 749 See Wagner, Axelrod, Lipton, and Elvehjem, 136, 357 See Hore, Elvehjem, and Hart, 136, 425 145, 297 See Nielsen and Elvehjem, and Elvehjem, and Hart, 148, 163 See Field, Elvehjem, and Juday, 148, 163 See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Elvehjem, and Hart, 146, 297 See Nielsen and Elvehjem, and Hart, 148, 163 See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 163 See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 163 See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 163 See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 163 See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 163 See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 163 See Briggs, Luckey, Teply, Elvehjem, and Hart, 150, 11		
 See Anderson and Elvehjem, 134, 217 See Hore, Elvehjem, and Hart, 134, 425 See Sober, Lipton, and Elvehjem, 134, 605 See Axelrod, Sober, and Elvehjem, 134, 749 See Wagner, Axelrod, Lipton, and Elvehjem, 136, 357 See Hove, Elvehjem, and Hart, 136, 425 See Swingle, Axelrod, and Elvehjem, 145, 581 See Briggs, Luckey, Elvehjem, and Hart, 148, 163 See Field, Elvehjem, and Juday, See Briggs, Luckey, Teply, Elvehjem, and Hart, See Briggs, Luckey, Teply, Elvehjem, and Hart, See Briggs, Luckey, Telvehjem, and Hart, See Briggs, Luckey,	The state of the s	
134, 217 - See Hore, Elvehjem, and Hart, 134, 425 - See Sober, Lipton, and Elvehjem, 134, 605 - See Axelrod, Sober, and Elvehjem, 134, 749 - See Wagner, Axelrod, Lipton, and Elvehjem, 136, 357 - See Hove, Elvehjem, and Hart, 136, 425 134, 425 - See Briggs, Luckey, Elvehjem, and Juday, 148, 163 - See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 581 - See Briggs, Luckey, Elvehjem, and Hart, 148, 163 - See Briggs, Luckey, Teply, Elvehjem, and Hart, 150, 11 - See Spector, Maass, Michaud, Elvehjem		1
 See Hore, Elvehjem, and Hart, 134, 425 See Sober, Lipton, and Elvehjem, 134, 605 See Axelrod, Sober, and Elvehjem, 134, 749 See Wagner, Axelrod, Lipton, and Elvehjem, 136, 357 See Hore, Elvehjem, and Hart, 136, 425 See Nielsen and Elvehjem, and Elvehjem, and Hart, 148, 163 See Field, Elvehjem, and Juday, 148, 261 See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Elvehjem, and Hart, 150, 11 See Spector, Maass, Michaud, Elve- 		· · · · · · · · · · · · · · · · · · ·
See Sober, Lipton, and Elvehjem, 134, 425 See Sober, Lipton, and Elvehjem, 134, 605 See Axelrod, Sober, and Elvehjem, 134, 749 See Wagner, Axelrod, Lipton, and Elvehjem, 136, 357 See Hove, Elvehjem, and Hart, 136, 425 See Briggs, Luckey, Elvehjem, and Juday, 148, 261 See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Elvehjem, and Hart, 150, 11 See Spector, Maass, Michaud, Elve-		
 See Sober, Lipton, and Elvehjem, 134, 605 See Axelrod, Sober, and Elvehjem, 134, 749 See Wagner, Axelrod, Lipton, and Elvehjem, See Hove, Elvehjem, and Hart, See Hove, Elvehjem, and Hart, 136, 425 Hart, See Field, Elvehjem, and Juday, 148, 163 See Field, Elvehjem, and Juday, See Briggs, Luckey, Teply, Elvehjem, and Hart, See Briggs, Luckey, Elvehjem, and Hart, See Briggs, Luckey, Elvehjem, and Hart, See Spector, Maass, Michaud, Elve- 		
134, 605 See Axelrod, Sober, and Elvehjem, 134, 749 See Wagner, Axelrod, Lipton, and Elvehjem, See Hove, Elvehjem, and Hart, 136, 425 See Field, Elvehjem, and Juday, 148, 261 See Briggs, Luckey, Teply, Elvehjem, and Hart, 148, 517 See Briggs, Luckey, Elvehjem, and Hart, 140, 150, 11 136, 425 See Field, Elvehjem, and Juday, 148, 261 See Briggs, Luckey, Teply, Elvehjem, and Hart, 150, 11 See Spector, Maass, Michaud, Elve-		
 See Axelrod, Sober, and Elvehjem, 134, 749 See Wagner, Axelrod, Lipton, and Elvehjem, See Hove, Elvehjem, and Hart, See Hove, Elvehjem, and Hart, 136, 425 See Briggs, Luckey, Teply, Elvehjem, and Hart, Hart, See Briggs, Luckey, Elvehjem, and Hart, See Briggs, Luckey, Elvehjem, and Hart, See Briggs, Luckey, Teply, Elvehjem, and Hart, See Briggs, Luckey, Elvehjem, and Hart, See Briggs, Luckey, Teply, Elvehjem, and Hart, See Briggs, Luckey, Teply, Elvehjem, and Hart, See Briggs, Luckey, Elvehjem, and Hart, See Briggs, Luckey, Elvehjem		1
See Wagner, Axelrod, Lipton, and Elvehjem, See Hove, Elvehjem, and Hart, See Briggs, Luckey, Teply, Elvehjem, and Hart, See Briggs, Luckey, Teply, Elvehjem, and Hert, See Briggs, Luckey, Teply, Elvehjem, and Hert, See Briggs, Luckey, Teply, Elvehjem, and Hart, See Briggs, Luckey, Elvehjem, and See Briggs, Luckey, Elvehjem, and See Briggs, Luckey, Elvehjem, and See Briggs, Luckey, Elvehjem	· · · · · · · · · · · · · · · · · · ·	
 See Wagner, Axelrod, Lipton, and Elvehjem, See Hove, Elvehjem, and Hart, See Hove, Elvehjem, and Hart, Hart, Hart, Hojem, and Hart, Hart, Hart, See Spector, Maass, Michaud, Elve- 		-
Elvehjem, 136, 357 — See Hove, Elvehjem, and Hart, 150, 11 136, 425 — See Briggs, Luckey, Elvehjem, and Hart, 150, 11 — See Spector, Maass, Michaud, Elve-		
 See Hove, Elvehjem, and Hart, 136, 425 Hart, See Spector, Maass, Michaud, Elve- 		1
136, 425 - See Spector, Maass, Michaud, Elve-	· · · · · · · · · · · · · · · · · · ·	1 " " "
		1
		hjem, and Hart, 150, 75

- Embree, Norris D. The occurrence of cyclized vitamin A in fish liver oils, 128, 187
- and Shantz, Edgar M. Cyclization of vitamin A₂, 132, 619
- -. See Jensen, Shantz, Embree, Cawley, and Harris, 149, 473
- Emerson, Gladys A. See Emerson, Emerson, and Evans, 131, 409
- See Mohammad, Emerson, Emerson, and Evans,133, 17
- Emerson, Oliver H., Emerson, Gladys A., and Evans, Herbert M. The vitamin E activity of α -tocoquinone, 131, 409
- -. See Mohammad, Emerson, Emerson, and Evans, 133, 17
- Emmett, A. D., Brown, R. A., and Kamm, Oliver. Comparison of the antihemorrhagic activity of natural and synthetic vitamin K₁ with the proposed standard 2-methyl-1,4-naphthoquinone, 132, 467
- -, Kamm, Oliver, and Sharp, E. A.
 The vitamin K activity of 4-amino2-methyl-1-naphthol and 4-amino3-methyl-1-naphthol, 133, 285
- Peacock, Gail, and Brown, Raymond
 A. Chemical determination of thiamine by a modification of the Melnick-Field method,
 135, 131
- —. See Bird, Vandenbelt, and Emmett, 142, 317
- Engel, Lewis L., Thorn, George W., and Lewis, Roger A. The urinary excretion of steroid compounds. I. Normal male subjects, 137, 205
- Engel, R. W. Modified methods for the chemical and biological determination of choline, 144, 701
- Entenman, C., Lorenz, F. W., and Chaikoff, I. L. The endocrine control of lipid metabolism in the bird. I. The effects of pregnant mare serum upon the blood and liver lipids of the domestic fowl, 126, 133
- -. See Lorenz, Chaikoff, and Entenman, 126, 763
- See Montgomery, Entenman, and Chaikoff, 128, 387

- Entenman, C .- continued:
- Chaikoff, I. L., and Montgomery,
 M. L. The blood lipids of dogs subjected to ligation of the external pancreatic ducts,
- —, Lorenz, F. W., and Chaikoff, I. L.

 The lipid content of blood, liver, and yolk sac of the newly hatched chick and the changes that occur in these tissues during the first month of life, 133, 231
- —, Changus, G. W., Gibbs, G. E., and Chaikoff, I. L. The response of lipid metabolism to alterations in nutritional state. I. The effects of fasting and chronic undernutrition upon the postabsorptive level of the blood lipids, 134, 59
- —, Lorenz, F. W., and Chaikoff, I. L. The endocrine control of lipid metabolism in the bird. III. The effects of crystalline sex hormones on the blood lipids of the bird, 134, 495
- —, Montgomery, M. Laurence, and Chaikoff, I. L. The effect of choline on the blood and liver lipids of the dog subjected to ligation of the pancreatic ducts, 135, 329
- -. See Fries, Entenman, Changus, and Chaikoff, 137, 303
- -. See Montgomery, Entenman, Chaikoff, and Nelson, 137, 693
- —, Chaikoff, I. L., and Montgomery, M. Laurence. The rôle of the external secretion of the pancreas in lipid metabolism. The influence of daily ingestion of pancreatic juice upon the level of blood lipids in completely depancreatized and duct-ligated dogs maintained with insulin, 137, 699
- and —. Is choline the factor in the pancreas that prevents fatty livers in depancreatized dogs maintained with insulin? 138, 477
- and —. The response of lipid metabolism to alterations in nutritional state. II. The effects of overnutrition on the postabsorptive levels of the blood lipids of the dog, 142, 129
- See Fishler, Entenman, Montgomery,
 and Chaikoff,
 150, 47

Eppling, F. J. See Burris, Eppling,	Evans, Herbert M.—continued:
Wahlin, and Wilson, 148, 349	See Mohammad, Emerson, Emerson
Eppstein, Samuel H. See Rose and	and Evans, 133, 17
Eppstein, 127, 677	See Fraenkel-Conrat, Fraenkel-Con-
Erickson, Betty Nims. See Beach,	rat, Simpson, and Evans, 135, 199
Erickson, Bernstein, Williams, and	See Li, Lyons, and Evans, 136, 709
Macy, 128, 339	139, 45
-, Avrin, Ira, Teague, D. Maxwell, and	See Tishler and Evans, 139, 241
Williams, Harold H. Micromethods	See Li, Lyons, and Evans, 140, 48
for the determination of sphingo-	See Fraenkel-Conrat, Simpson, and
myelin and choline. Applications for	Evans, 142, 107
the estimation of the phospholipid	See Li, Simpson, and Evans,
partition (sphingomyelin, lecithin, and	146, 627
cephalin) in blood and tissues,	See Marx, Simpson, and Evans,
135, 671	147, 77
Erickson, John O. See Neurath, Cooper,	See Fraenkel-Conrat, Simpson, and
and Erickson, 138, 411	Evans, 147, 99
142, 249, 265	—. See Li, Evans, and Simpson,
See Sharp, Cooper, Erickson, and	—. See Et, Evans, and Simpson, 149, 413
Neurath, 144, 139	Evans, John S., and Hauschildt, James
See Bernheim, Neurath, and Erick-	1
son, 144, 259	D. The influence of enzymes upon the
Escue, R. B. See Zechmeister and	activity of gonadotropin of pregnant
Escue, 144, 321	mare serum, 145, 335
Eudin, John. See Luck, Eudin, and	Evelyn, Kenneth A. See Maughan
Nimmo, 131, 201	Evelyn, and Browne, 126, 567
Evans, Cyril D. See Manley and Evans,	-, Malloy, Helga Tait, and Rosen,
143, 701	Charles. The determination of as
Evans, E. A., Jr., and Slotin, Louis.	corbic acid in urine with the photo
The utilization of carbon dioxide in	electric colorimeter, 126, 645
the synthesis of α -ketoglutaric acid,	- and Microdetermination of oxy-
136, 301	hemoglobin, methemoglobin, and sulf-
	hemoglobin in a single sample of blood
— and —. The rôle of carbon dioxide	126, 655
in the synthesis of urea in rat liver	Evenden, James. See Chambers
slices, 136, 805	Chandler, and Barker, 131, 95
- and Carbon dioxide utilization by	Ewing, D. T., Vandenbelt, J. M., and
pigeon liver, 141, 439	Kamm, Oliver. The ultraviolet ab-
-, -, and Vennesland, Birgit. Carbon	sorption of vitamins K1, K2, and some
dioxide assimilation in cell-free liver	related compounds, 131, 345
extracts, 143, 565	-, Tomkins, F. S., and Kamm, Oliver
-, Vennesland, Birgit, and Slotin,	The ultraviolet absorption of vitamin
Louis. The mechanism of carbon	K1 and the effect of light on the
dioxide fixation in cell-free extracts of	vitamin, 147, 233
pigeon liver, 147, 771	Ewing, Mary E. See Larson, Chambers
See Silverman and Evans, 150, 265	Blatherwick, Ewing, and Sawyer,
Evans, Herbert M. See Fraenkel-	129, 701
Conrat, Simpson, and Evans, 130, 243	—. See Blatherwick, Bradshaw, Ewing
See Li, Simpson, and Evans,	Larson, and Sawyer, 134, 549
131, 259	See Larson, Blatherwick, Bradshaw
See Emerson, Emerson, and Evans,	
131, 409	Ewing, and Sawyer, 136, 1

Fenn, W. O.—continued: Ewing, Mary E .- continued: - and Haege, Lorraine F. The deposi- See Blatherwick, Bradshaw, Ewing, tion of glycogen with water in the and Sawyer, 136, 615 -. See Larson, Blatherwick, Bradshaw, livers of cats, 136, 87 Fernholz, Erhard. See Ansbacher and Ewing, and Sawyer, 138, 353 Fernholz. 131, 399 Ferrebee, Joseph W. The effect of adrenalectomy on the phosphorylation Falk, K. George. See Truhlar, Drekter, of vitamins B1 and B2, 136, 719 McGuire, and Falk, 127, 345 Ferry, John D. A fibrous protein from Falkenheim, Marlene. See Hodge, Koss, the slime of the hagfish, 138, 263 Ginn, Falkenheim, Garett, Fowler, Ferry, Ronald M. See Perlmann and Thomas, Bonner, and Dessauer, 142, 513 Ferru. 148, 321 Fetcher, E. S., Jr. See Eichelberger, Fankuchen, I. Ferritin. V. X-ray dif-Fetcher, Geiling, and Vos, 133, 145 fraction data on ferritin and apolerri-134, 171 tin, 150, 57 Fevold, H. L. Chemical differences of Fashena, Gladys J., and Stiff, Henry A. the follicle-stimulating and luteinizing On the nature of the saccharoid frachormones of the pituitary, 128, 83 tion of human blood. II. Identifica-Field, Henry, Jr. See Melnick and tion of glucuronic acid, 137, 21 127, 505, 515, 531 Field, Fassina, R. J. See Sinclair and Fassina, 130, 97 141, 509 134, 1 Fay, Marion, Andersch, Marie A., and 135, 53 Behrmann, Vivian G. The biochem--. See Melnick, Robinson, and Field, istry of strontium, 144, 383 136, 131, 145, 157 Fazekas, Joseph F., and Himwich, 138, 49 Harold E. The significance of a path- See Fox, McNeil, and Field, way of carbohydrate breakdown not 147, 645 involving glycolysis, 139, 971 -. See Fox and Field, 147, 651 -. See Bueding, Fazekas, Herrlich, Field, J. Thomas, and Poe, Charles F. and Himwich, 148, 97 A biochemical study of the fermenta-Featherstone, Robert M., and Berg, tion of rare sugars by members of the Clarence P. The comparative availcolon and aerogenes groups of bacteria. abilities of d(+)- and l(-)-histidine III. d-Fucose, 132, 473 for the production of liver glycogen, Field, John B. See Baumann, Field, 146, 131 Overman, and Link, Feeney, R. E. See Strong, Feeney,-, Elvehjem, C. A., and Juday, Chancey. Moore, and Parsons, 137, 363 A study of the blood constituents of - and Strong, F. M. The concentration carp and trout, 148, 261 of the substance in blood which is Fierke, Scheuring S. See Rose and stimulatory for Lactobacillus casei e. Fierke. 143, 115 142; 961 Fieser, Louis F. Convenient procedures Feinstein, Robert N., and Stare, F. J. for the preparation of antihemor-The effect of various media and of rhagic compounds. 133, 391 pyrophosphate on the respiration of See Wolfe, Hershberg, and Fieser, liver tissue. 135, 393 136, 653 Fenn, W. O. The deposition of potas--, Tishler, Max, and Sampson, W. L. sium and phosphate with glycogen in Vitamin K activity and structure, rat livers, 128, 297 137, 659

Fieser, Louis F.—continued:	Fishman, M. M. See Dean and Fishman,
See Hershberg, Wolfe, and Fieser,	1 40 , 807
140, 215	Fishman, William H. Studies on β -
Fineman, A. See Langstroth, Talbot,	glucuronidase. I. A method of prepa-
and Fineman, 130, 585	ration and purification, 127, 367
Finkelstein, Norma. See Smith, Finkel-	II. Factors controlling the initial
stein, and Smith, 135, 231	velocity of hydrolysis of some con-
Fischer, Hermann O. L. See Baer and	jugated glucuronides, 131, 225
Fischer, 128, 463, 475, 491	III. The increase in β -glucuronidase
135, 321	activity of mammalian tissues induced
140, 397	by feeding glucuronidogenic sub-
143, 563	stances, 136, 229
145, 61	- and Artom, Camillo. Serine injury,
150, 213, 223	145, 345
Fish, William R. See Dorfman and	See Artom and Fishman,
Fish, 135, 349	148, 405, 415, 423
- and Dorfman, Ralph I. Metabolism of	- and Cohn, Mildred. A comparative
the steroid hormones. I. The con-	study of acetylation in rivo of phenyl-
version of α -estradiol to estrone by	aminobutyric acid with p-aminoben-
the guinea pig, 140, 83	zoic acid and sulfanilamide, 148, 619 Fiske, Cyrus H. See Hitchings and
— and —. II. The conversion of α - estradiol to estrone and β -estradiol by	Fiske, 140, 491
the ovariectomized-hysterectomized	141, 827
rabbit. 143, 15	Fleischer, Gerhard A. On the alcohol
-, -, and Young, William C. Metabo-	solubility of prolactin, 147, 525
lism of the steroid hormones. III.	See Schwenk, Fleischer, and Tolks-
The isolation of pregnandiol- $3(\alpha)$,-	dorf, 147, 535
$20(\alpha)$ from the urine of pregnant	Flexner, Louis B. See Stiehler and
chimpanzees, 143, 715	Flexner, 126, 603
Fisher, A. M. See Scott and Fisher,	- and Stiehler, Robert D. Biochemical
144, 371	changes associated with the onset of
Fisher, C. Virginia. See Martin and	secretion in the fetal chorioid plexus.
Fisher, 144, 289	An organization of oxidation-reduc-
Fisher, R. B., and Wilhelmi, A. E.	tion processes, 126, 619 —. Biochemical changes associated
Observations on the relation of urea and glycine to creatine synthesis,	with onset of secretory activity in the
132, 135	metanephros of the fetal pig. The
Fishler, M. C., Taurog, Alvin, Perlman,	cytochrome oxidase-cytochrome sys-
I., and Chaikoff, I. L. The synthesis	tem and oxidation-reduction poten-
and breakdown of liver phospholipid	tials, 131, 703
in vitro with radioactive phosphorus	See Pohl and Flexner, 139, 163
as indicator, 141, 809	-, Gellhorn, Alfred, and Merrell,
-, Entenman, C., Montgomery, M.	Margaret. Studies on rates of ex-
Laurence, and Chaikoff, I. L. The	change of substances between the
formation of phospholipid by the	blood and extravascular fluid. I.
hepatectomized dog as measured with	The exchange of water in the guinea
radioactive phosphorus. I. The site	pig, 144, 35
of formation of plasma phospholipids,	Flink, Edmund Berney, and Watson,
150, 47	Cecil Tames A method for the

quantitative determination of hemoglobin and related heme pigments in feces, urine, and blood plasma, 146, 171

Flock, Eunice V. See Kendall, Flock, Bollman, and Mann, 126, 697

- —, Hester, Harold R., and Bollman, Jesse L. Phospholipid changes during the production of fatty livers in geese, 128, 153
- Ingle, Dwight J., and Bollman, Jesse
 Formation of lactic acid, an initial process in working muscle,
- 129, 99
 See Bollman and Flock, 130, 565
 and Bollman, Jesse L. Resynthesis

of muscle glycogen after exercise,

136, 469

 and —. The effect of diethylstilbestrol on the plasma phospholipids of the cock (Gallus domesticus),

144, 571

- See Bollman and Flock, 147, 155
 Flox, Jack, Pitesky, Isadore, and Alving,
 Alf S. A direct photoelectric color-imetric method for the determination of diodrast and iodides in blood and urine, 142, 147
- Folch, Jordi, and Van Slyke, Donald D. Nitrogenous contaminants in petroleum ether extracts of plasma lipids, 129, 539
- See Van Slyke and Folch,
 and Schneider, Howard A. An amino acid constituent of ox brain cephalin,
- The isolation of phosphatidyl serine from brain cephalin, and identification of the serine component, 139, 973
 and Woeller D. W. Inspital a constitution of the serior component in the serior compo
- and Woolley, D. W. Inositol, a constituent of a brain phosphatide,

142, 963
-. The nature of the glycerophosphoric

- The nature of the glycerophosphoric acid present in phosphatides, 146, 31
- —. Brain cephalin, a mixture of phosphatides. Separation from it of phosphatidyl serine, phosphatidyl ethanolamine, and a fraction containing an inositol phosphatide, 146, 35

Folkers, Karl. See du Vigneaud, Melville, Folkers, Wolf, Mozingo, Keresztesy, and Harris, 146, 475

Follansbee, R. See Beecher, Follansbee, Murphy, and Craig, 146, 197

Forbes, J. C. See Bowers, Outhouse, and Forbes, 132, 675

Ford, Zenas W., Jr. See Sure and Ford, 146, 241

Forman, Sylvan E. See Carr and Forman, 128, 425

Forth, Rachel. See Huff and Perlzweig, 142, 401

Foster, E. G. See Baumann, Foster, and Moore, 142, 597

Foster, G. L., Schoenheimer, Rudolf, and Rittenberg, D. Studies in protein metabolism. V. The utilization of ammonia for amino acid and creatine formation in animals, 127, 319

-. See Graff, Rittenberg, and Foster,
See Graff, Rittenberg, and Foster,

-. See Graff, Rittenberg, and Foster, 133, 745

Foster, Jackson W. Quantitative estimation of penicillin, 144, 285

 and Woodruff, H. Boyd. Improvements in the cup assay for penicillin, 148, 723

-. See Stokes, Larsen, Woodward, and Foster, 150, 17

Fourt, Lyman. See Campbell and Fourt, 129, 385

See Harkins, Fourt, and Fourt, 132, 111

Fourt, Priscilla Chinn. See Harkins, Fourt, and Fourt, 132, 111

Fowler, Richard C. See Hodge, Koss, Ginn, Falkenkeim, Gavett, Fowler, Thomas, Bonner, and Dessauer,

148, 321

Fox, Sidney W., McNeil, Edna W., and Field, Henry, Jr. A simplified photelometric estimation of trigonelline,

147, 645

- and Field, Henry, Jr. The synthesis of nicotinuric acid, 147, 651

Fraenkel-Conrat, Heinz, Simpson, Miriam E., and Evans, Herbert M. The effect of cysteine on gonadotropic hormones, 130, 243

See Fraenkel-Conrat, Fraenkel-	- and Leona
Conrat, Simpson, and Evans, 135, 199	phorus cha
-, Simpson, Miriam E., and Evans,	and metab
Herbert M. The effect of thiol com-	and xylose,
pounds on the activity of lactogenic	Freeman, Jo
hormone, 142, 107	Freeman,
The effect of thiols on the reducing	Freeman, Sn
groups of lactogenic hormone,	and Ivy ,
142, 119	Freiberg, Ire
-, Simpson, Miriam E., and Evans,	Freiberg, a
Herbert M. Influence of adrenal-	Frey, Charle
ectomy and of adrenocortical steroids	and Frey,
on liver arginase, 147, 99	See Schi
Effect of light in the Van Slyke	
method for the determination of	
amino groups, 148, 453	Fricke, H. H
Fraenkel-Conrat, Jane, Fraenkel-Conrat,	and King,
Heinz, Simpson, Miriam E., and	Friedemann,
Evans, Herbert M. Purification of	hydrate me
thyrotropic hormone of the anterior	aureus,
pituitary, 135, 199	—. The can
Frame, Elizabeth G., Russell, Jane A.,	streptococc
and Wilhelmi, Alfred E. The color-	See Bar
	—. See Bar
imetric estimation of amino nitrogen	1 Dt-
in blood, 149, 255	— and Barb
Frampton, Vernon L. Viscosimetric	dure for t
studies on the tobacco mosaic virus	digestion n
protein. I, 129, 233	tion of nice
See Sumner, Dounce, and Frampton,	— and —. 7
136, 343	of lactic to
Franke, Kurt W. See Painter and	after exerc
Franke, 134, 557	 Ketosis
Franklin, A. L., and Chaikoff, I. L. The	of β-hydro
effect of sulfanilamide on the con-	acetic acid
version in vitro of inorganic iodine to	
thyroxine and diiodotyrosine by thy-	- and Hauge
roid slices, 148, 719	I. Collecti
Frankston, Jane E. See Albanese and	mination o
Frankston. 144, 563	
See Albanese, Holt, Kajdi, and	— and —.
Frankston, 148, 299	keto acids i
Fraps, G. S. See Wegner, Kemmerer,	Frieden, Edw
and Fraps, 144, 731	Stoddard, a
146, 547	Friedenwald,
Free, Alfred H., Davies, Dean F., and	Heinz. Th
Myers, Victor C. Effect of sulfanil-	oxidase by
amide accompanied by acid or alkali	ucts of cate
upon the acid-base equilibrium of the	Friedman, M
dog. Possible influence of carbonic	determinat
anhydrase, 147, 167	1

Fraenkel-Conrat, Heinz-continued:

Free, Alfred H.—continued:

- and Leonards, Jack R. Serum phosphorus changes during the absorption and metabolism of glucose, galactose, and xylose. 149, 203

Freeman, John A. See Artom and Freeman, 135, 59

Freeman, Smith. See Chen, Freeman, and Ivy. 132, 445

Freiberg, Irene Koechig. See Greaves, Freiberg, and Johns, 133, 243

Frey, Charles N. See Atkin, Schultz, and Frey, 129, 471

-. See Schultz, Atkin, and Frey,

135, 267 136, 713

Fricke, H. H. See Longenecker, Fricke, and King, 135, 497

Friedemann, Theodore E. The carbohydrate metabolism of Staphylococcus aureus, 130, 61

 The carbohydrate metabolism of streptococci,
 130, 757

-. See Barron and Friedemann,

— and Barborka, Clifford J. A procedure for the decolorization of acid digestion mixtures for the determination of nicotinic acid, 138, 785

and —. The significance of the ratio of lactic to pyruvic acid in the blood after exercise,
 141, 993

 Ketosis in Primates. II. The ratio of β-hydroxybutyric acid to acetoacetic acid in the blood and urine,

142, 635

— and Haugen, Gladys E. Pyruvic acid.

I. Collection of blood for the determination of pyruvic and lactic acids,

144, 67

and —. II. The determination of keto acids in blood and urine, 147, 415
 Frieden, Edward H. See Dunn, Frieden, Stoddard, and Brown, 144, 487.
 Friedenwald, Jonas S., and Herrmann, Heinz. The inactivation of amine oxidase by enzymatic oxidative products of catechol and adrenalin, 146, 411
 Friedman, Max M. Simplified bromide

determination in blood and urine,

144, 519

- Fries, B. A., Changus, G. W., and Chakoff, I. L. Radioactive phosphorus as an indicator of phospholipid metabolism. IX. The influence of age on the phospholipid metabolism of various parts of the central nervous system of the rat. The comparative phospholipid activity of various parts of the central nervous system of the rat, 132, 23
- —, Entenman, C., Changus, G. W., and Chaikoff, I. L. The deposition of lipids in various parts of the central nervous system of the developing rat, 137, 303
- and Chaikoff, I. L. Factors influencing recovery of injected labeled phosphorus in various organs of the rat, 141, 469
- and —. The phosphorus metabolism of the brain as measured with radioactive phosphorus,
 141, 479
- —, Schachner, H., and Chaikoff, I. L. The in vitro formation of phospholipid by brain and nerve with radioactive phosphorus as indicator, 144, 59
- -. See Schachner, Fries, and Chaikoff, 146, 95
- Fromageot, Claude. See Laskowski and Fromageot, 140, 663
- Frost, Douglas V., and Elvehjem, C. A.
 Factor W and its relation to the
 vitamin B complex, 128, 23
- -. See Black, Frost, and Elvehjem, 132,65
- -. See McKibbin, Schaefer, Frost, and Elvehjem, 142, 77
- The water-soluble riboflavin-boron complex, 145, 693
 Fruton, Joseph S., and Bergmann, Max.
- The specificity of pepsin, 127, 627

 —. See Bergmann, Fruton, and Pollok, 127, 643
- and Bergmann, Max. On the proteolytic enzymes of animal tissues. I. Beef spleen, 130, 19
- and Lavin, G. I. Ultraviolet absorption spectrum of papain, 130, 375
- —, Irving, George W., Jr., and Bergmann, Max. The specificity of proteolytic enzymes from tumors, 132, 465

- Fruton, Joseph S .- continued:
- and Bergmann, Max. The activation of papain,
 133, 153
- —, Irving, George W., Jr., and Bergmann, Max. Preparation of d(-)-glutamic acid from dl-glutamic acid by enzymatic resolution, 133, 703
- and Bergmann, Max. The specificity of salmon pepsin,
 136, 559
- See Irving, Fruton, and Bergmann,138, 231
- —, Irving, George W., Jr., and Bergmann, Max. On the proteolytic enzymes of animal tissues. II. The composite nature of beef spleen cathepsin, 138, 249
- See Irving, Fruton, and Bergmann,139, 569
- —, Irving, George W., Jr., and Bergmann, Max. On the proteolytic enzymes of animal tissues. III. The proteolytic enzymes of beef spleen, beef kidney, and swine kidney. Classification of the cathepsins, 141, 763
- See Irving, Fruton, and Bergmann, 144, 161
- See Bergmann and Fruton, 145, 247
 and Bergmann, Max. The multiple specificity of chymotrypsin, 145, 253
- specificity of chymotrypsin, 145, 253

 --- Synthesis of peptides of *l*-serine, 146, 463
- Fuhr, Irvin, and Steenbock, H. The effect of dietary calcium, phosphorus, and vitamin D on the utilization of iron. I. The effect of phytic acid on the availability of iron, 147, 59
- and —. II. The effect of vitamin D
 on body iron and hemoglobin production, 147, 65
- and —. III. The relation of rickets to anemia, 147, 71
- Futcher, Palmer H. See Van Slyke, Phillips, Hamilton, Archibald, Futcher, and Hiller, 150, 481

G

Gaby, W. L. See Roberts, Cain, Muir,
Reithel, Gaby, Van Bruggen, Homan,
Katzman, Jones, and Doisy,
147, 47
See Van Bruggen, Reithel, Cain,

Katzman, Doisy, Muir, Roberts, Gaby, Homan, and Jones, 148, 365

Gaebler, Oliver Henry, and Bartlett,
Paul. Effects of anterior pituitary
preparations and iodine on nitrogen
excretion, creatinuria, and basal me-
tabolism, 129, 559
The relationship of extinction to
wave-length in turbid sera and other
suspensions, 149, 251
Gailey, Franklin B., and Johnson, Marvin
J. The dipeptidases of intestinal
mucosa, 141, 921
Gallagher, T. F. See Potts and Gallagher,
143, 561
- and Long, William P. Partial oxida-
tion of cholic acid, 147, 131 Garfinkel, Leo. See Golden and Gar-
finkel, 144, 447
Gavett, Elizabeth. See Hodge, Koss,
Ginn, Falkenheim, Garett, Fowler,
Thomas, Bonner, and Dessauer,
148, 321
Gavin, Gertrude. See McHenry and
Gavin, 128, 45
- and McHenry, E. W. The B vitamins
and fat metabolism. III. The effects
of vitamin B ₆ upon liver and body fat,
132, 41
See McHenry and Garin, 134,683
See Longenecker, Gavin, and Mc-
Henry, 134, 693
See McHenry and Garin, 138, 471
- and McHenry, E. W. Inositol: a
lipotropic factor, 139, 485
See Longenecker, Gavin, and Mc-
Henry, 139, 611
- and McHenry, E. W. The effects of
biotin upon fat synthesis and metabo-
lism, 141, 619
-, Patterson, Jean M., and McHenry,
E. W. Comparison of the lipotropic
effects of choline, inositol, and lipocaic
in rats, 148, 275
Geiger, Walton B., Jr., and Anderson,
R. J. The chemistry of Phytomonas
tumefaciens. I. The lipids of Phyto-
monas tumefaciens. The composition
monas tumefaciens. The composition of the phosphatide, 129, 519 — and —. The chemistry of the lipids

of tubercle bacilli. LVIII. Concern-

ing the firmly bound lipids of the so called leprosy bacillus, 131, 539
Geiling, E. M. K. See Eichelberger, Fetcher, Geiling, and Vos, 133, 145

—. See Eichelberger, Geiling, and Vos, 133, 661

-. See Eichelberger, Fetcher, Geiling, and Vos, 134, 171

Gellhorn, Alfred. See Flexner, Gellhorn, and Merrell, 144, 35

Gentzkow, Cleon J. An accurate method for the determination of blood urea nitrogen by direct nesslerization, 143, 531

Gersdorff, Charles E. F. See Jones and Gersdorff. 129, 207

Gettler, Alexander O., and Umberger, Charles J. A quantitative method for ethyl alcohol normally present in blood. 143.633

Gibbs, E. L., Lennox, W. G., Nims, L. F., and Gibbs, F. A. Arterial and cerebral venous blood. Arterial-venous differences in man, 144, 325

-. See Nims, Gibbs, and Lennox,

145, 189 Gibbs, F. A. See Gibbs, Lennox, Nims, and Gibbs, 144, 325

Gibbs, G. E. See Entenman, Changus, Gibbs, and Chaikoff, 134, 59

Gibson, John G., 2nd, and Blotner, Harry. The determination of ethyl alcohol in blood and urine with the photoelectric colorimeter, 126, 551

Gillette, Leslie A. See Anderson, Gillette, and Seeley, 140, 569

Gilligan, D. Rourke. See Lowry, Gilligan, and Katersky, 139, 795

Ginn, James T. See Hodge, Koss, Ginn, Falkenheim, Gavett, Fowler, Thomas, Bonner, and Dessauer, 148, 321

Ginrich, Wendell. See Schlenk and Ginrich, 143, 295

Ginsburg, Emanuel, and Benotti,
Norbert. The determination of thiocyanate in serum after the administration of its salts, 131, 503

Glaubach, Susi. See Glick, Glaubach, and Moore, 144, 525 Gleason, Donald F. See Clark, Levitan, Gleason, and Greenberg, 145, 85 Glick, David. Further studies on the specificity of choline esterase,

130, 527

See Antopol and Glick, 132, 669

-. Properties of tropine esterase,

134, 617

 Some additional observations on the specificity of cholinesterase, 137, 357

—, Glaubach, Susi, and Moore, Dan H. Azolesterase activities of electro-phoretically separated proteins of serum, 144, 525

Glick, Francis J. See Carter, Glick, Norris, and Phillips, 142, 449

Godfrid, Marcos. See Katzman, Godfrid, Cain, and Doisy, 148, 501

Goebel, Walther F., Beeson, Paul B., and Hoagland, Charles L. Chemoimmunological studies on the soluble specific substance of pneumococcus. IV. The capsular polysaccharide of Type XIV pneumococcus and its relationship to the blood Group A specific substance, 129, 455

-. See Reeves and Goebel, 139, 511

 See Adams, Reeves, and Goebel, 140, 653

—, Shedlovsky, Theodore, Lavin, George I., and Adams, Mark H. The heterophile antigen of pneumococcus,

Goepfert, George J. Studies in the mechanism of dehydrogenation by Fusarium lini Bolley. XIX. Dehydrogenation of higher primary and secondary alcohols, 140, 525

Goerner, Alfred, and Goerner, M.
Margaret. Vitamin A and liver cell
tumors, 128, 559

Goerner, M. Margaret. See Goerner and Goerner, 128, 559

Goettsch, E., Lyttle, John D., Grim, W. M., and Dunbar, P. Amino acid studies. I. Plasma amino acid retention in the hypoproteinemic dog as evidence of impaired liver function,

144, 121

Goettsch, Marianne, Lonstein, Ida, and Hutchinson, John J. Muscle phosphorus in nutritional muscular dystrophy in rabbits, 128, 9

Golden, Walter R. C., and Garfinkel, Leo. Medical evaluation of nutritional status. XII. The stability of ascorbic acid in whole blood, plasma, and plasma filtrates, 144, 447 Goldfarb, Walter. See Bueding and

Goldfarb, Walter. See Bueding and Goldfarb, 141, 539

147, 33

Goldinger, J. M. See Barron, Lyman, Lipton, and Goldinger, 141, 957

 See Barron, Goldinger, Lipton, and Lyman, 141, 975

—. See Stare, Lipton, and Goldinger, 141, 981

Golumbic, Calvin, and Mattill, H. A.

The oxidation of vitamin Ε, 134, 535

— and —. α-Tocopherylquinone and

and —. α-10copheryiquinone and dystrophy in rabbits, 135, 339
 Gomori, G. Hexosediphosphatase.

148, 139

Goodhart, Robert, and Sinclair, H. M. Deficiency of vitamin B₁ in man as determined by the blood cocarboxylase,

132, 11 method de-

A revaluation of the method described by Goodhart and Sinclair for the determination of blood cocarboxylase values,
 135, 77

-. See Bueding and Goodhart,

141, 931

Gordon, Solon A., and Wildman, Sam G.
The conversion of tryptophane to a
plant growth substance by conditions
of mild alkalinity, 147, 389

Gordon, William G. The metabolism of N-methylated amino acids. I. The availability of α-N-monomethyllysine and α-N-dimethyllysine for growth, 127, 487

II. The comparative availability of l(-)-tryptophane, l(+)- and dl-amino-N-monomethyltryptophane for growth,

—, Cahill, William M., and Jackson, Richard W. The availability for growth of N-methyltryptophane administered as its acetyl derivative,

131, 189

Gornam, Ance 1. See Smith, Gornam,	Granick, S.—commuea.
and Smith, 144, 737	—. Ferritin. IV. Occurrence and im-
Gorin, Manuel H. See Moyer and	munological properties of ferritin,
Gorin, 133, 605	149, 157
Gornall, Allan G., and Hunter, Andrew.	See Hahn, Granick, Bale, and
The synthesis of urea in the liver, with	
special reference to citrulline as an	Grattan, J. F., and Jensen, H. The
intermediary in the ornithine cycle,	effect of the pituitary adrenocortico-
147, 593	tropic hormone and of various adrenal
Goss, Harold. See McElroy and Goss,	cortical principles on insulin hypo-
130, 437	glycemia and liver glycogen, 135, 511
Gottlieb, Rudolph. See Lozinski and	Grau, C. R. See Almquist and Grau,
Gottlieb, 133, 635	149, 575
Gould, Bernard S., Tytell, Alfred A.,	Grauer, Robert C. See Saier, Warga,
	and Grauer, 137, 317
and Jaffe, Herbert. Biochemistry of	
Fusaria. The influence of diphos-	See Saier, Grauer, and Starkey,
phopyridine nucleotide on alcoholic	148, 213
fermentation $(in \ vivo)$, 146, 219	Gray, E. LeB. See Bills, Massengale,
Gould, R. Gordon, Jr. See Jacobs and	Hickman, and Gray, 126, 241
Gould, 126, 67	—. Comparison of vitamins A and A ₂
130, 399	by distillation, 131, 317
- and Jacobs, Walter A. The prepara-	- and Cawley, John D. The influence of
tion of certain trimethyleneindole	structure on the elimination maximum.
derivatives, 130, 407	I. The structure of vitamin A_2 ,
	134, 397
-, Craig, Lyman C., and Jacobs, Walter	•
A. The ergot alkaloids. XIX. The	The structure of cephalin, 136, 167
transformation of dl-lysergic acid and	Gray, J. S., Ivy, A. C., and Cuthbert,
d-lysergic acid to 6,8-dimethylergo-	F. P. The conversion of protein to
lines, 145, 487	glucose in depancreatized and phlo-
Grafa, Barney G., Jr. See Treadwell,	rhizinized dogs, 128, 173
Tidwell, and Grafa, 149, 209	Gray, Priscilla. See Handler and Dann,
Graff, Samuel. Glutamic acid in malig-	145, 145
nant tumors, 130, 13	Grayman, Isabelle. See Mirsky, Nelson,
-, Rittenberg, D., and Foster, G. L.	and Grayman, 130, 179
The glutamic acid of malignant	-, Nelson, Norton, and Mirsky, I.
_	Arthur. The utilization of acetone
tumors, 133, 745	bodies. II. The influence of sex,
Grafflin, Allan L. See Marble, Grafflin,	1
and Smith, 134, 253	131, 121
Grail, Godfrey F. See Stetten and Grail,	See Nelson, Grayman, and Mirsky,
144, 175	132, 711
148, 509	140, 361
Grand, J. A. See Baernstein and Grand,	Greaves, Joseph D., Freiberg, Irene
	Koechig, and Johns, H. E. Prepara-
140, 285	tion and assay of anterior pituitary
Granick, S. Ferritin. I. Physical and	fractions rich in ketogenic and respira-
chemical properties of horse spleen	tory quotient-reducing substances,
ferritin, 146, 451	133, 243
- and Michaelis, Leonor. Ferritin. II.	Greaves, Vera D. See Okey and Greaves,
Apoferritin of horse spleen, 147, 91	1
See Michaelis, Coryell, and Granick,	129, 111
	Greeley, Paul O. See Deuel, Hallman,
148, 463	Greeley, Butts, and Halliday, 133, 173

Green,

Arda

Alden. See

Greenberg, David M .- continued:

Drinker,

Green, and Hastings. 131, 641 - and Winnick, Theodore. 1.1. Ki- Cori, Gerty T., and Cori, Carl F. netic properties, Crystalline muscle phosphorylase, -, Campbell, W. Wesley, and Mur yama, 142, 447 Makio. Studies in mineral m. tabo-Green, D. E. See lism with the aid of artificial radio-Williamson andGreen. 135, 345 active isotopes. V. The absorption, -, Herbert, D., and Subrahmanyan, V. excretion, and distribution of labeled On the isolation and properties of sodium in rats maintained on normal carboxylase, and low sodium diets. 135, 795 136, 35 -, -, and -. Carboxylase, 138, 327 See Winnick and Greenberg, -, Knox, W. E., and Stumpf, P. K. A 137, 429 flavoprotein from yeast. 138, 775 — and Cuthbertson, Elizabeth M. Diet--, Westerfeld, W. W., Vennesland, ary chloride deficiency and alkalosis Birgit, and Knox, W. E. Pyruvic and in the rat, 145, 179 α-ketoglutaric carboxylases of animal -, Copp, D. Harold, and Cuthbertson, 140,683 Elizabeth M. Studies in mineral metissues, - and Stumpf, P. K. Starch phostabolism with the aid of artificial phorylase of potato, 142, 355 radioactive isotopes. VII. The dis- —, Westerfeld, W. W., Vennesland, tribution and excretion, particularly Birgit, and Knox, W. E. Carboxylases by way of the bile, of iron, cobalt, of animal tissues, 145, 69 and manganese. 147, 749 -, Nocito, V., and Ratner, S. l-Amino See Kaplan and Greenberg, acid oxidase of animal tissues, 150, 479 Greenberg, Goodwin. See Clark, Levi-148, 461 Green, Leila S. See Ross and Green, tan, Gleason, and Greenberg, 137, 105 Greenberg, Leon A. Acetoin: polaro-Green, Lowell F., McCarthy, James F., graphic determination and disappearand King, C. G. Inhibition of respiraance from the blood after administion and photosynthesis in Chlorella tration. 147, 11 pyrenoidosa by organic compounds Greenblatt, I. J., and Pecker, A. The that inhibit copper catalysis, 128, 447 effect of ascorbic acid on iminazole -. See McCarthy, Green, and King, rings and allied substances in vivo, 128, 455 134, 341 Green, Mary H. See Schmidt, Hughes, Guanidinuria, 137, 791 Green, and Cooper, 145, 229 Greene, R. D. Preparation of vitamin Green, Milton. See B₆ from natural sources, 130, 513 Reiner, Moore, Lang, and Green, 146, 583 Greengard, Harry, and Woolley, Jean Greenberg, David M. See Joseph, Cohn, Rea. Studies on colloidal sulfurand Greenberg. 128, 673 polysulfide mixture. Absorption and See Cohn and Greenberg, 130, 625 oxidation after oral administration, Rabinovitch, -. See Austoni, and132, 83 Greenberg. 134, 17 Greenstein, Jesse P. Sulfhydryl groups See Austoni and Greenberg, in proteins. II. Edestin, excelsin, and 134, 27 globin in solutions of guanidine - and Winnick, Theodore. Plant prohydrochloride, urea, and their derivateases. I. Activation-inhibition retives. actions. 135, 761 Studies of multivalent amino acids - and -. II. pH-activity curves. and peptides. XI. The synthesis of

135, 775

diglycyl-l-cystine,

Greenstein, Jesse P.-continued:

and Klemperer, Friedrich W. Aspartylhistidine,
 128, 245

-, -, and Wyman, Jeffries, Jr. Further studies on the physical chemistry of cystine peptides, 129, 681

Sulfhydryl groups in proteins. III.
 The effect on egg albumin of various salts of guanidine, 130, 519

 and Edsail, John T. The effect of denaturing agents on myosin. I. Sulfhydryl groups as estimated by porphyrindin titration, 133, 397

Sulfhydryl groups of serum albumin, serum, and milk, 136, 795

—, Jenrette, Wendell V., Mider, G. Burroughs, and White, Julius. The relative arginase activity of certain tumors and normal control tissues,

137, 795

-, -, and White, Julius. The liver catalase activity of tumor-bearing rats and the effect of extirpation of the tumors, 141, 327

and —. The reactivity of porphyrindin in the presence of denatured proteins,
 142, 175

-. See Davis, Hollaender, and Greenstein, 146, 663

 The colloid osmotic pressure of mixtures of protein and thymus nucleate,
 150, 107

Greenwald, Isidor, Redish, Jules, and Kibrick, Andre C. The dissociation of calcium and magnesium phosphates, 135, 65

 The dissociation of calcium and magnesium carbonates and bicarbonates, 141, 789

The solubility of calcium phosphate.
 I. The effect of pH and of amount of solid phase,
 143, 703

-. II. The solubility product,

143, 711

Greenwood, D. A. See Beadle, Greenwood, and Kraybill, 149, 339

—, Beadle, B. W., and Kraybill, H. R. Stability of thiamine to heat. II. Effect of meat-curing ingredients in aqueous solutions and in meat,

149, 349

Greep, R. O., van Dyke, H. B., and Chow, Bacon F. Separation in nearly pure form of luteinizing (interstitial cellstimulating) and follicle-stimulating (gametogenic) hormones of the pituitary gland, 133, 289

Gregg, Donald C. See Boyd, Conn, Gregg, Kistiakowsky, and Roberts,

139, 787

Griffith, Wendell H., and Wade, Nelson J. Choline metabolism. I. The occurrence and prevention of hemorrhagic degeneration in young rats on a low choline diet, 131, 567

 and —. II. The interrelationship of choline, cystine, and methionine in the occurrence and prevention of hemorrhagic degeneration in young rats,
 132, 627

 Choline metabolism. III. The effect of cystine, fat, and cholesterol on hemorrhagic degeneration in young rats,
 132, 639

Grim, W. M. See Goettsch, Lyttle, Grim, and Dunbar, 144, 121

Grinnell, S. W. See Scholander, Irving, and Grinnell, 142, 431

Grinstein, Moises, and Watson, Cecil James. Studies of protoporphyrin. I. The purification of protoporphyrin IX as obtained from hemoglobin,

147, 667

— and —. II. A note on an improved micromethod for converting proto-

porphyrin to mesoporphyrin, 147, 671

— and —. III. Photoelectric and fluorophotometric methods for the quantitative determination of the protoporphyrin in blood, 147, 675

Grollman, Arthur, Williams, J. R., Jr., and Harrison, Tinsley R. The preparation of renal extracts capable of reducing the blood pressure of animals with experimental renal hypertension,

134, 115

Groothuis, Marjorie. See Treadwell, Groothuis, and Eckstein, 142, 653 Gross, Paul. See Axelrod, Gross, Bosse, and Swingle, 148, 721 Guerrant, Ralph E., and Hogan, Albert G. Effect of amino acids on anemia caused 128, 363 by deaminized casein, See Hogan, Powell, and Guerrant, 137, 41 Guest, George Martin. See Rapoport and Guest, 126, 749 129, 781 -. See Leva and Guest, 130, 777 See Rapoport and Guest, 131, 675 138, 269 See Rapoport, Leva, and Guest, 139, 621, 633 See Rapoport and Guest, 143, 671 See Nelson, Rapoport, Guest, and 144, 291 Mirsky, -. See Rapoport, Leva, and Guest, 149, 57, 65 Guest, M. Mason, and Rawson, Ruth A. Carbohydrate storage and mobilization with changes in the blood pH, 139, 535 See McBride, Guest, and Scott, 139, 943 Guirard, Beverly M. See Snell, Guirard, and Williams. 143, 519 Gulick, Addison. See Mayer and Gulick, Gunsalus, I. C., and Hand, David B. The use of bacteria in the chemical determination of total vitamin C. 141, 853 - and Niven, Charles F., Jr. The effect of pH on the lactic acid fermentation, 145, 131 Gurin, Samuel, Bachman, Carl, and Wilson, D. Wright. The gonadotropic hormone of urine of pregnancy. I. A simple method of extraction and purification, 128, 525 - and Hood, Dorothy B. The identification and estimation of hexoses in polysaccharides and glycoproteins by the carbazole method, 131, 211 -, Bachman, Carl, and Wilson, D. Wright. The gonadotropic hormone of urine of pregnancy. II. Chemical studies of preparations having high biological activity, 133, 467 -, -, and -. III. Evidence of purity

Gurin, Samuel—continued: obtained by studies of electrophoresis

and sedimentation,
 133, 477
 and Hood, Dorothy B. The identification and estimation of pentose in nucleic acids and nucleoproteins,

- See Lundgren, Gurin, Bachman,

and Wilson, 142, 367
Gutman, Alexander B. See Gutman
and Gutman, 136, 201

Gutman, Ethel Benedict, and Gutman, Alexander B. Estimation of "acid" phosphatase activity of blood serum, 136, 201

György, Paul. The curative factor (vitamin H) for egg white injury, with particular reference to its presence in different foodstuffs and in yeast,

131, 733

Kuhn, Richard, and Lederer, Edgar.
 Attempts to isolate the factor (vitamin H) curative of egg white injury,

131, 745

See Birch and György, 131, 761
 Poling, C. E., and Subbarow, Yellapragada. Observations on the factor curative of nutritional achromotrichia, 132, 789

 See du Vigneaud, Hofmann, Melrille, and György,
 140, 643

Rose, Catharine S., and Tomarelli,
 Rudolph. Investigations on the stability of avidin,
 144, 169

— and Tomarelli, Rudolph. Antioxidant activity in sources of the B vitamins, 147, 515

H

Haagen-Smit, A. J. See Tatum and Haagen-Smit, 140, 575

-. See Raper and Haagen-Smit,

—. See Lepkovsky, Roboz, and Haagen-Smit, 149, 195

Haas, Erwin, Horecker, B. L., and Hogness, T. R. The enzymatic reduction of cytochrome C; a new enzyme, 130, 425

-, -, and -. The enzymatic reduction

49

Haas, Erwin-continued:	Hall, F. G.—continued:
of cytochrome c. Cytochrome c re-	the determination of oxygen satura-
ductase, 136, 747	tion in whole blood, 130, 573
See Horecker, Ma, and Haas,	See Dill, Wilson, Hall, and Robin-
136, 775	son, 136, 449
-, Harrer, Carter J., and Hogness,	Hall, James L. Moving boundary
T. R. Microdetermination of triphos-	electrophoretic study of insulin,
phopyridine nucleotide, 142, 835	139, 175
-, -, and Cytochrome reductase.	- Moving boundary electrophoretic
II. Improved method of isolation;	study of insulin. A correction,
inhibition and inactivation; reaction	140, 671
with oxygen, 143, 341	Hall, James M. See Roe and Hall,
Cytochrome oxidase, 148, 481	128, 329 Hall, S. R. See Butz and Hall, 126, 265
Haddock, James N., and Thomas, Lloyd	Halliday, D. See Smythe and Halliday,
E. The synthesis of plasteins by the	144, 237
action of trypsin and papain on digests of insulin, 144, 691	Halliday, Nellie. The effect of formalin
Haege, Lorraine F. See Fenn and Haege,	fixation on liver lipids, 129, 65
136, 87	-, Deuel, Harry J., Jr., Tragerman,
Hague, Eleanor. See Melville, Hofmann,	L. J., and Ward, W. E. On the isola-
Hague, and du Vigneaud, 142, 615	tion of a glucose-containing cerebro-
Hahn, P. F. See Miller and Hahn,	side from spleen in a case of Gaucher's
134, 585	disease, 132, 171
-, Granick, S., Bale, William F., and	See Deuel, Hallman, Greeley, Butts,
Michaelis, Leonor, Ferritin. VI.	and Halliday, 133, 173
Conversion of inorganic and hemo-	See Deuel, Halliday, Hallman,
globin iron into ferritin iron in the	Johnston, and Miller, 139, 479
animal body. Storage function of	- and Deuel, Harry J., Jr. The pres-
ferritin iron as shown by radioactive	ence of free and combined thiamine in
and magnetic measurements, 150, 407	milk, 140, 555 Hallman, Lois F. See Deuel, Hallman,
Haines, William J. See Rose, Johnson, and Haines, 145, 679	Greeley, Butts, and Halliday, 133, 173
and Haines, 145, 679 —. See Rose, Haines, and Johnson,	See Blunden, Hallman, Morehouse,
146, 683	and Deuel, 135, 757
See Rose, Haines, Johnson, and	See Devel, Halliday, Hallman,
Warner, 148, 457	Johnston, and Miller, 139, 479
Hakala, N. V. See Petermann and	See Deuel and Hallman, 140, 545
Hakala, 145, 701	Hallstone, Victor E. See Deuel and
Hald, Pauline M. The importance of	Hallman, 140, 545
removing phosphorus in the deter-	Halpin, J. G. See Wiese, Johnson,
mination of serum sodium, 130, 133	Elvehjem, Hart, and Halpin, 127, 411
See Solomon, Hald, and Peters,	Halverstadt, I. F. See Kumler and
132, 723	Halverstadt, 137, 765
Hale, E. B., Davis, G. K., and Baldwin,	Hamilton, James B. See Dorfman, Cook,
H. R. The chemical determination of	and Hamilton, 130, 285
bicotinic acid in plant materials,	—. See Dorfman and Hamilton, 133, 753
146, 553	Hamilton, Paul B. See Van Slyke, Dillon, MacFadyen, and Hamilton,
-, -, and The distribution of	141, 627
nicotinic acid in feeds, 146, 565	See Van Slyke, MacFadyen, and
Hall, F. G. A spectroscopic method for	Hamilton 141 671

Hamilton, Paul B .- continued: A glutamine-like substance in blood plasma, 145, 711 -. See Archibald and Hamilton, 150, 155 - and Van Slyke, Donald D. The gasometric determination of free amino acids in blood filtrates by the ninhydrin-carbon dioxide method, 150, 231 See Van Slyke, MacFadyen, and 150, 251 Hamilton, -. See Van Slyke and Hamilton, 150, 471 -. See Van Slyke, Phillips, Hamilton, Archibald, Futcher, and Hiller, 150, 481 Hamlin, Kenneth E., Jr., and Hartung, Walter H. The synthesis of α -amino acids from substituted acetoacetic esters. 145, 349 Hammarsten, Einar. See Agren, Hammarsten, and Rosdahl, 127, 541 Hand, David B. See Gunsalus and Hand.141, 853 Handler, Philip. See Carter, Handler, and Melville. 129, 359 -. Bernheim, Frederick, and Klein, J. Raymond. The oxidation in vitro of N-methylamino acids by kidney and 138, 203 -, Bernheim, Mary L. C., and Klein, J. Raymond. The oxidative demethylation of sarcosine to glycine, 138, 211 See Carter, Handler, and Stevens, 138, 619 See Klein and Handler, 139, 103 See Dann and Handler, 140, 201 - and Dann, W. J. The nicotinic acid and coenzyme content of animal tissues. 140, 739 See Dann and Handler, 140, 935 - and Klein, J. Raymond. The inactivation of pyridine nucleotides by animal tissues in vitro, 143, 49 - and Bernheim, Frederick. The choline oxidase activity of fatty livers, **144.** 401 - and Klein, J. Raymond. The inactivation of pyridine nucleotides by animal tissues in vitro. 144, 453

Handler, Philip-continued:

See Klein and Handler, 144, 537
See Klein, Perlzweig, and Handler,

145, 27

 and Dann, W. J. The biochemical defect in nicotinic acid deficiency, 145, 145

— and —. The inhibition of rat growth by nicotinamide, 146, 357

 and Bernheim, Frederick. The effect of choline deficiency on the fat content of regenerated liver, 148, 649

—. The effect of simultaneous mineral and choline deficiencies on liver fat, 149, 291

— and Bernheim, Mary L. C. The specificity of l(-)-methionine in creatine synthesis, 150, 335

— and Kohn, Henry I. The mechanism of cozymase synthesis in the human erythrocyte: a comparison of the rôles of nicotinic acid and nicotinamide, 150, 447

Hanke, Martin E. See Blauch, Koch, and Hanke, 130, 471

 See Kendrick and Hanke, 132, 739
 Hanok, Albert. See Sobel, Hanok, and Kramer, 144, 363

Hansard, S. L. See Sutton, Kaeser, and Hansard, 144, 183

Hansen, P. Arne, and Nielsen, Verner. Colorimetric determination of ammonia with thymol-hypobromite reagent, 131, 309

Hanson, H. T. See Barnes, Lundberg, Hanson, and Burr, 149, 313 Hardin, Garrett. See Strain, Manning, and Hardin. 148.655

Harkins, William D., Fourt, Lyman, and Fourt, Priscilla Chinn. Immunochemistry of catalase. II. Activity in multilayers, 132, 111

Harper, Harold A., and Deuel, Harry J., Jr. The urinary pyruvate in thiamine deficiency, 137, 233

 Carbohydrate metabolism in thiamine deficiency, 142, 239

Harrelson, R. T. See Sure, Theis, and Harrelson, 129, 245

Harrer, Carter J. See Schultze, Harrer, and King, 131, 5

Harrer, Carter J.—continued:	Hart, E. B.—continued:
— and King, C. G. Ascorbic acid de-	
ficiency and enzyme activity in guinea	See Kohler, Elvehjem, Fart,
	128, 501
pig tissues, 138, 111	See Hegsted, Oleson, em, and
See Haas, Harrer, and Hogness,	Hart, 130, 423
142, 835	See Hove, Elvehjem, and "art,
143, 341	134, 425
Harris, J. S., and Kohn, Henry I. The	136, 425
effect of purines on the action of	- See Wachtel, Hove, Elvehjem, and
sulfonamides, 141, 989	Hart, 138, 361
Harris, John E. A modified silver co-	See Hegsted, Mills, Elvehjem, and
baltinitrite method for potassium	Hart, 138, 459
determination, 136, 619	—. See Hegsted, Hier, Elvehjem, and
—. The influence of the metabolism of	Hart, 139, 863
human erythrocytes on their potas-	—. See Hegsted, Briggs, Elvehjem, and
sium content, 141, 579	Hart, 140, 191
Harris, Philip L. See Baxter, Harris,	See Briggs, Mills, Elvehjem, and
Hickman, and Robeson, 141, 991	Hart, 144, 47
 See Weissberger and Harris, 	See McKibbin, Schaefer, Elvehjem,
144 , 287	and Hart, 145, 107
See Jensen, Shantz, Embree, Cawley,	See Briggs, Luckey, Elvehjem, and
and Harris, 149, 473	Hart, 148, 163
Harris, Robert L., and Mattill, H. A.	See Briggs, Luckey, Teply, Elve-
The effect of hot alcohol on purified	hjem, and Hart, 148, 517
animal proteins, 132, 477	See Briggs, Luckey, Elvehjem, and
Harris, Ruth C. The adsorption of	Hart, 150, 11
protein by filter paper in the estima-	See Spector, Maass, Michaud, Elve-
tion of albumin in blood serum,	hjem, and Hart, 150, 75
127, 751	Harte, R. A. See Landsteiner and
Harris, Stanton A. See du Vigneaud,	Harte, 140, 673
Melville, Folkers, Wolf, Mozingo,	Hartman, Carl G. See Marker and
Keresztesy, and Harris, 146, 475	Hartman, 133, 529
Harris, Tzvee N. See Zittle and Harris,	Hartung, Walter H. See Hamlin and
142, 823	
Harrison, Harold E. See Darrow, Har-	1
rison, and Taffel, 130, 487	Haskin, Harold H. A spectrophoto-
Harrison, Helen C., and Long, C. N. H.	metric method for the analysis of
The distribution of ketone bodies in	chloroplast pigments, 144, 149
tissues, 133, 209	Hassid, W. Z., and Barker, H. A. The
Harrison, Norman B. See Turner,	structure of dextran synthesized from
· · · · · · · · · · · · · · · · · · ·	sucrose by Betacoccus arabinosaceus,
	Orla-Jensen, 134, 163
Harrison, Tinsley R. See Grollman,	See Doudoroff, Kaplan, and Hassid,
Williams, and Harrison, 134, 115	148, 67
Hart, E. B. See Potter, Elvehjem, and	-, Cori, Gerty T., and McCready, R. M.
Hart, 126, 155	Constitution of the polysaccharide
See Bird, Oleson, Elvehjem, and	synthesized by the action of crystal-
Hart, 126, 671	line muscle phosphorylase, 148, 89
See Oleson, Bird, Elvehjem, and	-, Baker, E. E., and McCready, R. M.
Hart, 127, 23	
See Wiese, Johnson, Elvehjem, Hart,	An immunologically active polysac
and Halpin, 127, 411	charide produced by Coccidioides

immitis Rixford and Gilchrist,	Hastings, A. Baird—continued:
149, 303	—. See Wallace and Hastings, 144, 637
Hastings, A. Baird. See Manery and	 See Buchanan, Hastings, and
Hastings, 127, 657	Nesbett, 145, 715
See Cohn, Tannenbaum, Thalhimer,	See Tabor and Hastings, 148, 627
and Hastings, 128, 109	See Buchanan, Hastings, and
- Muus, Jytte, and Bessey, Otto A.	Nesbett, 150, 413
Tissue metabolism in vitamin de-	Haugen, Gladys E. See Friedemann and
ficiencies. I. Effect of deficiencies in	Haugen, 144, 67
riboflavin and other heat-stable vita-	147, 415
min B components, 129, 295	Haurowitz, Felix. The prosthetic group
See Muus, Weiss, and Hastings,	of sulfhemoglobin, 137, 771
129, 303	-, Schwerin, Paula, and Yenson, M.
See Weir and Hastings, 129, 547	Mutahhar. Destruction of hemin and
See Danielson and Hastings,	hemoglobin by the action of unsatu-
130, 349	rated fatty acids and oxygen,
See Danielson, Chu, and Hastings,	140, 353
131, 243	Hauschildt, James D. See Evans and
See Drinker, Green, and Hastings,	Hauschildt, 145, 335
131, 641	Hauser, Charles R. See Peck and
See Taylor and Hastings, 131, 649	Hauser, 134, 403
See Kiese and Hastings,	Haven, Frances L., and Bale, William
132, 267, 281	F. The fate of phospholipid injected
See Van Slyke, Hiller, MacFadyen,	intravenously into the rat, 129, 23
Hastings, and Klemperer, 133, 287	- and Levy, Sylvia Ruth. The occur-
See Christensen and Hastings,	rence and rate of turnover of tumor
136, 387	sphingomyelin, 141, 417
See Conant, Cramer, Hastings,	Hawes, Roland C. See Alles and Hawes,
Klemperer, Solomon, and Vennesland,	133, 375
137, 557	Heard, R. D. H. See Edson and Heard,
See Jandorf, Klemperer, and	130, 579
Hastings, 138, 311	- and McKay, A. F. Steroids. II. The
See Hutchens, Jandorf, and	isolation of a new androstanol-3(β)-one
Hastings, 138, 321	and of allopregnanol-3(β)-one-20 from
See Solomon, Vennesland, Klem-	the urine of pregnant mares, 131, 371
perer, Buchanan, and Hastings,	— and Hoffman, M. M. The isolation of
140, 171	Δ -5,7,9-estratrienol-3-one-17 from the
See Vennesland, Solomon, Bu-	urine of pregnant mares, 135, 801
chanan, Cramer, and Hastings,	— and —. Steroids. III. The isolation
142, 371	from equine pregnancy urine of
See Vennesland, Solomon, Bu-	Δ -5,7,9-estratrienol-3-one-17,
chanan, and Hastings, 142, 379	138, 651
See McGee and Hastings, 142, 893	- and IV. The fate in man of
See Lowry and Hastings, 143, 257	injected α -estradiol, 141, 329
See Lowry, Hastings, Hull, and	-, Bauld, W. S., and Hoffman, M. M.
Brown, 143, 271	Steroids. V. \(\alpha\)-Estradiol and pro-
See Lowry, McCay, Hastings, and	gesterone metabolism, 141, 709
Brown, 143, 281	Hebb, M. H. See Sharp, Hebb, Taylor,
See Klemperer, Hastings, and Van	and Beard, 142, 217
Slyke, 143, 433	Hechtman, John. See Anderson, Hecht-
→ See Taylor and Hastings, 144, 1	man, and Seeley, 126, 175
. ~~ x ageor with 11 opposingly, 111, 1	тип, ини вестеу, . 120, 119

Heegaard, Erik V. See Horowitz and Heegaard, 137, 475 See Alles and Heegaard, 147, 487 and Alles, Gordon A. Inhibitor specificity of amine oxidase. 147, 505 Hegnauer, A. H. The effect of a low potassium diet and of desoxycorticosterone acetate on the cation content of rat erythrocytes and muscle, 150, 353 Hegsted, D. Mark, Oleson, J. J., Elvehjem, C. A., and Hart, E. B. The "cartilage growth factor" and vitamin B₆ in the nutrition of chicks, 130, 423 -, Mills, R. C., Elvehjem, C. A., and Hart, E. B. Choline in the nutrition of chicks, 138, 459 -, Hier, S. W., Elvehjem, C. A., and Hart, E. B. The growth factors in cartilage for the chick. 139, 863 -, Briggs, G. M., Elvehjem, C. A., and Hart, E. B. The rôle of arginine and glycine in chick nutrition, 140, 191 See Hutchings, Bohonos, Hegsted, 140, 681 Elvehjem, and Peterson, Heidelberger, Michael. See Menzel and Heidelberger, 127, 221 See Karjala and Heidelberger, 137, 189 See Mayer and Heidelberger, 143, 567 —. See Schoenheimer, Ratner, Rittenberg, and Heidelberger, 144, 541, 545 -, Treffers, Henry P., Schoenheimer, Rudolf, Ratner, S., and Rittenberg, D. Behavior of antibody protein toward dietary nitrogen in active and passive immunity. 144, 555 Heinen, Harold J. See Lough, Perilstein, Heinen, and Carter, 139, 487 Hekhuis, G. Leverne. See Cohen and Hekhuis, 140, 711 Heller, V. G. See MacVicarandHeller, 137, 643 Hellerman, Leslie. See Richards and Hellerman, 134, 237 -, Chinard, Francis P., and Deitz, Victor R. Protein sulfhydryl groups and the reversible inactivation of the enzyme urease. The reducing groups of egg albumin and of urease, 147, 443

Hellman, L. M., Shettles, L. B., and Stran, Herbert. A quantitative method for the determination of sodium pentothal in blood, 148, 293

Helmer, O. M., and Page, Irvine H.
Purification and some properties of
renin, 127, 757

—. See Corcoran, Helmer, and Page, 129, 89

Hemingway, Allan. See Wood, Werkman, Hemingway, and Nier, 135, 789 139, 365, 377, 483 142, 31

 See Swendseid, Barnes, Hemingway, and Nier, 142, 47

 See Slade, Wood, Nier, Hemingway, and Werkman, 143, 133

—. See Olsen, Hemingway, and Nier, 148, 611

Hendricks, Jeannette B. See Morgan, Shimotori, and Hendricks, 134, 761 Hendrickson, Alma R. See Bratton and Marshall. 128, 537

Hendrix, Byron M., and Dennis, Joe. Changes of nitrogen content brought about by denaturation of proteins, 126, 315

Henny, George C. See Spiegel-Adolf, Seibert, and Henny, 137, 503 Herbert, D. See Green, Herbert, and Subrahmanyan. 135, 795

Herbst, Robert M., and Shemin, David.
The synthesis of peptides by transamination.

147, 541

Herrlich, Herman. See Bueding, Fazekas, Herrlich, and Himwich,

Herrmann, Heinz. See Friedenwald and Herrmann, 146, 411

Hershberg, E. B., and Wolfe, John K. A rapid extractor for urinary steroids, 133, 667

See Wolfe, Hershberg, and Fieser,
 136, 653

—, Wolfe, John K., and Fieser, Louis F.
 Polarographic determination of dehydroisoandrosterone and other 3-hydroxy-Δ⁵-steroids, 140, 215
 — and —. A rapid extractor for urinary

steroids. II. Modifications for the

simultaneous hydrolysis and extraction of urine with any solvent heavier than water, 141, 215

Hess, W. C., and Sullivan, M. X. The cystine content of deaminized proteins, 128, 93

-. See Sullivan, Hess, and Smith,

130, 741

-. See Sullivan and Hess, 130, 745

and Sullivan, M. X. Cystinuria.
 The effect of various amino acids on the excretion of cystine, 142, 3

— and —. Canine cystinuria. The effect of feeding cystine, cysteine, and methionine at different dietary protein levels, 143, 545

See Sullivan, Hess, and Howard, 145, 621

 and Sullivan, M. X. The quantitative determination of lanthionine,

146, 15 — and —. Canine cystinuria. The cystine output on an arachin diet,

— and —. Canine cystinuria. Urinary excretion of cystine following the administration of homocystine, homocysteine, and some derivatives of cystine and cysteine,

146, 381

— and —. Canine cystine following the administration of homocystine, homocysteine, and some derivatives of cystine and cysteine,

149, 543

Hessel, F. H. See Scott, Randall, and Hessel, 141, 325

Hester, Harold R. See Flock, Hester, and Bollman, 128, 153

Heuser, G. F. See Schumacher, Heuser, and Norris, 135, 313

-. See McGinnis, Norris, and Heuser, 145, 341

Heymann, Walter, and Modic, J. L.

Effect of age and fasting on glycogen
content of liver and muscle of rats and
pupples, 131, 297

Hickman, K. C. D. See Bills, Massengale, Hickman, and Gray, 126, 241

— See Baxter, Harris, Hickman, and Robeson, 141, 991

Hier, S. W. See Hegsted, Hier, Elvehjem, and Hart, 139, 863

Highet, Doris M., and West, Edward S.

A procedure for the determination of ascorbic acid based upon the use of a

standardized solution of 2,6-dichlorophenol indophenol in xylene, 146, 655

Hill, Elsie. See Koehler, Windsor, and Hill, 140, 811

Hiller, Alma. See Van Slyke, Hiller, MacFadyen, Hastings, and Klemperer, 133, 287

 See Van Slyke, Hiller, and Mac-Fadyen, 141, 681

-. See Van Slyke, Hiller, and Dillon, 146, 137

See Beckman, Hiller, Shedlovsky,
 and Archibald,
 148, 247

 See Van Slyke, Phillips, Hamilton, Archibald, Futcher, and Hiller,

150, 481 Himwich, Harold E. See Fazekas and

Himwich, 139, 971

— See Bueding, Fazekas, Herrlich, and Himwich. 148, 97

Hines, Leonard R., and Mattill, H. A. The chemical determination of tocopherols in liver and muscle; tocopherol

in urine and feces, 149, 549

Hirschmann, H., and Wintersteiner,
Oskar. Isoequilin A, 126, 737

Androgens from the urine of ovariectomized women,
 130, 421

-. Steroids of urine of ovariectomized women, 136, 483

-. Preparation of a pregnanetriol-3- (α) , 17,20, 140, 797

 Steroid excretion in a case of adrenocortical carcinoma. I. The isolation of a Δ⁵-androstenetriol-3(β),-16,17, 150, 363

Hisey, Alan, and Morrison, Dempsie B.

The oxygen uptake of dried hemoglobin, 130, 763

Hitchings, George H. See Cleary,
Maier, and Hitchings, 127, 403

The estimation of guanine and xanthine, 139, 843

- and Fiske, Cyrus H. The determination of the purines, 140, 491

- and -. The estimation of adenine, 141, 827

—. The estimation of hypoxanthine, 143, 43

Hoagland, Charles L. See Goebel, Beeson, and Hoagland, 129, 455

Hoagland, Charles L.—continued: —. Microdetermination of sulfate and phosphate by manometric combustion of their organic precipitates,

—. Micromanometric determination of magnesium, 136, 553

and Ward, S. M. The quantitative determination of factor V by measurement of nitrite produced by Hemophilus influenzae,
 146, 115

Hoberman, Henry D., and Rittenberg, D. Biological catalysis of the exchange reaction between water and hydrogen, 147, 211

Hochberg, Melvin, Melnick, Daniel, Siegel, Louis, and Oser, Bernard L. Destruction of vitamin B₆ (pyridoxine) by light, 148, 253

Hodge, Harold Carpenter. See Mac-Lachlan and Hodge, 127, 721

See Manly, Hodge, and Manly,

—. See Volker, Hodge, Wilson, and
Van Voorhis,
134, 293
134, 543

—, Van Huysen, Grant, Bonner, John F., and Van Voorhis, Stanley N. The adsorption of phosphates at forty degrees by enamel, dentin, bone, and hydroxyapatite as shown by the radioactive isotope, 138, 451

 See MacLachlan, Hodge, and Whitehead,
 139, 185

—, MacLachlan, P. L., Bloor, W. R., Stoneburg, Charles A., Oleson, Margaret C., and Whitehead, Raymond. Lipids of the fasting mouse. I. The relation between carcass lipids and liver lipids, 139, 897

See Steadman, Hodge, and Horn, 140, 71

See MacLachlan, Hodge, Bloor,
 Welch, Truax, and Taylor,
 Koss, William F., Ginn, James T.,
 Falkenheim, Marlene, Gavett, Eliza-

Falkenheim, Marlene, Gavett, Elizabeth, Fowler, Richard C., Thomas, Isabell, Bonner, John F., and Dessauer, Gerhard. The nature of the insoluble sodium of bone. The adsorption of sodium at forty degrees by bone, dentin, enamel, and hydroxy-

apatite as shown by the radioactive isotope, 148, 321

Hodson, A. Z., and Morris, L. C. A fluorometric method for determining the riboflavin content of foodstuffs, 131, 621

Hoffman, M. M. See Heard and Hoffman, 135, 801 138, 651

141, 329

See Heard, Bauld, and Hoffman, 141, 709

 See Venning, Hoffman, and Browne, 146, 369

Kazmin, V. E., and Browne, J. S. L.
 The exerction of pregnanediol following the administration of desoxycortic costerone acetate to rabbits, 147, 259
 See Vanning Hoffman and Browne.

See Venning, Hoffman, and Browne, 148, 455

Hoffman, Olive D. See Beach, Bernstein, Hoffman, Teague, and Macy, 139, 57

Hofmann, Klaus, and Bergmann, Max. The specificity of trypsin. II,

130, SI

— and —. The specificity of carboxypeptidase, 134, 225

— and —. The kinetics of the action of trypsin upon synthetic substrates, 138, 243

 See du Vigneaud, Hofmann, Melrille, and György, 140, 643

See du Vigneaud, Hofmann, Melville, and Rachele, 140, 763

Melville, Donald B., and du Vigneaud,
 Vincent. Characterization of the functional groups of biotin,
 141, 207

 See Melville, Hofmann, Hague, and du Vigneaud, 142, 615

—, Melville, Donald B., and du Vigneaud, Vincent. Adipic acid as an oxidation product of the diaminocarboxylic acid derived from biotin, 144, 513

-. See Melrille, Hofmann, and du Vigneaud, 145, 101

—, Kilmer, Glen W., Melville, Donald B., du Vigneaud, Vincent, and Darby, Hugh H. The condensation of phenanthrenequinone with the diaminocarboxylic acid derived from biotin, 145, 503 Hofmann, Klaus-continued: ley, Holcomb, McKee, Thayer, and See Melville, Moyer, Hofmann, and Doisy. 131, 357 146, 487 Hollaender, Alexander. See Davis, Holdu Vigneaud, Hogan, Albert G. See Guerrant and laender, and Greenstein, 146, 663 Hogan. 128, 363 Holmes, Harry N., and Corbet, Ruth E. - and Parrott, Ernest M. Anemia in Catalytic effects of porous powders on chicks caused by a vitamin deficiency pure vitamin A, Holt, L. Emmett, Jr. See Albanese, 132, 507 Holt, Kajdi, and Frankston, 148, 299 -. Powell, Eugene L., and Guerrant, Ralph E. Anemia from lysine de-Holtorff, A. F., and Koch, F. C. The colorimetric estimation of 17-ketoficiency in deaminized casein, 137, 41 steroids and their application to urine —. See O'Dell and Hogan. 149, 323 135, 377 extracts. Homan, D. M. See Roberts, Cain, Muir, Hogden, Corinne G. See Robinson. Price, and Hogden, **126,** 207, 213 Reithel, Gaby, Van Bruggen, Homan, See Robinson and Hogden, Katzman, Jones, and Doisy, 147, 47 135, 707, 727 See Van Bruggen, Reithel, Cain, 137, 239 Katzman, Doisy, Muir, Roberts, Gaby, 140, 853 Homan, and Jones, 148, 365 Hood, Dorothy B. See Gurin and Hood. Hogeboom, George H., and Adams, Mark H. Mammalian tyrosinase and dopa 131, 211 oxidase. 145, 273 139, 775 Hogg, Bruce M. See Chargaff, Ziff, and See Scudi, Buhs, and Hood, 131, 35 142, 323 Hogg, Hogness, T. R. See Altschul, Sidwell, Hoover, Sam R., and Allison, Franklin E. 127, 123 and Hogness, The growth metabolism of Rhizobium, See Horecker, Stotz, and Hogness, with evidence on the interrelations 128, 251 between respiration and synthesis. See Altschul and Hogness, 129, 315 134, 181 —. See Junowicz-Kocholaty and Hog- See Lineweaver and Hoover, ness. 129, 569 137, 325 See Haas, Horecker, and Hogness, Horecker, B. L., Stotz, Elmer, and Hog-130, 425 ness, T. R. The promoting effect of See Altschul, Abrams, and Hogness, aluminum, chromium, and the rare 130, 427 earths in the succinic dehydrogenase- See Junowicz-Kocholaty and Hogcytochrome system, ness. 131, 187 See Haas, Horecker, and Hogness, See Haas, Horecker, and Hogness, 130, 425 136, 747 136, 747 See Altschul, Abrams, and Hogness, -, Ma, T. S., and Haas, Erwin. Note 136, 777 on the determination of microquanti-See Abrams, Altschul, and Hogness, ties of organic phosphorus, 136, 775 142, 303 -. The absorption spectra of hemo- See Haas, Harrer, and Hogness, globin and its derivatives in the visible 142, 835 143, 341 and near infra-red regions, Horn, Helen Wilson, See Steadman, Holcomb, W. F. See MacCorguodale. McKee, Binkley, Cheney, Holcomb, Hodge, and Horn, Thauer, and Doisy. Horn, Millard J., Jones, D. Breese, and 130, 433 -. See MacCorquodale, Cheney, Bink-Ringel, S. J. Isolation of a new sulfur-

Horn, Millard J.—continued:
containing amino acid (lanthionine)
from sodium carbonate-treated wool,
138, 141
— and Jones, D. Breese. The isolation

 and Jones, D. Breese. The isolation of lanthionine from human hair, chicken feathers, and lactalbumin,

— and —. Isolation from Astragalus pectinatus of a crystalline amino acid complex containing selenium and sulfur, 139, 649

—, —, and Ringel, S. J. Isolation of mesolanthionine from various alkalitreated proteins, 144, 87

—, —, and —. Isolation of dl-lanthionine from various alkali-treated proteins, 144, 93

-. See Jones, Divine, and Horn,

Horowitz, N. H., and Heegaard, Erik.
Experiments on the carboxylase of pea roots, 137, 475

 and Baumberger, J. Percy. Studies on the respiratory pigment of *Urechis* eggs,
 141, 407

 and Beadle, G. W. A microbiological method for the determination of choline by use of a mutant of *Neuro*spora,
 150, 325

Horvath, S. M., and Knehr, C. A. Adaptation of the Folin-Malmros micro blood sugar method to the photo-electric colorimeter, 140, 869

and Roughton, F. J. W. Improvements in the gasometric estimation of carbon monoxide in blood, 144, 747

Hotchkiss, Rollin D. The determination of peptide bonds in crystalline lactoglobulin, 131, 387

 and Dubos, René J. Fractionation of the bactericidal agent from cultures of a soil bacillus, 132, 791

and —. Chemical properties of bactericidal substances isolated from cultures of a soil bacillus, 132, 793

 and —. Bactericidal fractions from an aerobic sporulating bacillus,

- and -. The isolation of bactericidal substances from cultures of Bacillus brevis, 141, 155 Hotchkiss, Rollin D .- continued:

—. See Lipmann, Hotchkiss, and Dubos, 141, 163

The chemical nature of gramicidin and tyrocidine,
 141, 171

 See Dubos, Hotchkiss, and Coburn, 146, 421

Hottle, G. A., Lampen, J. O., and Pappenheimer, Alwin M., Jr. Biotin as a growth factor for C203S strain of hemolytic streptococcus, Group A, 137, 457

Houchin, O. Boyd, and Mattill, H. A. The oxygen consumption, creatine, and chloride content of muscles from vitamin E-deficient animals as influenced by feeding α-tocopherol,

146, 301

 and —. The influence of parenteral administration of α-tocopherol phosphate on the metabolic processes in dystrophic muscle,
 146, 309

 The in vitro effect of α-tocopherol and its phosphate derivative on oxidation in muscle tissue, 146, 313

Hove, E., Elvehjem, C. A., and Hart, E. B. The effect of zinc on alkaline phosphatases, 134, 425

-, -, and -. The relation of zinc to carbonic anhydrase, 136, 425

See Wachtel, Hove, Elvehjem, and Hart, 138, 361

Howard, H. W. See Sullivan, Hess, and Howard, 145, 621

Howard, Mary. See Brown and Kolmer, 137, 525

Howe, Paul E. Edward Browning Meigs, 142, 1

Howell, Stacey F. The determination of the urea in chicken blood, 128, 573
The determination of blood urea, 129, 641

Hubard, Stephen S. Reversible action of oxidized phenols in the deamination of certain amino acids 126. 489

of certain amino acids, 126, 489

Hubbard, Roger S., and Loomis, Ted A.

The determination of inulin, 145, 641

Hubbell, Rebecca B. See Vickery,

Smith, Hubbell, and Nolan, 140, 613

Huber, W., and Barlow, O. W. Chemical and biological stability of crystalline

vitamins D₂ and D₃ and their derivatives,

149, 125

Huebner, Charles Ferdinand. See Stahmann, Huebner, and Link,

— and Link, Karl Paul. Studies on the hemorrhagic sweet clover disease.

VI. The synthesis of the δ-diketone derived from the hemorrhagic agent

See Overman, Stahmann, Sullivan,

through alkaline degradation,

Huebner, Campbell, and Link,

142, 941

See Link, Overman, Sullivan, Huebner, and Scheel,
 147, 463

Huff, Jesse W., and Perlzweig, William A.
 Studies in nicotinic acid metabolism.
 III. Metabolism and synthesis of nicotinic acid in the rat,
 142, 401

— and —. N¹-Methylnicotinamide, a metabolite of nicotinic acid in the urine, 150, 395

 and —. A rapid method of estimating N¹-methylnicotinamide in urine,

Huffman, Max N. See Smith, Smith, Huffman, Thayer, MacCorquodale, and Doisu. 130. 431

Thayer, Sidney A., and Doisy, Edward
 The isolation of α-dihydrotheelin from human placenta,
 133, 567

—, MacCorquodale, D. W., Thayer,
 Sidney A., Doisy, Edward A., Smith,
 G. V., and Smith, O. W. The isolation
 of α-dihydrotheelin from human pregnancy urine,
 134, 591

See Doisy, Huffman, Thayer, and Doisy, 138, 283

Hughes, Hettie B. A gravimetric method for the determination of carbonyl groups in ketosteroids,

—. Determination of the keto derivatives of cholic and desoxycholic acids in bile, 143, 11

See Schmidt and Hughes, 143, 771
See Schmidt, Hughes, Green, and Cooper, 145, 229

Hughes, James. See Saifer and Hughes, 129, 273

Hughes, James-continued:

 See Saifer, Hughes, and Scudero, 141, 495

-. See Saifer, Hughes, and Weiss,

146, 527

Hull, Tatiana Z. See Lowry, Hastings,
 Hull, and Brown,
 Hummel, Frances C. See Beach, Bern-

stein, Hummel, Williams, and Macy, 130, 115

Humoller, Fred L. A titrimetric method for the estimation of small amounts of glucose, 147, 281

Hunt, Madison. See du Vigneaud, Patterson, and Hunt, 126, 217

and du Vigneaud, Vincent. The synthesis of the next higher and lower homologues of l-carnosine: γ-amino-butyryl-l-histidine and glycyl-l-histidine,
 127, 43

 and —. A further contribution on the relationship of the structure of l-carnosine to its depressor activity, 127, 727

Hunter, Andrew. See Gornall and Hunter, 147, 593

Hunter, F. Edmund. Occurrence of sphingomyelin in tissues of the cat, 144, 439

— and Levy, Sylvia Ruth. Occurrence and rate of turnover of sphingomyelin in tissues of normal and tumor-bearing rats, 146, 577

Hutchens, John O., Jandorf, Bernhard J., and Hastings, A. Baird. Synthesis of diphosphopyridine nucleotide by Chilomonas paramecium, 138, 321

Hutchings, B. L., Bohonos, N., Hegsted, D. Mark, Elvehjem, C. A., and Peterson, W. H. Relation of a growth factor required by Lactobacillus casei e to the nutrition of the chick, 140, 681

—, —, and Peterson, W. H. Growth factors for bacteria. XIII. Purification and properties of an eluate factor required by certain lactic acid bacteria, 141, 521

-. See Shull, Hutchings, and Peterson, 142, 913

Hutchinson, John J. See Goettsch, Lonstein, and Hutchinson, 128, 9

Hyde, Elizabeth. Glycine and histidine feeding and creatine, creatinine, and inorganic phosphorus excretion in man. 134, 95 Creatine feeding and creatinecreatinine excretion in males females of different age groups, 143, 301 1 Ibsen, M. See Sevag, Shelburne, and 144, 711 Ing, H. R., and Bergmann, Max. Semimicroestimation of amino acids. 129, 603 Ingalls, Elizabeth N. See Wyman and Ingalls, 139, 877 teolysis, 147, 297 Irving, Ingalis, Janet K. See Thomas, Ingalls, 129, 263 —. See Ingle, Dwight J. See Flock, Ingle, and Irring, Bollman. 129, 99 -. See Kuizenga, Wick, Ingle, Nelson, and Cartland, 147, 561 Irish, Oliver J. See du Vigneaud, Wood, and Irish, 129, 171 See du Vigneaud, Cohn, Brown, Irish, Schoenheimer, and Rittenberg, 131, 273 Irvin, J. Logan, and Wilson, D. Wright. Studies on octopine. I. The synthesis and titration curve of octopine, 127, 555 - and -. II. The nitrogenous extractives of squid and octopus muscle, 127, 565 - and -. III. The precursor of octopine in autolyzing scallop muscle, 127, 575 See Johnston, Irvin, and Walton, 131, 425 Jackson. Merker, Harvey, Anderson, Carl E., and Johnston, Charles G. The comparison of desiccated and normal hog gallbladder bile, 131, 439 Irving, George W., Jr. See Fruton, Irving, and Bergmann, 132, 465 133, 703 See Cohn, Irving, and du Vigneaud, 137, 635

Irving, George W., Jr.—continued:

—, Fruton, Joseph S., and Bergmann, Max. Kinetics of proteinase action. Application to specificity problems.

138, 231

See Fruton, Irving, and Bergmann, 138, 249

—, Fruton, Joseph S., and Bergmann, Max. The activation of intracellular proteinases, 139, 569

-. See Fruton, Irving, and Bergmann, 141, 763

—, Fruton, Joseph S., and Bergmann, Max. On the proteolytic enzymes of animal tissues. IV. Differences between aerobic and anaerobic proteolysis, 144, 161

Irving, Laurence. See Scholander, Irving, and Grinnell, 142, 431

 See Scholander, Edwards, and Irving, 148, 495

Isbell, Edith R. See Mitchell, Isbell, and Thompson, 147, 485

-. See Thompson, Isbell, and Mitchell, 148, 281

Isbell, Harris, Wooley, Jerald G., Butler, R. E., and Sebrell, W. H. A bacterial assay method for nicotinamide and related substances in blood, urine, and spinal fluid, 139, 499

 Effect of p-aminobenzoic acid on the microbiological assay for nicotinic acid, 144, 567

Ivy, A. C. See Gray, Ivy, and Cuthbert,
128, 173

-. See Chen, Freeman, and Ivy, 132, 445

J

Jackson, Richard W. See Cahill and Jackson, 126, 29

 and Cahill, William M. The racemization of amino acids on acetylation with ketene, 126, 37

-. See Cahill and Jackson, 126, 627

See Gordon, Cahill, and Jackson, 131, 189

 The excretion of kynurenic acid by members of various families of the order Carnivora, 131, 469

Jacobi, H. P., Baumann, C. A., and Meek, W. J. The choline content of rats on various choline-free diets, 138, 571 - and -. The biochemical defect in choline-deficient rats, 142, 65 Jacobs, Walter A., and Gould, R. Gordon, Ir. The ergot alkaloids. XVI. Further studies of the synthesis of substances related to lysergic acid, 126, 67 - and Craig, Lyman C. Delphinine, 127, 361 - and -. Delphinine. II. On oxo-128, 431 delphinine. -, Elderfield, Robert C., and Craig, Lyman C. The aconite alkaloids. II. The formula of oxonitine, 128, 439 - and Craig, Lyman C. The ergot alkaloids. XVII. The dimethylindole from dihydrolysergic acid, 128, 715 See Craig and Jacobs, 129, 79 - and Gould, R. Gordon, Jr. The ergot alkaloids. XVIII. The production of a base from lysergic acid and its comparison with synthetic 6,8-dimethylergoline, 130, 399 See Gould and Jacobs, 130, 407 See Craig and Jacobs, 134, 123 - and Craig, Lyman C. Delphinine. III. The action of hydrochloric, nitric, and nitrous acids on delphinine and its derivatives, 136, 303 - and -. The aconite alkaloids. III. The oxidation of aconitine and derivatives with nitric acid and chromic 136, 323 acid, See Craig and Jacobs, 139, 263 See Craig, Jacobs, and Lavin, 139, 277 See Craig and Jacobs, 139, 293 - and Van Slyke, Donald D. Phoebus 141, 1 Aaron Theodor Levene, -, Craig, Lyman C., and Lavin, George I. The veratrine alkaloids. XI. The dehydrogenation of jervine, 141, 51 - and -. The aconite alkaloids. VII. On staphisine, a new alkaloid from Delphinium staphisagria. 141, 67 See Craig and Jacobs, 141, 253 143, 427

Jacobs, Walter A.—continued:

and Craig, Lyman C. The aconite alkaloids. VIII. On atisine, 143, 589
 and —. IX. The isolation of two new

alkaloids from Aconitum heterophyllum, heteratisine and hetisine, 143, 605 —. See Craig and Jacobs, 143, 611

-. See Gould, Craig, and Jacobs,

145, 487

 and Craig, Lyman C. The aconite alkaloids. XI. The action of methyl alcoholic sodium hydroxide on atisine. Isoatisine and dihydroatisine,

147, 567

 and —. XII. Benzoyl heteratisine,
 a new alkaloid from Aconitum heterophyllum,
 147, 571

- and -. The veratrine alkaloids.
XV. On rubijervine and isorubijervine,
148, 41

and —. XVI. The formulation of jervine,
 148, 51

-. See Craig and Jacobs, 148, 57

 and Craig, Lyman C. The veratrine alkaloids. XIX. On protoveratrine and its alkamine, protoverine,

-. See Craig and Jacobs, 149, 271
Jacobsen, C. F. See Linderstrøm-Lang

and Jacobsen, 137, 443

Jacoby, T. F. See Theis and Jacoby,

146, 163 148, 105, 603

Jaffe, Herbert. See Gould, Tytell, and Jaffe, 146, 219

Jaffé, Werner G. A simple method for the approximate estimation of the isoelectric point of soluble proteins, 148.185

-. Hurain, a new plant protease from Hura crepitans, 149, 1

Jandorf, Bernard J. A method for the isolation of diphosphopyridine nucleotide, 138, 305

-, Klemperer, Friedrich W., and Hastings, A. Baird. A manometric method for the determination of diphosphopyridine nucleotide, 138, 311.

See Hutchens, Jandorf, and Hastings,
 138, 321

Jandorf, Bernard J.—continued:	Jervis, George A. Metabolic investiga-
 The stability of diphosphopyridine 	tions on a case of phenylpyruvic
nucleotide in rat tissues, 150, 89	oligophrenia, 126, 305
Jansen, E. F., and Balls, A. K. Chymo-	-, Block, Richard J., Bolling, Diana, and
papain: a new crystalline proteinase	Kanze, Edna. Chemical and meta-
from papaya latex, 137, 459 Jaques, L. B. Heparinase, 133, 445	bolic studies on phenylalanine. II.
Jaques, L.B. Heparinase, 133, 445	The phenylalanine content of the
-, Waters, E. T., and Charles, A. F.	blood and spinal fluid in phenylpyruvic
A comparison of the heparins of	oligophrenia, 134, 105
various mammalian species, 144, 229	See Block, Jervis, Bolling, and
Jellinek, E. Morton, and Looney, Joseph	Webb, 134, 567
M. Statistics of some biochemical	John, H. M. See Nachmansohn, John,
variables on healthy men in the age	and Waelsch, 150, 485
range of twenty to forty-five years,	Johns, Helen E. See Greaves, Freiberg,
128, 621	and Johns, 133, 243
Jen, Pong C., and Lewis, Howard B.	See Bulger and Johns, 140, 427
The metabolism of sulfur. XXVI.	Johnson, B. Connor. See Wiese and
The metabolism of the betaine of	Johnson, 127, 203
cystine, 127, 97	See Wiese, Johnson, Elvehjem, Hart,
Jennings, Robert K. See Weil and	and Halpin, 127, 411
Jennings, 139, 421	Johnson, C. R. See Koenig and Johnson,
Jenrette, Wendell V. See Greenstein, Jenrette, Mider, and White, 137, 795	142, 233
See Greenstein, Jenrette, and White,	143, 159
141, 327	Johnson, J. M. A comparison of the optical forms of glutamic acid from
See Greenstein and Jenrette,	normal and cancerous tissue, 132, 781
142. 175	—. The racemization of glutamic acid,
Jensen, H., and Tolksdorf, Sibylle. The	134, 459
effect of picric and flavianic acids on	Johnson, Julius E. See Rose, Johnson,
the potency of the follicle-stimulating	and Haines. 145, 679
anterior pituitary hormone, 132, 519	See Rose, Haines, and Johnson,
See Grattan and Jensen, 135, 511	146, 683
-, Tolksdorf, Sibylle, and Bamman,	See Rose, Haines, Johnson, and
Frieda. Purification of the inter-	Warner, 148, 457
stitial cell-stimulating and follicle-	Johnson, Marvin J. See Christensen,
stimulating hormones of the pituitary,	Johnson, and Peterson, 127, 421
135, 791	 See Berger and Johnson,
 See Tenenbaum and Jensen, 	130, 641, 655
145, 293	133, 157, 639
147, 27	See Berger, Johnson, and Baumann,
- and Tenenbaum, Leon E. Further	137, 389
purification of catecholase (tyrosinase),	Isolation and properties of a pure
147, 737	yeast polypeptidase, 137, 575
Jensen, James L., Shantz, Edgar M.,	See Gailey and Johnson, 141, 921
Embree, Norris D., Cawley, John D.,	See Koepsell and Johnson,
and Harris, Philip L. The biological	145, 379
activity of vitamin A ₂ , 149, 473	Johnston, Charles G., Irvin, J. Logan,
Jensen, O. G. See Noll and Jensen, 140, 755	and Walton, Clarence. The free cho-
See Supplee, Jensen, Bender, and	line and phospholipid of hepatic and
Kahlenberg, 144, 79	gallbladder bile, 131, 425
y, 1713, 10	

Johnston, Charles G .- continued:

 See Irvin, Merker, Anderson, and Johnston, 131, 439
 Johnston, Cornelia. See Deuel, Halliday, Hallman, Johnston, and Miller,

139, 479 - and Deuel, Harry J., Jr. Studies on ketosis. XXI. The comparative metabolism of the hexitols, 149, 117 Johnston, J. H. See Barrett and Johns-127, 765 Jolliffe, Norman. See Rosenblum and 134, 137 Jolliffe.Jones, Chase Breese. See Ecker, Pillemer, Jones, and Seifter, 135, 347 Jones, D. Breese, and Gersdorff, Charles E. F. Studies on digestibility of proteins in vitro. VII. Liberation of cystine on tryptic digestion of casein, with observations on the instability of cystine toward alkali, 129, 207

-. See Horn, Jones, and Ringel,

138, 141

—. See Horn and Jones, 139, 473, 649

 See Horn, Jones, and Ringel, 144, 87, 93

—, Divine, J. P., and Horn, Millard J. A study of the availability of mesolanthionine for the promotion of growth when added to a cystine-deficient diet, 146, 571 Jones, G. E. Seegar. See Astwood and

Jones, G. E. Seegar. See Astwood and Jones, 137, 397

Jones, H. B., Chaikoff, I. L., and Lawrence, John H. Radioactive phosphorus as an indicator of phospholipid metabolism. VI. The phospholipid metabolism of neoplastic tissues (mammary carcinoma, lymphoma, lymphosarcoma, Sarcoma 180),

-, -, and -. X. The phospholipid turnover of fraternal tumors, 133, 319
-. See Sheline, Chaikoff, Jones, and Montgomery, 147, 409
149, 139

Jones, James H. The relation of the pH of intestinal contents to calcium and phosphorus utilization, 142, 557
Jones, L. R. See Roberts, Cain, Muic.

Jones, L. R.—continued:

Reithel, Gaby, Van Bruggen, Homan, Katzman, Jones, and Doisy, 147, 47

 See Van Bruggen, Reithel, Cain, Katzman, Doisy, Muir, Roberts, Gaby, Homan, and Jones, 148, 365
 Jones, Lois M. See Shinowara, Jones.

Jones, Lois M. See Shinowara, Jones, and Reinhart, 142, 921

- and Shinowara, George Y. Serum inorganic phosphate and "alkaline" phosphatase activity in hypophysectomized rats, 142, 935

Jones, R. N. See Talbot, Butler, Mac-Lachlan, and Jones, 136, 365

Joseph, Michael, Cohn, Waldo E., and Greenberg, David M. Studies in mineral metabolism with the aid of artificial radioactive isotopes. II. Absorption, distribution, and excretion of potassium, 128, 673

Joseph, Norman R. Heterogeneous equilibrium of protein solutions. II. The interaction of calcium chloride and other salts with proteins, as determined by a new type of calcium amalgam electrode, 126, 389

 Purification of crystalloids and colloids by electrodialysis, 126, 403

—. Interaction of amino acids and salts. III. The determination of the activities of calcium, barium, and strontium chloride in amino acid solutions by means of electrodes of the third kind, 130, 203

Juday, Chancey. See Field, Elvehjem, and Juday, 148, 261

Jukes, Thomas H. Experiments with the filtrate factor, 128, 35

The pantothenic acid requirement of the chick,
 129, 225

 Effect of yeast extract and other supplements on the growth of chicks fed simplified diets,
 133, 631

Prevention of perosis by choline,
 134, 789

 and Welch, A. D. The effect of certain analogues of choline on perosis, 146, 19

Junowicz-Kocholaty, R., and Hogness, T. R. The spectroscopic determina-

Junowicz-Kocholaty, R.—continued: tion of cytochrome C and its distribu- tion in some mammalian tissues, 129, 569	tions with P ³² of the changes in the acid-soluble phosphates in the liver coincident to alterations in carbohydrate metabolism, 150, 479
 —and Hogness, T.R. The spectroscopic determination of cytochrome C and its distribution in some mammalian tissues. A correction, 131, 187 —. See Meyerhof and Junowicz- 	Kapp, Eleanor M. Microestimation of uronic acids, 134, 143 — and Coburn, Alvin F. Urinary metab- olites of sodium salicylate, 145, 549 Karady, S., Selye, H., and Browne, J. S.
Kocholaty, 145, 443 149, 71 K Kabat, Elvin A. A polysaccharide in	L. Changes in the chloride distribu- tion between red blood cells and plasma during the course of the general adaptation syndrome,
tumors due to a virus of leucosis and sarcoma of fowls, 130, 143 Kaeser, Harold E. See Sutton, Kaeser, and Hansard, 144, 183	Karjala, Sulo A., and Heidelberger, Michael. Specific and non-specific cell polysaccharides of an avian strain of tubercle bacillus, 137, 189
Kahlenberg, O. J. See Supplee, Jensen, Bender, and Kahlenberg, 144, 79 Kajdi, Charlotte N. See Albanese, Holt, Kajdi, and Frankston, 148, 299 Kalckar, Herman M. See Colowick,	Karush, F. See Talbot, Wolfe, Mac- Lachlan, Karush, and Butler, 134, 319 Kassan, Robert J., and Roe, Joseph H.
Kalckar, and Cori, 137, 343 —. See Colowick and Kalckar, 137, 789 —. The enzymatic action of myokinase, 143, 299	The preservation of ascorbic acid in drawn samples of blood, 133, 579 Kassell, Beatrice. See Brand and Kassell, 131, 489 —. See Brand, Cahill, and Kassell,
 See Colowick and Kalckar, 148, 117 The rôle of myokinase in transphosphorylations. II. The enzymatic action of myokinase on adenine nucleotides, 148, 127 	—. See Brand and Kassell, 133, 431 141, 999 145, 359, 365
Kamin, Henry. See Klein and Kamin, 138, 507 Kamm, Oliver. See Ewing, Vandenbelt,	Kaster, Robert B. See Anderson, Kaster, and Seeley, 144, 767 Katersky, Evelyn M. See Lowry, Gil-
and Kamm, 131, 345 See Emmett, Brown, and Kamm, 132, 467	ligan, and Katersky, 139, 795 Katzenelbogen, E., Axelrod, A. E., and Elvehjem, C. A. The coenzyme I
—. See Emmett, Kamm, and Sharp, 133, 285	content of rat tissues in experimental hyperthyroidism, 141, 611 Katzenelbogen, Solomon. See Snyder
See Ewing, Tomkins, and Kamm, 147, 233 Kane, Lewis W. See Logan and Kane,	and Katzenelbogen, 143, 223 Katzman, Philip A. See Roberts, Cain,
127, 705 Kanze, Edna. See Jervis, Block, Bol-	Muir, Reithel, Gaby, Van Bruggen, Homan, Katzman, Jones, and Doisy,
ling, and Kanze, 134, 105 Kao, Hsueh-Chung. See Conner, Kao, and Sherman, 139, 835	147, 47 See Van Bruggen, Reithel, Cain, Katzman, Doisy, Muir, Roberts, Gaby,
Kaplan, Nathan. See Doudoroff, Kaplan, and Hassid, 148, 67 — and Greenberg, David M. Observa-	Homan, and Jones, 148, 365 -, Godfrid, Marcos, Cain, C. K., and Doisy, Edward A. The preparation

of chorionic gonadotropin by chromat-

Kaye, Irving Allan, Leibner, I. Wallace,

and Connor, Edwin B. Apparatus

for the continuous drying and extrac-

ographic adsorption,

tion of biological materials. Application to the extraction of the neutral fat fraction of feces. 132, 195 -, -, and Sobel, Albert E. Improved acid, apparatus for the extraction of lipids from liquids and solids, with further applications to the fractionation of 138, 643 fecal fat, Kazal, Louis A. See Arnow, Kazal, and De Falco, 145, 347 Kazmin, V. E. See Hoffman, Kazmin, 147, 259 and Browne, Kelley, Edward G. Reactions of dyes with cell substances. IV. Quantitative comparison of tissue nuclei and extracted nucleoproteins, -. V. Differential basic dye combination of tissue nuclei with special reference to resting and mitotic cells of tumor tissue, 127, 73 Kelsey, F. E. Determination of cho-127, 15 lesterol. The use of lipase in lipid analyses. I. Specificity of castor bean lipase, 130, 187 II. Specificity of pancreatic lipase, phosphate. 130, 195 III. The action of castor bean and pancreatic lipase on blood neutral fat, 130, 199 brain, — and Longenecker, Herbert E. Distribution and characterization of beef plasma fatty acids, 139, 727 Keltch, A. K. See Krahl, Keltch, and Clowes. 136, 563 Kemmerer, A. R. See Wegner, Kemmerer, and Fraps, 144, 731 146, 547 Kemmerer, Kenneth S. See Mueller, Kemmerer, Cox, and Barnes, 134, 573 Kemp, Emily J. See Oster, 131, 13 Keston, Kendall, Edward C., Flock, Eunice V., Bollman, Jesse L., and Mann, Frank C. Keston. The influence of cortin and sodium

chloride on carbohydrate and mineral metabolism in adrenalectomized dogs, 126, 697

Kendall, Forrest E. Studies on human serum proteins. II. Crystallization of human serum albumin, 138, 97

Kendrick, A. B., and Hanke, Martin E. The effect of iodine and mercury on amino nitrogen values with nitrous acid, 132, 739

Kennedy, Ethelmay. See Ralli, Clarke, and Kennedy, 141, 105

Kensler, C. J., Young, N. F., and Rhoads, C. P. The inhibition of yeast carboxylase by split-products of N, Ndimethylaminoazobenzene, 143, 465

Keppel, Dorothy M. See du Vigneaud, Chandler, Moyer, and Keppel,

Keresztesy, John C. See du Vigneaud, Melville, Folkers, Wolf, Mozingo, Keresztesy, and Harris, 146, 475

Kerr, Stanley E. The determination of purine nucleotides and nucleosides in blood and tissues, 132, 147

On the preparation of adenosine triphosphate,
 139, 121

Notes on the preparation of muscle adenylic acid,
139, 131
Studies on the phosphorus com-

 Studies on the phosphorus compounds of brain. II. Adenosine triphosphate, 140, 77

 III. Determinations of adenosine triphosphate and its decomposition products in fresh and autolyzed dog brain,
 145, 647

Kesselman, Joseph. See Anderson, Kesselman, and Bennett, 140, 563

Keston, Albert S. See Rittenberg, Keston, Rosebury, and Schoenheimer,

—, Rittenberg, D., and Schoenheimer, Rudolf. Studies in protein metabolism. IV. The stability of nitrogen in organic compounds, 127, 315

-. See Schoenheimer, Rittenberg, and Keston, 127, 385

See Rittenberg, Schoenheimer, and Keston, 128, 603

-. See Chargaff and Keston, 134, 515

Keston, Albert S.—continued:	King, C. G.—continued:
See Ratner, Rittenberg, Keston,	See Longenecker, Musulin, Tully,
and Schoenheimer, 134, 665	and King, 129, 445
Kety, Seymour S. The lead citrate	 See Schultze, Harrer, and King,
complex ion and its rôle in the physi-	131, 5
ology and therapy of lead poisoning,	See Longenecker, Fricke, and King,
142, 181	135, 497
Keys, Ancel. A rapid micro-Kjeldahl	See Harrer and King, 138, 111
method, 132, 181	See Smythe and King, 142, 529
See Taylor and Keys, 148, 379	See Drake, Smythe, and King,
See Mickelsen and Keys, 149, 479	143, 89
Kibrick, Andre C. See Greenwald,	King, W. C. See Treadwell, King,
Redish, and Kibrick, 135, 65	Bebb, and Tidwell, 143, 203
See Cannan, Palmer, and Kibrick,	Kingsley, George R. The determination
142, 803	of serum total protein, albumin, and
Kies, Marian W., Dyer, Helen M., Wood, John L., and du Vigneaud, Vincent.	globulin by the biuret reaction, 131, 197
A study of the utilization of the	A rapid method for the separation
optical isomers of N,N'-dimethyl-	of serum albumin and globulin,
cystine, 128, 207	133, 731
See du Vigneaud, Dyer, and Kies,	Kirch, Ernst R., and Bergeim, Olaf.
130, 325	The chemical determination of thi-
- and Schwimmer, Sigmund. Observa-	amine, 143, 575
tions on proteinase in brain, 145, 685	- and Determination of p-amino-
See Balls, Axelrod, and Kies,	benzoic acid, 148, 445
149, 491	See Martinek, Kirch, and Webster,
Kiese, Manfred, and Hastings, A. Baird.	149, 245
The catalytic hydration of carbon	Kirk, Paul L. See Sisco, Cunningham,
dioxide, 132, 267	and Kirk, 139, 1
- and Factors affecting the activity	See Cunningham, Kirk, and Brooks,
of carbonic anhydrase, 132, 281	139, 11, 21
Kilmer, Glen W., Armstrong, Marvin	See Tompkins and Kirk, 142, 477
D., Brown, George Bosworth, and du	See Sandkuhle, Kirk, and Cun-
Vigneaud, Vincent. Synthesis of a	ningham, 146, 427
3,4-diaminotetrahydrothiophene and	Kirsner, Joseph B. The serum electro-
a comparison of its stability with the	lytes in the dog before and during
diaminocarboxylic acid derived from biotin. 145, 495	acute alkalosis induced by sodium bicarbonate, 145, 219
biotin, 145, 495 See Hofmann, Kilmer, Melville,	Kistiakowsky, G. B. See Cramer and
du Vigneaud, and Darby, 145, 503	Kistiakowsky, 137, 549
Kimball, Sydnette. See Wendel and	See Boyd, Conn, Gregg, Kistia-
Kimball, 145, 343	kowsky, and Roberts, 139, 787
Kinard, Fredrick W. See Aull and	Klein, Daniel. The determination of
Kinard, 135, 119	acetone and acetoacetic acid in blood
King, C. G. See Green, McCarthy, and	by the bisulfite-binding method and
King, 128, 447	its relation to pyruvic acid, 135, 143
See McCarthy, Green, and King,	—. The determination of pyruvic acid
128, 455	in blood in the presence of acetoacetic
See Musulin, Tully, Longenecker,	acid, 137, 311
and King, 129, 437	 The effects of administration of

glucose and insulin on blood pyruvate and lactate in diabetes mellitus,

145. 35 Klein, J. Raymond. Effect of thyroid feeding and thyroidectomy on the oxidation of amino acids by rat kidney and liver. 128, 659

 See Kohn and Klein, 130, 1

 Nature of the increase in activity of the d-amino acid oxidase of rat liver produced by thyroid feeding, 131, 139

 The oxidation of l(-)-aspartic and l(+)-glutamic acids by Hemophilus parainfluenzae. Note on the preparation of pyridine nucleotides from bakers' yeast by the method of Warburg and Christian, 134, 43

 See Kohn and Klein, 135, 685

- and Kohn, Henry I. The synthesis of flavin-adenine dinucleotide from riboflavin by human blood cells in vitro and in vivo. 136, 177

 See Handler, Bernheim, and Klein, 138, 203, 211

- and Kamin, Henry. Inhibition of the d-amino acid oxidase by benzoic acid, 138, 507

- and Handler, Philip. Specificity of the d-amino acid oxidase. 139, 103

 See Bernheim and Klein, 139, 827

-. See Handler and Klein, 143, 49 144, 453

and Handler, Philip. Effect of diphosphopyridine nucleotide on the rate of oxidation of betaine aldehyde, 144, 537

-, Perlzweig, William A., and Handler, Philip. Determination of nicotinic acid in blood cells and plasma.

145, 27 Kleiner, Israel S. A new color reaction for the phenolic steroids (naturally occurring estrogens), 138, 783

Kleinman, Abram. See Lightbody and Kleinman, 129, 71

Klemperer, Friedrich W. See Greenstein and Klemperer, 128, 245

-. See Greenstein, Klemperer, and Wyman, 129, 681 Klemperer, Friedrich W.-continued:

See Van Slyke, Hiller, MacFadyen, Hastings, and Klemperer,

-. See Conant, Cramer, Hastings. Klemperer, Solomon, and Vennesland. 137, 557

See Jandorf, Klemperer, andHastings, 138, 311

See Solomon, Vennesland, Klemperer, Buchanan, and Hastings,

140, 171

-. Hastings, A. Baird, and Van Slyke. Donald D. The dissociation constants of hydroxylysine, 143, 433

Kline, B. E. See Deutsch, Kline, and Rusch,

Klinghoffer, Kalmen A. The effect of monoiodoacetic acid on the intestinal absorption of monosaccharides and sodium chloride, 126, 201

Klose, A. A. See Almquist and Klose. 130, 787, 791

- and Almquist, H. J. Synthesis of vitamin K₁, 132, 469

 and —. The ability of citrulline to replace arginine in the diet of the chick, 135, 153

- and -. Methionine in the diet of the chick, 138, 467

Knehr, C. A. See Horvath and Knehr. 140, 869

Kniazuk, Michael. See Webb andKniazuk, 128, 511

Knight, C. A., and Stanley, W. M. Preparation and properties of cucumber virus 4.

- and -. Aromatic amino acids in strains of tobacco mosaic virus and in the related cucumber viruses 3 and 4, 141, 39

- and Lauffer, Max A. A comparison of the alkaline cleavage products of two strains of tobacco mosaic virus,

144, 411

-. The physical and chemical properties of a distinctive strain of tobacco mosaic virus.

 The sulfur distribution in the ribgrass strain of tobacco mosaic virus, 147, 663

Knodt, C. B. See Shaw and Knodt,	Kohl, Mathias F. F. A balance sheet of
138, 287	fat absorption. I. The storage of
Knott, Leslie. See Deuel and Hallman,	elaidic acid by the rat over a one day
140, 545	period, 126, 709
Knox, W. E. See Green, Knox, and	II. The storage of elaidic acid by
Stumpf, 138, 775	the rat over periods of several days,
 See Green, Westerfeld, Vennesland, 	126, 7 21
and Knox, 140, 683	III. The disappearance of elaidic
145, 69	acid from the tissues of the rat,
Knudson, Arthur. See Sturges and	126, 731
Knudson, 126, 543	Kohler, G. O., Elvehjem, C. A., and
-, Sturges, Stuart, and Bryan, W. Ray.	Hart, E. B. The relation of pyrrole-
Cholesterol content of skin, blood, and	containing pigments to hemoglobin
tumor tissue in rats irradiated with	synthesis, 128, 501
ultraviolet light, 128, 721	Kohn, Henry I., and Klein, J. Raymond.
Koch, F. C. See Blauch and Koch,	The synthesis of cozymase and of
130, 443, 455	factor V from nicotinic acid by the
 See Blauch, Koch, and Hanke, 	human erythrocyte in vitro and in
130, 4 71	vivo, 130, 1
See Holtorff and Koch, 135, 377	- and - Synthesis of factor V (pyri-
See Coffman and Koch, 135, 519	dine nucleotides) from nicotinic acid
Kochakian, Charles D., and Clark,	in vitro by human erythrocytes,
Leland C., Jr. The effect of testos-	135, 685
terone propionate on the arginase	—. See Klein and Kohn, 136, 177
content of the liver, kidney, and	See Dann and Kohn, 136, 435
intestine, 143, 795	—. See Harris and Kohn, 141, 989
Koehler, Alfred E., Windsor, Emanuel,	See Handler and Kohn, 150, 447
and Hill, Elsie. Acetone and aceto-	Kolb, Joseph J. See Toennies and Kolb,
acetic acid studies in man, 140, 811	126, 367
Koehn, C. J., and Sherman, W. C. The	128, 399
determination of vitamin A and	- and Toennies, Gerrit. Methionine
carotene with the photoelectric color-	studies. IV. A color reaction of
imeter, 132, 527	methionine, 131, 401
Koenemann, Richard H. A modification	See Toennies and Kolb, 140, 131
of the Miller-Muntz method for	- and Toennies, Gerrit. The investiga-
colorimetric determination of lactic	tion of amino acid reactions by meth-
acid, 135, 105	ods of non-aqueous titrimetry. I.
Koenig, Ruth Adele, and Johnson, C. R.	Acetylation and formylation of amino
Spectrophotometric determination of	groups. 144, 193
iron. I. Use of mercaptoacetic acid,	See Toennies and Kolb, 144, 219
142, 233	Kolmer, John A. See Brown and Kolmer,
— and —. II. Use of 2,2'-bipyridine,	137, 525
143, 159	Kolthoff, I. M. See Cohn and Kolthoff,
Koenig, Virgil L., Melzer, Francisca,	147, 705
Szego, Clara M., and Samuels, Leo T.	148, 711
A colorimetric reaction for testos-	Koppius, O. G. See Duffendack, Thom-
terone, 141, 487	
Koepsell, H. J., and Johnson, Marvin J.	son, Lee, and Koppius, 126, 1
Dissimilation of pyruvic acid by cell-	Koran, Pearl. See Belfer, Koran, Eder,
free preparations of Clostridium bu-	and Bradley, 147, 345
$t \ ylicum,$ 145, 37 c	Kordecki, Frank A. See Bock, 140, 519

Koser, Stewart A. See Saunders, Dorfman, and Koser, 138, 69 -. See Dorfman, Berkman, and Koser, 144, 393 Koss, William F. See Hodge, Koss, Ginn, Falkenheim, Gavett, Fowler, Thomas, Bonner, and Dessauer, 148, 321 Kraemer, E. O. See Krejci, Stock, 142, 785 Sanigar, and Kraemer, Krahl, M. E., Keltch, A. K., and Clowes, G. H. A. Inhibition of flavoprotein oxidative catalysis by substituted 136, 563 phenols, Kramer, Benjamin. See Sobel, Yuska, Peters, and Kramer, 132, 239 See Sobel, Kraus, and Kramer, 140, 501 See Sobel, Hanok, and Kramer, 144. 363 Krampitz, L. O. See Woolley and 146, 273 Krampitz, -, Wood, H. G., and Werkman, C. H. Enzymatic fixation of carbon dioxide in oxalacetate. 147, 243 Krantz, John C., Jr. See Ellis and Krantz. 141. 147 Kratzer, F. H. See Almquist, Mecchi, and Kratzer, 141, 365 See Almquist, Kratzer, and Mecchi, 148, 17 Kraus, George. See Sobel, Kraus, and Kramer.**140,** 501 Krause, R. F. Changes induced by anemia in the bone marrow lipids of 149, 395 Krauss, B. H. See Sideris, Young, and 126, 233 Kraybill, H. R. See Beadle, Greenwood, and Kraybill. 149. 339 See Greenwood, Beadle, and Kraybill, 149, 349 Krejci, L. E., Stock, A. H., Sanigar, E. B., and Kraemer, E. O. Studies on the hemolytic streptococcus. V. The electrophoretic isolation of the erythrogenic toxin of scarlet fever and the determination of its chemical and physical properties, 142, 785 Kremers, Roland E. See Sell and Kremers, 126, 501

Kress, Bernard H. See Turner, Kress. and Harrison, Kreysa, Frank J. See Van Slyke and Kreysa, 142, 765 Kuether, Carl A., and Smith, Arthur H. The absorption and fate of free citric acid in the rat, 137, 647 See Roe and Kuether, 147, 399 Kuhn, Richard. See György, Kuhn, and Lederer. 131, 745 Kuiken, K. A. See Schultze and Kuiken. 137, 727 Kuizenga, Marvin H., Wick, Arne N., Ingle, Dwight J., Nelson, John W., and Cartland, George F. The preparation and comparative physiological activities of beef, hog, and sheep adrenal cortex extracts, 147, 561 and Spaulding, L. Bayard. The preparation of the highly active barium salt of heparin and its fractionation into two chemically and biologically different constituents, **148**, 641 Kumler, W. D., and Halverstadt, I. F. The acid strength of bile acids, 137, 765 Kuna, Martin. See Levene and Kuna, 127, 49 See Ovakimian, Christman, Kuna, and Levene, 134, 151 See Ovakimian, Kuna, and Levene, 135, 91 -, Ovakimian, G., and Levene, P. A.

—, Ovakimian, G., and Levene, P. A.
The correlation of the configurations of α-aminophenylacetic acid and of alanine,
137, 337
—. See Levene and Kuna, 140, 255, 259

Kurnick, Nathaniel B. Permeability of the human erythrocyte to sodium and potassium, 140, 581

141, 391

Kurtz, Alton C., and Wilson, D. Wright.
Saccharolactone as a reagent for precipitating certain amines, 129, 693
A new method for isolating l(+)-lysine.
140, 705

lysine, 140, 705
Kuyper, Adrian C. The rate of excretion
of ingested acid and alkali, 145, 615
Kyker, Granvil C., Webb, Bailey D., and
Andrews, James C. The estimation of

small amounts of quinine in blood and other biological materials,

139, 551

L

Lackman, David B. See Sevag, Smolens, and Lackman, 134, 523 Lampen, J. O. See Hottle, Lampen, and Pappenheimer, 137, 457 —, Underkofler, L. A., and Peterson, W.H. p-Aminobenzoic acid, a growth factor for Acetobacter suboxydans,

146, 277

Landau, R. L. See Welch and Landau, 144, 581

Landsteiner, K., and Harte, R. A. Group-specific substances in human saliva, 140, 673

Landy, Maurice, and Dicken, Dorothy M. A microbiological method for the determination of p-aminobenzoic acid, 146, 109

Lanford, Caroline Sherman, and Sherman, H. C. Further studies of the calcium content of the body as influenced by that of the food, 126, 381
The effect of orange juice on calcium

assimilation, 130, 87

—, Campbell, H. L., and Sherman, H. C.
Influence of different nutritional conditions upon the level of attainment

ditions upon the level of attainment in the normal increase of calcium in the growing body, 137, 627

Lang, E. H. See Reiner and Lang,

139, 641

—. See Reiner, Moore, Lang, and
Green. 146, 583

Langley, Wilson D. Urinary histidine.

Determination of histidine in urine.

Histidine in normal and in pregnancy
urines, 137, 255

Langstroth, G. O., and Talbot, N. B.

The absorption spectra of the compounds formed by androsterone and testosterone in the m-dinitrobenzene reaction,

128, 759

 and —. The behavior of dehydroisoandrosterone and androsterone in the m-dinitrobenzene reaction. Langstroth, G. O.—continued:

—, Talbot, N. B., and Fineman, A. Spectrochemical assay of androsterone and dehydroisoandrosterone in simple solutions, 130, 585

Lardy, Henry A. See Moxon, Schaefer, Lardy, DuBois, and Olson, 132, 785

 and Phillips, Paul H. The effect of certain inhibitors and activators on sperm metabolism,
 138, 195

-. See Boyer, Lardy, and Phillips, 146, 673

 and Phillips, Paul H. Inhibition of sperm respiration and reversibility of the effects of metabolic inhibitors,

— and —. Inhibition of sperm glycolysis and reversibility of the effects of metabolic inhibitors, 148, 343

 and —. The effect of thyroxine and dinitrophenol on sperm metabolism,

149, 177

-. See Boyer, Lardy, and Phillips, 149, 529

Larsen, Alma. See Stokes, Larsen, Woodward, and Foster, 150, 17

Larsen, Junius, and Poe, Charles F.
The solubility of pancreatic amylase
in some organic solvents, 132, 129

Larson, Hardy W., Chambers, William H., Blatherwick, N. R., Ewing, Mary E., and Sawyer, Susan D. The metabolism of d- and l-xylulose in the depancreatized dog, 129, 701

-. See Blatherwick, Larson, and Sawyer, 133, 643

See Blatherwick, Bradshaw,
 Ewing, Larson, and Sawyer, 134, 549

Blatherwick, N. R., Bradshaw, Phoebe
 J., Ewing, Mary E., and Sawyer,
 Susan D. The metabolism of l-xylose,
 136, 1

—, —, —, and Sawyer, Susan D. The metabolism of l-xylulose,

138, 353

Laskowski, Michael, and Fromageot,
Claude. Some properties of desul-

furase, 140, 663

—. Oxygen consumption during the histamine-histaminase reaction,

145, 457

129, 759

Lauffer, Max A. The viscosity of fixation. X. Hydrogenase in cell-free extracts and intact cells of Azototobacco mosaic virus protein solutions, 126, 443 bacter, 144, 273 - and Price, W. C. Thermal denatura-Lee, William C. See Duffendack, Thomson, Lee, and Koppius, tion of tobacco mosaic virus, Lehninger, Albert L. The acid-splitting - and Stanley, W. M. Studies on the reaction of acetoacetic acid and the sedimentation rate of bushy stunt virus. 135, 463 enzymatic formation of acetic acid - and Dow, R. B. The denaturation of from acetoacetic acid, 143, 147 tobacco mosaic virus at high pressures, -. The metabolism of acetopyruvic 140, 509 acid, 148, 393 -. The homogeneity of bushy stunt -. A note on the identity of a carbonyl virus protein as determined by the compound isolated from beef liver, ultracentrifuge, 143.99 149, 43 -. See Knight and Lauffer, 144, 411 Leibner, I. Wallace. See Kaye, Leibner, Lavietes, Paul H. See Rosenbaum and and Connor, 132, 195 See Kaye, Leibner, and Sobel, Larietes. 131,663 See Riggs, Lavietes, and Man, 138, 643 143, 363 Leloir, Luis F. See Muñoz and Leloir, Lavin, George I., Loring, Hubert S., and 147, 355 Stanley, W. M. Ultraviolet absorp-Lemish, Sonia. See Hamilton and Van tion spectra of latent mosaic and Slyke, 150, 231 ring spot viruses and of their nucleic W. G. See Gibbs. Lennox. Lennox. acid and protein components, Nims, and Gibbs, 144, 325 130, 259 See Nims, Gibbs, and Lennox, -. See Fruton and Lavin, 130, 375 145, 189 See White and Lavin, 132, 717 See Free Leonards, Jack R. and See Craig, Jacobs, and Lavin. Leonards. 149, 203 139, 277 LePage, G. A. See Pett and LePage, See Jacobs, Craig, and Lavin, 132, 585 141, 51 - and Pett, L. B. Absorption experi- See Goebel, Shedlovsky, Lavin, and ments with vitamin A, 141, 747 - and Umbreit, W. W. Phosphorylated Lawrence, John H. See Jones, Chaikoff, carbohydrate esters in autotrophic and Lawrence, 128, 631 bacteria, 147, 263 133, 319 and —. The occurrence of adenosine-Leathem, James H. See Allison, Cole, 3-triphosphate in autotrophic bacteria, Leathem, Nastuk, and Anderson, 147, 255 Lepkovsky, Samuel, and Nielsen, Elmer. Leblond, Charles P. See Mann, Leblond, A green pigment-producing compound and Warren, 142, 905 in urine of pyridoxine-deficient rats, Lechycka, Marie. See Clarke, Lechycka. 144, 135 and Light, 142, 957 -, Roboz, Elisabeth, and Haagen-Smit, Lederer, Edgar. See György, Kuhn, and A. J. Xanthurenic acid and its rôle Lederer. 131, 745 in the tryptophane metabolism of Lee, S. B. See Wilson, Lee, and Wyss, pyridoxine-deficient rats, 149, 195 139, 91 - and Parsons, Della. The effect of See Wilson, Lee, and Wilson. pyridoxine deficiency in the rat upon 144, 265 -, Wilson, J. B., and Wilson, P. W. the catalase activity of its tissues,

149, 281

Mechanism of biological nitrogen

Lesmin, Seymour. See Broate, Brana,	Levene, P. A.—continued:
and Leshin, 130, 555	See Raymond, Tipson, and Lerene,
Lesuk, Alex. See Stodola, Lesuk, and	130, 47
Anderson, 126, 505	
- and Anderson, R. J. The chemistry	
	Methylation of chondrosamine hy-
of the lipids of tubercle bacilli. LXII.	drochloride, 133, 767
Studies on mycolic acid, 136, 603	See Ovakimian, Christman, Kuna,
- and Concerning the chemical	and Levene, 134, 151
composition of Cysticercus fasciolaris.	See Ovakimian, Kuna, and Levene,
* * * * * * * * * * * * * * * * * * * *	
II. The occurrence of a cerebroside	135, 91
containing dihydrosphingosine and of	 Methylation of hexosamines,
hydrolecithin in Cysticercus larvae,	137, 29
139, 457	See Kuna, Ovakimian, and Levene,
Leva, Ernst, and Guest, George Martin.	137, 337
A method for the determination of	- and Kuna, Martin. Configurational
total base (sum of sodium, potassium,	relationship of 2-methylheptanoic and
calcium, and magnesium) in blood,	4-methylnonanoic acids, 140, 255
130, 777	- and Configurational relationships
A colorimetric micromethod for the	
determination of sodium with man-	
	—. On chondrosin, 140, 267
ganous uranyl acetate, 132, 487	—. On the carbohydrate group of egg
 See Rapoport, Leva, and Guest, 	proteins. III, 140, 279
139, 621, 633	- and Kuna, Martin. Homologous
- and Rapoport, S. A method for the	series of α -substituted aliphatic acids,
determination of phytate phosphorus	141, 391
in blood, 141, 343	
•	Levi, J. Elliot. See Alexander and
— and —. The determination of acid-	Levi, 146, 399
soluble phosphoglycerol in liver,	Levine, Harry, and Bodansky, Meyer
149, 47	Determination of paraldehyde in bi-
See Rapoport, Leva, and Guest,	ological fluids, 133, 193
149, 57, 65	,
Levene, P. A. Structure of desoxyribo-	Levitan, Nathan I. See Clark, Levitan,
nucleic acid. On the diphosphoric	Gleason, and Greenberg, 145, 85
	Levy, Edward D. See Sarett, Perlzweig,
esters of pyrimidinedesoxyribosides,	and Levy, 135, 483
126, 63	See Perlzweig, Lery, and Sarett,
See Schmidt and Levene, 126, 423	
- and Kuna, Martin. Partially O-meth-	136, 729
ylated hexitols. I. 1,2,3,5,6-O-Pen-	Levy, Milton, and Palmer, Albert H.
tamethyl-d-sorbitol, 127, 49	Iodometric estimation of small quanti-
See Tipson and Levene, 127, 105	ties of nitrogen without distillation,
	136, 57
- and Rothen, Alexandre. Walden	See Palmer and Levy, 136, 407
inversion. XXI. The halogenation	
of aromatic carbinols. Rotatory dis-	- and Palmer, Albert H. Chemistry
persion of aromatic carbinols and	of the chick embryo. II. Weight,
corresponding bromides, 127, 237	nitrogen, and dipeptidase accumula-
See Schmidt, Pickels, and Levene,	tion, 136, 415
127, 251	
See Tipson, Christman, and Levene,	-and Palmer, Albert H. The benzoyla-
128, 609	tion and resolution of alanine,
See Tipson and Levene, 129, 575	146, 493
	•

Levy, Milton-continued:	Liang, Chih-Chuan. See Adolph and
- and Palmer, Albert H. Chemistry of	Liang, 137, 517
the chick embryo. IV. Aminopepti-	146, 497
dase, 150, 271	Libet, B. See Elliott and Libet,
Levy, Sylvia Ruth. See Manly and Levy,	136, 797
139, 35	143, 227
—. See Haven and Levy, 141, 417	See Elliott, Scott, and Libet,
See Hunter and Levy, 146, 577	146, 251
Lew, W. See Poo, Lew, and Addis,	Lieben, Fritz, and Loo, Yen Chin. On
128, 69	the liberation of free amino nitrogen
Lewis, Howard B. See Jen and Lewis,	from proteins in the Van Slyke
127, 97	apparatus, 145, 223
 See Velick, White, and Lewis, 	Light, Amos E. See Clarke, Lechycka,
127, 477	and Light, 142, 957
See Abbott and Lewis, 131, 479	- and Clarke, Miriam F. Studies
See Schultz and Lewis, 133, 199	relating to the use of Lactobacillus
See Abbott and Lewis, 137, 535	casei in microbiological assays,
See Brown and Lewis,	147, 739
138, 705, 717	Lightbody, Howard D., and Kleinman,
See Blood and Lewis,	Abram. Variations produced by food
139, 407, 413	differences in the concentration of
See Darby and Lewis, 146, 225	arginase in the livers of white rats,
Lewis, J. C. A Lactobacillus assay	129, 71
method for p-aminobenzoic acid,	Lilly, John C. See Borsook, Dubnoff,
146, 441 Lewis, Roger A. See Engel, Thorn, and	Lilly, and Marriott, 138, 405 Linderstrøm-Lang, K., and Jacobsen,
Lewis, Roger A. See Engel, 1 norn, and Lewis,	C. F. On the properties of 2-methyl-
Li, Choh Hao, Simpson, Miriam E.,	thiazoline and their relation to the
and Evans, Herbert M. Action of	protein problem, 137, 443
ketene on gonadotropic hormones,	Lindner, Manfred. See Pollack and
131, 259	Lindner, 143, 655
-, Lyons, William R., and Evans,	147, 183
Herbert M. Studies on pituitary	Lindstrom, Harold V., and Sandstrom,
lactogenic hormone. IV. Tyrosine	W. M. Sulfur in proteins. VI. Quali-
and tryptophane content, 136, 709	tative studies in the alkaline decompo-
-, -, and V. Reactions with	sition of cystine, 138, 445
iodine, 139, 43	Lineweaver, Hans. See Balls and Line-
-, -, and VI. Molecular weight	weaver, 130, 669
of the pure hormone, 140, 43	- and Hoover, Sam R. A comparison of
-, Simpson, Miriam E., and Evans,	the action of crystalline papain on
Herbert M. Studies on pituitary	native and urea-denatured proteins,
lactogenic hormone. VII. A method	137, 325
of isolation, 146,627	137, 020
Otto diana and animal transmit in the contract of the contract	Tingana Tames I and Davis Orris I
 Studies on pituitary lactogenic 	Lingane, James J., and Davis, Orris L.
hormone. VIII. Diffusion and vis-	Polarographic determination of ribo-
hormone. VIII. Diffusion and viscosity measurements, 146, 633	Polarographic determination of ribo- flavin (vitamin B ₂) and other vitamin
hormone. VIII. Diffusion and viscosity measurements, 146, 633 —. IX. The content of sulfur amino	Polarographic determination of ribo- flavin (vitamin B ₂) and other vitamin B factors, 137, 567
hormone. VIII. Diffusion and viscosity measurements, 146, 633 —. IX. The content of sulfur amino acid, 148, 289	Polarographic determination of ribo- flavin (vitamin B ₂) and other vitamin B factors, 137, 567 Link, Karl Paul. See Moore and Link,
hormone. VIII. Diffusion and viscosity measurements, 146, 633 —. IX. The content of sulfur amino acid, 148, 289 —, Evans, Herbert M., and Simpson,	Polarographic determination of ribo- flavin (vitamin B ₂) and other vitamin B factors, 137, 567 Link, Karl Paul. See Moore and Link, 133, 293
hormone. VIII. Diffusion and viscosity measurements, 146, 633 —. IX. The content of sulfur amino acid, 148, 289	Polarographic determination of ribo- flavin (vitamin B ₂) and other vitamin B factors, 137, 567 Link, Karl Paul. See Moore and Link,

Link, Karl Paul—continued:	Lipton, M. A.—continued:
See Campbell, Smith, Roberts, and	See Barron, Goldinger, Lipton, and
Link, 138, 1	Lyman, 141, 975
See Campbell and Link, 138, 21	See Stare, Lipton, and Goldinger,
 See Stahmann, Huebner, and Link, 	141, 981
138, 513	Lischer, Carl F. See Martin and Lischer,
See Huebner and Link, 138, 529	137, 169
—. See Overman, Stahmann, Sullivan,	Little, John E., and Caldwell, M. L.
Huebner, Campbell, and Link,	A study of the action of pancreatic
See Johnson Dimler Mann and	amylase, 142, 585
See Lohmar, Dimler, Moore, and Link, 143, 551	- and A study of the action of
—. See Dimler and Link, 143, 557	pancreatic amylase. II, 147, 229
See Black, Overman, Elvehjem, and	Little, Robert W., Thomas, A. W., and Sherman, H. C. Spectrophotometric
Link, 145, 137	studies of the storage of vitamin A in
See Overman, Stahmann, and Link,	the body, 148. 441
145, 155	Locke, Arthur. See Main and Locke,
See Baumann, Field, Overman, and	140, 909
Link, 146, 7	143, 729
—, Overman, Ralph S., Sullivan, William	Lockhart, E. E., and Potter, V. R. Stud-
R., Huebner, Charles Ferdinand, and	ies on the mechanism of hydrogen
Scheel, Lester D. Studies on the	transport in animal tissues. II. Re-
hemorrhagic sweet clover disease.	actions involving cytochrome c ,
XI. Hypoprothrombinemia in the rat	137, 1
induced by salicylic acid, 147, 463	Logan, Milan A., and Kane, Lewis W.
 See Dimler and Link, See Lohmar and Link, 150, 345 150, 351 	Solubility of bone salt. IV. Solu-
	bility of bone in biological fluids,
Lipmann, Fritz. A phosphorylated oxidation product of pyruvic acid,	127, 705
134, 463	—. The early effects of parathyroid
—. The oxidation of p-aminobenzoic	hormone on the blood and urine,
acid catalyzed by peroxidase, and its	127, 711 See Poul and Logan 146, 270
inhibition by sulfanilamide, 139, 977	—. See Boyd and Logan, 146, 279
-, Hotchkiss, Rollin D., and Dubos,	Lohmar, Rolland, Dimler, Robert J., Moore, Stanford, and Link, Karl Paul.
René J. The occurrence of d-amino	Carbohydrate characterization. III.
acids in gramicidin and tyrocidine,	The identification of hexuronic or
141, 163	saccharic acids as benzimidazole deriv-
Lipschitz, Werner L., and Bueding, Ernst.	atives, 143, 551
Mechanism of the biological formation	— and Link, Karl Paul. Note on the
of conjugated glucuronic acids,	reaction of d-glucosamine with o-
129, 333	phenylenediamine, 150, 351
Lipton, M. A. See Sober, Lipton, and	Long, C. N. H. See Harrison and Long,
Elvehjem, 134, 605	Long, C. N. H. See Harrison and Long,
See Wagner, Axelrod, Lipton, and	
Elvehjem, 136, 357	—. See White, Bonsnes, and Long,
— and Elvehjem, C. A. The activation	. See Sayers, White, and Long,
of cocarboxylase by thiamine,	—. See Sayers, white, and Long, 149, 425
136, 637	Long, William P. See Gallagher and
See Barron, Lyman, Lipton, and	1
Goldinger, 141, 957	Long, 147, 131

Longenecker, Herbert E. Deposition and utilization of fatty acids. I. Fat synthesis from high carbohydrate and high protein diets in fasted rats,

—. II. The non-preferential utilization and slow replacement of depot fat consisting mainly of oleic and linoleic acids; and a fatty acid analysis of corn oil, 129, 13

 See Musulin, Tully, Longenecker, and King, 129, 437

—, Musulin, R. R., Tully, R. H., 3rd, and King, C. G. An acceleration of vitamin C synthesis and excretion by feeding known organic compounds to rats, 129, 445

 Deposition and utilization of fatty acids of low molecular weight; and a fatty acid analysis of coconut oil,

130, 167

Gavin, Gertrude, and McHenry,
 E. W. Fatty acids synthesized by the action of thiamine,

-, Fricke, H. H., and King, C. G. The effect of organic compounds upon vitamin C synthesis in the rat,

—, Gavin, Gertrude, and McHenry, E. W. The relation of the vitamin B complex and liver and pancreas extracts to fat synthesis, 139, 611

-. See Kelsey and Longenecker,

Longsworth, L. G. See Woolley and Longsworth, 142, 285

Longsworth,

Longwell, Bernard B., and Wintersteiner,

O. Estrogens with oxygen in Ring B.

III. 6-Keto-α-estradiol, 133, 219

- and McKee, Frances S. The excretion of estrogens in the bile and urine after the administration of estrone,

142, 757

Lonstein, Ida. See Goettsch, Lonstein, and Hutchinson, 128, 9 Loo, Yen Chin. See Lieben and Loo,

145, 223
Loomis, Ted A. See Hubbard and
Loomis, 145, 641

Looney, Joseph M., and Walsh, Anna I.
The determination of spinal fluid

Looney, Joseph M.—continued:

protein with the photoelectric colorimeter, 127, 117

See Jellinek and Looney, 128, 621
 and Walsh, Anna I. The determination of globulin and albumin in blood serum by the photoelectric colorimeter, 130, 635

 and Romanoff, Elijah B. The effect of testosterone on the serum lipids of normal subjects, 136, 479

Lorenz, F. W. See Entenman, Lorenz, and Chaikoff, 126, 133

—, Chaikoff, I. L., and Entenman, C.

The endocrine control of lipid metabolism in the bird. II. The effects of estrin on the blood lipids of the immature domestic fowl, 126, 763

See Entenman, Lorenz, and Chaikoff,
 133, 231
 134, 495

Loring, Hubert S. Properties of the latent mosaic virus protein, 126, 455

 Properties and hydrolytic products of nucleic acid from tobacco mosaic virus,
 130, 251

-. See Lavin, Loring, and Stanley,

 and Pierce, John G. The isolation by differential ultracentrifugation, identification, and properties of glycogen from Macrosiphum pisi and Aphis brassicae, 148, 35

— and Carpenter, F. H. The isolation of mononucleotides after hydrolysis of ribonucleic acid by crystalline ribonuclease, 150, 381

Lough, S. Allan, Perilstein, Warren L., Heinen, Harold J., and Carter, Lawrence W. Cystinuria. The metabolism of cystine, cysteine, methionine, homocystine, and S-carboxymethylcysteine, 139, 487

Lowe, Charles. See Westerfeld and Lowe, 145, 463

Lowry, Oliver H. See Talbot, Lowry, and Astwood, 132, 1

—, Gilligan, D. Rourke, and Katersky, Evelyn M. The determination of collagen and elastin in tissues, with · AUTHORS 75

Lowry, Oliver H.—continued:	Ludewig, Stephan—continued:
results obtained in various normal	-, Chanutin, Alfred, and Masket, A. V.
tissues from different species,	Studies on the calcium-protein rela-
139, 795	tionship with the aid of the ultra-
—. A quartz fiber balance, 140, 183	centrifuge. II. Observations on
- and Hastings, A. Baird. Histo-	serum, 143, 753
chemical changes associated with	See Masket, Chanutin, and Ludewig,
aging. I. Methods and calculations,	143, 763
143, 257	Lukens, Francis D. W. See Stadie,
	,
-, -, Hull, Tatiana Z., and Brown,	Lukens, and Zapp, 132, 393
Andrea N. Histochemical changes	 See Stadie, Zapp, and Lukens,
associated with aging. II. Skeletal	132, 411, 423
and cardiac muscle in the rat,	137, 63, 75
143, 271	Lundberg, W. O. See Barnes, Lund-
	,
-, McCay, C. M., Hastings, A. Baird, and	berg, Hanson, and Burr, 149, 313
Brown, Andrea N. Histochemical	Lundgren, Harold P. The catalytic
changes associated with aging. III.	effect of active crystalline papain on
The effects of retardation of growth on	the denaturation of thyroglobulin,
skeletal muscle, 143, 281	138, 293
See Wallace and Lowry, 144, 651	
See wallace and Lowry, 144, 031	-, Gurin, Samuel, Bachman, Carl, and
-, Smith, Clement A., and Cohen,	Wilson, D. Wright. The gonadotropic
Dorothy L. A microcolorimetric	hormone of urine of pregnancy. IV,
method for measuring the oxygen	142, 367
saturation of blood, 146, 519	-, Elam, Daniel W., and O'Connell,
Lozinski, Ezra, and Gottlieb, Rudolph.	Richard A. Electrophoretic study of
A substitute for bile salts for ad-	the action of alkylbenzenesulfonate
	=
ministration with substances possess-	detergents on egg albumin, 149, 183
ing vitamin K activity, 133, 635	Lyman, Carl M. See Barron and Lyman,
Luck, James Murray. See Thomas,	127, 143
Ingalls, and Luck, 129, 263	- and Barron, E. S. Guzman. Studies
-, Eudin, John, and Nimmo, Charles	on biological oxidations. XII. Oxi-
C. Autolytic changes in the protein	dations and carbohydrate synthesis in
	nephritic kidney slices, 132, 293
and amino acid content of liver,	
131, 201	See Barron, Dick, and Lyman,
See Ballou and Luck, 135, 111	137, 267
139, 233	See Barron and Lyman, 141, 951
Luckey, Freeman. See Robinson,	See Barron, Lyman, Lipton, and
Stewart, and Luckey, 137, 283	Goldinger, 141, 957
Luckey, Hugh. See Robinson, Luckey,	See Barron, Goldinger, Lipton, and
and Mills, 147, 175	
Luckey, T. D. See Briggs, Luckey,	Lynch, Elsa R. See Brown and Kolmer,
Elvehjem, and Hart, 148, 163	137, 525
 See Briggs, Luckey, Teply, Elve- 	Lynn, John. See Moore and Lynn;
hjem, and Hart, 148, 517	141, 819
See Briggs, Luckey, Elvehjem, and	Lyons, William R. See Li, Lyons, and
Hart, 150, 11	
•	
Ludewig, Stephan. See Chanutin and	139, 43
Ludewig, 131, 519	140, 43
See Chanutin, Ludewig, and Masket,	Lyttle, John D. See Goetisch, Lyttle,
143, 737	Grim, and Dunbar, 144, 121

M

Ma, T. S. See Horecker, Ma, and Haas, 136, 775 Maass, A. R. See Spector, Maass,

Michaud, Elvehjem, and Hart,

MacCorquodale, D. W. See Westerfeld, Thayer, MacCorquodale, and Doisy, 126, 181

See Westerfeld, MacCorquodale,
 Thayer, and Doisy, 126, 195

-. See Binkley, MacCorquodale, Thayer, and Doisy, 130, 219

See Smith, Smith, Huffman, Thayer,
 Mac Corquodale, and Doisy,
 McKee, R. W., Binkley, S. B., Cheney,

L. C., Holcomb, W. F., Thayer, Sidney A., and Doisy, Edward A. Identification of vitamin K₁ (alfalfa), 130, 433

 See McKee, Binkley, Thayer, Mac-Corquodale, and Doisy, 131, 327

—, Cheney, L. C., Binkley, S. B., Holcomb, W. F., McKee, R. W., Thayer, Sidney A., and Doisy, Edward A. The constitution and synthesis of vitamin K₁, 131, 357

 See Huffman, MacCorquodale, Thayer, Doisy, Smith, and Smith,

MacFadyen, Douglas A. See Van Slyke, Hiller, MacFadyen, Hastings, and Klemperer, 133, 287

-. See Van Slyke, Dillon, MacFadyen, and Hamilton, 141, 627

-. See Van Slyke, MacFadyen, and Hamilton, 141, 671

 See Van Slyke, Hiller, and Mac-Fadyen,
 141, 681

 Determination of amino acids in plasma by the ninhydrin-carbon dioxide reaction without removal of proteins,
 145, 387

 and Van Slyke, Donald D. Note on the use of the o-phenanthroline ferrous complex as an indicator in the ceric sulfate titration of blood sugar,

149, 527

See Van Slyke, MacFadyen, and Hamilton, 150, 251 MacKay, Eaton M., Wick, Arne N., and Carne, Herbert O. Relative amount of hepatic glycogen deposited by glucose, glycine, and dl-alanine,

132, 613

Carne, Herbert O., and Wick, Arne
 N. Antiketogenic and glycogenic activity of citric acid,
 133, 59

Barnes, Richard H., Carne, Herbert
 O., and Wick, Arne N. Ketogenic activity of acetic acid,
 135, 157

—, Wick, Arne N., and Barnum, Cyrus P. Ketogenic action of short chain, even numbered carbon fatty acids in carbohydrate-fed animals, 135, 183

See Wick, MacKay, Carne, and Mayfield, 136, 237

—, Wick, Arne N., and Barnum, Cyrus P. Ketogenic action of odd numbered carbon fatty acids, 136, 503

-, -, and -. Hepatic glycogen formation by the isomers of alanine,

137, 183

-, -, Carne, Herbert O., and Barnum,
Cyrus P. The influence of alkalosis
and acidosis upon fasting ketosis,

138, 63

—, Carne, Herbert O., Wick, Arne N., and Visscher, Frank E. The relation of fasting ketosis in the rat to the preceding diet and the liver fat,

Mackinney, G. Criteria for purity of

chlorophyll preparations, 132, 91

—. See Weast and Mackinney, 133, 551

Absorption of light by chlorophyll solutions,
 140, 315

-. See Almquist, Mackinney, and Mecchi, 150, 99

MacLachlan, E. A. See Talbot, Butler, and MacLachlan, 132, 595

See Talbot, Wolfe, MacLachlan,
 Karush, and Butler, 134, 319
 See Talbot, Butler, MacLachlan,

and Jones, 136, 365

—. See Talbot, Wolfe, MacLachlan, and

Berman, 139, 521

See Talbot. Berman. and Mac-

-. See Talbot, Berman, and Mac-Lachlan, 143, 211

 See Butler, Cushman, and Mac-Lachlan, 150, 453

inactivation.

Malam.

and Rosen.

activity,

Mangun,

Mangun,

carbonic anhydrase activation and

Malam, Muriel. See Barker, Shorr, and

Malloy, Helga Tait. See Evelyn, Malloy,

Man, Evelyn B. See Riggs and Man,

See Riggs, Lavietes, and Man,

lytes in mammalian tissues,

Manchester, T. C. Note on the accelera-

Manery, Jeanne F., and Hastings, A.

Mangun, George H. See Myers and

See Muntwyler, Mellors, Mautz, and

Fevre. The relation of the phosphorus

turnover of the blood to the mineral

Baird. The distribution of electro-

tion and retardation of invertase

See Evelyn and Malloy,

129, 33

126. 645

126, 655

134, 193

143, 363

130, 439

127, 657

134, 367, 389

MacLachlan, P. L., and Hodge, Harold Carpenter. The influence of cocaine feeding on the liver lipids of the white mouse, The effects on blood lipids of short exposure to low atmospheric pressure. 129, 465 Hodge, Harold Carpenter, and Whitehead, Raymond. The lipids of the adrenal gland in normal and fasting rabbits, 139, 185 -. See Hodge, MacLachlan, Bloor, Stoneburg, Oleson, and Whitehead, 139, 897 -. See Rafferty and MacLachlan, 140, 167 -, Hodge, Harold Carpenter, Bloor, W. R., Welch, Eileen A., Truax, Frederick L., and Taylor, J. D. Lipids of the fasting mouse. II. The fat to water relation in the liver and the fractionation of the liver phospholipids, -. Fat metabolism in the lungs, as affected by adrenalin injection, Bernstein, Williams, and Macy, See Beach, Bernstein,

 See Corsaro, Mangun, and Myers, 143, 473 135, 407 - and Myers, Victor C. Normal crea-146, 45 tine, phosphorus, and potassium con-MacVicar, Robert, and Heller, V. G. tent of human cardiac and voluntary Blood chloride and phosphorus content muscle, 135, 411 Manley, Ralph H., and Evans, Cyril D. 137, 643 The critical peptization temperatures Macy, Icie G. See Beach, Erickson, of zein in concentrated ethyl alcohol, 143, 701 128, 339 Manly, Marian LeFevre, and Bale, Hummel, William F. The metabolism of in-Williams, and Macy, 130, 115 organic phosphorus of rat bones and -. See Stern, Beach, and Macy, teeth as indicated by the radioactive 130, 733 129, 125 isotope, -. See Beach, Bernstein, Hoffman, See Manly, Hodge, and Manly, Teague, and Macy, 139, 57 Madden, Robert J. See Axelrod, Mad-- and Levy, Sylvia Ruth. Effect of den, and Elvehjem, 131, 85 pregnancy on the phosphorus turnover Maier, John. See Cleary, Maier, and of the skeleton of rats maintained on Hitchings, 127, 403 normal and rachitogenic diets, Main, Edna R., and Shinn, Lawrance 139, 35 E. The determination of hydrogen Manly, Richard S., Hodge, Harold peroxide in bacterial cultures, Carpenter, and Manly, Marian Le-

metabolism of the calcified tissues as 140, 909 shown by radioactive phosphorus, - and -. II. Zinc in its relation to 134, 293

128, 417

- and Locke, Arthur. Carbonic an-

hydrase. I. Factors affecting activity,

Mann. Frank C. See Kendall, Flock, 126, 697 Bollman, and Mann, Mann, Walter, Leblond, Charles P., and Warren, Stafford L. Iodine metabolism of the thyroid gland, 142, 905 Manning, P. D. V. See Stokstad, Man-132, 463 ning, and Rogers, Stokstad, Mecchi, —. See Almquist. and Manning, 134, 213 Mecchi, Stokstad, -. See Almquist, 134, 465 and Manning. —. See Stokstad. Mecchi, Almquist, 137, 373 Manning, and Rogers, Manning, Winston M. See Strain and 144, 625 Manning, 146, 275 -. See Strain, Manning, and Hardin, 148, 655 Marble, Alexander, Grafflin, Allan L., and Smith, Rachel M. Glycogen, fat, and water content of guinea pig liver, 134, 253 Marenzi, A. D., and Cardini, C. E. The colorimetric determination of choline, 147.363 - and -. On the determination of the phospholipids in blood, 147, 371 Marker, R. E., and Hartman, Carl G. Assays of urine from rhesus monkeys for pregnanediol and other steroids, 133, 529 Marrian, Guy Frederic. See Schachter and Marrian, 126,663 See Anderson and Marrian. 127, 649 Marriott, William. See Borsook, Dubnoff, Lilly, and Marriott, 138, 405 Marsh, Gordon, and Carlson, Loren. An injection manometer assembly for the study of reactions at steady state. 136, 69 Marshall, E. K., Jr. See Bratton and Marshall.128, 537 Martin, Beverly B. See Stokes and Martin, 147, 483 Martin, Gustav J., and Lischer, Carl F. Polyhydroxyanthraquinones affecting coagulation time in vitamin K deficiency, 137, 169 Martin. Gustav J.—continued: - and Ansbacher, S. Confirmatory evidence of the chromotrichial activity of p-aminobenzoic acid, 138, 441 - Rennebaum, E. H., and Thompson. Marvin R. Inhibition of the conjugation of sulfanilamide, 139, 871 - and Fisher, C. Virginia. Antisulfonamide action of adenine, 6-amino-144, 289 purine, Martin, L. F., Balls, A. K., and Mc-Kinney, H. H. Protein changes in mosaic-diseased tobacco, 130, 687 Martinek, Robert G., Kirch, Ernst R., and Webster, George L. Determination of nicotinic acid. 149, 245 Marx, Walter, Simpson, Miriam E., and Evans, Herbert M. Purification of the growth hormone of the anterior pituitary, 147, 77 Masen, John M. See Gentzkow, 143, 531 The quantitative determination of atabrine in blood and urine, 148, 529 Masket, A. V. See Chanutin, Ludewig, and Masket, 143, 737 —.. See Ludewig, Chanutin, and Masket, 143, 753 Chanutin, Alfred, and Ludewig. Stephan. Studies on the calciumprotein relationship with the aid of the ultracentrifuge. III. Influence of augmentation of serum with calcium and phosphate salts. 143, 763 Mason, Harold L. See Roepke and Mason.133, 103 - and Williams, Ray D. The effect of ingestion of nicotinic acid on the determination of thiamine in urine by the thiochrome method. — and —. Determination of thiamine in urine by the thiochrome method: estimation of the blank, 146, 589 Massengale, O. N. See Bills, Massengale, Hickman, and Gray, 126, 241 Mather, Alan. Distributions of estrogens between immiscible solvents. Matlack, M. B., and Tucker, I. W. An esterase from muscular tissue.

132,663

Matthews, Jason E., Jr., Dow, R. B., and Anderson, Arthur K. The effects of high pressure on the activity of pepsin and rennin, 135, 697	stilbestrol monoglycuronide from the urine of rabbits, 144, 283 McBride, J. J., Guest, M. Mason, and Scott, E. L. The storage of the
pepsin and rennin, 135, 697 Mattill, H. A. See Harris and Mattill,	
132, 477	major liver components; emphasizing
See Golumbic and Mattill, 134, 535	the relationship of glycogen to water
135, 339	in the liver and the hydration of
See Devlin and Mattill, 146, 123	glycogen, 139, 943 —. Liver glycogenesis and fasting in the
See Houchin and Mattill,	
146, 301, 309	rat. The effect of glucose feeding on
—. See Hines and Mattill, 149, 549	the water balance, 147, 333
Maughan, G. B., Evelyn, Kenneth A.,	McCarthy, Earl F., and Van Slyke,
and Browne, J. S. L. A method for	Donald D. Diurnal variations of
the quantitative estimation of glucu-	hemoglobin in the blood of normal
ronic acid and conjugated glucu-	men, 128, 567
ronides, 126, 567	McCarthy, James F. See Green, Mc-
Mautz, Frederick R. See Muntwyler,	Carthy, and King, 128, 447
Mellors, and Mautz, 134, 345	-, Green, Lowell F., and King, C. G.
See Muntwyler, Mellors, Mautz,	The substrate specificity and inhibi-
and Mangun, 134, 367, 389	tion characteristics of two copper-
See Mellors, Muntwyler, and Mautz,	protein "oxidases," 128, 455
144, 773	McCarthy, Timothy E., and Sullivan,
See Mellors, Muntwyler, Mautz,	M. X. A new and highly specific
and Abbott, 144, 785	colorimetric test for methionine,
Maver, Mary E. The separation of	141, 871
cathepsin from malignant and normal	McCay, C. M. See Lowry, McCay,
rat tissue, 131, 127	Hastings, and Brown, 143, 281
May, Everette L. See Weinstock, May,	McCollum, E. V. See Prebluda and
Arnold, and Price, 135, 343	McCollum, 127, 495
Mayer, Dennis T., and Gulick, Addison.	See Day and McCollum, 130, 269
The nature of the proteins of cellular	See Orent-Keiles and McCollum,
nuclei, 146, 433	133, 75
Mayer, Gerda Gernsheim, and Sobotka,	See Shils, Day, and McCollum,
Harry. Photoelectric determination	139, 145
of dl - α -tocopherol in serum, 143, 695	See Orent-Keiles and McCollum,
Mayer, Manfred, and Heidelberger,	140, 337
Michael. Velocity of combination of	McConnell, Kenneth P. Distribution
antibody with specific polysaccharides of pneumococcus, 143, 567	and excretion studies in the rat after a
of pneumococcus, 143, 567 Mayfield, Harry M. See Wick, MacKay,	single subtoxic subcutaneous injection
Carne, and Mayfield, 136, 237	of sodium selenate containing radio-
Maynard, L. A. See Voris, Ellis, and	selenium, 141, 427
Maynard, 133, 491	Respiratory excretion of selenium
Mazur, Abraham. See Clarke and	studied with the radioactive isotope,
Mazur, 141, 283	145, 55
- and Clarke, H. T. Chemical com-	McCready, R. M. See Hassid, Cori, and
ponents of some autotrophic organ-	McCready, 148, 89
	See Hassid, Baker, and McCready,
	149, 303
- and Shorr, Ephraim. The isolation of	149, 303

The male sex hormones of human 126, 299 urine and blood. McCune, D. J. See Ranney and Mc-150, 311 McDaniel, L. E. See Woolley, McDaniel, and Peterson, 131, 381 McElroy, L. W., and Goss, Harold. Report on four members of the vitamin B complex synthesized in the rumen of the sheep, 130, 437 McFarlane, W. D. See Shaw and Mc-Farlane, 132, 387 McGee, Lemuel C., and Hastings, A. Baird. The carbon dioxide tension and acid-base balance of jejunal 142, 893 secretions in man, McGinnis, James, Norris, L. C., and Heuser, G. F. An unidentified nutritional factor required by the chick for feather pigmentation, 145, 341 McGinty, Daniel A. See Seegers and McGinty, 146, 511 McGuire, Grace. See Truhlar, Drekter, McGuire, and Falk, 127, 345 McHenry, E. W., and Gavin, Gertrude. The B vitamins and fat metabolism. II. The effect of thiamine upon the synthesis of body fat in pigeons, 128, 45 -. See Gavin and McHenry, 132, 41 - and Gavin, Gertrude. The effects of liver and pancreas extracts upon fat synthesis and metabolism, 134, 683 -. See Longenecker, Gavin, and Mc-134, 693 - and Gavin, Gertrude. The B vitamins and fat metabolism. IV. The synthesis of fat from protein, 138, 471 See Gavin and McHenry. 139, 485 -. See Longenecker, Gavin, and Mc-Henry, 139, 611 -. See Gavin and McHenry, 141, 619 See Patterson and McHenry, 145, 207 -. See Gavin, Patterson, and Mc-148, 275 Henry, McIntire, Floyd C., Peterson, W. H., and Riker, A. J. A polysaccharide produced by the crown-gall organism, 143, 491

McCullagh, D. Roy, and Osborn, W. O.

McJunkin, F. A. See Tweedy, Temple-Patras, McJunkin, and Mc-Namara, 128, 407 McKay, A. F. See Heard and McKay. 131, 371 McKee, Frances S. See Longwell and McKee. 142, 757 McKee, R. W. See MacCorquodale. McKee, Binkley, Cheney, Holcomb, Thayer, and Doisy, -, Binkley, S. B., Thayer, Sidney A., MacCorquodale, D. W., and Doisy, Edward A. The isolation of vitamin K2, 131, 327 See MacCorquodale, Cheney, Binkley, Holcomb, McKee, Thayer, and Doisy, 131, 357 See Binkley, McKee, Thayer, and Doisy, 133, 721 McKibbin, J. M., Schaefer, A. E., Frost, D. V., and Elvehjem, C. A. Studies on anemia in dogs due to pyridoxine deficiency, 142, 77 See Schaefer, McKibbin, and Elve-143, 321 hjem, 144, 679 -, Schaefer, A. E., Elvehjem, C. A., and Hart, E. B. Studies on hemorrhagic anemia in dogs. 145, 107 McKinney, H. H. See Martin, Balls, and McKinney, 130, 687 McKinney, Margaret G. See Bodansky, Duff, and McKinney, 140, 365 McLaren, A. D. See Uber and McLaren, 141, 231 McLean, Franklin C. See Eichelberger

McLean, Franklin C. See Eichelberger and McLean, 142, 467 McNamara, E. W. See Tweedy, Templeton, Patras, McJunkin, and McNamara, 128, 407

McNeil, Edna W. See Fox, McNeil, and Field, 147, 645

McShan, W. H., and Meyer, Roland K.

The effect of trypsin and ptyalin preparations on the gonadotropic activity of pituitary extracts, 126, 361—and—. The relation of the folliclestimulating activity of fresh pituitary tissue to the action of the enzymes

132, 783

contained in the tissue,

McShan, W. H continued:	Melnick, Daniel-continued:
— and Meyer, Roland K. The prepara-	•
tion and properties of pituitary fol-	— and Field, Henry, Jr. III. Quantita-
	tive enzymic conversion of cocarboxyl-
licle-stimulating fractions made by	ase (thiamine pyrophosphate) to the
trypsin digestion, 135, 473	free vitamin, 127, 531
Mecchi, E. See Almquist and Mecchi,	- and - Chemical determination.
126, 407	stability, and form of thiamine in
See Almquist, Stokstad, Mecchi,	urine, 130, 97
and Manning, 134, 213	- and Determination of nicotinic
See Almquist, Mecchi, Stokstad,	acid in biological materials by means of
and Manning, 134, 465	photoelectric colorimetry, 134, 1
See Almquist and Mecchi, 135, 355	— and —. Chemical determination of
See Stokstad, Almquist, Mecchi,	nicotinic acid: inhibitory effect of
Manning, and Rogers, 137, 373	cyanogen bromide upon the aniline
See Almquist, Mecchi, and Kratzer,	side reactions, 135, 53
141, 365	-, Robinson, William D., and Field,
 See Almquist, Kratzer, and Mecchi, 	Henry, Jr. Influence of the excretion
148, 17	of other pyridine compounds upon the
See Almquist, Mackinney, and	interpretation of the urinary nicotinic
Mecchi, 150, 99	acid values, 136, 131
Meek, W. J. See Jacobi, Baumann, and	-, -, and Urinary excretion of
Meek, 138, 571	nicotinic acid and its derivatives by
Mehl, John W. See Edsall and Mehl,	normal individuals, 136, 145
133, 409	-, -, and Factors affecting the
Meiklejohn, Arnold P. See Egaña and	concentration and distribution of
Meiklejohn, 141, 859	nicotinic acid in the blood, 136, 157
Mellors, Robert C. See Muntwyler,	-, -, and Fate of thiamine in the
Mellors, and Mautz, 134, 345	digestive secretions, 138, 49
See Muntwyler, Mellors, Mautz, and	See Hochberg, Melnick, Siegel, and
Mangun, 134, 367, 389	Oser, 148, 253
-, Muntwyler, Edward, and Mautz,	 See Siegel, Melnick, and Oser,
Frederick R. Electrolyte and water	149, 361
exchange between skeletal muscle and	Melnick, Joseph L. See Stern and
plasma in the dog following acute	Melnick, 131, 597
and prolonged extracellular electrolyte	 Ultraviolet absorption spectra of
loss, 144, 773	cocarboxylase, thiamine, and their
-, -, -, and Abbott, William E.	reduction products, 131, 615
Changes of the plasma volume and	See Stern and Melnick, 135, 365
"available (thiocyanate) fluid" in	139, 301
experimental dehydration, 144, 785	The photochemical absorption
Melnick, Daniel, and Field, Henry,	spectra of the Pasteur enzyme and the
Jr. Chemical determination of vita-	respiratory ferment in yeast,
min B ₁ . I. Reaction between thiamine	141, 269
in pure aqueous solution and di-	The photochemical spectrum of
azotized p-aminoacetophenone,	cytochrome oxidase, 146, 385
azottzed p -ammoacetophenone, 127, 505	Melville, Donald B. See Carter,
·	•
— and —. II. Method for estimation of	Handler, and Melville, 129, 359
the thiamine content of biological	See Carter and Melville, 133, 109
materials with the diazotized p-amino-	See du Vigneaud, Hofmann, Mel-
acetophenone reagent, 127, 515	ville, and György, 140, 643

Melville, Donald B.—continued: -. See du Vigneaud, Hofmann, Melville, and Rachele, 140, 763 and du -. See Hofmann, Melville, Vigneaud, 141, 207 -, Hofmann, Klaus, Hague, Eleanor, and du Vigneaud, Vincent. The isolation Meyer, of biotin from milk, 142, 615 —. See Hofmann, Melville, and du Vigneaud, 144, 513 - Hofmann, Klaus, and du Vigneaud, Vincent. The hydrolysis of biotin sulfone, 145, 101 Hofmann, Kilmer, Melville, --. See du Vigneaud, and Darby, 145, 503 See du Vigneaud, Melville, Folkers, Wolf, Mozingo, Keresztesy, and Harris, 146, 475 -, Moyer, A. W., Hofmann, Klaus, and du Vigneaud, Vincent. The structure of biotin: the formation of thiophenevaleric acid from biotin, 146, 487 Melzer, Francisca. See Koenig, Melzer, Szego, and Samuels, 141, 487 Member, Samuel. See BrugerandMember, 148, 77 Mendive, J. R. See Scott and Mendive, 139, 661 See 140, 445 Menzel, Arthur E. O., and Heidelberger, Michaud. Michael. Specific and non-specific cell polysaccharides of a bovine strain of tubercle bacillus, 127, 221 Merker, Harvey. See Irvin, Merker, Anderson, and Johnston, 131, 439 Merrell, Margaret. See Flexner, Gellhorn, and Merrell, 144, 35 Metzger, Nannette. See Baumann and Metzger127, 111 Meyer, Curtis E. See Smith and Meyer, 131, 45 - and Smith, Arthur H. The influence of the type of carbohydrate ingested upon citric acid production, 134, 739 Miller, A. T., Jr. Studies on tissue -. See Smith and Meyer, 139, 227 water. I. The determination of blood Meyer, Karl, Smyth, Elizabeth M., and water by the distillation method, Dawson, Martin H. The isolation of a mucopolysaccharide from synovial fluid, 128, 319 - and Chaffee, Eleanor. Hyaluronic

Meyer, Karl-continued: acid in the pleural fluid associated with a malignant tumor involving the pleura and peritoneum, 133, 83 — and Smyth, Elizabeth M. The mucopolysaccharides of skin, 138, 491 Meyer, Roland K. See McShan and 126, 361 132, 783 135, 473 Meyerhof, Bettina. See Ball and Meyer-Meyerhof, Otto, and Junowicz-Kocholaty R. The two-fold activation of carbohydrate breakdown by arsenate and the dephosphorylation of phosphopyruvic acid. 145, 443 and —. The equilibria of isomerase and aldolase, and the problem of the phosphorylation of glyceraldehyde phosphate. 149, 71 See Baer and Fischer, 150, 213 Michaelis, Leonor. See Granick and Michaelis, 147, 91 -, Coryell, Charles D., and Granick, S. Ferritin. III. The magnetic properties of ferritin and some other colloidal ferric compounds. 148, 463 Hahn, Granick, Bale, and 150, 407 Michaelis.L. See Spector, Maass,Michaud, Elvehjem, and Hart, 150, 75 Michel, Harry O. See Bernheim, Bernheim, and Michel, 126, 273 A study of sulfhemoglobin, 126, 323 Mickelsen, Olaf, and Keys, Ancel. The composition of sweat, with special 149, 479 reference to the vitamins, Mider, G. Burroughs. See Greenstein, Jenrette, Mider, and White, 137, 795 Militzer, Walter E. See Breuer and 126, 561 Militzer,

143, 65 II. A macro modification of the distillation method for the determination of tissue water, 149, 153

Miller, Albert J. See Devel, Halliday, Hallman, Johnston, and Miller, 139, 479 Miller, Benjamin F., and Muntz, John A. A method for the estimation of ultramicroquantities of lactic acid, 126, 413 -. See Alving, Rubin, and Miller. 127, 609 -, Allinson, M. J. Carl, and Baker, Zelma. Studies on the metabolism of creatine and creatinine. I. Specific enzymatic methods for the analysis of creatine and creatinine in tissues, 130, 383 -. See Baker and Miller, 130, 393 132, 233 Miller, Edgar G., Jr. See Ross, Moore, and Miller. 144, 667 Miller, Elmer S. See Norris, Rusoff, Miller, and Burr, 139, 199 -. See Barnes, Miller, and Burr, 140, 233, 241, 247, 773 -. See Norris, Rusoff, Miller, and Burr, 147, 273 Miller, F. R. See Turner and Miller, 147, 573 Miller, Gail Lorenz. See du Vigneaud, Miller, and Rodden, 131, 631 -, Behrens, Otto K., and du Vigneaud, Vincent. A synthesis of the aspartic acid analogue of glutathione (asparthione), 140, 411 - and Stanley, W. M. Derivatives of tobacco mosaic virus. I. Acetyl and phenylureido virus, 141, 905 - and Andersson, Kjell J. I. The molecular weight of insulin, 144, 459 and —. An ultracentrifuge study of reduced insulin, 144, 465 - and -. Ultracentrifuge and diffusion studies on native and reduced insulin in Duponol solution, 144, 475 - and Stanley, W. M. Derivatives of tobacco mosaic virus. II. Carbobenzoxy, p-chlorobenzoyl, and benzenesulfonyl virus, 146, 331 Derivatives of tobacco mosaic virus. III. The rôle of denaturation of the virus in the measurement of phenolic groups, 146, 339

Miller, Gail Lorenz—continued:

 IV. A study of the determination of phenol groups in virus derivatives by means of model experiments with derivatives of tyrosine, 146, 345

Miller, Herbert C. The extrarenal regulation of muscle and serum potassium following extracellular fluid and sodium depletion, 147, 121

Miller, Herbert K. See Waelsch and Miller, 145, 1

Miller, Leon L. Anaphylactic shock and nitrogen metabolism in the dog,

and Hahn, P. F. The appearance of radioactive iron as hemoglobin in the red cell. The significance of "easily split" iron,

Miller, Pauline A. See Mueller and Miller, 140, 933

Mills, Hugh. See Robinson, Luckey, and Mills, 147, 175

Mills, R. C. See Hegsted, Mills, Elvehjem, and Hart, 138, 459

-. See Briggs, Mills, Elvehjem, and Hart, 144, 47

Minor, George R. See Chanutin and Ludewig, 131, 519

Mirsky, I. Arthur, Nelson, Norton, and Grayman, Isabelle. The utilization of acetone bodies. I. The influence of feeding and of glucose in nephrectomized female rats, 130, 179

-. See Grayman, Nelson, and Mirsky, 131, 121

 See Nelson, Grayman, and Mirsky, 132, 711
 140, 361

 See Nelson, Rapoport, Guest, and Mirsky, 144, 291

Mitchell, Herschel K., Isbell, Edith R., and Thompson, Roy C. Microbiological assays for p-aminobenzoic acid, 147, 485

—. See Thompson, Isbell, and Mitchell, 148, 281

Modic, J. L. See Heymann and Modic, 131, 297

Mohammad, Ali, Emerson, Oliver H., Emerson, Gladys A., and Evans, Herbert M. Properties of the filtrate factor of the vitamin B2 complex, with evidence for its multiple nature, 133, 17 Montgomery, M. Laurence, Entenman, C., and Chaikoff, I. L. The liver lipids of dogs subjected to ligation of the external pancreatic ducts, 128, 387 —. See Entenman, Chaikoff, and Mont-130, 121 gomery, See Entenman, Montgomery, and Chaikoff, 135, 329 -. Entenman, C., Chaikoff, I. L., and Nelson, C. The rôle of the external secretion of the pancreas in lipid metabolism. The prevention of fatty livers in depancreatized and ductligated dogs by the daily feeding of fresh pancreatic juice, 137, 693 -. See Entenman, Chaikoff, and Montgomery, 137, 699 -. See Sheline, Chaikoff, Jones, and Montgomery. 147, 409 149, 139 See Fishler, Entenman, Montgomery, and Chaikoff, 150, 47 Moore, Barbara. See Strong, Feeney, Moore, and Parsons. 137, 363 Moore, Dan H. See Chargaff, Ziff, and Moore, 139, 383 - and Lynn, John. Electrophoretic measurements on normal human plasma, **141**, 819 . -. See Glick, Glaubach, and Moore. 144, 525 See Abramson and Moore, 144, 579 See Ross, Moore, and Miller, 144, 667 See Chargaff, Moore, and Bendich, 145, 593 —. See Reiner, Moore, Lang, and Green. 146,583 Moore, P. R. See Baumann, Foster, and Moore,142, 597 Moore, Stanford, and Link, Karl Paul. Carbohydrate characterization. I. The oxidation of aldoses by hypoiodite

in methanol. II. The identification of \

Moore, Stanford-continued: seven aldo-monosaccharides as benzimidazole derivatives. 133, 293 See Stein, Moore, and Bergmann. 139, 481 See Stein, Moore, Stamm, Chou, and Bergmann, 143, 121 See Lohmar, Dimler, Moore, and Link,143, 551 - and Stein, William H. Determination of amino acids by the solubility product method, 150, 113 Morehouse, Margaret Gulick. Studies on ketosis. XVI. The metabolism of α, β - and β, γ -deuterobutyric acids in the fasting rat, 129, 769 -. See Blunden, Hallman, Morehouse, and Deuel, 135, 757 Morgan, Agnes Fay, Shimotori, Nobuko, and Hendricks, Jeannette B. Progress of hypervitaminoses D2 and D3 and recovery in rats, as affected by dietary calcium and phosphorus and vitamin 134, 761 and —. The absorption and retention by dogs of single massive doses of various forms of vitamin D, 147, 189 -. See Shimotori and Morgan, 147, 201 Morgan, Vincent E. See Taylor and Morgan.144, 15 Morris, Carol Tilden. See Morris and Morris, 130, 535 141, 515 Morris, Daniel Luzon, and Morris, Carol Tilden. Glycogen in the seed of Zea mays (variety Golden Bantam), 130, 535 and —. The modification of cupric chloride crystallization patterns by traces of proteins. 141, 515 Lichenin and araban in oats (Avena sativa), 142, 881 Hydrolysis of starch and glycogen by blood amylase, 148, 271 -. Some effects of the intravenous injection of corn glycogen into rabbits, **148,** 699 Morrison, Beatrice Mary. See Handler

and Dann,

Morrison,

Morrison, Dempsie B. See Hisey and

145, 145

130, 763

Morrison, Dempsie B .-- continued:

 and Williams, Edward F., Jr. The solubility and titration of hemin and ferrihemic acid, 137, 461

Morton, M. E. See Perlman, Chaikoff, and Morton, 139, 433

 See Perlman, Morton, and Chaikoff, 139, 449

—, Perlman, I., and Chaikoff, I. L. Radioactive iodine as an indicator of the metabolism of iodine. III. The effect of thyrotropic hormone on the turnover of thyroxine and diiodotyrosine in the thyroid gland and plasma, 140, 603

 and Chaikoff, I. L. The in vitro formation of thyroxine and diiodotyrosine by thyroid tissue, 144, 565

- and —. The formation in vitro of thyroxine and diiodotyrosine by thyroid tissue with radioactive iodine as indicator,
 147, 1
- —, —, Reinhardt, W. O., and Anderson, Evelyn. Radioactive iodine as an indicator of the metabolism of iodine. VI. The formation of thyroxine and diiodotyrosine by the completely thyroidectomized animal, 147, 757 Moss, A. R., and Schoenheimer, Rudolf.

Moss, A. R., and Schoement, Russia
The conversion of phenylalanine to tyrosine in normal rats, 135, 415
—. The conversion of β-phenyllactic

acid to tyrosine in normal rats,

137, 739

132, 785

Mowry, David T., Brode, Wallace R., and Brown, J. B. Studies on the chemistry of the fatty acids. IX. A spectroscopic study of methyl arachidonate purified by crystallization and distillation and its alkali isomerization product, 142, 671

-, -, and -. X. The structure of arachidonic acid as evidenced by oxidative degradation and selective hydrogenation, 142, 679

Moxon, Alvin L., Schaefer, A. E., Lardy, H. A., DuBois, K. P., and Olson, O. E. Increasing the rate of excretion of selenium from selenized animals by the administration of p-bromobenzene,

Moyer, A. W. See du Vigneaud, Chandler, Moyer, and Keppel, 131, 57 —. See du Vigneaud, Chandler, and Moyer, 139, 917

and du Vigneaud, Vincent. The structural specificity of choline and betaine in transmethylation, 143, 373
See Melville, Moyer, Hofmann, and du Vigneaud, 146, 487

Moyer, Elsie Z. See Moyer and Moyer, 132, 357, 373

Moyer, Laurence S., and Moyer, Elsie Z.

Electrokinetic aspects of surface chemistry. VI. The interaction of gelatin with casein and egg albumin at surfaces, 132, 357

 and —. VII. The electrophoretic behavior of microscopic particles in the presence of horse, human, or rabbit serum,
 132, 373

 Electrokinetic aspects of surface chemistry. VIII. The composition of the surface film on the fat droplets in cream,
 133, 29

and Gorin, Manuel H. Electrokinetic aspects of surface chemistry. IX.
 The electric mobilities of quartz and collodion particles in mixtures of horse serum and serum proteins in relation to the mechanism of film formation,

Mozingo, Ralph. See du Vigneaud, Melville, Folkers, Wolf, Mozingo, Keresztesy, and Harris. 146, 475

Mueller, Arthur J., Kemmerer, Kenneth S., Cox, Warren M., Jr., and Barnes, S. T. The effect of casein and a casein digest on growth and serum protein regeneration, 134, 573

Mueller, J. Howard, and Miller, Pauline
A. Growth requirements of Clostridium tetani, 140, 933

Müller, Otto H. Oxidation-reduction potentials measured with the dropping mercury electrode. IV. Polarographic study of α-oxyphenazine, 145, 425

Muir, R. D. See Roberts, Cain, Muir, Reithel, Gaby, Van Bruggen, Homan, Katzman, Jones, and Doisy, 147, 47

Muir, R. D.—continued: Homan, and Jones, Mullen, James W., 2nd. See Pacsu and Mullen.Munks, Bertha. See Beach, Munks, and Robinson,Muñoz, Juan M., and Leloir, Luis F. Munro, F. L. See Munro and Munro, Munro, Muriel Platt, and Munro, F. L. globin from various species, Muntwyler, Edward, Mellors, Robert C., insufficiency, blood in adrenal insufficiency, -, -, -, and -. III. Electrolyte and blood. See Mellors, Munitaryler, and Mautz, See Mellors, Muntwyler, and Abbott, Muntz, John A. See Miller and Muntz, dental plaque material, Murayama, Makio. See Campbell, and Murayama, Murphy, A. J. See Beecher, Follansbee, Murphy, and Craig, Murray, Sheila. See Devel and Hallman,

See Van Bruggen, Reithel, Cain, Katzman, Doisy, Muir, Roberts, Gaby, 148, 365 136, 335 148, 431 Fatty acid oxidation by liver enzymes, 147, 355 150, 427 The electrophoretic properties of 150, 427 and Mautz, Frederick R. Electrolyte and water equilibria in the dog. I. Equilibria in the blood in adrenal 134, 345 -, -, -, and Mangun, George H. Electrolyte and water equilibria in the dog. II. Electrolyte and water exchange between skeletal muscle and 134, 367 water exchange between tendon and 134, 389 144, 773 Mautz. 144, 785 126, 413 Production of acids from glucose by 148, 225 Greenberg.136, 35 146, 197 140, 545 Murrill, William A., Block, Walter D., and Newburgh, L. H. Analyses of urinary protein and various fractions of human and pig serum protein, 133, 521 Mushett, Charles W. See Silber and Mushett, 146, 271

Musulin, R. R., Tully, R. H., 3rd, Longenecker, Herbert E., and King, C. G. Vitamin C synthesis and excretion by the rat, 129, 437 See Longenecker, Musulin, Tully, and King, 129, 445 Muus, Jytte. See Hastings, Muus, and Bessey. 129, 295 -, Weiss, Soma, and Hastings, A. Baird. Tissue metabolism in vitamin deficiencies. II. Effect of thiamine de-129, 303 ficiency, -, Coons, Albert H., and Salter, William T. Thyroidal activity of iodinated serum albumin. IV. The effect of progressive iodination, 139, 135 Myers, Jane. See Todd, Vreeland, Myers, and West, 127, 269 See Todd, Myers, and West, 127, 275 Myers, Victor C. See Alburn and Myers. 131, 713 - and Mangun, George H. Comparative studies on creatine, phosphorus, and potassium in various muscle tissues. 132, 701 See Corsaro, Mangun, and Myers, 135, 407 See Mangun and Myers, 135, 411 See Free, Davies, and Myers, 147, 167 Mylon, E., Winternitz, M. C., and de Sütö-Nagy, G. J. The determination of fibrinogen with protamine, 143, 21

N

Nachmansohn, D., John, H. M., and Waelsch, Heinrich. Effect of glutamic acid on the formation of acetylcholine, 150, 485

Najjar. Victor A. The fluorometric determination of riboflavin in urine and other biological fluids, 141, 355 Nastuk, William L. See Allison, Cole, Leathem, Nastuk, and Anderson, 147, 255

Nelson, C. See Montgomery, Entenman, Chaikoff, and Nelson, 137, 693 Nelson, J. M. See Baker and Nelson, 147, 341

Nelson, J. Walter. See Seibert and
Nelson, 143, 29
Nelson, John W. See Kuizenga, Wick,
Ingle, Nelson, and Cartland, 147, 561
Nelson, Norton. See Mirksy, Nelson,
and Grayman, 130, 179
See Grayman, Nelson, and Mirsky,
131, 121
-, Grayman, Isabelle, and Mirsky, I.
Arthur. The utilization of acetone
bodies. III. The influence of adrenal-
ectomy, 132, 711 —. See Elgart and Nelson, 138, 443
See Elgart and Nelson, 138, 443
-, Grayman, Isabelle, and Mirsky, I.
Arthur. The utilization of acetone
bodies. IV. The relation between
concentration and the rate of β -
hydroxybutyric acid utilization by the
rat, 140, 361
-, Rapoport, S., Guest, George Martin,
and Mirsky, I. Arthur. The influence
of fasting, epinephrine, and insulin on the distribution of acid-soluble
on the distribution of acid-soluble
phosphorus in the liver of rats,
144, 291
Nesbett, Frances B. See Buchanan,
Hastings, and Nesbett, 145, 715
150, 413
Neterval, Charles R. A small apparatus
for extracting urinary androgens, 133, 313
Neurath, Hans, and Saum, Arthur M.
The diffusion of tobacco mosaic virus
protein in aqueous solution, 126, 435
— and —. The denaturation of serum
albumin. Diffusion and viscosity
measurements of serum albumin in the
presence of urea, 128, 347
- and Cooper, Gerald R. The diffusion
constant of tomato bushy stunt virus,
135, 455
-, -, and Erickson, John O. The shape
of protein molecules. II. Viscosity
and diffusion studies of native pro-
teins, 138, 411
-, -, Sharp, D. G., Taylor, A. R., Beard,
Dorothy, and Beard, J. W. Molecular
size, shape, and homogeneity of the
rabbit papilloma virus protein,
140 203

Neurath, Hans-continued:

 See Sharp, Cooper, and Neurath, 142, 20

—, Cooper, Gerald R., and Erickson, John O. The denaturation of proteins and its apparent reversal. I. Horse serum albumin, 142, 249

-, -, and -. II. Horse serum pseudoglobulin, 142, 265

 See Sharp, Cooper, Erickson, and Neurath, 144, 139

-. See Bernheim, Neurath, and Erickson, 144, 259

See Putnam and Neurath, 150,263
 Newburgh, L. H. See Murrill, Block, and Newburgh, 133, 521

Ney, Luman F. See Carter, Stevens, and Ney, 139, 247

Nichols, Peter L., Jr. See Niemann and Nichols, 143, 191 Nicolet, Ben H. See Shinn and Nicolet,

— and Saidel, Leo J. The hydroxyamino acids of silk proteins, 139, 477

— and Shinn, Leo A. The determination of serine by the use of periodate, 139, 687

 and —. The special liability of serine and threonine toward alkali, when in peptide combination, 140, 685

— and —. Does hydroxyglutamic acid occur in milk proteins? 142, 139

-, -, and Saidel, Leo J. The lability toward alkali of serine and threonine in proteins, and some of its consequences, 142, 609

Nield, Cyril H., Russell, Walter C., and Zimmerli, A. The spectrophotometric determination of vitamins D₂ and D₃,

-. See Zimmerli, Nicld, and Russell, 148, 245

Nielsen, Edward, Oleson, J. J., and Elvehjem, C. A. Fractionation of the factor preventing nutritional achromotrichia, 133, 637

 and Elvehjem, C.A. Cure of paralysis in rats with biotin concentrates and crystalline biotin, 144, 405

	l
Nielsen, Edward—continued:	Norris, Earl R.—continued:
— and Elvehjem, C. A. The growth-	- and Elam, Daniel W. Preparation
promoting effect of folic acid and	and properties of crystalline salmon
biotin in rats fed succinylsulfathiazole,	pepsin, 134, 443
145, 713	See Simmons and Norris, 140, 679
Nielsen, Elmer. See Lepkovsky and	Norris, Frank A., Rusoff, Irving I.,
Nielsen, 144, 135	Miller, Elmer S., and Burr, George O.
•	
Nielsen, Verner. See Hansen and	Fractional distillation of unsaturated
Nielsen, 131, 309	fatty acids. I. The effect of vacuum
Niemann, Carl, and Nichols, Peter L.,	distillation on the absorption spectra
Jr. The synthesis of D-erythro- and	of polyethenoid esters from cod liver
D -threo- α -amino- β , γ -dihydroxy- n - bu-	oil, 139, 199
tyric acids, 143, 191	-, -, -, and II. The effect of heat
Nier, A. O. See Wood, Werkman,	on the rearrangements produced in
Hemingway, and Nier, 135, 789	unsaturated fatty acid esters,
139, 365, 377, 483	147, 273
142, 31	Norris, L. C. See Hodson and Norris,
See Swendseid, Barnes, Heming-	131, 621
way, and Nier, 142, 47	
	See Schumacher, Heuser, and Norris,
	135, 313
	See McGinnis, Norris, and Heuser,
—. See Olsen, Hemingway, and Nier,	145, 341
148, 611	Norris, William P. See Carter, Glick,
Nimmo, Charles C. See Luck, Eudin,	Norris, and Phillips, 142, 449
and Nimmo, 131, 201	See Carter and Norris, 145, 709
Nims, L. F. See Gibbs, Lennox, Nims,	North, H. B. See Pfiffner and North,
and Gibbs, 144, 325	132, 459, 461
-, Gibbs, E. L., and Lennox, W. G.	134, 781
Arterial and cerebral venous blood.	139, 855
Changes produced by altering arterial	140, 161
carbon dioxide, 145, 189	Nutt, A. L. See Cohn, 148, 219
Niven, Charles F., Jr., Smiley, Karl L.,	,,
and Sherman, J. M. The polysac-	0
charides synthesized by Streptococcus	Ontro Comme "Compliant" of all
salivarius and Streptococcus bovis,	Ochoa, Severo. "Coupling" of phos-
140, 105	phorylation with oxidation of pyruvic
See Gunsalus and Niven, 145, 131	acid in brain, 138, 751
— and Smiley, Karl L. A microbiological	Glycolysis and phosphorylation in
•	brain extracts, 141, 245
	—. α-Ketoglutaric dehydrogenase of
Nocito, V. See Green, Nocito, and	heart extracts, 149, 577
Ratner, 148, 461	O'Connell, Richard A. See Lundgren,
Nolan, Laurence S. See Vickery, Smith,	Elam, and O'Connell, 149, 183
Hubbell, and Nolan, 140, 613	O'Connor, Patricia. See Logan,
Noll, C. I., and Jensen, O. G. The	127, 711
chemical determination of nicotinic	O'Dell, Boyd L., and Hogan, Albert G.
acid in milk and milk derivatives,	
140, 755	Additional observations on the chick
Nordbö, R. The concentration of ion-	antianemia vitamin, 149, 323
ized magnesium and calcium in milk,	O'Dell, Robert A. See Zittle and O'Dell,
128, 745	139, 753
Norris, Earl R. See Troescher and	140, 899
Norris. 132, 553	141, 239

O'Kane, D. J., and Umbreit, W. W. Transformations of phosphorus during glucose fermentation by living cells of
Streptococcus faecalis, 142, 25 Okey, Ruth, and Greaves, Vera D.
Okey, Ruth, and Greaves, Vera D.
Anemia caused by feeding cholesterol
to guinea pigs, 129, 111 Oleson, J. J. See Bird, Oleson, Elve-
hjem, and Hart, 126, 671
-, Bird, H. R., Elvehjem, C. A., and
Hart, E. B. Additional nutritional
factors required by the rat, 127, 23
See Hegsted, Oleson, Elvehjem, and
Hart, 130, 423 See Nielsen, Oleson, and Elvehjem,
133, 637
Oleson, Margaret C. See Hodge, Mac-
Lachlan, Bloor, Stoneburg, Oleson,
and Whitehead, 139, 897 — and Bloor, W. R. The adrenal lipids
- and Bloor, W. R. The adrenal lipids
of fasted guinea pigs, 141, 349
Olsen, Norman S., Hemingway, Allan, and Nier, A. O. The metabolism of
glycine. I. Studies with the stable
isotope of carbon, 148, 611 Olson, Kenneth B. See Chargaff, Olson,
Olson, Kenneth B. See Chargaff, Olson,
and Partington, 134, 505 Olson, O. E. See Moxon, Schaefer,
Lardy, DuBois, and Olson, . 132, 785
Oncley, J. L. See Green, Knox, and
Stumpf, 138, 775
-, Ross, William F., and Tracy, Ann H.
Carbon suboxide and proteins. IV.
The ultracentrifugal behavior of car- bon suboxide-treated horse serum
albumin 141, 797
Opsahl, Jeanette C. See Arnow and
Opsahl, 133, 765
134, 649
Orent-Keiles, Elsa, and McCollum, E. V.
Mineral metabolism of rats on an extremely sodium-deficient diet,
133, 75
Potassium in animal nutrition,
140, 337
Ormsby, Andrew A. A direct colorimet-
ric method for the determination of
urea in blood and urine, 146, 595 Orten, James M., and Smith, Arthur H.
On the site of the formation of citric
acid in the animal organism,
128 101

Orten, James M.—continued:

— and Devlin, Henry B. The effect of sodium chloride on the glucose tolerance of the diabetic rat, 136, 461

and Sayers, George. A comparison of the disposition of injected glucose in two strains of rats,
 Osborn, W. O. See McCullagh and

Osborn, W. O. See McCullagh and
Osborn, 126, 299
Oser, Bernard I. See Hackberg

Oser, Bernard L. See Hochberg, Melnick, Siegel, and Oser, 148, 253

—. See Siegel, Melnick, and Oser,
149, 361

Oster, Robert H. Electrodialysis of tissue chloride. I. The method and controls, 131, 13

 and Amberson, William R. Electrodialysis of tissue chloride. II. Kinetics of removal of chloride from tissues of the dog,
 131, 19

Ott, Lawrence. See Eisenman, Ott, Smith, and Winkler, 135, 165

Outhouse, Edgar L. See Bowers, Outhouse, and Forbes, 132, 675

Ovakimian, G., Christman, Clarence C., Kuna, Martin, and Levene, P. A. The reaction of the esters of dl-leucine and of l-leucine on the Raney catalyst, 134, 151

Kuna, Martin, and Levene, P. A.
The reaction of the esters of phenylaminoacetic acid and of phenylalanine on the Raney catalyst, 135, 91
See Kuna, Ovakimian, and Levene.

See Kuna, Ovakimian, and Levene, 137, 337

Overman, Andrea. Influence of some dietary factors on the development of rancidity in the fat of the white rat, 142, 441

Overman, Ralph S., Stahmann, Mark Arnold, Sullivan, William R., Huebner, Charles Ferdinand, Campbell, Harold A., and Link, Karl Paul. Studies on the hemorrhagic sweet clover disease. VII. The effect of 3,3'-methylenebis-(4-hydroxycoumarin) on the prothrombin time of the plasma of various animals,

 See Black, Overman, Elvehjem, and Link, 145, 137

Overman, Ralph S .- continued: -, Stahmann, Mark Arnold, and Link, Karl Paul. Studies on the hemorrhagic sweet clover disease. The effect of 2-methyl-1,4-naphthoquinone and l-ascorbic acid upon the action of 3,3'-methylenebis(4hydroxycoumarin) on the prothrombin time of rabbits, 145, 155 -. See Baumann, Field, Overman, and Link. 146, 7 See Link, Overman, Sullivan, Huebner, and Scheel, 147, 463 Owen, Charles A. See Smith and Owen, 134, 783 P Pace, Nello. Pigments of the marine diatom Nitzschia closterium, 140, 483 Pacsu, Eugene, and Mullen, James W., 2nd. An improved method for the resolution of synthetic alanine, 136, 335 Page, Irvine H. See Corcoran and Page, 127,601 See Helmer and Page, 127, 757 See Corcoran, Helmer, and Page, 129, 89 147, 135 See Plentl and Page, See Plentl, Page, and Davis, 147, 143 Painter, Edgar Page, and Franke, Kurt W. The decomposition of seleniferous proteins in alkaline solutions, 134, 557 Palmer, Albert H. See Levy and Palmer, 136, 57 - and Levy, Milton. Chemistry of the chick embryo. I. The dipeptidase of chick embryo extracts, 136, 407 See Levy and Palmer, 136, 415 - and Levy, Milton. Chemistry of the chick embryo. III. Distribution of dipeptidase in the cephalic region of the three day embryo, 136, 629 See Cannan, Palmer, and Kibrick,

See Levy and Palmer,

142, 803

146, 493

150, 271

Lucille Palmer, E. See d'ElseauxBlackwood, Palmer, and Sloman, 144, 529 Pangborn, Mary C. A note on the purification of lecithin, 137, 545 Isolation and purification of a serologically active phospholipid from beef heart, 143, 247 Pappenheimer, Alwin M., Jr. See Hottle. Lampen, and Pappenheimer, 137, 457 Parrott, Ernest M. See Hogan and Parrott, 132, 507 Parsons, Della. See Lepkovsku and Parsons. 149, 281 Parsons, Helen T. See Strong, Feeney, Moore, and Parsons, 137, 363 Partington, Philip F. See Chargaff, Olson, and Partington, 134, 505 Pass, I. J. See Watson, Pass, and Schwartz. 139, 583 Patras, Mary C. See Tweedy, Templeton, Patras, McJunkin, and Mc-Namara, 128, 407 Patterson, Jean M., and McHenry, E. W. Choline and the prevention of hemorrhagic kidneys in the rat, 145, 207 See Gavin, Patterson, and McHenry, 148, 275 Patterson, Wilbur I. See du Vigneaud, Patterson, and Hunt. 126, 217 Pauling, Linus. See Coryell andPauling,132, 769 Pauls, Frances, and Drury, Douglas R. The influence of insulin upon glycogen storage in the diabetic rat, 145, 481 Pavcek, P. L., and Shull, G. M. Inactivation of biotin by rancid fats, 146, 351 Peacock, Gail. See Emmett, Peacock, and Brown, 135, 131 Pearl, Irwin A. Determination of iodides in urine. 148, 85 Pearlman, W. H., and Wintersteiner, O. Estrogens with oxygen in Ring B. I. 7-Ketoestrone and 7-hydroxyestrone, 130, 35 — and —. II. Δ₆-Isoequilin from 7hydroxyestrone, 132, 605

Pearlman, W. H.—continued:	carotene in the presence of chlorophyll.
—. The isolation of etioallocholanol-	II. The stabilizing effect of sodium
$3(\beta)$ -17-one (isoandrosterone) from	cyanide, 149, 465
normal and pathological human urines,	Pereira, Rubens Salomé. A new photo-
136, 807	metric method for the determination
-, Pincus, Gregory, and Werthessen,	of iron, 137, 417
Nicholas T. The isolation of allo-	Perilstein, Warren L. See Lough, Peril-
pregnanol-3(β)-one-20 from human	
_	stein, Heinen, and Carter, 139, 487
	Perkins, Marie E. See Clark and
- and Conversion of estrone to	Perkins, 135, 643
estriol in viro, 144, 569	Perkinson, Jesse D., Jr. See Sealock,
— and —. The metabolism of estrone	Perkinson, and Basinski, 140, 153
in men, 147, 379	Perlman, I., and Chaikoff, I. L. Radio-
Pearson, P. B. The nicotinic acid con-	active phosphorus as an indicator of
tent of the blood of Mammalia,	phospholipid metabolism. V. On the
129, 4 91	mechanism of the action of choline
The pantothenic acid content of	upon the liver of the fat-fed rat,
the blood of Mammalia, 140, 423	127, 211
Peck, Robert L. See Anderson, Creigh-	- and VII. The influence of cho-
ton, and Peck, 133, 675	lesterol upon phospholipid turnover
- and Hauser, Charles R. Chemical	in the liver, 128, 735
studies of certain pathogenic fungi.	— and —. VIII. The influence of
III. Further studies on the lipids of	betaine on the phospholipid activity
Blastomyces dermatiditis and Monilia	
J	
albicans, 134, 403	-, Stillman, N., and Chaikoff, I. L.
See Anderson, Peck, and Creighton,	Radioactive phosphorus as an indi-
136, 211	cator of phospholipid metabolism.
- and Anderson, R. J. The chemistry	XI. The influence of methionine,
of the lipids of tubercle bacilli.	cystine, and cysteine upon the
LXIII. The fatty acids in the phos-	phospholipid turnover in the liver,
phatide prepared from cell residues	133, 651
from tuberculin, 138, 135	-, -, and XII. Further observa-
- and LXIV. Concerning phleimy-	tions on the effects of amino acids on
colic acid, 140, 89	phospholipid activity of the liver,
Pecker, A. See Greenblatt and Pecker,	135, 359
134, 341	-, Chaikoff, I. L., and Morton, M. E.
Pelczar, Michael J., Jr., and Porter,	Radioactive iodine as an indicator of
J. R. A microbiological assay tech-	the metabolism of iodine. I. The
nique for pantothenic acid with the	turnover of iodine in the tissues of
use of Proteus morganii, 139, 111	the normal animal, with particular
Pennington, Derrol. See Snell, Pen-	reference to the thyroid, 139, 433
	-, Morton, M. E., and Chaikoff, I. L.
nington, and Williams, 133, 559	Radioactive iodine as an indicator
-, Snell, Esmond E., and Williams,	
Roger J. An assay method for panto-	of the metabolism of iodine. II.
thenic acid, 135, 213	The rates of formation of thyroxine
Pepkowitz, Leonard P. The stability of	and diiodotyrosine by the intact
carotene in acetone and petroleum	normal thyroid gland, 139, 449
ether extracts of green vegetables.	—. See Morton, Perlman, and Chaikoff,
I. The photochemical destruction of	140, 603

Perlman, I.—continued:	Peterson, W. H.—continued:
See Fishler, Taurog, Perlman, and	—. See Hutchings, Bohonos, Hegsted,
Chaikoff, 141, 809	Elvehjem, and Peterson, 140, 681
See Taurog, Chaikoff, and Perlman,	See Hutchings, Bohonos, and Peter-
145, 281	son, 141, 521
Perlmann, Gertrude E. Combination	See Shull, Hutchings, and Peterson,
of proteins and metaphosphoric acid,	142, 913
137, 707	See McIntire, Peterson, and Riker,
— and Ferry, Ronald M. A note on the	143, 491
separation of kidney phosphatases,	See Lampen, Underkofter, and
142, 513	Peterson, 146, 277
Perlzweig, William A. See Sarett, Perl-	See Bohonos and Peterson, 149, 295
zweig, and Levy, 135, 483	Pett, L. B., and LePage, G. A. Vitamin
-, Levy, Edward D., and Sarett,	A deficiency. III. Blood analysis
Herbert P. Nicotinic acid deriva-	correlated with a visual test, 132, 585
tives in human urine and their deter-	See Le Page and Pett, 141, 747
mination, 136, 729	Pettit, Dorothy Seymour. See Bachman
See Huff and Perlzweig, 142, 401	and Pettit, 138, 689
See Klein, Perlzweig, and Handler,	Pfiffner, J. J., and North, H. B. 17-β-
145, 27	Hydroxyprogesterone, 132, 459
See Huff and Perlzweig, 150, 395	— and —. A new adrenal base,
-, Bernheim, Mary L. C., and Bernheim,	132, 461
Frederick. The methylation of nico-	— and —. Dimethyl sulfone; a constit-
tinamide by rat liver in vitro, 150, 401	uent of the adrenal gland, 134, 781
See Huff and Perlzweig, 150, 483	— and —. The isolation of 17-hydroxy- progesterone from the adrenal gland,
Petermann, Mary L. The action of	progesterone from the adrenar grand,
papain on beef serum pseudoglobulin	— and —. The isolation of a new
and on diphtheria antitoxin, 144, 607	α,β -unsaturated ketone from the ad-
and Hakala, N. V. Molecular kinetic and electrophoretic studies on car-	renal gland, 140, 161
	Phillips, George E. See Carter, Glick,
bonic anhydrase, 145, 701 Peters, David D. See Sobel, Yuska,	Norris, and Phillips, 142, 449
Peters, and Kramer, 132, 239	Phillips, Paul H. Preservation of bull
Peters, John H. The determination of	semen, 130, 415
creatinine and creatine in blood and	See Lardy and Phillips, 138, 195
urine with the photoelectric color-	See Boyer, Shaw, and Phillips,
imeter, 146, 179	143, 417
Peters, John P. See Solomon, Hald, and	See Boyer, Lardy, and Phillips,
Peters, 132, 723	146, 673
Petersen, W. E. See Shaw and Petersen,	See Lardy and Phillips,
147, 639	148, 333, 343
Peterson, Ralph E. Essential factors	149, 177
_	See Boyer, Lardy, and Phillips,
for the growth of the ciliate protozoan,	149, 529
Colpidium campylum, 146, 537	Phillips, Robert A. See Van Slyke,
Peterson, V. E. See Reineke, Peterson,	Phillips, Hamilton, Archibald,
and Turner, 128, 1	Futcher, and Hiller, 150, 481
Peterson, W. H. See Christensen, John-	Pickels, E. G. See Schmidt, Pickels, and
son, and Peterson, 127, 421	Levene, 127, 251
See Woolley, McDaniel, and Peter-	Pierce, John G. See Loring and Pierce,
son, 131, 381	148, 35

93

Piersma, Henry D. See Christensen, Edwards, and Piersma, 141, 187 Pilgrim, Francis J., Axelrod, A. E., and Elvehjem, C. A. The metabolism of pyruvate by liver from pantothenic acid- and biotin-deficient rats, 145, 237 Pillemer, L. See Ecker, Pillemer, Jones, and Seifter, 135, 347 — and Ecker, E. E. Anticomplementary factor in fresh yeast, 137, 139 Pincus, Gregory. See Pearlman, Pincus, and Werthessen, 142, 649 —. See Pearlman and Pincus, 144, 569 147, 379	Ponder, Eric—continued: —. Errors affecting the acid and the alkali hematin methods of determining hemoglobin, 144, 339 Poo, L. J., Lew, W., and Addis, T. Protein anabolism of organs and tissues during pregnancy and lactation, 128, 69 Porter, J. R. See Pelczar and Porter, 139, 111 Porush, Irving. See Dunn and Porush, 127, 261 Potter, V. R., Elvehjem, C. A., and Hart, E. B. Anemia studies with dogs, 126, 155
Pitesky, Isadore. See Flox, Pitesky, and Alving, 142, 147 Platz, Blanche R. See Schneider, Steenbock, and Platz, 132, 539 — See Quackenbush, Steenbock, and Platz, 145, 163 Plazin, John. See Van Slyke and Folch, 136, 509 Plentl, Albert A., and Page, Irvine H. The enzymatic nature of angiotonin formation from renin and renin activator, 147, 135 —, —, and Davis, W. W. The nature of renin activator, 147, 143 Poe, Charles F. See Larsen and Poe, 132, 129 — See Field and Poe, 132, 473 Pohl, Herbert A., and Flexner, Louis B. Transfer of radioactive sodium across the placenta of the cat, 139, 163 Polgár, A. See Zechmeister and Polgár, 139, 193	 Studies on the mechanism of hydrogen transport in animal tissues. I. Triose phosphate oxidation in the presence of malonate, 134, 417 See Lockhart and Potter, 137, 1 Studies on the mechanism of hydrogen transport in animal tissues. III. Cyanide inhibition of cytochrome c reduction, 137, 13 IV. The succinoxidase system, 141, 775 See Axelrod, Potter, and Elvehjem, 142, 85 and DuBois, K. P. The quantitative determination of cytochrome c, 142, 417 and Schneider, W. C. Studies on the mechanism of hydrogen transport in animal tissues. V. Dilution effects in the succinoxidase system, 142, 543 See DuBois and Potter, 147, 41 See DuBois, Albaum, and Potter,
Poling, C. E. See György, Poling, and Subbarow, 132, 789 Pollack, Maxwell A., and Lindner, Manfred. Glutamine and glutamic acid as growth factors for lactic acid bacteria, 143, 655 — and —. A growth stimulant for Lactobacillus casei, 147, 183 Pollok, Heinz. See Bergmann, Fruton, and Pollok, Ponder, Eric. The relation between red blood cell density and corpuscular hemoglobin concentration, 144, 333	—. See DuBois and Potter, 148, 451 —. See Schneider and Potter, 149, 217 —. See DuBois and Potter, 150, 185 Potts, Albert M., and Gallagher, T. F. Cystine, tyrosine, and arginine content of high potency pressor and oxytocic pituitary hormones, 143, 561 Powell, Eugene L. See Hogan, Powell, and Guerrant, 137, 41 Powell, Ross C., Jr., and Shaw, J. C. The non-utilization of lactic acid by the lactating mammary gland,

Prebluda, Harry J., and McCollum, E. V. A chemical reagent for thiamine, 127, 495 Price, Donald. See Weinstock, May, Arnold, and Price, 135, 343 Price, J. Waide. See Robinson, Price, and Hogden, 126, 207, 213 Price, W. C. See Lauffer and Price, 133, 1 Pucher, George W., Wakeman, Alfred J., and Vickery, Hubert Bradford. The organic acids of rhubarb (Rheum hybridum). III. The behavior of the organic acids during culture of excised leaves. 126, 43 -. See Vickery and Pucher, 128, 685, 703 See Vickery, Pucher, Schoenheimer, and Rittenberg, 129, 791 135, 531 -. See Vickery, Pucher, and Deuber, 145, 45 The organic acids of the leaves of Bryophyllum calycinum, 145, 511 - and Vickery, Hubert Bradford. On the identity of the so called crassulacean malic acid with isocitric acid, 145, 525 -. See Vickery and Pucher, 150, 197 Puck, T. T. See Wise, Puck, and Stral, 150, 61 Purinton, Helen J., and Schuck, Cecilia. Metabolic interrelationships of ascorbic and citric acids. 148, 237 Putnam, Frank W., and Neurath, Hans. Complex formation between synthetic detergents and proteins. 150, 263 Q

Quackenbush, F. W., Steenbock, H., and Platz, Blanche R. The nonspecificity of thiamine in fat synthesis, 145, 163 —, Cox, R. P., and Steenbock, H. Tocopherol and the stability of carotene, 145, 169

R

Rabinovitch, Alexander. See Austoni, Rabinovitch, and Greenberg, 134, 17

Rabinowitch, L., and Wynne, A. M.
Studies on pancreatic lipase. III.
The activation of the washed enzyme
by blood serum and other substances,
126, 109

Raborg, Jane. See Stotz and Raborg, 150, 25

Rachele, Julian R. See du Vigneaud, Hofmann, Melville, and Rachele,

Rae, James J., and Eastcott, Edna V.

The effect of urea and sodium chloride
on the colorimetric determination of

on the colorimetric determination of organic phosphate by King's method 129, 255

- and -. The estimation of phosphatase in yeast, 136, 443

Rafferty, M. A., and MacLachlan, P. L.
Influence of increased environmental
temperature on blood sugar, liver
glycogen, and absorption in rats
following the administration of glucose
and starch,
140, 167

Raistrick, H. See Birkinshaw and Raistrick, 148, 459

Ralli, Elaine P., Clarke, Delphine H., and Kennedy, Ethelmay. The sodium chloride levels and the effect of sodium chloride administration on the abnormal manifestations associated with a deficiency of the filtrate factors of vitamin B in rats, 141, 105

Ramsdell, Pauline A. See Ball and Ramsdell, 131,767
Randall, F. E. See Scott, Randall, and

Hessel, 141, 325
Randall, Lowell O. Effect of repeated

Randall, Lowell O. Effect of repeated insulin hypoglycemia on the lipid composition of rabbit tissues,

—. Effect of testosterone on serum lipids in schizophrenia, 133, 137

Rane, Leo, and Subbarow, Yellapragada.

Choline, pantothenic acid, and nicotinic acid as essential growth factors for pneumococcus, 134, 455

Ranney, Helen, and McCune, D. J. A photometric micromethod for the determination of inulin in serum and urine, 150, 311

Raper, John R., and Haagen-Smit, A. J. Sexual hormones in Achlya. IV. Properties of hormone A of Achlya bisexualis, 143, 311 Rapoport, S., and Guest, George Martin. Changes of organic acid-soluble phosphorus, diphosphoglycerate, adenosinetriphosphate, and inorganic phosphorus in the blood cells of rats during the development and healing of rickets, 126, 749 - and -. The decomposition of diphosphoglycerate in acidified blood: its relationship to reactions of the glycolytic cycle, 129, 781 - and -. The rôle of diphosphoglyceric acid in the electrolyte equilibrium of blood cells: studies of pyloric obstruction in dogs, 131, 675 Phytic acid in avian erythrocytes, 135, 403 - and Guest, George Martin. Distribution of acid-soluble phosphorus in the blood cells of various vertebrates, 138, 269 -, Leva, Ernst, and Guest, George Martin. Phytase in plasma and erythrocytes of various species of vertebrates, 139, 621 -, -, and -. Phosphorus exchange in phytate, lipids, and nucleoproteins in the erythrocytes of geese, 139, 633 -. See Leva and Rapoport, 141, 343 - and Guest, George Martin. The formation of phosphorylated glyceric acid in the blood cells of various 143, 671 species, -. See Nelson, Rapoport, Guest, and Mirsky, 144, 291 See Leva and Rapoport, 149, 47 -, Leva, Ernst, and Guest, George Martin. The distribution of acidsoluble phosphorus in the livers of rats, fed and fasting, 149, 57 -, -, and -. The distribution of acid-soluble phosphorus in the livers of fasted rats fed glucose, casein, olive oil, or a mixed diet, 149, 65 Ratish, Herman D., Bullowa, Jesse G. M., Ames, James B., and Scudi, John

V. Urinary excretion products of sulfanilyl-2-aminopyridine, 128, 279 Ratner, S. See Schoenheimer and Ratner, 127, 301

- —. See Schoenheimer, Ratner, and Rittenberg, 127, 333 130, 703
- -, Schoenheimer, Rudolf, and Rittenberg, D. Studies in protein metabolism. XIII. The metabolism and inversion of d(+)-leucine studied with two isotopes, 134, 653
- —, Rittenberg, D., Keston, Albert S., and Schoenheimer, Rudolf. Studies in protein metabolism. XIV. The chemical interaction of dietary glycine and body proteins in rats, 134, 665
- --, --, and Schoenheimer, Rudolf.
 The stability of hydrogen-carbon linkages in glutamic acid, 135, 357
 --. See Roloff, Ratner, and Schoen-
- heimer, 136, 561

 —. See Schoenheimer, Ratner, Ritten-
- -. See Schoenheimer, Rather, Ritten berg, and Heidelberger,

144, 541, 545

- See Heidelberger, Treffers, Schoenheimer, Ratner, and Rittenberg,
 - 144, 555
- —, Weissman, Norman, and Schoenheimer, Rudolf. The metabolism of d-lysine investigated with deuterium and heavy nitrogen, 147, 549
- -. See Green, Nocito, and Ratner,
- Rawson, Ruth A. See Guest and Rawson, 139, 535
- Ray, Thomas W. The determination of manganese in organic material containing large amounts of calcium and chlorides. The determination of manganese in the mouse and in milk,

134, 677

- Raymond, Albert L., Tipson, R. Stuart, and Levene, P. A. The substitution of glucose in position 4. II. 2,3-Diacetyl β-benzylglucoside and its derivatives;
 130, 47
- Redd, John C. See Anderson, Seeley, Stewart, Redd, and Westerbeke,

135, 189

Redemann, C. E., and Dunn, Max S. A general method for the synthesis of α-amino acids with ethyl benzamidomalonate. 130, 341 Redish, Jules. See Greenwald, Redish, and Kibrick, 135, 65 Reed, Gerald. The polarographic estimation of cystine in urine. 142, 61 Reeves, Richard E., and Goebel, Walther F. Chemoimmunological studies on the soluble specific substance of pneumococcus. V. The structure of the Type III polysaccharide, 139, 511 See Adams, Reeves, and Goebel, 140, 653 Reichel. Max. See Thannhauser andReichel, 135, 1 - and Thannhauser, S. J. Studies on animal lipids. XVII. The synthesis of lignocerylsphingosine fattv esters (sphingosine fats) and sphingosine amides (ceramides), Reinecke, Roger M. The application of the skatole color reaction to the determination of fructose in blood, 142, 487 -. The determination of glucose in minimal quantities of blood, 143, 351 Reineke, E. P., Peterson, V. E., and Turner, C. W. The partition of the serum globulins of the dairy goat, 128, 1 -, Williamson, M. B., and Turner, C. W. Utilization of glycoprotein of the blood plasma by the lactating mammary gland, 138, 83 -, -, and -. The effect of progressive iodination on the thyroidal activity of iodinated casein, -, -, and -. The effect of progressive iodination followed by incubation at high temperature on the thyroidal activity of iodinated proteins, 147, 115 - and Turner, C. W. The recovery of crystalline thyroxine from iodinated casein, 149, 555 and —. The recovery of l-thyroxine from iodinated casein by direct hydrolysis with acid, 149, 563 Reiner, L., and Lang, E. H. Insulin azo derivatives, 139, 641 See Searle and Reiner, 141, 563

Reiner, L.—continued: -, Moore, Dan H., Lang, E. H., and Green, Milton. Electrophoretic components of globin, 146, 583 Reinhardt, W. O. See Morton, Chaikoff, Reinhardt, and Anderson, 147, 757 Reinhart, Francis E. See Woodward, Reinhart, and Dohan, 138, 677 See Woodward and Reinhart, 145, 471 Reinhart, Harry L. See Shinowara. Jones, and Reinhart, 142, 921 Reinstein, Harold. See Thannhauser. 129, 709 Benotti, and Reinstein, See Thannhauser, Benotti, Walcott, 129, 717 and Reinstein, Reiser, Raymond. Phosphorus changes during the absorption of oil and 135, 303 glucose, -. The lipids of the duodenal mucosa of swine during the absorption of fat, 143, 109 Reithel, F. J. See Roberts, Cain, Muir, Reithel, Gaby, Van Bruggen, Homan, Katzman, Jones, and Doisy, 147, 47 -. See Van Bruggen, Reithel, Cain, Katzman, Doisy, Muir, Roberts, Gaby, Homan, and Jones, Remmert, LeMar F., and Butts, Joseph S. Studies in amino acid metabolism VIII. The metabolism of l(-)histidine in the normal rat, 144, 41 Rennebaum, E. H. See Martin, Rennebaum, and Thompson, 139, 871 Rhoads, C. P. See Kensler, Young, and 143, 465 Rhoads. Rice, Eldon E. See Rose and Rice, 130, 305 -. A simplified procedure for the isolation of lysine from protein hydrolysates, 131, 1 Richards, A. N. See Bott and Richards, 141, 291 Richards, Marianna M., and Hellerman, Leslie. Activation of enzymes. VI. Purified liver arginase: reversible inactivation and reactivation, 134, 237

Riegel, Byron, Schweitzer, Carl E., and

cal concentration of vitamin K.

Smith, Perrin G. The physicochemi-

129, 495

Riemenschneider, R. W., Ellis, N. R.,	Rittenberg, D.—continued:
and Titus, Harry W. The fat acids in	lism. IX. The utilization of ammonia
the lecithin and glyceride fractions of	by normal rats on a stock diet,
egg yolk, 126, 255	128, 603
-, Wheeler, D. H., and Sando, Charles	See Vickery, Pucher, Schoenheimer,
E. The probable identity of α - and	and Rittenberg, 129, 791
β -linoleic acids, 127, 391	See Schoenheimer, Ratner, and
 See Wheeler, Riemenschneider, and 	Rittenberg, 130, 703
Sando, 132, 687	See du Vigneaud, Cohn, Brown,
Riggs, Benjamin C., and Stadie, William	Irish, Schoenheimer, and Rittenberg,
C. A photoelectric method for the	131, 273
determination of peptic activity in	 See Clutton, Schoenheimer, and
gastric juice, 150, 463	Rittenberg, 132, 227
Riggs, D. S., and Man, Evelyn B. A	- and Foster, G. L. A new procedure
permanganate acid ashing micro-	for quantitative analysis by isotope
method for iodine determinations. I.	dilution, with application to the
Values in blood of normal subjects,	determination of amino acids and
134, 193	fatty acids, 133, 737
—, Lavietes, Paul H., and Man, Evelyn B.	See Graff, Rittenberg, and Foster,
Investigations on the nature of blood	133, 745
iodine, 143, 363	See Ratner, Schoenheimer, and Rit-
Riker, A. J. See McIntire, Peterson,	tenberg, 134, 653
and Riker, 143, 491	See Ratner, Rittenberg, Keston, and
Rinehart, Robert E. See West, Christen-	Schoenheimer, 134, 665
sen, and Rinehart, 132, 681	See Ratner, Rittenberg, and Schoen-
See West and Rinehart, 146, 105	heimer, 135, 357
Ringel, S. J. See Horn, Jones, and	See Vickery, Pucher, Schoenheimer,
Ringel, 138, 141	and Rittenberg, 135, 531
144, 87, 98	- and Waelsch, Heinrich. The source
Risser, William C. See Carter and	of carbon for urea formation, 136, 799
Risser, 139, 255	See Bloch, Schoenheimer, and Ritten-
Rittenberg, D. See Schoenheimer and	berg, 138, 155
Rittenberg, 127, 285	—. See Chargaff, Ziff, and Rittenberg,
-, Keston, Albert S., Rosebury, F., and	138, 439
Schoenheimer, Rudolf. Studies in	—. See Waelsch and Rittenberg,
protein metabolism. II. The deter-	139, 761
mination of nitrogen isotopes in	—. See Bloch and Rittenberg, 143, 297
organic compounds, 127, 291 —. See Keston, Rittenberg, and Schoen-	—. See Waelsch and Rittenberg, 144, 53
See Keston, Rittenberg, and Schoen- heimer, 127, 315	See Chargaff, Ziff, and Rittenberg,
See Foster, Schoenheimer, and Rit-	144, 343
tenberg, 127, 319	See Schoenheimer, Ratner, Ritten-
— and Schoenheimer, Rudolf. Studies	berg, and Heidelberger, 144, 541, 545
in protein metabolism. VI. Hippuric	See Heidelberger, Treffers, Schoen-
acid formation studied with the aid of	heimer, Ratner, and Rittenberg,
the nitrogen isotope, 127, 329	144, 555
See Schoenheimer, Ratner, and Rit-	See Bloch and Rittenberg, 145, 625
tenberg, 127, 333	See Hoberman and Rittenberg,
See Schoenheimer, Rittenberg, and	147, 21
Keston, 127, 385	See Bloch and Rittenberg, 149, 505
-, Schoenheimer, Rudolf, and Keston,	See Bloch, Berg, and Rittenberg,
Albert S. Studies in protein metabo-	149, 51
•	

Ritzmann, Johana R. See Wintersteiner and Ritzmann, 136, 697

Roberts, E. C., Cain, C. K., Muir, R. D., Reithel, F. J., Gaby, W. L., Van Bruggen, J. T., Homan, D. M., Katzman, Philip A., Jones, L. R., and Doisy, Edward A. Penicillin B, an antibacterial substance from Penicillium notatum, 147, 47

 See Van Bruggen, Reithel, Cain, Katzman, Doisy, Muir, Roberts, Gaby, Homan, and Jones, 148, 365

Roberts, Eugene, and Christman, A. A.

The influence of lactose and its hydrolysis products on the absorption of calcium,

145, 267

Roberts, Richard G. Some reactions of ammonolyzed insulin, 128, 597

Roberts, Richard M. See Boyd, Conn, Gregg, Kistiakowsky, and Roberts,

Roberts, Willard L. See Campbell, Roberts, Smith, and Link, 136, 47 — See Campbell, Smith, Roberts, and Link, 138, 1

Robertson, William van B., Ropes, Marian W., and Bauer, Walter. Mucinase: a bacterial enzyme which hydrolyzes synovial fluid mucin and other mucins, 133, 261

Robeson, C. D. See Baxter, Harris,
Hickman, and Robeson, 141, 991
Robinson, Abner, See Reach, Munks

Robinson, Abner. See Beach, Munks, and Robinson, 148, 431

Robinson, C. S., Stewart, David Earl, and Luckey, Freeman. The changes in composition of solutions of calcium chloride and calcium lactate in the intestine, 137, 283

--, Luckey, Hugh, and Mills, Hugh. Factors affecting the hydrogen ion concentration of the contents of the small intestine, 147, 175

Robinson, Howard W., Price, J. Waide, and Hogden, Corinne G. The estimation of albumin and globulin in blood serum. II. Separation of fractions by centrifugation with the angle centrifuge, 126, 207

-, - and -. III. The precipitation of

Robinson, Howard W .- continued:

globulin at twenty-five degrees by sodium sulfate, 126, 213

— and Hogden, Corinne G. The biuret reaction in the determination of serum proteins. I. A study of the conditions necessary for the production of a stable color which bears a quantitative relationship to the protein concentration, 135, 707

— and —. II. Measurements made by a
 Duboseq colorimeter compared with
 values obtained by the Kjeldahl
 procedure, 135, 727

 and —. The influence of serum proteins on the spectrophotometric absorption curve of phenol red in a phosphate buffer mixture, 137, 239

and —. The gravimetric determination of blood serum proteins, 140, 853
Robinson, Sid. See Dill, Wilson, Hall, and Robinson, 136, 449
Robinson, William D. See Melnick,

Robinson, William D. See Melnick, Robinson, and Field,

136, 131, 145, 157 138, 49

Roboz, Elisabeth. See Lepkovsky, Roboz, and Haagen-Smit, 149, 195 Rocha e Silva, M., and Andrade, Sylvia O. Histamine and proteolytic enzymes. Liberation of histamine by

papain, 149, 9
Rodden, Clement J. See du Vigneaud,
Miller, and Rodden, 131, 631

Roe, Joseph H., and Hall, James M.
The vitamin C content of human urine
and its determination through the
2,4-dinitrophenylhydrazine derivative of dehydroascorbic acid, 128, 329

tive of dehydroascorbic acid, 128, 329

—. See Kassan and Roe, 133, 579

And Kuether, Carl A. The determination of ascorbic acid in whole blood and urine through the 2,4-dinitrophenylhydrazine derivative of dehydroascorbic acid, 147, 399

Roepke, Raymond R., and Baldes, Edward J. A critical study of the thermoelectric method of measuring vapor pressure, 126, 349

— and Mason, Harold L. Micelle formation in aqueous solutions of bile salts, 133, 103

Bandier and Hald's method for deter-

mination of nicotinic acid, 134, 137

See Stokstad, Almquist, Mecchi,	Rosenfeld, Bruno. The irreversible
Manning, and Rogers, 137, 373	transformation of dehydroascorbic
Roloff, Marjorie, Ratner, S., and Schoen-	acid, 150, 281
heimer, Rudolf. The biological con-	Rosenfeld, Morris. A photoelectric
version of ornithine into proline and	photometer for colorimetric chemical
glutamic acid, 136, 561	analysis, 129, 179
Roma, Michael. See Eichelberger,	Rosenthal, Otto, and Drabkin, David L.
140, 467	Spectrophotometric studies. XI. The
Romanoff, Elijah B. See Looney and	direct micro spectrophotometric deter-
Romanoff, 136, 479	mination of cytochrome c , 149, 437
Ropes, Marian W. See Robertson, Ropes,	— and —. The cytochrome c content
and Bauer, 133, 261	of normal and neoplastic mammalian
Rosdahl, Karl Gustaf. See Ågren, Ham-	epithelium, and its correlation with
marsten, and Rosdahl, 127, 541	body mass, 150, 131
Rose, Catharine S. See György, Rose,	Rosner, Lawrence. The reaction be-
and Tomarelli, 144, 169	tween iodoacetic acid and denatured
Rose, William C., and Eppstein, Samuel	egg albumin, 132, 657
H. The dietary indispensability of	Ross, A. Frank. The sulfur distribution
valine, 127, 677	in tobacco mosaic virus protein,
- and Rice, Eldon E. The utilization of	136, 119
certain sulfur-containing compounds	The determination of some amino
for growth purposes, 130, 305	acids in tobacco mosaic virus protein,
See Womack and Rose, 141, 375	138, 741
- and Wood, Thomas R. The synthesis	—. The fractionation of the amino acids
of cystine in vivo, 141, 381	of tobacco mosaic virus protein,
- and Fierke, Scheuring S. The rela-	-
tion of aspartic acid and glucosamine	Ross, Victor, Moore, Dan H., and Miller,
to growth, 143, 115	
-, Johnson, Julius E., and Haines,	Edgar G., Jr. Proteins of human seminal plasma, 144, 667
William J. The metabolism of valine	- · ·
in phlorhizin glycosuria, 145, 679	Ross, William F. The phyllochromogen
-, Haines, William J., and Johnson,	of protoporphyrin and pyridine,
Julius E. The rele of the amino acids	127, 163
in human nutrition, 146, 683	—. The heme-globin linkage of hemo-
-, -, -, and Warner, Donald T. Fur-	globin. I. The course of the pancre-
ther experiments on the rôle of the	atic digestion of oxyhemoglobin and
amino acids in human nutrition,	of carboxyhemoglobin, 127, 169
148, 457	II. The molecular weight of the
Rosebury, F. See Rittenberg, Keston,	product from carboxyhemoglobin,
Rosebury, and Schoenheimer, 127, 291	127, 179
Rosen, Charles. See Evelyn, Malloy,	- and Christensen, Halvor N. Carbon
and Rosen, 126, 645	suboxide and proteins. I. The nature
Rosenbaum, Jack D., and Lavietes, Paul	of the reaction, 137, 89
H. Lipoid-thiocyanate in serum, 131, 663	See Christensen and Ross, 137, 101
Rosenblum, Harold. See Sofin, Rosen-	— and Green, Leila S. Carbon suboxide
blum, and Shultz, 147, 557	and proteins. III. The reaction of
Rosenblum, Louis A., and Jolliffe,	carbon suboxide with amino acids,
Norman. Application to urine of	
norman. Application to utilie of	201, 100

Rogers, R. E. See Stokstad, Manning,

132, 463

and Rogers,

Rubin, Jack. See Alving, Rubin, and Ross, William F .- continued: - and Turner, Richard B. The hemeglobin linkage of hemoglobin. III. Rubin, Louis B. See Shankman, Dunn, Analysis of the carbon monoxide and Rubin, 150, 477 product. The pancreatic digestions Rubin, S. H. The determination of the buffer alkali in cutaneous blood, of several forms of hemoglobin, 139,603 126, 679 The plasma and red blood cell See Oncley, Ross, and Tracy, 141, 797 lipids in persistent (diabetic) lipemia -. See Tracy and Ross, 142, 871 and in transient (alimentary) lipemia, - and Tracy, Ann H. Carbon suboxide 131, 691 and proteins. VI. Chymotryptic di-Rudolph, Guilford G. See Cahill and gestion of malonyl egg and serum Rudolph. 145, 201 albumins. 145, 19 Rusch, H. P. See Deutsch, Kline, and - and Wood, Thomas R. The partial Rusch, 141, 529 purification and some observations on Rusk. Howard A. See Weichselbaum. the nature of the parathyroid hormone, Somogyi, and Rusk, 132, 343 146, 49 Rusoff, Irving I. See Norris, Rusoff, See Wood and Ross, 146, 59 Miller, and Burr, 139, 199 -. See Tracy and Ross, 146, 63 147, 273 Rossiter, Roger James. Some factors Russell, Jane A., and Wilhelmi, Alfred influencing the oxidation of alanine E. Metabolism of kidney tissue in by liver tissue, 135, 431 the adrenalectomized rat, .137, 713 Rothen, Alexandre. See Levene and - and -. Glyconeogenesis in kidney Rothen,127, 237 tissue of the adrenalectomized rat, Roughton, F. J. W. A simple, accurate 140, 747 method of estimating carbon monoxide -. See Frame, Russell, and Wilhelmi, in blood, 137, 617 149, 255 A method of allowing for the Russell, Mary A. See Weil and Russell, influence of diffusion in manometric 126, 245 measurements of certain rapid bio-136, 9 chemical reactions. 141, 129 144, 307 -. See Horvath and Roughton, Russell, Walter C. See Nield, Russell, 144, 747 and Zimmerli, 136, 73 - and Scholander, P. F. Micro gaso- See Zimmerli, Nield, and Russell. metric estimation of the blood gases. 148, 245 I. Oxygen, 148, 541 Ryan, Josephine. See Talbot, Ryan, and -. See Scholander and Roughton, Wolfe, 148, 593 148, 551 S —. See Edwards, Scholander, and Roughton. 148, 565 Sahyun, Melville. Crystalline insulin of -. See Scholander and Roughton, low zinc content, 138, 487 148, 573 Saidel, Leo J. See Nicolet and Saidel, Routh, Joseph I. The decomposition of 139, 477 cystine in aqueous solution. -. See Nicolet, Shinn, and Saidel, -. The decomposition of cysteine in 142, 609 aqueous solution, 130, 297 Chemical studies on powdered wool, Saier, Eleanor, Warga, Mary, and Grauer, Robert C. Differences in calibration 135, 175 Ruben, S. See Changus, Chaikoff, and curves of androsterone and dehydro-Ruben, 126, 493 isoandrosterone. 137, 317

Sayers, George. See Orten and Sayers,

145, 123

Saier, Eleanor-continued: Samuels, Leo T. See Koenig, Melzer, -, Grauer, Robert C., and Starkey, Szego, and Samuels, William F. The chromogenic effect of Sander, Frank V., Jr. The effects of varying mixtures of androsterone and high pressure on the inversion of dehydroisoandrosterone. sucrose and the mutarotation of 148, 213 Saifer, Abraham, and Hughes, James. glucose, 148, 311 Determination of chlorides in biologi-Sandkuhle, J., Kirk, Paul L., and Cuncal fluids by the use of adsorption ningham, Burris. Quantitative drop indicators. The use of dichlorofluanalysis. XVII. Gasometric deterorescein for the volumetric micromination of amino nitrogen, 146, 427 determination of chlorides in zinc Sando, Charles E. See Riemenschneider, filtrates of biological fluids, 129, 273 Wheeler, and Sando, -, -, and Scudero, Frank. Determina--. See Wheeler, Riemenschneider, and tion of chlorides in biological fluids Sando. 132, 687 by the use of adsorption indicators. Sandstrom, W. M. See Lindstrom and The use of eosin for the volumetric Sandstrom. 138, 445 microdetermination of chlorides in Sanigar, E. B. See Krejci, Stock, Sanigar, and Kraemer, acetone filtrates of biological fluids, 142, 785 141, 495 Sarett, Herbert P., Perlzweig, William -, -, and Weiss, Ethel. Determination A., and Levy, Edward D. Synthesis of chlorides in biological fluids by the and excretion of trigonelline, 135, 483 use of adsorption indicators. A new See Perlzweig, Levy, and Sarett, method for the determination of the 136, 729 plasma volume of blood, 146, 527 A direct method for the determina-Sakami, Warwick, and Toennies, Gerrit. tion of N-methyl derivatives of nico-The investigation of amino acid retinic acid in urine, 150, 159 actions by methods of non-aqueous Saum, Arthur M. See Neurath and titrimetry. II. Differential acetyla-Saum, 126, 435 tion of hydroxy groups, and a method 128, 347 for the preparation of the O-acetyl Saunders, Felix, Dorfman, Albert, and Koser, Stewart A. The rôle of nicoderivatives of hydroxyamino acids, 144, 203 tinamide and related compounds in Salisbury, L. Frank, and Anderson, R. J. the metabolism of certain bacteria, Concerning the chemical composition 138, 69 of Cysticercus fasciolaris, Saunders, Paul R. See Alles, Blohm, Peter Waldemar. A microand Saunders, 144, 757 colorimetric method for the determina-Sawyer, Susan D. See Larson, Champotassium in biological bers, Blatherwick, Ewing, and Sawyer, tion ofmaterials. 136, 191 129, 701 Salmon, C. Lester, Jr. See Abbott and —. See Blatherwick, Larson, and Salmon, 150, 339 Sawyer, 133, 643 -. See Blatherwick, Bradshaw, Ewing, Salter, William T. See Muus, Coons, and Larson, and Sawyer, Salter. 139, 135 134, 549 -. See Larson, Blatherwick, Bradshaw, Salzburg, Peter, and Watson, Cecil James. A study of the supposed Ewing, and Sawyer, 136, 1 conversion of protoporphyrin to copro- See Blatherwick, Bradshaw, Ewing, porphyrin by the liver. II. The and Sawver. 136, 615 porphyrin metabolism of rabbit liver, See Larson, Blatherwick, Bradshaw, Ewing, and Sawyer, 139, 593 138, 353

Sampson, W. L. See Fieser, Tishler,

137, 659

and Sampson,

Sayers, George-continued:

White, Abraham, and Long, C. N. H.
 Preparation and properties of pituitary adrenotropic hormone, 149, 425
 Schachman, Howard K. An alignment

chart for the computation of ultracentrifugation results, 143, 395

Schachner, H. See Fries, Schachner, and Chaikoff, 144, 59

-, Fries, B. A., and Chaikoff, I. L. The effect of hexoses and pentoses on the formation *in vitro* of phospholipid by brain tissue as measured with radioactive phosphorus, 146, 95

Schachter, Benjamin, and Marrian, Guy Frederic. The isolation of estrone sulfate from the urine of pregnant mares, 126,663

Schaefer, A. E. See Moxon, Schaefer, Lardy, DuBois, and Olson, 132, 785

-. See McKibbin, Schaefer, Frost, and Elvehjem, 142, 77

McKibbin, J. M., and Elvehjem,
 A. Pantothenic acid deficiency studies in dogs,
 143, 321

-, -, and -. Nicotinic acid deficiency studies in dogs, 144, 679

See McKibbin, Schaefer, Elvehjem,
 and Hart,
 145, 107

Schales, Otto, and Schales, Selma S.

A simple and accurate method for the determination of chloride in biological fluids, 140, 879

Schales, Selma S. See Schales and Schales, 140, 879

Scheel, Lester D. See Link, Overman, Sullivan, Huebner, and Scheel,

147, 463

Scheer, Bradley T. Some features of the metabolism of the carotenoid pigments in the California sea mussel (Mytilus californianus), 136, 275

— and Scheer, Marlin Ann Ray. The activation of uricase by cysteine,

Scheer, Marlin Ann Ray. See Scheer and Scheer, 150, 359

Schein, Arnold. See Block, 128, 181
Schenck, Jay R. See du Vigneaud,
Cohn, Chandler, Schenck, and Simmonds, 140, 625

Schenck, Jay R .- continued:

 On the origin of β-alanine in the animal body and a microbiological method of β-alanine assay, 149, 111

Simmonds, Sofia, Cohn, Mildred,
 Stevens, Carl M., and du Vigneaud,
 Vincent. The relation of transmethylation to anserine,
 149, 355

Schlenk, F., and Schlenk, T. A method for the determination of adenosine-5'-phosphoric acid and its homologues, 141, 311

 and Ginrich, Wendell. Nicotinamide-containing nutrilites for Hemophilus parainfluenzae, 143, 295

 Identification of the carbohydrate group in the nicotinamide nucleotides, 146, 619

Schlenk, T. See Schlenk and Schlenk, 141, 311

Schmidt, Carl L. A. See Tarrer and Schmidt, 130, 67

See Tompkins and Schmidt,

143, 643

See Tarver and Schmidt, 146, 69
 Schmidt, E. G. An ether extraction method for the determination of urine phenols, 145, 533

 An ether extraction method for the determination of blood phenols,

150, 69

Schmidt, Gerhard, and Levene, P. A. Ribonucleodepolymerase (the Jones-Dubos enzyme), 126, 423

—, Pickels, E. G., and Levene, P. A. Enzymatic dephosphorylation of desoxyribonucleic acids of various degrees of polymerization, 127, 251

See Cori, Cori, and Schmidt,

129, 629

and Thannhauser, S. J. Intestinal phosphatase,
 149, 369

Schmidt, L. H., and Hughes, Hettie B. Studies on bile acid metabolism. I. The fate of cholic acid in the guinea pig, 143, 771

--, --, Green, Mary H., and Cooper, Elizabeth. Studies on bile acid metabolism. II. The action of Alcaligenes faecalis on cholic acid, 145, 229

Schneider, A. K., and Spielman, M. A. Schoenheimer. Rudolf-continued: The synthesis of some methylated teins investigated with l(-)-leucine fatty acids. 142, 345 containing two isotopes, 130, 703 Schneider, H., and Steenbock, H. A See Bloch and Schoenheimer, low phosphorus diet and the response 131, 111 of rats to vitamin D2, 128, 159 See du Vigneaud, Cohn, Brown, -, -, and Platz, Blanche R. Essential Irish, Schoenheimer, and Rittenberg, fatty acids, vitamin B₈, and other 131, 273 factors in the cure of rat acrodynia, See Clutton, Schoenheimer, and 132, 539 Rittenberg, 132, 227 Schneider, Howard A. See Folch and See Stetten and Schoenheimer, Schneider, 137, 51 133, 329, 347 w. Schneider. C. See Potter andSee Bloch and Schoenheimer, Schneider, 142, 543 133, 633 - and Potter, V. R. The assay of -. See Bernhard and Schoenheimer, animal tissues for respiratory enzymes. 133, 707, 713 II. Succinic dehydrogenase and cyto- See Ratner, Schoenheimer, and Ritchrome oxidase, 149, 217 tenbera. 134, 653 Schoenheimer, Rudolf, and Rittenberg, -. See Ratner, Rittenberg, Keston, and D. Studies in protein metabolism. Schoenheimer, 134, 665 I. General considerations in the See Bloch and Schoenheimer, application of isotopes to the study of 134, 785 metabolism. The 135, 99 abundance of nitrogen isotopes in See Rainer, Rittenberg, and Schoenamino acids, 127, 285 135, 357 -. See Rittenberg, Keston, Rosebury, See Moss and Schoenheimer, and Schoenheimer, 127, 291 135, 415 - and Ratner, S. Studies in protein See Vickery, Pucher, Schoenheimer, metabolism. III. Synthesis of amino and Rittenberg, 135, 531 acids containing isotopic nitrogen, See Roloff, Ratner, and Schoen-127, 301 heimer, 136, 561 -. See Keston, Rittenberg, and Schoen-See Bloch, Schoenheimer, and Rit-127, 315 heimer, tenberg, 138, 155 -. See Foster, Schoenheimer, and Rit- See Bloch and Schoenheimer, tenberg, **127.** 319 138, 167 See Rittenberg and Schoenheimer, See Weissman and Schoenheimer, 127, 329 140, 779 Ratner, S., and Rittenberg, D. -, Ratner, S., Rittenberg, D., and Studies in protein metabolism. VII. Heidelberger, Michael. The interac-The metabolism of tyrosine, 127, 333 tion of the blood proteins of the rat -, Rittenberg, D., and Keston, Albert S. with dietary nitrogen, Studies in protein metabolism. VIII. -, -, -, and -. The interaction of The activity of the α -amino group of antibody protein with dietary nitrogen histidine in animals, 127, 385 in actively immunized animals, -. See Rittenberg, Schoenheimer, and 144, 545 Keston, 128, 603 -. See Heidelberger, Treffers, Schoen- See Vickery, Pucher, Schoenheimer, heimer, Ratner, and Rittenberg, and Rittenberg, 129, 791 144, 555 Ratner, S., and Rittenberg, D. See Ratner, Weissman, and Schoen-Studies in protein metabolism. X. 147, 519 The metabolic activity of body proheimer,

Scholander, P. F. Method for the determination of the gas content of tissue, 142, 427 -, Irving, Laurence, and Grinnell, S. W. Aerobic and anaerobic changes in seal muscles during diving, 142, 431 Analyzer for quick estimation of respiratory gases, 146, 159 -, Edwards, G. A., and Irving, Laurence. Improved micrometer burette, 148, 495 -. See Roughton and Scholander, 148, 541 - and Roughton, F. J. W. Micro gasometric estimation of the blood gases. II. Carbon monoxide, 148, 551 —. See Edwards, Scholander, andRoughton, 148, 565 - and Roughton, F. J. W. Micro gasometric estimation of the blood gases. IV. Carbon dioxide, 148, 573 Schousboe, Jan. Use of Krogh's precision syringe for rapid specific gravity measurement of serum as an indicator of protein content, 129, 371 Schroeder, E. F., and Woodward, Gladys E. A titrimetric modification of the glyoxalase method for the estimation 129, 283 of reduced glutathione, Schroeder, W. A. See Zechmeister and 144, 315 Schroeder. Schubert, Maxwell P. The combination of cysteine with sugars, 130, 601 Schuck, Cecilia. See Purint onand Schuck, 148, 237 Schultz, Alfred S. See Atkin, Schultz, and Frey, 129, 471 -, Atkin, Lawrence, and Frey, Charles N. The effect of bios on the nitrogen metabolism of yeast. I. Ammonia and carbamide. 135, 267 -, -, and -. A method for the determination of thiamine and certain of its metabolic products in urine, 136, 713 Schultz, Julius, and Lewis, Howard B. The excretion of volatile selenium compounds after the administration of sodium selenite to white rats, 133, 199 Schultze, M. O. The effect of deficiencies in copper and iron on the cytochrome oxidase of rat tissues, 129, 729

Schultze, M. O.—continued:

 Harrer, Carter J., and King, C. G. Studies on the possible carrier rôle of ascorbic acid in animal tissues,

131, 5

 and Kuiken, K. A. The effect of deficiencies in copper and iron on the catalase activity of rat tissues,

137, 727

—. The relation of copper to cytochrome oxidase and hematopoietic activity of the bone marrow of rats, 138, 219

 The isolation of protoporphyrin IX from feces of normal and anemic rats, 142, 89

— and Simmons, S. J. The use of radioactive copper in studies on nutritional anemia of rats, 142, 97 Schumacher, A. E., Heuser, G. F., and Norris, L. C. The complex nature of the alcohol precipitate factor required by the chick, 135, 313

Schwartz, Bernard M. See Smith, Winkler, and Schwartz, 129, 51 Schwartz, Samuel. See Watson, Pass,

and Schwartz, 139, 583
Schweitzer, Carl E. See Riegel.

Schweitzer, and Smith, 129, 495
Schwenk, Erwin, Fleischer, Gerhard
A., and Tolksdorf, Sibylle. A new
method for the preparation of pro-

lactin, 147, 535
Schwerin, Paula. See Haurowitz,
Schwerin, and Yenson, 140, 353
Schwimmer, Sigmund. See Kies and
Schwimmer, 145, 685

Scott, D. A., and Mendive, J. R. Observations on carbonic anhydrase,

139, 661

- and -. Chemical observations on carbonic anhydrase, 140, 445

 Crystalline preparation of carbonic anhydrase,
 142, 959

— and Fisher, A. M. Carbonic anhydrase, 144, 371

Scott, D. B. McNair. See Elliott, Scott, and Libet, 146, 251

Scott, E. L. See McBride, Guest, and Scott, 139, 943

Scott, M. L., Randall, F. E., and Hessel. F. H. A modification of the Snell and Strong microbiological method for determining riboflavin, 141, 325 John. See Smith, Scudder, Tuthill, Drew, and Scudder. 133, 499 Scudero, Frank. See Saifer, Hughes, and Scudero, 141, 495 Scudi, John V. See Ratish, Bullowa, Ames, and Scudi, 128, 279 -, Unna, Klaus, and Antopol, William. A study of the urinary excretion of vitamin B₆ by a colorimetric method, 135, 371 -, Bastedo, W. A., and Webb, T. J. The formation of a vitamin B6-borate complex, 136, 399 On the colorimetric determination of vitamin B6, 139, 707 - and Buhs, Rudolf P. A colorimetric oxidation-reduction method for the determination of the K vitamins, 141, 451 -, -, and Hood, Dorothy B. The metabolism of vitamin Bs. 142, 323 - and -. On the colorimetric method for the determination of the K vitamins. 143, 665 - and -. Reactions of 2-methyl-1,4naphthoquinone with whole blood and plasma studied by means of a rapid colorimetric method, 144. 599 Conjugated pyridoxine in rice bran concentrates. 145, 637 - and Buhs, Rudolf P. Determination of the tocopherols and the tocopherylquinones by the colorimetric oxidation-reduction method, Sealock, Robert Ridgely, and Silberstein, Hannah E. The excretion of homogentisic acid and other tyrosine metabolites by the vitamin C-deficient guinea pig, 135, 251 -, Perkinson, Jesse D., Jr., and Basinski, Daniel H. Further analysis of the rôle of ascorbic acid in phenyl-

alanine and tyrosine metabolism,

The effect of dicarboxylic acid

administration upon the excretion of

140, 153

tyrosine metabolites by the guinea pig, 146, 503 Searle, Donald S., and Reiner, L. The rôle of carbon dioxide in the glucose metabolism of *Trypanosoma lewisi*, 141, 563

Sebrell, W. H. See Isbell, Wooley, Butler, and Sebrell, 139, 499

Seegers, Walter H., Brinkhous, K. M., Smith, H. P., and Warner, E. D. The purification of thrombin, 126, 91

 Purification of prothrombin and thrombin: chemical properties of purified preparations, 136, 103

- and Smith, H. P. The purification of prothrombin, 140, 677

and McGinty, Daniel A. Further purification of thrombin: probable purity of products,
 146, 511

Seeley, Millard G. See Anderson, Hechtman, and Seeley, 126, 175

See Anderson, Seeley, Stewart, Redd,
 and Westerbeke,
 135, 189

--. See Anderson, Gillette, and Seeley, 140, 569

See Anderson, Kaster, and Seeley, 144, 767

Seibert, Florence B. Removal of the impurities, nucleic acid and polysaccharide, from tuberculin protein, 133, 593

-. See Spiegel-Adolf, Seibert, and Henny, 137, 503

 and Watson, Dennis W. Isolation of the polysaccharides and nucleic acid of tuberculin by electrophoresis,

— and Nelson, J. Walter. Electrophoretic study of the blood protein response in tuberculosis, 143, 29

Seifter, S. See Ecker, Pillemer, Jones, and Seifter, 135, 347

Sell, Harold M., and Kremers, Roland E. The methylation of ursolic acid, 126, 501

Selye, H. See Karady, Selye, and Browne. 131, 717

Sendroy, Julius, Jr. Note on tests for purity of solid silver iodate prepared for chloride determination, 127,483 Sendroy, Julius, Jr .- continued:

 Photoelectric microdetermination of chloride in biological fluids, and of iodate and iodine in protein-free solutions,
 130, 605

- and Alving, Alf S. Photoelectric microdetermination of iodate and iodine, 142, 159

 Note on the photoelectric microdetermination of chloride in biological fluids, 142, 171

 Photoelectric determination of oxalic acid and calcium, and its application to micro- and ultramicroanalysis of serum,
 144, 243

Seraidarian, Krikor. See Kerr,

132, 147 139, 121 140, 77 145, 647

Setz, Paul. See Thannhauser, Setz, and Benotti, 126, 785

Sevag, M. G., Smolens, J., and Lackman,
David B. The nucleic acid content
and distribution in Streptococcus
pyogenes, 134, 523

--, --, and Stern, Kurt G. Isolation and properties of pigmented heavy particles from Streptococcus pyogenes, 139, 925

- and -. Studies on the conjugation of streptococcal nucleoprotein,

140, 833

—, Shelburne, Myrtle, and Ibsen, M. Inhibition of catalase by hydroxylamine and p-hydroxylaminobenzene-sulfonamide and the reversal of inhibition by serum, crystalline serum albumin, and hemin,

144, 711

Seymour, W. B. The preparation of cellophane membranes of graded permeability, 134, 701

Shaffer, C. Boyd. See Strickler, Shaffer, Wilson, and Strickler, 148, 251

Shahrokh, Bahman K. A new method for the microdetermination of iodine in certain biological materials,

Shankman, S. Amino acid nutrition of Lactobacillus arabinosus, 150, 305

Shankman, S.—continued:

Dunn, Max S., and Rubin, Louis B.
 The analysis of eight amino acids by a microbiological method, 150, 477
 Shantz, Edgar M. See Embree and

Shantz, 132, 619

See Jensen, Shantz, Embree, Cawley,
 and Harris,
 149, 473

Sharp, D. G. See Neurath, Cooper, Sharp, Taylor, Beard, and Beard, 140, 293

 Taylor, A. R., Beard, Dorothy, and Beard, J. W. Electrophoresis of the rabbit papilloma virus protein,

142, 193

—, Cooper, Gerald R., and Neurath, Hans. The electrophoretic properties of serum proteins. I. Normal horse pseudoglobulin GI, 142, 203

—, Hebb, M. H., Taylor, A. R., and Beard, J. W. Progressive boundary spread in electrophoresis of proteins in solution, 142, 217

—, Cooper, Gerald R., Erickson, John O., and Neurath, Hans. The electrophoretic properties of serum proteins. II. Observations on fractions of crystalline horse serum albumin.

144, 139

 See Huff and Perlzweig, 150, 395
 Sharp, E. A. See Emmett, Kamm, and Sharp, 133, 285

Sharp, George O., and Berg, Clarence P.

The effect of feeding dl-lysine monohydrochloride on the storage of liver glycogen and the urinary excretion of acetone bodies,

141, 739

Shaw, J. C., and Knodt, C. B. The utilization of β -hydroxybutyric acid by the lactating mammary gland, 138, 287

 A comparison of the acetone body metabolism of the lactating mammary gland of the normal cow with that of the cow with ketosis,
 142, 53

See Powell and Shaw, 146, 207

 — and Petersen, W. E. The utilization of β-hydroxybutyric acid by the perfused lactating mammary gland,

1**47**, 639

Shaw, J. L. D., and McFarlane, W. D. A critical study of the p-dimethyl- aminobenzaldehyde method for deter-	of vitamin D action in dogs shown by radioactive phosphorus, 147, 201 Shinn, Lawrance E. See Main and
mining tryptophane as contrasted with	Shinn, 128, 417
the glyoxylic acid method, 132, 387	Shinn, Leo A., and Nicolet, Ben H.
Shaw, James H. See Boyer, Shaw, and	The determination of threonine by
Phillips, 143, 417	the use of periodate, 138, 91
Shedlovsky, Theodore. See Goebel, Shed-	See Nicolet and Shinn, 139, 687
lovsky, Lavin, and Adams, 148, 1	140, 685
 See Beckman, Hiller, Shedlovsky, 	142, 139
and Archibald, 148, 247	See Nicolet, Shinn, and Saidel,
Shelburne, Myrtle. See Sevag, Shel-	142, 609
burne, and Ibsen, 144, 711	Shinowara, George Y., and Brown, J. B.
Shelesnyak, M. C., and Biskind, M. S.	Studies on the chemistry of the fatty
A simple tissue liquefier, 143, 663	acids. VI. The application of crystal-
Sheline, G. E., Chaikoff, I. L., Jones,	lization methods to the isolation of
H. B., and Montgomery, M. Laurence.	arachidonic acid, with a comparison
Studies on the metabolism of zinc with	of the properties of this acid prepared
the aid of its radioactive isotope.	by crystallization and by debromina-
I. The excretion of administered zinc	tion. Observations on the structure
in urine and feces, 147, 409	of arachidonic acid, 134, 331
-, -, -, and II. The distribution	—, Jones, Lois M., and Reinhart, Harry
of administered radioactive zinc in the	L. The estimation of serum inorganic
tissues of mice and dogs, 149, 139	phosphate and "acid" and "alkaline"
Shemin, David. See Herbst and Shemin,	phosphatase activity, 142, 921
147, 541	See Jones and Shinowara, 142, 935
Sherman, H. C. See Lanford and	Shorr, Ephraim. See Barker, Shorr, and
Sherman, 126, 381	Malam, 129, 33
See Lanford, Campbell, and Sher-	—. See Mazur and Shorr, 144, 283
man, 137, 627	Shull, G. M., Hutchings, B. L., and
See Conner, Kao, and Sherman,	Peterson, W. H. A microbiological
139, 835	assay for biotin, 142, 913
Mary Swartz Rose, 140, 687	See Parcek and Shull, 146, 351
See Little, Thomas, and Sherman,	Shultz, Robert C. See Sofin, Rosenblum,
148, 441	and Shultz, 147, 557
Sherman, J. M. See Niven, Smiley, and	•
Sherman, 140, 105	Sideris, C. P., Young, H. Y., and Krauss,
Sherman, W. C. See Koehn and Sher-	B. H. The distribution of uncom-
man, 132, 527	bined hexosamine in pineapple plants
Shettles, L. B. See Hellman, Shettles,	supplied either with ammonium sulfate
and Stran, 148, 293	or calcium nitrate salts, 126, 233
Shils, Maurice E., Day, Harry G., and	Sidwell, A. E., Jr. See Altschul, Sidwell,
McCollum, E. V. The effect of thi-	and Hogness, 127, 123
	Siegel, Louis. See Hochberg, Melnick,
amine deficiency in rats on the excre-	Siegel, and Oser, 148, 253
tion of pyruvic acid and bisulfite-	-, Melnick, Daniel, and Oser, Bernard
binding substances in the urine,	L. Bound pyridoxine (vitamin B ₆)
139, 145	in biological materials, 149, 361
Shimotori, Nobuko. See Morgan, Shimo-	Silber, Robert H., and Unna, Klaus.
tori, and Hendricks, 134, 761	
—. See Morgan and Shimotori, 147, 189	Studies on the urinary excretion of
- and Morgan, Agnes Fay. Mechanism	pantothenic acid, 142, 623

Silber, Robert H .- continued:

 and Mushett, Charles W. pH change as a measure of growth of Lactobacillus casei in vitamin assays, 146, 271

See Tennent and Silber, 148, 359
 Silberstein, Hannah E. See Sealock and

Silberstein, 135, 251
Silverman, M., and Werkman, C. H.

The formation of acetylmethylcarbinol from pyruvic acid by a bacterial enzyme preparation. 138, 35

Silverman, Milton, and Evans, E. A., Jr.
The effects of spermidine and other
polyamines on the growth inhibition of
Escherichia coli by atabrine, 150, 265

Simmonds, Sofia. See du Vigneaud, Cohn, Chandler, Schenck, and Simmonds, 140, 625

and du Vigneaud, Vincent. Transmethylation as a metabolic process in man,
 146, 685

-. See Schenck, Simmonds, Cohn, Stevens, and du Vigneaud, 149, 355

—, Cohn, Mildred, Chandler, Joseph P., and du Vigneaud, Vincent. The utilization of the methyl groups of choline in the biological synthesis of methionine, 149, 519

Simmons, Richard W., and Norris, Earl R. Xanthopterin, the fish anemia factor, 140, 679

Simmons, S. J. See Schultze and Simmons, 142, 97

Simpson, Miriam E. See Fraenkel-Conrat, Simpson, and Evans, 130, 243

—. See Li, Simpson, and Evans, 131, 259

See Fraenkel-Conrat, Fraenkel-Conrat, Simpson, and Erans, 135, 199
See Fraenkel-Conrat, Simpson, and

Evans, 142, 107

—. See Li, Simpson, and Evans,

146, 627

-. See Marx, Simpson, and Evans,

-. See Fraenkel-Conrat, Simpson, and Evans, 147, 99

-. See Li, Evans, and Simpson,

Sinclair, H. M. See Goodhart and Sinclair, 132, 11 Sinclair, Robert Gordon. The rate of turnover of phospholipids in kidney and liver, 134, 71

 The rate of turnover of lecithins and cephalins in the liver, 134, 83

—. The exclusion of elaidic acid from the phospholipids of the testes and its uptake by other organs of the rat,

134, 89

 and Fassina, R. J. Effect of diet on glucose absorption by the rat,

— and Dolan, Margery. The so called ether-insoluble phospholipids in blood and tissues, 142, 659

Singal, Sam A., and Eckstein, H. C.

The lipotropic action of some sulfurcontaining amino acids and related
substances, 140, 27

Singer, Richard B. See Drabkin and
Singer, 129, 739

Sinnhuber, Russell O. See Butts and Sinnhuber, 139, 963 140, 597

Sisco, Robert C., Cunningham, Burris, and Kirk, Paul L. Quantitative drop analysis. XIII. The formol titration of amino nitrogen, 139, 1

Sizer, Irwin W. The activation energy of urea hydrolysis catalyzed by soy bean urease, 132, 209

 and Tytell, Alfred A. The activity of crystalline urease as a function of oxidation-reduction potential,

138, 631

 The action of certain oxidants and reductants upon the activity of bovine phosphatase,
 145, 405

Skeggs, Leonard. See Bernhart and Skeggs, 147, 19

Slade, H. D., Wood, H. G., Nier, A. O., Hemingway, Allan, and Werkman, C. H. Assimilation of heavy carbon dioxide by heterotrophic bacteria,

143, 133

Sloman, Katherine G. See d'Elseaux, Blackwood, Palmer, and Sloman,

144. 529

Slotin, Louis. See Evans and Slotin,

136, 301, 805

141, 439

See Evans, Slotin, and Vennesland, M.	h, G. V., Smith, O. W., Huffn N., Thayer, Sidney A., Mac
	N Thaver Sidney A Maci
	11., Imayer, Ordiney A., mac.
	dale, D. W., and Doisy, Edward
	e isolation of dihydrotheelin f
	man pregnancy urine, 130,
The state of the s	See Huffman, MacCorquod
	ayer, Doisy, Smith, and Smith,
	134,
- and Meyer, Curtis E. The influence - ar	nd Owen. Charles A. The abs
See Meyer and Smith. 134, 739 -	
See Kuether and Smith. 137, 647 Smit	
Smith, Elizabeth R. B., and Smith, Do	
Paul K. Thermodynamic properties -	
	134.
1	-
<u> </u>	
• • •	-
- and Smith. Paul K. Thermodynamic	See Smith and Smith. 132
properties of solutions of amino acids - ar	nd Smith, Elizabeth R. B. Ther
	-
	~ <i>,</i>
1	•
caproic acid. and aspartic acid in Ale	
	man erythrocytes to radioac
	loride, and to bromide and ion
See Niven and Smiley, Smith, Arthur H. See Orten and Smith, 128, 101 - and Meyer, Curtis E. The influence of diet on the endogenous production of citric acid, See Meyer and Smith, 131, 45 See Meyer and Smith, 134, 739 See Kuether and Smith, 137, 647 - and Meyer, Curtis E. The influence of thiamine deficiency on citric acid excretion, 139, 227 Smith, Clement A. See Lowry, Smith, and Cohen, 146, 519 Smith, Elizabeth R. B., and Smith, Paul K. Thermodynamic properties of solutions of amino acids and related substances. IV. The effect of increasing dipolar distance on the activities of aliphatic amino acids in aqueous solution at twenty-five degrees, 132, 47 See Smith and Smith, properties of solutions of amino acids and related substances. VI. The activities of some peptides in aqueous solution at twenty-five degrees, 135, 273 See Smith, Gorham, and Smith, 144, 737 - and Smith, Paul K. Thermodynamic properties of solutions of amino acids and related substances. VIII. The ionization of glycylglycine, e-amino- caproic acid, and aspartic acid in aqueous solution from one to fifty	th, H. P. See Seegers, Brin with, and Warner, and Owen, Charles A. The a see of water-soluble vitam from of water-soluble vitam from of water-soluble vitam from of water-soluble salts, 13 See Seegers and Smith, 14 th, Homer W. See Smith, 15 th, Margaret E., Tuthill, Elizaw, Charles R., and Scudder, udies in blood preservation. eets of carbon dioxide, 13 th, O. W. See Smith, Smith, an, Thayer, MacCorquodale, 15 See Huffman, MacCorquodale, 16 th, O. W. See Smith, Smith, and Smith, Paul K., Winkler, Alexand d Schwartz, Bernard M. The bution of magnesium followirenteral administration of sium sulfate, See Smith and Smith, end Smith, Elizabeth R. B. The namic properties of solution acids and related substantial activities of some hydrox methylamino acids and prolucous solution at twen grees, See Eisenman, Ott, Smith inkler, See Smith and Smith, 1 See Smith and Smith, 2 See Smith and Smith, 1 See Smith and Smith, 2 See Smith and Smith, 3 See Smith and Smith, 4 See Smith and Smith, 5 See Smith and Smith

Smith, Emil L., and Bergmann, Max.

by manganese.

Nolan.

The activation of intestinal peptidases

See Vickery, Smith, Hubbell, and

138, 789

140, 613

V., Smith, O. W., Huffman, Thayer, Sidney A., MacCor-D. W., and Doisy, Edward A. ation of dihydrotheelin from regnancy urine. 130, 431 Huffman, MacCorquodale. Doisy, Smith, and Smith, 134, 591 P. See Seegers, Brinkhous, ıd Warner. 126, 91 ren, Charles A. The absorpwater-soluble vitamin K the aid of bile salts, 134. 783 egers and Smith, 140, 677 mer W. See Smith, Finkeld Smith. 135, 231 rgaret E., Tuthill, Elizabeth, harles R., and Scudder, John. in blood preservation. Some carbon dioxide. 133, 499 W. See Smith, Smith, Huffhayer, MacCorquodale, and 130, 431 Huffman. MacCorquodale,

134, 591 ıl K., Winkler, Alexander W., wartz, Bernard M. The disof magnesium following the al administration of magulfate. 129, 51

nith and Smith. 132, 47 ith, Elizabeth R. B. Thermoproperties of solutions of cids and related substances. ctivities of some hydroxy- and lamino acids and proline in solution at twenty-five

132, 57 Eisenman, Ott. Smith, and 135, 165

nith and Smith, 135, 273

nan, Anna J., and Winkler, r W. The permeability of erythrocytes to radioactive chloride, and to bromide and iodide, 141, 555

-, Gorham, Alice T., and Smith, Elizabeth R. B. Thermodynamic properties of solutions of amino acids and related substances. VII. The ionizaSmith, Paul K .- continued:

tion of some hydroxyamino acids and proline in aqueous solution from one to fifty degrees, 144, 737

—. See Smith and Smith, 146, 187

Smith, Perrin G. See Riegel, Schweitzer, and Smith, 129, 495 Smith, Rachel M. See Marble, Grafflin,

Smith, Rachel M. See Marble, Grafflin, and Smith, 134, 253

Smith, William K. See Campbell, Roberts, Smith, and Link, 136, 47

 See Campbell, Smith, Roberts, and Link, 138, 1

Smith, Willie W., Finkelstein, Norma, and Smith, Homer W. Renal excretion of hexitols (sorbitol, mannitol, and dulcitol) and their derivatives (sorbitan, isomannide, and sorbide) and of endogenous creatinine-like chromogen in dog and man, 135, 231

Smolens, J. See Serag, Smolens, and Lackman, 134, 523

See Sevag, Smolens, and Stern,

139, 925

See Sevag and Smolens, 140, 833
 Smyth, Elizabeth M. See Meyer, Smyth, and Dawson, 128, 319

Smythe, C. V. The utilization of cysteine and cystine by rat liver with the production of hydrogen sulfide,

— and King, C. G. A study of ascorbic acid synthesis by animal tissue in vitro, 142, 529

-. See Drake, Smythe, and King,

143, 89

 and Halliday, D. An enzymatic conversion of radioactive sulfide sulfur to cysteine sulfur. 144, 237

Snell, Esmond E., Pennington, Derrol, and Williams, Roger J. The effect of diet on the pantothenic acid content of chick tissues, 133, 559

-. See Pennington, Snell, and Williams, 135, 213

—. See Stanbery, Snell, and Spies, 135, 353

-. See Eakin, Snell, and Williams,

Snell, Esmond E.—continued:

 and Wright, Lemuel D. A microbiological method for the determination of nicotinic acid, 139, 675

A specific growth inhibition reversed by pantothenic acid, 139, 975
 See Enkin, Snell, and Williams

-. See Eakin, Snell, and Williams, 140, 535

Growth inhibition by N-(α, γ-dihydroxy - β, β - dimethylbutyryl) taurine and its reversal by pantothenic acid,
 141. 121

 Guirard, Beverly M., and Williams, Roger J. Occurrence in natural products of a physiologically active metabolite of pyridoxine, 143, 519

Snyder, Fred H., and Tweedy, Wilbur R.

The effects of a magnesium-deficient diet on the serum phosphatase activity in the albino rat,

146, 639

Snyder, Rebecca, and Katzenelbogen, Solomon. The distribution of sodium, potassium, calcium, magnesium, inorganic phosphorus, and chloride between the blood serum and cells of normal individuals, 143, 223

Sobel, Albert E., and Sobel, Bernard A.

Microestimation of calcium in serum,
129, 721

—, Yuska, Henry, Peters, David D., and Kramer, Benjamin. The biochemical behavior of lead. I. Influence of calcium, phosphorus, and vitamin D on lead in blood and bone, 132, 239

See Kaye, Leibner, and Sobel,

138, 643

Kraus, George, and Kramer, Benjamin. The determination of sodium in the presence of phosphates,

140, 501

—, Hanok, Albert, and Kramer, Benjamin. Microestimation of potassium in blood serum with the aid of electrodialysis, 144, 363

Sobel, Bernard A. See Sobel and Sobel, 129, 721

Sober, H. A., Lipton, M. A., and Elvehjem, C. A. The relation of thiamine to citric acid metabolism, 134, 605

See Axelrod, Sober, and Elvehjem,134, 749

136, 801

Sobotka, Harry. See Mayer and Sobotka, Sofin, Louis H., Rosenblum, Harold, and Shultz, Robert C. A color reaction for methionine, 147, 557 Solkot, Roy. See Clarke, Solkot, and Corley, 131, 135 Solomon, A. K. See Conant, Cramer, Hastings, Klemperer, Solomon, and Vennesland, 137, 557 -. See Ball, Tucker, Solomon, and 140, 119 Vennesland, -. Vennesland, Birgit, Klemperer, Friedrich W., Buchanan, John M., and Hastings, A. Baird. The participation of carbon dioxide in the carbohydrate cycle, 140, 171 -. See Vennesland, Solomon, Buchanan, Cramer, and Hastings, 142, 371 -. See Vennesland, Solomon, Buchanan, and Hastings, 142, 379 Solomon, Rebecca Z., Hald, Pauline M., and Peters, John P. The state of the inorganic components of human red blood cells, 132, 723 Somogyi, Michael. See Weichselbaum. Somogyi, and Rusk, 132, 343 Interpretation of the saccharogenic action of diastase on the basis of substrate competition, 134, 301 —. Blood diastase in health and diabetes. 134, 315 -. See Weichselbaum and Somogyi, 140, 5 -. Effects of insulin upon the production of ketone bodies, 141, 219 See Stark and Somogyi, 142, 579 - and Weichselbaum, T. E. Ketonesparing effect of glucose, 145, 567 -. Effects of glucose feeding upon the ketonemia in healthy man, 145, 575 See Stark and Somogyi, 147, 319, 721, 731 Spaulding, L. Bayard. See Kuizenga and Spaulding, 148, 641

Spector, H., Maass, A. R., Michaud, L.,

Elvehjem, C. A., and Hart, E. B. The

rôle of riboflavin in blood regeneration,

150, 75

- Sperry, Warren M., and Stoyanoff, V. A.

 The enzymatic synthesis and hydrolysis of cholesterol esters in blood serum,

 126, 77
- See Waelsch and Sperry, 132, 787
- —, Waelsch, Heinrich, and Stoyanoff,
 V. A. Lipid metabolism in brain and other tissues of the rat,
 135, 281
- other tissues of the rat, 135, 281

 —. See Waelsch, Sperry, and Stoyanoff, 135, 291, 297
- and Brand, Florence C. A study of cholesterol esterase in liver and brain, 137, 377
- See Waelsch, Sperry, and Stoyanoff, 140, 885
- -. See Brand and Sperry, 141, 545
- —, Brand, Florence C., and Copenhaver, Wilfred M. The behavior of lipids during autolysis of liver and brain,

144, 297

- and Brand, Florence C. The colorimetric determination of cholesterol, 150, 315
- Spiegel-Adolf, Mona, Seibert, Florence B., and Henny, George C. X-ray studies on tuberculin proteins,
- 137, 503 Spielman, M. A. See Schneider and
- Spielman, M. A. See Schneider and Spielman, 142, 345
- Spies, Tom D. See Stanbery, Snell, and Spies, 135, 353
- —. See Axelrod, Spies, and Elvehjem, 138, 667
- Spilman, Frances. See Huff and Perlzweig. 142, 401
- Sprinson, David B. See Chargaff and Sprinson, 148, 249
- Stadie, William C., Lukens, Francis D. W., and Zapp, John A., Jr. The effect of insulin upon urea formation, carbohydrate synthesis, and respiration of liver of normal and diabetic animals.

 132, 393
- —, Zapp, John A., Jr., and Lukens, Francis D. W. The effect of insulin upon oxidations of isolated minced muscle tissue, 132, 411
- —, —, and —. The effect of insulin upon the ketone metabolism of normal and diabetic cats, 132, 423

Stadie. William C .- continued:

-, Zapp, John A., Jr., and Lukens, Francis D. W. Intermediary metabolism in diabetes mellitus. On the synthesis of carbohydrate from fat in the liver and from acetoacetate in the kidney, 137, 63

—, —, and —. Intermediary metabolism in diabetes mellitus. The nonformation of acetic acid and the ratio of ketone body increase to fatty acid decrease in livers of diabetic animals,

137, 75

 and —. The aerobic carbohydrate and lactic acid metabolism of muscle preparations in vitro,
 148, 669

 and —. The equilibrium relations of d-amino acid oxidase, flavin adenine dinucleotide, and amino acids from kinetic data,
 150, 165

See Riggs and Stadie,
 Ställberg,
 Stina.
 See Stenhagen and Ställberg,
 139, 345

 and Stenhagen, Einar. Monolayers of compounds with branched hydrocarbon chains. V. Phthiocerol,

Ställberg-Stenhagen, Stina, and Stenhagen, Einar. Monolayers of compounds with branched hydrocarbon chains. VI.2-Methyl- and 10-methyl-substituted carboxylic acids of high molecular weight, 148, 685

Stahmann, Mark Arnold, Huebner, Charles Ferdinand, and Link, Karl Paul. Studies on the hemorrhagic sweet clover disease. V. Identification and synthesis of the hemorrhagic

agent, 138, 513

---. See Overman, Stahmann, Sullivan,

Huebner, Campbell, and Link, 142, 941

-. See Overman, Stahmann, and Link, 145, 155

Stamberg, Olof E., and Bailey, C. H.
Action of wheat amylases on soluble starch, 126, 479

Stamm, Guido. See Stein, Moore, Stamm, Chou, and Bergmann,

143, 121

Stanbery, Sue R., Snell, Esmond E., and Spies, Tom D. A note on an assay method for pantothenic acid in human blood, 135, 353

Stanley, W. M. Aucuba mosaic virus protein isolated from diseased, excised tomato roots grown in vitro, 126, 125

 The isolation and properties of tobacco ring spot virus, 129, 405

 Isolation of virus from plants recovered from the tobacco ring spot disease,
 129, 429

-. See Lavin, Loring, and Stanley,

130, 259

 Purification of tomato bushy stunt virus by differential centrifugation, 135, 437

-. See Lauffer and Stanley, 135, 463

 and Anderson, Thomas F. A study of purified viruses with the electron microscope,
 139, 325

—. See Anderson and Stanley, 139, 339

See Knight and Stanley, 141, 29, 39
 See Miller and Stanley, 141, 905

-. See Cohen and Stanley, 142, 863

— and Anderson, Thomas F. Electron

 and Anderson, Thomas F. Electron micrographs of protein molecules,

146, 25

See Miller and Stanley, 146, 331
 Stare, F. J. See Baumann and Stare, 133, 183

- and Baumann, C. A. The effect of insulin on muscle respiration,

133, 453

—. See Feinstein and Stare, 135, 393

Lipton, M. A., and Goldinger, J. M. Studies on biological oxidations.
 XVIII. The citric acid cycle in pigeon muscle respiration, 141, 981
 Stark, Irene E. See Cohen and Stark,

126, 97

 Equilibria in diastatic reactions, 142, 569

 and Somogyi, Michael. Note on the fermentation of maltose and glucose in alkaline solutions, 142, 579

and —. The quantitative relationship between β-hydroxybutyric acid and acetoacetic acid in blood and urine,
 147, 319

113

Stark, Irene E .- continued:

 and Somogyi, Michael. The effect of glucose feeding upon the quantitative relationship between β-hydroxybutyric acid and acetoacetic acid in blood and urine,
 147, 721

— and —. The effect of insulin upon the quantitative relationship between β -hydroxybutyric acid and acetoacetic acid in blood and urine, 147, 731

Starkey, William F. See Saier, Grauer, and Starkey, 148, 213

Steadman, L. T. A spectrochemical determination of sodium in blood serum, 138, 603

 and Thompson, H. E., Jr. The spectrochemical determination of bismuth in biological material, 138, 611

 Hodge, Harold Carpenter, and Horn, Helen Wilson. Spectrochemical studies of potassium in bone and tooth substance,
 140, 71

Steenbock, H. See Schneider and Steenbock, 128, 159

 See Schneider, Steenbock, and Platz, 132, 539

—. See Quackenbush, Steenbock, and Platz, 145, 163

-. See Quackenbush, Cox, and Steenbock, 145, 169

-. See Fuhr and Steenbock,

147, 59, 65, 71

Steenken, W., Jr. The isolation of purified protein derivatives and carbohydrates from tuberculins and their biological properties, 141, 91

Stein, Martin H. See Bueding, Stein, and Wortis, 137, 793 140, 697

Stein, William H. See Bergmann and Stein, 128, 217 129, 609

— and Bergmann, Max. Determination of proline in mixtures containing *l*-and *dl*-proline. The proline content of gelatin, 134, 627

See Doherty, Stein, and Bergmann, 135, 487

—, Moore, Stanford, and Bergmann, Max.

The isolation of *l*-serine from silk fibroin,

139, 481

Stein, William H .- continued:

—, Moore, Stanford, Stamm, Guido, Chou, Chi-Yuan, and Bergmann, Max. Aromatic sulfonic acids as reagents for amino acids. The preparation of l-serine, l-alanine, l-phenylalanine, and l-leucine from protein hydrolysates,

143, 121

See Moore and Stein, 150, 113
 Steinbach, H. Burr. Sodium and potassium in frog muscle, 133, 695

Steinhardt, Jacinto. The solubility of crystalline pepsin. I. Anomalous dependence of solubility on the solid to solvent ratio, 129, 135

 Catalyzed hydrolysis of amide and peptide bonds in proteins, 141, 995

Steinitz, Kurt. A colorimetric method for the determination of inulin in blood plasma and urine, 126, 589

Stekol, Jaka A. Studies on the mercapturic acid synthesis in animals. X. Glutathione in relation to growth of rats on a low casein diet which contained bromobenzene and naphthalene, 127, 131

 XI. The detoxication of benzyl chloride, benzyl alcohol, benzaldehyde, and S-benzylhomocysteine in the rabbit and rat,
 128, 199

-. XII. The synthesis of N-acetyl-S-p-bromobenzyl-l-cysteine in the rat from p-bromobenzyl bromide, S-p-bromobenzyl-l-cysteine, and S-p-bromobenzylglutathione, 138, 225

—. The metabolism of l- and dl-α-hydroxy-β-benzylthiopropionic and dl-α-hydroxy-γ-benzylthiobutyric acids in the rat, 140, 827

Stenhagen, Einar, and Ställberg, Stina.

Monolayers of compounds with
branched hydrocarbon chains. IV.
Phthioic acid. 139, 345

-. See Ställberg and Stenhagen,

143, 171

 See Ställberg-Stenhagen and Stenhagen,
 148, 685

 X-ray study of the hydrocarbon from phthiocerol,
 148, 695 Stephenson, Norman R. The oxidative Stevens, Carl M.—continued: See Schenck, Simmonds, deamination of diamines by his-Cohn.149, 169 Stevens, and du Vigneaud, 149, 355 taminase, Stern, Adolph, Beach, Eliot F., and Stevenson, Elizabeth Simon, and White. Abraham. Influence of iodoacetic acid Macy, Icie G. Polarographic microdetermination of cystine in protein on sulfur metabolism. Growth studies in the young rat, hydrolysates. 134, 709 Stern, Kurt G., and Melnick, Joseph L. Stewart, David Earl. See Robinson, Stewart, and Luckey, On the mechanism of cocarboxylase 137, 283 action. 131, 597 Stewart, William T. See Anderson, - and -. On the mechanism of co-Seeley, Stewart, Redd, and Westerbeke. carboxylase action; a reinvestigation, 135, 189 135, 365 Stiehler, Robert D., and Flexner, Louis - and -. The photochemical spectrum B. A mechanism of secretion in the chorioid plexus. The conversion of of the Pasteur enzyme in retina, 139, 301 oxidation-reduction energy into work, See Sevag, Smolens, and Stern, 126, 603 139, 925 See Flexner and Stiehler, 126, 619 Stetten, DeWitt, Jr., and Schoenheimer, Stier, T. J. B. See Carroll and Stier, Rudolf. The conversion of palmitic 137, 787 acid into stearic and palmitoleic acids Stiff, Henry A. See Fashena and Stiff, 133, 329 in rats. 137, 21 — and —. The biological relations of Stillman, N. See Perlman, Stillman. the higher aliphatic alcohols to fatty and Chaikoff, 133, 651 acids. 133, 347 135, 359 Biological relationships of choline, Stock, A. H. Studies on the hemolytic ethanolamine, and related compounds, streptococcus. IV. Further purifica-138, 437 tion and concentration of scarlet fever 140, 143 toxin, -. Biological synthesis of choline by See Krejci, Stock, Sanigar, and rats on diets with and without ade-Kraemer, 142, 785 quate lipotropic methyl, 142, 629 Stockholm, M. See Eiler, Stockholm, - and Grail, Godfrey F. Effect of dietary choline, ethanolamine, serine, and Althausen, 134, 283 cystine, homocysteine, and guanido-Stoddard, M. Palmer, and Dunn, Max S. acetic acid on the liver lipids of rats, Quantitative investigations of amino 144, 175 acids and peptides. VIII. The solu--. The fate of dietary serine in the bility and specific rotations of l(-)body of the rat, 144, 501 leucine at twenty-five degrees, Metabolism of a paraffin, 147, 327 142, 329 - and Grail, Godfrey F. The rates of —. See Dunn, Frieden, Stoddard, and replacement of depot and liver fatty Brown, 144, 487 acids in mice. 148, 509 Stodola, F. H., Lesuk, Alex, and Ander-Stevens, Carl M. See Carter and Stevens. son, R. J. The chemistry of the 133, 117 lipids of tubercle bacilli. LIV. The See Carter, Handler, and Stevens, isolation and properties of mycolic 138, 619 126, 505 See Carter and Stevens, 138, 627 Stokes, Jacob L. See Tishler, Stokes, See Carter, Stevens, and Ney,

139, 247

Trenner, and Conn,

141, 197

Stokes, Jacob L.—continued:	Stotz, Elmer—continued:
- and Martin, Beverly B. Influence of	- and Raborg, Jane. A colorimetric
buffer and glucose in the Lactobacillus	determination of acetoin and diacetyl,
casei assay for pantothenic acid,	150, 25
147, 483	Stoyanoff, V. A. See Sperry and Stoya-
-, Larsen, Alma, Woodward, Carl R., Jr.,	noff, 126, 77
and Foster, Jackson W. A Neurospora	See Sperry, Waelsch, and Stoyanoff,
assay for pyridoxine, 150, 17	135, 281
Stokstad, E. L. R., Manning, P. D. V.,	See Waelsch, Sperry, and Stoyanoff,
and Rogers, R. E. The relation	135, 291, 297
between factor U and vitamin B ₆ ,	140, 885
132, 463	Strain, Harold H. Carotene. XI. Iso-
See Almquist, Stokstad, Mecchi,	lation and detection of α -carotene, and
and Manning, 134, 213	the carotenes of carrot roots and of
See Almquist, Mecchi, Stokstad, and	butter, 127, 191
Manning, 134, 465	- and Manning, Winston M. Chloro-
-, Almquist, H. J., Mecchi, E., Manning,	fucine (chlorophyll γ), a green pigment
P. D. V., and Rogers, R. E. The	of diatoms and brown algae, 144, 625
carbohydrate component of the rice	-and Isomerization of chlorophylls
factor, 137, 373	a and b, 146, 275
Isolation of a nucleotide essential	-, -, and Hardin, Garrett. Chloro-
for the growth of Lactobacillus casei,	phyll c (chlorofucine) of diatoms and
139, 475	dinoflagellates, 148, 655
 Some properties of a growth factor 	Stral, H. M. See Wise, Puck, and
for Lactobacillus casei, 149, 573	Stral, 150, 61
Stone, William E. Acid-soluble phos-	Stran, Herbert. See Hellman, Shettles,
phorus compounds and lactic acid in	and Stran, 148, 293
the brain, 135, 43	Streef, G. M. Sodium and calcium
 Acid-soluble phosphorus compounds 	content of erythrocytes, 129, 661
of cerebral tissue, 149, 29	Strickler, Evelyn W. See Strickler,
Stoneburg, Charles A. Lipids of the	Shaffer, Wilson, and Strickler, 148, 251
cell nuclei, 129, 189	Strickler, Herbert S., Shaffer, C. Boyd,
See Hodge, MacLachlan, Bloor,	Wilson, Donald A., and Strickler,
Stoneburg, Oleson, and Whitehead,	Evelyn W. A new steroid glucuronide
139, 897	from human urine, 148, 251
Stotz, Elmer. See Horecker, Stotz, and	Strong, F. M., Feeney, R. E., Moore,
Hogness, 128, 251	Barbara, and Parsons, Helen T. The
—. The estimation and distribution of	riboflavin content of blood and urine,
cytochrome oxidase and cytochrome C	137, 363
in rat tissues, 131, 555	See Feeney and Strong, 142, 961
- and Bessey, Otto A. The blood	Stumpf, P. K. See Green, Knox, and
lactate-pyruvate relation and its use in	Stumpf, 138, 775
experimental thiamine deficiency in	See Green and Stumpf, 142, 355
pigeons, 143, 625	Sturges, Stuart, and Knudson, Arthur.
See Westerfeld, Stotz, and Berg,	Application of the Schoenheimer-
144, 657	Sperry method to the determination of
—. A colorimetric determination of	cholesterol and cholesterol esters in
acetaldehyde in blood, 148, 585	tissues, 126, 543
See Westerfeld, Stotz, and Berg,	—. See Knudson, Sturges, and Bryan,
1 49, 237	128, 721

131, 579

138, 535

127, 439

134, 531

Swanson,

148, 633

The coupled

Subbarow, Yellapragada. See György, 132, 789 Poling, and Subbarow, See Rane and Subbarow, 134, 455 See Alexander and Subbarow, 135, 341 Subrahmanyan, V. See Green, Herbert, and Subrahmanyan, 135, 795 138, 327 de Sütö-Nagy, G. J. See Mylon, Winternitz, and de Sütö-Nagy, 143, 21 Sullivan, M. X. See Hess and Sullivan, 128, 93 -, Hess, W. C., and Smith, E. R. A comparison of colorimetric and polarographic methods in relation to the cystine content of insulin, 130, 741 - and -. The cystine content of insulin. The acid sensitivity of different 130, 745 samples. See McCarthy and Sullivan, 141, 871 See Hess and Sullivan, 142, 3 143, 545 -, Hess, W. C., and Howard, H. W. The quantitative estimation of both cystine and cysteine in mixtures, 145, 621 See Hess and Sullivan, 146, 15, 381 149, 543 Sullivan, William R. See Overman, Stahmann, Sullivan, Huebner, Campbell, and Link, 142, 941 —. See Link, Overman, Sullivan, Huebner, and Scheel, 147, 463 Summerson, William H. A simplified test-tube photoelectric colorimeter, and the use of the photoelectric colorimeter in colorimetric analysis, -. A combination simple manometer and constant volume differential manometer for studies in metabolism,

See Barker and Summerson,

ander L. Catalase. II,

- and Sumner, Robert J.

carotene oxidase.

Sumner, James B., and Dounce, Alex-

oxidation of carotene and fat by

- Dounce, Alexander L., and Frampton, Vernon L. Catalase. III, 136, 343 Sumner, Robert J. See Sumner and 134, 531 Sumner, Lipid oxidase studies. II. The specificity of the enzyme lipoxidase, 146, 211 III. The relation between carotene oxidation and the enzymic peroxidation of unsaturated fats, 146, 215 Sunderman, F. William. Studies in serum electrolytes. XIII. Estimation of total base in serum, 143, 185 Supplee, G. C., Jensen, O. G., Bender, R. C., and Kahlenberg, O. J. Factors affecting the riboflavin content of the Sure, Barnett, and DeWitt, James B. The oxygen uptake of tissues in vitamin deficiencies, 126, 287 -, Theis, R. M., and Harrelson, R. T. Vitamin interrelationships. I. Influence of avitaminosis on ascorbic acid content of various tissues and endo-129, 245 - and Ford, Zenas W., Jr. Vitamin interrelationships. II. Thiamine and riboflavin interrelationships in metabolism, 146, 241 Sutherland, Earl W., Colowick, Sidney P., and Cori, Carl F. The enzymatic conversion of glucose-6-phosphate to glycogen. **140.** 309 -. See Colowick and Sutherland. 144, 423 Sutton, T. S., Kaeser, Harold E., and Hansard, S. L. Some factors affecting the synthesis of ascorbic acid in the albino rat. 144, 183 Svensson, Harry. See Blix, Tiselius, and Svensson, 137, 485 -. Fractionation of serum with ammonium sulfate and water dialysis, studied by electrophoresis, 139, 805 Svirbely, Joseph L. Vitamin C studies in the rat. The effect of copper and various organic substances, 131, 233 Swanson, Marjorie. See Artom and

Sumner, James B.—continued:

Swendseid, Marian E., Barnes, Richard	Talbot, Nathan B continued:
H., Hemingway, Allan, and Nier, A. O.	17-ketosteroids in extracts of human
The formation of acetone bodies from	urine, 139, 521
acetic acid, 142, 47	-, Berman, R. A., and MacLachian,
Swingle, Karl F. See Axelrod, Swingle,	E. A. Elimination of errors in the
and Elvehjem, 140, 931	colorimetric assay of neutral urinary
145, 297	17-ketosteroids by means of a color
-, Axelrod, A. E., and Elvehjem, C. A.	correction equation, 143, 211
The mechanism of the effect of calcium	-, Ryan, Josephine, and Wolfe, John K.
salts on the succinoxidase system,	The determination of sodium dehydro-
145, 581	,
	isoandrosterone sulfate in water or
See Axelrod, Gross, Bosse, and	urine, 148, 593
Swingle, 148, 721	Talbott, John H. See Consolazio and
Szego, Clara M. See Koenig, Melzer,	Talbott, 126, 55
Szego, and Samuels, 141, 487	132, 753
T	Tannenbaum, Albert. See Cohn, Tan-
Ţ	nenbaum, Thalhimer, and Hastings,
Tabor, Herbert, and Hastings, A. Baird.	128, 109
The ionization constant of secondary	Tarver, Harold, and Schmidt, Carl L. A.
magnesium phosphate, 148, 627	The conversion of methionine to
Taffel, Max. See Darrow, Harrison, and	cystine: experiments with radioactive
Taffel, 130, 487	sulfur, 130, 67
Talbot, Nathan B. See Langstroth and	- and Radioactive sulfur studies.
Talbot, 128, 759	I. Synthesis of methionine. II. Con-
129, 759	version of methionine sulfur to taurine
See Langstroth, Talbot, and Fine-	sulfur in dogs and rats. III. Distri-
	bution of sulfur* in the proteins of
man, 130, 585	animals fed sulfur* or methionine*.
-, Lowry, Oliver H., and Astwood, E. B.	IV. Experiments in vitro with sulfur*
Influence of estrogen on the electrolyte	-
pattern of the immature rat uterus,	and hydrogen sulfide*, 146, 69
132, 1	Tatum, E. L., and Haagen-Smit, A. J.
-, Butler, Allan M., and MacLachlan,	Identification of Drosophila v ⁺ hor-
E. The colorimetric assay of total,	mone of bacterial origin, 140, 575
α -, and β -17-ketosteroids in extracts of	Taurog, Alvin. See Fishler, Taurog,
human urine, 132, 595	Perlman, and Chaikoff, 141, 809
-, Wolfe, J. K., MacLachlan, E. A.,	-, Chaikoff, I. L., and Perlman, I. The
Karush, F., and Butler, Allan M.	effect of anaerobic conditions and
The colorimetric assay of weakly	respiratory inhibitors on the in vitro
phenolic ketones, "estrone," in ex-	phospholipid formation in liver and
tracts of human urine, 134, 319	kidney with radioactive phosphorus
-, Butler, Allan M., MacLachlan, E. A.,	as indicator, 145, 281
and Jones, R. N. Definition and	Taylor, A. R. See Neurath, Cooper,
elimination of certain errors in the	Sharp, Taylor, Beard, and Beard,
hydrolysis, extraction, and spectro-	140, 293
chemical assay of α - and β - neutral	See Sharp, Taylor, Beard, and
urinary 17-ketosteroids, 136, 365	Beard, 142, 193
-, Wolfe, John K., MacLachlan, E. A.,	See Sharp, Hebb, Taylor, and
and Berman, R. A. Chromatographic	Beard, 142, 217
separation and colorimetric determi-	Taylor, Henry Longstreet, and Keys,
nation of alcoholic and non-alcoholic	Ancel. Fractionation of normal serum
nation of arconome and non-arconome	Autor. Francionamon of normal serum

proteins by the electrophoretic and sodium sulfate methods, Taylor, J. D. See MacLachlan, Hodge, Bloor, Welch, Truax, and Taylor, 143, 473

Taylor, John Fuller, and Hastings, A. Baird. Oxidation-reduction potentials of the methemoglobin-hemoglobin system, 131, 649

—. See Clark, Taylor, Davies, and Vestling. **135,** 543

-. Metalloporphyrins. II. Cobalt and manganese mesoporphyrins in coordination with nitrogenous bases,

135, 569 - and Hastings, A. Baird. The equilibrium between oxygen and hemoglobin in concentrated urea solution,

144, 1 -. Oxidation-reduction potentials of the methemoglobin-hemoglobin system in concentrated urea solution,

144, 7 - and Morgan, Vincent E. Oxidationreduction potentials of the metmvoglobin-myoglobin system, 144, 15 Teague, D. Maxwell. See Erickson, Avrin, Teague, and Williams, 135, 671

Hoffman, -. See Beach, Bernstein, Teague, and Macy, 139, 57 See Beach and Teague, 142, 277 Templeton, R. D. See Tweedy, Templeton, Patras, McJunkin, and McNamara, 128, 407

Tenenbaum, Leon E., and Jensen, H. Catecholase (tyrosinase): an improved method of preparation, 145, 293

— and —. Catecholase (tyrosinase): reversible inactivation and reactiva-147, 27

See Jensen and Tenenbaum,

147, 737 Tenery, Robert Mayo, and Anderson, Carl E. A photoelectric method for the microdetermination of potassium in blood plasma by the chloroplatinate precipitation, 135, 659

Tennent, David M., and Silber, Robert H. The excretion of ascorbic acid, thiamine, riboflavin, and pantothenic acid in sweat,

Teply, L. J. See Briggs, Luckey, Teply. Elvehjem, and Hart, 148, 517

Thalhimer, William. See Cohn, Tannenbaum, Thalhimer, and Hastings. **128,** 109

Thannhauser, S. J., Setz, Paul, and Benotti, Joseph. The composition of sphingomyelin from stromata of red blood cells, 126, 785

Benotti, Joseph, and Reinstein. Harold. Studies on animal lipids. XIV. The determination of lecithin, cephalin, and sphingomyelin in body fluids and tissues; with analyses of normal human sera. 129, 709

-, -, Walcott, Alexander, and Reinstein, Harold. Studies on animal lipids. XV. The lecithin, cephalin, sphingomyelin content of normal human organs. 129, 717

- and Reichel, Max. Studies on animal lipids. XVI. The occurrence of sphingomyelin as a mixture of sphingomyelin fatty acid ester and free sphingomyelin, demonstrated by enzymatic hydrolysis and mild saponification. 135, 1

See Reichel and Thannhauser, 135, 15

See Schmidt and Thannhauser, 149, 369

Sidney A. See Thayer, Westerfeld, Thayer, MacCorquodale, and Doisy,

126, 181 See Westerfeld, MacCorquodale,Thayer, and Doisy, 126, 195

See Binkley, MacCorquodale, Thayer, and Doisy, **130**, 219

 See Smith, Smith, Huffman, Thayer, MacCorquodale, and Doisy, 130, 431

—. See MacCorquodale, Mc Kee, Binkley,Cheney, Holcomb, Thayer, and Doisy, 130, 433

See McKee, Binkley, Thayer, Mac-Corquodale, and Doisy, 131, 327

See MacCorguodale, Cheney, Binkley, Holcomb, McKee, Thayer, and Doisy, 131, 357

Inayer, Sidney A.—commuea:
Hayer, Sidney A.—continued: —. See Huffman, Thayer, and Doisy,
133, 567
Doisu 133, 721
See Huffman, MacCorquodale,
Thayer, Doisy, Smith, and Smith,
134, 591
Doisy, 138, 283
Theis, Edwin R., and Jacoby, T. F. The
acid-base-binding capacity of collagen,
146, 163 — and —. The acid- and base-binding
capacity of heat-denatured collagen,
148, 105
— and —. The acid-, base-, and salt-
binding capacity of salt-denatured
collagen, 148, 603
collagen, 148, 603 Theis, R. M. See Sure, Theis, and
Harrelson. 129, 245
Thomas, A. W. See Little, Thomas, and
Sherman, 148, 441
Thomas, Byron H. See Eck and Thomas,
128, 257, 267
Thomas, Isabell. See Hodge, Koss,
Ginn, Falkenheim, Gavett, Fowler,
Thomas, Bonner, and Dessauer,
148, 321
148, 321 Thomas, James M. See Bina, Thomas,
Thomas, James M. See Bina, Thomas, and Brown. 148, 111
Thomas, James M. See Bina, Thomas, and Brown, 148, 111 Thomas, Lloyd E., Ingalls, Janet K.,
Thomas, James M. See Bina, Thomas, and Brown, 148, 111 Thomas, Lloyd E., Ingalls, Janet K., and Luck, James Murray. The deter-
Thomas, James M. See Bina, Thomas, and Brown, 148, 111 Thomas, Lloyd E., Ingalls, Janet K., and Luck, James Murray. The determination of arginine in the presence of
Thomas, James M. See Bina, Thomas, and Brown, 148, 111 Thomas, Lloyd E., Ingalls, Janet K., and Luck, James Murray. The determination of arginine in the presence of other amino acids by means of the
Thomas, James M. See Bina, Thomas, and Brown, 148, 111 Thomas, Lloyd E., Ingalls, Janet K., and Luck, James Murray. The determination of arginine in the presence of other amino acids by means of the Sakaguchi reaction, 129, 263
Thomas, James M. See Bina, Thomas, and Brown, 148, 111 Thomas, Lloyd E., Ingalls, Janet K., and Luck, James Murray. The determination of arginine in the presence of other amino acids by means of the Sakaguchi reaction, 129, 263 —. See Haddock and Thomas, 144, 691
Thomas, James M. See Bina, Thomas, and Brown, 148, 111 Thomas, Lloyd E., Ingalls, Janet K., and Luck, James Murray. The determination of arginine in the presence of other amino acids by means of the Sakaguchi reaction, 129, 263 —. See Haddock and Thomas, 144, 691
Thomas, James M. See Bina, Thomas, and Brown, 148, 111 Thomas, Lloyd E., Ingalls, Janet K., and Luck, James Murray. The determination of arginine in the presence of other amino acids by means of the Sakaguchi reaction, 129, 263 —. See Haddock and Thomas, 144, 691 Thompson, H. E., Jr. See Steadman and Thompson, H. E., Jr. See Steadman
Thomas, James M. See Bina, Thomas, and Brown, 148, 111 Thomas, Lloyd E., Ingalls, Janet K., and Luck, James Murray. The determination of arginine in the presence of other amino acids by means of the Sakaguchi reaction, 129, 263 —. See Haddock and Thomas, 144, 691 Thompson, H. E., Jr. See Steadman and Thompson, H. E., Jr. See Steadman
Thomas, James M. See Bina, Thomas, and Brown, 148, 111 Thomas, Lloyd E., Ingalls, Janet K., and Luck, James Murray. The determination of arginine in the presence of other amino acids by means of the Sakaguchi reaction, 129, 263 —. See Haddock and Thomas, 144, 691 Thompson, H. E., Jr. See Steadman and Thompson, 138, 611 Thompson, Marvin R. See Martin, Ren-
Thomas, James M. See Bina, Thomas, and Brown, 148, 111 Thomas, Lloyd E., Ingalls, Janet K., and Luck, James Murray. The determination of arginine in the presence of other amino acids by means of the Sakaguchi reaction, 129, 263 —. See Haddock and Thomas, 144, 601 Thompson, H. E., Jr. See Steadman and Thompson, 138, 611 Thompson, Marvin R. See Martin, Rennebaum, and Thompson, 139, 871
Thomas, James M. See Bina, Thomas, and Brown, 148, 111 Thomas, Lloyd E., Ingalls, Janet K., and Luck, James Murray. The determination of arginine in the presence of other amino acids by means of the Sakaguchi reaction, 129, 263 —. See Haddock and Thomas, 144, 691 Thompson, H. E., Jr. See Steadman and Thompson, 138, 611 Thompson, Marvin R. See Martin, Rennebaum, and Thompson, 139, 871 Thompson, Roy C. See Mitchell, Isbell,
Thomas, James M. See Bina, Thomas, and Brown, 148, 111 Thomas, Lloyd E., Ingalls, Jamet K., and Luck, James Murray. The determination of arginine in the presence of other amino acids by means of the Sakaguchi reaction, 129, 263 —. See Haddock and Thomas, 144, 691 Thompson, H. E., Jr. See Steadman and Thompson, 138, 611 Thompson, Marvin R. See Martin, Rennebaum, and Thompson, 139, 871 Thompson, Roy C. See Mitchell, Isbell, and Thompson. 147, 485
Thomas, James M. See Bina, Thomas, and Brown, 148, 111 Thomas, Lloyd E., Ingalls, Jamet K., and Luck, James Murray. The determination of arginine in the presence of other amino acids by means of the Sakaguchi reaction, 129, 263 —. See Haddock and Thomas, 144, 691 Thompson, H. E., Jr. See Steadman and Thompson, 138, 611 Thompson, Marvin R. See Martin, Rennebaum, and Thompson, 139, 871 Thompson, Roy C. See Mitchell, Isbell, and Thompson, 147, 485 —, Isbell, Edith R., and Mitchell,
Thomas, James M. See Bina, Thomas, and Brown, Thomas, Lloyd E., Ingalls, Janet K., and Luck, James Murray. The determination of arginine in the presence of other amino acids by means of the Sakaguchi reaction, See Haddock and Thomas, 144, 691 Thompson, H. E., Jr. See Steadman and Thompson, Thompson, Marvin R. See Martin, Rennebaum, and Thompson, 139, 871 Thompson, Roy C. See Mitchell, Isbell, and Thompson, 147, 485 —, Isbell, Edith R., and Mitchell, Herschel K. A microbiological assay
Thomas, James M. See Bina, Thomas, and Brown, Thomas, Lloyd E., Ingalls, Janet K., and Luck, James Murray. The determination of arginine in the presence of other amino acids by means of the Sakaguchi reaction, See Haddock and Thomas, 144, 691 Thompson, H. E., Jr. See Steadman and Thompson, Thompson, Marvin R. See Martin, Rennebaum, and Thompson, 139, 871 Thompson, Roy C. See Mitchell, Isbell, and Thompson, 147, 485 This Bell, Edith R., and Mitchell, Herschel K. A microbiological assay method for p-aminobenzoic acid,
Thomas, James M. See Bina, Thomas, and Brown, 148, 111 Thomas, Lloyd E., Ingalls, Janet K., and Luck, James Murray. The determination of arginine in the presence of other amino acids by means of the Sakaguchi reaction, 129, 263 —. See Haddock and Thomas, 144, 691 Thompson, H. E., Jr. See Steadman and Thompson, 138, 611 Thompson, Marvin R. See Martin, Rennebaum, and Thompson, 139, 871 Thompson, Roy C. See Mitchell, Isbell, and Thompson, 147, 1485 —, Isbell, Edith R., and Mitchell, Herschel K. A microbiological assay method for p-aminobenzoic acid, 148, 281
Thomas, James M. See Bina, Thomas, and Brown, Thomas, Lloyd E., Ingalls, Janet K., and Luck, James Murray. The determination of arginine in the presence of other amino acids by means of the Sakaguchi reaction, See Haddock and Thomas, Thompson, H. E., Jr. See Steadman and Thompson, Thompson, Marvin R. See Martin, Rennebaum, and Thompson, 139, 871 Thompson, Roy C. See Mitchell, Isbell, and Thompson, Jay, 875 Thompson, Roy C. See Mitchell, Isbell, and Thompson, 147, 485 —, Isbell, Edith R., and Mitchell, Herschel K. A microbiological assay method for p-aminobenzoic acid, 148, 281 Thomson, K. B. See Duffendack, Thom-
Thomas, James M. See Bina, Thomas, and Brown, Thomas, Lloyd E., Ingalls, Janet K., and Luck, James Murray. The determination of arginine in the presence of other amino acids by means of the Sakaguchi reaction, See Haddock and Thomas, 144, 691 Thompson, H. E., Jr. See Steadman and Thompson, Thompson, Marvin R. See Martin, Rennebaum, and Thompson, 139, 871 Thompson, Roy C. See Mitchell, Isbell, and Thompson, 147, 485 This Bell, Edith R., and Mitchell, Herschel K. A microbiological assay method for p-aminobenzoic acid,

Thorn, George W. See Engel, Thorn, and Lewis, 137, 205 Tidwell, Herbert C. See Treadwell,

King, Bebb, and Tidwell, 143, 203

- See Treadwell, Tidwell, and Grafa, 149, 209
- Tietzman, Josephine E. See Doherty, Tietzman, and Bergmann, 147, 617
- Tipson, R. Stuart, and Levene, P. A.
 On the union of the nucleotides in ribonucleic acid, 127, 105
- Christman, Clarence C., and Levene,
 P. A. The structure of the aldobionic acid from flaxseed mucilage, 128, 609
- and Levene, P. A. Partially Omethylated hexitols. II. Synthesis of 1,2,3,5,6-O-pentamethyl dulcitol, 129.575
- See Raymond, Tipson, and Levene, 130, 47
- A note on the action of silver salts of organic acids on bromoacetyl sugars.
 A new form of tetraacetyl l-rhamnose,
 130, 55
- and Levene, P. A. Partially O-methylated hexitols. III. Synthesis of 1,3,4,5-tetramethyl l-rhamnitol,
 130, 235
- Tiselius, Arne. See Blix, Tiselius, and Svensson, 137, 485
- Tishler, Max. See Fieser, Tishler, and Sampson, 137, 659
- and Evans, Herbert M. Vitamin E activities of some compounds related to α-tocopherol,
 139, 241
- -, Stokes, J. L., Trenner, N. R., and Conn, John B. Some properties of 'gramicidin, 141, 197
- See Waksman and Tishler, 142, 519
 Titus, Harry W. See Riemenschneider, Ellis, and Titus, 126, 255
- Todd, W. R., Vreeland, Johanna, Myers, Jane, and West, Edward S. A rapid micromethod for the quantitative estimation of sugar alcohols, 127, 269
- —, Myers, Jane, and West, Edward S. On the metabolism of sorbitol and mannitol, 127, 275
- Toennies, Gerrit, and Kolb, Joseph J. Methionine studies. I. The reaction

Toennies, Gerrit-continued: of methionine and other amino acids with mercuric chloride, 126, 367 - and Kolb, Joseph J. II. dl-Methi-128, 399 onine sulfoxide. - and Callan, Thomas P. Methionine studies. III. A comparison of oxidative reactions of methionine, cysteine, and cystine. Determination of methionine by hydrogen peroxide oxida-129, 481 tion, See Kolb and Toennies, 131, 401 Sulfonium reactions of methionine and their possible metabolic signifi-132, 455 cance. - and Kolb, Joseph J. Methionine studies. VI. dl-Methionine sulfone, 140, 131 The optical rotation of *l*-cystine. A correction, 143, 75 -. See Kolb and Toennies, 144, 193 —. See Sakami and Toennies, 144, 203 - and Kolb, Joseph J. The investigation of amino acid reactions by methods of non-aqueous titrimetry. III. The determination of hydroxy (and analogous) groups in amino acids, 144. 219 The oxidative conversion of casein into protein free of methionine and tryptophane, 145. 667 -. See Bennett and Toennies, 145, 671 Tolksdorf, Sibylle. See Jensen and Tolksdorf, 132, 519 See Jensen, Tolksdorf, and Bamman, 135, 791 See Schwenk, Fleischer, and Tolksdorf, 147, 535 Tomarelli, Rudolph. See György, Rose, and Tomarelli, **144**, 169 See György and Tomarelli, 147, 515 Tomkins, F. S. See Ewing, Tomkins, and Kamm. 147, 233 Tompkins, Edward R., and Kirk, Paul L. Quantitative drop analysis. XVI. An improved diffusion method for

total nitrogen.

Tompkins, Paul C., and Schmidt, Carl

L. A. A polarographic characteriza-

tion of nicotinic acid and related

142, 477

compounds. I. Pyridine and nicotinic acid, 143, 643

Torrance, Calvin C. Diphtherial intoxication and vitamin C content of the suprarenals of guinea pigs, 132, 575

Totter, John R., and Berg, Clarence P.

The influence of optical isomerism on the utilization of tryptophane, histidine, and lysine for growth in the mouse, 127, 375

See Borchers, Totter, and Berg, 142, 697

— and Day, Paul L. Xanthopterin in the treatment of leucopenia and weight loss in rats fed succinylsulfathiazole, 147, 257

Tracy, Ann H. See Oncley, Ross, and Tracy, 141, 797

and Ross, William F. Carbon suboxide and proteins. V. Further study of the nature of the reaction, 142, 871
See Ross and Tracy. 145, 19

— and Ross, William F. Carbon suboxide and proteins. VII. Malonyl pepsin, 146, 63

Tragerman, L. J. See Halliday, Deuel, Tragerman, and Ward, 132, 171

Treadwell, C. R., and Eckstein, H. C.
The composition of the tissue lipids of
the Virginia white-tailed deer (Odocoileus virginianus borealis), 128, 373

-. See Tucker, Treadwell, and Eckstein, 135, 85

and Eckstein, H. C. Sterol metabolism in young white rats. IV. The effect of high and low fat diets on the cholesterol metabolism of four generations of white rats,
 140, 35

Groothuis, Marjorie, and Eckstein,
 H.C. The influence of supplementary casein, cystine, and methionine on liver lipid content,
 142, 653

—, King, W. C., Bebb, K. C., and Tidwell, Herbert C. Fatty livers and glucose tolerance in the white rat, 143, 203

—, Tidwell, Herbert C., and Grafa, Barney G., Jr. Liver glycogen and lipids in fasted and glucose-fed rats, 149, 209

Treffers, Henry P. See Heidelberger, Treffers, Schoenheimer, Ratner, and	Turner, C. W. See Reineke, Peterson, and Turner, 128, 1
Rittenberg, 144, 555	 See Reineke, Williamson, and
Trenner, N. R., and Bacher, F. A. A	Turner, 138, 83
quantitative reduction-oxidation	143, 285
method for the estimation of vitamin	147, 115
K ₁ and associated quinones and	 See Reineke and Turner,
naphthoquinones, 137, 745	149, 555, 563
See Tishler, Stokes, Trenner, and	Turner, D. L., and Miller, F. R. The
Conn, 141, 197	preparation of concentrates of specific
Trevorrow, Virginia. Studies on the	substances from urine and feces in
nature of the iodine in blood, 127, 737	leucemia, 147, 573
Tria, Eusebio. Anticatalase, 129, 377	Turner, Richard B. See Ross and
Troescher, E. Elizabeth, and Norris,	•
The state of the s	
	Turner, William J., Kress, Bernard H.,
determination applied to studies of	and Harrison, Norman B. Determina-
rats bearing adenocarcinoma,	tion of dihydroxyacetone in blood,
132, 553	148, 581
Truax, Frederick L. See MacLachlan,	Tuthill, Elizabeth. See Smith, Tuthill,
Hodge, Bloor, Welch, Truax, and	Drew, and Scudder, 133, 499
Taylor, 143, 473	Tweedy, Wilbur R., Templeton, R. D.,
Truhlar, Joseph, Drekter, Leon, Mc-	Patras, Mary C., McJunkin, F. A.,
Guire, Grace, and Falk, K. George.	and McNamara, E. W. Studies on the
Studies on enzyme action. LI. The	effects of calciferol in the thyropara-
phosphatase actions of tissues of	thyroidectomized-nephrectomized rat
normal and rachitic rats, 127, 345	128, 407
Tucker, Helen F., and Eckstein, Henry	See Snyder and Tweedy, 146, 639
C. The effect of supplementary ly-	Tytell, Alfred A. See Sizer and Tytell,
sine, methionine, and cystine on the	138, 631
production of fatty livers by high fat	 See Gould, Tytell, and Jaffe,
diets containing gliadin, 126, 117	146, 219
—, Treadwell, C. R., and Eckstein, H. C.	-14, 21
The effect of supplementary cystine	ប
and methionine on the production of	Uber, Fred M., and Verbrugge, Frank.
I	Photochemistry and absorption
fatty livers by rats on high fat diets	
containing casein or edestin, 135, 85	spectroscopy of the pyrimidine com-
- and Ball, Eric G. The activity of	ponent of vitamin B ₁ , 134, 273
carbonic anhydrase in relation to the	- and Photochemistry of the
secretion and composition of pancre-	thiazole component of vitamin B ₁ ,
atic juice, 139, 71	136, 81
See Ball, Tucker, Solomon, and	- and Ells, Victor R. The ultraviolet
Vennesland, 140, 119	absorption spectrum of crystalline
Tucker, I. W. See Matlack and Tucker,	ribonuclease, 141, 229
132, 663	- and McLaren, A. D. A photochemical
Tulane, Victor J. See Wilkerson and	yield for the inactivation of crystalline
Tulane, 129, 477	trypsin, 141, 231
Tully, R. H., 3rd. See Musulin, Tully,	Umberger, Charles J. See Gettler and
Longenecker, and King, 129, 437	Umberger, 143, 633
See Longenecker, Musulin, Tully,	Umbreit, W. W. See O'Kane and
and King, 129, 445	L

determination,

Van Slyke, Donald D .- continued: Umbreit, W. W .- continued: See Jacobs and Van Slyke, 147, 263 141. 1 See Le Page and Umbreit, Dillon, Robert T., MacFadyen, 148, 255 Douglas A., and Hamilton, Paul. Underkofler, L. A. See Lampen, Under-Gasometric determination of carboxyl kofler, and Peterson, 146, 277 Unna, Klaus. See Scudi, Unna, and groups in free amino acids, 141, 627 -, MacFadyen, Douglas A., and Hamil-135, 371 Antopol, ton, Paul. Determination of free See Silber and Unna, 142, 623 amino acids by titration of the carbon Utter, M. F., and Werkman, C. H. dioxide formed in the reaction with Effect of metal ions on the reactions of ninhydrin, 141, 671 phosphopyruvate by Escherichia coli, Alma, and MacFadven. 146, 289 Hiller, Douglas A. The determination of v hydroxylysine in proteins, 141, 681 - and Kreysa, Frank J. Microdeter-Van Bruggen, J. T. See Roberts, Cain, mination of calcium by precipitation Muir, Reithel, Gaby, Van Bruggen, as picrolonate and estimation of the Homan, Katzman, Jones, and Doisy, precipitated carbon by manometric 147, 47 combustion. 142, 765 -, Reithel, F. J., Cain, C. K., Katzman, See Klemperer, Hastings, and Van Philip A., Doisy, Edward A., Muir, Slyke, 143, 433 R. D., Roberts, E. C., Gaby, W. L., - Hiller, Alma, and Dillon, Robert T. Homan, D. M., and Jones, L. R. Solubilities and compositions of the Penicillin B: preparation, purificaphospho-12-tungstates of the diamino tion, and mode of action, 148, 365 acids and of proline, glycine, and Vandenbelt, J. M. See Ewing, Vandentryptophane, 146, 137 belt, and Kamm, 131, 345 See MacFadyen and Van Slyke, See Bird, Vandenbelt, and Emmett, 149, 527 142, 317 See Hamilton and Van Slyke, Van Duyne, F. O. A method for the 150, 231 determination in vitro of riboflavin in MacFadyen, Douglas A., and Hamiltissues. 139, 207 ton, Paul B. The gasometric deter-Van Huysen, Grant. See Hodge, Van mination of amino acids in urine by the Huysen, Bonner, and Van Voorhis, ninhydrin-carbon dioxide method, 138, 451 150, 251 Van Slyke, Donald D. See McCarthy and Hamilton, Paul B. The synthesis and Van Slyke. 128, 567 and properties of ninhydrin ureide, See Folch and Van Slyke, 129, 539 Determination of solubilities of -, Phillips, Robert A., Hamilton, Paul gases in liquids with use of the Van B., Archibald, Reginald M., Futcher, Slyke-Neill manometric apparatus for Palmer H., and Hiller, Alma. Glutaboth saturation and analysis, mine as source material of urinary 130, 545 ammonia. 150, 481 -, Hiller, Alma, MacFadyen, Douglas Van Voorhis, Stanley N. See Volker, A., Hastings, A. Baird, and Klemperer, Hodge, Wilson, and Van Voorhis, Friedrich W. On hydroxylysine, 134, 543 133, 287 -. See Hodge, Van Huysen, Bonner, Glenn Ernest Cullen, preceding, and Van Voorhis, 138, 451 134, 467 Vassel, Bruno. A colorimetric micro-- and Folch, Jordi. Manometric carbon method for the estimation of cystine

136, 509

and cysteine,

140, 323

Velick, Sidney F., White, Julius, and Lewis, Howard B. The synthesis of dicholylcystine and cholylcysteic acid, 127, 477 Vennesland. Birgit. See Conant. Cramer, Hastings, Klemperer, Solomon, and Vennesland, 137, 557 -. See Ball, Tucker, Solomon, and Vennesland. 140, 119 See Solomon, Vennesland, Klemperer, Buchanan, and Hastings, **140,** 171 -. See Green, Westerfeld, Vennesland, and Knox. 140, 683 -, Solomon, A. K., Buchanan, John M., Cramer, Richard D., and Hastings, A. Baird. Metabolism of lactic acid containing radioactive carbon in the α or β position, 142, 371 -, -, -, and Hastings, A. Baird. Glycogen formation from glucose in the presence of radioactive carbon dioxide, 142, 379 See Evans, Slotin, and Vennesland, 143, 565 See Green, Westerfeld, Vennesland and Knox, 145, 69 See Evans, Vennesland, and Slotin, 147, 771 Venning, Eleanor H. Further studies on the estimation of small amounts of sodium pregnanediol glucuronidate in urine, -, Hoffman, M. M., and Browne, I. S. L. Isolation of androsterone sulfate. -, -, and -. The life-maintaining and gluconeogenic properties of the cortinlike material excreted postoperatively, 148, 455 Verbrugge, Frank. See Uberand Verbrugge, 134, 273 136, 81 The inactivation of trypsin by ultraviolet radiation, 149, 405 Vestling, Carl S. See Clark, Taylor, Davies, and Vestling, 135, 543 -. Metalloporphyrins. IV. Coordination of iron copro- and etioporphyrins with nitrogenous bases, 135, 623

Vestling, Carl S.—continued:

 The reduction of methemoglobin by ascorbic acid, 143, 439

 and Warner, Donald T. The isoelectric points of threonine and some related compounds, 144, 687

Vickery, Hubert Bradford. See Pucher, Wakeman, and Vickery, 126, 43

 and Pucher, George W. The loss of carbon from excised rhubarb leaves during culture,
 128, 685

 and —. The metabolism of amides in green plants. III. The mechanism of amide synthesis,
 128, 703

—, —, Schoenheimer, Rudolf, and Rittenberg, D. The metabolism of nitrogen in the leaves of the buckwheat plant, 129, 791

 The determination of arginine by means of flavianic acid, 132, 325

 Pucher, George W., Schoenheimer, Rudolf, and Rittenberg, D. The assimilation of ammonia nitrogen by the tobacco plant: a preliminary study with isotopic nitrogen, 135, 531

Smith, Emil L., Hubbell, Rebecca
 B., and Nolan, Laurence S. Cucurbit seed globulins. I. Amino acid composition and preliminary tests of nutritive value,

 The preparation of histidine by means of 3,4-dichlorobenzenesulfonic acid,
 143, 77

—. The histidine content of the hemoglobin of man and of the horse and sheep, determined with the aid of 3,4-dichlorobenzenesulfonic acid,

144, 719

 Pucher, George W., and Deuber, Carl
 G. The preparation of asparagine, 145, 45

See Pucher and Vickery, 145, 525
 and Pucher, George W. Amide metabolism in etiolated seedlings. I.
 Asparagine and glutamine formation in Lupinus angustifolius, Vicia atro-

150, 197

Viergiver, Ellenmae. See Allen and Viergiver, 141, 837

purpurea, and Cucurbita pepo,

Viergiver, Ellenmae—continued:

-. See Woolf, Viergiver, and Allen,

146. 323

du Vigneaud, Vincent, Patterson, Wilbur I., and Hunt, Madison. Opening of the ring of the thiolactone of homocysteine, 126, 217

See Hunt and du Vigneaud,

—. See Kies, Dyer, Wood, and du Vigneaud, 128, 207

- —, Wood, John L., and Irish, Oliver J. The optical inversion of the benzyl derivatives of d-cysteine and d-homocysteine in vivo, 129, 171
- See Wood and du Vigneaud,

130, 109

- —, Dyer, Helen M., and Kies, Marian Wood. A relationship between the nature of the vitamin B complex supplement and the ability of homocystine to replace methionine in the diet, 130, 325
- —, Chandler, Joseph P., Moyer, A. W., and Keppel, Dorothy M. The effect of choline on the ability of homocystine to replace methionine in the diet,

131, 57

See Wood and du Vigneaud,

—, Cohn, Mildred, Brown, George Bosworth, Irish, Oliver J., Schoenheimer, Rudolf, and Rittenberg, D. A study of the inversion of d-phenylaminobutyric acid and the acetylation of l-phenylaminobutyric acid by means of the isotopes of nitrogen and hydrogen, 131, 273

—, Miller, Gail Lorenz, and Rodden, Clement J. On the question of the presence of methionine in insulin, 131, 631

-. See Wood and du Vigneaud,

^{134, 413}

- —, Chandler, Joseph P., Cohn, Mildred, and Brown, George Bosworth. The transfer of the methyl group from methionine to choline and creatine,
 - 134, 787

135, 223

See Chandler and du Vigneaud,

du Vigneaud, Vincent-continued:

See Brown and du Vigneaud,

137, 611

-. See Cohn, Irving, and du Vigneaud, 137, 635

- and Brown, George Bosworth. The synthesis of the new sulfur-containing amino acid (lanthionine) isolated from sodium carbonate-treated wool.
- 138, 151

 —, Wood, John L., and Binkley, Francis.
 Acetylation in vivo of p-bromophenyld-cysteine, 138, 369
- Chandler, Joseph P., and Moyer,
 A. W. The inability of creatine and creatinine to enter into transmethylation in vivo,
 139, 917

-. See Miller, Behrens, and du Vigneaud, 140, 411

—, Cohn, Mildred, Chandler, Joseph P., Schenck, Jay R., and Simmonds, Sofia. The utilization of the methyl group of methionine in the biological synthesis of choline and creatine,

140, 625

 Hofmann, Klaus, Melville, Donald B., and György, Paul. Isolation of biotin (vitamin H) from liver,

140, 643

—, —, and Rachele, Julian R. The preparation of free crystalline biotin, 140, 763

.-. See Brown and du Vigneaud,

140, 767 141, 85

- See Hofmann, Melville, and du Vigneaud, 141, 207
- —, Brown, George Bosworth, and Bonsnes, Roy W. The formation of lanthionine on treatment of insulin with dilute alkali, 141, 707
- -. See Melrille, Hofmann, Hague, and du Vigneaud, 142, 615
- —, Brown, George Bosworth, and Chandler, Joseph P. The synthesis of ll-S- $(\beta$ -amino- β -carboxyethyl) homocysteine and the replacement by it of cystine in the diet, 143, 59
- -. See Moyer and du Vigneaud,

143, 373

Au Vienna and Vienna a
du Vigneaud, Vincent—continued:
See Binkley, Anslow, and du Vi-
gneaud, 143, 559
See Binkley and du Vigneaud,
- See Hofmann, Melville, and du
See Hofmann, Melville, and du
Vigneaud, 144, 513
Vigneaud, 145, 101
See Kilmer, Armstrong, Brown.
 See Melville, Hofmann, and du Vigneaud, 145, 101 See Kilmer, Armstrong, Brown, and du Vigneaud, 145, 495
See Hofmann, Kilmer, Melville, du
Vianeaud and Darby 145 503
Vigneaud, and Darby, 145, 503 —, Melville, Donald B., Folkers, Karl,
Wolf, Donald E., Mozingo, Ralph,
Voncartony Toba C and Hamis
Keresztesy, John C., and Harris, Stanton A. The structure of biotin: a
Stanton A. The structure of blotin: a
study of desthiobiotin, 146, 475 —. See Melville, Moyer, Hofmann, and
See Melville, Moyer, Hojmann, and
du Vigneaud, 146, 487
See Simmonds and du Vigneaud,
146, 685
See Schenck, Simmonds, Cohn,
Stevens, and du Vigneaud, 149, 355
Stevens, and du Vigneaud, 149, 355 —. See Simmonds, Cohn, Chandler,
and du Vigneaud, 149, 519 Virtue, Robert W., and Doster-Virtue,
Virtue, Robert W., and Doster-Virtue,
Mildred E. Studies on the produc-
tion of taurocholic acid in the dog.
Π. Cystamine, 126, 141
 II. Cystamine, and —. III. Cystine disulfoxide,
cysteine sulfinic acid, and cysteic acid,
127, 431
- and IV. Cysteine, homocysteine,
and thioglycolic acid, 128, 665
- and The failure of intravenously
injected fat to produce cholic acid in
the dog. 133, 573
- and Studies on the production of
taurocholic acid in the dog. V. Methionine sulfoxide, 137, 227 Visscher, Frank E. See Mac Kay, Carne,
Methionine sulfoxide. 137, 227
Visscher, Frank E. See MacKay Carne.
Wick, and Visscher, 141, 889
- and Corley, Ralph C. Influence of
linoleic and palmitic acids of the diet
on synthesis and storage of fatty acids
in the white rat, 147, 291
Voltage Togget F Under Ungeld Con
Volker, Joseph F., Hodge, Harold Car-
penter, Wilson, Helen J., and Van Voorhis, Stanley N. The adsorption

and hydroxyapatite as shown by the radioactive isotope, Voris, Leroy, Ellis, Gordon, and Maynard, L. A. The determination of neutral fat glycerol in blood with periodate. Application to the determination of arteriovenous differences in neutral fat, 133. 491 Vos, B. J., Jr. See Eichelberger, Fetcher, Geiling, and Vos, -. See Eichelberger, Geiling, and Vos, 133, 661 See Eichelberger, Fetcher, Geiling, 134. 171 and Vos. Vreeland, Johanna. See Todd, Vreeland,

W

Myers, and West,

Wachtel, L. W., Hove, E., Elvehjem, C. A., and Hart, E. B. Blood uric acid and liver uricase of zinc-deficient rats on various diets, Wade, Nelson J. See Griffith and Wade, 131, 567 132, 627

Waelsch, Heinrich, and Sperry, Warren M. The composition of unsaponifiable 132, 787 lipids,

See Sperry, Waelsch, and Stoyanoff,

-, Sperry, Warren M., and Stoyanoff, V. A. A study of the synthesis and deposition of lipids in brain and other tissues with deuterium as an indicator. 135, 291

-, --, and --. Lipid metabolism in brain during myelination, 135, 297

See Rittenberg and Waelsch,

136, 799 and Rittenberg, D. Glutathione. I. The metabolism of glutathione studied with isotopic glycine,

139, 761

The excretion of keto acids,

140, 313

127, 269

-, Sperry, Warren M., and Stoyanoff, V. A. The influence of growth and myelination on the deposition and metabolism of lipids in the brain,

140, 885

by enamel, dentin, bone, | -. See Borek and Waelsch. 141, 99

Warga, Mary. See Saier, Warga, and Waelsch, Heinrich-continued: - and Rittenberg, D. Glutathione. Grauer, 137, 317 Warner, Donald T. See Vestling and II. The metabolism of glutathione 144, 687 studied with isotopic ammonia and Warner. -. See Rose, Haines, Johnson, and 144, 53 glutamic acid, - and Miller, Herbert K. The relation Warner, 148, 457 Warner, E. D. See Seegers, Brinkhous, of keto acid excretion to amino acid 145, 1 Smith, and Warner, 126, 91 metabolism, Warner, Robert C. The kinetics of the 145,605 See Anchel and Waelsch, —. See Nachmansohn, John, andhydrolysis of urea and of arginine, 150, 485 142, 705 Waelsch. Wagner, J. R., Axelrod, A. E., Lipton, - and Cannan, R. Keith. The formation of ammonia from proteins in alkaline M. A., and Elvehjem, C. A. A rat assay method for the determination of solution, 142, 725 The alkaline hydrolysis of egg riboflavin, 136, 357 Wahlin, H. B. See Burris, Eppling, albumin. 142, 741 Warren, Charles O., and Carter, Charles Wahlin, and Wilson, 148, 349 Waisman, Harry A. See Woolley, Wais-E. The Pasteur effect in bone marrow, studied with carbon monoxide-oxygen man, and Elvehjem, 129, 673 Wakeman, Alfred J. See Pucher, Wakemixtures. 150, 267 Warren, Stafford L. See Mann, Leblond, man, and Vickery, 126, 43 Waksman, Selman A., and Tishler, Max. 142, 905 and Warren, Waters, E. T. See Jaques, Waters, and The chemical nature of actinomycin, 144, 229 an antimicrobial substance produced Charles, by Actinomyces antibioticus, 142, 519 Watson, Cecil James, Pass, I. J., and Walcott, Alexander. See Thannhauser, Schwartz, Samuel. A study of the Benotti, Walcott, and Reinstein, supposed conversion of protopor-129, 717 phyrin to coproporphyrin by the liver. Walden, M. K. See Kies and Schwim-I. The fate of parenterally admin-145, 685 istered protoporphyrin in dogs with Walker, Burnham S. See Barkan and bile renal fistulae, 139, 583 Walker. 131, 447 -. See Salzburg and Watson, 139. 593 135, 37, 803 See Flink and Watson, 146, 171 See Ellis and Walker, 142, 291 See Grinstein and Watson, Wallace, William M., and Hastings, A. 147, 667, 671, 675 Baird. The distribution of the bi-Watson, Dennis W. See Seibert and carbonate ion in mammalian muscle, Watson, 140, 55 144, 637 Watson, E. M. See Williams and Watson, - and Lowry, Oliver H. An in vitro 135, 337 study of carbon dioxide equilibria in Weast, C. A., and Mackinney, G. mammalian muscle, 144, 651 Chlorophyllase, 133, 551 Walsh, Anna I. See Looney and Walsh, Weatherby, LeRoy S., and Cheng, Amber 127, 117 L. S. The determination of flavones 130, 635 or quercetin-like substances in certain Walton, Clarence. See Johnston, Irvin, naturally occurring products, and Walton, 131, 425 148, 707 Ward, S. M. See Hoagland and Ward, Webb, Bailey D. See Kyker, Webb, and Andrews, 146, 115 139, 551 Ward, W. E. See Halliday, Deuel, Webb, Merrill. See Block, Jervis, Bol-Tragerman, and Ward, 132, 171 ling, and Webb 134, 567

Webb, T. J., and Kniazuk, Michael. Weir, Everett G., and Hastings, A. Baird. Spectrophotometric examination of The distribution of bromide and blood from animals receiving sulchloride in tissues and body fluids, fanilamide. 128, 511 129, 547 See Scudi, Bastedo, and Webb, Weiss, Ethel. See Saifer, Hughes, and 136, 399 Weiss, 146, 527 Webster, George L. See Martinek, Weiss, Soma. See Muus, Weiss, and Kirch, and Webster. 149, 245 Hastings. 129, 303 Wegner, M. I., Kemmerer, A. R., and Weissberger, Louise Harris. The in-Fraps, G. S. Some factors that crease in phospholipid and total affect the microbiological method for phosphorus metabolism of the kidney riboflavin. 144, 731 following the administration of am--, -, and -. Influence of the method monium chloride, with radioactive of preparation of sample on microphosphorus as an indicator, 132, 219 biological assay for riboflavin, Phosphorus metabolism in phlor-146, 547 hizin diabetes, with radioactive phos-Weichselbaum, T. E., Somogyi, Michael, phorus as an indicator, 139, 543 and Rusk, Howard A. A method for - and Harris, Philip L. A possible the determination of small amounts of vitamin D assay technique with radiopotassium. 132, 343 active strontium, 144, 287 - and -. A method for the determina-Weissman, Norman, and Schoenheimer, tion of small amounts of ketone bodies, Rudolf. The relative stability of l(+)-lysine in rats studied with 140, 5 See Somogyi and Weichselbaum, deuterium and heavy nitrogen, 145, 567 140, 779 Weil, Leopold, and Russell, Mary A. See Ratner, Weissman, and Schoen-Proteolytic activity of plasma during heimer, 147, 549 tumor or embryonic growth in rats, Welch, A. D. The preparation of a 126, 245 casein hydrolysate for the study of the — and —. Studies on plasma phospharelationship between choline tase activity in relation to fat metabo-137, 173 homocystine. lism in rats, 136, 9 and Landau, R. L. The arsenic -. Studies on plasma phosphatase analogue of choline as a component of activity during embryonic and tumor lecithin in rats fed arsenocholine growth. 138, 375 chloride. 144. 581 - and Jennings, Robert K. Investiga- See Jukes and Welch, 146, 19 tions in enzymatic histochemistry. Welch, Eileen A. See MacLachlan, III. Distribution of enzymes in rabbit Hodge.Bloor, Welch, Truax, and kidney, 139, 421 143, 473 Taylor, - and Russell, Mary A. Studies on Welch, Mary S. See Colowick, Welch, plasma phosphatase activity and on 133, 359, 641 and Cori. blood phospholipids in rats with Wendel, Nannette M. See Wendel. obstructive jaundice, 144, 307 Wendel, and Cox, 131, 177 Weinhouse, Sidney, and Brewer, John I. Wendel, William B., Wendel, Nannette Cyclic variations in the lipids of the M., and Cox, W. W. Methemoglobin corpus luteum, 143, 617 as the principal abnormal pigment in Weinstock, Harry H., Jr., May, Everette the blood of humans showing cyanosis L., Arnold, Aaron, and Price, Donald.

from sulfanilamide,

-. See Cox and Wendel,

131, 177

143, 331

Amino acid analogues of pantothenic

135, 343

acid,

Wendel, William B.—continued: — and Kimball, Sydnette. Formation of lactic acid and pyruvic acid in blood containing Plasmodium knowlesi,
145, 343
Respiratory and carbohydrate metabolism of malaria parasites (Plasmodium knowlesi), 148, 21
metabolism of malaria parasites
(Plasmodium knowlesi) 148, 21
(Plasmodium knowlesi), 148, 21 Werkman, C. H. See Wood, Werkman,
werkman, C. H. See wood, werkman,
Hemingway, and Nier, 135, 789
See Silverman and Werkman,
138, 35
See Wood, Werkman, Hemingway,
1366 Wood, Werkinder, Hentingway,
and Nier, 139, 365, 377, 483
1 42, 31
See Slade, Wood, Nier, Hemingway,
] 177 7 142 129
—. See Utter and Werkman, 146, 289
See Krampitz, Wood, and Werkman,
147, 243
Werthessen, Nicholas T. See Pearlman,
Pincus, and Werthessen, 142, 649 West, Edward S. See Todd, Vreeland,
West, Edward S. See Todd, Vreeland.
Myers, and West, 127, 269
On The 13 Marine and West
See Todd, Myers, and West,
127, 275
-, Christensen, Bert E., and Rinehart,
Robert E. A micromethod for the
determination of carbon dioxide in
blood and other fluids 122 601
blood and other fluids, 132, 681 —. See Christensen, West, and Dimick,
See Unristensen, west, and Dimick,
137, 735
- and Rinehart, Robert E. Reaction of
ninhydrin with ascorbic acid and other
endial compounds. Decarboxylation
of dehydrogenerhie said 146 105
of dehydroascorbic acid, 146, 105 —. See Highet and West, 146, 655
See Highet and West, 140, 655
Westerbeke, Don. See Anderson, Seeley,
Stewart, Redd, and Westerbeke,
135, 189
Westerfeld, W. W., Thayer, Sidney A.,
MacConnected D W and Dalam
MacCorquodale, D. W., and Doisy,
Edward A. The ketonic estrogen of
sow ovaries, 126, 181
-, MacCorquodale, D. W., Thayer,
Sidney A., and Doisy, Edward A. The
isolation of theelin from human
about of offerin Holl Hallsh
placenta, 126, 195 — See Green, Westerfeld, Vennesland
- See Green, Westerfeld, Vennesland

and Knox.

Westerfeld, W. W .- continued:

- The oxidation of estrone by hydrogen peroxide,
 143, 177
- Stotz, Elmer, and Berg, Robert L.
 The rôle of pyruvate in the metabolism of ethyl alcohol, 144, 657
 See Green, Westerfeld, Vennesland.
- and Knox, 145, 69
 and Lowe, Charles. The oxidation of
- p-cresol by peroxidase, 145, 463
- and Berg, Robert L. Observations on the metabolism of acetoin, 148, 523
- -. See Doisy and Westerfeld, 149, 229
- Stotz, Elmer, and Berg, Robert L.
 The coupled oxidation-reduction of alcohol and pyruvate in vivo, 149, 237
 Wheeler D. H. Soo Riemannehmides
- Wheeler, D. H. See Riemenschneider, Wheeler, and Sando, 127, 391
- Riemenschneider, R. W., and Sando, Charles E. Preparation, properties, and thiocyanogen absorption of triolein and trilinolein, 132, 687
- White, A. G. C. See Woolley and White, 149, 285
- White, Abraham. See Beach and White, 127, 87
- -. See White and White, 131, 149
- and Lavin, G. I. The ultraviolet absorption spectrum of prolactin,
- —. See Stevenson and White, 134, 709
- -, Bonsnes, Roy W., and Long, C. N. H. Prolactin, 143, 447
- and Elman, Robert. Preparation of tryptophane-containing acid hydrolysates of proteins suitable for intravenous administration, 143, 797
- See Sayers, White, and Long,149, 425
- White, Florence R. See White and White, 130, 435
- White, Julius. See Velick, White, and Lewis, 127, 477
- and White, Florence R. On the nature of the glutamic acid of malignant tumor tissue. 130, 435
- and White, Abraham. Inhibition of growth of the rat by oral administration of methylcholanthrene, benz-

140, 683

White, Julius—continued:	Wiese, A. C., and Johnson, B. Connor.
pyrene, or pyrene, and the effects of	A new method for the microdetermina-
various dietary supplements,	tion of manganese in biological
131, 149	
*	materials, 127, 203
See Greenstein, Jenrette, Mider, and	-, -, Elvehjem, C. A., Hart, E. B., and
White, 137, 795	Halpin, J. G. A study of blood and
See Greenstein, Jenrette, and White,	bone phosphatase in chick perosis,
141, 327	127, 411
Whitehead, Raymond. See MacLachlan,	Wilde, W. S. The distribution of potas-
Hodge, and Whitehead, 139, 185	sium in the cat after intravascular
See Hodge, MacLachlan, Bloor,	
	injection, 128, 309
Stoneburg, Oleson, and Whitehead,	Wildman, Sam G. See Gordon and
139, 897	Wildman, 147, 389
Whitman, Newton E. See Borchers,	Wilhelmi, Alfred E. See Fisher and
Berg, and Whitman, 145, 657	Wilhelmi, 132, 135
Wick, Arne N. See Barnes and Wick,	See Russell and Wilhelmi, 137, 713
131, 413	140, 747
See MacKay, Wick, and Carne,	· · · · · · · · · · · · · · · · · · ·
132, 613	See Frame, Russell, and Wilhelmi,
	149, 255
See MacKay, Carne, and Wick,	Wilkerson, Vernon A., and Tulane, Victor
. 133, 59	J. The chemistry of human skin.
See MacKay, Barnes, Carne, and	III. The occurrence of methionine in
Wick, 135, 157	human skin (stratum corneum),
See MacKay, Wick, and Barnum,	129, 477
135, 183	Williams, Edward F., Jr. See Morrison
-, MacKay, Eaton M., Carne, Herbert	and Williams, 137, 461
O., and Mayfield, Harry M. The	Williams, H. L., and Watson, E. M.
relative antiketogenic activity of	The influence of sulfhydryl compounds
glucose, glycine, and alanine,	upon the activity of bone phosphatase
136, 237	
	in vitro, 135, 337
See MacKay, Wick, and Barnum,	Williams, Harold H. See Beach, Erick-
136, 503	son, Bernstein, Williams, and Macy,
137, 183	128, 339
See MacKay, Wick, Carne, and	—. See Beach, Bernstein, Hummel,
Barnum, 138, 63	Williams, and Macy, 130, 115
- and Drury, D. R. The effect of	See Erickson, Arrin, Teague, and
concentration on the rate of utilization	Williams, 135, 671
of β-hydroxybutyric acid by the	,
rabbit, 138, 129	Williams, J. R., Jr. See Grollman,
See MacKay, Carne, Wick, and	Williams, and Harrison, 134, 115
Visscher, 141, 889	Williams, Ray D. See Mason and
•	Williams, 140, 417
Ketogenic action of branched chain	146, 589
fatty acids, 141, 897	Williams, Roger J. See Snell, Penning-
See Kuizenga, Wick, Ingle, Nelson,	ton, and Williams, 133, 559
and Cartland, 147, 561	
Wieghard, Charlotte W., and Anderson,	See Pennington, Snell, and Williams,
R. J. The chemistry of the lipids of	135, 213
tubercle bacilli. LV. Studies on the	 See Eakin, Snell, and Williams,
wax fractions of the human tubercle	136, 801
bacillus, 126, 515	140, 535
, 010 j	120,000

Williams, Roger J.—continued:	Winkler, Alexander W.—continued:
See Snell, Guirard, and Williams,	See Eisenman, Ott, Smith, and
143, 519	Winkler, 135, 165
Williamson, M. B. See Reineke, Wil-	See Smith, Eisenman, and Winkler,
liamson, and Turner, 138, 83	141, 555
143, 285	Winnick, Theodore. See Greenberg and
147, 115	Winnick, 135, 761, 775, 781
Williamson, S., and Green, D. E. The	- and Greenberg, David M. The use of
preparation of coenzyme I from yeast,	optical rotation in the study of protein
135, 345	hydrolysis, 137, 429
Wilson, D. Wright. See Zapp and	Microdiffusion methods based on
Wilson, 126, 9, 19	the bisulfite reaction. I. The deter-
See Irvin and Wilson,	mination of acetone, 141, 115
127, 555, 565, 575	II. Determination of lactic acid by
See Gurin, Bachman, and Wilson,	oxidation with ceric sulfate, 142, 451
128, 525	III. Determination of threonine by
See Kurtz and Wilson, 129, 693	oxidation with periodate, 142, 461
See Gurin, Bachman, and Wilson,	See Cramer and Winnick, 150, 259
133, 467, 477	Winter, Irwin C. Fat metabolism fol-
See Lundgren, Gurin, Bachman,	lowing liver injury. Decreased iodine
and Wilson, 142, 367	number of tissue fatty acids of male
Wilson, Donald A. See Strickler, Shaffer,	rats following carbon tetrachloride
Wilson, and Strickler, 148, 251	administration, 128, 283
Wilson, Helen J. See Volker, Hodge,	Fat metabolism after liver injury.
Wilson, and Van Voorhis, 134, 543	Decreased fatty acid utilization by
Wilson, J. B., Lee, S. B., and Wilson,	male rats following the administration
P. W. Mechanism of biological nitro-	of carbon tetrachloride, 135, 123
gen fixation. IX. Properties of hydro-	— and Crandall, Lathan A., Jr. The
genase in Azotobacter, 144, 265	question of the portal absorption of
See Lee, Wilson, and Wilson,	fatty acids, 140, 97
144, 273	Fat metabolism after liver injury.
Wilson, J. W. See Dill, Wilson, Hall,	Fatty acid utilization by rats treated
and Robinson, 136, 449	with carbon tetrachloride on diets
Wilson, P. W., Lee, S. B., and Wyss,	which were fat-free or contained fats
Orville. Mechanism of symbiotic ni-	with high or low iodine numbers,
trogen fixation. V. Nature of inhibi-	·
tion by hydrogen, 139, 91	Winternity M. C. See Maley Winter
See Wilson, Lee, and Wilson,	Winternitz, M. C. See Mylon, Winter-
144, 265	nitz, and de Sütō-Nagy, 143, 21
See Lee, Wilson, and Wilson,	Wintersteiner, O. See Hirschmann and
144, 273	Wintersteiner, 126, 737
-, Burris, R. H., and Coffee, W. B.	See Pearlman and Wintersteiner,
Hydrogenase and symbiotic nitrogen	130, 35
fixation, 147, 475	132, 605
See Burris, Eppling, Wahlin, and	 See Longwell and Wintersteiner,
Wilson, 148, 349	133, 219
Windsor, Emanuel. See Koehler, Wind-	— and Ritzmann, Johana R. The isola-
sor, and Hill, 140, 811	tion of 7(β)-hydroxycholesterol from
Winkler, Alexander W. See Smith,	the serum of pregnant mares, 136, 697
Winkler, and Schwartz, 129, 51	- and Bergström, Sune. The products

acid and glutamic acid during enzy-

Wintersteiner, O.—continued:	Wood, H. G.—continued:
formed by the action of oxygen on	synthesized by heterotrophic bacteria,
colloidal solutions of cholesterol,	139, 377
137, 785	-, Werkman, C. H., Hemingway, Allan,
See Bergström and Wintersteiner,	and Nier, A. O. Mechanism of fixa-
141, 597	tion of carbon dioxide in the Krebs
143, 503	cycle, 139, 483
145, 309, 327	-, -, -, and Fixation of carbon
	dioxide by pigeon liver in the dissimi-
Wise, E. C. See Correll and Wise,	lation of pyruvic acid, 142, 31
126, 573, 581 Wise, H., Puck, T. T., and Stral, H. M.	See Slade, Wood, Nier, Hemingway,
A rapid colorimetric method for the	and Werkman, 143, 133
determination of glycols in air,	See Krampitz, Wood, and Werkman,
150, 61	147, 243
Wolf, Donald E. See du Vigneaud,	Wood, John L. See Kies, Dyer, Wood,
Melville, Folkers, Wolf, Mozingo,	and du Vigneaud, 128, 207
Keresztesy, and Harris, 146, 475	See du Vigneaud, Wood, and Irish,
Wolfe, John K. See Hershberg and	129, 171
Wolfe, 133, 667	- and du Vigneaud, Vincent. Race-
See Talbot, Wolfe, MacLachlan,	mization of benzyl-l-cysteine, with
Karush, and Butler, 134, 319	a new method of preparing d-cystine,
-, Hershberg, E. B., and Fieser, Louis	130, 109
F. The polarographic determination	- and A new synthesis of cystine,
of ketonic steroids, 136, 653	131, 267
See Talbot, Wolfe, MacLachlan, and	- and On the synthesis of serine,
Berman, 139, 521	134, 413
See Hershberg, Wolfe, and Fieser,	See du Vigneaud, Wood, and Bink-
140, 215	ley, 138, 369
See Hershberg and Wolfe, 141, 215	Wood, Thomas R. See Rose and Wood,
See Talbot, Ryan, and Wolfe,	141, 381
148, 593	See Ross and Wood, 146, 49
Womack, Madelyn, and Rose, William C.	— and Ross, William F. The ketene
The partial replacement of dietary	acetylation of the parathyroid hor-
methionine by cystine for purposes of	mone, 146, 59
growth, 141, 375	Woodford, Saramae. See Fieser, Tish-
Wood, Earl H. A low temperature wet	ler, and Sampson, 137, 659
ashing method applied to the study of	Woodruff, H. Boyd. See Foster and
the electrolyte composition of the	Woodruff, 148, 723
	Woodward, Carl R., Jr. See Stokes,
ventricular musculature and lung	Larsen, Woodward, and Foster, 150, 17
parenchyma of the dog, 143, 165	Woodward, Gladys E. See Schroeder
Wood, H. G., Werkman, C. H., Heming-	and Woodward, 129, 283
way, Allan, and Nier, A. O. Heavy	See Dohan and Woodward, 129, 393
carbon as a tracer in bacterial fixation	- Reinhart, Francis E., and Dohan,
of carbon dioxide, 135, 789	Janetta Schoonover. The glutamic
-, -, -, and Heavy carbon as a	acid of malignant tissue proteins,
tracer in heterotrophic carbon dioxide	138, 677
assimilation, 139, 365	— and —. The effect of pH on the
-, -, -, and The position of	formation of pyrrolidonecarboxylic

carbon dioxide carbon in succinic acid

matic hydrolysis of glutathione by rat kidney extract, 145, 471 Wooley, Jerald G. See Isbell, Wooley, Butler, and Sebrell, 139, 499 Woolf, Ralph B., Viergiver, Ellenmae, thiamine, and Allen, Willard M. Study of the distribution of sodium pregnanediol Woolley, glucuronidate between n-butanol and urine of pregnant women, together with its practical application, 146, 323 Wortis. Woolley, D. W., Waisman, Harry A., and Elvehjem, C. A. Studies on the structure of the chick antidermatitis factor, 129, 673 Biological responses to the constituent parts of pantothenic acid, 130, 417 -, McDaniel, L. E., and Peterson, W. H. Growth factors for bacteria. IX. Studies of a growth factor for Closblood, tridia, 131, 381 -. Pantothenic acid diphosphate, 134, 461 -. A new dietary essential for the 136, 113 mouse, -. Identification of the mouse anti-139, 29 alopecia factor, Manganese and the growth of lactic acid bacteria. 140, 311 -. A method for the estimation of inositol. 140, 453 globin, A study of the biological specificity of inositol. 140, 461 Wyman, - Destruction of thiamine by я substance in certain fish, 141, 997 - and Longsworth, L. G. Isolation of an antibiotin factor from egg white, 142, 285 See Folch and Woolley, 142, 963 proteins, -. Some new dietary essentials required by guinea pigs, 143, 679 Wynne, - and Krampitz, L. O. Reversal by phosphatides of the antimicrobial Wyss,action of a crystalline protein from wheat. 146, 273 Isolation and partial determination

of structure of soy bean lipositol, a

new inositol-containing phospholipid,

147, 581

Woolley, D. W.—continued:

 and White, A. G. C. Production of thiamine deficiency disease by the feeding of a pyridine analogue of thiamine,
 149, 285

Woolley, Jean Rea. See Greengard and Woolley, 132, 83

Worley, L. G. See Albaum and Worley, 144, 697

Wortis, Herman. See Bueding and Wortis, 133, 585

 —. See Bueding, Stein, and Wortis, 137, 793 140, 697

Wright, Lemuel D. See Snell and Wright,

 The effect of glucose administration on the level of blood pantothenic acid, 142, 445

—. The state of pantothenic acid in blood, 147, 261

Wright, Norman. The infra-red absorption spectra of amino acids,

127, 137

Wyckoff, Ralph W. G. The ultracentrifugal analysis of the latent mosaic virus protein, 128, 729

Wyman, Jeffries, Jr. An analysis of the titration data of oxyhemoglobin of the horse by a thermal method, 127, 1

—. The heat of oxygenation of hemoglobin, 127, 581

-. See Greenstein, Klemperer, and Wyman, 129, 681

 and Ingalls, Elizabeth N. Interrelationships in the reactions of horse hemoglobin, 139, 877

 and —. A nomographic representation of certain properties of the proteins, 147, 297

Wynne, A. M. See Rabinowitch and Wynne, 126, 109

Wyss, Orville. See Wilson, Lee, and Wyss, 139, 91

Y

Yannet, Herman, and Darrow, Daniel C.
The effect of depletion of extracellular
electrolytes on the chemical composi-

Yannet, Herman-continued:	Zechmeister, L.—continued:
tion of skeletal muscle, liver, and	- and Schroeder, W. A. The fruit of
cardiac muscle, 134, 721	Pyracantha angustifolia: a practical
 The effect of alkalosis on the chemi- 	source of pro-γ-carotene and proly-
cal composition of brain, skeletal	copene, 144, 315
muscle, liver, and heart, 136, 265	- and Escue, R. B. Isolation of proly-
 The effect of alkalosis on the rela- 	copene and pro-γ-carotene from Eron-
tionship between serum calcium and	ymus fortunei, 144, 321
protein <i>in vivo</i> , 137, 409	Ziff, Morris. See Chargaff and Ziff,
Yenson, M. Mutahhar. See Haurowitz,	131, 25
Schwerin, and Yenson, 140, 353	 See Chargaff, Ziff, and Hogg,
Young, E. Gordon, and Conway, Catherine	131, 35
F. On the estimation of allantoin	See Chargaff, Ziff, and Cohen,
by the Rimini-Schryver reaction,	135, 351
142, 839	136, 257
Young, H. Y. See Sideris, Young, and	- and Chargaff, Erwin. Studies on the
Krauss, 126, 233	chemistry of blood coagulation. XI.
Young, N. F. See Kensler, Young, and	The mode of action of heparin,
Rhoads, 143, 465	136, 689
Young, William C. See Fish, Dorfman,	See Chargaff, Ziff, and Rittenberg.
and Young, 143, 715	138, 439
Yuska, Henry See Sobel, Yuska,	See Chargaff and Ziff, 138, 787
Peters, and Kramer, 132, 239	—. See Chargaff, Ziff, and Moore,
Z	139, 383
Zapp, John A., Jr., and Wilson, D.	 See Chargaff and Ziff, 140, 927 See Chargaff, Ziff, and Rittenberg
Wright. Quantitative studies of car-	—. See Chargay, Ziy, and Rittenberg, 144, 343
nosine and anserine in mammalian	Zimmerli, A. See Nield, Russell, and
muscle. I. A method for the deter-	Zimmerli, . 136, 78
mination of carnosine and anserine,	-, Nield, Cyril H., and Russell, Walter
126. 9	C. A modified antimony trichloride
- and II. The distribution of car-	reagent for the determination of
nosine and anserine in various muscles	certain sterols and vitamins D2 and
of different species, 126, 19	D ₃ , 148, 245
See Stadie, Lukens, and Zapp,	Zinsser, Hans H. See Drinker and
132, 393	Zinsser, 148, 187
See Stadie, Zapp, and Lukens,	Zitin, Bernard. See Zittle and Zitin,
132, 411, 423	144, 99, 108
137, 63, 75	Zittle, Charles A., and O'Dell, Robert A
See Stadie and Zapp, 148, 669	The determination of cystine: the use
150, 165	of cuprous oxide for simultaneous
Zechmeister, L., and Cholnoky, L.	reduction and precipitation of cystine
Carotenoids of Hungarian wheat flour,	as the cuprous mercaptide, 139, 753
135, 31	— and —. Chemical studies of bul
- and Polgár, A. The carotenoid and	spermatozoa. Lipid, sulfur, cystine
provitamin A content of the water-	nitrogen, phosphorus, and nucleic acid
melon, 139, 193	content of whole spermatozoa and o
- and Silk oak flowers as a source of	the parts obtained by physical means
β -carotene. 140, 1	140, 89
p our occirc, 110, 1	1 20, 50

Zittle, Charles A .- continued:

- and O'Dell, Robert A. Chemical studies of bull spermatozoa. The methionine content of whole spermatozoa and of the parts obtained by physical means, 141, 239
- and Harris, Tzvee N. The antigenic structure of hemolytic streptococci of Lancefield Group A. X. The purification and certain properties of the group-specific polysaccharide, 142, 823

Zittle, Charles A .- continued:

- and Zitin, Bernard. The amount and distribution of cytochrome oxidase in bull spermatozoa, 144, 99
- and —. Non-hemin and total iron in bull spermatozoa, 144, 105

 Zondek, Samuel Georg. See Brückmann and Zondek, 135, 23

 Zscheile, F. P. See Beadle and Zscheile,

144. 21

SUBJECT INDEX

A

Abrine: Synthesis and configurational relationships, Cahill and Jackson, 1938, 126, 29 Acetaldehyde: Blood cells, red, Barker, 1941, 137, 783 -, determination, colorimetric, Stotz, 1943, 148, 585 Acetic acid: Aceto-. See Acetoacetic acid Acetone body formation, relation, Swendseid, Barnes, Hemingway, and Nier, 1942, 142, 47 α-Aminophenyl-, alanine, and, configurational correlation. Kuna. Ovakimian, and Levene, 1941, 137, 337 Cholesterol formation, biological, relation, Bloch and Rittenberg, 1942, 143, 297 -, effect, Bloch and Rittenberg, 1942, 145, 625 Formation, acetoacetic acid hydrolysis, Lehninger, 1942, 143, 147 -, enzymatic, from acetoacetic acid, Lehninger, 1942, 143, 147 Guanido-, dietary, liver lipids, effect, Stetten and Grail, 1942, 144, 175 Iodo-, carbohydrate metabolism, isolated tissues, effect, Barker, Shorr, and Malam, 1939, 129, 33 -, egg albumin, denatured, and, reaction, Rosner, 1940, 132, 657 -, growth effect, Stevenson and White, 1940, 134, 709 sulfur metabolism, influence. Stevenson and White, 1940, 134, 709 Ketogenic activity, MacKay, Barnes, Carne, and Wick, 1940, 135, 157 Liver glycogen, radioactive isotope in study, Buchanan, Hastings, and Nesbett, 1943, 150, 413 -, non-formation, diabetes, Stadie, Zapp, and Lukens, 1941, 137, 75 Acetic acid—continued:

Mercapto-, iron determination,
spectrophotometric, use in, Koenig
and Johnson, 1942, 142, 233

Monoiodo-, monosaccharide and sodium chloride absorption, intestinal effect. Klinchoffer

nal, effect, Klinghoffer, 1938, 126, 201

Phenylamino-, esters, Raney catalyst, reactions, Ovakimian, Kuna, and Levene, 1940, 135, 91

Acetoacetate: Kidney, carbohydrate synthesis, diabetes, Stadie, Zapp, and Lukens, 1941, 137, 63

Acetoacetic acid: Koehler, Windsor, and
Hill, 1941, 140, 811
Acetic acid formation, enzymatic,
Lehninger, 1942, 143, 147

Acid-splitting reaction, Lehninger, 1942, 143, 147

Blood, determination, bisulfitebinding method, Klein,

1940, 135, 143

— pyruvic acid determination, effect, *Klein*, 1941, 137, 311

β-Hydroxybutyric acid and, blood and urine, glucose effect, Stark and Somogyi, 1943, 147, 721

———, — and urine, insulin effect, Stark and Somogyi, 1943, 147, 731

— — —, — and urine, relationship, Stark and Somogyi, 1943, 147, 319

——, ratio, blood and urine, Primates, Friedemann, 1942, 142, 635

Pyruvic acid determination, elimination in, Elgart and Nelson,

1941, 138, 443

Acetoacetic ester(s): Substituted, αamino acids, synthesis from, Hamlin and Hartung, 1942, 145, 349

Acetobacter suboxydans: Growth factor, p-aminobenzoic acid, Lampen, Underkofter, and Peterson,

1942, 146, 277

Acetoin: Blood, acetoin administration 1943, 147, 11 effect, Greenberg, Determination, colorimetric, Stotz and 1943, 150, 25 Rabora. -, polarographic, Greenberg, 1943, 147, 11 Metabolic acetylations, relation, Doisy and Westerfeld, 1943, 149, 229 Metabolism, Westerfeld and Berg, 1943, 148, 523 Acetone: Koehler, Windsor, and Hill, 1941, 140, 811 Blood, determination, bisulfite-binding method, Klein, 1940, 135, 143 Determination, microdiffusion, bisulfite reaction, Winnick, 1941, 141, 115 Dihydroxy-, blood, determination, Turner, Kress, and Harrison, 1943, 148, 581 Acetone bodies: Blood, determination, Barnes and Wick, 1939, 131, 413 Crandall, 1940, 133, 539 -, -, salicylaldehyde use, Behre, 1940, 136, 25 Excretion, dl-lysine monohydrochloride effect, Sharp and Berg, 1941, 141, 739 Formation. acetic acid relation. Swendseid, Barnes, Hemingway, and 1942, 142, 47 Liver-produced, form, Crandall, 1940, 135, 139 Metabolism, mammary gland, lactating, ketosis effect, Shaw, 1942, 142, 53 Urine, determination, salicylaldehyde use, Behre, 1940, 136, 25 -, tryptophane, 3-indolelactic acid, 3-indolepyruvic acid, and l(-)kynurenine effect, Borchers, Berg. and Whitman, 1942, 145, 657 Utilization, Mirsky, Nelson, and Gray-1939, 130, 179 Grayman, Nelson, and Mirsky, 1939, 131, 121 Nelson, Grayman, and Mirsky, 1940, 132, 711 1941, 140, 361

Acetone bodies-continued: Utilization, adrenalectomy influence. Nelson, Grayman, and Mirsky, 1940, 132, 711 -, feeding and nephrectomy effect. Mirsky, Nelson, and Grayman, 1939, 130, 179 -, glucose and nephrectomy, Mirsky. Nelson, and Grayman, 1939, 130, 179 -, sex influence, Grayman, Nelson, 1939, 131, 121 and Mirsky, See also Ketone bodies Acetone-glyceraldehyde: Baer and Fischer, 1939, 128, 463, 475, 491 1941, 140, 397 Acetone glycerol: d(+)-, glycerides. optically active, synthesis, Baer and Fischer, 1939, 128, 475 -, preparation, Baer and Fischer, 1939, 128, 463 Acetopyruvic acid: Metabolism, Lehninger. 1943, 148, 393 Acetylation: Metabolic, acetoin relation, Doisy and Westerfeld, 1943, 149, 229 Acetyl-S-p-bromobenzyl-l-cysteine: N-, synthesis from p-bromobenzyl bromide, S-p-bromobenzyl-l-cysteine, S-p-bromobenzylglutathione, and Stekol. 1941, 138, 225 Acetylcholine: Adenosinetriphosphatase system, activation, DuBois and Potter, 1943, 148, 451 Formation, glutamic acid effect, Nachmansohn, John, and Waelsch, 1943, 150, 485 1942, 146, 391 -, mechanism, Baer, Acetyl derivative(s): Tobacco mosaic virus, Miller and Stanley, 1941, 141, 905 Acetylglycine: Hippuric acid synthesis, effect, Abbott, 1942, 145, 241 Acetylmethylcarbinol: Formation from pyruvic acid, bacterial enzyme preparation, use, Silverman and Werk-1941, 138, 35 Achlya: Hormones, sexual, Raper and

Haagen-Smit.

1942, 143, 311

SUBJECTS 137

Achlya bisexualis: Hormone A, proper-	Aconitum heterophyllum: Benzoyl
ties, Raper and Haagen-Smit,	heteratisine, Jacobs and Craig,
1942, 143, 311	1943, 147, 571
Achromotrichia: p-Aminobenzoic acid	Heteratisine and hetisine isolation,
effect, Martin and Ansbacher,	Jacobs and Craig, 1942, 143, 605
1941, 138, 441	Acrodynia: Fatty acids, essential, and
Nutritional, curative factor, György,	vitamin B ₆ effect, Schneider, Steen-
Poling, and Subbarow,	bock, and Platz, 1940, 132, 539
1940, 132, 789	Actinomyces antibioticus: Actinomycin,
-, factor preventing, fractionation,	Waksman and Tishler,
Nielsen, Oleson, and Elvehjem,	1942, 142, 519
1940, 133, 637	Actinomycin: Waksman and Tishler,
Acid(s): Fat, egg yolk, lecithin and	1942, 142, 519
glyceride fractions, Riemenschneider,	Acylation(s): Biological, mechanism,
Ellis, and Titus, 1938, 126, 255	Baer, 1942, 146, 391
Fatty. See Fatty acids	Adaptation syndrome: Blood plasma and
Ingested, excretion rate, Kuyper,	cell, red. chlorides, effect, Karady,
1942, 145, 615	Selye, and Browne, 1939, 131, 717
Organic. See Organic acids	Adenine: Antisulfonamide, effect, Martin and Fisher, 1942, 144, 289
Production from glucose, dental plaque relation. Muntz,	Determination, Hitchings and Fiske,
1943, 148, 225	1941, 141, 827
Acid-base: -Binding capacity, collagen,	Dinucleotide, flavin, amino acids and,
Theis and Jacoby, 1942, 146, 163	equilibrium relation, Stadie and
Acid-base equilibrium: d'Elseaux, Black-	Zapp, 1943, 150, 165
wood, Palmer, and Sloman,	-, synthesis from riboflavin, blood
1942, 144, 529	cells, effect, Klein and Kohn,
Jejunal secretions, McGec and	1940, 136, 177
Hastings, 1942, 142, 893	Nucleotides, crystalline, isolation,
Sulfanilamide effect, Free, Davies,	Buell, 1943, 150, 389
and Myers, 1943, 147, 167	-, myokinase action, Kalckar,
Acidosis: Ketosis, effect, MacKay, Wick,	1943, 148, 127
Carne, and Barnum, 1941, 138, 63	Adenocarcinoma: Blood esterase deter-
Shock effect, Allison, Cole, Leathem,	mination, micro-, Troescher and
Nastuk, and Anderson,	Norris, 1940, 132, 553
19 4 3, 147, 255	See also Cancer, Tumor
Aconite: Alkaloids, Jacobs, Elderfield,	Adenosine-5'-phosphoric acid: Determi-
and Craig, 1939, 128 , 439	nation, Schlenk and Schlenk,
Jacobs and Craig, 1940, 136, 323	1941, 141, 311
1941, 141, 67	Homologues, determination, Schlenk
1942, 143, 589, 605	and Schlenk, 1941, 141, 311
Craig and Jacobs, 1942, 143, 611	Adenosinetriphosphatase: System,
Jacobs and Craig,	acetylcholine, activation, DuBois
1943, 147, 567, 571	and Potter, 1943, 148, 451
Aconitine: Derivatives, oxidation, nitric	Tissue, determination, DuBois and
and chromic acids, Jacobs and	Potter, 1943, 150, 185
Craig, 1940, 136, 323	Adenosine triphosphate: Blood cells,
Oxidation, nitric and chromic acids,	rickets, Rapoport and Guest,
Jacobs and Craig, 1940, 136, 323	1938, 126, 749

Adenosine triphosphate—continued: 1941, 140, 77 Brain, Kerr, -, determination, Kerr, 1942, 145, 647 Decomposition products, brain, deter-1942, 145, 647 mination, Kerr, Magnesium anesthesia, relation, Du-Bois, Albaum, and Potter, 1943, 147, 699 1941, 139, 121 Preparation, Kerr, Adenosine-3-triphosphate: Bacteria, autotrophic, Le Page and Umbreit, 1943, 148, 255 Adenylic acid: Determination, micro-, Borsook and Dubnoff, 1939, 131, 163 Muscle, preparation, Kerr, 1941, 139, 131 Adenylic system: Phosphorylation, potassium and other ions, rôle, Boyer, Lardy, and Phillips, 1943, 149, 529 Adenyl pyrophosphate: Hexose phosphorylation, enzyme, rôle, Colowick and Kalckar, 1943, 148, 117 Adipic acid: Biotin diaminocarboxylic acid oxidation product, Hofmann, Melville, and du Vigneaud, 1942, 144, 513 Adrenal(s): Base, new, Pfiffner and North. 1940, 132, 461 Choline esterase, Antopol and Glick, 1940, 132, 669 Cortex, extracts, beef, hog, and sheep, activity, comparison, Kuizenga, Wick, Ingle, Nelson, and Cartland, 1943, 147, 561 -, -, preparation, Kuizenga, Wick, Ingle, Nelson, and Cartland, 1943, 147, 561 -, hormone. See also Adrenocorticotropic hormone -, principles, insulin hypoglycemia and liver glycogen, effect, Grattan and Jensen, 1940, 135, 511 -, steroids, liver arginase, effect, Fraenkel-Conrat. Simpson, andEvans, 1943, 147, 99 Dimethyl sulfone, Pfiffner and North, 1940, 134, 781 Fat absorption and, Barnes, Miller,

and Burr,

1941, 140, 241

Adrenal(s)-continued:

17-Hydroxyprogesterone isolation. Pfiffner and North, 1941, 139, 855 Insufficiency, blood electrolyte and water equilibria, Muntwyler, Mellors, and Mautz, 1940, 134, 345 - muscle, and blood, electrolyte and water exchange, Muntwyler, Mellors, Mautz, and Mangun, 1940, 134, 367 -, tissue electrolytes, Darrow, Harrison, and Taffel, 1939, 130, 487 Ketone, $\alpha.\beta$ -unsaturated, isolation. Pfiffner and North, 1941, **140,** 161 Lipids, MacLachlan, Hodge, and Whitehead, 1941, 139, 185 -, fasting effect, Oleson and Bloor, 1941, 141, 349 Liver fat transport, effect, Barnes, Miller, and Burr, 1941, 140, 247 Vitamin C, diphtherial intoxication,

relation, Torrance, 1940, 132, 575 Adrenalectomy: Acetone body utilization, influence, Nelson, Grayman, and Mirsky, 1940, 132, 711

Carbohydrate metabolism, cortin and sodium chloride effect, Kendall, Flock, Bollman, and Mann,

1938, 126, 697

Kidney glyconeogenesis, effect, Russell and Wilhelmi, 1941, 140, 747 - tissue metabolism, effect, Russell and Wilhelmi, 1941, 137, 713 Liver arginase, effect, Fraenkel-Conrat, Simpson, and Evans,

1943, 147, 99 Mineral metabolism, cortin and sodium chloride effect, Kendall, Flock, Bollman, and Mann, 1938, 126, 697 Vitamins B₁ and B₂, phosphorylation, effect, Ferrebee, 1940, 136, 719

Adrenalin: Blood chloride and phosphorus, injection effect, Mac Vicar and Heller, 1941, 137, 643

-, determination, Bloor and Bullen, 1941, 138, 727

Derivatives, amine oxidase inactivation, effect, Friedenwald and Herrmann, 1942, 146, 411 See also Epinephrine

139 SUBJECTS

Adrenocortical carcinoma: A5-Androstenetriol-3(β),16,17 isolation, 1943, 150, 363 Hirschmann, Steroid excretion, Hirschmann, 1943, 150, 363 Adrenocorticotropic hormone: Li, Evans, and Simpson, 1943, 149, 413 Pituitary, insulin hypoglycemia and liver glycogen, effect, Grattan and Jensen, 1940, 135, 511 Adrenotropic hormone: Pituitary, preparation and properties, Sayers, White, and Long, 1943, 149, 425 Aerodehydrogenase: Glucose, antibacterial, Penicillium notatum, Birkinshaw and Raistrick, 1943, 148, 459 Aerogenes: Bacteria, sugars, rare, fermentation, Field and Poe, 1940, 132, 473 Colon bacteria and, d-fucose fermentation, Field and Poe, 1940, 132, 473 Age: Blood calcium and phosphorus, effect, Anderson and Elvehjem, 1940, 134, 217 Central nervous system phospholipid metabolism, influence, radioactive phosphorus as indicator, Fries, Changus, and Chaikoff, 1940, 132, 23 Creatine-creatinine excretion, creatine ingestion effect, Hyde, 1942, 143, 301 Liver and muscle glycogen, effect, Heymann and Modic, 1939, 131, 297 Aging: Heart, changes, Lowry, Hastings, Hull, and Brown, 1942, 143, 271 Histochemical *changes, Lowry and Hastings, 1942, 143, 257 Lowry, Hastings, Hull, and Brown, 1942, 143, 271 Lowry, McCay, Hastings, and Brown, 1942, 143, 281 -, determination, Lowry and Hastings, 1942, 143, 257 Muscle, changes, Lowry, Hastings, 1942, 143, 271 Hull, and Brown, Air: Glycol determination, colorimetric, Wise, Puck, and Stral, 1943, 150, 61

Alanine: α -Aminophenylacetic acid and. configurational correlation, Kuna Ovakimian, and Levene,

1941, 137, 337

Antiketogenic activity, Wick, MacKay, Carne, and Mayfield, 1940, 136, 237 β -, determination, microbiological, Schenck, 1943, 149, 111

-, origin, body, Schenck,

1943, 149, 111

Benzoylation, Levy and Palmer,

1942, 146, 493

dl-, liver glycogen deposition, effect, MacKay, Wick, and Carne,

1940, 132, 613

Isomers, liver glycogen formation, effect, MacKay, Wick, and Barnum, 1941, 137, 183

l-, preparation, d-amino acid oxidase use, Behrens, 1941, 141, 465

-, -, protein hydrolysates, Stein, Moore, Stamm, Chou, and Bergmann, 1942, 143, 121

Oxidation, liver, factors influencing, Rossiter, 1940, 135, 431

Phenyl-. See Phenylalanine

Resolution, Levy and Palmer,

1942, 146, 493

Pacsu and Synthetic, resolution, Mullen.1940, 136, 335

Albumin: Blood serum, carbon suboxidetreated, ultracentrifugal behavior, Oncley, Ross, and Tracy,

1941, 141, 797

 —, crystalline, catalase inhibition, Sevag, Shelburne, and Ibsen,

1942, 144, 711

—, crystallization, Kendall,

1941, 138, 97

 — , denaturation, Neurath and 1939, 128, 347 Saum,

-, - and reversal, Neurath, Cooper, and Erickson, 1942, 142, 249

- -, determination, Robinson, Price, and Hogden, 1938, 126, 207, 213

 —, —, biuret reaction, Kingsley, 1939, 131, 197

-, —, colorimetric, Looney and 1939, 130, 635 Walsh,

Alcohol precipitate factor: Chick, nature.

1942, 145, 487

Albumin—continued:

Selachyl alcohol

Schumacher, Heuser, and Norris. Blood serum, determination, filter paper protein adsorption, effect, 1940, 135, 313 Aldehyde(s): Fatty, higher, tissue, isola-Harris, 1939, 127, 751 tion, acidic carbonyl reagents, use. ---, diffusion and viscosity measure-Anchel and Waelsch, 1942, 145, 605 ments, urea presence, Neurath and Aldobionic acid: Flaxseed mucilage. 1939, 128, 347 -, iodinated, thyroid, effect, Muus, structure, Tipson, Christman, and Coons, and Salter, Levene, 1939, 128, 609 1941, 139, 135 ---, malonyl, chymotryptic digestion, Aldolase: Equilibrium, Meyerhof and Junowicz-Kocholaty, 1943, 149, 71 Ross and Tracy, 1942, 145, 19 ---, methionine absence, Brand and Aldo-monosaccharide(s): Benzimidazole derivatives, identification, Moore 1941, 141, 999 Kassell, 1940, 133, 293 —, separation, Kingsley, and Link, Aldose(s): Oxidation, hypoiodite in 1940, 133, 731 methanol, Moore and Link, Crystalline, fractions, blood serum, 1940, 133, 293 electrophoresis, Sharp, Cooper, Alfalfa: Vitamin K1 identification, Mac-Erickson, and Neurath, 1942, 144, 139 Corquodale, McKee, Binkley, Cheney, Holcomb, Thayer, and Doisy, Egg. See Egg albumin Malonyl, blood serum, chymotryptic 1939, 130, 433 digestion, Ross and Tracy, Algae: Chlorofucine, Strain and Manning, 1942, 145, 19 1942, 144, 625 Alcaligenes faecalis: Cholic acid, effect, See also Chlorella Schmidt, Hughes, Green, and Cooper, Alignment chart: Ultracentrifugation 1942, 145, 229 computation, Schachman, Alcohol(s): Aliphatic, higher, fatty 1942, 143, 395 acids, biological relations, Stetten See also Nomogram and Schoenheimer, 1940, 133, 347 Alimentary tract: Calcium, Adolph and Fermentation, Fusarium, in vivo, di-Liang, 1941, 137, 517 phsophopyridine nucleotide effect, Aliphatic acid(s): α -Substituted, homolo-Gould, Tytell, and Jaffe, gous series, Levene and Kuna, 1942, 146, 219 1941, 141, 391 Primary and secondary, dehydrogena-Alkali: Buffer, blood, cutaneous, detertion, Fusarium lini, Goepfert, mination, Rubin, 1938, 126, 679 1941, 140, 525 Ingested, excretion rate, Kuyper, Protein, purified. animal, effect, 1942, 145, 615 Harris and Mattill, 1940, 132, 477 Alkaloid(s): Aconite, Jacobs, Elderfield, Pyruvate and, oxidation-reduction, and Craig, 1939, 128, 439 coupled, in vivo, Westerfeld, Stotz, Jacobs and Craig, 1940, 136, 323 and Berg, 1943, 149, 237 1941, 141, 67 Sugar, Carr and Forman. 1942, 143, 589, 605 1939, 128, 425 Craig and Jacobs, 1942, 143, 611 Ellis and Krantz, 1941, 141, 147 Jacobs and Craig, 1943, 147, 567, 571 -, determination, micro-, Todd, Vree-Aconitum heterophyllum, isolation, land, Myers, and West, Jacobs and Craig, 1942, 143, 605 1939, 127, 269 1943, 147, 571 Tissue vitamin A, effect, Baumann, Ergot, Jacobs and Gould, 1938, 126, 67 Foster, and Moore. 1942, 142, 597 Jacobs and Craig, 1939, 128, 715 See also Batyl alcohol, Benzyl alcohol, Jacobs and Gould, 1939, 130, 399 Chimyl alcohol, Ethyl alcohol, Gould, Craig, and Jacobs,

SUBJECTS 141

${\bf Alkaloid(s)} -\!$	Allothreonine: dl-, betaine hydrochlo-
Veratrine, Craig and Jacobs,	ride, lipotropic activity, synthesis
1939, 129, 79	and determination, Carter and Mel-
1940, 134, 123	ville, 1940, 133, 109
1941, 139, 263	Threonine, conversion, Carter, Hand-
Craig, Jacobs, and Lavin,	ler, and Melville, 1939, 129, 359
1941, 139, 277	Alopecia: Anti-, factor, mouse, Woolley,
Craig and Jacobs, 1941, 139, 293	1941, 139, 29
Jacobs, Craig, and Lavin,	Aluminum: Succinic dehydrogenase-
1941, 141, 51	cytochrome system, effect, Horecker,
	Stotz, and Hogness, 1939, 128, 251
1942, 143, 427	Amide(s): Bonds, proteins, hydrolysis,
Jacobs and Craig,	catalyzed, Steinhardt,
1943, 148, 41, 51	1941, 141, 995
Craig and Jacobs, 1943, 148, 57	Determination, micro-, Borsook and
Jacobs and Craig, 1943, 149, 271	Dubnoff, 1939, 131, 163
. Craig and Jacobs, 1943, 149, 451	Metabolism, seedlings, etiolated,
Alkalosis: Blood serum calcium and	Vickery and Pucher, 1943, 150, 197
protein, effect, Yannet,	Plant, green, synthesis mechanism,
1941. 137, 409	Vickery and Pucher, 1939, 128, 703
Brain, muscle, liver, and heart, effect,	Amidine group: Creatine, origin, biologi-
Yannet, 1940, 136, 265	cal, Bloch and Schoenheimer,
Chloride deficiency, relation, Green-	1940, 134, 785
berg and Cuthbertson, 1942, 145, 179	Amine(s): Aliphatic, configurational re-
Ketosis, effect, MacKay, Wick, Carne,	lationships, Levene and Kuna,
and Barnum, 1941, 138, 63	1941, 140, 259
	Oxidase, inactivation, catechol and
Sodium bicarbonate-induced, blood	adrenalin derivatives, effect,
serum electrolytes, Kirsner,	Friedenwald and Herrmann,
1942, 145, 219	1942, 146, 411
Alkaptonuria: Tyrosine effect, Abbott	-, inhibitor specificity, Heegaard and
and Salmon, 1943, 150 , 339	Alles. 1943, 147, 505
Alkylbenzenesulfonate: Detergents, egg	-, substrate specificity, Alles and
albumin, electrophoresis, Lundgren,	Heegaard, 1943, 147, 487
Elam, and O'Connell, 1943, 149, 183	Oxidation, pyrrole effect, Bernheim,
Allantoin: Determination, Rimini-	Bernheim, and Michel,
Schryver reaction, Young and	1938, 126, 273
Conway, 1942, 142, S39	-Precipitating reagent, saccharolac-
Allocholan-3,17-dione: Etio-, andros-	tone as, Kurtz and Wilson,
terone, conversion, Dorfman,	1939, 129, 693
1940, 132, 457	Pressor, phenolic, tyrosinase, relation,
Allocholanol-3(β)-17-one: Etio-, testos-	Alles, Blohm, and Saunders,
terone conversion, Dorfman and	1942, 144, 757
Fish, 1940, 135, 349	Aminoacetophenone: p -, diazotized, bi-
	ological materials, thiamine deter-
-, urine, isolation, Pearlman,	mination, use, Melnick and Field,
1940, 136, 807	1939, 127, 515
Allopregnanol-3(β)-one-20: Urine, preg-	-, -, thiamine, reaction, Melnick and
nancy, isolation, Heard and McKay,	Field, 1939, 127, 505
1939, 131, 371	Amino acid(s): Dunn and Porush,
Pearlman, Pincus, and Werthessen,	1939, 127, 261
1942, 142, 649	Stoddard and Dunn, 1942, 142, 329

Amino acid(s)-continued: Goettsch, Lyttle, Grim, and Dunbar, 1942, 144, 121 Dunn, Frieden, Stoddard, and Brown, 1942, 144, 487 α-, synthesis, acetoacetic esters, substituted, Hamlin and Hartung, 1942, 145, 349 -, -, ethyl benzamidomalonate use, Redemann and Dunn, 1939, 130, 341 Absorption spectra, infra-red, Wright, 1939, 127, 137 Acylation, pyridine, Carter, Handler, 1941, 138, 619 and Stevens, Aliphatic, activity, aqueous solution, dipolar distance effect, Smith and Smith. 1940, 132, 47 d-Amino acid oxidase and, equilibrium relation, Stadie and Zapp, 1943, 150, 165 Analogues, pantothenic acid, Weinstock, May, Arnold, and Price, 1940, 135, 343 Anemia, deaminized casein-produced, effect, Guerrant and Hogan, 1939, 128, 363 Aromatic, viruses, tobacco mosaic and cucumber, Knight and Stanley, 1941, 141, 39 Basic, blood serum, proteins, Block, 1940, 133, 71 —, proteins, determination, electrolytic, Albanese, 1940, 134, 467 Benzoylation, Carter and Stevens, 1941, 138, 627 Blood cell, red, posthemolytic residue, Beach, Erickson, Bernstein, Williams, and Macy, 1939, 128, 339 - plasma, determination, ninhydrincarbon dioxide reaction, MacFadyen, 1942, 145, 387 - —, retention, hypoproteinemia, liver function, relation, Goettsch, Lyttle, Grim, and Dunbar, 1942, 144, 121 Brain cephalin, Folch and Schneider, 1941, 137, 51 and composition, Van Slyke, Hiller, Carbon suboxide and, reaction, Ross and Dillon, and Green, 1941, 137, 105 Eukeratins, Block,

Amino acid(s)-continued: Complex, selenium- and sulfur-containing, Astragalus pectinatus, isolation, Horn and Jones, 1941, 139, 649 Cucurbit seed globulins, Vickery, Smith, Hubbell, and Nolan, 1941, 140, 613 Cystine excretion, effect, Hess and 1942, 142, 3 Sullivan, d-, gramicidin, Lipmann, Hotchkiss, and Dubos, 1941, 141, 163 -, oxidase, l-alanine preparation, use, Behrens, 1941, 141, 465 -, -, amino acids and, equilibrium relation, Stadie and Zapp, 1943, 150, 165 -, -, benzoic acid effect, Klein and Kamin, 1941, 138, 507 -, -, liver, thyroid feeding effect, Klein, 1939, 131, 139 -, -, specificity, Klein and Handler, 1941, 139, 103 -, -, tissue, riboflavin deficiency effect, Axelrod, Sober, and Elvehjem, 1940, 134, 749 -, tyrocidine, Lipmann, Hotchkiss, and Dubos, 1941, 141, 163 Deamination, oxidized phenols, action, Hubard, 1938, 126, 489 Dehydrogenated, peptides, Doherty, Tietzman, and Bergmann, 1943, 147, 617 Determination, Bergmann and Stein, 1939, 128, 217 -, isotope dilution procedure, Rittenberg and Foster, 1940, 133, 737 -, microbiological, Shankman, Dunn, and Rubin, 1943, 150, 477 -, ninhydrin reaction, apparatus, Christensen, West, and Dimick, 1941, 137, 735 -, semimicro-, Ing and Bergmann, 1939, 129, 603 -, solubility product method, Moore and Stein, 1943, 150, 113 Di-, phospho-12-tungstates, solubility

1942, 146, 137

1939, 128, 181

SUBJECTS 143

Amino acid(s)—continued:	Amino acid(s)—continued:
Flavin adenine dinucleotide and, equi-	Liver phospholipids, effect, radioac-
librium relation, Stadie and Zapp,	tive phosphorus as indicator, Perl-
1943, 150, 165	man, Stillman, and Chaikoff,
Formation, animals, ammonia utiliza-	1940, 135, 359
tion, Foster, Schoenheimer, and	Mercuric chloride, reaction, Toennies
Rittenberg, 1939, 127, 319	and Kolb, 1938, 126, 367
Free, blood filtrates, determination,	Metabolism, Abbott and Lewis,
ninhydrin-carbon dioxide method,	1939, 131, 479
Hamilton and Van Slyke,	1941, 137, 535
1943, 150, 231	Butts and Sinnhuber, 1941, 139, 963
-, carboxyl groups, determination,	1941, 140, 597
gasometric, Van Slyke, Dillon, Mac-	Remmert and Butts, 1942, 144, 41
Fadyen, and Hamilton,	-, keto acid excretion, relation, Waelsch and Miller, 1942, 145, 1
1941, 141, 627 —, determination, carbon dioxide	N-Methyl-, activity, aqueous solution,
reaction with ninhydrin, titration,	Smith and Smith, 1940, 132, 57
Van Slyke, MacFadyen, and	-, oxidation, kidney and liver, in
Hamilton, 1941, 141, 671	vitro, Handler, Bernheim, and Klein,
Gorgonin, Block and Bolling,	1941, 138, 203
1939, 127, 685	N-Methylated, metabolism, Gordon,
Hair and horn, Block, 1939, 128, 181	1939, 127, 487
Hydroxy-, O-acetyl derivatives, prep-	1939, 129, 309
aration, Sakami and Toennies,	Milk protein, distribution, Beach,
1942, 144, 203	Bernstein, Hoffman, Teague, and
-, activity, aqueous solution, Smith	Macy, 1941, 139, 57
and Smith, 1940, 132, 57	Multivalent, Greenstein,
Hydroxy groups, acetylation, Sakami	1939, 128, 241
and Toennies, 1942, 144, 203	Nitrogen, blood plasma, Cramer and
, determination, Toennies and	Winnick, 1943, 150, 259
Kolb, 1942, 144, 219	— isotopes, Schoenheimer and Ritten- berg, 1939, 127, 285
Hydroxy-, ionization, aqueous solu-	Nutrition, rôle, Rose, Haines, and
tion, Smith, Gorham, and Smith,	Johnson, 1942, 146, 683
1942, 144, 737	Rose, Haines, Johnson, and Warner,
-, methylation, betaine formation,	1943, 148, 457
Dakin, 1941, 140, 847	Oxidation, kidney and liver, thyroid
-, silk proteins, Nicolet and Saidel,	feeding, and thyroidectomy effect,
1941, 139, 477	Klein, 1939, 128, 659
Isomers, oxidation, pyrrole effect,	Racemization, acetylation with ketene,
Bernheim, Bernheim, and Michel,	Jackson and Cahill, 1938, 126, 37
1938, 126, 273	Cahill and Burton, 1940, 132, 161
Keratins, Block and Bolling,	Reactions, titrimetry, non-aqueous,
1939, 127, 685	Kolb and Toennies, 1942, 144, 193
l-, oxidase, tissue, Green, Nocito, and	Sakami and Toennies,
Rainer, 1943, 148, 461	1942, 144, 203
Lactobacillus arabinosus nutrition,	Toennies and Kolb, 1942, 144, 219
Shankman, 1943, 150, 305	Reagent, naphthalene-β-sulfonic acid, Bergmann and Stein, 1939, 129, 609
Liver, autolysis, Luck, Eudin, and	Bergmann and Stein, 1939, 129, 609 Salts and, interaction, Joseph,
Nimmo, 1939, 131, 201	1939, 130, 203
1000, 101, 201	1000, 100, 200

Amino acid(s)-continued: Aminobenzoic acid-continued: Solution, calcium, barium, and stronp-, blood, determination, Eckert. tium chloride activity determination, 1943, 148, 197 electrolytic, Joseph, 1939, 130, 203 -, chromotrichial activity, Martin Solutions, thermodynamic properties, and Ansbacher, 1941, 138, 441 Smith and Smith, 1940, 132, 47, 57 -, conjugated, blood, determination, 1940, 135, 273 Eckert, 1943, 148, 197 Smith, Gorham, and Smith, -, determination, Kirch and Bergeim, 1942, 144, 737 1943, 148, 445 Smith and Smith, 1942, 146, 187 -, -, Lactobacillus use, Lewis, Spongin, Block and Bolling, 1942, 146, 441 1939, 127, 685 -, -, microbiological, Landy and Sulfonic acids, aromatic, reagents for, Dicken. 1942, 146, 109 Doherty, Stein, and Bergmann, Mitchell, Isbell, and Thompson, 1940, 135, 487 1943, 147, 485 Stein, Moore, Stamm, Chou, and Thompson, Isbell, and Mitchell, Bergmann.1942, 143, 121 1943, 148, 281 Sulfur, pituitary lactogenic hormone, -, nicotinic acid determination, micro-1943, 148, 289 biological, effect, Isbell, Sulfur-containing, lipotropic action, 1942, 144, 567 Singal and Eckstein, 1941, 140, 27 -, oxidation, peroxidase and sulfanil--, wool, isolation, Horn, Jones, and amide effect, Lipmann, Ringel, 1941, 138, 141 1941, 139, 977 -; -, synthesis, du Vigneaud and -, phenylaminobutyric acid acetyla-Brown, 1941, 138, 151 tion in vivo, relation, Fishman and Synthesis, isotopic nitrogen-contain-Cohn, 1943, 148, 619 ing, Schoenheimer and Ratner, yeast, isolation, Blanchard, 1939, **127,** 301 1941, 140, 919 Tissue protein, Beach, Munks, and -. See also Vitamin B complex Robinson, 1943, 148, 431 Aminobutyryl-l-histidine: γ -, synthesis, proteins, phenylpyruvic oligo-Hunt and du Vigneaud, phrenia, Block, Jervis, Bolling, and 1939, 127, 43 Webb, 1940, 134, 567 Aminocaproic acid: e-, ionization, aque-Tobacco mosaic virus protein, deterous solution, Smith and Smith, mination, Ross, 1941, 138, 741 ---, fractionation, Ross, 1942, 146, 187 Aminoethyl phosphate: Hydrolysis, fecal 1942, 143, 685 Turtle scutes, Block and Bolling, and kidney phosphatase, Bowers, 1939, 127, 685 Outhouse, and Forbes, 1940, 132, 675 Urine ammonia excretion, injection Aminoethylphosphoric acid: Metabolism, effect, Bliss, 1941, 137, 217 radioactive phosphorus isotope as -, determination, ninhydrin-carbon indicator, Chargaff and Keston, dioxide method, Van Slyke, Mac-1940, 134, 515 Fadyen, and Hamilton, Amino group(s): α -, histidine, activity, 1943, 150, 251 animals, Schoenheimer, Rittenberg, Wool, Block, 1939, 128, 181 and Keston, 1939, 127, 385 Aminobenzoic acid: p-, Acetobacter sub-Acetylation and formylation, Kolb oxydans growth factor, Lampen, and Toennies, 1942, 144, 193 Underkofter, and Peterson, Determination, Van Slyke, light effect. 1942, 146, 277 Fraenkel-Conrat. 1943, 148, 453

SUBJECTS 145

Amino-β-methoxy acid(s): α-, purifica- Ammonia: Amino acid and creatine tion, β-phenethylamine use, Carter formation, animals, utilization. Foster, Schoenheimer, and Rittenberg, and Risser, 1941, 139, 255 Amino-2-methylnaphthol: 4-, sulfhydryl 1939, 127, 319 groups, oxidation, effect, Bernheim Determination, colorimetric, thymoland Bernheim, 1940, 134, 457 hypobromite reagent, Hansen and Amino-2-methyl-1-naphthol: 4-, vitamin Nielsen, 1939, 131, 309 K activity, Emmett, Kamm, and -, micro-, Borsook and Dubnoff, Sharp. 1940, 133, 285 1939, **131,** 163 Amino-3-methyl-1-naphthol: 4-, vitamin Formation, proteins, alkaline solution, K activity, Emmett, Kamm, and Warner and Cannan, 1942, 142, 725 1940, 133, 285 Isotopic, glutathione metabolism. Amino-N-monomethyltryptophane: l(+)study with, Waelsch and Rittenberg, and dl-, growth availability, Gordon, 1942, 144, 53 1939, 129, 309 Nitrogen, tobacco plant, assimilation, Amino nitrogen: Anomalous values, Carter nitrogen isotope in study, Vickery, and Dickman, 1943, 149, 571 Pucher, Schoenheimer, and Ritten-Blood, determination, colorimetric, 1940, 135, 531 Frame, Russell, and Wilhelmi, Urine, excretion, amino acid injection 1943, **149,** 255 effect, Bliss, 1941, 137, 217 Determination, gasometric, Sandkuhle, -, glutamine as source, Van Slyke, Kirk, and Cunningham, Phillips, Hamilton, Archibald, Futcher, and Hiller, 1942, 146, 427 1943, 150, 481 -, iodine use, Dunn and Porush, Utilization, Rittenberg, Schoenheimer, 1939, 127, 261 and Keston, 1939, 128, 603 -, micro-, Borsook and Dubnoff, Yeast nitrogen metabolism, effect, Schultz, Atkin, and Frey, 1939, 131, 163 -, nitrous acid use, iodine and mer-1940, 135, 267 cury effect, Kendrick and Hanke, Ammonium chloride: Kidney phospho-1940, 132, 739 lipid and total phosphorus metab-Formol drop titration, Sisco, Cunolism, effect, radioactive phosphorus ningham, and Kirk, 1941, 139, 1 as indicator, Weissberger, Free, liberation, Van Slyke apparatus, 1940, 132, 219 1942, 145, 223 Ammonium sulfate: Pineapple hexos-Lieben and Loo, Liver extracts, cell-free, disappearamine, uncombined, effect, Sideris, Agren, Hammarsten, and Young, and Krauss, 1938, 126, 233 ance, Amylase: β-, buffer effects, Ballou and Rosdahl, 1939, 127, 541 Aminopeptidase: Chick embryo, Levy 1941, 139, 233 and Palmer, 1943, 150, 271 Blood, starch and glycogen hydrolysis, Morris, 1943, 148, 271 Aminophenylacetic acid: α -, alanine and, configurational correlation, Kuna, Pancreas, Little and Caldwell, Ovakimian, and Lerene, 1942, 142, 585 1941, 137, 337 1943, 147, 229 Aminopurine: 6-. See Adenine -, solubility, organic solvents, Larsen Aminopyridine: Sulfanilyl-2-, urine exand Poe, 1940, 132, 129 cretion products, Ratish, Bullowa, Wheat, starch, action, Stamberg and Ames, and Scudi, 1939, 128, 279 Bailey, 1938, 126, 479 Amino- β -thiol-n-butyric acid(s): α -, syn-Anaphylactic shock: Nitrogen metabolism, relation, Miller, thesis, Carter, Stevens, and Ney,

1941, 139, 247

1940, 133, 93

Androgenic substance(s): Urine, characteristics. Butz and Hall. 1938, 126, 265 -, extraction apparatus, Neterval, 1940, 133, 313 -, ovariectomy effect, Hirschmann, 1939, 130, 421 Androstanol-3(β)-one: Urine, pregnancy, isolation, Heard and McKay, 1939, 131, 371 Androstenetriol-3(β),16,17: Δ5-, adrenocortical carcinoma, isolation. 1943, 150, 363 Hirschmann, Androsterone: Calibration curves, Saier, 1941, 137, 317 Warga, and Grauer, Dehydroiso-. See Dehydroisoandrosterone Dehydroisoandrosterone and, chromogenic effect, Saier, Grauer, and 1943, 148, 213 Starkey. Determination. spectrochemical. Langstroth, Talbot, and Fineman, 1939, 130, 585 m-Dinitrobenzene reaction, behavior, Langstroth and Talbot, 1939, 129, 759 — compounds, absorption spectra, Langstroth and Talbot, 1939, 128, 759 Etioallocholan-3,17-dione conversion, 1940, 132, 457 Dorfman, Iso-, urine, isolation, Pearlman, 1940, 136, 807 Sodium dehydroiso-, sulfate, water and urine, determination, Talbot, 1943, 148, 593 Ryan, and Wolfe, Testosterone conversion, Dorfman. Cook, and Hamilton, 1939, 130, 285 - relation, Dorfman and Hamilton, 1940, 133, 753 Androsterone sulfate: Isolation. Venning, Hoffman, and Browne, 1942, 146, 369 Anemia: Anti-, vitamin, chick, O'Dell and Hogan, 1943, 149, 323 Bone marrow lipids, effect, Krause, 1943, 149, 395 Cholesterol-produced, Okey andGreaves, 1939, 129, 111

Anemia-continued: Deaminized casein-produced, amino acid effect, Guerrant and Hogan, 1939, 128, 363 - -, lysine relation, Hogan, Powell, and Guerrant, 1941, 137, 41 Dog, Potter, Elvehjem, and Hart, 1938, 126, 155 Feces protoporphyrin IX, isolation. Schultze. 1942, 142, 89 Fish, factor, Simmons and Norris, 1941, 140, 679 Hemorrhagic, McKibbin, Schaefer. 1942, 145, 107 Elvehiem, and Hart, Nutritional, radioactive copper in study, Schultze and Simmons, 1942, 142, 97 Pyridoxine-produced, McKibbin. Schaefer, Frost, and Elvehjem, 1942, 142, 77 Rickets, relation, Fuhr and Steenbock, 1943, 147, 71 Tissue iron, Austoni, Rabinovitch, and Greenberg, 1940, 134, 17 Vitamin deficiency relation, chick, Hogan and Parrott, 1940, 132, 507 Anesthesia: Magnesium, adenosine triphosphate relation, Du Bois, Albaum, and Potter, 1943, 147, 699 Angiotonin: Formation, enzymatic, renin and renin activator, Plentl and 1943, 147, 135 Page, Anhydrase: Carbonic. See Carbonic anhydrase Anoxia: Liver metabolism, fasting, effect, Craig, 1943, 150, 209 Anserine: Muscle, determination, Zapp and Wilson, 1938, 126, 9, 19 -, species distribution, Zapp and Wilson. 1938, 126, 19 Transmethylation relation, Schenck, Simmonds, Cohn, Stevens, and du Vigneaud, 1943, 149, 355 Anthracene: Dibenz-, tissue vitamin A, effect, Baumann, Foster, and Moore, 1942, 142, 597

Anthraquinone(s): Polyhydroxy-, blood

effect, Martin and Lischer.

coagulation, vitamin K deficiency.

1941, 137, 169

Antibiotin: Factor, egg white, isolation, Aphid(s): Glycogen. isolation and Woolley and Longsworth, properties, Loring and Pierce, 1942, 142, 285 1943, 148, 35 Antibody: -Antigen reaction, heat, Boyd, Aphis brassicae: See Aphid Conn, Gregg, Kistiakowsky, and Apoferritin: Roentgen ray diffraction, Roberts, 1941, 139, 787 Fankuchen, 1943, 150, 57 Pneumococcus specific polysaccharide, Spleen, Granick and Michaelis, combination velocity, Mayer and 1943, 147, 91 Heidelberger. 1942, 143, 567 Apparatus: Amino acid determination. Protein, nitrogen, dietary, immunity, ninhydrin reaction, Christensen, effect, Heidelberger, Treffers, Schoen-West, and Dimick, 1941, 137, 735 Cataphoresis, Coolidge, 1939, 127, 551 heimer, Ratner, and Rittenberg, 1942, 144, 555 Chemical reactions, rapid, study, 1941, 137, 123 -, -, -, immunized animals, inter-DuBois.action, Schoenheimer, Ratner, Rit-Colorimeter, photoelectric, test-tube, tenberg, and Heidelberger, Summerson. 1939, 130, 149 1942, 144, 545 Drying and extraction, biological Anticatalase: Tria, 1939, 129, 377 materials. Kaye, Leibner, and Anticoagulant(s): Blood plasma proteins, Connor, 1940, 132, 195 electrophoresis study, Chargaff, Ziff, Fecal fat, fractionation, Kaye, Leibner, and Sobel. 1941, 138, 643 and Moore. 1941, 139, 383 Antigen: Antibody-, reaction, heat, respiratory, determination, Boyd, Conn, Gregg, Kistiakowsky, Scholander, 1942, 146, 159 and Roberts. 1941, 139, 787 Haldane gas analysis, modified, Bazett, Hemolytic streptococcus, Lancefield 1941, 139, 81 Group A, structure, Zittle and Lipid extraction, Kaye, Leibner, and Harris, 1942, 142, 823 Sobel, 1941, 138, 643 Pneumococcus. Shedlovsky. Goebel. Manometer, injection, Marsh and Lavin, and Adams, 1943, 148, 1 1940, 136, 69 Carlson, Tissue extract, chemical constitution, Metabolism, manometer, Summerson, blood serum, syphilis diagnosis, 1939, 131, 579 Brown and Kolmer. 1941, 137, 525 Micrometer burette, Scholander, Antimony trichloride: Sterols and vita-Edwards, and Irving, 1943, 148, 495 mins D₂ and D₃, determination, use, Osmotic pressure, low, determination, Zimmerli, Nield, and Russell, Bourdillon, 1939, 127, 617 1943, 148, 245 Photometer, photoelectric, Rosenfeld, Antiserum: Tobacco mosaic virus and, 1939, 129, 179 reaction, electron microscope study, Quartz fiber balance, Lowry, Anderson and Stanley. 1941, 140, 183 1941, 139, 339 liquefier, Shelesnyak Antitoxin: Diphtheria, papain effect, Tissue 1942, 143, 663 Biskind. Petermann, 1942, 144, 607 Ultrafiltration, Coolidge, Apatite: Hydroxy-, fluoride adsorption, radioactive isotope in study, Volker, 1940, 135, 541 Urine androgenic substances, extrac-Hodge, Wilson, and Van Voorhis, 1940, 133, 313 tion, Neterval, 1940, 134, 543 steroids, extraction, Hershberg -, phosphate adsorption, radioactive 1940, 133, 667 isotope in study, Hodge, and Wolfe, 1941, 141, 215 Huysen, Bonner, and Van Voorhis, 1942, 142, 881 Araban: Oats, Morris, 1941, 138, 451

Arachidonic acid: Chemical constitution, Shinowara and Brown,

1940, 134, 331

Mowry, Brode, and Brown,

1942, 142, 679 Isolation. Shinowara and Brown,

1940, 134, 331

Properties, crystallization and debromination preparation, comparison, Shinowara and Brown,

1940, 134, 331

Arachin: Cystine excretion, cystinuria, effect, Hess and Sullivan,

1942, 146, 381 Arginase: Liver, Richards and Hellerman, 1940, 134, 237

 , adrenalectomy and adrenocortical steroids, effect, Fraenkel-Conrat, Simpson, and Evans, 1943, 147, 99

-, food effect, Lightbody and Kleinman, 1939, 129, 71

--, kidney, and intestine, testosterone propionate effect, Kochakian and Clark, 1942, 143, 795
 Tumors, Greenstein, Jenrette, Mider,

Tumors, Greenstein, Jenrette, Mider, and White, 1941, 137, 795

Arginine: Blood serum proteins, ingestion effect, Block, 1940, 133, 71
Citrulline conversion, kidney, Borsook and Dubnoff, 1941, 141, 717

- replacement of, diet, effect, Klose and Almquist, 1940, 135, 153 Determination, flavianic acid use, Vickery, 1940, 132, 325

-, micro-, Dubnoff, 1941, 141, 711 -, photometric, Brand and Kassell, 1942, 145, 359

Sakaguchi reaction, Thomas,
 Ingalls, and Luck, 1939, 129, 263
 Hydrolysis, kinetics, Warner,

1942, 142, 705

l(+)-, metabolism, Butts and Sinnhuber,
 1941. 140, 597
 Nutrition, chick, rôle, Hegsted, Briggs,

Elvehjem, and Hart, 1941, 140, 191
Ornithine conversion, Clutton, Schoen-

heimer, and Rittenberg,

1940, 132, 227 oxytocic hor-

Pituitary pressor and oxytocic hormones, Potts and Gallagher,

1942, 143, 561

Arginine-continued:

Vitamin B₄ deficiency, chick, effect, Briggs, Luckey, Elvehjem, and Hart, 1943, 150, 11

Arsenate: Carbohydrate breakdown, phosphopyruvic acid dephosphorylation, relation, Meyerhof and Junowicz-Kocholaty. 1942, 145, 443

Arsenocholine chloride: Dietary, effect,
Welch and Landau, 1942, 144, 581

Arthropod(s): Blood serum nitrogen, copper, and hemocyanin, Allison and Cole, 1940, 135, 259

Ascorbic acid: Blood, blood plasma, and blood plasma filtrates, stability, Golden and Garfinkel, 1942, 144, 447

—, determination, 2,4-dinitrophenylhydrazine derivative of dehydroascorbic acid, use, Roe and Kuether, 1943, 147, 399

-, -, methylene blue use, Butler, Cushman, and MacLachlan,

1943, 150, 453

—, preservation, Kassan and Roe, 1940, 133, 579

Citric acid and, metabolism, Purinton and Schuck, 1943, 148, 237 Deficiency, tissue enzyme activity, relation, Harrer and King,

1941, 138, 111

Dehydro-. See Dehydroascorbic acid Determination, 2,6-dichlorophenol indophenol in xylene, use, Highet and West, 1942, 146, 655

--, micro-, Bessey, 1938, 126, 771 Endocrines, avitaminosis influence, Sure, Theis, and Harrelson,

1939, 129, 245

Iminazole rings in vivo, effect, Greenblatt and Pecker, 1940, 134, 341

l-, 3,3'-methylenebis(4-hydroxycou-marin) action and prothrombin time, effect, Overman, Stahmann, and Link, 1942, 145, 155

-Like reducing substance, blood buffy layer, Butler and Cushman,

1941, 139, 219

Methemoglobin reduction, effect, Vestling, 1942, 143, 439 Ninhydrin reaction, West and Rine-

hart, 1942, 146, 105

149

Ascorbic acid—continued:	Aspartic acid(s)—continued:
Perspiration, Tennent and Silber,	Growth relation, Rose and Fierke,
1943, 148, 359	1942, 143, 115
Phenylalanine metabolism, rôle, Sea-	Ionization, aqueous solution, Smith
lock, Perkinson, and Basinski,	and Smith, 1942, 146, 187
1941, 140, 153	l(-)-, oxidation, Hemophilus para-
Phospholipid oxidation, effect, Deutsch,	influenzae, Klein, 1940, 134, 43
Kline, and Rusch, 1941, 141, 529	Methyl-, methylation, Dakin,
Synthesis, tissue, Sutton, Kaeser, and	1941, 141, 945
Hansard, 1942, 144, 183	Phytomonas tumefaciens, configura- tion, Chargaff, 1939, 130, 29
—, —, in vitro, Smythe and King, 1942, 142, 529	tion, Chargaff, 1939, 130, 29 Aspartylhistidine: Greenstein and
Tissue, animal, carrier rôle, Schultze,	Klemperer, 1939, 128, 245
Harrer, and King, 1939, 131, 5	Aspergillus sydowi: Mycelium, cerebrin
-, avitaminosis influence, Sure, Theis,	isolation, Bohonos and Peterson,
and Harrelson, 1939, 129, 245	1943, 149, 295
Tyrosine metabolism, rôle, Sealock,	Asphyxia: Blood serum potassium, effect,
Perkinson, and Basinski,	Cattell and Civin, 1938, 126, 633
1941, 140, 153	Astragalus pectinatus: Selenium- and
Urine, determination, colorimetric,	sulfur-containing amino acid com-
Evelyn, Malloy, and Rosen,	plex, isolation, Horn and Jones, 1941, 139, 649
1938, 126 , 645 —, —, 2,4-dinitrophenylhydrazine	Atabrine: Blood, determination, Masen,
derivative of dehydroascorbic acid,	1943, 148, 529
use, Roe and Kuether,	Escherichia coli growth, spermidine
1943, 147, 399	and polyamines, effect, Silverman
See also Vitamin C	and Evans, 1943, 150, 265
Ash: Bone, vitamin D effect, Correll and	Identification, distribution study, use,
Wise, 1938, 126, 573	Craig, 1943, 150, 33
Ashing: Tissue, soft, determination,	Urine, determination, Masen,
Buell, 1939, 130, 357	1943, 148, 529 Atisine: Jacobs and Craig, 1942, 143, 589
Asparagine: Formation, seedlings, etio- lated, Lupinus angustifolius, Vicia	Dihydro-, Jacobs and Craig,
atropurpurea, and Cucurbita pepo,	1943, 147, 567
Vickery and Pucher, 1943, 150, 197	Heter-, Aconitum heterophyllum,
-Glutamate, Bacterium dysenteriae and	Jacobs and Craig, 1942, 143, 605
microorganisms, growth factor,	-, benzoyl, Aconitum heterophyllum,
Bovarnick, 1943, 148, 151	Jacobs and Craig, 1943, 147, 571
-Glutamic acid mixtures, nicotinamide-	Iso-, Jacobs and Craig, 1943, 147, 567
like substance, determination,	Sodium hydroxide action, Jacobs and
Bovarnick, 1943, 149, 301	Craig, 1943, 147, 567 Atmospheric pressure: Low, blood lipids,
Preparation, Vickery, Pucher, and	effect, Mac Lachlan, 1939, 129, 465
Deuber, 1942, 145, 45	Aucuba: Mosaic virus protein, tomato
Asparthione: Synthesis, Miller, Behrens,	roots, isolation, Stanley,
and du Vigneaud, 1941, 140, 411	1938, 126, 125
Aspartic acid(s): Analogue, glutathione,	Autolysis: Cathepsin, effect, Eder,
synthesis, Miller, Behrens, and du	Bradley, and Belfer, 1939, 128, 551
Vigneaud, 1941, 140, 411	Oxidation, reduction, and sulfhydryl,
Corynebacterium diphtheriae, configur-	effect, Bailey, Belfer, Eder, and
ation, Chargaff, 1939, 130, 29	Bradley, 1942, 143, 721

Autotrophic organism(s): Chemical components, Mazur and Clarke,

1942, 143, 39

Avena sativa: See Oat

Avidin: Concentration, and determination, biological, Eakin, Snell, and Williams, 1941, 140, 535 Stability, Gyōrgy, Rose, and Tomarelli, 1942, 144, 169

Avitaminosis: Endocrine and tissue ascorbic acid, influence, Sure, Theis, and Harrelson, 1939, 129, 245

Avocado: d-Mannoheptulose excretion, effect, Blatherwick, Larson, and Sawyer, 1940, 133, 643

Azlactone(s): Carter, Handler, and Melville, 1939, 129, 359
Carter and Stevens, 1940, 133, 117
Carter, Handler, and Stevens,

1941, 138, 619

Carter, Stevens, and Ney,

1941, 139, 247

Carter and Risser, 1941, 139, 255
Acetic acids, formation, Carter and
Stevens, 1940, 133, 117

Benzoyl-α-aminocinnamic acid, preparation, Carter and Risser,

1941, 139, 255

Benzoyl-α-aminocrotonic acid, preparation, Carter, Handler, and Melville, 1939, 129, 359

Carter and Stevens, 1940, 133, 117

Azolesterase: Blood serum proteins, activity, Glick, Glaubach, and Moore, 1942, 144, 525

Azotobacter: Extracts, hydrogenase, Lee, Wilson, and Wilson, 1942, 144, 273 Hydrogenase, properties, Wilson, Lee, and Wilson, 1942, 144, 265

Azotobacter vinelandii: Nitrogen, isotopic, distribution, Burris,

1942, 143, 509

В

Bacillus: Aerobic, sporulating, bactericidal fractions, Hotchkiss and Dubos, 1940, 136, 803 Soil. See Soil bacillus See also Lactobacillus, Leprosy bacillus, etc. Bacillus brevis: Cultures, bactericidal substances, isolation, *Hotchkiss and* Dubos, 1941, 141, 155

Bacilius subtilis: d(-)-Glutamic acid polypeptide formation by, *Bovarnick*, 1942, 145, 415

Bacteria: Anti-, glucose aerodehydrogenase from Penicillium notatum, Birkinshaw and Raistrick,

1943, 148, 459

Autotrophic, adenosine-3-triphosphate, LePage and Umbreit, 1943, 148, 255 —, phosphorylated carbohydrate esters, LePage and Umbreit,

1943, 147, 263
Blood nicotinamide and related substances, determination, use in, Isbell,
Woolley, Butler, and Sebrell,

1941, 139, 499

Carbon dioxide fixation, heavy carbon as tracer, Wood, Werkman, Hemingway, and Nier, 1940, 135, 789

Colon. See Colon, bacteria

Drosophila v⁺ hormone, identification, Tatum and Haagen-Smit,

1941, 140, 575

Enzyme, mucin-hydrolyzing, Robertson, Ropes, and Bauer,

1940, 133, 261

 preparation, acetylmethylcarbinol formation from pyruvic acid by, Silverman and Werkman,

1941, 138, 35

Growth factors, Woolley, McDaniel, and Peterson, 1939, 131, 381 Hutchings, Bohonos, and Peterson, 1941, 141, 521

Heterotrophic, heavy carbon dioxide assimilation, Slade, Wood, Nier, Hemingway, and Werkman,

1942, 143, 133

—, succinic acid synthesis by, carbon position in carbon dioxide, Wood, Werkman, Hemingway, and Nier, 1941, 139, 377

Lactic acid, growth, glutamine and glutamic acid effect, *Pollack and Lindner*, 1942, 143, 655

---, --, manganese relation, Woolley, 1941, 140, 311

Bacteria—continued:

Lactic acid, growth, purification and properties, *Hutchings*, *Bohonos*, and *Peterson*, 1941, 141, 521

Metabolism, gramicidin and tyrocidine effect, Dubos, Hotchkiss, and Coburn, 1942, 146, 421

-, nicotinamide and related compounds, rôle, Saunders, Dorfman, and Koser, 1941, 138, 69

Pyruvic acid metabolism, effect, Barron and Lyman, 1939, 127, 143

Spinal fluid nicotinamide and related substances, determination, use in, Isbell, Wooley, Butler, and Sebrell, 1941, 139, 499

Sucrose phosphorolysis and synthesis, Doudoroff, Kaplan, and Hassid,

1943, 148, 67

Urine nicotinamide and related substances, determination, use in, Isbell, Wooley, Butler, and Sebrell,

1941, 139, 499

Vitamin C determination, use in, Gunsalus and Hand,

1941, 141, 853

See also Acetobacter, Alcaligenes, etc. Bacterial cultures: Hydrogen peroxide determination, Main and Shinn, 1939, 128, 417

Bactericidal fraction(s): Bacillus, aerobic sporulating, Hotchkiss and Dubos,

1940, 136, 803

Bactericidal substance(s): Bacillus brevis cultures, isolation, Hotchkiss and Dubos, 1941, 141, 155

Bacterium coli: Serine determination, rôle, Chargaff and Sprinson,

1943, 148, 249

Bacterium dysenteriae: Growth, asparagine-glutamate effect, Bovarnick, 1943, 148, 151

Balance: Quartz fiber, Lowry,

1941, 140, 183

Barium chloride: Activity determination, electrolytic, amino acid solutions, Joseph, 1939, 130, 203

Basal metabolism: Pituitary, anterior, extract, and iodine, effect, Gaebler and Bartlett, 1939, 129, 559 Base(s): Determination, Dean and Fishman, 1941, 140, 807

Total, biological material, determination, electrodialysis, Consolazio and Talbott, 1940, 132, 753

-, blood, determination, Leva and Guest, 1939, 130, 777

-, - serum, determination, Sunderman, 1942, 143, 185

Batyl alcohol: Natural, configuration, Baer and Fischer, 1941, 140, 397

Bean: Castor, lipase, blood neutral fat, action, Kelsey, 1939, 130, 199

—, —, specificity, lipid analyses,

Kelsey, 1939, 130, 187

Jack, urease, canavanine removal,

Archibald and Hamilton,

1943, 150, 155

Soy, lipositol, isolation and chemical constitution, Woolley,

1943, 147, 581

—, lipoxidase, Balls, Axelrod, and Kies, 1943, 149, 491

—, urease, urea hydrolysis, activation energy, Sizer, 1940, 132, 209

Benzaldehyde: Detoxication, animal body, Stekol, 1939, 128, 199

Benzene: Bromo-, growth relation, Stekol, 1939, 127, 131

p-Bromo-, selenium excretion, administration effect, Moxon, Schaefer, Lardy, DuBois, and Olson,

1940, 132, 785

N,N-Dimethylaminoazo-, split-products, yeast carboxylase, effect, Kensler, Young, and Rhoads,

1942, 143, 465

 m-Dinitro-, dehydroisoandrosterone
 and androsterone, reaction, Langstroth and Talbot, 1939, 129, 759

Benzenesulfonate: Alkyl-, detergents, egg albumin, electrophoresis, Lund-gren, Elam, and O'Connell,

1943, 149, 183
Benzenesulfonyl derivative: Tobacco
mosaic virus, Miller and Stanley,
1942, 146, 331

Benzoic acid: d-Amino acid oxidase, effect, Klein and Kamin,

1941, 138, 507

p-Amino-. See Aminobenzoic acid

Benzoic acid-continued: blood, p-Nitro-, determination. Eckert, 1943, 148, 197 Mycobacterium effect, Oxidation, 1942, 143, 383 Bernheim. oxidation. -Related substances. Mycobacterium effect, Bernheim, 1942, 143, 383 Benzoquinone: Series, vitamin K activity, Ansbacher and Fernholz, 1939, 131, 399 Benzovl- α -aminocinnamic acid azlactone(s): Preparation, Carter and 1941, 139, 255 Risser, Benzoyl-a-aminocrotonic acid azlactone: Preparation, Carter, Handler, and Melville, 1939, 129, 359 Carter and Stevens, 1940, 133, 117 Benzoyl heteratisine: Aconitum heterophyllum, Jacobs and Craig, 1943, 147, 571 Benzpyrene: Growth effect, White and 1939, 131, 149 White. Benzyl alcohol: Detoxication, animal body, Stekol, 1939, 128, 199 Benzyl chloride: Detoxication, animal body, Stekol. 1939, 128, 199 Benzvl-l-cysteine: Racemization. Wood and du Vigneaud, 1939, 130, 109 Benzylhomocysteine: S-, detoxication, animal body, Stekol, 1939, 128, 199 Betacoccus arabinosaceus: Dextran synthesis from sucrose and chemical constitution, Hassid and Barker, 1940, 134, 163 Betaine: Chemical constitution and transmethylation relation, Moyer and du Vigneaud, 1942, 143, 373 Formation, hydroxyamino acid methylation, relation, Dakin, 1941, 140, 847 Growth effect, chick, Almquist and Grau, 1943, 149, 575 Hippuric acid synthesis, availability, Abbott and Lewis, 1939, 131, 479 Homocystine replacement of methio-Chandlernine, effect, and duVigneaud. 1940, 135, 223 Liver phospholipid metabolism, influence, radioactive phosphorus as indicator, Perlman and Chaikoff, 1939, 130, 593

Betaine aldehyde: Oxidation, diphosphopyridine nucleotide effect, Klein and Handler, 1942, 144, 537 Bicarbonate: Pancreatic juice, source, Ball, Tucker, Solomon, and Vennesland, 1941, 140, 119 Bicarbonate ion: Muscle, distribution, Wallace and Hastings, 1942, 144, 637 Bile: Cholic and desoxycholic acid keto derivatives, determination, Hughes, 1942, 143, 11 Cobalt distribution and excretion. radioactive isotope in study, Greenberg, Copp, and Cuthbertson, 1943, 147, 749 Estrogens, estrone administration effect, Longwell and McKee, 1942, 142, 757 Gallbladder, desiccated and normal, comparison, Irvin, Merker, Anderson, and Johnston, 1939, 131, 439 Gizzard erosion, chick, effect, Almquist and Mecchi, 1938, 126, 407 Hepatic and gallbladder, choline, free, and phospholipid, Johnston, Irvin, and Walton, 1939, 131, 425 Iron distribution and excretion, radioactive isotope in study, Greenberg, Copp, and Cuthbertson, 1943, 147, 749 Manganese distribution and excretion. radioactive isotope in study, Greenberg, Copp, and Cuthbertson, 1943, 147, 749 Renal fistulas, protoporphyrin fate, relation, Watson, Pass, and Schwartz, 1941, 139, 583 Bile acid(s): Acid strength, Kumler and Halverstadt. 1941, 137, 765 Metabolism, Schmidt and Hughes, 1942, 143, 771 Schmidt, Hughes, Green, and Cooper, 1942, 145, 229 Bile salt(s): Solution, micelle formation, Roepke and Mason, 1940, 133, 103 Substitute, vitamin K, administration with, Lozinski and Gottlieb, 1940, 133, 635 Bilirubin: Blood plasma, blood cell, red, as source, Barkan and Walker,

1939, 131, 447

153

Biochemical reaction(s): Manometric Biotin—continued: diffusion, Roughton, 1941, 141, 129 Inactivation, fats, rancid, Parcek and Biochemical variables: Normal men, Shull. 1942, 146, 351 Jellinek and Looney, 1939, 128, 621 - in vitro, egg white constituent, Biological fluid(s): Bone solubility, effect, Eakin, Snell, and Williams, 1939, 127, 705 Logan and Kane, 1940, 136, 801 Liver, isolation, du Vigneaud, Hof-Biological material: Base, total, determination, electrodialysis, Consolazio mann, Melville, and György, and Talbott, 1940, 132, 753 1941, 140, 643 Milk, isolation, Melville, Hofmann, Biological media: Levulose determination, diphenylamine use, Corcoran Hague, and du Vigneaud, 1939, 127, 601 and Page, 1942, 142, 615 Bios: Factor, liver extract, Alexander Paralysis, effect, Nielsen and Elvehjem, and Subbarow, 1940, 135, 341 1942, 144, 405 Yeast, nitrogen metabolism, effect, Pyruvate metabolism, liver, effect, Schultz, Atkin, and Frey, Pilgrim, Axelrod, and Elvehjem, 1940, 135, 267 1942, 145, 237 Biotin: Anti-, factor, egg white, iso-Reagent effect, Brownand du lation. Woolley and Longsworth, Vigneaud, 1941, 141, 85 1942, 142, 285 hemolytic, Streptococcus, growth factor, Hottle, Lampen, and Pap-Chemical constitution, du Vigneaud, Melville, Folkers, Wolf, Mozingo, penheimer. 1941, 137, 457 Keresztesy, and Harris, Succinylsulfathiazole and, growth 1942, 146, 475 effect, Nielsen and Elvehjem, Melville, Moyer, Hofmann, and du 1942, 145, 713 Vigneaud. 1942, 146, 487 Thiophenevaleric acid from, Melville, Crystalline, free, preparation, du Moyer, Hofmann, and du Vigneaud, Vigneaud, Hofmann, Melville, and 1942, 146, 487 Rachele. 1941, 140, 763 See also Vitamin H Desthio-, biotin chemical constitution, Biotin sulfone: Hydrolysis, Melville, relation, du Vigneaud, Melville, Hofmann, and du Vigneaud, Folkers, Wolf, Mozingo, Keresztesy, 1942, 145, 101 and Harris. 1942, 146, 475 Bipyridine: 2,2'-, iron determination, Determination, microbiological, Shull, spectrophotometric, use in, Koenig Hutchings, and Peterson, and Johnson, 1942, 143, 159 1942, 142, 913 Bird: Blood cell, red, phytic acid, Diaminocarboxylic acid from, 3,4-1940, 135, 403 diaminotetrahydrothiophene stabil-Rapoport, ity, comparison, Kilmer, Armstrong, - iodine, seasonal variation, Clarke Brown, and du Vigneaud, and Boud. 1940, 135, 691 1942, 145, 495 - lipids, sex hormones, crystalline, — — —, phenanthrenequinone coneffect, Entenman, Lorenz, anddensation, Hofmann, Kilmer, Mel-Chaikoff. 1940, 134, 495 rille, du Vigneaud, and Darby, Lipid metabolism, endocrine control, 1942, 145, 503 Entenman, Lorenz, and Chaikoff, oxidation, adipic acid from, 1938, 126, 133 Hofmann, Melville, and du Vigneaud, Lorenz, Chaikoff, and Entenman, 1942, 144, 513 1938, 126, 763 Fat synthesis and metabolism, effect, Entenman, Lorenz, and Chaikoff, Gavin and McHenry, 1941, 141, 619 1940, 134, 495 Functional groups, Hofmann, Melville,

and du Vigneaud,

1941, 141, 207

See also Chick

Bismuth: Biological material, determination, spectrochemical, Steadman and Thompson, 1941, 138, 611 Bisulfite: -Binding substances, blood pyruvic acid, relation, Klein, 1940, 135, 143 - -, urine, thiamine effect, Shils, Day, and McCollum, 1941, 139, 145 Bisulfite reaction: Acetone determination, microdiffusion, Winnick, 1941, 141, 115 Diffusion, micro-, methods, Winnick, 1941, 141, 115 1942, 142, 451, 461 Biuret reaction: Blood serum protein, albumin, and globulin determination, use, Kingsley, 1939, 131, 197 ----, determination, use, Robinson 1940, 135, 707, 727 and Hogden, Blastomyces dermatiditis: Lipids, Peck and Hauser, 1940, 134, 403 Blood: Acetaldehyde, determination, colorimetric, Stotz, 1943, 148, 585 Acetoacetic acid, determination, bisulfite-binding method, Klein, 1940, 135, 143 -, effect, Stark and Somogyi, 1943, 147, 319 ----, glucose effect, Stark and Somogyi, 1943, 147, 721 ---, insulin effect, Stark and Somogyi, 1943, 147, 731 Acetoin, acetoin administration effect, Greenberg, 1943, 147, 11 Acetone bodies, determination, Barnes and Wick, 1939, 131, 413 1940, 133, 539 Crandall, - -, -, salicylaldehyde use, Behre, 1 940,136, 25 determination, bisulfite-binding method, Klein, 1940, 135, 143 Acidified, diphosphoglycerate decomposition, glycolysis relation, Rapoport and Guest. 1939, 129, 781 Adrenalin, determination, Bloor and Bullen, 1941, 138, 727 Alkali, buffer, determination, Rubin, 1938, 126, 679 p-Aminobenzoic and conjugated paminobenzoic acid, determination, Eckert, 1943, 148, 197

Blood-continued: Amino nitrogen determination, colorimetric, Frame, Russell, and Wilhelmi, 1943, 149, 255 Amylase, starch and glycogen hydrolysis, Morris, 1943, 148, 271 Ascorbic acid determination, 2,4dinitrophenylhydrazine derivative of dehydroascorbic acid, use, Roe and Kuether, 1943, 147, 399 - - , methylene blue use, Butler, Cushman, and MacLachlan, 1943, 150, 453 - preservation, Kassan and Roe, 1940, 133, 579 — stability, Golden and Garfinkel, 1942, 144, 447 Atabrine, determination, Masen, 1943, 148, 529 Base, total, determination, Leva and Guest, 1939, 130, 777 Bisulfite-binding substances, pyruvic acid relation, Klein, 1940, 135, 143 Bromide determination, Friedman, 1942, 144, 519 Buffy layer, ascorbic acid-like reducing substance, Butler and Cushman, 1941, 139, 219 Calcium, age effect, Anderson and Elvehjem, 1940, 134, 217 - distribution, Snyder and Katzenel-1942, 143, 223 Carbon dioxide, determination, gasometric, micro, Scholander and Roughton, 1943, 148, 573

---, --, micro-, West, Christensen,

- monoxide, determination, Roughton,

— —, —, gasometric, Horvath and

- -, -, micro, Scholander and

determination,

Carp, Field, Elvehjem, and Juday,

Avrin,

1940, 132, 681

Tannenbaum,

1939, 128, 109

1941, 137, 617

1942, 144, 747

1943, 148, 551

1943, 148, 261

Teague, and

1940, 135, 671

micro-,

and Rinehart.

Roughton.

Roughton,

Erickson,

Williams,

Cephalin,

— effect, Cohn,

Thalhimer, and Hastings,

Blood—continued:	Blood—continued:
Cerebral, arterial-venous differences,	Diodrast determination, colorimetric,
Gibbs, Lennox, Nims, and Gibbs,	Flox, Pitesky, and Alving.
	, , ,
1942, 144, 325	1942, 142, 147
Nims, Gibbs, and Lennox,	Electrolyte and water exchange, Munt-
1942, 145, 189	wyler, Mellors, Mautz, and Mangun,
—, — —, arterial carbon dioxide	1940, 134, 389
effect, $Nims$, $Gibbs$, and $Lennox$,	- equilibrium, adrenal insufficiency,
1942, 145, 189	Muntwyler, Mellors, and Mautz,
Chloride, adrenalin injection effect,	1940, 134, 345
MacVicar and Heller,	Electrolytes, dolphin, Eichelberger,
1941, 137, 643	Fetcher, Geiling, and Vos,
—, determination, micro-, titrimetric,	1940, 133, 145
	1
Clark, Levitan, Gleason, and Green-	Esterase, determination, micro-,
berg, 1942, 145, 85	adenocarcinoma, Troescher and
 distribution, Snyder and Katzenel- 	Norris, 1940, 132, 553
bogen, 1942, 143, 223	Ethyl alcohol, determination, Gettler
Cholesterol, ultraviolet irradiation	and Umberger, 1942, 143, 633
effect, Knudson, Sturges, and Bryan,	, -, colorimetric, Gibson and
1939, 128, 721	Blotner, 1938, 126, 551
Cholinesterases, Alles and Hawes,	Extravascular fluid and, exchange
1940, 133, 375	rates, Flexner, Gellhorn, and Merrell,
	The state of the s
Climate and season effect, Dill, Wilson,	1942, 144, 35
and Robinson, 1940, 136, 449	Fat, neutral, castor bean and pan-
Coagulation, chemistry, Cohen and	creatic lipase action, Kelsey,
Chargaff, 1940, 136, 243	1939, 130, 199
Chargaff, Ziff, and Cohen,	Feces, determination, colorimetric,
1940, 136, 25 7	Andrews and Brooks, 1941, 138, 341
Ziff and Chargaff, 1940, 136, 689	Fructose, determination, skatole color
Chargaff, Ziff, and Moore,	reaction in, Reinecke, 1942, 142, 487
1941, 139, 383	Gases, determination, gasometric,
Cohen and Chargaff, 1941, 139, 741	micro, Roughton and Scholander,
-, heparin action, Ziff and Chargaff,	1943, 148, 541
	1
1940, 136, 689	Scholander and Roughton,
-, lung thromboplastic protein,	1943, 148, 551
action, Cohen and Chargaff,	Edwards, Scholander, and Roughton,
1940, 136, 243	1943, 148, 565
—, vitamin K deficiency, polyhydroxy-	Scholander and Roughton,
anthraquinones, effect, Martin and	1943, 148, 573
Lischer, 1941, 137, 169	Globins, sulfur, total, cystine, and
Cocarboxylase, determination, Good-	methionine, species differences,
hart, 1940, 135, 77	Beach, Bernstein, Hummel, Wil-
-, vitamin B ₁ deficiency determina-	liams, and Macy, 1939, 130, 115
tion, relation, Goodhart and Sinclair,	Glucose determination, micro-,
	1
1940, 132, 11	Reinecke, 1942, 143, 351
Creatinine and creatine determination,	- injection effect, Bueding and Gold-
colorimetric, Peters, 1942, 146, 179	farb, 1943, 147, 33
Diastase, health and diabetes, Somogyi,	Glucuronic acid, saccharoid relation,
1940, 134, 315	Fashena and Stiff, 1941, 137, 21
Dihydroxyacetone, determination,	Glycerol determination, periodate use,
Turner, Kress, and Harrison,	Voris, Ellis, and Maynard,
1943, 148, 581	1940, 133, 491
1010, 110, 001	1010, 100, 101

156 Blood—continued: Glycolysis, diphosphoglycerate decomposition relation, Rapoport and 1939, 129, 781 Guest, -, sodium fluoride and sodium iodoacetate effect, Bueding and Goldfarb, 1941, 141, 539 Group A specific substance, pneumococcus Type XIV polysaccharide, capsular, relation, Goebel, Beeson, and Hoagland. 1939, 129, 455 Hemoglobin, diurnal variations, Mc-Carthy and Van Slyke, 1939, 128, 567 -, inactive, Ammundsen, 1941, 138, 563 Hydrogen ion concentration, carbohydrate storage and mobilization, effect, Guest and Rawson, 1941, 139, 535 β-Hydroxybutyric acid, effect, Stark and Somogyi, 1943, 147, 319

----, glucose effect, Stark and Somogyi, 1943, 147, 721 -, insulin effect, Stark and Somogyi,

1943, 147, 731

 to acetoacetic acid ratio, Primates, Friedemann, 1942, 142, 635 Inulin determination. colorimetric. Alving, Rubin, and Miller,

1939, 127, 609

Iodide determination, colorimetric, Flox, Pitesky, and Alving, 1942, 142, 147

Iodine, birds, seasonal variation, Clarke and Boyd, 1940, 135, 691 micro-, determination. permanganate acid ashing method, Riggs and Man, 1940, 134, 193 -, fractionation, Bruger and Member, 1943, 148, 77

-, -, alcohol, Boyd and Clarke, 1942, 142, 619

-, nature, Trevorrow, 1939, 127, 737 Riggs, Lavietes, and Man,

1942, 143, 363 Iron determination, micro-, Breuer and Militzer, 1938, 126, 561 Keto acids, determination, Friedemann and Haugen. 1943, 147, 415 Ketones. See also Ketonemia.

Blood—continued:

Lactate, diabetes, glucose and insulin effect, Klein, 1942, 145, 35 injection effect, Bueding and 1943, 147, 33 Goldfarb. Lactate-pyruvate, thiamine deficiency. relation, Stotz and Bessey,

1942, 143, 625

Lactic acid determination, blood collection, Friedemann and Haugen, 1942, 144, 67

—, Plasmodium knowlesi effect,

Wendel and Kimball, 1942, 145, 343 - acid-pyruvic acid ratio, exercise effect, Friedemann and Barborka, 1941, 141, 993

Lactobacillus casei e-stimulatory substance, Feeney and Strong,

1942, 142, 961

Lead, calcium, phosphorus, and vitamin D influence, Sobel, Yuska, Peters, and Kramer, 1940, 132, 239 Lecithin. determination. micro-. Erickson. Teague, Avrin,andWilliams, 1940, 135, 671

determination, Levulose diphenylamine use, Corcoran and Page,

1939, 127, 601

Lipids, atmospheric pressure, low, exposure, effect, MacLachlan,

1939, 129, 465

-, bird, sex hormones, crystalline, Entenman, Lorenz, and effect. Chaikoff, 1940, 134, 495

-, chick, changes, Entenman, Lorenz, and Chaikoff, 1940, 133, 231

 fasting and undernutrition effect, Entenman, Changus, Gibbs, and Chaikoff, 1940, 134, 59

-, fowl, estrin effect, Lorenz, Chaikoff, and Entenman, 1938, 126, 763

-, overnutrition effect, Entenman and Chaikoff, 1942, 142, 129

-, pancreatectomy and duct ligation with insulin, pancreatic juice ingestion effect, Entenman, Chaikoff, and Montgomery, 1941, 137, 699

-, pancreatic duct ligation, choline effect, Entenman, Montgomery, and Chaikoff, 1940, 135, 329

Blood—continued:	Blood—continued:
Lipids, pancreatic duct ligation,	Pantothenic acid, Wright,
effect, Entenman, Chaikoff, and	1943, 147, 261
Montgomery, 1939, 130, 121	, determination, Stanbery, Snell,
-, pregnancy blood serum, fowl,	and Spies, 1940, 135, 353
effect, Entenman, Lorenz, and	 — , glucose administration effect,
Chaikoff, 1938, 126, 133	Wright, 1942, 142, 445
Magnesium distribution, Snyder and	— —, Mammalia, Pearson,
Katzenelbogen, 1942, 143, 223 Methemoglobin, determination,	1941, 140, 423
	Parathyroid hormone effect, Logan,
micro-, Evelyn and Malloy,	1939, 127, 711
1938, 126, 655	Phenols, determination, ether extrac-
2-Methyl-1,4-naphthoquinone and, re-	tion, Schmidt, 1943, 150, 69
actions, Scudi and Buhs,	Phenylalanine, phenylpyruvic oligo-
1942, 144, 599	phrenia, Jerris, Block, Bolling, and
Muscle and, electrolyte and water	Kanze, 1940, 134, 105
exchange, adrenal insufficiency,	Phosphatase, perosis, chick, Wiese,
Muntwyler, Mellors, Mautz, and	Johnson, Elrehjem, Hart, and
Mangun, 1940, 134, 367	Halpin, 1939, 127, 411
Negroes, climate and season, effect,	Phospholipids, contaminants, Christ-
Dill, Wilson, Hall, and Robinson,	ensen, 1939, 129, 531
1940, 136, 449	-, determination, Marenzi and
Nicotinamide and related substances,	Cardini, 1943, 147, 371
determination, bacterial, Isbell,	-, -, micro-, Erickson, Avrin, Teague,
Wooley, Butler, and Sebrell,	and Williams, 1940, 135, 671
Nicotinic acid, determination, enzy-	, ether-insoluble, Sinclair and Dolan,
matic, Allinson, 1943, 147, 785	1942, 142, 659
- , factors affecting, Melnick,	-, jaundice effect, Weil and Russell,
Robinson, and Field, 1940, 136, 157	1942, 144, 307
— —, mammals, Pearson,	Phosphorus, adrenalin injection effect,
1939, 129, 491	Mac Vicar and Heller,
p-Nitrobenzoic acid, determination,	1941, 137, 643
Eckert, 1943, 148, 197	-, age effect, Anderson and Elvehjem,
Nitrogen, determination, gasometric,	1940, 134, 217
micro, Edwards, Scholander, and	inorganie, distribution, Snyder
Roughton, 1943, 148, 565	and Katzenelbogen, 1942, 143, 223
Nitrous oxide solubility, Cullen and	— turnover, tissue, calcified, mineral
Cook, 1943, 147, 23	metabolism relation, radioactive
Oxygen, determination, gasometric,	phosphorus as indicator, Manly,
micro, Roughton and Scholander,	Hodge, and Manly, 1940, 134, 293
1943, 148, 541	Phytate phosphorus determination,
- effect, Cohn, Tannenbaum, Thal-	Leva and Rapoport, 1941, 141, 343
himer, and Hastings, 1939, 128, 109	Pneumonia, oxygen and carbon dioxide
- saturation, determination, col-	effect, Cohn, Tannenbaum, Thal-
orimetric, micro, Lowry, Smith, and	himer, and Hastings, 1939, 128, 109
Cohen, 1942, 146, 519	Potassium, determination, micro-,
,, spectroscopic, Hall, 1939, 130, 573	titrimetric, Clark, Levitan, Gleason,
Oxyhemoglobin, determination,	and Greenberg, 1942, 145, 85
micro-, Evelyn and Malloy,	- distribution, Snyder and Katzenel-
1938, 126, 655	bogen, 1942, 143, 223
1000, 120, 000	

Blood—continued:

Preservation, carbon dioxide effect,

Smith, Tuthill, Drew, and Scudder,

1940, 133, 499 Protein, tuberculosis, electrophoresis study, Seibert and Nelson, 1942, 143, 29 See also Hypoproteinemia Proteins, nitrogen, dietary, interaction, Schoenheimer, Ratner, Rittenberg, and Heidelberger, 1942, 144, 541 Protoporphyrin, determination, photoelectric and fluorophotometric, Grinstein and Watson, 1943, 147, 675 Purine nucleotides and nucleosides, determination, Kerr, 1940, 132, 147 Pyruvate, diabetes, glucose and insulin effect, Klein, 1942, 145, 35 -, glucose ingestion and thiamine deficiency, effect, Bueding, Stein, 1941, 140, 697 and Wortis, injection effect, Bueding and 1943, 147, 33 Goldfarb, Pyruvate-lactate, thiamine deficiency, relation, Stotz and Bessey, 1942, 143, 625 Pyruvic acid, bisulfite-binding substances, relation, Klein, 1940, 135, 143 - -, determination, acetoacetic acid effect, Klein, 1941, 137, 311 ---, --, blood collection, Friedemann and Haugen, 1942, 144, 67 — —, Plasmodium knowlesi effect, Wendel and Kimball, 1942, 145, 343 - -, removal in vitro, Bueding and Goodhart. 1941, 141, 931 - - stabilization and determination, Bueding and Wortis, 1940, 133, 585 Quinine determination, micro-, Kyker, Webb, and Andrews, 1941, 139, 551 Regeneration, riboflavin effect, Spector, Maass, Michaud, Elvehjem, and 1943, 150, 75 Riboflavin, Strong, Feeney, Moore, and Parsons.1941, 137, 363 Saccharoid, Fashena and Stiff, 1941, 137, 21 Sex hormones, male, McCullagh and Osborn, 1938, 126, 299

Blood—continued:

Sodium, determination, micro-, titrimetric, Clark, Levitan, Gleason, and Greenberg, 1942, 145, 85 distribution, Snyder and Katzenelbogen, 1942, 143, 223 pentothal determination, Hellman. Shettles, and Stran, 1943, 148, 293 Sphingomyelin, determination, micro-, Erickson, Avrin. Teague, andWilliams, 1940, 135, 671 Sulfanilamide administration effect, Webb and Kniazuk, 1939, 128, 511 Wendel, Wendel, and Cox, 1939, 131, 177 Sulfhemoglobin, determination, micro-, Evelyn and Malloy, 1938, 126, 655 Trout, Field, Elvehjem, and Juday, 1943, 148, 261 Tryptophane deficiency, effect, Albanese, Holt, Kajdi, and Frankston. 1943, 148, 299 Urea, determination, Howell, 1939, 129, 641 -, -, chick, Howell, 1939, 128, 573 -, -, colorimetric, Ormsby, 1942, 146, 595 nitrogen, determination, Gentzkow, 1942, 143, 531 Uric acid determination, uricase use, Blauch and Koch, 1939, 130, 443 - -, diet effect, Wachtel, Hove, Elvehjem, and Hart. 1941, 138, 361 --- , in vitro, uricase use, Blauch and Koch, 1939, 130, 455 Vitamin A, visual test relation, Pett and LePage, 1940, 132, 585 Water, determination, distillation method, Miller, 1942, 143, 65 Eichelberger, Fetcher, dolphin, Geiling, and Vos. 1940, 133, 145 equilibrium, adrenal insufficiency, Muntwyler, Mellors, and Mautz, 1940, 134, 345 -, extravascular fluid and, exchange,

Flexner, Gellhorn, and Merrell, 1942, 144, 35

Xanthine oxidase, Blauch, Koch, and 1939, 130, 471 Hanke, See also Hematopoietic activity

159

SUBJECTS Blood cell(s): Diphosphoglycerate and adenosine triphosphate, rickets, Rapoport and Guest, 1938, 126, 749 Electrolyte equilibrium, diphosphoglyceric acid rôle, pyloric obstruction effect, Rapoport and Guest, 1939, 131, 675 Flavin adenine dinucleotide synthesis from riboflavin, Klein and Kohn, 1940, 136, 177 Glyceric acid, phosphorylated, formation, species variation, Rapoport and 1942, 143, 671 Guest. Nicotinic acid determination, Klein, Perlzweig, and Handler, 1942, 145, 27 Phosphorus, acid-soluble, vertebrates, Rapoport and Guest, 1941, 138, 269 , organic acid-soluble and inorganic, rickets, Rapoport and Guest, Potassium transfer, Danowski, Red, acetaldehyde, Barker, -, avian, phytic acid, Rapoport,

1938, 126, 749 man, and Winkler, 1941, 141, 555 —, —, potassium, sodium, and phos-1941, **139,** 69**3** phate, inorganic, radioactive iso-1941, 137, 783 topes in study, Eisenman, Ott, Smith, and Winkler, 1940, 135, 165 1940, 135, 403 -, --, sodium and potassium, Kurnick, -, blood plasma and, chlorides, 1941, 140, 581 phytase, vertebrates, Rapoport, adaptation syndrome effect, Karady, Leva, and Guest, 1941, 139, 621 Selye, and Browne, 1939, 131, 717 —, — — iron and bilirubin, source, -, phytate, lipids, and nucleoproteins, phosphorus exchange, Barkan and Walker, 1939, 131, 447 Rapoport, -, calcium, Streef, Leva, and Guest, 1939, 129, 661 1941, 139, 633 -, cations, potassium-low diet and posthemolytic residue, amino acids, Beach, Erickson, Bernstein, Wildesoxycorticosterone effect, Hegnauer, 1943, 150, 353 liams, and Macy, 1939, 128, 339 potassium, metabolism effect, -, coenzyme I, nicotinic acid de-Harris, ficiency effect, Axelrod, Spies, and 1941, 141, 579 pyridine nucleotide synthesis from Elvehjem, 1941, 138, 667 nicotinic acid, in vitro, effect, Kohn cozymase synthesis from nicotinic and Klein, 1940, 135, 685 acid, effect, Kohn and Klein, -, sodium, Streef, 1939, 129, 661 1939, 130, 1 -, stroma, sphingomyelin, Thann-—, — —, mechanism, nicotinic acid hauser, Setz, and Benotti, and nicotinamide effect, Handler 1938, 126, 785 and Kohn. 1943, 150, 447 White. See also Leucemia, Leuco--, density and hemoglobin relation, penia, Leucosis Ponder,

1942, 144, 333 differentiation, pseudohemoglobin use in, Barkan and Walker,

1940, 135, 803

Blood cell(s)—continued:

Red, factor V synthesis from nicotinic acid, effect, Kohn and Klein,

1939, 130, 1

-, - - from nicotinic acid, in vitro, effect, Kohn and Klein,

1940, 135, 685

hemoglobin, iron, radioactive, relation, Miller and Hahn,

1940, 134, 585

-, hydrogen ion concentration determination, spectrophotometric, Drabkin and Singer, 1939, 129, 739

-, inorganic components, Solomon, Hald, and Peters, 1940, 132, 723

-, lipids, lipemia, diabetic and alimentary, Rubin, 1939, 131, 691

-, non-hemolyzed, absorption spectra, Drabkin and Singer, 1939, 129, 739

-, permeability, chloride, radioactive, bromide, and iodide, Smith, Eisen-

Blood filtrate(s): Amino acids, free, determination, ninhydrin-carbon dioxide method, Hamilton and Van Slyke, 1943, 150, 231

Blood plasma—continued: Blood plasma: Amino acid nitrogen, 2-Methyl-1,4-naphthoquinone and, re-Cramer and Winnick, 1943, 150, 259 actions, Scudi and Buhs, retention, hypoproteinemia, 1942, 144, 599 liver function, relation, Goettsch, Muscle and, electrolyte and water Lyttle, Grim, and Dunbar, 1942, 144, 121 exchange, Mellors, Muntwyler, and 1942, 144, 773 - acids, determination, ninhydrin-Nicotinic acid determination, Klein, carbon dioxide reaction, MacFadyen, Perlzweig, and Handler, 1942, 145, 387 1942, 145, 27 Ascorbic acid stability, Golden and Phosphatase, embryonic and tumor 1942, 144, 447 Garfinkel, growth, effect, Weil, 1941, 138, 375 Bilirubin, blood cell, red, as source, 1939, 131, 447 -, fat metabolism, relation, Weil and Barkan and Walker, Russell, 1940, 136, 9 Blood cell, red, and, chlorides, adapta--, jaundice effect, Weil and Russell, tion syndrome effect, Karady, Selye, 1942, 144, 307 and Browne, 1939, 131, 717 1941, 139, 65 Phospholipids, choline-containing and Cephalins, Artom, total, Artom, 1941, 139, 65 Diiodotyrosine turnover, thyrotropic -, dietary fat effect, Arton and hormone effect, radioactive iodine as 1940, 135, 59 Freeman, indicator, Morton, Perlman, and Chaikoff, 1941, 140, 603 diethylstilbestrol effect, Flock and 1942, 144, 571 Electrophoresis measurements, Moore Bollman, and Lynn, 1941, 141, 819 —, formation site, radioactive phosphorus in study, Fishler, Entenman, Fatty acids, distribution and char-Montgomery, and Chaikoff, acterization. Kelseyand 1941, 139, 727 Longenecker, 1943, 150, 47 Phytase, vertebrates, Rapoport, Leva, Filtrates, ascorbic acid stability, Golden and Garfinkel, and Guest, 1941, 139, 621 1942, 144, 447 Potassium determination, micro-, Glutamine-like substance, Hamilton, chloroplatinate precipitation, Ten-1942, 145, 711 ery and Anderson, 1940, 135, 659 Glycoprotein, mammary gland, lactat-Proteins, anticoagulants. electroing, utilization, Reineke, Williamson, phoresis study, Chargaff, Ziff, and and Turner, 1941, 138, 83 Moore,1941, 139, 383 Hemoglobin and heme pigments, de-Proteolysis, embryonic tumor or termination, Flink and Watson, growth, Weil and Russell, 1938, 126, 245 1942, 146, 171 Heparin complement, electrophoresis Prothrombin, hemorrhagic study, Chargaff, Ziff, and Moore, centrate determination by, sweet 1941, 139, 383 clover disease, Campbell, Smith, Inulin determination, colorimetric. Roberts, and Link, 1941, 138, 1 Steinitz, 1938, 126, 589 -, 3,3'-methylenebis(4-hydroxycou-Iron, blood cell, red, as source, Barkan marin), effect, Overman, Stahmann, and Walker, 1939, 131, 447 Sullivan, Huebner, Campbell, and Lipids, lipemia, diabetic and alimen-1942, 142, 941 tary, Rubin, 1939, 131, 691 -, sulfaguanidine effect, Black, Over--, petroleum ether extracts, nitrogeman, Elvehjem, and Link, nous contaminants, Folch and Van 1942, 145, 137 1939, 129, 539 Slyke, Thiocyanate, dehydration effect, Mel--, species variation, Boyd, lors, Muntwyler, Mautz, and Abbott, 1942, 143, 131 1942, 144, 785

Blood plasma—continued: Thyroxine turnover, thyrotropic hormone effect, radioactive iodine as indicator, Morton, Perlman, and Chaikoff, 1941, 140, 603 Ultrafiltrates, cystine and sulfur distribution, l-cystine and dl-methionine administration effect, Brown and Lewis, 1941, 138, 717 -, sulfur distribution, Brown and Lewis. 1941, 138, 705 Uric acid, determination, Bulger and 1941, 140, 427 Johns.Volume, dehydration effect, Mellors, Muntwyler, Mautz, and Abbott, 1942, 144, 785 -, determination, Saifer, Hughes, and 1942, 146, 527 Weiss. Blood pressure: Reduction, renal hypertension, kidney extracts, effect, Grollman, Williams, and Harrison, 1940, 134, 115 Blood serum: Albumin, carbon suboxidetreated, ultracentrifugal behavior, Oncley, Ross, and Tracy, 1941, 141, 797 -, crystalline, catalase inhibition effect, Sevag, Shelburne, and Ibsen, 1942, 144, 711 fractions, electrophoresis, Sharp, Cooper, Erickson, andNeurath.1942, 144, 139 -, crystallization, Kendall, 1941, 138, 97 -, denaturation, Neurath and Saum, 1939, 128, 347 -, - and reversal, Neurath, Cooper, 1942, 142, 249 and Erickson, -, determination, Robinson, Price, and Hogden, 1938, 126, 207, 213 -, -, biuret reaction, Kingsley, 1939, 131, 197 -, -, colorimetric, Looney and Walsh, 1939, 130, 635 -, -, filter paper protein adsorption, effect, Harris, 1939, 127, 751 -, diffusion and viscosity measurements, urea presence, Neurath and

Saum,

Coons, and Salter,

1939, 128, 347

1941, 139, 135

-, iodinated, thyroid, effect, Muus,

Blood serum-continued:

Albumin, malonyl, chymotryptic digestion, Ross and Tracy,

1942, 145, 19

 methionine absence, Brand and Kassell, 1941, 141, 999
 separation, Kingsley,

1940, 133, 731

-, sulfhydryl groups, Greenstein,

1940, 136, 795

Base, total, determination, Sunderman, 1942, 143, 185
Calcium, determination, micro-, Sobel and Sobel, 1939, 129, 721
Sendroy, 1942, 144, 243

Calcium-protein relationship, alkalosis effect, Yannet, 1941, 137, 409

 —, calcium and phosphate salts, effect, ultracentrifuge studies, Masket, Chanutin, and Ludewig,

1942, 143, 763

— —, ultracentrifuge studies, Ludewig, Chanutin, and Masket,

1942, 143, 753

Catalase inhibition, effect, Sevag, Shelburne, and Ibsen, 1942, 144, 711 Cephalin, Thannhauser, Benotti, and Reinstein, 1939, 129, 709 Cholesterol esters, enzyme synthesis and hydrolysis, Sperry and Stoyanoff, 1938, 126, 77

Colloid osmotic pressure, ultraviolet radiation, effect, Davis, Hollaender, and Greenstein, 1942, 146, 663 Complement, separation, Ecker, Pillemer, Jones, and Seifter,

1940, **135, 3**47

Copper, arthropods, Allison and Cole, 1940, 135, 259

Electrolytes, Sunderman,

1942, 143, 185

—, sodium bicarbonate-induced alkalosis, Kirsner, 1942, 145, 219
Electrophoretic patterns, ultraviolet radiation, effect, Davis, Hollaender, and Greenstein, 1942, 146, 663
Fractionation, ammonium sulfate and water dialysis, electrophoresis, Svensson, 1941, 139, 805

Blood serum—continued: Globulin, determination, Robinson, Price, and Hogden, 1938, 126, 207, 213 - -, biuret reaction, Kingsley, 1939, **131,** 197 -, -, colorimetric, Looney and Walsh, 1939, 130, 635 -, partition, Reineke, Peterson, and 1939, 128, 1 Turner. - precipitation by sodium sulfate, Robinson, Price, and Hogden, 1938, 126, 213 -, separation, Kingsley, 1940, 133, 731 Gonadotropin, pregnancy, enzymes, effect, Evans and Hauschildt, 1942, 145, 335 Hemocyanin, arthropods, Allison and 1940, 135, 259 $7(\beta)$ -Hydroxycholesterol, pregnancy, isolation, Wintersteiner and Ritzmann, 1940, 136, 697 Inulin determination, photometric, micro, Ranney and McCune, 1943, 150, 311 Iron, determination, o-phenanthroline use, Barkan and Walker, 1940, 135, 37 Lecithin, Thannhauser, Benotti, and Reinstein, 1939, 129, 709 Lipid-free, electrophoresis, Blix, 1941, 137, 495 Lipids, schizophrenia, testosterone effect, Randall, 1940, 133, 137 testosterone effect, Looney and 1940, 136, 479 Romanoff, Lipoid-thiocyanate, Rosenbaum and Lavietes, 1939, 131, 663 Nitrogen, arthropods, Allison and Cole. 1940, 135, 259 Pancreas lipase activation, effect, Rabinowitch and Wynne, 1938, 126, 109 Particles, microscopic, electrophoresis, Moyer and Moyer, 1940, 132, 373 Phosphatase, acid and alkaline, determination, Shinowara, Jones, and 1942, 142, 921 Reinhart. -, -, determination, Gutman and Gutman. 1940, 136, 201

Blood serum-continued: Phosphatase, alkaline, hypophysectomy effect, Jones and Shinowara, 1942, 142, 935 -, magnesium-deficient diet, effect. Snyder and Tweedy, 1942, 146, 639 -, vitamin D effect, Correll and Wise, 1938, 126, 581 Phosphate, inorganic, determination, Shinowara, Jones, and Reinhart, 1942, 142, 921 -, -, hypophysectomy effect, Jones and Shinowara, 1942, 142, 935 Phosphorus, glucose, galactose, and xylose effect, Free and Leonards, 1943, 149, 203 Potassium, asphyxia effect, Cattell and Civin. 1938, 126, 633 determination, Consolazio and Talbott, 1938, 126, 55 -, -, micro-, electrodialysis, Sobel, Hanok, and Kramer, 1942, 144, 363 -, extracellular fluid and sodium depletion, effect, Miller, 1943, 147, 121_ Pregnancy, blood and liver lipids, fowl, effect, Entenman, Lorenz, and Chaikoff, 1938, 126, 133 Protein, Kendall,1941, 138, 97 - and calcium relationship, alkalosis effect, Yannet, 1941, 137, 409 -, casein and casein digest effect, Mueller, Kemmerer, Cox, and Barnes, 1940, 134, 573 -, non-antigenic, preparation, Arnow, Kazal, and De Falco, 1942, 145, 347 -, specific gravity relation, Schousboe, 1939, 129, 371 total, determination, biuret reaction, Kingsley, 1939, 131, 197 Proteins, amino acids, basic, Block, 1940, 133, 71 –, analysis, Murrill, Block, and Newburgh, 1940, 133, 521

-, arginine ingestion effect, Block,

azolesterase

Glaubach, and Moore,

1942, 144, 525

1940, 133, 71

activity, Glick,

163

Blood serum-continued:

Proteins, determination, biuret reaction use, Robinson and Hogden,

1940, 135, 707, 727

Robinson and —, gravimetric, 1941, 140, 853 Hogden,

 electrophoresis. Sharp, Cooper, 1942, 142, 203 and Neurath, Sharp, andCooper. Erickson, 1942, 144, 139 Neurath,

electrophoretically separated, lipids and polysaccharides, Blix,

Tiselius, and Svensson,

1941, 137, 485

-, fractionation, electrophoretic and sodium sulfate methods, Taylor and 1943, 148, 379

-, phenol red absorption curve, effect, Robinson and Hogden,

1941, 137, 239 -, quartz and collodion particles, electric mobilities, film formation, relation, Moyer and Gorin,

1940, 133, 605

Pseudoglobulin, denaturation and reversal, Neurath, Cooper, and Erickson, 1942, 142, 265

- GI, electrophoresis, Sharp, Cooper, and Neurath, 1942, 142, 203

-, papain effect, Petermann,

1942, 144, 607 Sodium, determination, phosphorus effect, Hald, 1939, 130, 133 -, -, spectrochemical, Steadman,

1941, 138, 603

Specific gravity determination, Krogh syringe, protein relation, Schousboe, 1939, 129, 371

Sphingomyelin, Thannhauser, Benotti, and Reinstein, 1939, 129, 709 Sulfhydryl groups, Greenstein,

1940, 136, 795

Syphilis diagnosis, tissue extract antigenic substance, chemical constitution, Brown and Kolmer,

1941, 137, 525

Thiocyanate determination, thiocyanate salts, administration effect, Ginsburg and Benotti,

1939, 131, 503

Blood serum-continued:

dl- α -Tocopherol. determination, photoelectric, Mayer and Sobotka, 1942, 143, 695

Turbid, extinction-wave-length relation, Gaebler, 1943, 149, 251 Viscosity, ultraviolet radiation, effect, Davis, Hollaender, and Greenstein,

1942, 146, 663

Blood sugar: Determination, Folin-Malmros, adaptation to photoelectric colorimeter, Horvath and Knehr, 1941, 140, 869

 , o-phenanthroline ferrous complex as indicator, MacFadyen and Van 1943, 149, 527 Slyke,

Galactose effect, Darby and Day,

1940, 133, 503

Glucose-1-phosphate, relation, Cori, Cori, and Schmidt, 1939, 129, 629 Temperature effect, glucose and starch administration. Rafferty andMacLachlan, 1941, 140, 167 Xylose effect, Darby and Day,

1940, 133, 503

See also Hypoglycemia

Body mass: Epithelium and neoplasm cytochrome c, relation, Rosenthal and Drabkin, 1943, 150, 131

Body weight: Succinvisulfathiazole and, xanthopterin, effect, Totter and Day, 1943, 147, 257

Bone: Ash, vitamin D effect, Correll and Wise, 1938, 126, 573

Fluoride adsorption, radioactive isotope in study, Volker, Hodge, Wilson, and Van Voorhis, 1940, 134, 543

Lead, calcium, phosphorus, and vitamin D influence, Sobel, Yuska,Peters, and Kramer, 1940, 132, 239

Phosphatase, perosis, chick, Wiese, Johnson, Elvehjem,Hart, and Halpin. 1939, 127, 411

-, sodium β-glycerophosphate hydrolysis, activation energy, Bodansky, 1939, 129, 197

-, sulfhydryl compounds, in vitro, influence, Williams and Watson,

1940, 135, 337

Bone-continued:

Phosphate adsorption, radioactive isotope in study, Hodge, Van Huysen, Bonner, and Van Voorhis, 1941, 138, 451

Phosphorus, inorganic, metabolism, radioactive phosphorus as indicator, Manly and Bale, 1939, 129, 125
Potassium, spectrochemistry, Stead-

man, Hodge, and Horn,

1941, 140, 71

Salt, solubility, Logan and Kane, 1939, 127, 705

Sodium adsorption, radioactive isotope in study, Hodge, Koss, Ginn, Falkenheim, Gavett, Fowler, Thomas, Bonner, and Dessauer,

1943, 148, 321

—, insoluble, nature, Hodge, Koss, Ginn, Falkenheim, Gavett, Fowler, Thomas, Bonner, and Dessauer,

1943, 148, 321

Solubility, biological fluids, Logan and Kane, 1939, 127, 705

Se e also Perosis, Skeleton

Bone marrow: Cytochrome oxidase and hematopoietic activity, copper relation, Schultze, 1941, 138, 219 Lipids, anemia effect, Krause,

1943, 149, 395

Pasteur effect, carbon monoxideoxygen in study, Warren and Carter, 1943, 150, 267

Borate: Vitamin B₆-, complex, formation, Scudi, Bastedo, and Webb,

1940, 136, 399

Boron: Riboflavin-, complex, watersoluble, Frost, 1942, 145, 693

Brain: Adenosine triphosphate, Kerr, 1941, 140,77

 — and decomposition products, determination, Kerr, 1942, 145, 647
 Alkalosis effect, Yannet,

1940, 136, 265

Blood arterial-venous differences, Gibbs, Lennox, Nims, and Gibbs.

1942, 144, 325

Nims, Gibbs, and Lennox,

1942, 145, 189

Brain-continued:

Blood arterial-venous differences, arterial carbon dioxide effect, Nims, Gibbs, and Lennox, 1942, 145, 189 Carbohydrate utilization, Elliott, Scott, and Libet, 1942, 146, 251

Cephalin amino acid, Folch and Schneider, 1941, 137, 51

—, nature, Folch, 1942, 146, 35

—, phosphatidyl serine, phosphatidyl ethanolamine, and inositol phosphatide fraction, separation, Folch, 1942, 146, 35

Cholesterol esterase, Sperry and Brand, 1941, 137, 377

Dihydrosphingosine isolation, Carter and Norris, 1942, 145, 709

Glycogen oxidation, effect, Elliott and Libet, 1940, 136, 797

Glycolysis, Ochoa, 1941, 141, 245 Lactic acid, Stone, 1940, 135, 43

Lipids, autolysis effect, Sperry, Brand, and Copenhaver, 1942, 144, 297

deposition and metabolism, growth and myelination effect, Waelsch, Sperry, and Stoyanoff,

1941, 140, 885

-, metabolism, Sperry, Waelsch, and Stoyanoff, 1940, 135, 281

—, —, myelination effect, Waelsch, Sperry, and Stoyanoff,

1940, 135, 297

--, synthesis and deposition, deuterium as indicator, Waelsch, Sperry, and Stoyanoff, 1940, 135, 291
 Metabolism, Elliott and Libet,

1942, 143, 227

Elliott, Scott, and Libet,

1942, 146, 251

Oxidation by, 2,3,5-triiodobenzoate and monoiodobenzoate effect, Bernheim and Bernheim, 1941, 138, 501

Oxygen uptake, Elliott and Libet,

1942, 143, 227

Phosphatide inositol, Folch and Woolley, 1942, 142, 963

Phosphatides, serine isolation, Chargaff and Ziff, 1941, 140, 927 Phosphatidyl serine isolation, Folch,

1941, 139, 973

Bromobenzyl bromide: p-, N-acetyl-S-Brain—continued: Phosphatidyl serine, serine component, p-bromobenzyl-l-cysteine synthesis identification, Folch, 1941, 139, 973 from, Stekol, 1941, 138, 225 Phospholipid, formation in vitro, Bromobenzyl-l-cysteine: S-p-, N-acetylradioactive phosphorus as indicator, S-p-bromobenzyl-l-cysteine synthe-Fries, Schachner, and Chaikoff, sis from, Stekol, 1941, 138, 225 Bromobenzylglutathione: S-p-, N-acetyl-1942, 144, 59 -, — — —, radioactive phosphorus S-p-bromobenzyl-l-cysteine synthein study, hexose and pentose effect, sis from, Stekol, 1941, 138, 225 Schachner, Fries, and Chaikoff, Bromophenyl-d-cysteine: p-, acetylation 1942, 146, 95 in vivo, du Vigneaud, Wood, and - metabolism, radioactive phosphorus Binkley. 1941. 138. 369 as indicator, Changus, Chaikoff, Bryophyllum calycinum: Leaves, organic and Ruben, 1938, 126, 493 acids, Pucher, 1942, 145, 511 Phosphorus compounds, Kerr, Buckwheat: Leaf, nitrogen metabolism, 1941, 140, 77 Vickery, Pucher, Schoenheimer, 1942, 145, 647 and Rittenberg, 1939, 129, 791 Buffer(s): Alkali, blood, -, acid-soluble, Stone, cutaneous. 1940, 135, 43 determination, Rubin, - metabolism, radioactive phosphorus 1938, 126, 679 in study, Fries and Chaikoff, β-Amylase activity, effect, Ballou 1941, 141, 479 and Luck, 1941, 139, 233 Phosphorylation, Ochoa, Pantothenic acid determination, 1941, 141, 245 Lactobacillus casei use, effect, Stokes Proteinase, Kies and Schwimmer, and Martin, 1943, 147, 483 1942, 145, 6S5 Buffer salt(s): Thiamine, effect, Beadle, Pyruvic acid, oxidation and phos-Greenwood, and Kraybill, phorylation, Ochoa, 1941, **138,** 751 1943, 149, 339 Sugar oxidation, Bernheim and Bern-Buffy layer: Blood, ascorbic acid-like 1941, 140, 441 heim.reducing substance, Butler and See also Cerebrum 1941, 139, 219 Cushman, Bran: Rice, concentrates, pyridoxine, Burette: Micrometer, Scholander, conjugated, Scudi, 1942, 145, 637 Edwards, and Irving, 1943, 148, 495 Bromide(s): Blood and urine, determina-Bushy stunt: Virus, protein, homo-1942, 143, 99 tion, Friedman, 1942, 144, 519 geneity, Lauffer, cell, red, permeability, Smith, -, sedimentation rate, Lauffer and Eisenman, and Winkler, Stanley, 1940, 135, 463 1941, 1**41, 5**55 -, tomato, diffusion constant, Neu-Extracellular fluid determination, use, rath and Cooper, 1940, 135, 455 Brodie, Brand, and Leshin, —, —, purification, Stanley, 1939, 130, 555 1940, 135, 437 Tissues and body fluids, Weir and Butanol: n-, and urine, pregnancy, Hastings, 1939, 129, 547 sodium pregnanediol glucuronidate Bromoacetyl sugar(s): Silver salts, distribution, Woolf, Viergiver, and organic acids, action, Tipson, 1942, 146, 323 Allen,1939, 130, 55 Butter: Carotenes, Strain, Bromobenzene: Growth relation, Stekol, 1939, 127, 191 1939, 127, 131 Butter fat: Vitamin A, vitamin A intake p-, selenium excretion, administration effect, Deuel, Halliday, Hallman, effect, Moxon, Schaefer, Lardy, Johnston, and Miller,

DuBois, and Olson,

1940, 132, 785

1941, 139, 479

Butyric acid(s): α -Amino- β -thiol-n-, synthesis, Carter, Stevens, and Ney, 1941, 139, 247 a.B-Deutero-, metabolism, fasting, 1939, 129, 769 Morehouse, β, γ -Deutero-, metabolism, fasting, 1939, 129, 769 Morehouse, D-Erythro- α -amino- β , γ -dihydroxy-n-, synthesis, Niemann and Nichols, 1942, 143, 191 See Hydroxybutyric β-Hydroxy-. acid dl- α -Hydroxy- γ -benzylthio-, metabolism, Stekol, 1941, 140, 827 Liver glycogen, radioactive isotope in study, Buchanan, Hastings, and Nesbett, 1943, 150, 413 - oxidation, glycogen effect, Bobbitt and Deuel, 1942, 143, 1 boaen, Phenylamino-, acetylation in vivo, - lead, p-aminobenzoic acid and sulfanilamide relation, Fishman and Cohn, 1943, 148, 619 d-Phenylamino-, inversion, nitrogen and hydrogen isotopes in study, du Vigneaud, Cohn, Brown, Irish, Schoenheimer, and Rittenberg, 1939, 131, 273 l-Phenylamino-, acetylation, nitrogen and hydrogen isotopes in study, du Vigneaud, Cohn, Brown, Irish, Schoenheimer, and Rittenberg, 1939, 131, 273 D-Threo- α - amino- β , γ - dihydroxy - n -, synthesis, Niemann and Nichols, 1942, 143, 191 Butyrin(s): α -, dimethyl ethers, synthesis, and hydrolysis by lipase, Baer and Fischer, 1942, 145, 61

Cabbage: Leucylpeptidase, Berger and 1939, 130, 655 Thyroparathyroidectomynephrectomy, effect, Tweedy, Templeton, Patras, McJunkin, and

1941, 139, 835

McNamara. 1939, 128, 407 Calcification: Growth, protein intake relation, Conner, Kao, and Sherman,

Johnson.

Calciferol:

Calcium: Absorption, lactose and hydrolysis products, effect, Roberts and Christman, 1942, 145, 267 Alimentary tract, Adolph and Liana. 1941, 137, 517 Amalgam electrode, protein and calcium chloride interaction, determination, Joseph, 1938, 126, 389 Assimilation, orange juice effect. Lanford, 1939, 130, 87 Biological material, determination,

micro-, spectrochemical, Duffendack, Thomson, Lee, and Koppius, 1938, 126, 1

Blood, age effect, Anderson and Elvehjem, 1940, 134, 217 - cell, red, Streef, 1939, 129, 661 -, distribution, Snyder and Katzenel-

1942, 143, 223 influence, Sobel, Yuska,

1940, 132, 239 Peters, and Kramer, serum, determination, micro-, Sobel and Sobel. 1939, 129, 721

-, protein and, relationship, alkalosis effect, Yannet,

1941, 137, 409 Body, food calcium, effect, Lanford 1938, 126, 381 and Sherman, —, nutrition effect, Lanford, Campbell, and Sherman, 1941, 137, 627 Bone lead, influence, Sobel, Yuska, 1940, 132, 239 Peters, and Kramer, -Cephalin equilibrium, Drinker and 1943, 148, 187 Zinsser. Determination, Sendroy,

1942, 144, 243 —, micro-, Van Slyke and Kreysa,

1942, 142, 765

-, picrolonic acid use, Cohn and Kolthoff, 1943, 147, 705 1943, 148, 711

Globulins and, equilibria, Drinker, Green, and Hastings, 1939, 131, 641 Hypervitaminosis D2 and D2, ingestion effect, Morgan,Shimotori, Hendricks, 1940, 134, 761 Ionized, milk, Nordbö, 1939, 128, 745 Iron utilization, effect, Fuhr and Steenbock, 1943, 147, 59, 65, 71 Muscle and liver, distribution, Eichelberger and McLean, 1942, 142, 467

1942, 145, 443

Calcium-continued: Calcium phosphate-continued: -Protein relationship, blood serum, Solubility, Greenwald, calcium and phosphate salts, effect, 1942, 143, 703, 711 ultracentrifuge studies, Masket. -, hydrogen ion concentration effect, Chanutin, and Ludewig, Greenwald, 1942, 143, 703 1942, 143, 763 - product, Greenwald, 1942, 143, 711 - —, — —, ultracentrifuge studies, -, solid phase, amount, effect, Green-Ludewig, Chanutin, and Masket, wald, 1942, 143, 703 1942, 143, 753 Calcium salt(s): Blood serum calcium-- -, calcium caseinate solutions, protein relationship, effect, ultraultracentrifuge studies, Chanutin, centrifuge studies, Masket, Cha-Ludewig, and Masket, nutin, and Ludewig, 1942, 143, 763 1942, 143, 737 Succinoxidase system, effect, mechaultracentrifuge studies, nism, Swingle, Axelrod, and Elvehjem, Chanutin, Ludewig, and Masket, 1942, 145, 581 1942, 143, 737 Canavanine: Urease, jack bean, removal. Ludewig, Chanutin, and Masket, Archibald and Hamilton, 1942, 143, 753 1943, 150, 155 Masket, Chanutin, and Ludewig, Cancer: Tissue, glutamic acid, optical 1942, 143, 763 forms, Johnson, 1940, 132, 781 Tissue succinoxidase, effect, Axelrod, See also Adenocarcinoma, Carcinoma, Sarcoma, Tumor Swingle, and Elvehjem, 1941, 140, 931 Caproic acid: e-Amino-, ionization, aqueous solution, Smith and Smith, Utilization, intestine hydrogen ion concentration relation, Jones, 1942, 146, 187 Phenylthio-, 1942, 142, 557 Carbamide: tyrosinase, bicarbonate: Dissociation. effect, Bernheim and Bernheim, Calcium 1941, 141, 789 1942, 145, 213 Greenwald. carbonate: Yeast nitrogen metabolism, effect, Calcium Dissociation. Greenwald. 1941, 141, 789 Schultz, Atkin, and Frey, Calcium caseinate: Solutions, calcium-1940, 135, 267 Carbazole: Hexoses, identification and protein relationship, ultracentrifuge studies, Chanutin, Ludewig, and determination, polysaccharides and 1942, 143, 737 glycoproteins, use, Gurin and Hood, Masket. Calcium chloride: Activity determina-1939, 131, 211 tion, electrolytic, amino acid solu-Carbinol(s): Acetylmethyl-, pyruvic acid tions, Joseph, 1939, 130, 203 formation from, bacterial enzyme Proteins and, interaction determinapreparation use, Silverman and tion, amalgam electrode, Joseph, Werkman, 1941, 138, 35 Aromatic, and corresponding bro-1938, 126, 389 Solution, intestine, changes, Robinson, mides, rotatory dispersion, Levene Stewart, and Luckey, 1941, 137, 283 and Rothen. 1939, 127, 237 Calcium lactate: Solution, intestine, -, halogenation, Levene and Rothen, changes, Robinson, Stewart, and 1939, 127, 237 Luckey, 1941, 137, 283 Carbobenzoxy derivative: Tobacco Calcium nitrate: Pineapple hexosamine, mosaic virus, Miller and Stanley, uncombined, effect, Sideris, Young, 1942, 146, 331 Carbohydrate(s): Arsenate effect, phosand Krauss. 1938, 126, 233 Calcium phosphate: Dissociation. phopyruvic acid dephosphorylation, relation, Meyerhof and Junowicz-Greenwald, Redish, and Kibrick,

1940, 135, 65

Kocholaty,

Carbohydrate(s)—continued: Brain, utilization, Elliott, Scott, and Libet, 1942, 146, 251 Characterization, Moore and Link, 1940, 133, 293 Lohmar, Dimler, Moore, and Link, 1942, 143, 551 1943, 150, 345 Dimler and Link, Citric acid production, effect, Meyer 1940, 134, 739 and Smith, Dietary, uric acid excretion, effect, Adlersberg and Ellenberg, 1939, 128, 379 Esters, phosphorylated, bacteria, autotrophic, LePage and Umbreit, 1943, 147, 263 Group, nicotinamide nucleotides, identification, Schlenk, 1942, 146, 619 -High diets, fat synthesis, fasting, Longenecker, 1939, 128, 645 Kidney synthesis, acetoacetate, diabetes, Stadie, Zapp, and Lukens, 1941, 137, 63 -, nephritic, synthesis, Lyman and Barron, 1940, 132, 293 Liver fat, synthesis, diabetes, Stadie. Zapp, and Lukens, 1941, 137, 63 -, normal and diabetic, synthesis, insulin effect, Stadie, Lukens, and 1940, 132, 393 Metabolism, carbon dioxide participation, Solomon, Vennesland, Klemperer, Buchanan, and Hastings, 1941, 140, 171 -, cortin and sodium chloride effect, adrenalectomy, Kendall, Flock, Bollman, and Mann, 1938, 126, 697 -, fasting effect, Chambers, Chandler, and Barker, 1939, 131, 95 -, liver phosphates, acid-soluble, and, radioactive phosphorus in study, Kaplan and Greenberg, 1943, 150, 479 -, malaria parasites, Wendell, 1943, 148, 21 sexual variation, Devel and Davis, 1942, 146, 649 -, Staphylococcus aureus, Friedemann, 1939, 130, 61 -, streptococci, Friedemann, 1939, 130, 757

Carbohydrate(s)-continued: Metabolism, thiamine effect, Harper, 1942, 142, 239 -, tissues, isolated, iodoacetic acid effect, Barker, Shorr, and Malam. 1939, **129**, 33 without glycolysis, Fazekas and Himwich, 1941, 139, 971 Muscle, metabolism in vitro, Stadie and Zapp. 1943, 148, 669 Almquist, Rice factor. Mecchi, Stokstad, and Manning, 1940, 134, 465 Stokstad, Almquist, Mecchi, Manning, and Rogers, 1941, 137, 373 Storage and mobilization, blood hydrogen ion concentration effect. Guest and Rawson, 1941, 139, 535 Tuberculins, properties, Steenken, 1941, 141, 91 Carbohydrate group: proteins. Egg Levene. 1941, 140, 279 Carbon: Determination, manometric. Van Slyke and Folch, 1940, 136, 509 Heavy, carbon dioxide assimilation, tracer, Wood, Werkman, Hemingway, and Nier, 1941, 139, 365 -, - -, bacterial fixation, use as tracer, Wood, Werkman, Heming-1940, 135, 789 way, and Nier, Isotope, glycine metabolism study with, Olsen, Hemingway, and Nier, 1943, 148, 611 Radioactive, lactic acid metabolism, use in, Vennesland, Solomon, Buchanan, Cramer, and Hastings, 1942, 142, 371 Rhubarb leaves, excised, loss during culture, Vickery and Pucher, 1939, 128, 685 Urea formation, relation, Rittenberg and Waelsch. 1940, 136, 799 Carbon dioxide: Assimilation, heavy carbon as tracer, Wood, Werkman, Hemingway, and Nier, 1941, 139, 365 Bacterial fixation, heavy carbon as tracer, Wood, Werkman, Hemingway,

and Nier.

1940, 135, 789

Carbon dioxide—continued:	Carbon dioxide—continued:
Blood, arterial, cerebral blood arterial-	Radioactive, glycogen formation, glu-
venous differences, effect, Nims,	cose and, relation, Vennesland,
Gibbs, and Lennox, 1942, 145, 189	Solomon, Buchanan, and Hastings,
-, determination, gasometric, micro,	1942, 142, 379
Scholander and Roughton,	Succinic acid, bacterial synthesis,
1943, 148, 573	carbon position, Wood, Werkman,
-, -, micro-, West, Christensen, and	$Hemingway, \ and \ Nier,$
Rinehart, 1940, 132, 681	1941, 139, 377
-, influence, Cohn, Tannenbaum,	Tension, jejunal secretions, McGee
$Thalhimer,\ and\ Hastings,$	and Hastings, 1942, 142, 893
1939, 128, 109	Tissue, determination, Danielson and
- preservation, effect, Smith, Tuthill,	Hastings, 1939, 130, 349
Drew, and Scudder, 1940, 133, 499	Trypanosoma lewisi, glucose metab-
Body fluids, determination, micro-,	olism, rôle, Searle and Reiner,
West, Christensen, and Rinehart,	1941, 141, 563
1940, 132, 681	Urea, synthesis, liver, rôle, Evans
Carbohydrate cycle, relation, Solomon,	and Slotin, 1940, 136, 805
Vennesland, Klemperer, Buchanan,	Utilization, liver, Evans and Slotin,
and Hastings, 1941, 140, 171	1941, 141, 439
Fixation, enzymatic, oxalacetate,	Carbonic acid: Dissociation constant,
Krampitz, Wood, and Werkman,	first, protein solutions and muscle,
1943, 147, 243	Danielson, Chu, and Hastings,
Heavy, assimilation, heterotrophic	1939, 131, 243
bacteria, Slade, Wood, Nier,	Carbonic anhydrase: Scott and Mendive,
Hemingway, and Werkman,	1941, 139, 661
1942, 143, 133	Main and Locke, 1941, 140, 909
Hydration, catalytic, Kiese and	1942, 143, 729
Hastings, 1940, 132, 267	Scott and Fisher, 1942, 144, 371
α-Ketoglutaric acid synthesis, utiliza-	Activity, Kiese and Hastings,
tion, Evans and Slotin,	1940, 132, 281
1940, 136, 301	Main and Locke, 1941, 140, 909
Krebs cycle, fixation mechanism,	Chemistry, Scott and Mendive,
Wood, Werkman, Hemingway, and	1941, 140, 445
Nier, 1941, 139, 483	Crystalline, Scott, 1942, 142, 959
Liver extracts, cell-free, assimilation,	Molecular kinetics and electrophoresis,
Evans, Slotin, and Vennesland,	Petermann and Hakala,
1942, 143, 565	1942, 145, 701
,, fixation, mechanism, Evans,	Pancreatic juice secretion and com-
Vennesland, and Slotin,	position, relation, Tucker and Ball,
1943, 147, 771	1941, 139, 71
	Sulfanilamide, effect, Free, Davies,
-, fixation, pyruvic acid dissimilation,	
Wood, Werkman, Hemingway, and	and Myers, 1943, 147, 167
Nier, 1942, 142, 31	Zinc relation, Hove, Elvehjem, and
Muscle, equilibria, in vitro, Wallace	Hart, 1940, 136, 425
and Lowry, 1942, 144, 651	Main and Locke, 1942, 143, 729
Radioactive, glycogen formation from	Carbon monoxide: Blood, determination,
pyruvate in vitro, effect, Buchanan,	Roughton, 1941, 137, 617
Hastings, and Nesbett,	-, -, gasometric, Horvath and
1942, 145, 715	Roughton, 1942, 144, 747
,	

Carboxylase(s): Green, Herbert, and Carbon monoxide-continued: determination, 1941, 138, 327 Subrahmanyan, gasometric, Co-. See Cocarboxylase micro, Scholander and Roughton, properties. Green, 1943, 148, 551 Isolation and Herbert, and Subrahmanyan, Cytochrome c derivatives, chemical constitution, Drabkin, 1940, 135, 795 Pea roots, Horowitz and Heegaard, 1942, 146, 605 Hemoglobin, analysis, Rossand 1941, 137, 475 1941, 139, 603 Turner, Pyruvic and α-ketoglutaric, tissue, - derivatives, chemical constitution, Green, Westerfeld, Vennesland, and Drabkin, 1942, 146, 605 Knox, 1941, 140, 683 -Oxygen, bone marrow, Pasteur effect, Tissue, animal, Green, Westerfeld, study by, Warren and Carter, Vennesland, and Knox, 1943, 150, 267 1942, 145, 69 Carbon suboxide: Amino acids and, Yeast, activity, Cajori, reaction, Ross and Green, 1942, 143, 357 1941, 137, 105 N,N-dimethylaminoazobenzene Blood serum albumin treated with, split-products, effect, ultracentrifugal behavior, Oncley, Kensler. 1942, 143, 465 1941, 141, 797 Young, and Rhoads, Ross, and Tracy, Proteins and, Ross and Christensen, Carboxyl group(s): Amino acids, free, 1941, 137, 89 determination. gasometric, Christensen and Ross. MacFadyen, and Slyke, Dillon, 1941, 137, 101 Hamilton, 1941, 141, 627 Ross and Green, 1941, 137, 105 Carboxylic acid(s): Di-, tyrosine metab-Oncley, Ross, and Tracy, olites, excretion, administration 1941, 141, 797 effect, Sealock, 1942, 146, 503 1942, 142, 871 Tracy and Ross. Diamino-, biotin, adipic acid relation, Ross and Tracy, 1942, 145, 19 Hofmann, Melville, and du Vigneaud, Tracy and Ross, 1942, 146, 63 1942, 144, 513 - -, reaction, nature, Ross and -, -, 3,4-diaminotetrahydrothiophene Christensen, 1941, 137, 89 stability, comparison, Kilmer, Arm-Tracy and Ross. 1942, 142, 871 strong, Brown, and du Vigneaud, Carbon tetrachloride: Fatty acid utilization, administration effect, Winter, 1942, 145, 495 1940, 135, 123 -, -, phenanthrenequinone condensation, Hofmann, Kilmer, Melville, — —, dietary fat and, relation, Winter, du Vigneaud, and Darby, 1942, 142, 17 Tissue fatty acids, administration 1942, 145, 503 effect, Winter, 1939, 128, 283 2-Methyl-substituted, monolayers, Carbonyl compound: Liver, identity, Ställberg-Stenhagen and Stenhagen, Lehninger, 1943, 149, 43 1943, 148, 685 Carbonyl group(s): Ketosteroids, deter-10-Methyl-substituted. monolayers. mination, gravimetric, Hughes, Ställberg-Stenhagen and Stenhagen, 1941, 140, 21 1943, 148, 685 Carboxyhemoglobin: Digestion product, Pyrrolidone-, formation, glutathione molecular weight, Ross, hydrolysis, enzymatic, kidney ex-1939, 127, 179 tract, hydrogen ion concentration Pancreatic digestion, Ross, effect, Woodward and Reinhart,

1939, 127, 169

1942, 145, 471

Carboxymethylcysteine: S-, metabolism, Carotene(s)-continued: Blood and Lewis, 1941, 139, 407 Fat and, oxidation, carotene oxidase —, —, cystinuria, Lough, Perilstein, effect, Sumner and Sumner, Heinen, and Carter, 1941, 139, 487 1940, 134, 531 Carboxypeptidase: Kinetics, substrate Oxidation, unsaturated fats, peroxidaeffect, Bergmann and Fruton, tion, enzymic, relation, Sumner, 1942, 145, 247 1942, 146, 215 Specificity, Hofmann and Bergmann, Pro-γ-, Evonymus fortunei, isolation, 1940, 134, 225 Zechmeister and Escue. Carcinogenic substance(s): Phospholipid 1942, 144, 321 oxidation, effect, Deutsch, Kline, Pyracantha angustifolia fruit. 1941, 141, 529 Zechmeister and Schroeder, and Rusch, Carcinoma: Adrenocortical, \(\Delta^5\)-andros-1942, 144, 315 tenetriol- $3(\beta)$,16,17 isolation. Stability, sodium cyanide effect, 1943, 150, 363 Hirschmann, Pepkowitz. 1943, 149, 465 -, steroid excretion, Hirschmann, -, tocopherol effect, Quackenbush, 1943, **150,** 363 Cox, and Steenbock, 1942, 145, 169 Mammary, phospholipid metabolism, -, vegetable extracts, acetone and radioactive phosphorus as indicator, petroleum ether, Pepkowitz, Jones, Chaikoff, and Lawrence, 1943, 149, 465 1939, 128, 631 Carotenoid(s): Beadle and Zscheile, Cardiac: See Heart 1942, 144, 21 Carnivora: Kynurenic acid excretion, Flour, wheat, Hungarian, Zechmeister Jackson. 1939, 131, 469 and Cholnoky, 1940, 135, 31 Carnosine: l-, homologues, synthesis, Watermelon, Zechmeister and Polgar, Hunt and du Vigneaud, 1941, 139, 193 1939, 127, 43 Carotenoid pigment(s): Sea mussel, -, structure, depressor activity, relametabolism, Scheer, 1940, 136, 275 tion, Hunt and du Vigneaud, Carp: Blood constituents. Field. 1939, 127, 727 Elvehjem, and Juday, determination, Muscle, Zapp and 1943, 148, 261 Wilson, 1938, 126, 9, 19 Carrot: Root, carotenes, Strain, -, species distribution, Zapp and 1939, 127, 191 Wilson, 1938, 126, 19 Cartilage: Growth factor, nutrition, Carotene(s): α -, isolation and detection, chick, Hegsted, Oleson, Elvehjem, 1939, 127, 191 Strain, and Hart, 1939, 130, 423 β-, isomerization, carotene determinafactors, chick, tion, relation, Beadle and Zscheile, Hegsted, Hier,1942, 144, 21 Elvehjem, and Hart, 1941, 139, 863 Casein: Blood serum regeneration, effect, -, silk oak flowers, Zechmeister and Mueller, Kemmerer, Cox, and Barnes, Polgár, 1941, 140, 1 Butter and carrot roots, Strain, 1940, 134, 573 1939, 127, 191 Cystine liberation, tryptic digestion, Destruction, chlorophyll effect, Jones and Gersdorff, 1939, 129, 207 Deaminized, anemia from, amino aci d Pepkowitz, 1943, **149**, 465 effect, Guerrant and Hogan, Determination, \(\beta\)-carotene isomerization, relation, Beadle and Zscheile, 1939, 128, 363 -, - -, lysine relation, Hogan, 1942, 144, 21 -, colorimetric, Koehn and Sherman, Powell, and Guerrant, 1940, 132, 527 1941, 137, 41 Casein—continued:

Dietary, liver lipid, effect, Treadwell,

Groothuis, and Eckstein, 1942, 142, 653 Digest, blood serum protein regeneration, effect, Mueller, Kemmerer, Cox, and Barnes, 1940, 134, 573 -, growth effect, Mueller, Kemmerer, 1940, 134, 573 Fourt, Cox. and Barnes. Fatty livers, effect, Tucker, Treadwell, and Eckstein, 1940, 135, 85 Gelatin and egg albumin interaction at surfaces, Moyer and Moyer, 1940, 132, 357 Growth effect, Mueller, Kemmerer, 1940, 134, 573 Cox, and Barnes, Hydrolysate, preparation, choline and homocystine relation, study with, 1941, 137, 173 Welch, Iodinated, thyroid activity, effect, Reineke, Williamson, and Turner, Parsons. 1942, 143, 285 -, thyroxine, crystalline, recovery, Reineke and Turner, 1943, 149, 555 —, l-thyroxine recovery, Reineke and Turner. 1943, 149, 563 Herrmann, Liver phosphorus, acid-soluble, distribution, fasting, effect, Rapoport, Cathepsin: Leva, and Guest, 1943, 149, 65 -Low diet, glutathione, bromobenzene and naphthalene, growth relation, Stekol, 1939, 127, 131 Methionine-free protein, conversion, mann, 1942, 145, 667 Toennies, Nutrition effect, hydrogen peroxide tion, Maver, and formic acid effect, Bennett and Cation(s): Tissue, soft, determination, 1942, 145, 671 Toennies. Buell.Tryptophane-free protein, conversion, Cell: Substances, dyes, reactions, Kelly, Toennies, 1942, 145, 667 Castor bean: See Bean Catalase: Sumner and Dounce, 1939, 127, 439 Seymour, Sumner, Dounce, and Frampton, 1940, 136, 343 Activity, multilayers, Harkins, Fourt. and Fourt, 1940, 132, 111 Anti-, Tria, 1939, 129, 377 Blood serum, crystalline blood serum albumin, and hemin, effect, Serag.

Shelburne, and Ibsen, 1942, 144, 711

Catalase-continued: Crystalline, liver, Dounce, 1942, 143, 497 Hydroxylamine and p-hydroxylaminobenzenesulfonamide effect. Sevag, Shelburne, and Ibsen, 1942, 144, 711 CampbellImmunochemistry, 1939, 129, 385 Harkins, Fourt, and Fourt, 1940, 132, 111 Liver, activity, tumor-bearing rats. tumor extirpation effect, Greenstein, Jenrette, and White, 1941, 141, 327 Preparation and properties, Dounce, 1942, 143, 497 Tissue, copper and iron deficiency, effect, Schultze and Kuiken, 1941, 137, 727 pyridoxine effect, Lepkovsky and 1943, 149, 281 Cataphoresis: Apparatus, Coolidge, 1939, 127, 551 Catechol: Derivatives, amine oxidase inactivation, effect, Friedenwald and 1942, 146, 411 Catecholase: See Tyrosinase Autolysis effect, Eder, 1939, 128, 551 Bradley, and Belfer, Spleen and kidney, Fruton, Irving, and Bergmann, 1941, 141, 763 -, nature, Fruton, Irving, and Berg-1941, 138, 249 Tissue, normal and malignant, separa-

See also Nucleus

Cellophane: Membranes, preparation, 1940, 134, 701 Central nervous system: Lipid deposition, growth effect, Fries, Entenman, Changus, and Chaikoff,

1939, 131, 127

1939, 130, 357

1939, 127, 55, 73

1941, 137, 303 Phospholipid metabolism, age influence, radioactive phosphorus as indicator, Fries, Changus, and Chaikoff, 1940, 132, 23

173

Cerebroside(s)-continued: Cephalic region: Chick embryo, dipepti-Glucose-containing, spleen, isolation, dase, Palmer and Levy, 1940, 136, 629 Halliday, Deuel, Tragerman, and Cephalin(s): determination, Ward, 1940, 132, 171 Blood, micro-, Erickson, Avrin, Teague, Nerve tissue, determination, micro-, and Williams, 1940, 135, 671 Edman,1942, 143, 219 plasma, Artom, 1941, 139, 65 Cerebrospinal cord: Dihydrosphingosine isolation, Carter and Norris, - serum, determination, Thannhauser, Benotti, and Reinstein, 1942, 145, 709 1939, 129, 709 Cerebrospinal fluid: Nicotinamide and Body fluids, determination, Thannrelated substances, determination, bacterial, Isbell, Wooley, Butler, and hauser, Benotti, and Reinstein, 1939, 129, 709 Sebrell. 1941, 139, 499 Phenylalanine, phenylpyruvic oligo-Brain, amino acid, Folch and Schneider, phrenia, Jervis, Block, Bolling, and 1941, 137, 51 Kanze. 1940, 134, 105 phosphatidyl serine, phosphatidyl Protein determination, colorimetric, ethanolamine, and inositol phosphatide fraction, separation, Folch, Looney and Walsh, 1939, 127, 117 Cerebrum: Phosphorus compounds, acid-1942, 146, 35 Calcium-, equilibrium, Drinker and soluble, Stone, 1943, 149, 29 Zinsser, 1943, 148, 187 See also Brain Chemical constitution, Gray, Ceric sulfate: Lactic acid determination, use in, Winnick, 1942, 142, 451 1940, 136, 167 Formation rate, body, unstable iso-Cevanthridine: Chemical constitution, Craig and Jacobs, 1941, 139, 293 topes as indicator, Chargaff, Cevine: Dehydrogenation, hydrocarbons, 1939, 128, 587 Hemoglobins and, reaction, Chargaff, nature, Craig, Jacobs, and Lavin, 1941, 139, 277 Ziff, and Hogg, 1939, 131, 35 —, selenium, Craig and Jacobs, Liver, turnover, Sinclair, 1939, 129, 79 1940, 134, 83 1941, 139, 263 Nitrogenous constituents, Blix, 1941, 139, 471 Oxidation, Craig and Jacobs, 1941, 141, 253 Tissue, Thannhauser, Benotti, Walcott, Elimination and Reinstein. 1939, 129, 717 Chemical constitution: maximum, influence, Gray and determination. Thannhauser, Cawley, 1940, 134, 397 Benotti, and Reinstein, Chemical reaction(s): Rapid, apparatus 1939, 129, 709 for study, DuBois, 1941, **137,** 123 -, --, micro-, Erickson, Avrin, Chick: Alcohol precipitate factor, nature, Teague, and Williams, 1940, 135, 671 Schumacher, Heuser, and Norris, Ceramide(s): Synthesis, Reichel and 1940, 135, 313 Thannhauser, 1940, 135, 15 Anemia, vitamin deficiency, relation, Cerebrin: Aspergillus sydowi mycelium, Hogan and Parrott, 1940, 132, 507 isolation, Bohonos and Peterson, Antianemia vitamin, O'Dell and Hogan, 1943, 149, 295 1943, 149, 323 Cerebroside(s): Determination, Brand Antidermatitis factor, structure, and Sperry, 1941, 141, 545 Woolley, Waisman, and Elvehjem, Dihydrosphingosineandhydro-1939, 129, 673 lecithin-containing, Cysticercus Arginine, nutrition rôle, Hegsted, larvae, Lesuk and Anderson, Briggs, Elvehjem, and Hart, 1941, 139, 457 1941, 140, 191 Cholic acid: Alcaligenes faecalis effect, Choline—continued: Schmidt, Hughes, Green, and Cooper, chemical and bio-Determination, 1942, 145, 229 logical, Engel, 1942, 144, 701 Cholesterol conversion, biological, -, colorimetric, Marenzi and Cardini. relation, Bloch, Berg, and Ritten-1943, 147, 363 berg, 1943, 149, 511 -, Neurospora mutant use, Horowitz Desoxy-, keto derivatives, bile, deterand Beadle, 1943, 150, 325 mination, Hughes, 1942, 143, 11 Dietary, liver lipids, effect, Stetten Fat injection effect, Virtue and Dosterand Grail, 1942, 144, 175 Virtue, 1940, 133, 573 Esterase. See Cholinesterase Keto derivatives, bile, determination, Free, bile, hepatic and gallbladder. Hughes. 1942, 143, 11 Johnston, Irvin, and Walton. Metabolism, Schmidt and Hughes, 1939, 131, 425 1942, 143, 771 -Free diets, body choline, effect, Oxidation, Gallagher and Long, Jacobi, Baumann, and Meek. 1943, 147, 131 1941, 138, 571 Choline: Acetyl-, adenosinetriphospha-Hemorrhagic degeneration, relation, tase, system, activation, DuBois Griffith and Wade, 1940, 132, 627 and Potter, 1943, 148, 451 Homocystine and, relation, Welch, -, formation, glutamic acid effect, 1941, 137, 173 Nachmansohn, John, and Waelsch, - replacement of methionine, effect, 1943, 150, 485 du Vigneaud, Chandler, Moyer, and -, -, mechanism, Baer, 1939, 131, 57 1942, 146, 391 Chandler and du Vigneaud, Analogues, perosis, effect, Jukes and 1940, 135, 223 Welch, 1942, 146, 19 Kidney hemorrhage, effect, Patterson Arsenic analogue, lecithin component, and McHenry, 1942, 145, 207 arsenocholine chloride-fed rats. Lipotropic effect, Gavin, Patterson, Welch and Landau, 1942, 144, 581 and McHenry, 1943, 148, 275 Biological relationships, Stetten, Liver action, radioactive phosphorus 1941, 138, 437 as indicator, Perlman and Chaikoff, 1941, 140, 143 1939, 127, 211 Blood, determination, micro-, Erick-- fat, effect, Handler and Bernheim, son, Avrin, Teague, and Williams. 1943, 148, 649 1940, 135, 671 lipids, pancreatic duct ligation. - lipids, pancreatic duct ligation, effect, Entenman, Montgomery, and effect, Entenman, Montgomery, and Chaikoff, 1940, 135, 329 Chaikoff, 1940, 135, 329 Livers, fatty, deparcreatized dogs with Body, choline-free diets, effect, Jacobi, insulin, relation, Entenman and Baumann, and Meek, 1941, 138, 571 Chaikoff, 1941, 138, 477 Chemical constitution and trans--Low diet, hemorrhagic degeneration methylation relation, Moyer and du effect, Griffith and Wade, Vigneaud, 1942, 143, 373 1939, 131, 567 -Containing phospholipids, blood Metabolism, Griffith and Wade, plasma, Artom. 1941, 139, 65 1939, 131, 567 Deficiency, liver fat, effect, Handler, 1940, 132, 627 1943, 149, 291 Griffith, 1940, 132, 639 -Deficient diet, biochemical defect, Methionine methyl group transfer to, Jacobi and Baumann, du Vigneaud, Chandler, Cohn, and 1942, 142, 65 Brown. 1940, 134, 787

Choline—continued:	Chorion: Gonadotropic hormone, oxida-
Methyl groups, methionine synthesis,	tion-reduction, Bowman,
biological, use, Simmonds, Cohn,	1941, 137, 293
Chandler, and du Vigneaud,	Chroman: 7-Hydroxy-3-(4'-hydroxy-
1943, 149, 519	phenyl), equol, identity, Anderson
Nutrition essential, chicks, Hegsted,	and Marrian, 1939, 127, 649
Mills, Elvehjem, and Hart,	Chromatophorotropic hormone: Crusta-
1941, 138, 459	cean eyestalk, Abramowitz,
Oxidase, liver, fatty acid action,	1940, 132, 501
Bernheim, 1940, 133, 291	Chromium: Succinic dehydrogenase-
-, livers, fatty, Handler and Bern-	cytochrome system, effect, Horecker,
heim, 1942, 144, 401	Stotz, and Hogness, 1939, 128, 251
Perosis, prevention, Jukes,	Chromogen: Creatinine-like, excretion,
1940, 134, 789	kidney, Smith, Finkelstein, and
Pneumococcus growth factor, Rane	Smith, 1940, 135, 231
and Subbarow, 1940, 134, 455	Phyllo-, protoporphyrin and pyridine,
-Related compounds, biological rela-	Ross, 1939, 127, 163
tionships, Stetten, 1941, 138, 437	Chymopapain: Papaya latex, Jansen
Synthesis, biological, methionine	and Balls, 1941, 137, 459
methyl group, rôle, du Vigneaud,	Chymotrypsin: Malonyl egg albumin and
Cohn, Chandler, Schenck, and Sim-	blood serum albumin, digestion,
monds, 1941, 140, 625	Ross and Tracy, 1942, 145, 19
-, tissue, dietary lipotropic methyl	Specificity, Fruton and Bergmann,
effect, Stetten, 1942, 142, 629 Tissues, determination, micro-, Erick-	1942, 145, 253 Cinnamic acid: Benzoyl- α -amino-, azlac-
son, Avrin, Teague, and Williams,	tones, preparation, Carter and
80n, Avrin, Teague, and Williams, 1940, 135, 671	Risser, 1941, 139, 255
Cholinesterase(s): Adrenal, Antopol and	Citric acid: Antiketogenic activity,
Glick, 1940, 132, 669	MacKay, Carne, and Wick,
Blood, Alles and Hawes,	1940, 133, 59
1940, 133, 375	Ascorbic acid and, metabolism, Purin-
Morphine effect, in vitro, Eadie,	ton and Schuck, 1943, 148, 237
1941, 138, 597	Endogenous, diet influence, Smith and
Physostigmine and prostigmine	Meyer, 1939, 131, 45
effect, Eadie, 1942, 146, 85	Excretion, thiamine effect, Smith and
Specificity, <i>Glick</i> , 1939, 130, 527	Meyer, 1941, 139, 227
1941, 137, 357	Formation site, animal organism,
Cholylcysteic acid: Synthesis, Velick,	Orten and Smith, 1939, 128, 101
White, and Lewis, 1939, 127, 477	Free, absorption and fate, Kuether
Chondroitin: Gizzard erosion, chick,	and Smith, 1941, 137, 647
effect, Bird, Oleson, Elvehjem, and	Glycogenic activity, MacKay, Carne,
	and Wick, 1940, 133, 59
Hart, 1938, 126, 671 Chondrosamine hydrochloride: Methyla-	Iso-, malic acid, crassulacean, identity,
and the second s	Pucher and Vickery, 1942, 145, 525
tion, Levene, 1940, 133, 767 Chondrosin: Levene, 1941, 140, 267	Metabolism, thiamine relation, Sober,
	Lipton, and Elvehjem,
Chorioid plexus: Fetus, secretion onset,	1940, 134, 605
Flexner and Stiehler, 1938, 126, 619	Muscle respiration, cycle, Stare,
Secretion mechanism, Stiehler and	Lipton, and Goldinger,
Flexner, 1938, 126, 603	1941, 141, 981

Citric acid-continued: Production, carbohydrate effect, 1940, 134, 739 Meyer and Smith. Citrulline: Arginine, conversion, kidney, Borsook and Dubnoff, 1941, 141, 717 - replacement, diet, effect, Klose and Almquist. 1940, 135, 153 Ornithine cycle, relation, Gornall and 1943, 147, 593 Hunter, Climate: Blood, effect, Dill, Wilson, 1940, 136, 449 Hall, and Robinson, Clostridia: Growth factor, Woolley, McDaniel, and Peterson, 1939, 131, 381 Clostridium acidi-urici: Purine decomposition, Barker and Beck, 1941, 141, 3 Clostridium butylicum: Lactic acidracemizing enzyme, Christensen, Johnson, and Peterson, 1939, 127, 421 Preparations, pyruvic acid dissimilation, Koepsell and Johnson, 1942, 145, 379 Clostridium cylindrosporum: Purine decomposition, Barker and Beck, 1941, 141, 3 Clostridium tetani: Growth requirements, Mueller and Miller, 1941. 140, 933 Clover: Sweet, hemorrhagic agent, identification and synthesis. Stahmann, Huebner, and Link, 1941, 138, 513 -, - -, isolation and crystallization, Campbell and Link, 1941, 138, 21 -, - -, synthesis, Huebner and Link, 1941, 138, 529 concentrate determination, blood plasma prothrombin use in, Campbell, Smith, Roberts, and Link, 1941, 138, 1 concentrates, preparation, Campbell, Roberts, Smith, and Link, 1940, 136, 47 - disease, Campbell, Roberts, Smith, and Link, 1940, 136, 47 Campbell, Smith, Roberts, and Link, 1941, 138, 1 Campbell and Link, 1941, 138, 21

Clover-continued: Sweet, hemorrhagic disease, Stahmann, Huebner, and Link, 1941, 138, 513 1941, 138, 529 Huebner and Link, Overman, Stahmann, Sullivan, Huebner, Campbell, and Link, 1942, 142, 941 Overman, Stahmann, and Link, 1942, 145, 155 Baumann, Field, Overman, and Link, 1942, 146, 7 Link, Overman, Sullivan, Huebner, and Scheel, 1943, 147, 463 Coagulation: Blood, chemistry, Cohen and Chargaff, 1940, 136, 243 Chargaff, Ziff, and Cohen, 1940, 136, 257 Ziff and Chargaff, 1940, 136, 689 heparin action, Ziff and Chargaff, 1940, 136, 689 -, lung thromboplastic protein, action, Cohen and Chargaff, 1940, 136, 243 -, vitamin K deficiency, polyhydroxyanthraquinones, effect, Martin and Lischer, 1941, 137, 169 Fibrinogen, andZiff; Chargaff 1941, 138, 787 Chargaff and Bendich, 1943, 149, 93; See also Anticoagulant Cobalt: Bile, distribution and excretion, radioactive isotopes in study, Greenberg, Copp, and Cuthbertson, 1943, 147, 749 Mesoporphyrin, nitrogenous bases, coordination, Taylor, 1940, 135, 569 Cocaine: Liver lipids, feeding influence, MacLachlan and Hodge, 1939, 127, 721 Cocarboxylase: Absorption spectra, Melnick, 1939, 131, 615 Action, mechanism, Stern and Melnick, 1939, 131, 597 1940, 135, 365 Blood, determination, Goodhart, 1940, 135, 77

—, vitamin B₁ deficiency determina-

1940, 132, 11

tion, Goodhart and Sinclair,

Cocarboxylase—continued:	Collagen-continued:
Reduction products, absorption	Salt-denatured, acid-, base-, and salt-
spectra, <i>Melnick</i> , 1939, 131, 615	binding capacity, Theis and Jacoby,
Thiamine effect, Lipton and Elvehjem,	1943, 148, 603
1940, 136, 637	Tissues, various species, Lowry, Gil-
Vitamin B ₁ conversion, Melnick and	ligan, and Katersky, 1941, 139, 795
Field, 1939, 127, 531	Collodion: Particles, blood serum pro-
Coccidioides immitis: Polysaccharide,	teins, electric mobilities, film forma-
immunologically active, Hassid,	tion, relation, Moyer and Gorin,
Baker, and McCready,	1940, 133, 605
1943, 149, 303	Colloid(s): Hydrophilic, viruses, plant,
Coconut oil: Fatty acids, Longenecker,	and protein macro molecules, isola-
1939, 130, 167	tion and crystallization by, Cohen,
Cod liver oil: Esters, absorption spectra,	1942, 144, 353
vacuum distillation effect, Norris,	Purification, electrodialysis, Joseph,
Rusoff, Miller, and Burr,	1938, 126, 403
1941, 139, 199	Colon: Bacteria and aerogenes, d-fucose
Vitamin D, new, Bills, Massengale,	fermentation, Field and Poe,
Hickman, and Gray, 1938, 126, 241	1940, 132, 473
Coenzyme(s): Glyoxalase, Behrens,	-, sugars, rare, fermentation, Field
1941, 141, 503	and Poe, 1940, 132, 473
I, blood cell, red, and muscle, nicotinic	Colorimeter: Photoelectric, test-tube,
acid deficiency effect, Axelrod, Spies,	Summerson, 1939, 130, 149
and Elvehjem, 1941, 138, 667	Colorimetry: Colorimeter, photoelectric,
-, oxidation-reduction potential,	use, Summerson, 1939, 130, 149
Borsook, 1940, 133, 629	Photometer, photoelectric, use, Rosen-
-, tissue, Dann and Kohn,	feld, 1939, 129, 179
1940, 136, 435	Colpidium campylum: Growth factors,
-, -, determination, Axelrod and	Peterson, 1942, 146, 537
Elvehjem, 1939, 131, 77	Complement: Anti-, yeast, Pillemer and
-, -, hyperthyroidism, Katzenel-	Ecker, 1941, 137, 139
bogen, Axelrod, and Elvehjem,	Blood serum, separation, Ecker, Pille-
1941, 141, 611	mer, Jones, and Seifter,
-, -, nicotinic acid effect, Axelrod,	1940, 135, 347
Madden, and Elvehjem, 1939, 131, 85	• •
	Convection effect(s): Electrophoresis,
-, yeast, preparation, Williamson and Green, 1940, 135, 345	Alvarez-Tostado, 1940, 135, 799
II, tissue, Dann and Kohn,	Copper: Blood serum, arthropods,
1940, 136, 435	Allison and Cole, 1940, 135, 259
Tissue, Handler and Dann,	Bone marrow cytochrome oxidase,
1941, 140, 739	and hematopoietic activity, relation,
	Schultze, 1941, 138, 219
Collagen: Acid-base-binding capacity,	Catalysis inhibitors, respiration and
Theis and Jacoby, 1942, 146, 163	photosynthesis, Chlorella pyre-
Amino acids, determination, Berg-	noidosa, effect, Green, McCarthy, and
mann and Stein, 1939, 128, 217	King, 1939, 128, 447
Heart, Alburn and Myers,	Cytochrome oxidase, tissue, effect,
1939, 131, 713	Schultze, 1939, 129, 729
Heat-denatured, acid- and base-bind-	Dehydrogenase action, Bernheim,
ing capacity, Theis and Jacoby,	1940, 133, 485
19 43, 148, 10 5	70±0, 122, 409

Copper—continued: -Protein oxidases, properties, Mc-Carthy, Green, and King, 1939, 128, 455 Radioactive, anemia, nutritional, use in study, Schultze and Simmons, 1942, **142,** 97 Tissue catalase, effect, Schultze and Kuiken 1941, 137, 727 Vitamin C, rat, effect, Svirbely,

1939, 131, 233 Coproporphyrin: I, pyridine, spectrophotometry, Clark and Perkins,

1940, 135, 643 Iron, nitrogenous bases, coordination, 1940, 135, 623 Vestling.liver, conversion, Protoporphyrin

Watson, Pass, and Schwartz, 1941, 139, 583

Salzburg and Watson, 1941, 139, 593 Corn: Glycogen, injection effect, Morris, 1943, **148,** 699

See also Maize

Corn oil: Fatty acids, Longenecker, 1939, 129, 13

Corpus luteum: Lipids, cyclic variations,

Weinhouse and Brewer, 1942, 143, 617

and mineral Cortin: Carbohydrate metabolism, adrenalectomy, effect, Kendall, Flock, Bollman, and Mann, 1938, 126, 697

-Like material, urine, life-maintaining and gluconeogenic properties, Venning, Hoffman, and Browne,

1943, 148, 455

Corynebacterium diphtheriae: See Diphtheria bacillus

Cosubstrate(s): Proteolysis, Behrens and Bergmann. 1939, 129, 587

Cottonseed: Hulls, hemicelluloses, Anderson, Hechtman, and Seeley, 1938, 126, 175

Cottonwood: Hemicelluloses and pectic materials, Anderson, Kaster, and Seeley, 1942, 144, 767

3.3'-Methylenebis(4-hy-Coumarin: droxy-), blood plasma prothrombin, effect, Overman, Stahmann, Sullivan, Huebner, Campbell, and Link,

1942, 142, 941

Coumarin-continued:

3,3'-Methylenebis(4-hydroxy-), prothrombin time. 2-methyl-1,4naphthoquinone and l-ascorbic acid effect, Overman, Stahmann, and Link, 1942, 145, 155

-, vitamin C excretion and hypoprothrombinemia, effect, Baumann, Field, Overman, and Link,

1942, 146, 7 Cozymase: Oxidation, milk flavoprotein

action, Ball and Ramsdell, 1939, 131, 767

Synthesis, blood cell, red, mechanism, nicotinic acid and nicotinamide effect, Handler and Kohn,

1943, 150, 447

- from nicotinic acid, blood cell, red. effect, Kohn and Klein,

1939, 130, 1 Cream: Fat droplets, surface film composition, Moyer, 1940, 133, 29 Creatine: Amidine group, origin, biologi-

cal, Bloch and Schoenheimer,

1940, 134, 785

Blood, determination, colorimetric, Peters, 1942, 146, 179 Body, formation and disappearance

rate, Bloch, Schoenheimer, and Rittenberg, 1941, 138, 155

Creatinine and, metabolism relation, isotopic nitrogen in study, Bloch and Schoenheimer, 1939, 131, 111 -Creatinine excretion, creatine inges-

tion and age relation, Hyde,

1942, 143, 301

Excretion, glycine and histidine ingestion effect, Hyde, 1940, 134, 95 intestinal, and decomposition, nephrectomy effect, Bodansky, Duff,

and McKinney. 1941, 140, 365 Formation, animals, ammonia utiliza-

tion, Foster, Schoenheimer, and Rit-1939, 127, 319

-, biological, Bloch and Schoenheimer, 1940, 133, 633

Mecchi, and -, chick, Almquist, 1941, 141, 365 Kratzer. Almquist, Kratzer, and Mecchi,

1943, 148, 17

Creatine—continued:	Creatinine: Blood, determination, col-
Heart, Alburn and Myers,	orimetric, Peters, 1942, 146, 179
1939, 131, 713	Creatine and, metabolism relation,
Mangun and Myers, 1940, 135, 411	isotopic nitrogen in study, Bloch
Kidney, formation, Borsook and	and Schoenheimer, 1939, 131, 111
Dubnoff, 1940, 134, 635	Creatine-, excretion, creatine ingestion
Liver, formation, Borsook and Dubnoff,	and age relation, Hyde,
1940, 134, 635	1942, 143, 301
-, - from glycocyamine, nephrec-	Excretion, glycine and histidine inges-
tomy effect, Bodansky, Duff, and	tion effect, Hyde, 1940, 134, 95
McKinney, 1941, 140, 365	-, intestinal, and decomposition,
—, —, glycocyamine relation, Borsook	nephrectomy effect, Bodansky, Duff,
and Dubnoff, 1940, 132, 559	and McKinney, 1941, 140, 365
and Dubnoff, 1940, 132, 559 Metabolism, Miller, Allinson, and	-Like chromogen, excretion, kidney,
Baker. 1939, 130, 383	Smith, Finkelstein, and Smith,
Baker and Miller, 1939, 130, 393	1940, 135, 231
1940, 132, 233	Metabolism, Miller, Allinson, and
Methionine methyl group transfer to,	Baker, 1939, 130, 383
du Vigneaud, Chandler, Cohn, and	Baker and Miller, 1939, 130, 393
Brown, 1940, 134, 787	1940, 132, 233
Muscle, Myers and Mangun,	Tissue, Baker and Miller,
1940, 132, 701	1939, 130, 393
Corsaro, Mangun, and Myers,	-, determination, enzymatic, Miller,
1940, 135, 407	Allinson, and Baker, 1939, 130, 383
Mangun and Myers, 1940, 135, 411	Transmethylation, in vivo, du
—, vitamin E deficiency, α-tocopherol	Vigneaud, Chandler, and Moyer,
effect, Houchin and Mattill,	1941, 139, 917
1942, 146, 301	Urine, determination, colorimetric,
Phospho See Phosphocreatine	Peters, 1942, 146, 179
Precursors, biological, Bloch and	,
Schoenheimer, 1941, 138, 167	Creatinuria: Pituitary, anterior, extract,
Synthesis, biological, methionine	and iodine, effect, Gaebler and
methyl group, rôle, du Vigneaud,	Bartlett, 1939, 129, 559
Cohn, Chandler, Schenck, and Sim-	Testosterone propionate effect, Coff-
monds, 1941, 140, 625	man and Koch, 1940, 135, 519
-, $l(-)$ -methionine specificity,	Cresol: p-, oxidation, peroxidase in,
Handler and Bernheim,	Westerfeld and Lowe, 1942, 145, 463
1943, 150, 335	Crotonic acid: Benzoyl-α-amino-, azlac-
-, urea and glycine relation, Fisher	tone, preparation, Carter, Handler,
and Wilhelmi, 1940, 132, 135	and Melville, 1939, 129, 359
Tissue, Baker and Miller,	-, - II, preparation, Carter and
1939, 130, 393	Stevens, 1940, 133, 117
-, determination, enzymatic, Miller,	Crown-gall: Polysaccharide, McIntire,
Allinson, and Baker, 1939, 130, 383	Peterson, and Riker, 1942, 143, 491
-, formation, rat, Baker and Miller,	See also Phytomonas tumefaciens
1940, 132, 233	Crustacea: Eyestalk, chromatophoro-
Transmethylation, in vivo, du Vi-	tropic hormone, Abramowitz,
gneaud, Chandler, and Moyer, 1941, 139, 917	1940, 132, 501
Urine, determination, colorimetric,	Crystalloid(s): Purification, electrodialy-
	sis, Joseph, 1938, 126, 403
Peters, 1942, 146, 179	ala, e vechie, 1993, 120, 100

Cucumber: Virus, amino acids, aromatic, Knight and Stanley, 1941, 141, 39 -, preparation and properties, Knight and Stanley. 1941, 141, 29 Cucurbit: Seed, globulins, amino acids and nutrition value, Vickery, Smith, Hubbell, and Nolan, 1941, 140, 613 Cucurbita pepo: Seedlings, etiolated, asparagine and glutamine formation, Vickery and Pucher, 1943, 150, 197 Cullen, Glenn Ernest: Obituary, Van 1940, 134, preceding p. 467 Slyke, Cupric chloride: Crystallization, protein effect, Morris and Morris, 1941, 141, 515 Cyanide: Cytochrome c derivatives, chemical constitution, Drabkin, 1942, 146, 605 - reduction, effect, Potter, 1941, 137, 13 Ferriprotoporphyrin nitrogenous derivatives, reaction, Drabkin, 1942, 142, 855 Gonadotropic extracts, effect, Bischoff, 1940, 134, 641 Hemoglobin derivatives, chemical constitution, Drabkin, 1942, 146, 605 Cystamine: Taurocholic acid production, effect, Virtue and Doster-Virtue, 1938, 126, 141 Cysteic acid: Cholyl-, synthesis, Velick, White, and Lewis, 1939, 127, 477 Taurocholic acid production, effect, Virtue and Doster-Virtue, 1939, 127, 431 Cysteine: N-Acetyl-S-p-bromobenzyl-l-, synthesis from p-bromobenzyl bromide, S-p-bromobenzyl-l-cysteine, and S-p-bromobenzylglutathione, Stekol, 1941, 138, 225 S-(β-Amino-β-carboxyethyl)-homo-, synthesis, Brown and du Vigneaud, 1941, 137, 611 Benzyl-l-, racemization, Wood and du Vigneaud, 1939, 130, 109 S-Benzylhomo-, detoxication, animal body, Stekol, 1939, 128, 199 S-p-Bromobenzyl-l-, N-acetyl-S-pbromobenzyl-l-cysteine synthesis from, Stekol, 1941, 138, 225

Cysteine—continued: p-Bromophenyl-d-, acetylation in vivo, du Vigneaud, Wood, and Binkley, 1941, 138, 369 S-Carboxymethyl-, metabolism, Blood and Lewis, 1941, 139, 407 -, -, cystinuria, Lough, Perilstein, 1941, 139, 487 Heinen, and Carter, d-, benzyl derivatives, optical inversion in vivo, du Vigneaud, Wood, 1939, 129, 171 and Irish. Decomposition, Routh, 1939, 130, 297 Derivatives, urine cystine, cystinuria, effect, Hess and Sullivan, 1943, 149, 543 Desulfurase, nature, Binkley, 1943, 150, 261 Determination, Sullivan, Hess, and Howard. 1942, 145, 621 -, colorimetric, micro-, Vassel, 1941, 140, 323 Dietary, cystinuria, effect, Hess and Sullivan, 1942, 143, 545 Gonadotropic extracts, effect, Bischoff, 1940, 134, 641 - hormones, effect, Fraenkel-Conrat, Simpson, and Evans, 1939, 130, 243 Homo-. See Homocysteine Liver, formation, ll-S-(β-amino-β-carboxyethyl)homocysteine, relation, Binkley, Anslow, and du Vigneaud, 1942, 143, 559 , -, homocysteine and serine relation, Binkley and du Vigneaud, 1942, 144, 507 phospholipid turnover, radioactive phosphorus as indicator. Perlman. Stillman, and Chaikoff, 1940, 133, 651 Metabolism, cystinuria, Lough, Perilstein, Heinen, and Carter, 1941, 139, 487 Oxidative reactions, Toennies and Callan, 1939, 129, 481 Sugars and, combination, Schubert, 1939, 130, 601 Sulfur, sulfide sulfur, radioactive,

conversion, enzymatic, Smythe and

1942, 144, 237

Halliday,

Cysteine—continued:	Continue and in a
Taurocholic acid production, effect,	Cystine—continued:
Virtue and Doster-Virtue,	Dietary, chick, effect, Briggs, Mills,
The state of the s	Elvehjem, and Hart. 1942, 144, 47
1939, 128, 665	-, cystinuria, effect, Hess and
Uricase activation effect, Scheer and	Sullivan, 1942, 143, 545
Scheer, 1943, 150, 359	-, liver lipids, effect, Treadwell,
Urine cystine, cystinuria, effect, Hess	Groothuis, and Eckstein,
and Sullivan, 1943, 149, 543	1942, 142, 653
Utilization, liver, hydrogen sulfide	Stetten and Grail, 1942, 144, 175
production, relation, Smythe,	Diglycyl-l-, synthesis, Greenstein,
1942, 142, 387	1939, 128, 241
Cysteine sulfinic acid: Taurocholic acid	N,N'-Dimethyl-, optical isomers,
production, effect, Virtue and	utilization, Kies, Dyer, Wood, and
Doster-Virtue, 1939, 127, 431	du Vigneaud, 1939, 128, 207
Cysticercus fasciolaris: Chemistry, Salis-	Excretion, cystinuria, amino acid
bury and Anderson, 1939, 129, 505	effect, Hess and Sullivan,
Lesuk and Anderson, 1941, 139, 457	1942, 142, 3
Larvae, cerebroside containing di-	-, -, arachin effect, Hess and
hydrosphingosine and hydrolecithin,	Sullivan, 1942, 146, 381
Lesuk and Anderson, 1941, 139, 457	Fatty livers, effect, Tucker, Treadwell,
Cystine: Blood globins, species differ-	and Eckstein, 1940, 135, 85
ences, Beach, Bernstein, Hummel,	Growth effect, Womack and Rose,
Williams, and Macy, 1939, 130, 115	1941, 141, 375
— plasma ultrafiltrates, l-cystine and	Hemorrhagic degeneration, effect,
dl-methionine administration effect,	Griffith and Wade, 1940, 132, 627
Brown and Lewis, 1941, 138, 717	Griffith, 1940, 132, 639
Casein digestion, trypsin, liberation,	Homo See Homocystine
Jones and Gersdorff, 1939, 129, 207	Insulin, acid sensitivity, Sullivan and
d-, preparation, Wood and du Vigneaud,	Hess, 1939, 130, 745
1939, 130, 109	-, determination, colorimetric and
Decomposition, Routh, 1938, 126, 147	polarographic, Sullivan, Hess, and
-, alkaline, Lindstrom and Sandstrom,	Smith, 1939, 130, 741
1941, 138, 445	l-, blood plasma ultrafiltrate cystine
-Deficient diet, growth, mesolanthio-	and sulfur distribution, administra-
nine effect, Jones, Divine, and Horn,	tion effect, Brown and Lewis,
1942, 146, 571	1941, 138, 717
Derivatives, urine cystine, cystinuria,	-, optical rotation, Toennies,
effect, Hess and Sullivan,	1942, 143, 75
1943, 149, 543	Liver fat, effect, Tucker and Eckstein,
Determination, Sullivan, Hess, and	1938, 126, 117
Howard, 1942, 145, 621	- phospholipid turnover, radioactive
-, colorimetric, micro-, Vassel,	phosphorus as indicator, Perlman,
1941, 140, 323	Stillman, and Chaikoff,
-, cuprous oxide use, Zittle and	1940, 133, 651
O'Dell, 1941, 139, 753	Metabolism, cystinuria, Lough, Peril-
Dicholyl-, synthesis, Velick, White,	stein, Heinen, and Carter,
and Lewis, 1939, 127, 477	1941, 139, 487
Dietary, ll-S-(β-amino-β-carboxyethyl)-	Methionine conversion, radioactive
homocysteine replacement by, effect,	
du Vigneaud, Brown, and Chandler,	sulfur as indicator, Tarver and
1942, 143, 59	Schmidt, 1939, 130, 67

Cystine—continued: Oxidative reactions, Toennies and 1939, 129, 481 Callan, Peanut proteins, Brown, 1942, 142, 299 Peptides, physical chemistry, Greenstein, Klemperer, and Wyman, 1939, **129**, 681 Pituitary pressor and oxytocic hormones, Potts and Gallagher, 1942, 143, 561 Protein hydrolysates, determination, micro-, polarographic, Stern, Beach, 1939, 130, 733 and Macy, Proteins, deaminized, Hessand1939, 128, 93 Sullivan. Spermatozoa, Zittle and O'Dell, 1941, 140, 899 Stability, alkali effect, Jones and Gersdorff, 1939, 129, 207 Synthesis, Wood and du Vigneaud, 1939, 131, 267 - in vivo, Rose and Wood, 1941, 141, 381 -, rat, Beach and White, 1939, 127, 87 Urine cystine, cystinuria, effect, Hess and Sullivan, 1943, 149, 543 -, determination, Brand, Cahill, and 1940, 133, 431 Kassell. -, -, polarographic, Reed, 1942, 142, 61 Utilization, liver, hydrogen sulfide production, relation, Smythe, 1942, 142, 387 Vitamin B4 deficiency, chick, effect, Briggs, Luckey, Elvehjem, and Hart, 1943, 150, 11 Cystine betaine: Metabolism, Jen and 1939, 127, 97 Cystine disulfoxide: Taurocholic acid production, effect, Virtueand Doster-Virtue, 1939, 127, 431 Cystinuria: S-Carboxymethylcysteine metabolism, Perilstein, Lough. Heinen, and Carter, 1941, 139, 487 Cystine and cysteine and derivatives, urine cystine, effect, Hess and Sullivan, 1943, 149, 543

Cystinuria-continued: Cystine and cysteine, dietary, effect, 1942, 143, 545 Hess and Sullivan, --- metabolism, Lough, Perilstein, Heinen, and Carter, 1941, 139, 487 - excretion, amino acids, effect, Hess and Sullivan, 1942, 142, 3 1942, 146, 381 Dog, Brand, Cahill, and Kassell, 1940, 133, 431 Hess and Sullivan, 1942, 143, 545 1942, 146, 381 1943, 149, 543 Homocystine and homocysteine, urine cystine, effect, Hess and Sullivan, 1943, 149, 543 metabolism, Lough, Perilstein, Heinen, and Carter, 1941, 139, 487 Irish terriers, Brand, Cahill, and Kassell, 1940, 133, 431 Methionine, dietary, effect, Hess and Sullivan, 1942, 143, 545 metabolism, Lough, Perilstein, Heinen, and Carter, 1941, 139, 487 Cytochrome: c, cyanide and carbon monoxide derivatives, chemical constitution, Drabkin, 1942, 146, 605 -, determination, Potter and DuBois, 1942, 142, 417 -, -, spectrophotometric, micro, Rosenthal and Drabkin, 1943, 149, 437 -, -, spectroscopic, Junowicz-Kocholaty and Hogness, 1939, 129, 569 1939, 131, 187 -, enzyme reduction, Haas, Horecker, and Hogness, 1939, 130, 425 -, epithelium, normal and neoplastic, body mass, relation, Rosenthal and Drabkin, 1943, 150, 131 iron determination, micro-. Drabkin, 1941, 140, 387 -, oxidase, soluble, Altschul, Abrams, and Hogness, 1939, 130, 427 - peroxidase, Altschul, Abrams, and Hogness, 1940, 136, 777

Abrams, Altschul, and Hogness,

1942, 142, 303

Cvtochrome—continued: Deer: Virginia white-tailed, tissue lipids. pyridine derivatives, chemical composition, Treadwell and Eckstein, constitution, Drabkin, 1939, 128, 373 1942, 146, 605 Dehydrase: Serine, nature, Binkley, -, reactions, hydrogen transport rela-1943, 150, 261 tion, Lockhart and Potter, Dehvdration: Blood plasma volume 1941, 137, 1 and thiocyanate, effect, Mellors, - reductase, Haas, Horecker, and Muntwyler, Mautz, and Abbott, 1940, 136, 747 Hogness, 1942, 144, 785 -, reduction, cyanide effect, Potter, Body water and electrolytes, distribu-1941, 137, 13 tion, nephrectomy effect, Chanutin -, -, enzyme, Haas, Horecker, and and Ludewig, 1939, 131, 519 1940, 136, 747 Dehydroascorbic acid: Complexes, sulf-Hogness, hydryl compounds, Drake, Smythe, spectrophotometric constants, and King, Drabkin. 1941, 140, 373 1942, 143, 89 —, tissue, determination and dis-Decarboxylation, ninhydrin effect, tribution. Stotz. West and Rinehart, 1942, 146, 105 1939, 131, 555 Determination, micro-, Bessey, -, - distribution, Junowicz-Kocho-1938, 126, 771 laty and Hogness, 1939, 129, 569 1939, 131, 187 2,4-Dinitrophenylhydrazine deriva--, yeast respiration, effect, Carroll tive, ascorbic acid determination, use, blood and urine, Roe and and Stier, 1941, 137, 787 Oxidase, Haas, 1943, 148, 481 Kuether, 1943, 147, 399 Transformation, irreversible, Rosen--, bone marrow, copper relation, 1943, 150, 281 Schultze, 1941, 138, 219 Dehydrogenase(s): Aero-, glucose, anti--, chick embryo, Albaum and Worley, bacterial. Penicillium notatum, 1942, 1**44,** 697 Birkinshaw and Raistrick, -, spectrum, Melnick, 1942, 146, 385 -, spermatozoa, Zittle and Zitin, 1943, 148, 459 Copper action, Bernheim, 1942, 144, 99 -, tissue, copper and iron deficiencies, 1940, 133, 485 effect, Schultze, α-Ketoglutaric, heart, Ochoa, 1939, 129, 729 -, -, determination, Schneider and 1943, 149, 577 Papain action, Bernheim, Potter.1943, 149, 217 -, -, - and distribution, Stotz, 1940, 133, 141 Phenylhydrazine action, Bernheim, 1939, 131, 555 Oxidase-cytochrome system, oxida-1940, 133, 485 Succinic, -cytochrome system, effect, tion-reduction potentials, fetus metanephros, Flexner. Horecker, Stotz, and Hogness, 1939, 128, 251 1939, 131, 703 Ball and Reductase, isolation, inhibition and marine organisms, Meyerhof, 1940, 134, 483 inactivation, and reaction with -, phenothiazone, inhibition, Collier oxygen, Haas, Harrer, and Hogness, and Allen, 1941, 140, 675 1942, 143, 341 -, tissue, determination, Schneider Succinic dehydrogenase-, system, and Potter, effect, Horecker, Stotz, and Hogness, 1943, 149, 217 Trypsin action, Bernheim, 1939, 128, 251 1940, 133, 141 D Dehydroisoandrosterone: Androsterone Decevinic acid: Craig and Jacobs, and, chromogenic effect, Saier, 1940, 134, 123 Grauer, and Starkey, 1943, 148, 213

186 Dehydroisoandrosterone-continued: Calibration curves, Saier, Warga, and 1941, 137, 317 Grauer.Determination, polarographic, Hershberg, Wolfe, and Fieser, 1941, **140, 2**15 spectrochemical, Langstroth, Talbot, and Fineman, 1939, 130, 585 m-Dinitrobenzene reaction, behavior, Langstroth and Talbot, 1939, 129, 759 Delphinine: Jacobs and Craig, 1939, 127, 361 1939, 128, 431 1940, 136, 303 Derivatives, hydrochloric, nitric, and nitrous acids, effect, Jacobs and 1940, 136, 303 Hydrochloric, nitric, and nitrous acids, effect, Jacobs and Craig, 1940, 136, 303 1939, 128, 431 Oxo-, Jacobs and Craig, Jacobs and Craig. Dental plaque: Acid glucose, relation, Muntz,

Delphinium staphisagria: Staphisine, 1941, 141, 67 production of 1943, 148, 225

Dentin: Fluoride adsorption, radioactive isotope in study, Volker, Hodge, Wilson, and Van Voorhis,

1940, 134, 543

Phosphate adsorption, radioactive isotope in study, Hodge, Van Huysen, Bonner, and Van Voorhis,

1941, 138, 451

Sodium adsorption, radioactive isotope in study, Hodge, Koss, Ginn, Falkenheim, Garett, Fowler, Thomas, Bonner, and Dessauer, 1943, 148, 321

Depressor activity: l-Carnosine structure, relation, Hunt and du Vianeaud. 1939, 127, 727

Dermatitis: Anti-, factor, chick, struc-Woolley, ture, Waisman, and Elvehjem, 1939, 129, 673

See also Acrodynia

Desoxycholic acid: Keto derivatives. bile, determination, Hughes,

1942, 143, 11

Desoxycorticosterone acetate: Blood cells, red, and muscle cations, effect. 1943, 150, 353 Hegnauer, Pregnanediol excretion, effect, Hoffman, Kazmin, and Browne,

1943, 147, 259

Desoxyribonucleic acid(s): Chemical constitution, Levene, 1938, 126, 63 Enzyme dephosphorylation, Schmidt, Pickels, and Levene, 1939, 127, 251

Desoxyribose: Electrophoretic mobili-1942, 146, 471 ties, Cohen,

Desthiobiotin: Biotin chemical constitution, relation, du Vigneaud, Melville, Folkers, Wolf, Mozingo, Keresztesy, and Harris, 1942, 146, 475

Desulfurase: Laskowski and Fromageot, 1941, 140, 663

Cysteine, nature, Binkley,

1943, 150, 261

Detergent(s): Alkylbenzenesulfonate, egg albumin, electrophoresis, Lundgren, Elam, and O'Connell,

1943, 149, 183

Synthetic, proteins and, complex formation, Putnam and Neurath,

1943, 150, 263

Deuteriocholesterol: Preparation, Bloch and Rittenberg, 1943, 149, 505 Deuterium: Brain lipids, synthesis and

deposition, indicator. Waelsch, Sperry, and Stoyanoff, 1940, 135, 291

Fatty acids, unsaturated, body, behavior, indicator, Bernhard and Schoenheimer. 1940, 133, 707 d-Lysine metabolism. study with, Ratner, Weissman, and Schoenheimer. 1943, 147, 549

l(+)-Lysine stability, study with, Weissman and Schoenheimer,

1941, 140, 779 Tissue lipids, synthesis and deposition, indicator, Waelsch, Sperry, and Stoyanoff, 1940, 135, 291

Deuterobutyric acid: α , β -, metabolism, fasting, Morehouse, 1939, 129, 769 β, γ -, metabolism, fasting, Morehouse, 1939, 129, 769

Dextran: Chemical constitution, synthesis from sucrose, Betacoccus arabinosaceus, Hassid and Barker,

1940, 134, 163

Diabetes: Blood diastase, Somogyi, Diaminocarboxylic acid-continued: 1940, 134, 315 Biotin, phenanthrenequinone conden-- pyruvate and lactate, glucose and sation, Hofmann, Kilmer, Melville, insulin effect, Klein, 1942, 145, 35 du Vigneaud, and Darby, Carbohydrate synthesis from liver fat 1942, 145, 503 and kidney acetoacetate, Stadie, Diaminotetrahydrothiophene: 3,4-, syn-1941, 137, 63 Zapp, and Lukens, thesis and stability, Kilmer, Arm-Glucose tolerance, sodium chloride strong, Brown, and du Vigneaud, effect, Orten and Devlin, 1942, 145, 495 1940, 136, 461 Diastase: Blood, health and diabetes, Glycogen storage, effect, Pauls and Somogyi, 1940, 134, 315 Drury, 1942, 145, 481 Malt, plant nutrients. inorganic. Ketone body and liver fatty acid effect, Braun, 1942, 145, 197 relation, Stadie, Zapp, and Lukens, Saccharogenic action, Somogyi, 1941, 137, 75 1940, 134, 301 - metabolism, insulin effect, Stadie, Taka-, buffer influence, Ballou and Zapp, and Lukens, 1940, 132, 423 1940, 135, 111 Luck, Lipemia, blood plasma and blood cell, Diastatic reaction(s): Equilibria, Stark, red, lipids, Rubin, 1939, 131, 691 1942, 142, 569 Liver acetic acid. non-formation, Diatom(s): Chlorofucine, Strain and Stadie, Zapp, and Lukens, Manning, 1942, 144, 625 1941, 137, 75 Strain, Manning, and Hardin, - respiration, insulin effect, Stadie, 1943, 148, 655 Lukens, and Zapp, 1940, 132, 393 Lipids, Clarke and Mazur, - urea formation and carbohydrate 1941, 141, 283 synthesis, insulin effect, Stadie. Pigments, Pace, 1941, 140, 483 Lukens, and Zapp, 1940, 132, 393 Dibenzanthracene: Tissue vitamin A, Metabolism, intermediary, Stadie, effect, Baumann, Foster, and Moore, Zapp, and Lukens, 1942, 142, 597 1941, 137, 63, 75 Dicarboxylic acid: Tyrosine metabolites, Phlorhizin, phosphorus metabolism, excretion, administration effect, radioactive phosphorus as indicator, Sealock, 1942, 146, 503 Weissberger. 1941, 139, 543 Dichlorobenzenesulfonic acid: 3,4-, Diacetyl: Determination, colorimetric, histidine preparation, use, Vickery, Stotz and Raborg, 1943, 150, 25 1942, 143, 77 Diacetyl \(\beta\)-benzylglucoside: 2,3-, and Dichlorofluorescein: Biological fluids, derivatives, Raymond, Tipson, and chlorides, determination, micro-, 1939, 130, 47 Levene. Saifer and Hughes, 1939, 129, 273 Diamine(s): Deamination, oxidative, Dichlorophenol indophenol: 2,6-, ascorbic histaminase action, Stephenson, acid determination, use, Highet and 1943, 149, 169 . West. 1942, 146, 655 Diamino acid(s): Phospho-12-tung-Dicholylcystine: Synthesis, Velick, states, solubility and composition, White, and Lewis, 1939, 127, 477 Van Slyke, Hiller, and Dillon, Diet: Blood uric acid, effect, Wachtel, 1942, 146, 137 Hove, Elvehjem, and Hart, Diaminocarboxylic acid: Biotin, adipic 1941, 138, 361 acid relation, Hofmann, Melville, Body fat, keeping quality, effect, and du Vigneaud. 1942, 144, 513 Barnes, Lundberg, Hanson, and 3,4-diaminotetrahydrothiophene Burr, 1943, 149, 313 stability, comparison, Kilmer, Arm-Citric acid, endogenous, influence, strong, Brown, and du Vigneaud, 1942, 145, 495 Smith and Meyer, 1939, 131, 45

Dihydrolysergic acid: Dimethylindole

Dihydrosphingosine: Brain and spinal

cord, isolation, Carter and Norris,

-Containing cerebroside, Cysticercus

larvae, Lesuk and Anderson,

Huffman, Thayer, and Doisy,

Smith, and Smith,

quodale, and Doisy,

Dihydrotheelin: α -, placenta, isolation,

-, urine, pregnancy, isolation, Huff-

Urine, pregnancy, isolation, Smith, Smith, Huffman, Thayer, MacCor-

Dihydroxyacetone: Blood, determination,

 $N = (\alpha, \gamma - Dihydroxy - \beta, \beta - dimethylbutyryl) =$

taurine: Growth inhibition, panto-

effect, radioactive iodine as indi-

Perlman,

1941, 140, 603

Morton,

Turner, Kress, and Harrison,

man, MacCorquodale, Thayer, Doisy,

1939, 128, 715

1942, 145, 709

1941, 139, 457

1940, 133, 567

1940, 134, 591

1939, 130, 431

1943, 148, 581

from, Jacobs and Craig,

188 Diet-continued: Egg vitamin A, effect, Almquist, Mackinney, and Mecchi, 1943, 150, 99 Essential element, mouse, Woolley, 1940, 136, 113 - elements, guinea pig, Woolley, 1942, 143, 679 Fat rancidity, effect, Overman, 1942, 142, 441 Glucose absorption, effect, Sinclair 1941, 141, 509 and Fassina, Ketosis, fasting, liver fat and, relation, MacKay, Carne, Wick, and Visscher, 1941, 141, 889 Liver uricase, effect, Wachtel, Hove, Elvehjem, and Hart, 1941, 138, 361 Mixed, liver phosphorus, acid-soluble, distribution, fasting, effect, Rapoport, Leva, and Guest, 1943, 149, 65 Pantothenic acid, tissues, chick, effect, Snell, Pennington, and Williams, 1940, 133, 559 Skeleton phosphorus turnover, pregnancy, effect, Manly and Levy, and Fishman. tion Diethylstilbestrol: Blood phospholipids, effect, Bollman, Diffusion: Biochemical manometric, Roughton,

thenic acid effect, Snell, 1941, 141, 121 Diiodotyrosine: Blood plasma, turnover, 1941, 139, 35 thyrotropic hormone effect, radio-Tissue phospholipids, relation, Artom active iodine as indicator, Morton, Perlman, and Chaikoff, 1943, 148, 405, 415, 423 1941, 140, 603 See also Feed, Food, Foodstuff, Nutri-Determination, photometric, Brand and Kassell. 1939, 131, 489 plasma Formation. thyroidectomy Flock and radioactive iodine as indicator, 1942, 144, 571 Morton, Chaikoff, Reinhardt, and Anderson. 1943, 147, 757 reactions, Iodine, inorganic, conversion in vitro, thyroid, sulfanilamide effect, Frank-1941, 141, 129 lin and Chaikoff, Digestive secretion(s): Thiamine, fate, 1943, **148,** 719 Thyroid, formation in vitro, Morton Melnick, Robinson, and Field, and Chaikoff, 1942, 144, 565 1941, 138, 49 -, - - -, radioactive iodine as Digitonide(s): Splitting, Bergmann, indicator, Morton and Chaikoff, 1940, 132, 471 1943, 147, 1 Digitoxose: d-, identification as benzi--, — rate, radioactive iodine as midazole derivative, Dimler and indicator, Perlman, Morton, and 1943, 150, 345 Chaikoff, 1941, 139, 449 Diglycyl-l-cystine: Synthesis, Greenstein, -, turnover, thyrotropic hormone

cator,

Chaikoff,

1939, 128, 241

1943, 147, 567

Dihydroatisine: Jacobs and Craig,

Diiodotyrosine—continued: Thyroxine, conversion, Block, 1940, 135, 51 Dimethylaminoazobenzene: N,N-, splitproducts, yeast carboxylase, effect, Kensler, Young, and Rhoads, 1942, 143, 465 Dimethylcystine: N, N'-, optical isomers, utilization, Kies, Dyer, Wood, and du Vigneaud, 1939, 128, 207 Dimethylergoline(s): 6,8-, d-lysergic and dl-lysergic acid transformation, Gould, Craig, and Jacobs, 1942, 145, 487 -, synthetic, lysergic acid base, comparison, Jacobs and Gould, 1939, 130, 399 Dimethylglycine: N,N-, hippuric acid synthesis, availability, Abbott and Lewis, 1939, 131, 479 Dimethylindole: Dihydrolysergic acid derivative, Jacobs and Craig, 1939, 128, 715 Dimethyllysine: α -N-, growth availability, Gordon, 1939, 127, 487 Dimethyl-β-methylglucoside: 2,4-, synthesis, Adams, Reeves, and Goebel, 1941, 140, 653 Dimethyl sulfone: Adrenal gland, Pfiffner and North. 1940, 134, 781 Dinitrobenzene: m-, dehydroisoandrosterone and androsterone, reaction, Langstroth and Talbot. 1939, 129, 759 Dinitrophenol: Spermatozoal metabolism, effect, Lardy and Phillips, 1943, 149, 177 Dinoflagellate(s): Chlorofucine, Strain, Manning, and Hardin, 1943, 148, 655 Dinucleotide: Flavin adenine, amino acids and, equilibrium relation, Stadie and Zapp, 1943, 150, 165 Diodrast: Blood and urine, determination, colorimetric, Flox, Pitesky, and 1942, 142, 147 Alving. Dipeptidase(s): Activation, Berger and 1940, 133, 639 Johnson. Chick embryo, Levy and Palmer, 1940, 136, 415

Dipeptidase(s)—continued: Chick embryo, cephalic region, Palmer and Levy, 1940, 136, 629 -- extracts, Palmer and Levy, 1940, 136, 407 Intestine mucosa, Gailey and Johnson, 1941, 141, 921 Dipeptide(s): Racemization, acetylation with ketene, Cahill and Burton, 1940, 132, 161 Diphenylamine: Biological media, levulose determination, use, Corcoran and Page. 1939, 127, 601 Blood levulose determination, use, Corcoran and Page, 1939, 127, 601 Inulin determination, use, Corcoran and Page, 1939, 127, 601 Diphosphoglycerate: Blood, acidified, decomposition, glycolysis Rapoport and Guest, 1939, 129, 781 - cells, rickets, Rapoport and Guest, 1938, 126, 749 Diphosphoglyceric acid: Blood cell electrolyte equilibrium, pyloric obstruction effect, Rapoport and Guest, 1939, 131, 675 Diphosphopyridine: Nucleotide, betaine aldehyde oxidation, effect, Klein and Handler, 1942, 144, 537 determination. manometric. Jandorf, Klemperer, and Hastings, 1941, 138, 311 -, Fusarium fermentation, alcoholic, in vivo, Gould, Tytell, and Jaffe, 1942, 146, 219 -, isolation, Jandorf, 1941, 138, 305 -, reduced, oxidation, milk flavoprotein action, Ball and Ramsdell, 1939, 131, 767 -, stability, tissue, Jandorf, 1943, 150, 89 -, synthesis, Chilomonas paramecium, Hutchens, Jandorf, and Hastings, 1941, 138, 321 Diphosphothiamine: Reduction rate, Barron and Lyman, 1941, 141, 951 Diphtheria: Antitoxin, papain effect, 1942, 144, 607 Petermann,

Intoxication, vitamin C, suprarenals,

1940, 132, 575

relation, Torrance.

Diphtheria bacillus: Glutamic and acids. configuration. aspartic Chargaff, 1939, 130, 29 metabolism, Diving: Seal muscle Scholander, Irving, and Grinnell, 1942, 142, 431 Dog: Cystinuria, Brand, Cahill, and Kassell, 1940, 133, 431 Hess and Sullivan, 1942, 143, 545 1942, 146, 381 1943, 149, 543 Dolphin: Blood water and electrolytes, Eichelberger, Fetcher, Geiling, and 1940, 133, 145 Vos. Milk, Eichelberger, Fetcher, Geiling, 1940, 134, 171 and Vos. Muscle, water and electrolytes, Eichelberger, Geiling, and Vos, 1940, 133, 661 Dopa: Oxidase, mammalian, tyrosinase relation, Hogeboom and Adams, 1942, 145, 273 Drop analysis: Quantitative, Sisco, Cunningham, and Kirk, 1941, 139, 1 Cunningham, Kirk, and Brooks, 1941, 139, 11, 21 Tompkins and Kirk, 1942, 142, 477 Sandkuhle, Kirk, and Cunningham, 1942, 146, 427 Drosophila: v+ hormone, identification, Tatum and Haagen-Smit, 1941, 140, 575 Drying: Biological materials, apparatus, Kaye, Leibner, and Connor, 1940, 132, 195 Dulcitol: Kidney excretion, Smith, Finkelstein, and Smith, 1940, 135, 231 1,2,3,5,6-O-Pentamethyl, synthesis, Tipson and Levene, 1939, 129, 575 Duodenum: Lipids, fat absorption, relation, Reiser, 1942, 143, 109 Duponol: Insulin, solution, ultracentrifuge and diffusion studies, Miller and Andersson. 1942, 144, 475 Dye(s): Basic, tissue nuclei combination, Kelley, 1939, 127, 73 Cell substances, reactions, Kelley, 1939, 127, 55, 73 Tissue nuclei and nucleoproteins, reaction, comparison, Kelley, 1939, 127, 55

E

Earth(s): Rare, succinic dehydrogenasecytochrome system, effect, Horecker, Stotz, and Hogness, 1939, 128, 251 Edestin: Fatty livers, effect, Tucker, Treadwell, and Eckstein, 1940, 135, 85

Solutions, sulfhydryl groups, Greenstein, 1939, 128, 233

Egg: Albumin. See Egg albumin Grasshopper, oil, protyrosinase activators, unimolecular films and fractions, Allen, Boyd, and Bodine,

1942, 143, 785 Proteins, carbohydrate group, *Levene*, 1941, 140, 279

Urechis, respiratory pigment, Horowitz and Baumberger,

1941, 141, 407
Vitamin A, diet effect, Almquist,
Mackinney, and Mecchi,

1943, 150, 99
White, antibiotin factor, isolation,
Woolley and Longsworth,

1942, 142, 285

—, constituent, biotin inactivation, effect, Eakin, Snell, and Williams,

1940, 136, 801

—, injury, curative factor, foodstuffs and yeast, György, 1939, 131, 733

—, —, isolation, György, Kuhn, and Lederer, 1939, 131, 745

-, -, - -, physicochemical properties, Birch and György,

1989, 131, 761

—, protein, injury-producing, concentration and assay, Eakin, Snell, and Williams, 1941, 140, 535

Yolk, fat acids, lecithin and glyceride fractions, Riemenschneider, Ellis, and Titus, 1938, 126, 255

—, phosphorus compounds, formation, Chargaff, 1942, 142, 505

 sac, lipids, chick, changes, Entenman, Lorenz, and Chaikoff,

Egg albumin: Alkylbenzenesulfonate detergents, electrophoresis, Lundgren, Elam, and O'Connell, 1943, 149, 183

Egg albumin—continued:	Electrolyte(s): Blood and muscle, ex-
Denaturation, ultraviolet radiant	change, adrenal insufficiency, Munt-
energy, effect, Bernhart,	wyler, Mellors, Mautz, and Mangun,
1939, 128, 289	1940, 134, 367
Denatured, iodoacetic acid and, reac-	— tendon, exchange, Muntwyler,
tion, Rosner, 1940, 132, 657	Mellors, Mautz, and Mangun,
-, solutions, viscosity, Bull,	1940, 134, 389
1940, 133, 39	 cells, equilibrium, diphospho-
Gelatin and casein interaction at	glyceric acid rôle, pyloric obstruc-
surfaces, Moyer and Moyer,	tion effect, Rapoport and Guest,
1940, 132, 357	1939, 131, 675
Guanidine salts, effect, Greenstein,	-, dolphin, Eichelberger, Fetcher,
1939, 130, 519 Hydrolysis, alkaline, Warner,	Geiling, and Vos, 1940, 133, 145 —, equilibrium, adrenal insufficiency,
1942, 142, 741	Muniwyler, Mellors, and Mautz,
Malonyl, chymotryptic digestion, Ross	1940, 134, 345
	— serum, Sunderman, 1942, 143, 185
and Tracy, 1942, 145, 19 Molecular splitting, ultraviolet	, sodium bicarbonate-induced
radiant energy, effect, Bernhart,	alkalosis, Kirsner, 1942, 145, 219
1939, 128, 289	Body, distribution, dehydration and
- weight, Bernhart, 1940, 132, 189	hydration, nephrectomy effect,
Reducing groups, Hellerman, Chinard,	Chanutin and Ludewig,
and Deitz, 1943, 147, 443	1939, 131, 519
, determination, porphyrindin	Extracellular, muscle, liver, and heart,
use, Brand and Kassell,	depletion effect, Yannet and Darrow,
1940, 133, 437	1940, 134, 721
Solutions, osmotic pressure, Bull,	Heart ventricle, Wood, 1942, 143, 165
1941, 137, 143	Kidney, normal and hydronephrotic,
—, viscosity, Bull, 1940, 133, 39	Eichelberger and Bibler,
Sulfhydryl groups, Anson,	1940, 132, 645
1940, 135, 797	Lung parenchyma, Wood,
Elaidic acid: Storage, Kohl,	1942, 143, 165
1938, 126, 709, 721 Testis phospholipids, absence,	Muscle and blood, exchange, adrenal insufficiency, Muntwyler, Mellors,
Testis phospholipids, absence, Sinclair, 1940, 134, 89	Mautz, and Mangun, 1940, 134, 367
Tissues, disappearance, Kohl,	— — plasma, exchange, Mellors,
1938, 126, 731	Muntwyler, and Mautz,
Elastin: Tissues, various species, Loury,	1942, 144, 773
Gilligan, and Katersky,	-, dolphin, Eichelberger, Geiling, and
1941, 139, 795	Vos, 1940, 133, 661
Electrode: Calcium amalgam, proteins	-, hydronephrosis, potassium salts,
and calcium chloride interaction,	injection effect, Eichelberger,
determination, Joseph,	1941, 140, 467
1938, 126, 389	Tendon and blood, exchange, Munt-
Mercury, dropping, oxidation-reduc-	wyler, Mellors, Mautz, and Mangun,
tion potentials, determination,	1940, 134, 389
Müller, 1942, 145, 425	Tissue, adrenal insufficiency, Darrow,
Electrokinetics: Surface chemistry, Moyer	Harrison, and Taffel,
and Moyer, 1940, 132, 357, 373	1939, 130, 487
Moyer, 1940, 133, 29 Moyer and Gorin, 1940, 133, 605	-, distribution, Manery and Hastings,
Moyer and Gorin, 1940, 133, 605	1939, 127, 657

Endial compound(s): Ninhydrin reaction.

Electrolyte(s)-continued: West and Rinehart. 1942, 146, 105 Tissue, equilibrium, Muntwyler, Mel-Endocrine(s): Ascorbic acid, avitamino-1940, 134, 345 lors, and Mauiz, sis influence, Sure, Theis, and Muntwyler, Mellors, Mautz, and 1940, 134, 367, 389 Harrelson, 1939, 129, 245 Manaun. Lipid metabolism, effect, Entenman. Uterus, estrogenic substance influence, Lorenz, and Chaikoff, Talbot, Lowry, and Astwood, 1938, 126, 133 1940, 132, 1 Lorenz, Chaikoff, and Entenman, Electrophoresis: Convection effects, 1938, 126, 763 1940, 135, 799 Alvarez-Tostado. Elimination maximum: Chemical consti-Entenman, Lorenz, and Chaikoff, 1940, 134, 495 tution influence, Gray and Cawley, Enzyme(s): Acetic acid formation from 1940, 134, 397 Embryo: Chick, aminopeptidase, Levy acetoacetic acid, effect, Lehninger, 1942, 143, 147 and Palmer. 1943, 150, 271 -, chemistry, Palmer and Levy, Action, Truhlar, Drekter, McGuire, 1939, 127, 345 1940, 136, 407 and Falk. Activation, Richards and Hellerman, Levy and Palmer, 1940, 136, 415 1940, 134, 237 Palmer and Levy. 1940, 136, 629 Angiotonin formation from renin and Levy and Palmer, 1943, 150, 271 renin activator, nature, Plentl and -, -, cephalic region, Palmer and 1943, 147, 135 1940, 136, 629 Page, Levy,Asymmetric, synthesis, dl-phenylala- cytochrome oxidase, Albaum and nine resolution, Behrens, Doherty, 1942, 144, 697 Worley, and Bergmann, 1940, 136, 61 -, dipeptidase, Levy and Palmer, Bacterial, preparation, acetylmethyl-1940, 136, 415 -, extracts, dipeptidase, Palmer and carbinol formation from pyruvic acid by, Silverman and Werkman, 1940, 136, 407 1941, 138, 35 -, nicotinic acid synthesis, Dann and Blood nicotinic acid determination, Handler.1941, **140,** 935 -, nitrogen, Levy and Palmer, use, Allinson, 1943, 147, 785 serum cholesterol esters, synthesis 1940, 136, 415 and hydrolysis, Sperry and Stoyanoff, -, weight, Levy and Palmer, 1940, 136, 415 1938, 126, 77 Growth, blood plasma phosphatase, — gonadotropin, pregnancy, effect, Evans and Hauschildt, effect, Weil, 1941, 138, 375 -, - proteolysis, Weil and Russell 1942, 145, 335 Carbon dioxide fixation, oxalacetate, 1938, 126, 245 Krampitz, Wood, and Werkman, Enamel: Fluoride adsorption, radio-1943, 147, 243 active isotope in study, Volker, Co-. See Coenzyme Hodge, Wilson, and Van Voorhis, Cocarboxylase conversion to vitamin 1940, 134, 543 B1, effect, Melnick and Field, Phosphate adsorption, radioactive iso-1939, 127, 531 tope in study, Hodge, Van Huysen. Cytochrome с reduction, Haas, Bonner, and Van Voorhis. Horecker, and Hogness, 1941, 138, 451 1939, 130, 425 Sodium adsorption, radioactive isotope 1940, 136, 747 in study, Hodge, Koss, Ginn, Falken-Desoxyribonucleic acids, dephosheim, Gavett, Fowler, Thomas, Bonphorylation, Schmidt, Pickels, and ner, and Dessauer, 1943, 148, 321

Levene,

1939, 127, 251

Enzyme(s)—continued: Fats, unsaturated, peroxidation, carotene oxidation, relation, Sumner, 1942, 146, 215 Glucose-1-phosphate synthesis, glycogen effect, Cori and Cori, 1939, 131, 397 Glucose-6-phosphate conversion to glycogen, Sutherland, Colowick, and Cori, 1941, 140, 309 d(-)-Glutamic acid, dl-glutamic acid preparation, Fruton, Irving, and Bergmann, 1940, 133, 703 Glutathione hydrolysis, pyrrolidonecarboxylic acid and glutamic acid formation, hydrogen ion concentration effect, Woodward and Reinhart, 1942, 145, 471 Glycogen synthesis from glucose-1phosphate, kinetics, Cori and Cori, 1940, 135, 733 Hexose phosphorylation, adenyl pyrophosphate rôle, Colowick Kalckar, 1943, 148, 117 Histochemistry, Weil and Jennings, 1941, 139, 421 Jones-Dubos, Schmidt and Levene, 1938, 126, 423 distribution, Kidney WeilandJennings, 1941, 139, 421 Lactic acid-racemizing, Clostridium butylicum, Christensen, Johnson, and Peterson, 1939, 127, 421 Liver cell nuclei, isolated, Dounce, 1943, 147, 685 -, fatty acid oxidation, Muñoz and 1943, 147, 355 Leloir. New, Haas, Horecker, and Hogness, 1939, 130, 425 Ontogenesis, rôle, Allen, Boyd, and Bodine.1942, 143, 785 Pasteur, retina, spectrum, Stern and Melnick, 1941, 139, 301 yeast, absorption spectrum, 1941, 141, 269 Melnick, d-Peptides, hydrolysis, Berger, Johnson, and Baumann, 1941, 137, 389 Phosphorylating, muscle extract, Cori, 1939, 127, 771 Colowick, and Cori, Pituitary, follicle-stimulating activity, relation, McShan and Meyer, 1940, 132, 783

Enzyme(s)—continued: Polysaccharide synthesis from glucose by, Colowick and Sutherland, 1942, 144, 423 Preparations, purified, transamination, Cohen, 1940, 136, 565 Proteins, hydrolysis, Bernheim, Neurath, and Erickson, 1942, 144, 259 Proteolytic, histamine and, Rocha e Silva and Andrade, 1943, 149, 9 -, kidney, Fruton, Irving, and Bergmann, 1941, 141, 763 -, spleen, Fruton and Bergmann, 1939, 130, 19 Fruton, Irving, and Bergmann, 1941, 141, 763 —, tissue, Fruton and Bergmann, 1939, 130, 19 Fruton, Irving, and Bergmann, 1941, 138, 249 1941, 141, 763 Irving, Fruton, and Bergmann, 1942, 144, 161 -, tumors, specificity, Fruton, Irving, and Bergmann, 1940, 132, 465 Respiratory, tissue, determination, Schneider and Potter, 1943, 149, 217 DuBois and Potter, 1943, 150, 185 Ribonucleic acid hydrolysis, chemical constitution, relation, Bolomey and Allen. 1942, 144, 113 Sulfur, sulfide, radioactive, conversion to cysteine sulfur, Smythe and 1942, 144, 237 Halliday, Tissue, ascorbic acid deficiency, relation, Harrer and King, 1941, 138, 111 creatine and creatinine, determination, Miller, Allinson, and Baker, 1939, 130, 383 See alsoAdenosinetriphosphatase, Aldolase, etc. Eosin: Biological fluids, chlorides, determination, micro-, Saifer, Hughes, and Scudero, 1941, 141, 495 Epinephrine: Liver phosphorus, acid-

soluble, distribution, effect, Nelson,

1942, 144, 291

Rapoport, Guest, and Mirsky,

See also Adrenalin

Epithelium: Neoplastic, cytochrome c, body mass, relation, Rosenthal and Drabkin. 1943, 150, 131 Equilin: Iso-, A, Hirschmann and Winter-1938, 126, 737 steiner. Δ₆-Iso-, from 7-hydroxyestrone, Pearlman and Wintersteiner, 1940, 132, 605 Equal: 7-Hydroxy-3-(4'-hydroxyphenyl) chroman, identity, Anderson and Marrian. 1939, 127, 649 Equol methyl ether: Racemic, synthesis, Anderson and Marrian, 1939, 127, 649 Ergoline(s): 6.8-Dimethyl-, d-lysergic and dl-lysergic acid transformation, Gould, Craig, and Jacobs, 1942, 145, 487 synthetic, lysergic acid base, comparison, Jacobs and Gould, 1939, 130, 399 Ergot: Alkaloids, Jacobs and Gould, 1938, 126, 67 Jacobs and Craig, 1939, 128, 715 Jacobs and Gould, 1939, 130, 399 Gould, Craig, and Jacobs, 1942, 145, 487 Erythro- α -amino- β , γ -dihydroxy-n-butyric acid: D-, synthesis, Niemann and Nichols, 1942, 143, 191 Erythrocyte: See Blood cell, red Escherichia coli: Growth, atabrine, spermidine and polyamines, effect, Silverman and Evans, 1943, 150, 265 Phosphopyruvate reactions, metal ions, effect, Utter and Werkman, 1942, 146, 289 Esterase: Azol-, blood serum proteins, activity, Glick, Glaubach, and Moore, 1942, 144, 525 Blood, determination, micro-, adenocarcinoma, Troescher and Norris, 1940, 132, 553 Cholesterol, liver and brain, Sperry and Brand. 1941, 137, 377 Cholin-. See Cholinesterase Muscle, Matlack and Tucker, 1940, 132, 663 Tropine, properties, Glick, 1940, 134, 617

Estradiol: α -, estrone and β -estradiol conversion, ovariectomy-hysterectomy effect, Fish and Dorfman, 1942, 143, 15 -, -, conversion, Fish and Dorfman, 1941, 140, 83 -, fate, Heard and Hoffman, 1941, 141, 329 -, metabolism, Heard, Bauld, and Hoffman, 1941, 141, 709 6-Keto-α-, Longwell and Wintersteiner. 1940, 133, 219 Estratrienol-3-one-17: Δ -5,7,9-, urine, pregnancy, isolation, Heard and Hoffman, 1940, 135, 801 1941, 138, 651 Estrin: Blood lipids, fowl, effect, Lorenz, Chaikoff, and Entenman, 1938, 126, 763 Estriol: Color reaction, Bachman, 1939, 131, 463 Estrone conversion in vivo, Pearlman and Pincus, 1942, 144, 569 Estrogenic steroid(s): Estrogenic substances, determination, Kober reaction use, Bachman, 1939, 131, 455 Estrogenic substance(s): Bile, estrone administration effect, Longwell and McKee, 1942, 142, 757 Color test, Kleiner, 1941, 138, 783 Conjugated, urine, pregnancy, hydrolysis, Edson and Heard, 1939, 130, 579 Determination, photometric, Bach-1939, 131, 455, 463 Bachman and Pettit, 1941, 138, 689 Ketonic, ovary, Westerfeld, Thayer, MacCorquodale, and Doisy, 1938, 126, 181 Oxygen in Ring B, Pearlman and Wintersteiner. 1939, 130, 35 1940, 132, 605 Longwell and Wintersteiner. 1940, 133, 219 Solubilities, Doisy, Huffman, Thayer, and Doisy, 1941, 138, 283

Solvents, immiscible,

Mather,

distribution,

1942, 144, 617

Estrogenic substance(s)—continued: Total, determination, estrogenic steroids, Kober reaction use, Bachman, 1939, 131, 455 Urine, estrone administration effect, Longwell and McKee, 1942, 142, 757 -, pregnancy, determination, photometric, Bachman and Pettit, 1941, 138, 689 Uterus electrolytes, influence, Talbot, Lowry, and Astwood, 1940, 132, 1 Estrone: Bile estrogens, administration effect, Longwell and McKee, 1942, 142, 757 α-Estradiol conversion, Fish and Dorf-1941, 140, 83 man, ovariectomy-hysterectomy effect, Fish and Dorfman, 1942, 143, 15 Estriol, conversion, in vivo, Pearlman and Pincus, 1942, 144, 569 7-Hydroxy-, Pearlman and Wintersteiner, 1939, 130, 35 -, Δ6-isoequilin from, Pearlman and Wintersteiner, 1940, 132, 605 7-Keto-, Pearlman and Wintersteiner, 1939, 130, 35 Metabolism, man, Pearlman and Pincus, 1943, 147, 379 Oxidation, hydrogen peroxide in. Westerfeld. 1942, 143, 177 Urine, determination, colorimetric, Talbot, Wolfe, MacLachlan, Karush, and Butler, 1940, 134, 319 - estrogens, administration effect. Longwell and McKee, 1942, 142, 757 Estrone sulfate: Urine, pregnancy, isolation, Schachter and Marrian, 1938, 126, 663 Ethanolamine: Biological relationships, Stetten, 1941, 138, 437 1941, 140, 143 Dietary, liver lipids, effect, Stetten and Grail.1942, 144, 175 Phosphatidyl, brain cephalin, separation, Folch, 1942, 146, 35 -Related compounds, biological relationships, Stetten, 1941, 138, 437

Ethyl alcohol: Blood, determination, Gettler and Umberger,

1942, 143, 633 -,-, colorimetric, Gibson and Blotner. 1938, 126, 551

Metabolism, pyruvate rôle, Westerfeld, Stotz, and Berg, 1942, 144, 657 Urine, determination, colorimetric,

Gibson and Blotner, 1938, 126, 551

Ethyl benzamidomalonate: α-Amino acids, synthesis, use, Redemann and Dunn.1939, 130, 341

Ethylene: Trichloro-, fate, organism, Barrett and Johnston, 1939, 127, 765 Ethylglycine: N-, hippuric acid synthesis,

availability, Abbott and Lewis, 1941, 137, 535

Etioallocholan-3, 17-dione: Androsterone, conversion, Dorfman,

1940, 132, 457

Etioallocholanol-3(β)-17-one: Testosterone conversion, Dorfman and 1940, 135, 349

Urine, isolation, Pearlman,

1940, 136, 807 Etioporphyrin: Iron, nitrogenous bases, coordination, Vestling,

1940, 135, 623 Eukeratin(s): Amino acids, Block,

1939, 128, 181

Evonymus fortunei: Prolycopene and pro-y-carotene. isolation, Zechmeister and Escue, 1942, 144, 321

Excelsin: Solutions, sulfhydryl groups, Greenstein, 1939, 128, 233

Exercise: Blood lactic acid-pyruvic acid ratio, effect, FriedemannandBarborka, 1941, 141, 993

Muscle glycogen resynthesis, effect, Flock and Bollman, 1940, 136, 469

 phospholipid and cholesterol, inheritance and, effect, Bloor,

1940, 132, 77

See also Muscle, Work

Extracellular fluid: Depletion, muscle and blood serum potassium, effect, Miller. 1943, 147, 121

Determination, bromide use, Brodie, Brand, and Leshin, 1939, 130, 555

Extractor: Biological materials, Kaye, Leibner, and Connor, 1940, 132, 195 Extractor-continued:

Fasting-continued:

8-Hydroxybutyric acid disappearance Lipids, Kaye, Leibner, and Sobel, 1941, 138, 643 rate, Deuel, Hallman, Greeley, Butts, and Halliday, 1940, 133, 173 Urine steroids, Hershberg and Wolfe, Ketosis, alkalosis and acidosis effect, 1940, 133, 667 MacKay, Wick, Carne, and Barnum, 1941, 141, 215 1941, 138, 63 Extravascular fluid: Water, blood and, -, diet and liver fat, relation, Macexchange, Flexner, Gellhorn, and Kay, Carne, Wick, and Visscher, 1942, 144, 35 Merrell, 1941, 141, 889 Eyestalk: Crustacean, chromatophoro-Coryell Lactose utilization, andtropic hormone, Abramowitz, 1940, 132, 501 Christman, 1943, 150, 143 Lipids, Hodge, MacLachlan, Bloor, Stoneburg, Oleson, and Whitehead, F 1941, 139, 897 Factor U: Vitamin B6, relation, Stokstad, MacLachlan, Hodge, Bloor, Welch, Manning, and Rogers, Truax, and Taylor, 1942, 143, 473 1940, 132, 463 Liver fat to water relation, effect, Factor V: Determination, Hemophilus MacLachlan, Hodge, Bloor, Welch, influenzae use, Hoagland and Ward, 1942, 143, 473 Truax, and Taylor, 1942, 146, 115 - glycogen and lipids, glucose feed-Synthesis from nicotinic acid, blood ing, effect, Treadwell, Tidwell, and cell, red, effect, Kohn and Klein, 1943, 149, 209 Grafa, 1939, 130, 1 — —, effect, Heymann and Modic, - - - in vitro, blood cell, red, 1939, 131, 297 effect, Kohn and Klein, glycogenesis, effect, McBride, 1940, 135, 685 1943, 147, 333 Tissue, Dann and Kohn, metabolism, anoxia effect, Craig, 1940, 136, 435 1943, 150, 209 See also Nicotinamide, Nicotinic acid - phospholipids, fractionation, effect, Factor W: Pantothenic acid relation. MacLachlan, Hodge, Bloor, Welch, Black, Frost, and Elvehjem, Truax, and Taylor, 1942, 143, 473 1940, 132, 65 phosphorus, acid-soluble, distribu-Vitamin B complex, relation, Frost tion, diet effect, Rapoport, Leva, and Elvehjem, 1939, 128, 23 and Guest, 1943, 149, 65 - Be relation, Black, Frost, and ---, --, effect, Nelson, Rapoport, Elvehjem, 1940, 132, 65 Guest, and Mirsky, 1942, 144, 291 Fasting: Adrenal lipids, effect, Mac-Rapoport, Leva, and Guest, Lachlan, Hodge, and Whitehead, 1943, **149**, 57 1941, 139, 185 water balance, glucose feeding and, Oleson and Bloor, 1941, 141, 349 effect, McBride, 1943, 147, 333 Blood lipids, effect. Entenman, Muscle glycogen effect, Heymann and Changus, Gibbs, and Chaikoff, Modic, 1939, 131, 297 1940, 134, 59 Protein metabolism, effect, Chambers, Carbohydrate metabolism, effect. Chandler, and Barker, Chambers, Chandler, and Barker, 1939, 131, 95 1939, 131, 95 Fat(s): Absorption, Kohl, Fat synthesis, high carbohydrate-high 1938, 126, 709, 721, 731 protein diets, Longenecker, -, adrenals and, Barnes, Miller, and 1939, 128, 645 Burr, 1941, 140, 241

Fat(s)-continued:

Absorption, duodenal lipids, relation, Liver, Marble, Grafflin, and Smith, Reiser. 1942, 143, 109 1940, 134, 253 -, fatty acids, essential, deficiency, -, bromo-substituted fatty acids, Barnes, Miller, and Burr, effect, Artom and Swanson, 1941, 140, 773 1943, 148, 633 Acids, egg yolk, lecithin and glyceride -, carbohydrate synthesis, diabetes, fractions, Riemenschneider, Ellis Stadie, Zapp, and Lukens, 1938, 126, 255 and Titus, 1941, 137, 63 Body, keeping quality, diet effect, choline effect, Handler and Hanson, and Barnes, Lundberg, Bernheim, 1943, 148, 649 1943, 149, 313 -, fasting ketosis, diet relation, Burr,-, rancidity, diet effect, Overman, Mac Kay, Carne, Wick, and Visscher, 1942, 142, 441 1941, 141, 889 -, synthesis, thiamine effect, Mc--, mineral and choline deficiency, Henry and Gavin, 1939, 128, 45 effect, Handler, 1943, 149, 291 —, vitamin B₆ effect, Gavin and transport, adrenals, effect, Barnes, Miller, and Burr, McHenry, 1940, 132, 41 1941, 140, 247 -, vitamin Bs effect, Garin and Butter. See Butter fat Carotene and, oxidation, carotene McHenry,1940, 132, 41 oxidase effect, Sumner and Sumner, -, water and, relation, fasting effect, MacLachlan, Hodge, Bloor, Welch, 1940, 134, 531 Truax, and Taylor, 1942, 143, 473 Cholic acid production, injection -Low diet, cholesterol metabolism, effect, Virtue and Doster-Virtue, effect, Treadwell and Eckstein, 1940, 133, 573 1941, 140, 35 Depot, oleic and linoleic acid relation, Metabolism, biotin effect, Gavin and Longenecker, 1939, 129, 13 McHenry, 1941, 141, 619 Dietary, blood plasma phospholipids, , blood plasma phosphatase, relation, effect, Artom and Freeman, Weil and Russell, 1940, 136, 9 1940, 135, 59 -, liver and pancreas extracts, effect, -, carbon tetrachloride-treated rats, McHenry and Gavin, 1940, 134, 683 fatty acid utilization, effect, Winter, —, — injury effect, Winter, 1942, 142, 17 1939, 128, 283 -, uric acid excretion, effect, Adlers-1940, 135, 123 berg and Ellenberg, 1939, 128, 379 1942, 142, 17 Droplets, cream, surface film composi--, lung, MacLachlan, 1942, 146, 45 tion, Moyer, 1940, 133, 29 -, vitamin B and, McHenry and Feces, fractionation, apparatus, Kaye, Gavin, 1939, 128, 45 Leibner, and Sobel, 1941, 138, 643 Gavin and McHenry, 1940, 132, 41 Hemorrhagic degeneration, effect, McHenry and Gavin, 1941, 138, 471 Griffith, 1940, 132, 639 Neutral, blood, castor bean and -High diet, cholesterol metabolism, pancreatic lipase action, Kelsey, effect, Treadwell and Eckstein, 1939, 130, 199 1941, 140, 35 -, feces, drying and extraction ap-- -, fatty livers, effect, Tucker, paratus, Kaye, Leibner, and Connor, Treadwell, and Eckstein, 1940, 132, 195 1940, 135, 85 -, glycerol, blood, determination, - -, liver fat effect, Tucker and periodate use, Voris, Ellis, and Eckstein, 1938, 126, 117 Maynard,1940, 133, 491

Fat(s)—continued:

Fat(s)-continued:

and Shull,

Rancid, biotin inactivation, Pavcek

Sphingosine, synthesis, Reichel and

1942, 146, 351

Fatty acid(s)-continued:

necker,

Corn oil, Longenecker,

Deposition and utilization, Longe-

1939, 129, 13

1939, 128, 645

Thannhauser, 1940, 135, 15 1939, 129, 13 Synthesis, biotin effect, Gavin and Determination, isotope dilution pro-McHenry. 1941, 141, 619 cedure, Rittenberg and Foster, - from protein, vitamin B effect, 1940, 133, 737 McHenry and Gavin, 1941, 138, 471 Essential, acrodynia, effect, Schneider. -, high carbohydrate-high protein Steenbock, and Platz, 1940, 132, 539 diets, fasting, Longenecker, -, deficiency, fat absorption, Barnes, 1939, 128, 645 Miller, and Burr, 1941, 140, 773 -, liver extract relation, McHenry Esters, unsaturated, heat effect. and Gavin, 1940, 134, 683 Norris, Rusoff, Miller, and Burr, Longenecker, Gavin, and McHenry, 1943, 147, 273 1941, 139, 611 Ketogenic action, MacKay, Wick, and -, pancreas extract relation, McHenry 1940, 135, 183 Barnum, and Gavin, 1940, 134, 683 1940, 136, 503 Longenecker, Gavin, and McHenry, Liver choline oxidase, action, Bern-1941, 139, 611 heim. 1940, 133, 291 thiamine effect. Quackenbush, -, diabetes, ketone body relation, Steenbock, and Platz, 1942, 145, 163 Stadie, Zapp, and Lukens, vitamin B complex relation, 1941, 137, 75 Longenecker, Gavin, and McHenry, replacement rate, Stetten and 1941, 139, 611 Grail. 1943, 148, 509 Unsaturated, peroxidation, enzymic, Low molecular weight, deposition and carotene oxidation, relation, Sumutilization, Longenecker 1942, 146, 215 1939, 130, 167 Fatty acid(s): Absorption, intestinal Methylated, synthesis, Schneider and mucosa, Barnes, Miller, and Burr, Spielman, 1942, 142, 345 1941, 140, 233 Oxidation, liver enzymes, Muñoz and -, portal, Winter and Crandall, Leloir, 1943, 147, 355 1941, 140, 97 Phosphatide, tubercle bacillus, Peck Alcohols, aliphatic, higher, biological and Anderson, 1941, 138, 135 relations, Stetten and Schoenheimer, Storage, linoleic and palmitic acids, 1940, 133, 347 effect, Visscher and Corley, Blood plasma, distribution and char-1943, 147, 291 acterization, Kelsey and Longe-Synthesis, body, linoleic and palmitic necker, 1941, 139, 727 acids, effect, Visscher and Corley, Body, replacement rate, Stetten and 1943, 147, 291 1943, 148, 509 Grail, thiamine effect, Longenecker. Branched chain, ketogenic action, Gavin, and McHenry, 1940, 134, 693 1941, 141, 897 Wick, Tissue, carbon tetrachloride adminis-Bromo-substituted, liver fat, effect, tration, effect, Winter. Artom and Swanson, 1943, 148, 633 1939, 128, 283 Chemistry, Shinowara and Brown, Transport, intestinal mucosa, Barnes, 1940, 134, 331 Miller, and Burr, 1941, 140, 233 Mowry, Brode, and Brown, 1942, 142, 671, 679 Unsaturated, body, behavior, deuterium as indicator, Bernhard and Coconut oil, Longenecker, 1939, 130, 167 Schoenheimer. 1940, 133, 707

Fatty acid(s)—continued: Unsaturated, distillation, fractional, Norris, Rusoff, Miller, and Burr, Granick. 1941, 139, 199 1943, 147, 273 -, hemin and hemoglobin destruction, Haurowitz, Schwerin, and Yenson, 1941, 140, 353 Utilization, carbon tetrachloride administration effect, Winter, Ferritin: Granick, 1940, 135, 123 tetrachloride-treated rats, dietary fat effect, Winter, 1942, 142, 17 Feather(s): Lanthionine isolation, Granick, Horn and Jones, 1941, 139, 473 Fankuchen. Pigmentation, nutritional factor, McGinnis, Norris, and Heuser, 1942, 145, 341 Apo-, Roentgen Feces: Blood determination, colorime-Fankuchen, tric, Andrews and Brooks, 1941, 138, 341 Fat, fractionation, apparatus, Kaye, Leibner, and Sobel, 1941, 138, 643 -, neutral, drying and extraction apparatus, Kaye, Leibner, and Conconversion, 1940, 132, 195 Hemoglobin and heme pigments, determination, Flink and Watson, 1942, 146, 171 magnetic Leucemia. specific substances, preparation, Turner and Miller, 1943, 147, 573 Magnetic Phosphatase, aminoethyl phosphate and β-glycerophosphate hydrolysis by, Bowers, Outhouse, and Forbes, 1940, 132, 675 -, preparation and effect, Chen, Freeman, and Ivy, 1940, 132, 445 Protoporphyrin IX isolation, normal and anemic rats, Schultze, 1942, 142, 89 Metanephros, Tocopherol, Hines and Mattill, 1943, **149,** 549 cvtochrome Zinc excretion, radioactive zinc isotope in study, Sheline, Chaikoff, Jones, and Montgomery, Fibrinogen: Coagulation, Chargaff and 1943, 147, 409 Feed(s): Nicotinic acid, Hale, Davis, Bendich. and Baldwin. 1942, 146, 565 -, thrombin action model, Chargaff See also Food, Foodstuff and Ziff,

Ferric compound(s): Colloidal, magnetic properties, Michaelis, Coryell, and 1943, 148, 463 Ferrihemic acid: Solubility and titration, Morrison and Williams, 1941, 137, 461 Ferriprotoporphyrin: Nitrogenous derivatives, cyanide reaction with, Drabkin, 1942, 142, 855 1942, 146, 451 Granick and Michaelis, 1943, 147, 91 Michaelis, Coryell, and Granick, 1943, 148, 463 1943, 149, 157 1943, 150, 57 Hahn, Granick, Bale, and Michaelis, 1943, 150, 407 diffraction, ray 1943, 150, 57 , spleen, Granick and Michaelis, 1943, 147, 91 Immunological properties, Granick, 1943, 149, 157 Iron, inorganic and hemoglobin iron. biological, Granick, Bale, and Michaelis, 1943, 150, 407 -, storage function, radioactive and measurements. Hahn,Granick, Bale, and Michaelis, 1943, 150, 407 properties, Michaelis, Coryell, and Granick, 1943, 148, 463 Occurrence, Granick, 1943, 149, 157 Roentgen ray diffraction, Fankuchen, 1943, 150, 57 Spleen, properties, Granick, 1942, 146, 451 Fetus: Chorioid plexus, secretion onset, Flexner and Stiehler, 1938, 126, 619 cytochrome oxidaseoxidationsystem, reduction potentials, Flexner, 1939, 131, 703

1943, 149, 93

1941, 138, 787

Fibrinogen-continued: Determination, protamine use, Mylon, Winternitz, and de Sütö-Nagy, 1942, 143, 21 Fibroin: Silk, l-serine isolation, Stein, Moore, and Bergmann, 1941, 139, 481 Film formation: Mechanism, Moyer and 1940, 133, 605 Gorin, Filtrate factor: Jukes. 1939, 128, 35 Vitamin B₂ complex, nature, Mohammad, Emerson, Emerson, and Erans, 1940, 133, 17 Fish: Anemia factor. Simmons and Norris. 1941, 140, 679 Thiamine destruction by substance in, Woolley, 1941, 141, 997 See also Carp, Hagfish, Salmon, Trout Fish liver oil(s): Vitamin A, cyclized, 1939, 128, 187 Embree.Flavianic acid: Arginine determination, use, Vickery, 1940, 132, 325 Pituitary hormone, anterior, folliclestimulating, effect, Jensen andTolksdorf. 1940, 132, 519 Flavin: Adenine dinucleotide, amino acids and equilibrium relation, Stadie and Zapp, 1943, 150, 165 - - synthesis from riboflavin, blood cells, effect, Klein and Kohn, 1940, 136, 177 See also Riboflavin Flavone(s): Determination, Weatherby and Cheng, 1943, 148, 707 Flavoprotein: Catalysis, substituted phenols, effect, Krahl, Keltch, and Clowes, 1940, 136, 563 Milk, diphosphopyridine nucleotide, reduced, oxidation, effect, Ball and Ramsdell, 1939, 131, 767

Yeast, Green, Knox, and Stumpf,

structure, Tipson, Christman, and

Flour: Wheat, Hungarian, carotenoids,

Fluorescein: Dichloro-, biological fluids,

chlorides, determination, micro-

Zechmeister and Cholnoky,

Saifer and Hughes,

Flaxseed: Mucilage,

1941, 138, 775

1939, 128, 609

1940, 135, 31

1939, 129, 273

aldobionic acid

active isotope in study, Volker. Hodge, Wilson, and Van Voorhis. 1940, 134, 543 Folic acid: Succinylsulfathiazole and, growth effect, Nielsen and Elvehjem, 1942, 145, 713 Follicle-stimulating activity: Pituitary, enzyme relation, McShan and Meyer, 1940, 132, 783 Follicle-stimulating hormone: Pituitary, anterior, picric and flavianic acids, effect, Jensen and Tolksdorf, 1940, 132, 519 -, preparation and properties, trypsin digestion, McShan and Meyer, 1940, 135, 473 -, purification, Jensen, Tolksdorf, and Bamman, 1940, 135, 791 -, separation, Greep, van Dyke, and Chow. 1940, 133, 289 Food: Acetone bodies, utilization, nephrectomy and, effect, Mirsky, Nelson, and Grayman, 1939, 130, 179 Pyridoxine determination, Bina. Thomas, and Brown, 1943, 148, 111 Foodstuff(s): Egg white injury curative factor, György, 1939, 131, 733 Riboflavin determination, fluorometric, Hodson and Norris. 1939, 131, 621 Vitamin H, György, 1939, 131, 733 Formalin: Fixation, liver lipids, effect, Halliday, 1939, 129, 65 Formic acid: Casein nutrition rôle, effect, Bennett and Toennies. 1942, 145, 671 Formylglycine: Hippuric acid synthesis, effect, Abbott, 1942, 145, 241 Fructose: Blood, determination, skatole color reaction in, Reinecke, 1942, 142, 487 Intestine, glucose and phlorhizin, effect, Beck, 1942, 143, 403 Metabolism, Blatherwick, Bradshaw, Ewing, and Sawyer, 1940, 136, 615 See also Levulose Fucose: d-, fermentation, colon and

aerogenes bacteria, Field and Poe,

1940, 132, 473

Fluoride: Enamel, dentin, bone, and

hydroxyapatite, adsorption, radio-

201

1940, 132, 357

1940, 134, 627

SUBJECTS Fucose—continued: Gelatin: Amino acids, determination, l-, identification as benzimidazole Bergmann and Stein, 1939, 128, 217 derivative, Dimler and Link, Casein and egg albumin interaction at 1943, 150, 345 surfaces, Moyer and Moyer, Fungus: Pathogenic, chemistry, Peck and Hauser, 1940, 134, 403 Proline, Stein and Bergmann, See also Achlya, Blastomyces, Fusarium, Mold, Monilia Germine: Chemical constitution and Fusarium: Biochemistry, Gould, Tytell, degradation, Craig and Jacobs, and Jaffe, 1942, 146, 219 Fusarium lini: Dehydrogenation mechanism, Goepfert, 1941, 140, 525 Galactose: Blood serum phosphorus, effect, Free and Leonards, 1943, 149, 203 - sugar, effect, Darby and Day, 1940, 133, 503 Gallbladder: Bile, choline, free, Johnston, Irvin, and Walton, 1939, 131, 425 -, desiccated and normal, comparison, Irvin, Merker, Anderson, and John-1939, 131, 439 —, phospholipid, Johnston, Irvin, and Walton, 1939, 131, 425 Gas(es): Analysis apparatus, modified Haldane, Bazett, 1941, 139, 81 Blood, determination, gasometric, micro, Roughton and Scholander, 1943, 148, 541

Scholander and Roughton,

Scholander and Roughton,

liquids,

Tissue, determination, Scholander,

Gastric juice: Peptic activity, deter-

Gaucher's disease: Spleen cerebroside,

glucose-containing, relation, Halli-

day, Deuel, Tragerman, and Ward,

mination, Riggs and Stadie,

manometric, Van Slyke,

paratus, Scholander,

Respiratory,

Solubility,

Edwards, Scholander, and Roughton,

determination,

1943, 148, 551

1943, 148, 565

1943, 148, 573

1942, 146, 159

1939, 130, 545

1942, 142, 427

1943, 150, 463

1940, 132, 171

determination,

ap-

1943, 148, 57 Gizzard: Erosion, chick, bile effect, Almquist and Mecchi, 1938, 126, 407 -, -, chondroitin effect, Bird, Oleson, Elvehjem, and Hart, 1938, 126, 671 Gliadin: Liver fat, effect, Tucker and Eckstein, 1938, 126, 117 Globin(s): Blood, sulfur, total, cystine, methionine, and species differences, Beach, Bernstein, Hummel, Williams, and Macy, 1939, 130, 115 Electrophoresis, Reiner, Moore, Lang, and Green, 1942, 146, 583 -, various species, Munro and Munro, 1943, 150, 427 Heme-, linkage, hemoglobin, Ross, 1939, 127, 169, 179 Ross and Turner, 1941, 139, 603 Solutions, sulfhydryl groups, Green-1939, 128, 233 stein, Globulin(s): Blood serum, determination, Robinson, Price, and Hogden, 1938, 126, 207, 213 - -, -, biuret reaction, Kingsley, 1939, 131, 197 - —, —, colorimetric, Looney and Walsh, 1939, 130, 635 ---, partition, Reineke, Peterson, and Turner, 1939, 128, 1 - -, precipitation by sodium sulfate, Robinson, Price, and Hogden, 1938, 126, 213 — —, separation, Kingsley, 1940, 133, 731 Calcium and, equilibria, Drinker, Green, and Hastings, 1939, 131, 641 Cucurbit seed, amino acids, and nutrition value, Vickery, Smith, Hubbell, and Nolan, 1941, 140, 613

See also Lactoglobulin, Pseudoglobulin

1941, 141, 291

Glomerulus: Protein molecule passage,

Bott and Richards,

Glomerulus-continued: Urine, sodium, Necturus, Bott. 1943, 147, 653 Glucosamine: d-, o-phenylenediamine, reaction. Lohmar and Link. 1943, 150, 351 Growth relation, Rose and Fierke, 1942, 143, 115 Glucose: Absorption, diet effect, Sinclair and Fassina. 1941, 141, 509 intestine mucosa phosphates, Eiler. Stockholm, effect, 1940, 134, 283 Althausen. phosphorus metabolism, effect, 1940, 135, 303 Reiser. -, temperature effect, Rafferty and 1941, 140, 167 MacLachlan, Acetone bodies, utilization, nephrectomy and, effect, Mirsky, Nelson, 1939, 130, 179 and Grayman, Acids from, dental plaque relation, Muntz. 1943, 148, 225 Aerodehydrogenase, antibacterial. Penicillium notatum, Birkinshaw and Raistrick, 1943, 148, 459 Antiketogenic activity, Wick, Mac-Kay, Carne, and Mayfield, 1940, 136, 237 Blood composition, injection effect. Bueding and Goldfarb. 1943, 147, 33 -, determination, micro-, Reinecke, 1942, 143, 351 -. β-hydroxybutyric acid and acetoacetic acid, effect, Stark and Somogyi, 1943, 147, 721 - pantothenic acid, administration effect, Wright, 1942, 142, 445 - pyruvate and lactate, diabetes, effect, Klein, 1942, 145, 35 --- , thiamine deficiency, ingestion effect, Bueding, Stein, and Wortis, 1941, 140, 697 - serum phosphorus, effect, Free and Leonards, 1943, 149, 203 - sugar, temperature effect, Rafferty and MacLachlan, 1941, 140, 167 -Containing cerebroside, spleen, isolation, Halliday, Devel, Tragerman. and Ward. 1940, 132, 171 Glucose—continued:

Determination, titrimetric, micro-. 1943, 147, 281 Humoller, Fate, injection effect, Orten and 1942, 145, 123 Sayers, Fermentation, alkaline solutions. Stark and Somogyi, 1942, 142, 579 -, Streptococcus faecalis, phosphorus transformation, O'Kane andUmbreit. 1942, 142, 25 Glycogen formation, radioactive carbon dioxide and, relation, Vennesland. Solomon. Buchanan, Hastings, 1942, 142, 379 Intestine phosphate, organic, and fructose, effect, Beck, 1942, 143, 403 Ketonemia, ingestion effect, Somogyi, 1942, 145, 575

Ketone-sparing effect, Somogyi and Weichselbaum, 1942, 145, 567 Liver glycogen deposition, effect, MacKay, Wick, and Carne,

1940, 132, 613 - -, fasting effect, Treadwell, Tidwell, and Grafa. 1943, 149, 209 - -, temperature effect, Rafferty and MacLachlan, 1941, 140, 167 lipids, fasting, effect, Treadwell, Tidwell, and Grafa, 1943, 149, 209 - phosphorus, acid-soluble, distribution, fasting, effect, Rapoport, Leva, and Guest. 1943, **149**, 65 - water balance, fasting and, feeding effect, McBride, 1943, 147, 333 Metabolism, Blatherwick, Bradshaw,

Ewing, and Sawyer, 1940, 136, 615

—, Trypanosoma lewisi, carbon dioxide
rôle, Searle and Reiner,

1941, 141, 563

Microorganisms not fermenting, oxidations, Barron and Friedemann,

1941, 137, 593 Mutarotation, pressure effect, Sander, 1943, 148, 311

Oxidation and phosphorylation, Colowick, Welch, and Cori,

Pantothenic acid determination,
Lactobacillus casei use, effect, Stokes
and Martin, 1943, 147, 483

Glucose-continued: Glucuronic acid(s)—continued: Phosphorylation and oxidation, tissue Conjugated, biological formation. extracts, cell-free, Colowick. mechanism, Lipschitz and Bueding, Kalckar, and Cori, 1941, 137, 343 1939, 129, 333 -. kidney extract effect, Colowick, Determination, Maughan, Evelyn, and Welch, and Cori, 1940, 133, 359 Browne, 1938, 126, 567 Polysaccharide synthesis, enzymatic, Glucuronidase: β -, Fishman, from, Colowick and Sutherland, 1939, 127, 367 1942, 144, 423 1939, 131, 225 1940, 136, 229 Protein conversion, pancreatectomy preparation and purification, Fishand phlorhizin effect, Gray, Ivy, and 1939, 127, 367 Cuthbert, 1939, 128, 173 Glucuronide(s): Conjugated, determina-Pyruvic acid formation, ingestion tion, Maughan, Evelyn, and Browne, effect, Bueding, Stein, and Wortis, 1938, 126, 567 1941, 137, 793 -, hydrolysis, factors controlling, Substitution, position 4, Raymond, Fishman. 1939, 131, 225 Tipson, and Levene, 1939, 130, 47 Steroid, urine, Strickler, Shaffer, Wil-Tolerance, diabetes, sodium chloride son, and Strickler, 1943, 148, 251 effect, Orten and Devlin, Glucuronidogenic substance(s): Tissue 1940, 136, 461 β-glucuronidase, effect, Fishman, -, fatty livers, relation, Treadwell, 1940, 136, 229 King, Bebb, and Tidwell, Glutamate: Asparagine-, Bacterium 1942, 143, 203 dysenteriae and microorganisms, -, normal and fatty livers, sexual growth factor, Bovarnick, variation, Devel and Davis, 1943, 148, 151 1942, 146, 649 Glutamic acid: Acetylcholine formation, Urine, β-hydroxybutyric acid and effect, Nachmansohn, John, and acetoacetic acid, effect, Stark and Waelsch. 1943, 150, 485 1943, 147, 721 Somogyi, -Asparagine mixtures, nicotinamide-Glucose-1-phosphate: Blood sugar formasubstance, like determination. tion, rôle, Cori, Cori, and Schmidt, Bovarnick, 1943, 149, 301 1939, 129, 629 Corynebacterium diphtheriae, configura-Glycogen synthesis, enzymatic, Cori tion, Chargaff, 1939, 130, 29 and Cori, 1939, 131, 397 d(-)-, dl-glutamic acid preparation, Fruton, 1940, 135, 733 enzymatic, Irving, and 1940, 133, 703 Bergmann, Liver glycogen synthesis, rôle, Cori. -, polypeptide, formation, Bacillus Cori, and Schmidt. 1939, 129, 629 subtilis, Bovarnick, 1942, 145, 415 Glucose-6-phosphate: Glycogen, conver-Formation, glutathione hydrolysis, sion, enzymatic, Sutherland, Coloenzymatic, kidney extract, hydrogen wick, and Cori, 1941, 140, 309 ion concentration effect, Woodward Glucoside: \(\beta\)-Benzyl-, 2,3-diacetyl, and and Reinhart, 1942, 145, 471 derivatives, Raymond, Tipson, and Hydrogen-carbon linkages, stability, Levene. 1939, 130, 47 Ratner, Rittenberg, and Schoenheimer, 2.4-Dimethyl- β -methyl-, synthesis, 1940, 135, 357 Adams, Reeves, and Goebel, Hydroxy-, milk proteins, Nicolet and 1941, 140, 653 Shinn. 1942, 142, 139 Glucuronic acid(s): Blood, saccharoid Isotopic, glutathione metabolism, relation, Fashena and Stiff, study with, Waelsch and Rittenberg,

1941, 137, 21

1942, 144, 53

Glutamic acid-continued:

Glutathione-continued:

Aspartic acid analogue, synthesis.

l(+)-, oxidation, Hemophilus parain-Miller, Behrens, and du Vigneaud. fluenzae, Klein, 1940, 134, 43 1941, 140, 411 Lactic acid bacteria growth factor, S-p-Bromobenzyl-, N-acetyl-S-p-bro-1942, 143, 655 Pollack and Lindner, mobenzyl-l-cysteine synthesis from. Optical forms, normal and cancer 1940, 132, 781 Stekol. 1941, 138, 225 tissue, Johnson, Growth relation, Stekol, biological. Ornithine conversion, 1939, 127, 131 Roloff, Ratner, and Schoenheimer, Hydrolysis, enzymatic, kidney extract, 1940, 136, 561 pyrrolidonecarboxylic acid Phytomonas tumefaciens, configuraglutamic acid formation, hydrogen 1939, 130, 29 tion, Chargaff, ion concentration effect, Woodward Proteins, malignant tissue, Woodward, and Reinhart, 1942, 145, 471 Reinhart, and Dohan, 1941, 138, 677 Metabolism, ammonia and glutamic Racemization, Arnow and Opsahl, acid, isotopic, study with, Waelsch 1940, 133, 765 1942, 144, 53 and Rittenberg. Johnson. 1940, 134, 459 -, isotopic glycine in study, Waelsch -, heat effect, Arnow and Opsahl, 1941, 139, 761 and Rittenberg, 1940, 134, 649 Tumor tissue, malignant, nature, Oxidized, reduction, electrolytic, and 1939, 130, 435 determination, Dohan and Wood-White and White, Tumors, malignant, Graff, 1939, 129, 393 ward, 1939, 130, 13 Reduced, determination, glyoxalase use, Schroeder and Woodward, Graff, Rittenberg, and Foster, 1940, 133, 745 1939, 129, 283 Glutamine: Formation, seedlings, Glyceraldehyde(s): Acetone-, Baer and 1939, 128, 463, 475, 491 etiolated. Lupinus angustifolius, Fischer, 1941, 140, 397 Vicia atropurpurea, and Cucurbita Glyceraldehyde 1,3-diphosphate: Baer pepo, Vickery and Pucher, and Fischer, 1943, 150, 213 1943, 150, 197 dl-, dimeric, Baer and Fischer, Lactic acid bacteria growth factor, 1942, 143, 563 Pollack and Lindner. Glyceraldehyde phosphate: Phosphoryla-1942, 143, 655 tion, Meyerhof andJunowicz--Like substance. plasma. blood Kocholaty, 1943, 149, 71 Hamilton. 1942, 145, 711 Glyceraldehyde 3-phosphate: dl-, syn-Urine ammonia source, Van Slyke, thesis, Baer and Fischer, Phillips, Hamilton, Archibald, 1943, 150, 223 Futcher, and Hiller, 1943, 150, 481 Glyceric acid: Diphospho-, blood cell Glutaric acid: a-Keto-, synthesis, carbon electrolyte equilibrium, pyloric obdioxide utilization, Evans and Slotin, struction effect, Rapoport and Guest, 1940, 136, 301 1939, 131, 675 Glutaric carboxylase: a-Keto-, tissue, Phospho-, preparation, DuBois and Green, Westerfeld, Vennesland, and Potter. 1943, 147, 41 Knox. 1941, 140, 683 Phosphorylated, blood cells, forma-Glutaric dehydrogenase: a-Keto-, heart, tion, species variation, Rapoport Ochoa, 1943, 149, 577 and Guest, 1942, 143, 671 Glutathione: Waelsch and Rittenberg, Glyceride(s): d(+)-Acetone glycerol, 1941, 139, 761 optically active, synthesis, Baer 1942, 144, 53 and Fischer, 1939, 128, 475

Glycine-continued:

Glyceride(s)—continued: Fractions, egg yolk, fat acids, Riemenschneider, Ellis, and Titus, 1938, 126, 255 Optically active, Baer and Fischer, 1941, 140, 397 Glycerol: d(+)-Acetone, glycerides, optically active, synthesis, Baer and Fischer, 1939, 128, 475 -, preparation, Baer and Fischer, 1939, 128, 463 Blood, determination, periodate use, Voris, Ellis, and Maynard, 1940, 133, 491 Phospho-, acid-soluble, liver, determination, Leva and Rapoport, 1943, 149, 47 Glycerophosphate: β -, hydrolysis, feces and kidney phosphatase, Bowers, Outhouse, and Forbes, 1940, 132, 675 Glycerophosphoric acid(s): β -, α form, conversion mechanism, Chargaff, 1942, 144, 455 $d(+)-\alpha$, $l(-)-\alpha$, and $dl-\alpha$, synthetic, phosphatase action, Baer Fischer, 1940, 135, 321 -, synthesis, Baer and Fischer, 1940, 135, 321 $l(-)-\alpha$ -, biological, synthesis, Baer and Fischer, 1939, 128, 491 Phosphatides, nature, Folch, 1942, 146, 31 Glycine: Acetyl-, hippuric acid synthesis, effect, Abbott, 1942, 145, 241 Antiketogenic activity, Wick, Mac-Kay, Carne, and Mayfield, 1940, 136, 237 Creatine and creatinine excretion, ingestion effect, Hyde, 1940, 134, 95 synthesis, relation, Fisher and Wilhelmi, 1940, 132, 135 Dietary, proteins, body and, interaction, Ratner, Rittenberg, Keston, and Schoenheimer, 1940, 134, 665 N, N-Dimethyl-, hippuric acid synthesis, availability, Abbott and Lewis, 1939, 131, 479 N-Ethyl-, hippuric acid synthesis, availability, Abbott and Lewis, 1941, 137, 535

Formyl-, hippuric acid synthesis, effect, Abbott. 1942, 145, 241 Glycyl-, ionization, aqueous solution, Smith and Smith. 1942, 146, 187 Isotopic, glutathione metabolism. study by, Waelsch and Rittenberg, 1941, 139, 761 Liver glycogen deposition, effect, MacKay, Wick, and Carne, 1940, 132, 613 Metabolism, carbon isotope in study. Olsen, Hemingway, and Nier. 1943, 148, 611 N-Methyl-, hippuric acid synthesis, availability, Abbott and Lewis, 1939, 131, 479 Nutrition, chick, rôle, Hegsted, Briggs, Elvehjem, and Hart, 1941, 140, 191 Phosphorus, inorganic, excretion, ingestion effect, Hyde, 1940, 134, 95 Phospho-12-tungstates, solubility and composition, Van Slyke, Hiller, and Dillon. 1942, 146, 137 Precursors, Abbott and Lewis, 1939, 131, 479 1941, 137, 535 Propionyl-, hippuric acid synthesis, effect, Abbott, 1942, 145, 241 Rice factor, nature, Almquist and Mecchi, 1940, 135, 355 Sarcosine demethylation, biological, relation, Bloch and Schoenheimer, 1940, 135, 99 - -, oxidative, relation, Handler, Bernheim, and Klein, 1941, 138, 211 Vitamin B4 deficiency, chick, effect, Briggs, Luckey, Elrehjem, and Hart, 1943, 150, 11 Glycocyamine: Biological fluids, determination, micro-, Dubnoff and 1941, 138, 381 Borsook. Formation, biological, Borsook, Dubnoff, Lilly, and Marriott, 1941, 138, 405

Liver creatine formation from, neph-

McKinney,

rectomy effect, Bodansky, Duff, and

1941, 140, 365

Glycocyamine-continued:

Liver creatine formation, relation, Borsook and Dubnoff,

1940, 132, 559

Tissue extracts, determination, microDubnoff and Borsook, 1941, 138, 381
Tissues, formation, Borsook and
Dubnoff, 1941, 138, 389
Urine, excretion, Borsook, Dubnoff,
Lilly, and Marriott, 1941, 138, 405
Glycogen: Aphis brassicae, isolation and
properties, Loring and Pierce,

1943, **148,** 35

Corn, injection effect, Morris,

1943, 148, 699
Formation from pyruvate in vitro, radioactive carbon dioxide effect, Buchanan, Hastings, and Nesbett, 1942, 145, 715

 glucose and radioactive carbon dioxide, relation, Vennesland, Solomon, Buchanan, and Hastings,

1942, 142, 379

--. See also Glycogenesis, Glyconeogenesis

Glucose-6-phosphate conversion, enzymatic, Sutherland, Colowick, and Cori, 1941, 140, 309

Hydrolysis, blood amylase, Morris, 1943, 148, 271

Liver, Marble, Grafflin, and Smith, 1940, 134, 253

—, adrenal cortex principles, effect,
 Grattan and Jensen, 1940, 135, 511
 —, age effect, Heymann and Modic,

1939, 131, 297

—, butyric acid oxidation, effect,

Bobbitt and Deuel, 1942, 143, 1
—, deposition, glucose, glycine, and dl-alanine effect, MacKay, Wick, and Carne, 1940, 132, 613

-, -, water relation, Fenn and Haege, 1940, 136, 87

fasting and glucose feeding, effect,
 Treadwell, Tidwell, and Grafa,

1943, 149, 209
—, — effect, Heymann and Modic,
1939, 131, 297

 formation, alanine isomers, effect, MacKay, Wick, and Barnum,

1941, 137, 183

Glycogen-continued:

Liver, d(+)-histidine and l(-)-histidine effect, Featherstone and Berg, 1942, 146, 131

-, hydration, McBride, Guest, and

Scott, 1941, 139, 943

—, dl-lysine monohydrochloride effect,

Sharp and Berg, 1941, 141, 739

—, pituitary adrenocorticotropic hormone effect, Grattan and Jensen.

1940, 135, 511

—, potassium and phosphate relation, Fenn, 1939, 128, 297

 radioactive acetic, propionic, and butyric acids in study, Buchanan, Hastings, and Nesbett,

1943, 150, 413

—, synthesis, glucose-1-phosphate rôle,
Cori, Cori, and Schmidt,

1939, 129, 629

-, temperature effect, glucose and starch administration, Rafferty and MacLachlan, 1941, 140, 167

—, tryptophane, 3-indolelactic acid, 3-indolepyruvic acid, and l(-)kynurenine effect, Borchers, Berg, and Whitman, 1942, 145, 657

-, water relation, McBride, Guest, and Scott, 1941, 139, 943

Macrosiphum pisi, isolation and properties, Loring and Pierce,

1943, 148, 35

Maize seed, Morris and Morris, 1939, 130, 535

Muscle, age and fasting, effect, Heymann and Modic, 1939, 131, 297

—, resynthesis, exercise effect, Flock and Bollman, 1940, 136, 469

Oxidation, brain suspensions, effect, Elliott and Libet, 1940, 136, 797

Storage, diabetes, insulin effect, Pauls and Drury, 1942, 145, 481

Synthesis, enzymatic, from glucose-1-phosphate, Cori and Cori,

1939, 131, 397
--, --, --, kinetics, Cori and Cori,
1940, 135, 733

Glycogenesis: Citric acid relation, Mac-Kay, Carne, and Wick,

1940, 133, 59

Glycogenesis—continued:	Gold: Biological fluids, determination,
Liver, fasting effect, McBride,	micro-, Block and Buchanan,
1943, 147, 333	1940, 136, 379
See also Glycogen, formation	Gonadotropic activity: Pituitary extracts,
Glycol(s): Air, determination, color-	trypsin and ptyalin effect, McShan
imetric, Wise, Puck, and Stral,	and Meyer, 1938, 126, 361
1943, 150, 61	Gonadotropic extract(s): Cysteine and
Glycolic acid: Hippuric acid synthesis,	cyanide effect, Bischoff,
availability, Abbott and Lewis,	1940, 134, 641
1941, 137, 535	Picrate and picrolonate, Bischoff,
Oxidase, Dohan, 1940, 135, 793	1940, 132, 35
Thio-, taurocholic acid production,	Gonadotropic hormone(s): Chorionic,
effect, Virtue and Doster-Virtue,	oxidation-reduction, Bowman,
1939, 128, 665	1941, 137, 2 93
Glycolysis: Blood, diphosphoglycerate	Cysteine effect, Fraenkel-Conrat,
decomposition relation, Rapoport	Simpson, and Evans, 1939, 130, 243
and Guest, 1939, 129, 781	Ketene action, Li, Simpson, and
-, sodium fluoride and sodium iodo-	Evans, 1939, 131, 259
acetate effect, Bueding and Goldfarb, 1941, 141, 539	Urine, pregnancy, Gurin, Bachman,
Brain extracts, Ochoa, 1941, 141, 245	and Wilson, 1939, 128, 525
Carbohydrate metabolism, relation,	1940, 133, 467, 477
Fazekas and Himwich,	Lundgren, Gurin, Bachman, and
1941, 139, 971	Wilson, 1942, 142, 367
Spermatozoa, Lardy and Phillips,	-, -, chemistry, Gurin, Bachman,
1943, 148, 343	and Wilson, 1940, 133, 467
Glyconeogenesis: Kidney, adrenalectomy	-, -, preparation, Gurin, Bachman,
effect, Russell and Wilhelmi,	and Wilson, 1939, 128, 525
1941, 140, 747	-, -, purity, Gurin, Bachman, and
See also Glycogen, formation	Wilson, 1940, 133, 477
Glycoprotein: Blood plasma, mammary	Gonadotropin: Blood serum, pregnancy, enzymes, effect, Evans and Hau-
gland, lactating, utilization,	schildt, 1942, 145, 335
Reineke, Williamson, and Turner,	Chorionic, preparation, Katzman,
1941, 138, 83	Godfrid, Cain, and Doisy,
Hexoses, identification and determina-	1943, 148, 501
tion, carbazole method, Gurin and	Gorgonin: Amino acids, Block and
Hood, 1939, 131, 211	Bolling, 1939, 127, 685
Glycosuria: Phlorhizin, valine metabo-	Gramicidin: d-Amino acids, Lipmann,
lism, Rose, Johnson, and Haines, 1942, 145, 679	Hotchkiss, and Dubos,
Glycylglycine: Ionization, aqueous solu-	1941, 141, 163
tion, Smith and Smith,	Bacteria, metabolism, effect, Dubos,
1942, 146, 187	Hotchkiss, and Coburn,
Glycyl-l-histidine: Synthesis, Hunt and	1942, 146, 421
du Vigneaud, 1939, 127, 43	Chemical nature, Hotchkiss,
Glyoxalase: Coenzymes, Behrens,	1941, 141, 171
1941, 141, 503	Composition, Christensen, Edwards,
Glutathione, reduced, determination,	and Piersma, 1941, 141, 187
use, Schroeder and Woodward,	Properties, Tishler, Stokes, Trenner,
1939, 129, 283	and Conn, 1941, 141, 197

Growth—continued: Granulopenia: Sulfaguanidine effect. Axelrod, Gross, Bosse, and Swingle, Factor, bacteria, Woolley, McDaniel. 1943, 148, 721 and Peterson. 1939, 131, 381 Grasshopper: Egg oil, protyrosinase Hutchings, Bohonos, and Peterson, activators, unimolecular films and 1941, 141, 521 fractions, Allen, Boyd, and Bodine, cartilage, chick, Hegsted, Hier. 1942, 143, 785 Elvehjem, and Hart, 1941, 139, 863 Growth: Acetobacter suboxydans, -, -, nutrition, chick, Hegsted. p-aminobenzoic acid effect, Lampen, Oleson, Elvehjem, and Hart, Underkofler, and Peterson, 1939, 130, 423 1942. **146.** 277 Clostridia, Woolley, McDaniel. l(+) - Amino - N - monomethyltrypto and Peterson, 1939, 131, 381 phane and dl-amino-N-monomethyl- Colpidium campylum, Peterson, tryptophane availability, Gordon, 1942, 146, 537 -, lactic acid bacteria, purification 1939, 129, 309 Aspartic acid effect, Rose and Fierke, and properties, Hutchings, Bohonos, 1942, 143, 115 and Peterson, 1941, 141, 521 Bacterium dysenteriae and microorgan-Lactobacilluscasei, Clarke. isms, asparagine-glutamate effect, Lechycka, and Light, 1942, 142, 957 Bovarnick, 1943, 148, 151 Pollack and Lindner, Benzpyrene effect, White and White, 1943, 147, 183 1939, 131, 149 -, - -, chick nutrition, relation, Betaine effect, chick, Almquist and Bohonos, Hutchings. Hegsted, 1943, 149, 575 Grau. Elvehjem, and Peterson, Biotin succinvlsulfathiazole. 1941, 140, 681 and effect, Nielsen and Elvehjem, -, -, isolation, Stokstad, 1942, 145, 713 1941, 139, 475 Brain lipids, deposition and metabo--, - -, properties, Stokstad, lism, effect, Waelsch, Sperry, and 1943, 149, 573 Stouanoff. 1941, 140, 885 Folic acid and succinylsulfathiazole, Calcification, protein intake relation. effect, Nielsen and Elvehjem, Conner, Kao, and Sherman, 1942, 145, 713 1941, 139, 835 Glucosamine effect, Rose and Fierke, Casein and casein digest effect, Mueller, 1942, 143, 115 Kemmerer, Cox, and Barnes, Glutathione relation, Stekol, 1940, 134, 573 1939, 127, 131 Casein-low diet, bromobenzene and Histidine utilization, optical isomerism naphthalene relation, Stekol, influence, Totter and Berg, 1939, 127, 131 1939, 127, 375 Cystine effect, Womack and Rose, Hormone, pituitary, anterior, purifica-1941, 141, 375 tion, Marx, Simpson, and Evans, $N - (\alpha, \gamma - Dihydroxy - \beta, \beta - dimethyl -$ 1943, 147, 77 butyryl)taurine effect, Snell, Iodoacetic acid effect, Stevenson and 1941, 141, 121 1940, 134, 709 α-N-Dimethyllysine Lactic acid bacteria, glutamine and availability, Gordon. 1939, 127, 487 glutamic acid effect, Pollack and Escherichia coli, atabrine, spermidine, Lindner, 1942, 143, 655 and polyamines, effect, Silverman, ----, manganese relation, Woolley, and Evans, 1943, 150, 265 1941, 140, 311

Growth—continued:	Growth—continued:
Lysine utilization, optical isomerism	Yeast extract supplement, effect,
influence, Totter and Berg,	Jukes, 1940, 133, 631
1939, 127, 375	See also Rice factor
Mesolanthionine effect, cystine-defi-	Guanidine salt(s): Egg albumin, effect,
cient diet, Jones, Divine, and Horn,	Greenstein, 1939, 130, 519
1942, 146, 571	Guanidinuria: Greenblatt, 1941, 137, 791
Metabolism, Rhizobium, Hoover and	Guanidoacetic acid: Dietary, liver lipids,
Allison, 1940, 134, 181	effect, Stetten and Grail,
Methionine effect, Womack and Rose,	1942, 144, 175
1941, 141, 375	Guanine: Determination, Hitchings,
Methylcholanthrene effect, White and	1941, 139, 843
White, 1939, 131, 149	Guinea pig: Dietary essentials, Woolley,
N-Methyltryptophane, acetyl, effect,	1942, 143, 679 Gulonic acid: 2-Keto-l-, antiscorbutic
Gordon, Cahill, and Jackson,	
1939, 131, 189	properties, <i>Ball</i> , 1940, 134, 177
α -N-Monomethyllysine availability,	H
Gordon, 1939, 127, 487	Hagfish: Slime, protein, fibrous, Ferry,
Muscle, retardation effect, Lowry,	1941, 138, 263
McCay, Hastings, and Brown,	Hair: Amino acids, Block,
1942, 143, 281	1939, 128, 181
Nicotinamide effect, Handler and	Lanthionine isolation, Horn and Jones,
Dann, 1942, 146, 357	1941, 139, 473
Nutrition effect, Lanford, Campbell,	See also Achromotrichia, Alopecia
and Sherman, 1941, 137, 627	Hardwood: Hemicelluloses, origin and
Pantothenic acid effect, Snell,	composition, Anderson, Seeley,
1941, 139, 975	Stewart, Redd, and Westerbeke,
1941, 141, 121	1940, 135, 189
Phosphorus-deficient diet, effect,	Heart: Alkalosis effect, Yannet,
Day and McCollum, 1939, 130, 269	1940, 136, 265
Pyrene effect, White and White,	Creatine and collagen, Alburn and
19 3 9, 1 31, 149	Myers, 1939, 131, 713
Substance, plant, tryptophane con-	α-Ketoglutaric dehydrogenase, Ochoa,
version, alkalinity effect, Gordon	1943, 149, 577
and Wildman, 1943, 147, 389	Phospholipid, serologically active, iso- lation and purification, Pangborn,
Succinylsulfathiazole and folic acid	1942, 143, 247
and biotin, effect, Nielsen and	Phosphorus, Alburn and Myers,
Elvehjem, 1942, 145, 713	1939, 131, 713
Sulfaguanidine effect, Black, Overman,	Ventricle electrolytes, Wood,
Elvehjem, and Link, 1942, 145, 137	1942, 143, 165
Sulfur-containing compounds, utiliza-	See also Muscle
tion, Rose and Rice, 1939, 130, 305	Hematopoietic activity: Bone marrow,
Tryptophane utilization, optical iso-	copper, relation, Schultze,
merism influence, Totter and Berg,	1941, 138, 219
1939, 127, 375	Hematoporphyrin(s): Iron, nitrogenous
l(-)-Tryptophane availability,	bases, coordination, Davies,
Gordon, 1939, 129, 309	1940, 135, 597

Heme(s): -Globin linkage, hemoglobin, Hemocvanin-continued: 1939, 127, 169, 179 -Containing marine organisms, suc-Ross and Turner, 1941, 139, 603 dehydrogenase. BallMeyerhof. 1940, 134, 483 Hemoglobin and derivatives, acid Limulus polyphemus, osmotic pressure, structure, Coryellgroups. andmolecular weight, and dissociation. 1940, 132, 769 Pauling, Burk.1940, 133, 511 Pigments, feces, urine, and blood Hemoglobin(s): Absorption spectrum, plasma, determination, Flink and Horecker, 1943, 148, 173 Waison. 1942, **146,** 171 Blood cell, red, density and, relation, Hemic acid: Ferri-, solubility and Ponder, 1942, 144, 333 titration, Morrison and Williams, - -, -, iron, radioactive, Miller 1941, 137, 461 and Hahn, 1940, 134, 585 Cottonseed hulls. Hemicellulose(s): -, diurnal variations, McCarthy and Anderson, Hechtman, and Seeley, Van Sluke. 1938, 126, 175 1939, 128, 567 - plasma, determination, Flink and Cottonwood, Anderson, Kaster, and 1942, 146, 171 1942, 144, 767 Watson, Seeleu. Carbon monoxide, analysis, Ross and Forage plants, Bennett, 1942, 146, 407 Hardwood, origin and composition, Turner, 1941, 139, 603 derivatives, chemical constitu-Anderson, Seeley, Stewart, Redd, and tion, Drabkin, 1942, 146, 605 1940, 135, 189 Westerbeke, Cephalin and, reaction, Chargaff, Polyuronide, white pine, Anderson, Ziff, and Hogg, 1939, 131, 35 Kesselman, and Bennett, Crystalline, iron, Bernhart and Skeggs, 1941, 140, 563 1943, 147, 19 Catalase inhibition, effect, Hemin: Cyanide derivatives, chemical consti-Sevag, Shelburne, and Ibsen, tution, Drabkin, 1942, 146, 605 1942, 144, 711 Derivatives, spectrophotometric con-Derivatives. absorption spectrum, Horecker. 1943, 148, 173 stants, Drabkin, 1941, 140, 373 -, heme acid groups, structure, Destruction, fatty acids, unsaturated, Coryell and Pauling, 1940, 132, 769 oxygen, effect, Haurowitz, Destruction, fatty acids, unsaturated, Schwerin, and Yenson, 1941, 140, 353 and oxygen, effect, Haurowitz. Schwerin, and Yenson, Iron determination, micro-, Drabkin, 1941, 140, 353: 1941, 140, 387 Non-, iron, determination, Brückmann Determination, hematin methods, errors, Ponder, 1942, 144, 339 and Zondek. 1940, 135, 23 Solubility and titration, Morrison and Dried, oxygen uptake, Hisey and Morrison, 1939, 130, 763; Williams, 1941, 137, 461 determination, Spirographis, oxidation-reduction Feces. Flink and potentials, Barron, 1940, 133, 51 Watson. 1942, 146, 17E Hemochromogen(s): Spirographis, oxida-Heat of oxygenation, Wyman, 1939, 127, 581 tion-reduction potentials, Barron, 1940, 133, 51 Heme acid groups, structure, Coryell 1940, 132, 769 Hemocyanin: Blood serum, arthropods, and Pauling. Allison and Cole, 1940, 135, 259 Heme-globin linkage, Ross, 1939, 127, 169, 179 -Containing marine organisms, iron-Ross and Turner, 1941, 139, 603 perphyrin compounds, Ball and Meyerhof, 1940, 134, 483 Histidine, Vickery, 1942, 144, 719

Hemoglobin(s)-continued:

Hemophilus parainfluenzae: l(-)-Aspar-Inactive, blood, Ammundsen, tic and l(+)-glutamic acid oxidation, 1941, 138, 563 Klein. 1940, 134, 43 Iron, ferritin iron, conversion, biologi-Nicotinamide-containing nutrilites, cal, Hahn, Granick, Bale, and effect, Schlenk and Gingrich, 1943, 150, 407 Michaelis. 1942, 143, 295 Methemoglobin-, system, oxidation-Hemorrhage: Anemia. McKibbin, reduction potentials, Taylor and Schaefer, Elvehjem, and Hart, 1939, 131, 649 Hastings, 1942, 145, 107 -, -, urea solution, oxidation-reduc-Anti-, activity, 2-methyl-1, 4-naphthotion potentials, Taylor, quinone, Almquist and Klose, 1942, 144, 7 1939, 130, 787 -Oxygen equilibrium, Altschul and -, compounds, preparation, Fieser, 1939, 129, 315 Hogness, 1940, 133, 391 Oxygen-, equilibrium, urea solution, -, vitamin K1 and 2-methyl-1,4-naphthoquinone, comparison, Emmett, Taylor and Hastings, 1942, 144, 1 Brown, and Kamm, 1940, 132, 467 Pancreatic digestion, Ross and Turner, Cholesterol effect, Griffith, 1941, 139, 603 1940, 132, 639 Preparation and properties, Altschul, Choline, cystine, and methionine, Sidwell, and Hogness, interrelationship, Griffith and Wade, 1939, 127, 123 1940, 132, 627 Production, vitamin D effect, Fuhr and Choline-low diet effect, Griffith and Steenbock, 1943, 147, 65 Wade. 1939, 131, 567 Protoporphyrin IX from, purification, Concentrates, sweet clover, determi-Grinstein and Watson, nation, blood plasma prothrombin use in, Campbell, Smith, Roberts, 1943, 147, 667 Pseudo-, blood cells, red, differentiaand Link, 1941, 138, 1 tion by, Barkan and Walker, - -, preparation, Campbell, 1940, 135, 803 Roberts, Smith, and Link, -, iron, determination, o-phenanthro-1940, 136, 47 line use, Barkan and Walker, Cystine and fat effect, Griffith, 1940, 135, 37 1940, 132, 639 Pyridine derivatives, chemical consti-Kidney, choline effect, Patterson and McHenry, tution, Drabkin, 1942, 146, 605 1942, 145, 207 Reactions, Wyman and Ingalls, Shock, tissue metabolism, effect, Beecher and Craig, 1941, 139, 877 1943, 148, 383 pyrrole-containing Sweet clover, agent, isolation and Synthesis. ments, relation, Kohler, Elvehjem, crystallization, Campbell and Link, 1941, 138, 21 and Hart, 1939, 128, 501 —, —, synthesis, Stahmann, Tissue extracts and solutions, turbid, 1941, 138, 513 Huebner, and Link, determination, Cohn, 1943, 148, 219 Huebner and Link, 1941, 138, 529 Urine. determination, Flink and — disease, Campbell, Roberts, Watson. 1942, 146, 171 Smith, and Link, 1940, 136, 47 See also Carboxyhemoglobin, Methe-Campbell, Smith, Roberts, and Link, moglobin, Oxyhemoglobin, 1941, 138, 1 hemoglobin Campbell and Link, 1941, 138, 21 Hemophilus influenzae: Factor V deter-Stahmann, Huebner, and Link, mination, use in, Hoagland and 1941, 138, 513 Ward, 1942, 146, 115

Hemorrhage-continued:

Hexokinase: System, activator, Colo-

Sweet clover disease, Huebner and wick and Kalckar, 1941, 137, 789 Hexosamine(s): Methylation, Levene, Link, 1941, 138, 529 Overman. Stahmann, Sullivan. 1941, 137, 29 Huebner, Campbell, and Link, Uncombined, pineapple plants, am-1942, 142, 941 monium sulfate or calcium nitrate Overman, Stahmann, and Link, effect, Sideris, Young, and Krauss, 1942, 145, 155 1938, 126, 233 Baumann, Field, Overman, and Link, Hexose(s): Brain phospholipid formation 1942, 146, 7 in vitro, radioactive phosphorus in Link, Overman, Sullivan, Huebner, study, effect, Schachner, Fries, and and Scheel, 1943, 147, 463 Chaikoff, 1942, 146, 95 Heparin: Barium salt, active, prepara-Glycoproteins. identification tion and fractionation, Kuizenga determination, carbazole method. and Spaulding, 1943, 148, 641 Gurin and Hood, 1939, 131, 211 Blood coagulation, action, Ziff and Phosphorylation, adenvl enzyme, 1940, 136, 689 Chargaff, pyrophosphate rôle, Colowick and Complement, blood plasma, electro-Kalckar. 1943, 148, 117 phoresis study, Chargaff, Ziff, and Polysaccharides, identification and de-Moore. 1941, 139, 383 termination. carbazole method. Mammals, Jaques, Waters, and Charles, Gurin and Hood, 1939, 131, 211 1942, 144, 229 Hexosediphosphatase: Gomori, Thromboplastic factor and, reaction, 1943, 148, 139 Chargaff, Ziff, and Cohen, Hexose diphosphate: Preparation, 1940, 136, 257 DuBois and Potter, 1943, 147, 41 1940, 133, 445 Heparinase: Jaques, Hexose monophosphate: Preparation, Hepatectomy: Phospholipid formation DuBois and Potter. 1943, 147, 41 site, radioactive phosphorus in Hexuronic acid: Benzimidazole derivastudy, Fishler, Entenman, Monttive, identification, Lohmar, gomery, and Chaikoff, 1943, 150, 47 Dimler, Moore, and Link, Heptanoic acid: 2-Methyl-, 4-methyl-1942, 143, 551 nonanoic acid, configurational rela-Hippuric acid: Formation, nitrogen isotionship, Levene and Kuna, tope use, Rittenberg and Schoen-1941, 140, 255 1939, 127, 329 heimer, Hetasine: Aconitum heterophyllum, isoderivatives, hip-Ring-substituted lation, Jacobs and Craig, puricase action, Ellis and Walker, 1942, 143, 605 1942, 142, 291 Heteratisine: Aconitum heterophyllum, Synthesis, betaine availability, Abbott Jacobs and Craig. 1942, 143, 605 and Lewis. 1939, 131, 479 Benzoyl, Aconitum heterophyllum, -, biological, in vitro, Borsook and Jacobs and Craig, 1943, 147, 571 1940, 132, 307 Dubnoff, Hexitol(s): Kidney excretion, Smith, -, N, N-dimethylglycine availability, Finkelstein, and Smith, Abbott and Lewis, 1939, 131, 479 1940, 135, 231 -. N-ethylglycine and glycolic acid Metabolism, Johnston and Deuel, availability, Abbott and Lewis, 1943, 149, 117 1941, 137, 535 O-Methylated, partially, Levene and -, formylglycine, acetylglycine, and 1939, 127, 49 Kuna, Tipson and Levene. 1939, 129, 575 propionylglycine effect, Abbott, 1942, 145, 241 1939, 130, 235

Histidine—continued: Hippuric acid—continued: Preparation, 3,4-dichlorobenzenesulf-Synthesis. N-methylglycine availonic acid use, Vickery, ability, Abbott and Lewis, 1942, 143, 77 1939, 131, 479 Urine, determination, Langley, Hippuricase: Hippuric acid ring-sub-1941, 137, 255 stituted derivatives, action, Ellis -, pregnancy, Langley, and Walker, 1942, 142, 291 1941, 137, 255 Histaminase: Diamine deamination, oxi-Utilization, growth, optical isomerism dative, effect, Stephenson, influence, Totter and Berg, 1943, **149**, 169 1939, 127, 375 Histamine-, reaction, oxygen con-Homocysteine: S-(β-Amino-β-carboxysumption, Laskowski, ethyl)-, synthesis, Brown and du 1942, 145, 457 Vigneaud, 1941, 137, 611 Histamine: Enzymes, proteolytic, and, ll-S-(β -Amino- β -carboxyethyl)-, cys-Rocha e Silva and Andrade. teine formation, liver, Binkley, 1943, 149, 9 Anslow, and du Vigneaud, -Histaminase reaction, oxygen con-1942, 143, 559 sumption, Laskowski, -, diet, cystine replacement, effect, 1942, 145, 457 du Vigneaud, Brown, and Chandler, Liberation, papain effect, Rocha e 1942, 143, 59 Silva and Andrade, 1943, 149, 9 -, synthesis, du Vigneaud, Brown, Histidine: α-Amino group activity, and Chandler, 1942, 143, 59 animals, Schoenheimer, Rittenberg, d-, benzyl derivatives, optical inverand Keston, 1939, 127, 385 sion in vivo, du Vigneaud, Wood, γ-Aminobutyryl-l-, synthesis, Hunt and Irish. 1939, 129, 171 and du Vigneaud. 1939, 127, 43 Dietary, liver lipids, effect, Stetten Aspartyl-, Greenstein and Klemperer, and Grail, 1942, 144, 175 1939, 128, 245 Liver cysteine formation from, Binkley Creatine and creatinine excretion, and du Vigneaud, 1942, 144, 507 ingestion effect, Hyde, Taurocholic acid production, effect, 1940, 134, 95 Virtue and Doster-Virtue, d(+)-, liver glycogen, effect, Feather-1939, 128, 665 stone and Berg, 1942, 146, 131 Thiolactone. ring opening, Determination, Block, 1940, 133, 67 Vigneaud, Patterson, and Hunt, Glycyl-l-, synthesis, Hunt and du 1938, **126,** 217 1939, 127, 43 Vigneaud, Urine cystine, cystinuria, effect, Hemoglobin, Vickery, 1942, 144, 719 Hess and Sullivan, 1943, **149**, 543 l(-)-, liver glycogen, effect, Feather-Homocystine: Choline and, relation, stone and Berg, 1942, 146, 131 Welch, 1941, 137, 173 -, metabolism, Remmert and Butts. Metabolism, cystinuria, Lough, Peril-1942, 144, 41 stein, Heinen, and Carter, physical properties, Dunn, Frieden, 1941, 139, 487 Stoddard, and Brown. Methionine replacement by, choline 1942, 144, 487 and betaine effect, comparison, Metabolism, intermediary, urocanic Chandler and du Vigneaud, acid, relation, Darby and Lewis, 1940, 135, 223

1942, 146, 225

1940, 134, 95

Phosphorus, inorganic, excretion, in-

gestion effect, Hyde,

-, - effect, du Vigneaud,

1939, 131, 57

Chandler, Moyer, and Keppel,

Homocystine—continued:

Methionine replacement by, vitamin

B complex supplement, relation, du

Hydrogen-continued:

Tissue transport mechanism, Potter,

1940, 134, 417

Vigneaud, Dyer, and Kies, Lockhart and Potter. 1941, 137, 1 Potter, 1941, 137, 13 1939, 130, 325 1941, 141, 775 Urine cystine, cystinuria, effect, Hess Potter and Schneider, and Sullivan, 1943, 149, 543 1942, 142, 543 Homogentisic acid: Excretion, vitamin C Water and, exchange reaction, biologideficiency effect, Sealock and Silbercal catalysis, Hoberman and Rittenstein. 1940, 135, 251 1943, 147, 211 berg, Hormone(s): A, Achlya bisexualis, Raper Hydrogenase: Azotobacter extracts, Lee, 1942, 143, 311 and Haagen-Smit, Wilson, and Wilson, 1942, 144, 273 Steroid, metabolism, Fish and Dorf--, properties, Wilson, Lee, and Wilson, 1941, 140, 83 man. 1942, 144, 265 1942, 143, 15 Nitrogen fixation, symbiotic, and, Fish, Dorfman, and Young, Wilson, Burris, and Coffee, 1942, 143, 715 1943, 147, 475 See also Sex, hormones Hydrogen ion concentration: Blood, Horn: Amino acids, Block, carbohydrate storage and mobiliza-1939, **128,** 181 tion, effect, Guest and Rawson, Hura crepitans: Protease, Jaffé, 1941, 139, 535 1943, 149, 1 - cell, red, determination, spectro-1943, 149, 1 Hurain: Jaffé, photometric, Drabkin and Singer, Hyaluronic acid: Pleural fluid, tumor, 1939, 129, 739 malignant, relation, Meyer and Intestine, calcium and phosphorus Chaffee, 1940, 133, 83 utilization, relation, Jones, Hydration: Body water and electrolytes, 1942, 142, 557 distribution, nephrectomy effect, -, factors affecting, Robinson, Luckey, Chanutin and Ludewig, and Mills. 1943, 147, 175 1939, 131, 519 Lactobacillus casei growth, vitamin Hydrocarbon(s): Branched chain, monodetermination, Silber and Mushett, layers, Stenhagen and Ställberg, 1942, 146, 271 1941, 139, 345 Hydrogen peroxide: Bacterial cultures, Ställberg and Stenhagen, determination, Main and Shinn, 1942, 143, 171 1939, 128, 417 Ställberg-Stenhagen and Stenhagen, Casein nutrition rôle, effect, Bennett 1943, 148, 685 and Toennies. 1942, 145, 671 Cevine dehydrogenation. nature. Estrone oxidation by, Westerfeld, Craig, Jacobs, and Lavin, 1942, 143, 177 1941, 139, 277 Methionine determination, use, Toend-phenylamino-Hydrogen: Isotope, nies and Callan, 1939, 129, 481 butyric acid inversion and l-phenyl-Peroxidase-, complex, Abrams, aminobutyric acid acetylation, use Altschul, and Hogness, in study, du Vigneaud, Cohn, Brown, 1942, 142, 303 Irish, Schoenheimer, and Rittenberg, Hydrogen sulfide: Production, liver 1939, 131, 273 cysteine and cystine utilization. Nitrogen fixation, symbiotic, effect, relation, Smythe, 1942, 142, 387 Wilson, Lee, and Wyss, Radioactive sulfur-containing, Tarver 1941, 139, 91 and Schmidt. 1942, 146, 69 215

SUBJECTS Hydrolecithin: -Containing cerebroside, Cysticercus larvae, LesukAnderson, 1941, 139, 457 Hydronephrosis: Muscle water and electrolytes, effect, Eichelberger, 1941, 140, 467 Water and electrolytes, Eichelberger and Bibler, 1940, 132, 645 Hydroxyamino acid(s): O-Acetyl derivatives, preparation, Sakami and Toennies. 1942, 144, 203 Activity, aqueous solution, Smith and Smith, 1940, 132, 57 Ionization, aqueous solution, Smith, Gorham, and Smith, 1942, 144, 737 Methylation, betaine formation, Dakin, 1941, **140,** 847 Silk proteins, Nicolet and Saidel, 1941, 139, 477 Hydroxyapatite: Fluoride adsorption, radioactive isotope in study, Volker, Hodge, Wilson, and Van Voorhis, 1940, 134, 543 Phosphate adsorption, radioactive isotope in study, Hodge, Van Huysen, Bonner, and Van Voorhis, 1941, 138, 451 Sodium adsorption, radioactive isotope in study, Hodge, Koss, Ginn, Falkenheim, Gavett, Fowler, Thomas, Bonner, and Dessauer, 1943, 148, 321 Hydroxy- γ -benzylthiobutyric acid: dl- α -, 1941, 140, 827 metabolism, Stekol,

Hydroxy- β -benzylthiopropionic acid: land dl- α -, metabolism, Stekol,

1941, 140, 827 Hydroxybutyric acid: β -, acetoacetic acid and, blood and urine, glucose effect, Stark and Somogyi,

1943, 147, 721

-, - -, blood and urine, insulin effect, Stark and Somogyi,

1943, 147, 731 –, – – –, blood and urine, relationship, Stark and Somogyi,

1943, 147, 319 - -, ratio, blood and urine, Primates, Friedemann,

1942, 142, 635

Hydroxybutyric acid—continued:

β-, concentration and utilization rate, relation, Nelson, Grayman, and Mirsky, 1941, 140, 361

-, determination, Blunden, Hallman, Morehouse, and Deuel,

1940, 135, 757 -, disappearance rate, Deuel, Hallman, Greeley, Butts, and Halliday, 1940, 133, 173

-, mammary gland, lactating, utilization, Shaw and Knodt,

1941, 138, 287

Shaw and Petersen, 1943, 147, 639 -, utilization, concentration effect, Wick and Drury, 1941, 138, 129

Hydroxycholesterol: $7(\beta)$ -, blood serum, pregnancy, isolation, Wintersteiner and Ritzmann, 1940, 136, 697

 —, Δ⁶-cholestenediol-3(β),5, relation, Bergström and Wintersteiner,

1942, 143, 503

Pearlman Hydroxyestrone: and Wintersteiner, 1939, 130, 35

—, Δ₆-isoequilin from, Pearlman and Wintersteiner. 1940, 132, 605

Hydroxyglutamic acid: Milk proteins, 1942, 142, 139 Nicolet and Shinn, Hydroxy group(s): Amino acids, acetyla-

tion, Sakami and Toennies,

1942, 144, 203

-, determination, Toennies and 1942, 144, 219 Kolb. Hydroxy-3-(4'-hydroxyphenyl) chroman:

7-, equal, identity, Anderson and 1939, 127, 649 Marrian,

Catalase inhibition, Hydroxylamine: effect, Sevag, Shelburne, and Ibsen, 1942, 144, 711

Hydroxylaminobenzenesulfonamide: p-, catalase inhibition, effect, Sevag, Shelburne, and Ibsen, 1942, 144, 711 Hydroxylysine: Van Slyke, Hiller, Mac-

Fadyen, Hastings, and Klemperer, 1940, 133, 287

Dissociation constants, Klemperer, Hastings, and Van Slyke,

1942, 143, 433

Hydroxylysine-continued:

Proteins, determination, Van Slyke, Hiller, and MacFadyen,

1941, 141, 681

Hydroxyprogesterone: 17-, adrenals, isolation, Pfiffner and North,

1941, 139, 855

17-β-, Pfiffner and North,

1940, 132, 459

Hydroxy-Δ⁵-steroid(s): 3-, determination, polarographic, Hershberg,
 Wolfe, and Fieser, 1941, 140, 215

Hypaphorine: Derivatives, properties,

Cahill and Jackson, 1938, 126, 627

Ester, racemization, Cahill and
Jackson, 1938, 126, 627

Hypertension: Renal, blood pressure reduction, kidney extracts, effect, Grollman, Williams, and Harrison, 1940, 134, 115

Hyperthyroidism: Tissue coenzyme I, Katzenelbogen, Axelrod, and Elvehjem, 1941, 141, 611

Hypervitaminosis: D₂ and D₃, dietary calcium, phosphorus, and vitamin A effect, Morgan, Shimotori, and Hendricks, 1940, 134, 761

Hypoglycemia: Insulin, pituitary adrenocorticotropic hormone and adrenal cortex principles, effect, Grattan and Jensen, 1940, 135, 511 —, tissue lipids, effect, Randall,

1940, 133, 129

Hypophysectomy: Blood serum inorganic phosphate and alkaline phosphatase, effect, Jones and Shinowara,

1942, 142, 935

Hypoproteinemia: Blood plasma amino acid retention, liver function, relation, Goettsch, Lyttle, Grim, and Dunbar, 1942, 144, 121

Hypoprothrombinemia: Salicylic acid effect, Link, Overman, Sullivan, Huebner, and Scheel, 1943, 147, 463 Vitamin C excretion and, 3,3'-methyl-

Vitamin C excretion and, 3,3'-methylenebis(4-hydroxycoumarin) effect, Baumann, Field, Overman, and Link, 1942. 146. 7

Hypoxanthine: Determination, *Hitchings*, 1942, 143, 43

Hysterectomy: Ovariectomy-, α-estradiol conversion to estrone and β-estradiol, effect, Fish and Dorfman, 1942, 143, 15

Ι

Iminazole ring(s): Ascorbic acid effect, in vivo, Greenblatt and Pecker,

1940, 134, 341

Immunity: Antibody protein, nitrogen, dietary, effect, Heidelberger, Treffers, Schoenheimer, Ratner, and Rittenberg, 1942, 144, 555

Indole: Dimethyl-, dihyrolysergic acid derivative, Jacobs and Craig,

1939, 128, 715 Trimethylene-, derivatives, preparation, Gould and Jacobs,

1939, 130, 407

Indolelactic acid: 3-, liver glycogen and urine kynurenic acid, kynurenine, and acetone bodies, effect, Borchers, Berg, and Whitman, 1942, 145, 657

Indolepyruvic acid: 3-, liver glycogen and urine kynurenic acid, kynurenine, and acetone bodies, effect, Borchers, Berg, and Whitman,

1942, 145, 657
Inheritance: Muscle phospholipid and cholesterol, exercise and, effect,

Inorganic component(s): Blood cell, red, Solomon, Hald, and Peters.

1940, 132, 723

1940, 132, 77

Inorganic salt(s): Phosphatides and, Christensen and Hastings,

1940, 136, 387

Inositol: Brain phosphatide, Folch and
Woolley, 1942, 142, 963

-Containing phospholipid, soy bean, isolation and chemical constitution, Woolley, 1943, 147, 581

Determination, Woolley,

Bloor.

1941, 140, 453

Lipotropic factor, Garin and McHenry, 1941, 139, 485

Gavin, Patterson, and McHenry,

1943, 148, 275

Phosphatide, brain cephalin, separation, Folch, 1942, 146, 35

Inositol—continued:	Insulin—continued:
Specificity, biological, Woolley,	Liver carbohydrate synthesis, normal
1941, 140, 461	and diabetic, effect, Stadie, Lukens,
Insulin: Ammonolyzed, reactions,	and Zapp, 1940, 132, 393
Roberts, 1939, 128, 597	- phosphorus, acid-soluble, distribu-
Azo derivatives, Reiner and Lang,	tion, effect, Nelson, Rapoport, Guest,
1941, 139, 641	and Mirsky, 1942, 144, 291
Blood β-hydroxybutyric acid and	 urea formation and liver respiration,
acetoacetic acid, effect, Stark and	normal and diabetic, effect, Stadie,
Somogyi, 1943, 147, 731	Lukens, and Zapp, 1940, 132, 393
— lactate, diabetes, effect, Klein,	Livers, fatty, pancreatectomy and,
1942, 145, 35	choline relation, Entenman and
- lipids, pancreatectomy and duct	Chaikoff, 1941, 138, 477
ligation, pancreatic juice ingestion	Methionine presence, du Vigneaud,
with, effect, Entenman, Chaikoff,	Miller, and Rodden, 1939, 131, 631
and Montgomery, 1941, 137, 699	Molecular weight, Miller and Anders-
- pyruvate, diabetes, effect, Klein,	son, 1942, 144, 459
1942, 145, 35	Muscle oxidations, effect, Stadie, Zapp,
Crystalline, zinc-low, Sahyun,	and Lukens, 1940, 132, 411
1941, 138, 487	- respiration, effect, Stare and Bau-
Cystine, acid sensitivity, Sullivan and	mann, 1940, 133, 453
Hess, 1939, 130, 745	Pyruvic acid formation, effect, pan-
-, determination, colorimetric and	createctomy and, Bueding, Fazekas,
polarographic, Sullivan, Hess, and	Herrlich, and Himwich,
Smith, 1939, 130, 741	1943, 148, 97
Digests, plastein synthesis, trypsin	Reduced, ultracentrifuge study, Miller
and papain effect, Haddock and	and Andersson, 1942, 144, 465
Thomas, 1942, 144, 691	Urine β-hydroxybutyric acid and
Duponol solution, ultracentrifuge and	acetoacetic acid, effect, Stark and
diffusion studies, Miller and Anders-	Somogyi, 1943, 147, 731
son, 1942, 144, 475	Interstitial cell-stimulating hormone:
Electrophoresis, Hall, 1941, 139, 175	Pituitary, purification, Jensen,
1941, 140, 671	Tolksdorf, and Bamman,
Glycogen storage, diabetes, effect,	1940, 135, 791
Pauls and Drury, 1942, 145, 481	Intestine: Arginase, testosterone pro- pionate effect, Kochakian and Clark,
Hypoglycemia, pituitary adrenocor-	1942, 143, 795
ticotropic hormone and adrenal	Calcium chloride and calcium lactate
cortex principles, effect, Grattan and Jensen. 1940, 135, 511	solutions, changes, Robinson,
	Stewart, and Luckey, 1941, 137, 283
-, tissue lipids, effect, Randall, 1940, 133, 129	Creatine and creatinine excretion,
Ketone body production, effect,	nephrectomy effect, Bodansky, Duff,
	and McKinney, 1941, 140, 365
Somogyi, 1941, 141, 219 — metabolism, normal and diabetic	Hydrogen ion concentration, calcium
cats, Stadie, Zapp, and Lukens,	and phosphorus utilization, relation,
1940, 132, 423	Jones, 1942, 142, 557
Lanthionine, du Vigneaud, Brown,	, factors affecting, Robinson,
and Bonsnes. 1941. 141. 707	Luckey, and Mills, 1943, 147, 175

and Bonsnes,

Intestine—continued: Monosaccharides, absorption, monoiodoacetic acid effect, Klinghoffer, 1938, 126, 201 Mucosa dipeptidases, Gailey and Johnson, 1941, 141, 921 -, fatty acid absorption and transport, Barnes, Miller, and Burr, 1941, 140, 233 -, fructose, glucose and phlorhizin, effect, Beck, 1942, 143, 403 -, phosphate, organic, glucose and phlorhizin, effect, Beck, 1942, 143, 403 -, phosphates, glucose absorption, effect, Eiler, Stockholm, and Alt-1940, 134, 283 hausen, Nucleophosphatase, tobacco mosaic virus, action, Cohen and Stanley, 1942, 142, 863 Peptidases, manganese effect, Smith and Bergmann, 1941, 138, 789 Phosphatase, Schmidt and Thann-1943, 149, 369 hauser, Sodium chloride absorption, monoiodoacetic acid effect, Klinghoffer, 1938, 126, 201 See also Alimentary tract, Duodenum, Jejunum Inulin: Blood, determination, colorimetric, Alving, Rubin, and Miller, 1939, 127, 609 plasma, determination, colorimetric, Steinitz, 1938, 126, 589 - serum, determination, photometric, micro, Ranney and McCune, 1943, 150, 311 Determination, Hubbard and Loomis, 1942, 145, 641 -, diphenylamine use, Corcoran and Page, 1939, 127, 601 Urine, determination, colorimetric, 1938, 126, 589 Steinitz, Alving, Rubin, and Miller, 1939, 127, 609 -, -, photometric, micro, Ranney and McCune, 1943, 150, 311 Invertase: Activity, Manchester, 1939, 130, 439

Invertebrate(s): Tissue, autolysis. Belfer, Koran, Eder, and Bradley, 1943, 147, 345 Iodate: Determination, micro-, Sendrov and Alving, 1942, 142, 159 Protein-free solutions, determination. micro-, Sendroy, 1939, 130, 605 Iodide(s): Blood cell, red, permeability. Smith, Eisenman, and Winkler. 1941, 141, 555 -, determination, colorimetric, Flox, Pitesky, and Alving, 1942, 142, 147 Urine, determination, Pearl, 1943, 148, 85 -, -, colorimetric, Flox, Pitesky, 1942, 142, 147 and Alving, Iodine: Amino nitrogen determination, nitrous acid use, effect, Dunn and Porush, 1939, 127, 261 Kendrick and Hanke, 1940, 132, 739 Biological materials, determination, 1943, 147, 109 micro-, Shahrokh, Blood, Riggs and Man, 1940, 134, 193 -, birds, seasonal variation, Clarke and Boyd, 1940, 135, 691 -, determination, micro-, permanganate acid ashing method, Riggs and Man. 1940, 134, 193 -, fractionation, Bruger and Member, 1943, 148, 77 -, -, alcohol, Boyd and Clarke, 1942, **142,** 619 1939, 127, 737 -, nature, Trevorrow, Riggs, Lavietes, and Man, 1942, 143, 363 - serum albumin addition to, thyroid effect, Muus, Coons, and Salter, 1941, 139, 135 Creatinuria, effect, Gaebler and Bartlett, 1939, **129,** 559 Determination, micro-, photoelectric, 1942, 142, 159 Sendroy and Alving, Metabolism, basal, effect, Gaebler 1939, 129, 559 and Bartlett, radioactive iodine as indicator, Perlman, Chaikoff, and Morton, 1941, **139,** 433 Perlman, Morton, and Chaikoff, 1941, 139, 449

Iodine—continued: Metabolism, radioactive iodine as indicator, Morton,Perlman, and1941, 140, 603 Chaikoff, Morton, Chaikoff, Reinhardt, and Anderson, 1943, 147, 757 Nitrogen excretion effect, Gaebler and Bartlett, 1939, 129, 559 Pituitary, Baumann and Metzger, 1939, 127, 111 - lactogenic hormone, reaction, Li, Lyons, and Evans, 1941, 139, 43 Protein-free solutions, determination, micro-, Sendroy, 1939, 130, 605 Proteins, thyroid activity, effect, Reineke, Williamson, and Turner,

Radioactive, thyroxine and diiodotyrosine formation in vitro, indicator, Morton and Chaikoff,

1943, 147, 1

1943, 147, 115

—, — — formation, thyroidectomy effect, indicator, Morton, Chaikoff, Reinhardt, and Anderson,

1943, 147, 757

-, -- turnover, thyroid and blood plasma, thyrotropic hormone effect, indicator for, Morton, Perlman, and Chaikoff, 1941, 140, 603

Thyroid, metabolism, Mann, Leblond, and Warren, 1942, 142, 905

—, turnover, radioactive iodine as indicator, Perlman, Chaikoff, and Morton, 1941, 139, 433

Tissues, Baumann and Metzger,

1939, 127, 111

-, turnover, radioactive iodine as indicator, Perlman, Chaikoff, and Morton, 1941, 139, 433

Iodoacetic acid: Carbohydrate metabolism, isolated tissues, effect, Barker, Shorr, and Malam, 1939, 129, 33 Egg albumin, denatured, and, reaction, Rosner, 1940, 132, 657

Growth effect, Stevenson and White, 1940, 134, 709

Sulfur metabolism, influence, Stevenson and White, 1940, 134, 709 Iodobenzoate: Mono-, brain oxidation by, effect, Bernheim and Bernheim,

1941, 138, 501

2,3,5-Tri-, brain oxidation by, effect.

Bernheim and Bernheim,

1941, **138, 5**01

Iron: Availability, phytic acid effect,
Fuhr and Steenbock, 1943, 147, 59
Bile, distribution and excretion, radioactive isotopes in study, Greenberg.
Copp., and Cuthbertson,

1943, 147, 749

Blood, determination, micro-, Breuer and Militzer, 1938, 126, 561

- plasma, blood cell, red, as source, Barkan and Walker, 1939, 131, 447

 serum, determination, o-phenanthroline use, Barkan and Walker,

1940, 135, 37
Body, vitamin D effect, Fuhr and Steenbock, 1943, 147, 65

Steenbock, 1943, 147, 05 Coproporphyrin, nitrogenous bases, coordination, Vestling,

1940, 135, 623

Cytochrome c, determination, micro-, Drabkin, 1941, 140, 387

- oxidase, tissue, effect, Schultze, 1939, 129, 729

Determination, photometric, Pereira, 1941, 137, 417

-, spectrophotometric, Koenig and Johnson, 1942, 142, 233 1942, 143, 159

-, -, 2,2'-bipyridine use, Koenig

and Johnson, 1942, 143, 159

—, —, mercaptoacetic acid use, Koenig
and Johnson, 1942, 142, 233

Easily split, red blood cell hemoglobin, Miller and Hahn, 1940, 134, 585

Etioporphyrin, nitrogenous bases, coordination, Vestling, 1940, 135, 623

Ferritin, inorganic and hemoglobin iron, conversion relation, Hahn, Granick, Bale, and Michaelis,

1943, 150, 407

 --, storage function, radioactive and magnetic measurements, Hahn, Granick, Bale, and Michaelis,

1943, 150, 407

Iron—continued:

Drabkin,

Hemin.

Hematoporphyrin, nitrogenous bases,

determination.

Hemoglobin, crystalline, Bernhart and

coordination, Davies, 1940, 135, 597

micro-,

1941, 140, 387

1943, 147, 19 Skeggs,-, ferritin iron, conversion, biological, Hahn, Granick, Bale, and Michaelis, 1943, 150, 407 Inorganic, ferritin iron, conversion, biological, Hahn, Granick, Bale, and Michaelis. 1943, 150, 407 Mesoporphyrin, nitrogenous bases, co-1940, 135, 597 ordination, Davies, Metabolism, radioactive isotope in study, Austoni and Greenberg, 1940, 134, 27 Brück-Non-hemin, determination, mann and Zondek, 1940, 135, 23 -, spermatozoa, Zittle and Zitin, 1942, 144, 105 -Porphyrin compounds, marine organisms, Ball and Meyerhof, 1940, 134, 483 Protoporphyrin, nitrogenous bases, coordination, Davies, 1940, 135, 597 Pseudohemoglobin, determination. o-phenanthroline use, Barkan and Walker, 1940, 135, 37 Radioactive, red blood cell hemoglobin, Miller and Hahn, 1940, 134, 585 Tissue catalase, effect, Schultze and Kuiken, 1941, 137, 727 Tissues, Austoni, Rabinovitch, and Greenberg. 1940, 134, 17 Total, spermatozoa, Zittle and Zitin, 1942, 144, 105 Utilization, calcium, phosphorus, and vitamin D effect, Fuhr and Steen-1943, 147, 59, 65, 71 Isoandrosterone: Urine, isolation, Pearlman, 1940, 136, 807 Isoatisine: Jacobs and Craig, 1943, 147, 567 Isocitric acid: Malic acid, crassulacean. identity, Pucher and Vickery,

Isoequilin: A, Hirschmann and Winter-1938, 126, 737 Δ6-, from 7-hydroxyestrone, Pearlman and Wintersteiner, 1940, 132, 605 Isomannide: Kidney excretion, Smith, Finkelstein, and Smith, 1940, 135, 231 Isomerase: Equilibrium, Meyerhof and Junowicz-Kocholaty, 1943, 149, 71 Isorubijervine: Jacobs and Craig, 1943, 148, 41 Isotope(s): Dilution, analysis by, Rittenberg and Foster, 1940, 133, 737 d(+)-Leucine metabolism and inversion, study by, Ratner, Schoenheimer, and Rittenberg, 1940, 134, 653 indicators, Protein metabolism Schoenheimer and Rittenberg, 1939, 127, 285 Radioactive, iron, cobalt, and manganese distribution and excretion, bile, study with, Greenberg, Copp, and Cuthbertson, 1943, 147, 749 mineral metabolism indicator, Joseph, Cohn, and Greenberg, 1939, 128, 673 Cohn and Greenberg, 1939, 130, 625 Greenberg, Campbell, and Murayama, 1940, 136, 35 Greenberg, Copp, and Cuthbertson, 1943, 147, 749 -, organic material, determination, Chargaff, 1939, 128, 579 Unstable, Chargaff, 1939, 128, 579, 587 -, lecithin and cephalin formation

Isovaline: dl-, metabolism, Butts and Sinnhuber, 1941, 139, 963

rate, indicator, Chargaff,

J

Jack bean: See Bean

1942, 145, 525

Jaundice: Obstructive, blood plasma phosphatase and blood phospholipids, effect, Weil and Russell,

Jejunum: Secretions, carbon dioxide tension and acid-base balance, Mc-Gee and Hastings, 1942, 142, 893

Jervine: Chemical constitution, Jacobs Ketogenic action: Fatty acids, MacKay, and Craig. 1943, 148, 51 Wick, and Barnum, 1940, 136, 503 Dehydrogenation, Jacobs, Craig, and ---, branched chain, Wick, Lavin. 1941, 141, 51 1941, 141, 897 Ketogenic activity: Acetic acid, MacKay, Isorubi-, Jacobs and Craig, Barnes, Carne, and Wick, 1943, 148, 41 1940, 135, 157 Rubi-, Jacobs and Craig, Fatty acids, MacKay, Wick, and 1943, 148, 41 Barnum, 1940, 135, 183 Jones-Dubos enzyme: SchmidtandKetogenic substance(s): Pituitary, an-Levene, 1938, 126, 423 terior, fractions, preparation and assay, Greaves, Freiberg, and Johns, K 1940, 133, 243 Ketoglutarate: α -, metabolism, thiamine Keratin(s): Amino acids, Block and effect, Barron, Goldinger, Lipton, Bolling. 1939, 127, 685 and Lyman, 1941, 141, 975 1939, 128, 181 Block, synthesis, carbon dioxide utiliza-Eu-, amino acids, Block, tion, Evans and Slotin, 1939, 128, 181 1940, 136, 301 Ketene: Amino acid racemization, acet-Ketoglutaric carboxylase: α -, tissue, ylation with, Jackson and Cahill, Green, Westerfeld, Vennesland, and 1938, 126, 37 1941, 140, 683 Cahill and Burton, 1940, 132, 161 Ketoglutaric dehydrogenase: α-, heart, Dipeptide racemization, acetylation Ochoa. 1943, 149, 577 with, Cahill and Burton, Keto-l-gulonic acid: 2-, antiscorbutic 1940, 132, 161 properties, Ball, 1940, 134, 177 Gonadotropic hormones, action, Li, Ketolysis: Liver, species difference, Simpson, and Evans, 1939, 131, 259 Cohen and Stark, 1938, 126, 97 Parathyroid hormone acetylation, Ketone(s): Glucose, sparing effect. Wood and Ross. 1942, 146, 59 Somogyi and Weichselbaum, Keto acid(s): Blood, determination, 1942, 145, 567 Friedemann and Haugen, Metabolism, insulin effect, normal and 1943, 147, 415 diabetic cats, Stadie, Zapp, and 1941, 140, 313 Excretion, Waelsch, Lukens. 1940, 132, 423 -, amino acid metabolism, relation, Phenolic, urine, determination, color-Waelsch and Miller, 1942, 145, 1 imetric, Talbot, Wolfe, MacLachlan, Urine, determination, Friedemann and Karush, and Butler, 1940, 134, 319 α,β-Unsaturated, adrenal, isolation, 1943, 147, 415 Haugen, Keto- α -estradiol: 6-, Longwell and Pfiffner and North, 1941, 140, 161 Ketone bodies: Determination, micro-, Wintersteiner, 1940, 133, 219 Weichselbaum and Somogyi, Ketoestrone: 7-, Pearlman and Wintersteiner. 1939, 130, 35 1941, 140, 5 Liver fatty acid, diabetes, relation, Ketogenesis: Anti-, citric acid relation, MacKay, Carne, and Wick, Stadie, Zapp, and Lukens, 1941, 137, 75 1940, 133, 59 -, glucose, glycine, and alanine, Production, insulin effect, Somogyi, 1941, 141, 219 effect, Wick, MacKay, Carne, and May field,1940, 136, 237 Tissues, Harrison and Long, Liver, species difference, Cohen and 1940, 133, 209 See also Acetone bodies 1938, 126, 97 Stark,

Ketonemia: Glucose ingestion effect, Somogyi, 1942, 145, 575 Ketonuria: Endogenous, Deuel and Hallman, 1941, 140, 545 Ketosis: Morehouse, 1939, 129, 769 Devel, Hallman, Greeley, Butts, and 1940, 133, 173 Halliday, Blunden, Hallman, Morehouse, and Deuel, 1940, 135, 757 Deuel and Hallman, 1941, 140, 545 Bobbitt and Deuel. 1942, 143, 1 Johnston and Deuel, 1943, 149, 117 Alkalosis and acidosis, effect, MacKay, Wick, Carne, and Barnum, 1941, 138, 63 Fasting, diet and liver fat, relation, Mac Kay, Carne, Wick, and Visscher, 1941, 141, 889 Mammary gland acetone body metabolism, effect, Shaw, 1942, 142, 53 Man and dog, comparison, Crandall, 1941, 138, 123 Primates, Friedemann, 1942, 142, 635 Ketosteroid(s): 17-. determination. colorimetric, Holtorff and Koch, 1940, 135, 377 -, neutral, urine, determination, colorimetric, correction equation, Talbot, Berman, and MacLachlan, 1942, 143, 211 -, total, urine, determination, colorimetric, Talbot, Butler, and Mac-Lachlan, 1940, 132, 595 -, urine, determination, colorimetric, Holtorff and Koch, 1940, 135, 377 -. - extracts, chromatographic separation and determination, colorimetric. Talbot. Wolfe, MacLachlan, and Berman. 1941, 139, 521 α-17and β -17-, neutral, urine, hydrolysis, extraction, and determination, spectrochemical, Talbot, Butler, MacLachlan, and Jones, 1940, 136, 365 ---, urine, determination, colorimetric, Talbot, Butler, and Mac-Lachlan. 1940, 132, 595 Carbonyl determination. groups, gravimetric, Hughes, 1941, 140, 21

thesis, diabetes, Stadie, Zapp, and Lukens. 1941, 137, 63 Amino acid oxidation, thyroid feeding and thyroidectomy effect, Klein, 1939, 128, 659 Arginase, testosterone propionate effect, Kochakian and Clark. 1942, 143, 795 -Bile fistulae, protoporphyrin fate, relation, Watson, Pass, and Schwartz, 1941, **139,** 583 Cathepsin, Fruton, Irving, and Bergmann, 1941, 141, 763 Citrulline conversion to arginine, Borsook and Dubnoff, 1941, 141, 717 Creatine formation, Borsook and Dubnoff, 1940, 134, 635 Electrolytes, and hydronormal nephrotic, Eichelberger and Bibler, 1940, 132, 645 distribution, Weil Enzyme andJenninas. 1941, 139, 421 Enzymes, proteolytic, Fruton, Irving, and Bergmann, 1941, 141, 763 phosphorylation, Extract. glucose effect. Colowick, Welch, and Cori, 1940, 133, 359 Extracts, blood pressure reduction, renal hypertension, effect, Grollman, Williams, and Harrison, 1940, 134, 115 polyphenoloxidase cell-free. properties, Cadden and Dill. 1942, 143, 105 Glutamic acid formation, glutathione hydrolysis, enzymatic, hydrogen ion concentration effect, Woodward and 1942, 145, 471 Reinhart, Glyconeogenesis, adrenalectomy effect, Russell and Wilhelmi, 1941, **140,** 747 Hemorrhage, choline effect, Patterson and McHenry, 1942, 145, 207 Impairment, muscle water, influence, 1939, 128, 137 Eichelberger, Laccase, nature, Baker and Nelson, 1943, 147, 341

Kidney: Acetoacetate, carbohydrate syn-

Kidney-continued: Metabolism, adrenalectomy effect, Russell and Wilhelmi, 1941, 137, 713 N-Methylamino acids, oxidation, in vitro, Handler, Bernheim, and Klein, 1941, 138, 203 Nephritis, oxidations and carbohydrate synthesis, Lyman andBarron. 1940, 132, 293 Phosphatase, aminoethyl phosphate and β-glycerophosphate hydrolysis by, Bowers, Outhouse, and Forbes, 1940, 132, 675 Phosphatases, separation, Perlmann and Ferry, 1942, 142, 513 Phospholipid formation in vitro, anaerobiosis and respiratory inhibitors, radioactive phosphorus as indicator, Taurog, Chaikoff, and Perlman, 1942, 145, 281 - metabolism, ammonium chloride effect, radioactive phosphorus as indicator, Weissberger, 1940, 132, 219 turnover, Sinclair, 1940, 134, 71 Phosphorus, total, metabolism, ammonium chloride effect, radioactive phosphorus as indicator, Weiss-1940, 132, 219 berger, Pyrrolidonecarboxylic acid formation, glutathione hydrolysis, enzymatic, hydrogen ion concentration effect. Woodward and Reinhart, 1942, 145, 471 Water, normal and hydronephrotic, Eichelberger and Bibler, 1940, 132, 645 See also Hydronephrosis, Metanephros, Nephrectomy, Nephritis Kinase: Hexo-, system, activator, Colowick and Kalckar, 1941, 137, 789 Kjeldahl method: Micro-, rapid, Keys, 1940, 132, 181 Krebs cycle: Carbon dioxide fixation mechanism, Wood, Werkman, Hemingway, and Nier, 1941, 139, 483 Krogh: Syringe, blood serum specific gravity determination, Schousboe, 1939, 129, 371

Kynurenic acid: Excretion, Carnivora, Jackson, 1939, 131, 469 Urine, tryptophane. 3-indolelactic acid, 3-indolepyruvic acid, and l(-)-kynurenine effect, Borchers. Berg, and Whitman, 1942, 145, 657 **Kynurenine:** l(-)-, liver glycogen and urine kynurenic acid, kynurenine, and acetone bodies, effect, Borchers. Berg, and Whitman, 1942, 145, 657 tryptophane, Urine, 3-indolelactic acid, 3-indolepyruvic acid, and l(-)-kynurenine effect, Borchers, Berg, and Whitman, 1942, 145, 657

L

Laccase: Kidney, nature, Baker and Nelson, 1943, 147, 341

Lactalbumin: Lanthionine isolation, Horn and Jones, 1941, 139, 473

Lactate: Blood composition, injection effect, Bueding and Goldfarb,

1943, 147, 33

—, diabetes, glucose and insulin effect,

Klein, 1942, 145, 35

-Pyruvate, blood, relation, thiamine
deficiency, Stotz and Bessey,

1942, 143, 625

Lactation: Mammary gland, acetone body metabolism, ketosis effect, Shaw, 1942, 142, 53

-- -, blood plasma glycoprotein utilization, Reineke, Williamson, and Turner, 1941, 138, 83

—, β-hydroxybutyric acid utilization, Shaw and Knodt,

1941, 138, 287

Shaw and Petersen, 1943, 147, 639

- -, lactic acid non-utilization, Powell and Shaw, 1942, 146, 207

Organ and tissue protein, metabolism, Poo, Lew, and Addis, 1939, 128, 69 Lactic acid: Bacteria, growth factor,

purification and properties, Hutchings, Bohonos, and Peterson,

1941, 141, 521 -. -. glutamine and glutamic acid

effect, Pollack and Lindner, 1942, 143, 655

Lactobacillus arabinosus: Amino acids. Lactic acid-continued: Bacteria, growth, manganese relaeffect, Shankman, tion, Woolley, 1941, 140, 311 p-Aminobenzoic acid Benzimidazole derivative, characteruse, Lewis, ization, Dimler and Link, 1942, 143, 557 Biological material, determination, colorimetric, Barker and Summerson, 1941, 138, 535 Blood, determination, blood collection, Friedemann and Haugen, and Peterson, 1942, 144, 67 -, Plasmodium knowlesi effect, Wendel and Kimball, 1942, 145, 343 -, pyruvic acid and, exercise effect, Friedemann and Barborka, 1941, 141, 993 Brain, Stone, 1940, 135, 43 and Mushett, Determination, colorimetric, Koene-1940, 135, 105 Light and Clarke, -, microdiffusion, ceric sulfate use, Winnick, 1942, 142, 451 -, ultramicro-, Miller and Muntz, 1938, 126, 413 Fermentation, hydrogen ion concenand Strong, tration effect, Gunsalus and Niven, Lactogenic hormone: 1942, 145, 131 Lyons, and Evans, Indole-. See Indolelactic acid Mammary gland, lactating, non-utilization, Powell and Shaw, 1942, 146, 207 Metabolism, radioactive carbon-con-Li,Vennesland, taining. Solomon, Buchanan, Cramer, and Hastings, 1942, 142, 371 ments, Li, -, - carboxyl carbon containing, Conant, Cramer, Hastings, Klemperer, Solomon, and Vennesland, 1941, 137, 557 Evans, Muscle, formation, work effect, Flock, Ingle, and Bollman, 1939, 129, 99 and Evans, -, metabolism in vitro, Stadie and Zapp,1943, 148, 669 β-Phenyl-, tyrosine, conversion, Moss. Reducing groups, 1941, 137, 739 Fraenkel-Conrat, -Racemizing enzyme, Clostridium butylicum, Christensen, Johnson, and Peterson, 1939, 127, 421 Radioactive, synthesis, Cramer and Tyrosine and tryptophane, Li, Lyons, Kistiakowsky, 1941, 137, 549 and Evans,

1943, 150, 305 determination. 1942, 146, 441 Lactobacillus casei: Growth factor, Clarke, Lechycka, and Light, 1942, 142, 957 Pollack and Lindner, 1943, 147, 183 ----, chick nutrition, relation, Hutchings, Bohonos, Hegsted, Elvehjem, 1941, 140, 681 —, isolation, Stokstad, 1941, 139, 475 — , properties, Stokstad, 1943, 149, 573 hydrogen ion concentration change, vitamin determination, use, Silber 1942, 146, 271 Microbiological determination, use, 1943, 147, 739 Pantothenic acid determination, buffer and glucose effect, Stokes and Martin, 1943, 147, 483 Stimulatory substance, blood, Feeney 1942, 142, 961 Pituitary, Li.1940, 136, 709 1941, 139, 43 1941, 140, 43 Li, Simpson, and Evans, 1942, 146, 627 1942, 146, 633 1943, 148, 289 -, diffusion and viscosity measure-1942, 146, 633 -, isolation, Li, Simpson, and Evans, 1942, 146, 627 -, molecular weight, Li, Lyons, and 1941, 140, 43 -, reactions with iodine, Li, Lyons, 1941, 139, 43 -, sulfur amino acid, Li, 1943, 148, 289 thiols, effect, 1942, 142, 119 Thiol compounds, effect, Fraenkel-Conrat, Simpson, and Evans, 1942, 142, 107

1940, 136, 709

Lactoglobulin: β -, determination and Lead-continued: weight, BrandBiological material, determination, molecular and Kassell.1942, 145, 365 micro-, spectrochemical, Duffendack, -, hydrogen ion dissociation curve, Thomson, Lee, and Koppius, Cannan, Palmer, and Kibrick, 1938, 126, 1 1942, 142, 803 Blood and bone, calcium, phosphorus, and vitamin D influence, Sobel, Crystalline, peptide bonds, determination, Hotchkiss, 1939, 131, 387 Yuska, Peters, and Kramer, 1940, 132, 239 Lactone: Saccharo-, amine-precipitating reagent, Kurtz and Wilson, Poisoning, lead citrate complex ion, rôle, Kety, 1942, 142, 181 1939, 129, 693 Lead acetate: Liver oxygen uptake, Lactose: Calcium absorption, effect, effect, Baernstein and Grand, Roberts and Christman, 1941, 140, 285 1942, 145, 267 Lead citrate: Ion complex, lead poison-Hydrolysis products, calcium absorping, rôle, Kety, 1942, 142, 181 tion, effect, Roberts and Christman, Lecithin(s): Blood, determination. 1942, 145, 267 micro-, Erickson, Avrin, Teague, fasting, Corvell Utilization. and1940, 135, 671 and Williams, 1943, 150, 143 Christman, serum, Thannhauser, Benotti, and Lancefield: Group A hemolytic strepto-Reinstein. 1939, 129, 709 coccus, specific polysaccharide, puri-Body fluids, determination, Thannfication and properties, Zittle and hauser, Benotti, and Reinstein, 1942, 142, 823 Harris, 1939, 129, 709 Lanthionine: Determination, Hess and Choline arsenic analogue, arseno-1942, 146, 15 Sullivan. choline-fed rats, Welch and Landau, dl-, proteins, isolation, Horn, Jones, 1942, 144, 581 1942, 144, 93 and Ringel. Formation rate, body, unstable iso-Hair, feathers, and lactalbumin, isolatopes as indicator, Chargaff, tion, Horn and Jones, 1939, 128, 587 1941, 139, 473 Fractions, egg yolk, fat acids, Riemen-Insulin, du Vigneaud, Brown, and schneider, Ellis, and Titus, 1941, 141, 707 Bonsnes, 1938, 126, 255 Meso-, growth effect, cystine-deficient Hydro-, cerebroside containing, Cystidiet, Jones, Divine, and Horn, cercus larvae, Lesuk and Anderson, 1942, 146, 571 1941, 139, 457 -, proteins, isolation, Horn, Jones, Liver, turnover, Sinclair, 1942, 144, 87 and Ringel, 1940, 134, 83 Stereoisomeric forms, Brown and Purification, Pangborn, 1941, 137, 545 du Vigneaud, 1941, 140, 767 Tissue, Thannhauser, Benotti, Walcott, Wool, isolation, Horn, Jones, and and Reinstein, 1939, 129, 717 1941, 138, 141 Ringel, determination. Thannhauser, -, synthesis, du Vigneaud and Brown, Benotti, and Reinstein, 1941, 138, 151 1939, 129, 709 Cysticercus, cerebroside con--, -, micro-, Erickson, Avrin, Teague, taining dihydrosphingosine and hyand Williams, 1940, 135, 671 drolecithin, Lesuk and Anderson, Leprosy bacillus: Lipids, Geiger and 1941, 139, 457 Anderson, 1939, **131,** 539 Biochemistry, Sobel, Yuska,polysaccharide. Anderson and Peters, and Kramer, 1940, 132, 239 Creighton, 1939, 131, 549

Miller.

Leucemia: Urine and feces specific

substances, preparation, Turner and

1943, 147, 573

Leucine: d(+)-, metabolism and inversion, isotopes in study, Ratner, Schoenheimer, and Rittenberg, 1940, 134, 653 dl- and l-, esters, Raney catalyst, reaction, Ovakimian, Christman, Riemenschneider, Kuna, and Levene, 1940, 134, 151 Sando, l-, preparation, protein hydrolysates, Stein, Moore, Stamm, Chou, and Bergmann, 1942, 143, 121 l(-)-, isotope-containing, body protein metabolism indicator, Schoenheimer, Ratner, and Rittenberg, 1939, 130, 703 and Wheeler, -, solubility and specific rotation, Stoddard and Dunn, 1942, 142, 329 Sando, Leucopenia: Succinvlsulfathiazole and, xanthopterin, effect, Totter and Day, 1943, 147, 257 Sulfaguanidine effect, Axelrod, Gross, Bosse, and Swingle, 1943, 148, 721 Kelsey, Leucosis: Tumors, polysaccharide, Kabat, 1939, 130, 143 Kelsey. Leucylpeptidase: Malt, cabbage, and spinach, Berger and Johnson, 1939, 130, 655 Occurrence, Berger and Johnson, 1940, 133, 157 Levene, Phoebus Aaron Theodor: Obituary, Jacobs and Van Slyke, 1941, 141, 1 Levulose: Blood, determination, di-Kelsey, phenylamine use, Corcoran and Page, 1939, 127, 601 See also Fructose Rubin, Lichenin: Oats, Morris, 1942, 142, 881 Light: Absorption, chlorophyll solutions, and Whitehead, Mackinney, 1941, 140, 315 Amino groups, determination, Van Slyke, effect, Fraenkel-Conrat, 1943, 148, 453 Kelsey, Pyridoxine, effect, Hochberg, Melnick, Siegel, and Oser, 1943, 148, 253 Scattering, suspension of particles, Drabkin and Singer, 1939, 129, 739 Vitamin K1, effect, Ewing, Tomkins, and Kamm, 1943, 147, 233 Reinstein, See also Ultraviolet radiation Thannhauser, Benotti, Walcott, and

Lignocervlsphingosine: Fatty acid esters, synthesis, Reichel and Thannhauser, 1940, 135, 15 Limulus polyphemus: Hemocyanin, osmotic pressure, molecular weight. and dissociation, Burk, 1940, 133, 511 Linoleic acid(s): α - and β -, identity, Wheeler, 1939, 127, 391 Fat depot relation, Longenecker, 1939, 129, 13 Fatty acid synthesis and storage, effect, Visscher and Corley, 1943, 147, 291 Linolein: Tri-, preparation, properties, thiocyanogen absorption, Riemenschneider, 1940, 132, 687 Lipase(s): α-Butyrins, dimethyl ethers, hydrolysis, Baer and Fischer, 1942, 145, 61 Castor bean, blood neutral fat, action, 1939, 130, 199 - , specificity, lipid analyses, 1939, 130, 187 Lipid analysis, use, Kelsey, 1939, 130, 187, 195, 199 Pancreas, activation, blood serum effect, Rabinowitch and Wynne, 1938, 126, 109 -, blood neutral fat, action, Kelsey, 1939, 130, 199 -, specificity, lipid analysis, use, 1939, 130, 195 Lipemia: Diabetic and alimentary, blood plasma and red blood cell lipids, 1939, 131, 691 Lipid(s): Adrenals, MacLachlan, Hodge, 1941, 139, 185 -, fasting effect, Oleson and Bloor, 1941, 141, 349 Analysis, castor bean lipase use, 1939, 130, 187 -, lipase use, Kelsey, 1939, 130, 187, 195, 199 -, pancreas lipase use, Kelsey, 1939, 130, 195 Animal, Thannhauser, Benotti, and 1939, 129, 709

Lipid(s)—continued: Animal, Reinstein, 1939, 129, 717 Thannhauser and Reichel, 1940, 135, 1 Reichel and Thannhauser, 1940, 135, 15 Blastomyces dermatiditis, Peck and Hauser. 1940, 134, 403 Blood, atmospheric pressure, low, exposure, effect, MacLachlan, 1939, 129, 465 -, bird, sex hormones, crystalline, effect, Entenman, Lorenz, and Chaikoff. 1940, 134, 495 - cell, red, lipemia, diabetic and alimentary, Rubin, 1939, 131, 691 -, -, phosphorus exchange, Rapoport, Leva, and Guest, 1941, 139, 633 -, chick, changes, Entenman, Lorenz, and Chaikoff, 1940, 133, 231 -, fasting and undernutrition effect, Entenman, Changus, Gibbs, and Chaikoff, 1940, 134, 59 -, fowl, estrin effect, Lorenz, Chaikoff, and Entenman, 1938, 126, 763 --, overnutrition effect, Entenman and Chaikoff, 1942, 142, 129 -, pancreatectomy and ductligation with insulin, pancreatic juice ingestion effect, Entenman, Chaikoff, and Montgomery, 1941, 137, 699 -, pancreatic duct ligation, choline effect, Entenman, Montgomery, and Chaikoff, 1940, 135, 329 -, -- --, effect, Entenman, Chaikoff, and Montgomery, 1939, 130, 121 - plasma, lipemia, diabetic and alimentary, Rubin, 1939, 131, 691 ---, petroleum ether extracts, nitrogenous contaminants, Folch and Van Slyke, 1939, 129, 539 - -, species variation, Boyd, 1942, 143, 131 -, pregnancy blood serum, fowl, effect, Entenman, Lorenz, and Chaikoff, 1938, 126, 133 - serum proteins, electrophoretically separated, Blix, Tiselius, andSvensson, 1941, 137, 485

Lipid(s)—continued: Blood serum, schizophrenia, testosterone effect, Randall, 1940, 133, 137 ---, testosterone effect, Looney and Romanoff.1940, 136, 479 Bone marrow, anemia effect, Krause, 1943, 149, 395 Brain, autolysis effect, Sperry, Brand, and Copenhaver, 1942, 144, 297 -, deposition and metabolism, growth and myelination effect, Waelsch, Sperry, and Stoyanoff, 1941, 140, 885 -, metabolism, Sperry, Waelsch, and 1940, 135, 281 Stoyanoff, —, —, myelination effect, Waelsch, Sperry, and Stoyanoff, 1940, 135, 297 -, synthesis and deposition, deuterium as indicator, Waelsch, Sperry, and Stoyanoff, 1940, 135, 291 Carcass and liver, relation, Hodge, MacLachlan, Bloor, Stoneburg, Oleson, and Whitehead, 1941, 139, 897 Cell nuclei, Stoneburg, 1939, 129, 189 Central nervous system, deposition, growth effect, Fries, Entenman, Changus, and Chaikoff, 1941, 137, 303 Corpus luteum, cyclic variations. Weinhouse and Brewer, 1942, 143, 617 Deer, Virginia white-tailed, composition, Treadwell and Eckstein, 1939, 128, 373 Diatoms, Clarke and Mazur, 1941, 141, 283 Duodenum, fat absorption, relation, 1942, 143, 109 Egg yolk sac, chick, changes, Enten-

man, Lorenz, and Chaikoff,

and Sobel,

Truax, and Taylor,

Extraction, apparatus, Kaye, Leibner,

Fasting, Hodge, MacLachlan, Bloor,

Stoneburg, Oleson, and Whitehead,

MacLachlan, Hodge, Bloor, Welch,

1940, 133, 231

1941, 138, 643

1941, 139, 897

1942, 143, 473

Lipid(s)—continued: Lipid(s)—continued: -Free blood serum, electrophoresis, Metabolism, nutrition state, relation, Blix, 1941, 137, 495 Entenman and Chaikoff, Leprosy bacillus, Geiger and Anderson, 1942, 142, 129 1939, 131, 539 -, pancreas external secretion, effect. - -, polysaccharide, Anderson and Montgomery, Entenman, Chaikoff, 1939, 131, 549 1941, 137, 693 Creighton. and Nelson, Liver, Artom and Fishman, Entenman. Chaikoff, and Mont-1943, 148, 405 gomery, 1941, 137, 699 and carcass, relation, Hodge, Monilia albicans, Peck and Hauser, MacLachlan. Bloor, Stoneburg, 1940, 134, 403 Oleson, and Whitehead, Muscle, Artom and Fishman, 1941, 139, 897 1943, 148, 405 -, autolysis effect, Sperry, Brand, Oxidase, Sumner, 1942, 146, 211, 215 1942, 144, 297 and Copenhaver, Phospho-. See Phospholipids -, chick, changes, Entenman, Lorenz, Phytomonas tumefaciens, Geiger and and Chaikoff, 1940, 133, 231 Anderson, 1939, 129, 519 -, choline, ethanolamine, serine, Spermatozoa, Zittle and O'Dell, cystine, homocysteine, and guanido-1941, 140, 899 acetic acid, effect, Stetten and Tissue, insulin hypoglycemia effect, 1942, 144, 175 Grail, Randall. 1940, 133, 129 -, cocaine feeding, influence, Mac--, metabolism, Sperry, Waelsch, and Lachlan and Hodge, 1939, 127, 721 Stoyanoff. 1940, 135, 281 -, dietary casein, cystine, and methi--, synthesis and deposition, deuonine, effect, Treadwell, Groothuis, terium as indicator, Waelsch, Sperry, and Eckstein, 1942, 142, 653 and Stoyanoff, 1940, 135, 291 -, fasting and glucose feeding, effect, Tubercle bacillus, avian, bound. Treadwell, Tidwell, and Grafa, Anderson, Creighton, and Peck, 1943, 149, 209 1940, 133, 675 -, formalin fixation, effect, Halliday, ---, chemistry, Stodola, Lesuk, and 1939, 129, 65 Anderson, 1938, 126, 505 -, pancreatic duct ligation, choline Wieghard and Anderson, effect, Entenman, Montgomery, and 1938, 126, 515 Chaikoff, 1940, 135, 329 Cason and Anderson, 1938, 126, 527 - -, effect, Montgomery, Anderson and Creighton, Entenman, and Chaikoff, 1939, 129, 57 1939, 128, 387 -, pregnancy blood serum, fowl, Geiger and Anderson, 1939, 131, 539 effect, Entenman, Lorenz, andChaikoff, 1938, 126, 133 Anderson and Creighton, 1939, 131, 549 Metabolism, bird, endocrine effect, Entenman, Lorenz, and Chaikoff, Anderson, Creighton, and Peck, 1940, 133, 675 1938, 126, 133 Lorenz, Chaikoff, and Entenman, Anderson, Peck, and Creighton, 1938, 126, 763 1940, 136, 211 Lesuk and Anderson, Entenman, Lorenz, and Chaikoff, 1940, 136, 603 1940, 134, 495 Peck and Anderson, 1941, 138, 135 -, nutrition state, relation, Enten-1941, 140, 89 man, Changus, Gibbs, and Chaikoff, Unsaponifiable, composition, Waelsch

1940, 134, 59 |

and Sperry,

1940, 132, 787

Lipocaic: Lipotropic effect, Gavin, Pat-Liver-continued: terson, and McHenry, 1943, 148, 275 Biotin, isolation, du Vigneaud, Hof-Lipoid: -Thiocyanate, blood serum, mann, Melville, and György, Rosenbaum and Lavietes, 1941, 140, 643 1939, 131, 663 Butyric acid oxidation, glycogen effect, Lipoprotein(s): Chargaff, 1942, 142, 491 Bobbitt and Deuel, 1942, 143, 1 Lipositol: Soy bean, isolation and chemi-Calcium distribution, Eichelberger and cal constitution, Woolley, McLean, 1942, 142, 467 Carbohydrate synthesis, normal and 1943, 147, 581 Lipotropic action: Sulfur-containing diabetic, Stadie, Lukens, and Zapp, amino acids, Singal and Eckstein, 1940, 132, 393 1941, 140, 27 Carbon dioxide utilization, Evans and Lipotropic factor: Inositol, Gavin and Slotin. 1941, 141, 439 McHenry, 1941, 139, 485 Carbonyl compound, identity, Lipotropic methyl: Choline synthesis, Lehninger, 1943, 149, 43 relation, Stetten, 1942, 142, 629 Catalase activity, tumor-bearing rats, Lipoxidase: Soy bean, Balls, Axelrod, tumor extirpation effect, Greenstein, and Kies, 1943, 149, 491 Jenrette, and White, 1941, 141, 327 Specificity, Sumner, 1942, 146, 211 -, crystalline, Dounce, 1942, 143, 497 Liquefier: Tissue, apparatus, Shelesnyak Cell nuclei, isolated, enzymes, Dounce, 1942, 143, 663 and Biskind. 1943, 147, 685 Liver: Acetic acid, non-formation, dia- tumors, vitamin A relation, Goerner betes, Stadie, Zapp, and Lukens, and Goerner. 1939, 128, 559 1941, 137, 75 Cephalins, turnover, Sinclair, Acetone body formation, Crandall, 1940, **134,** 83 1940, 135, 139 Cholesterol esterase. Sperry and Alanine oxidation by, factors in-Brand,1941, 137, 377 fluencing, Rossiter, 1940, 135, 431 Choline action, radioactive phosphorus Alkalosis effect, Yannet, 1940, 136, 265 as indicator, Perlman and Chaikoff, Amino acid autolysis, Luck, Eudin, 1939, 127, 211 and Nimmo. 1939, 131, 201 oxidase, fatty acid action, Bern- — oxidation, thyroid feeding and 1940, 133, 291 heim. thyroidectomy effect, Klein, Components, storage, McBride, Guest, 1939, 128, 659 1941, 139, 943 and Scott. d-Amino acid oxidase, thyroid feeding Creatine Borsook and formation. effect, Klein, 1939, 131, 139 1940, 134, 635 Dubnoff, Arginase, Richards and Hellerman, - -, glycocyamine relation, Borsook 1940, 134, 237 and Dubnoff, 1940, 132, 559 -, adrenalectomy and adrenocortical - —, — —, nephrectomy effect, steroids, effect, Fraenkel-Conrat, Bodansky, Duff, and McKinney, Simpson, and Evans, 1943, 147, 99 1941, 140, 365 -, food effect, Lightbody and Klein-Cysteine and cystine utilization, hy-1939, 129, 71 man, drogen sulfide production, relation, testosterone propionate effect, Smythe, 1942, 142, 387 Kochakian and Clark, formation, ll-S-(β-amino-β-carboxy-1942, 143, 795 ethyl)homocysteine, relation, Bink-Bile, choline, free, and phospholipid, ley, Anslow, and du Vigneaud, Johnston, Irvin, and Walton, 1942, 143, 559 1939, 131, 425

Liver-continued:

Cysteine formation, homocysteine and serine relation, Binkley and du Vigneaud, 1942, 144, 507 Electrolytes, extracellular, depletion effect, Yannet and Darrow,

1940, 134, 721 Enzymes, fatty acid oxidation, Muñoz

and Leloir, 1943, 147, 355
Extract, bios factor, Alexander and
Subbarow, 1940, 135, 341

-, cell-free, amino nitrogen disappearance, Ågren, Hammarsten, and Rosdahl, 1939, 127, 541

-, -, carbon dioxide assimilation,
 Evans, Slotin, and Vennesland,

1942, **143,** 565

-, -, - fixation, mechanism, Evans, Vennesland, and Slotin, 1943, 147, 771

-, fat synthesis and metabolism, effect, McHenry and Gavin,

1940, 134, 683

-, - -, relation, Longenecker, Gavin, and McHenry, 1941, 139, 611 Fat, Marble, Grafflin, and Smith,

1940, 134, 253

and water relation, fasting effect,
 MacLachlan, Hodge, Bloor, Welch,
 Truax, and Taylor, 1942, 143, 473
 bromo-substituted fatty acids,

effect, Artom and Swanson, 1943, 148, 633

-, carbohydrate synthesis, diabetes, Stadie, Zapp, and Lukens,

1941, 137, 63

-, choline effect, Handler and Bernheim, 1943, 148, 649

-, fasting ketosis, diet relation, MacKay, Carne, Wick, and Visscher, 1941, 141, 889

-, mineral and choline deficiency, effect, Handler, 1943, 149, 291

transport, adrenals, effect, Barnes,
Miller, and Burr, 1941, 140, 247
vitamin B₆ effect, Gavin and

McHenry, 1940, 132, 41 Fatty acids, diabetes, ketone body relation, Stadie, Zapp, and Lukens,

1941, 137, 75

Liver-continued:

Fatty acids, replacement rate, Stetten and Grail, 1943, 148, 509

-, casein effect, Tucker, Treadwell, and Eckstein, 1940, 135, 85

-, choline oxidase, Handler and Bernheim, 1942, 144, 401

-, cystine effect, Tucker and Eckstein, 1938, 126, 117

Tucker, Treadwell, and Eckstein, 1940, 135, 85

--, depancreatized dogs with insulin, choline relation, Entenman and Chaikoff, 1941, 138, 477

-, edestin effect, Tucker, Treadwell, and Eckstein. 1940, 135, 85

 fat-high diet, effect, Tucker and Eckstein, 1938, 126, 117 Tucker, Treadwell, and Eckstein,

1940, 135, 85 —, gliadin effect, Tucker and Eckstein, 1938, 126, 117

-, glucose tolerance, relation, Treadwell, King, Bebb, and Tidwell,

1942, 143, 203

-, --, sexual variation, Devel and Davis, 1942, 146, 646

-, lysine effect, Tucker and Eckstein, 1938, 126, 117

--, methionine effect, Tucker and Eckstein, 1938, 126, 117 Tucker, Treadwell, and Eckstein, 1940, 135, 85

-, pancreatectomy and duct ligation, pancreatic juice ingestion effect, Montgomery, Entenman, Chaikoff, and Nelson, 1941, 137, 693

--, phospholipids, Flock, Hester, and Bollman, 1939, 128, 153

Function, blood plasma amino acid retention, hypoproteinemia, relation, Goettsch, Lyttle, Grim, and Dunbar, 1942, 144, 121

Glycogen, Marble, Grafflin, and Smith, 1940, 134, 253

-, adrenal cortex principles, effect, Grattan and Jensen, 1940, 135, 511

-, age effect, Heymann and Modic, 1939, 131. 297

Liver-continued:

deposition, glucose, Glycogen and dl-alanine effect, glycine, MacKay, Wick, and Carne, 1940, 132, 613

- ---, water relation, Fenn and Haege, 1940, 136, 87
- -, fasting and glucose feeding, effect, Treadwell, Tidwell, and Grafa,

1943, 149, 209

- -, effect, Heymann and Modic, 1939, 131, 297
- formation, alanine isomers, effect, MacKay, Wick, and Barnum,
- 1941, 137, 183 -, d(+)-histidine and l(-)-histidine effect, Featherstone and Berg,

1942, 146, 131

- hydration, McBride, Guest, and 1941, 139, 943 Scott,
- —, dl-lysine monohydrochloride effect, Sharp and Berg, 1941, 141, 739
- -, pituitary adrenocorticotropic hormone effect, Grattan and Jensen, 1940, 135, 511
- -, potassium, and phosphate, relation, Fenn, 1939, 128, 297
- -, radioactive acetic, propionic, and butyric acids in study, Buchanan, Hastings, and Nesbett,

1943, 150, 413

- synthesis, glucose-1-phosphate rôle, Cori, Cori, and Schmidt,

1939, **129**, 629

- -, temperature effect, glucose and starch administration, Rafferty and 1941, 140, 167 MacLachlan,
- -, tryptophane, 3-indolelactic acid, 3-indolepyruvic acid, and l(-)kynurenine effect, Borchers, Berg, and Whitman, 1942, 145, 657
- -, water relation, McBride, Guest, and Scott. 1941, 139, 943
- Glycogenesis, fasting effect, McBride,

1943, 147, 333 Injury, fat metabolism, effect, Winter, 1939, 128, 283 1940, 135, 123 1942, 142, 17

Liver-continued:

Ketogenesis and ketolysis, species difference, Cohen and Stark,

1938, 126, 97

Lecithins, turnover, Sinclair, 1940, 134, 83 Lipids, Artom and Fishman,

1943, 148, 405

- and carcass lipids, relation, Hodge, MacLachlan, Bloor, Stoneburg, Oleson, and Whitehead,

1941, 139, 897

- -, autolysis effect, Sperry, Brand, and Copenhaver, 1942, 144, 297
- -, chick, changes, Entenman, Lorenz, and Chaikoff. 1940, 133, 231
- choline, ethanolamine, serine, cystine, homocysteine, and guanidoacetic acid, effect, Stetten and Grail, 1942, 144, 175
- -, cocaine feeding, influence, Mac-Lachlan and Hodge, 1939, 127, 721
- -, dietary casein, cystine, and methionine, effect, Treadwell, Groothuis, and Eckstein, 1942, 142, 653
- -, fasting and glucose feeding, effect, Treadwell, Tidwell, and Grafa,

1943, 149, 209

- -, formalin fixation, effect, Halliday, 1939, 129, 65
- -, pancreatic duct ligation, choline effect, Entenman, Montgomery, and Chaikoff, 1940, 135, 329
- -, - -, effect, Montgomery, Entenman, and Chaikoff,
- 1939, 128, 387 -, pregnancy blood serum, fowl, effect, Entenman, Lorenz. 1938, 126, 133 Chaikoff,
- Magnesium distribution, Eichelberger and McLean, 1942, 142, 467
- Metabolism, anoxia, fasting, Craig, 1943, 150, 209
- N-Methylamino acids, oxidation, in vitro, Handler, Bernheim, and Klein, 1941, 138, 203
- Nicotinamide methylation, in vitro, Perlzweig, Bernheim, and Bernheim, 1943, 150, 401

Liver-continued:

Oxidations, manganese and other metals, action, Bernheim and Bernheim, 1939, 128, 79 Oxygen uptake, lead acetate effect.

Oxygen uptake, lead acetate effect, Baernstein and Grand,

1941, 140, 285

Phosphates, acid-soluble, carbohydrate metabolism and, radioactive phosphorus in study, Kaplan and Greenberg, 1943, 150, 479

-, glycogen, and potassium, relation, Fenn, 1939, 128, 297 Phosphoglycerol, acid-soluble, deter-

Phosphoglycerol, acid-soluble, determination, Leva and Rapoport,

Phospholipid formation in vitro, anaerobiosis and respiratory inhibitors, radioactive phosphorus as indicator, Taurog, Chaikoff, and Perlman, 1942, 145, 281

 metabolism, betaine influence, radioactive phosphorus as indicator, Perlman and Chaikoff,

1939, 130, 593

— , cholesterol influence, radioactive phosphorus as indicator, Perlman and Chaikoff, 1939, 128, 735

— — in vitro, radioactive phosphorus as indicator, Fishler, Taurog, Perlman, and Chaikoff, 1941, 141, 809

- turnover, Sinclair, 1940, 134, 71

— , methionine, cystine, and cysteine influence, radioactive phosphorus as indicator, Perlman, Stillman, and Chaikoff, 1940, 133, 651
 Phospholipids, amino acid effect,

Phospholipids, amino acid effect, radioactive phosphorus as indicator, Perlman, Stillman, and Chaikoff,

1940, 135, 359

—, fractionation, fasting effect, MacLachlan, Hodge, Bloor, Welch,
Truax, and Taylor, 1942, 143, 473

Phosphorus acid-soluble distribu-

Phosphorus, acid-soluble, distribution, fasting, diet effect, Rapoport, Leva, and Guest, 1943, 149, 65

-, -, -, - effect, Rapoport, Leva, and Guest, 1943, 149, 57

-, -, -, -, epinephrine, and insulin, effect, Nelson, Rapoport, Guest, and Mirsky, 1942, 144, 291 Liver-continued:

Porphyrin metabolism, Salzburg and Watson, 1941, 139, 593 Potassium, phosphate, and glycogen.

Potassium, phosphate, and glycogen, relation, Fenn, 1939, 128, 297

Protein autolysis, Luck, Eudin, and Nimmo, 1939, 131, 201

Protoporphyrin conversion to coproporphyrin, Watson, Pass, and Schwartz, 1941, 139, 583
Salzburg and Watson,

1941, 139, 593

Pyruvate metabolism, pantothenic acid and biotin effect, Pilgrim, Axelrod, and Elvehjem,

1942, 145, 237
Pyruvic acid dissimilation, carbon dioxide fixation, Wood, Werkman, Hemingway, and Nier,

1942, 142, 31

Respiration, normal and diabetic, insulin effect, Stadie, Lukens, and Zapp, 1940, 132, 393

-, pyrophosphate and various media, effect, Feinstein and Stare,

1940, 135, 393

Riboflavin, Supplee, Jensen, Bender, and Kahlenberg, 1942, 144, 79

Succinoxidase system, riboflavin deficiency, Axelrod, Swingle, and Elvehjem, 1942, 145, 297

Tissue suspension respiration, metabolites and salts, effect, Elliott and Elliott, 1939, 127, 457

Tocopherol determination, chemical, Hines and Mattill, 1943, 149, 549

Urea formation, normal and diabetic, insulin effect, Stadie, Lukens, and Zapp, 1940, 132, 393

- synthesis, Gornall and Hunter,

1943, 147, 593

---, carbon dioxide rôle, Evans and Slotin, 1940, 136, 805

Uricase, diet effect, Wachtel, Hove, Elvehjem, and Hart, 1941, 138, 361 Water, Marble, Grafflin, and Smith,

1940, 134, 253

and fat relation, fasting effect,
 MacLachlan, Hodge, Bloor, Welch,
 Truax, and Taylor, 1942, 143, 473

Lymphosarcoma: Phospholipid metabo-Liver-continued: Water balance, fasting and glucose lism, radioactive phosphorus as feeding effect, McBride, indicator, Jones, Chaikoff, and 1943, 147, 333 Lawrence, 1939, 128, 631 - glycogen relation, McBride, Guest, Lysergic acid: Base, 6,8-dimethylergoand Scott, 1941, 139, 943 line, synthetic, comparison, Jacobs and Gould, -, potassium salts, injection effect, 1939, 130, 399 Dihydro-, dimethylindole from, Jacobs Eichelberger, 1941, 138, 583 and Craig. Xanthine oxidase, riboflavin effect, 1939, 128, 715 dl- and d-, 6,8-dimethylergolines, Axelrod and Elvehjem, transformation, Gould, Craig, and 1941, 140, 725 Jacobs, 1942, 145, 487 See also Hepatectomy -Related substances, synthesis, Jacobs Luciferin: Absorption spectrum, Chase, and Gould, 1938, 126, 67 1943, 150, 433 Lysine: Dakin, 1942, 146, 237 Oxidized, absorption spectrum, Chase, Anemia, deaminized casein-produced, 1943, 150, 433 relation. Hogan, Powell, Lung(s): Fat metabolism, MacLachlan, Guerrant. 1941, 137, 41 1942, 146, 45 d-, metabolism, deuterium and heavy Parenchyma electrolytes, Wood, nitrogen in study, Ratner, Weiss-1942, 143, 165 man, and Schoenheimer, Protein, thromboplastic, blood co-1943, 147, 549 Cohenagulation, action, and α-N-Dimethyl-, growth availability, Chargaff, 1940, 136, 243 Gordon, 1939, 127, 487 -, -, electrophoresis, Cohen and dl-, metabolism, Butts and Sinnhuber, 1941, 140, 689 Chargaff, 1941, 140, 597 -, -, isolation, Chargaff, Moore, and Hydroxy-, Van Slyke, Hiller, Mac-Bendich. 1942, 145, 593 Fadyen, Hastings, and Klemperer, -, -, phosphatides, blood coagula-1940, 133, 287 tion, action, Cohen and Chargaff, -, dissociation constants, Klemperer, 1941, 139, 741 Hastings, and Van Slyke, See also Pleural fluid 1942, 143, 433 Lupinus angustifolius: Seedlings, etio--, proteins, determination, Van Slyke, lated, asparagine and glutamine Hiller, and MacFadyen, formation, Vickery and Pucher, 1941, 141, 681 1943, 150, 197 l(+)-, isolation, Kurtz, Luteinizing hormone: Pituitary, separa-1941, 140, 705 tion, Greep, van Dyke, and Chow, —, stability, deuterium and heavy 1940, 133, 289 nitrogen in study, Weissman and Lycopene: Pro-, Evonymus fortunei, Schoenheimer, 1941, 140, 779 isolation, Zechmeister and Escue, Liver fat, effect, Tucker and Eckstein, 1942, 144, 321 1938, 126, 117 Pyracantha angustifolia fruit, α-N-Monomethyl-, growth availabil-Zechmeister and Schroeder, ity, Gordon, 1939, 127, 487 1942, 144, 315 Protein hydrolysates, isolation, Rice, Lymphoma: Phospholipid metabolism, 1939, 131, 1 radioactive phosphorus as indicator, Utilization, growth, optical isomerism influence, Totter and Berg, Jones, Chaikoff, and Lawrence, 1939, 127, 375 1939, 128, 631

Lysine monohydrochloride: dl-, liver glycogen and acetone body excretion, effect, Sharp and Berg, 1941, 141, 739 Lysophosphatide(s): Chargaff and Cohen, 1939, 129, 619 M Macrosiphum pisi: See Aphid Magnesium: Anesthesia, adenosine triphosphate relation, DuBois, Albaum, 1943, 147, 699 and Potter, Biological material, determination, micro-, spectrochemical, Duffendack, Thomson, Lee, and Koppius, 1938, 126, 1 Blood. distribution. Snyder and1942, 143, 223 Katzenelbogen, -Deficient diet. blood serum phosphatase, effect, Snyder and Tweedy, 1942, 146, 639 Determination, manometric, micro-, 1940, 136, 553 Hoagland, Distribution, magnesium sulfate administration, effect, Smith, Winkler, 1939, 129, 51 and Schwartz, Ionized, milk, Nordbö, 1939, 128, 745 Muscle and liver, distribution, Eichelberger and McLean, 1942, 142, 467 Magnesium bicarbonate: Dissociation, 1941, 141, 789 Greenwald. Magnesium carbonate: Dissociation. 1941, 141, 789 Greenwald.Magnesium phosphate: Dissociation, Greenwald, Redish, and Kibrick, 1940, 135, 65 Secondary, ionization constant, Tabor and Hastings, 1943, 148, 627 Magnesium sulfate: Magnesium distribuparenteral administration effect, Smith, Winkler, and Schwartz, 1939, 129, 51 Maize: Seed, glycogen, Morris and Morris, 1939, 130, 535 See also Corn Malaria: See also Plasmodium knowlesi Malic acid: Crassulacean, isocitric acid. identity, Pucher and Vickery, 1942, 145, 525

Malonate: Tissue respiration, effect. Baumann and Stare, 1940, 133, 183 Triose phosphate oxidation, effect. Potter. 1940, 134, 417 Malonic acid: Determination, Christensen and Ross. 1941, 137, 101 Malonyl albumin: Egg and blood serum. chymotryptic digestion, Ross and Tracu. 1942, 145, 19 Malonyl pepsin: Tracy and Ross, 1942, 146, 63 Malt: Diastase, plant nutrients, inorganic, effect, Braun, 1942, 145, 197 Leucylpeptidase, Berger and Johnson, 1939, 130, 655 Maltose: Fermentation, alkaline solutions, Stark and Somogyi, 1942, 142, 579 Mammary gland: Lactating, acetone body metabolism, ketosis effect. Shaw. 1942, 142, 53 -, blood plasma glycoprotein utiliza-Reineke, Williamson, tion. Turner. 1941, 138, 83 β-hydroxybutyric acid utilization, Shaw and Knodt, 1941, 138, 287 Shaw and Petersen, 1943, 147, 639 -, lactic acid non-utilization, Powell and Shaw. 1942, 146, 207 Manganese: Bile, distribution and excretion, radioactive isotopes in study, Greenberg, Copp, and Cuthbertson, 1943, 147, 749 Biological materials, determination, micro-, Wiese and Johnson, 1939, 127, 203 Body tissue, determination, Ray, 1940, 134, 677 Deficiency, Boyer, Shaw, and Phillips, 1942, 143, 417 Intestine peptidases, effect, Smith and Bergmann, 1941, 138, 789 Lactic acid bacteria, growth, relation Woolley, 1941, 140, 311 Liver oxidations, action, Bernheim and Bernheim, 1939, 128, 79 Mesoporphyrin, nitrogenous bases, coordination, Taylor, 1940, 135, 569

Manganese—continued:	Mercury—continued:
Milk, determination, Ray,	Determination, micro-, Crandall,
1940, 134, 677	1940, 133, 539
Organic material, determination, Ray,	Mesolanthionine: Growth effect, cystine-
1940, 134, 677	deficient diet, Jones, Divine, and
Manganous uranyl acetate: Sodium deter-	Horn, 1942, 146, 571
mination, colorimetric, micro-, use,	Proteins, isolation, Horn, Jones, and
Leva, 1940, 132, 487	Ringel, 1942, 144, 87
Mannide: Iso-, kidney excretion, Smith,	Mesoporphyrin: Cobalt and manganese,
Finkelstein, and Smith,	nitrogenous bases, coordination,
1940, 135, 231	Taylor, 1940, 135, 569
Mannitol: Kidney excretion, Smith,	Iron, nitrogenous bases, coordination,
Finkelstein, and Smith,	Davies, 1940, 135, 597
1940, 135, 2 31	Protoporphyrin conversion, micro,
Metabolism, Todd, Myers, and West,	Grinstein and Watson,
1939, 127, 275	1943, 147, 671
Ellis and Krantz, 1941, 141, 147	Metabolism: Apparatus, manometer,
Toxicity, Ellis and Krantz,	Summerson, 1939, 131, 579
1941, 141, 147	Basal. See Basal metabolism
Mannoheptulose: d-, excretion, avocado	Intermediary, diabetes, Stadie, Zapp,
ingestion effect, Blatherwick, Larson,	and Lukens, 1941, 137, 63, 75
and Sawyer, 1940, 133, 643	Methionine sulfonium reactions, rela-
Manometer: Injection, Marsh and	tion, Toennies, 1940, 132, 455
Carlson, 1940, 136, 69	Phenylpyruvic oligophrenia, Jervis,
Metabolism study, Summerson,	1938, 126, 305
1939, 131, 579 Marine organism(s): Iron-porphyrin	Respiratory. See Respiratory metab- olism
compounds and succinic dehydro-	Tissue, hemorrhage shock, effect,
genase, Ball and Meyerhof,	Beecher and Craig, 1943, 148, 383
1940, 134, 483	-, riboflavin and vitamin B heat-
Meat: Thiamine, curing effect, Green-	stable components, effect, Hasting,
wood, Beadle, and Kraybill,	Muus, and Bessey, 1939, 129, 295
1943, 149, 349	-, thiamine effect, Muus, Weiss, and
Meigs, Edward Browning: Obituary,	Hastings, 1939, 129, 303
Howe, 1942, 142, 1	Transmethylation and, Simmonds and
Membrane(s): Cellophane, preparation,	du Vigneaud, 1942, 146, 685
Seymour, 1940, 134, 701	Metabolite(s): Intermediary, liver tissue
Mercaptoacetic acid: Iron determination,	suspension respiration, effect, Elliott
spectrophotometric, use in, Koenig	and Elliott, 1939, 127, 457
and Johnson, 1942, 142, 233	Metal(s): Ions, phosphopyruvate re-
Mercapturic acid: Synthesis, animals,	action, Escherichia coli, effect, Utter
Stekol, 1939, 127, 131	and Werkman, 1942, 146, 289
1939, 128, 199	Liver oxidations, action, Bernheim
1941, 138, 225	and Bernheim, 1939, 128, 79
Mercuric chloride: Methionine and	Peptidase activation, Berger and
amino acids, reaction, Toennies and	Johnson, 1939, 130, 641
Kolb, 1938, 126, 367	Metalloporphyrin(s): Clark, Taylor,
Mercury: Amino nitrogen determination,	Davies, and Vestling,
nitrous acid use, effect, Kendrick	1940, 135, 543
and Hanke, 1940, 132, 739	Taylor, 1940, 135, 569

Metalloporphyrin(s)—continued:

Methionine—continued:

Davies. 1940, 135, 597 Cystine conversion, radioactive sulfur Vestling. as indicator, Tarver and Schmidt. 1940, 135, 623 Clark and Perkins. 1940, 135, 643 1939, 130, 67 Derivatives, metabolism, tissue slices. Nitrogenous bases, coordination. Clark, Taylor, Davies, and Vestling. Borek and Waelsch, 1941, 141, 99 1940, 135, 543 Determination, gravimetric, Beach Metanephros: Fetus, cytochrome oxiand Teague, 1942, 142, 277 dase-cytochrome system, oxidationhydrogen peroxide oxidation. reduction potentials, Flexner, Toennies and Callan, 1939, 129, 481 1939, 131, 703 Dietary, cystinuria, effect, Hess and Metaphosphoric acid: -Protein reaction, Sullivan. 1942, 143, 545 1940, 134, 261 liver lipid, effect, Treadwell. Proteins and, combination, Perlmann, Groothuis, and Eckstein, 1941, 137, 707 1942, 142, 653 Methane: Fermentation, Barker, dl-, blood plasma ultrafiltrate cystine 1941, 137, 153 and sulfur distribution, administra-Methanobacterium omelianskii: Biotion effect, Brown and Lewis, chemistry, Barker, 1941, 137, 153 1941, 138, 717 Methemoglobin: Blood, sulfanilamide -, diet, α-keto acid analogue, replaceadministration effect, Wendel, ment, Cahill and Rudolph, 1939, 131, 177 Wendel, and Cox. 1942, 145, 201 Determination, micro-, Evelyn and -, dl-methionine sulfone and methyl-Malloy. 1938, 126, 655 sulfonium chloride replacement of, -Hemoglobin system, oxidation-reduction potentials, Taylor and Hastings, Bennett, 1941, 141, 573 1939, 131, 649 Fatty livers, effect, Tucker, Treadwell, ---, urea solution, oxidation-reducand Eckstein, 1940, 135, 85 tion potentials, Taylor, effect. Growth cystine relation, 1942, 144, 7 Womack and Rose, 1941, 141, 375 Reduction, Cox and Wendel, Hemorrhagic degeneration, relation, 1942, 143, 331 Griffith and Wade, 1940, 132, 627 -, ascorbic acid effect, Vestling, Homocystine replacement of, choline 1942, 143, 439 and betaine effect, comparison. Methionine: Toennies and Kolb, Chandler and du Vigneaud. 1938, 126, 367 1940, 135, 223 1939, 128, 399 - -, - effect, du Vigneaud, Toennies and Callan. Chandler, Moyer, and Keppel, 1939, 129, 481 1939, 131, 57 Kolb and Toennies, 1939, 131, 401 - - -, vitamin B complex supple-Toennies and Kolb, 1941, **140,** 131 ment, relation, du Vigneaud, Dyer, Blood globins, species differences, and Kies. 1939, 130, 325 Beach, Bernstein, Hummel, Wil-Insulin, presence, duVigneaud, liams, and Macy, 1939, 130, 115 Miller, and Rodden, 1939, 131, 631 - serum albumin, absence, Brand and l(-)-, creatine synthesis, specificity, Kassell, 1941, 141, 999 Handler and Bernheim. Color reaction, Kolb and Toennies, 1943, 150, 335 1939, 131, 401 Liver fat, effect, Tucker and Eckstein, Sofin, Rosenblum, and Shultz, 1943, 147, 557 1938, 126, 117

Methionine—continued:
Liver phospholipid turnover, radioac-
tive phosphorus as indicator.
tive phosphorus as indicator, Perlman, Stillman, and Chaikoff,
Perlman, Stillman, and Chaikoff, 1940, 133, 651
Mercuric chloride, reaction, Toennies
and Kolb, 1938, 126, 367
Metabolism, cystinuria, Lough, Peril-
stein, Heinen, and Carter,
1941, 139, 487
-, tissue slices, Borek and Waelsch,
1941, 141, 99
Methyl group, choline and creatine
synthesis, biological, rôle, du
Vigneaud, Cohn, Chandler, Schenck,
and Simmends 1041 140 695
and Simmonds, 1941, 140, 625 — transfer to choline and creatine,
- transfer to choine and creatine,
du Vigneaud, Chandler, Cohn, and
Brown, 1940, 134, 787
Nutrition essential, chick, Klose and
Almquist, 1941, 138, 467
Oxidative reactions, Toennies and
Callan, 1939, 129, 481
Peanut proteins, Brown,
1942, 142, 299
Protein-free, casein conversion.
Toennies, 1942, 145, 667
Radioactive, sulfur-containing, body
protein radioactive sulfur distribu-
tion, ingestion effect, Tarrer and
Schmidt, 1942, 146, 69
-, -, synthesis, Tarver and Schmidt,
1942, 146, 69
Skin, human, Wilkerson and Tulane,
1939, 129, 477
Spermatozoa, Zittle and O'Dell,
1941, 141, 239
Stratum corneum, human, Wilkerson
and Tulane, 1939, 129, 477
Sulfonium reactions, metabolic signifi-
cance, Toennies, 1940, 132, 455
Sulfur, taurine sulfur conversion
Tarver and Schmidt, 1942, 146, 69
Synthesis, biological, choline methyl
groups, use, Simmonds, Cohn. Chandler, and du Vigneaud,
Chandler, and du Vigneaud,
1943, 149, 519
Test colorimetria McCarthy and

Sullivan.

1941, 141, 871

Methionine methylsulfonium chloride:
dl-, dl-methionine replacement by,
Bennett, 1941, 141, 573

Methionine sulfone: dl-, Toennies and
Kolb, 1941, 140, 131

—, dl-methionine replacement by,
Bennett, 1941, 141, 573

Methionine sulfoxide: dl-, Toennies and
Kolb, 1939, 128, 399

Taurocholic acid production, effect,
Virtue and Doster-Virtue,

1941, 137, 227

Methoxy acid(s): α-Amino-β-, purification, β-phenethylamine use, Carter and Risser, 1941, 139, 255

Methylamino acid(s): N-, activity, aque-

ous solution, Smith and Smith, 1940, 132, 57

-, oxidation, kidney and liver, in vitro, Handler, Bernheim, and Klein, 1941, 138, 203

Methyl arachidonate: Spectroscopy, Mowry, Brode, and Brown,

Methylaspartic acid(s): Methylation, Dakin, 1941, 141, 945

Methylcholanthrene: Growth effect,
White and White, 1939, 131, 149

Methylenebis (4-hydroxycoumarin): 3,3'-, blood plasma prothrombin, effect, Overman, Stahmann, Sullivan, Huebner, Campbell, and Link,

1942, 142, 941

-, prothrombin time, 2-methyl-1,4-naphthoquinone and l-ascorbic acid effect, Overman, Stahmann, and Link, 1942, 145, 155

 --, vitamin C excretion and hypoprothrombinemia, effect, Baumann, Field, Overman, and Link,

1942, 146, 7

Methylglycine: N-, hippuric acid synthesis, availability, Abbott and Lewis, 1939, 131, 479

Methylheptanoic acid: 2-, 4-methylnonanoic acid, configurational relationship, Levene and Kuna,

Methyl-1,4-naphthoquinone: 2-, antihemorrhagic activity, Almquist and Klose, 1939, 130, 787 Methyl-1, 4-naphthoquinone-continued: 2-, blood and blood plasma, reactions, Scudi and Buhs. 1942, 144, 599 3.3'-methylenebis(4-hydroxycoumarin) action and prothrombin time, effect, Overman, Stahmann, and Link, 1942, 145, 155 -, vitamin K1, antihemorrhagic activity, comparison, Emmett, Brown, and Kamm, 1940, 132, 467 Methylnicotinamide: N1-, urine, Huff and Perlzweig. 1943, 150, 395 -, -, determination, Huff and Perlzweig. 1943, 150, 483 Methylnonanoic acid: 4-, 2-methylheptanoic acid, configurational relationship, Levene and Kuna, 1941, 140, 255 Methylthiazoline: 2-, properties, proteins, relation, Linderstrøm-Lang and Jacobsen. 1941, 137, 443 Methyltryptophane: N-, acetyl, growth effect, Gordon, Cahill, and Jackson, 1939, 131, 189 Metmyoglobin: -Myoglobin system, oxidation-reduction potentials, Taylor and Morgan, 1942, 144, 15 Microbial action: Anti-, wheat protein, crystalline, phosphatide reversal, effect, Woolley and Krampitz, 1942, 146, 273 Micrometer burette: Scholander, Edwards, and Irving, 1943, 148, 495 Microorganism(s): Glucose-non-fermenting, oxidations, Barron and Friedemann, 1941, 137, 593 Growth, asparagine-glutamate effect, Bovarnick. 1943, 148, 151 See also Achlya, Actinomyces, Bacillus, Bacteria Milk: Biotin isolation, Melville, Hofmann, Hague, and du Vigneaud, 1942, 142, 615 Calcium, ionized, Nordbö, 1939, 128, 745 Derivatives, nicotinic acid determination, chemical, Noll and Jensen, 1941, 140, 755 Dolphin, Eichelberger. Fetcher, Geiling, and Vos. 1940, 134, 171

Milk—continued: Flavoprotein, diphosphopyridine nucleotide, reduced, oxidation, effect. Ball and Ramsdell, 1939, 131, 767 Magnesium, ionized, Nordbö, 1939, 128, 745 Manganese determination, Ray, 1940, 134, 677 Nicotinic acid determination, chemical, Noll and Jensen, 1941, 140, 755 Nitrogen distribution, Beach, Bernstein, Hoffman, Teague, and Macy. 1941, 139, 57 Protein amino acids, distribution. Beach, Bernstein, Hoffman, Teague, and Macy, 1941, 139, 57 Proteins. hydroxyglutamic acid, Nicolet and Shinn, 1942, 142, 139 Sulfhydryl groups, Greenstein, 1940, 136, 795 Thiamine, free and combined, Halliday and Deuel. 1941, 140, 555 Mineral(s): Deficiency, liver fat, effect, Handler. 1943, 149, 291 Metabolism, cortin and sodium chloride effect, adrenalectomy, Kendall, Flock, Bollman, and Mann, 1938, 126, 697 -, phosphorus-deficient diet, effect, Day and McCollum, 1939, 130, 269 -, radioactive isotopes in study, Joseph, Cohn, and Greenberg, 1939, 128, 673 Cohn and Greenberg, 1939, 130, 625 Greenberg, Campbell, and Murayama, 1940, 136, 35 Greenberg, Copp, and Cuthbertson, 1943, 147, 749 —, sodium-deficient diet effect, Orent-Keiles and McCollum, 1940, 133, 75 Tissue, calcified, metabolism, blood phosphorus turnover, relation, radioactive phosphorus as indicator, Manly, Hodge, and Manly, 1940, 134, 293 Mold: Tissue, chemistry, Bohonos and Peterson. 1943, 149, 295

See also Aspergillus, Fungus, Neuro-

spora

Monilia albicans: Lipids, Peck and Mosaic-continued: 1940, 134, 403 Tobacco, virus, denaturation, meas-Hauser. Monoiodoacetate: Brain oxidation by, urement by phenolic groups. effect, Bernheim and Bernheim, Miller, 1942, 146, 339 1941, 138, 501 -, -, derivatives, Miller and Stanley, Monoiodoacetic acid: Monosaccharides 1941, 141, 905 and sodium chloride, absorption, 1942, 146, 331 Miller. intestine, effect, Klinghoffer, 1942, 146, 339, 345 1939, 126, 201 -, -, -, phenolic groups, determination, tyrosine derivatives, rela-Monolayer(s): Hydrocarbons, branched chain, Stenhagen and Ställberg, tion, Miller, 1942, 146, 345 -, -, heat denaturation, Lauffer 1941, **139,** 345 Ställberg and Stenhagen, and Price, 1940, 133, 1 1942, 143, 171 -, -, intestine nucleophosphatase Ställberg-Stenhagen and Stenhagen, action, Cohen and Stanley, 1943, 148, 685 1942, 142, 863 Monomethyllysine: α -N-, growth avail--, -, nucleic acid molecule, size and ability, Gordon, 1939, 127, 487 shape, Cohen and Stanley, Mononucleotide(s): Ribonucleic acid hy-1942, 144, 589 drolysis by ribonuclease, crystalline, -, -, --, properties and hydrolytic isolation, Loring and Carpenter, products, Loring, 1939, 130, 251 1943, 150, 381 -, -, phenylureido derivatives, Miller Monosaccharide(s): Absorption, intesand Stanley, 1941, 141, 905 tine, monoiodoacetic acid effect, -, -, physical and chemical proper-Klinghoffer, 1938, 126, 201 ties, Knight, 1942, 145, 11 Aldo-, benzimidazole derivatives, -, -, protein, amino acids, deteridentification, Moore and Link, 1941, 138, 741 mination, Ross, 1940, 133, 293 —, —, —, — acids, fractionation, Morphine: Cholinesterase, in vitro, effect, Ross. 1942, 143, 685 Eadie.1941, 138, 597 -, -, -, solution, diffusion, Neurath Mosaic: Aucuba virus protein, tomato and Saum, 1938, 126, 435 roots, isolation, Stanley, -, -, -, -, viscosity, Lauffer, 1938, 126, 125 1938, 126, 443 Tobacco, protein, Martin, Balls, and -, -, -, sulfur distribution, Ross, McKinney, 1940, 136, 119 1939, 130, 687 -, virus, acetyl derivatives, Miller -, -, -, viscosimetry, Frampton, 1939, 129, 233 and Stanley, 1941, 141, 905 -, -, amino acids, aromatic, Knight -, -, rib-grass strain, sulfur, Knight, and Stanley, 1941, 141, 39 1943, 147, 663 —, —, antiserum and, reaction, elec-Virus, latent, absorption spectra, tron microscope study, Anderson Lavin, Loring, and Stanley, and Stanley, 1941, 139, 339 1939, 130, 259 -, -, carbobenzoxy, p-chlorobenzoyl, -, -, nucleic acid and protein, and benzenesulfonyl derivatives, absorption spectra, Lavin, Loring, Miller and Stanley, 1942, 146, 331 and Stanley. 1939, 130, 259 -, protein, latent, properties, Loring, -, -, cleavage products, Knight and Lauffer, 1938, 126, 455 1942, 144, 411 -, -, denaturation, Lauffer and —, —, —, ultracentrifugal analysis, 1941, 140, 509 1939, 128, 729 Dow. Wyckoff,

Mouse: Antialopecia factor, Woolley, 1941, 139, 29 Dietary essential, Woolley, 1940, 136, 113 Mucilage: Flaxseed, aldobionic acid structure, Tipson, Christman, and 1939, 128, 609 Levene. Wheat, Indian, Anderson, Gillette, and 1941, 140, 569 Seeley, Mucin(s): -Hydrolyzing enzyme, bacterial, Robertson, Ropes, and Bauer, 1940, 133, 261 Mucinase: Robertson, Ropes, and Bauer, 1940, 133, 261 Mucopolysaccharide(s): Skin, Meyer and Chaffee. 1941, 138, 491 Synovial fluid, isolation, Meyer, Smyth, and Dawson. 1939, 128, 319 Muscle: Adenylic acid, preparation, Kerr. 1941, 139, 131 Aging effect, Lowry, Hastings, Hull, and Brown, 1942, 143, 271 Alkalosis effect, Yannet, 1940, 136, 265 Anserine determination, Zapp and 1938, 126, 9, 19 Wilson. -, species distribution, Zapp and Wilson. 1938, 126, 19 Bicarbonate ion distribution, Wallace and Hastings. 1942, 144, 637 Blood and, electrolyte and water adrenal insufficiency, exchange, Muntwyler, Mellors, Mautz, and 1940, 134, 367 Mangun, - plasma and, electrolyte and water exchange, Mellors, Muntwyler, and 1942, 144, 773 Calcium distribution, Eichelberger and Mc Lean, 1942, 142, 467 Carbohydrate metabolism in vitro, Stadie and Zapp. 1943, 148, 669 Carbon dioxide equilibria in vitro, Wallace and Lowry, 1942, 144, 651 Carbonic acid dissociation constant, first, Danielson, Chu, and Hastings, 1939, 131, 243 Carnosine determination, Zapp and Wilson, 1938, 126, 9, 19 -, species distribution, Zapp and Wilson, 1938, 126, 19

Muscle—continued:
Cations, potassium-low diet and desoxycorticosterone effect, Hegnauer
1943, 150, 358

Chloride determination, Dean,

1941, 137, 113 cy, α -tocopherol

 —, vitamin E deficiency, α-tocopherol effect, Houchin and Mattill,

1942, 146, 301

Cholesterol, inheritance and exercise effect, Bloor, 1940, 132, 77 Coenzyme I, nicotinic acid deficiency effect, Axelrod, Spies, and Elvehjem, 1941, 138, 667

Creatine, Myers and Mangun,

1940, 132, 701

Corsaro, Mangun, and Myers,

1940, 135, 407 Mangun and Myers, 1940, 135, 411

-, vitamin E deficiency, α-tocopherol effect, Houchin and Mattill,

1942, 146, 301

Denervated, phospholipid metabolism,

Artom, 1941, 139, 953

Dystrophy, nutritional, muscle phosphorus, Goettsch, Lonstein, and Hutchinson, 1939, 128, 9

-, α-tocopherol phosphate effect,

Houchin and Mattill, 1942, 146, 309

α-tocopherylquinone, relation,
 Golumbic and Mattill, 1940, 135, 339
 Electrolytes, dolphin, Eichelberger,
 Geiling, and Vos. 1940, 133, 661

Geiling, and Vos, 1940, 133, 661

—, extracellular, depletion effect, Yannet and Darrow, 1940, 134, 721

-, hydronephrosis, potassium salts, injection effect, Eichelberger,

1941, 140, 467

Esterase, Matlack and Tucker,

1940, **132,** 663

Extract, enzyme, phosphorylating, Cori, Colowick, and Cori,

1939, 127, 771
Glycogen, age and fasting effect,
Heymann and Modic, 1939, 131, 297

—, resynthesis, exercise effect, Flock

and Bollman, 1940, 136, 469 Growth retardation effect, Lowry,

McCay, Hastings, and Brown, 1942, 143, 281

Muscle—continued:	Muscle—continued:
Heart, aging effect, Lowry, Hastings,	Potassium, extracellular fluid and
Hull, and Brown, 1942, 143, 271	sodium, depletion, effect, Miller,
-, creatine, phosphorus, and potas-	1943, 147, 121
sium, Mangun and Myers,	-, frog, Steinbach, 1940, 133, 695
1940, 135, 411	Respiration, citric acid cycle, Stare,
—, electrolytes, extracellular, deple-	Lipton, and Goldinger,
tion effect, Yannet and Darrow,	1941, 141, 981
1940, 134, 721	-, insulin effect, Stare and Baumann,
Lactic acid formation, work effect,	1940, 133, 453
Flock, Ingle, and Bollman,	Scallop, octopine precursor, Irvin and
1939, 129, 99	Wilson, 1939, 127, 575
— — metabolism in vitro, Stadie and	Seal, metabolism, diving effect,
Zapp, 1943, 148, 669	Scholander, Irving, and Grinnell,
Lipids, Artom and Fishman,	1942, 1 42, 431
1943, 148, 405	Sodium, frog, Steinbach,
Magnesium distribution, Eichelberger	1940, 133, 695
and McLean, 1942, 142, 467	Squid, nitrogenous extractives, Irvin
Octopus, nitrogenous extractives,	and Wilson, 1939, 127, 565
Irvin and Wilson, 1939, 127, 565	Tocopherols, determination, chemical,
Oxidation, insulin effect, Stadie, Zapp,	Devlin and Mattill, 1942, 146, 123
and Lukens, 1940, 132, 411	Hines and Mattill, 1943, 149, 549
—, α-tocopherol and phosphate deriva-	Water, dolphin, Eichelberger, Geiling,
tive, in vitro, effect, Houchin,	and Vos, 1940, 133, 661
1942, 146, 313	 –, hydronephrosis, potassium salts,
Oxygen consumption, vitamin E defi-	injection effect, Eichelberger,
ciency, α-tocopherol effect, Houchin	1941, 140, 467
and Mattill, 1942, 146, 301	 —, potassium salts, injection effect,
Phosphocreatine and inorganic phos-	Eichelberger, 1941, 138, 583
phate, radioactive phosphorus in	-, renal impairment influence,
study, Bollman and Flock,	Eichelberger, 1939, 128, 137
1943, 147, 155	Working, pyruvate, vitamin B ₁ effect,
Phospholipid, inheritance and exercise	Bollman and Flock, 1939, 130, 565
effect, Bloor, 1940, 132, 77	See also Exercise, Heart, Work
Phosphorus, Myers and Mangun,	Mussel: Sea, carotenoid pigments, me-
1940, 132, 701	tabolism, Scheer, 1940, 136, 275
Mangun and Myers, 1940, 135, 411	Mycobacterium: Benzoic acid and related
-, muscle dystrophy, nutritional,	substances, oxidation, Bernheim,
Goettsch, Lonstein, and Hutchinson,	1942, 143, 383
1939, 128, 9	Mycolic acid: Phlei-, tubercle bacillus,
Phosphorylase, crystalline, Green,	Peck and Anderson, 1941, 140, 89
Cori, and Cori, 1942, 142, 447	Tubercle bacillus, Lesuk and Ander-
—, —, polysaccharide synthesis, rela-	son, 1940, 136, 603
tion, Hassid, Cori, and McCready,	, avian, wax, Anderson and
1943, 148, 89	Creighton, 1939, 129, 57
Phosphorylations, potassium rôle,	, isolation and properties, Stodola,
Boyer, Lardy, and Phillips,	Lesuk, and Anderson,
1942, 146, 673	1938, 126, 505
Potassium, Myers and Mangun,	Myelination: Brain lipid metabolism,
1940, 132, 701	Waelsch, Sperry, and Stoyanoff,
Mangun and Myers, 1940, 135, 411	1940, 135, 297

Myelination—continued: Brain lipids, deposition and metabolism, effect, Waelsch, Sperry, and Stoyanoff, 1941, 140, 885 Mylase P: Pantothenic acid determination, microbiological, use in, Buskirk and Delor. 1942, 145, 707 Mvoglobin: Metmvoglobin-, system, oxidation-reduction potentials, Taylor 1942, 144, 15 and Morgan, Myokinase: Kalckar, 1942, 143, 299 Adenine nucleotides, action, Kalckar, 1943, 148, 127 Transphosphorylations, rôle, Colowick and Kalckar, 1943, 148, 117 1943, 148, 127 Kalckar. Myosin: Denaturing agents, effect, Greenstein and Edsall, 1940, 133, 397 Edsall and Mehl, 1940, 133, 409 Sulfhydryl groups, determination, porphyrindin titration, Greenstein and 1940, 133, 397 Edsall, Viscosity and double refraction of flow, Edsall and Mehl, 1940, 133, 409 Mytilus californianus: See Mussel N Napelline: Craig and Jacobs, 1942, 143, 611 Naphthalene(s): Chlorinated, metabolism, Cleary, Maier, and Hitchings, Growth relation, Stekol, 1939, 127, 131 Naphthalene-β-sulfonic acid: Amino acid

1939, 127, 403 reagent, Bergmann and Stein, 1939, 129, 609 Naphthol: 4-Amino-2-methyl-, sulfhydryl groups, oxidation, effect, Creatine and creatinine excretion. Bernheim and Bernheim, intestinal, and decomposition, effect, 1940, 134, 457 Bodansky, Duff, and McKinney, 4-Amino-2-methyl-1-, and 4-amino-3methyl-1-, vitamin K activity, Liver creatine formation from glyco-Emmett, Kamm, and Sharp, cyamine, effect, Bodansky, Duff, and 1940, 133, 285 McKinney, Naphthoquinone(s): 2-Methyl-1,4-, anti-Nephritis: Kidney oxidations and carbohemorrhagic activity, Almquist and hydrate synthesis, Lyman and Bar-Klose. 1939, 130, 787 ron,

Naphthoguinone(s)-continued: 2-Methyl-1,4-, blood and blood plasma reactions, Scudi and Buhs, 1942, 144, 599 3,3'-methylenebis(4-hydroxycoumarin) action and prothrombin time, effect, Overman, Stahmann, and Link, 1942, 145, 155 -, vitamin K1, antihemorrhagic activity, comparison, Emmett, Brown, and Kamm, 1940, 132, 467 Vitamin K1-associated, determination, reduction-oxidation method, Trenner and Bacher, 1941, 137, 745 Necturus: Urine, glomerulus, sodium, 1943, 147, 653 Negro: Blood, climate and season effect. Dill, Wilson, Hall, and Robinson. 1940, 136, 449 Neoplasm: Epithelial, cytochrome c and body mass, relation, Rosenthal and Drabkin, 1943, 150, 131 Phospholipid metabolism, radioactive phosphorus as indicator, Jones, Chaikoff, and Lawrence, 1939, 128, 631 See also Carcinoma, Lymphoma, Lymphosarcoma, Sarcoma, Tumor Nephrectomy: Acetone bodies, utilization, feeding and glucose, effect, Mirsky, Nelson, and Grayman, 1939, 130, 179 Body water and electrolyte distribution, dehydration and hydration, effect, Chanutin and Ludewig, 1939, 131, 519 Calciferol effect, Tweedy, Templeton, Patras, McJunkin, and McNamara,

1939, 128, 407

1941, 140, 365

1941, 140, 365

1940, 132, 293

Nerve: Phospholipid, formation in vitro, Nicotinamide-continued: radioactive phosphorus as indicator, Urine, determination, bacterial, Isbell, Fries, Schachner, and Chaikoff, Wooley, Butler, and Sebrell, 1941, 139, 499 1942, 144, 59 Tissue, cerebrosides, determination, See also Factor V Nicotine: Urine, determination, Cormicro-, Edman, 1942, 143, 219 coran, Helmer, and Page, Neurospora: Mutant, choline determination, use, Horowitz and Beadle, 1939, 129, 89 1943, 150, 325 Nicotinic acid: Biological materials. determination, colorimetric, Melnick Pyridoxine determination, use, Stokes, and Field, 1940, 134, 1 Larsen, Woodward, and Foster, Blood cell, red, coenzyme I, deficiency 1943, 150, 17 effect, Axelrod, Spies, and Elvehjem, Nicotinamide: Bacteria. metabolism, 1941, 138, 667 rôle, Saunders, Dorfman, and Koser, 1941, 138, 69 cells, determination, Klein, Perl-Blood, determination, bacterial, Isbell, zweig, and Handler, 1942, 145, 27 determination, enzymatic, Allin-Wooley, Butler, and Sebrell, 1943, 147, 785 1941, 139, 499 -, factors affecting, Melnick, Robin--Containing nutrilites, Hemophilusson, and Field, 1940, 136, 157 parainfluenzae, Schlenk and Gingrich, -, mammals, Pearson, 1939, 129, 491 1942, 143, 295 plasma, determination, Klein, Cozymase synthesis, blood cell, red, Perlzweig, and Handler, effect, Handler and Kohn, 1942, 145, 27 1943, 150, 447 Chick embryo, synthesis, Dann and Growth, effect, Handler and Dann, Handler, 1941, 140, 935 1942, 146, 357 Coenzyme I, tissue, effect, Axelrod, -Like substance, asparagine-glutamic Madden, and Elvehjem, acid mixtures, determination, Bovar-1939, 131, 85 1943, 149, 301 Cozymase synthesis from, blood cell, N¹-Methyl-, determination, Huff and red, effect, Kohn and Klein, Perlzweig, 1943, 150, 483 1939, 130, 1 -, urine, Huff and Perlzweig, Handler and Kohn, 1943, 150, 447 1943, 150, 395 Deficiency, Schaefer, McKibbin, and Methylation, liver, in vitro, Perlzweig, Elvehjem, 1942, 144, 679 Bernheim, and Bernheim, -, biochemical defect, Handler and Dann, 1942, 145, 145 1943, 150, 401 —, chick, Briggs, Luckey, Teply, Nucleotides. carbohydrate group, Elvehjem, and Hart, 1943, 148, 517 identification, Schlenk, Derivatives, urine, determination, 1942, 146, 619 Perlzweig, Levy, and Sarett, -Related compounds, bacteria, metab-1940, 136, 729 olism, rôle, Saunders, Dorfman, -, -, excretion, Melnick, Robinson, and Koser, 1941, 138, 69 and Field. 1940, 136, 145 - substances, blood, urine, and spinal Determination, Martinek, Kirch, and fluid, determination, bacterial, Is-Webster, 1943, 149, 245 bell, Wooley, Butler, and Sebrell, -, chemical, Melnick and Field, 1941, 139, 499 1940, 135, 53 Spinal fluid, determination, bacterial, digestion mixtures, decolorization Isbell, Wooley, Butler, and Sebrell, in, Friedemann and Barborka, 1941, 139, 499 1941, 138, 785

Field.

Nicotinic acid-continued: Nicotinic acid-continued: Urine excretion, factors influencing, Determination, microbiological, Snell and Wright, 1941, 139, 675 Melnick, Robinson, and Field, 1940, 136, 131 -, —, p-aminobenzoic acid effect, - thiamine determination, thiochrome Isbell. 1942, 144, 567 method, ingestion effect, Mason Factor V synthesis from, blood cell, and Williams, red, effect, Kohn and Klein, 1941, 140, 417 See also Factor V 1939, 130, 1 - -, in vitro, blood cell, red, Nicotinuric acid: Synthesis, Fox and effect, Kohn and Klein, Field. 1943, 147, 651 1940, 135, 685 Niemann-Pick disease: Spleen, Chargaff. 1939, 130, 503 Feeds, Hale, Davis, and Baldwin, 1942, 146, 565 Ninhydrin: Ascorbic acid and, reaction, Metabolism, Huff and Perlzweig, West and Rinehart, 1942, 146, 105 Endiol compounds and, reaction, West 1942, 142, 401 Metabolite, urine, Huff and Perlzweig, and Rinehart, 1942, 146, 105 1943, 150, 395 Ureide, synthesis and properties, Van N-Methyl derivatives, urine, deter-Slyke and Hamilton, 1943, 150, 471 Nitrate(s): Determination, micro-, Bormination, Sarett, 1943, 150, 159 sook and Dubnoff, 1939, 131, 163 Milk and milk derivatives, determina-Nitrobenzoic acid: p-, blood, determination, chemical, Noll and Jensen, tion, Eckert, 1943, 148, 197 1941, 140, 755 Nitrogen: Amino. See Amino nitrogen Muscle coenzyme I, deficiency effect, Axelrod, Spies, and Elvehjem, Amino acid, blood plasma, Cramer and 1941, 138, 667 Winnick, 1943, 150, 259 Plant, determination, chemical, Hale, Ammonia, tobacco plant, assimilation, nitrogen isotope in study, Vickery. Davis, and Baldwin, 1942, 146, 553 Pneumococcus growth factor, Rane Pucher, Schoenheimer, and Rittenand Subbarow, 1940, 135, 531 1940, 134, 455 berg, Polarographic study, Tompkins and Blood, determination, gasometric, micro, Edwards, Scholander, and Schmidt, 1942, 143, 643 Pyridine nucleotides, synthesis from, Roughton, 1943, 148, 565 in vitro, blood cell, red, effect, serum, arthropods, Allison and Kohn and Klein. 1940, 135, 685 Cole, 1940, 135, 259 -Related compounds, polarographic Buckwheat leaf, metabolism, Vickery, study, Tompkins and Schmidt, Pucher, Schoenheimer, and Ritten-1942, 143, 643 1939, 129, 791 berg. Synthesis, rat, Dann and Kohn, Chick embryo, Levy and Palmer, 1940, 136, 435 1940, 136, 415 Dann, 1941, 141, 803 Determination, iodometric, micro-, Huff and Perlzweig, 1942, 142, 401 Levy and Palmer, 1940, 136, 57 Tissue, Handler and Dann, See also Kjeldahl method Dietary, antibody protein, immunity, 1941, 140, 739 effect, Heidelberger, Treffers, Schoen--, determination, Dann and Handler, 1941, 140, 201 heimer, Ratner, and Rittenberg, Urine, determination, Bandier and 1942, 144, 555 Hald method, Rosenblum and Jolliffe. -, - -, immunized animals, interaction, Schoenheimer, Ratner, Rit-1940, 134, 137 - excretion, Melnick, Robinson, and tenberg, and Heidelberger.

1940, 136, 145

1942, 144, 545

Nitrogen—continued:	Nitrogen—continued:
Dietary, blood proteins, interaction,	Metabolism, yeast, ammonia and
Schoenheimer, Ratner, Rittenberg,	carbamide effect, Schultz, Atkin,
and Heidelberger, 1942, 144, 541	and Frey, 1940, 135, 267
Excretion, pituitary, anterior, extract,	-, -, bios effect, Schultz, Atkin, and
and iodine, effect, Gaebler and	Frey, 1940, 135, 267
Bartlett, 1939, 129, 559	Milk, distribution, Beach, Bernstein,
Fixation, biological, mechanism, Wil-	Hoffman, $Teague$, and $Macy$,
son, Lee, and Wilson,	1941, 139, 57
1942, 144, 265	Proteins, denaturation effect, Hendrix
Lee, Wilson, and Wilson,	and Dennis, 1938, 126, 315
1942, 144, 273	Spermatozoa, Zittle and O'Dell,
-, detection, isotopic nitrogen in	1941, 140, 899
study, Burris, Eppling, Wahlin, and	Stability, organic compounds, Keston,
Wilson, 1943, 148, 349	Rittenberg, and Schoenheimer,
-, symbiotic, hydrogen effect, Wilson,	1939, 127, 315
Lee, and Wyss, 1941, 139, 91	Total, determination, diffusion meth-
-, -, hydrogenase and, Wilson,	od, Tompkins and Kirk,
Burris, and Coffee, 1943, 147, 475	1942, 142, 477 —, —, micro-, Borsook and Dubnoff,
—, —, mechanism, Wilson, Lee, and Wyss, 1941, 139, 91	1939, 131, 163
Wyss, 1941, 139, 91 Heavy, d-lysine metabolism, study	Urea, blood, determination, Gentzkow,
with, Rainer, Weissman, and Schoen-	1942, 143, 531
heimer, 1943, 147, 549	—, determination, micro-, Bock,
-, l(+)-lysine stability, study with,	1941, 140, 519
Weissman and Schoenheimer,	Nitrogenous base(s): Cobalt and man-
1941, 140, 779	ganese mesoporphyrins, coordina-
Isotope, creatine-creatinine metabo-	
lism, study with, Bloch and Schoen-	tion, Taylor, 1940, 135, 569 Iron coproporphyrins and etiopor-
heimer, 1939, 131, 111	phyrins, coordination, Vestling,
-, hippuric acid formation, use,	1940, 13 5, 623
Rittenberg and Schoenheimer,	 mesoporphyrin, protoporphyrin,
1939, 127, 329	and hematoporphyrin, coordination,
-, d-phenylaminobutyric acid inver-	Davies, 1940, 135, 597
sion and l -phenylaminobutyric acid	Metalloporphyrins, coordination,
acetylation, use in study, $du Vi$ -	Clark, Taylor, Davies, and Vestling,
gneaud, Cohn, Brown, Irish, Schoen-	1940, 135, 543
heimer, and Rittenberg,	Nitrogenous constituent(s): Cephalin,
1939, 131, 273	Blix, 1941, 139, 471
Isotopes, amino acids, Schoenheimer	Tissue phosphatides, Chargaff, Ziff, and Rittenberg, 1942, 144, 343
and Rittenberg, 1939, 127, 285	and Rittenberg, 1942, 144, 343 Nitrogenous extractive(s): Squid and
 , organic compounds, determination, Rittenberg, Keston, Rosebury, and 	octopus muscle, Irvin and Wilson,
Schoenheimer, 1939, 127, 291	1939, 127, 565
Isotopic, amino acids, synthesis with,	Nitrous oxide: Blood, solubility, Cullen
Schoenheimer and Ratner,	and Cook, 1943, 147, 23
1939, 127, 301	Nitzschia closterium: Pigments, Pace,
-, Azotobacter vinelandii, distribu-	1941, 140, 483
tion, Burris, 1942, 143, 509	Nomogram: Protein properties, Wyman
Metabolism, anaphylactic shock, rela-	and Ingalls, 1943, 147, 297
tion, Miller, 1940, 133, 93	See also Alignment chart
	=

Nonanoic acid: 4-Methyl-, 2-methylheptanoic acid, configurational relationship, Levene and Kuna, 1941, 140, 255 Notatin: Birkinshaw and Raistrick, 1943, 148, 459 See also Penicillin Nuclease: Ribo-, crystalline, ribonucleic acid, action, Allen and Eiler, 1941, 137, 757 -, -, - hydrolysis by, mononucleotides, isolation, Loring and Carpenter. 1943, 150, 381 Nucleic acid(s): Desoxyribo-, enzyme dephosphorylation, Schmidt, Pickels, and Levene, 1939, 127, 251 -, structure, Levene, 1938, 126, 63 Mosaic virus, latent, absorption spectra, Lavin, Loring, and Stanley, 1939, 130, 259 Pentose identification and determination. Gurin and Hood. 1941, 139, 775 Ribo-, hydrolysis, enzymatic, chemical constitution, relation, Bolomey and Allen, 1942, 144, 113 -, mononucleotides from, hydrolysis by ribonuclease, crystalline, Loring and Carpenter, 1943, 150, 381 -, nucleotides, union, Tipson and Levene, 1939, 127, 105 -, ribonuclease, crystalline, action, Allen and Eiler, 1941, 137, 757 Ribose, electrophoretic mobilities, 1942, 146, 471 Cohen, Ring spot virus, absorption spectra, Lavin, Loring, and Stanley, 1939, 130, 259 Spermatozoa, Zittle and O'Dell, 1941, 140, 899 Streptococcus pyogenes, Sevag, Smolens, and Lackman, 1940, 134, 523 Tobacco mosaic virus, molecular size and shape, Cohen and Stanley, 1942, 144, 589 — —, properties and hydrolytic products, Loring, 1939, 130, 251 Tuberculin, isolation, electrophoretic. Seibert and Watson. 1941, 140, 55

- protein, removal, Seibert,

1940, 133, 593

Nucleophosphatase: Intestine, tobacco mosaic virus, action, Cohen and Stanley, 1942, 142, 863 Nucleoprotein(s): Blood cell, red, phosphorus exchange, Rapoport, Leva, and Guest, 1941, 139, 633 Pentose identification and determination, Gurin and Hood, 1941, 139, 775 Streptococcal, conjugation, Sevag and Smolens. 1941, 140, 833 Tissue nuclei and, dye reaction, comparison, Kelley, 1939, 127, 55 Nucleoside(s): Purine, blood and tissues, determination, Kerr, 1940, 132, 147 Nucleotide(s): Adenine, crystalline, iso-1943, 150, 389 lation, Buell, -, myokinase action, Kalckar, 1943, 148, 127 Diphosphopyridine, betaine aldehyde oxidation, effect, Klein and Handler, 1942, 144, 537 -, determination, manometric, Jandorf, Klemperer, and Hastings, 1941, 138, 311 -, Fusarium fermentation, alcoholic, in vivo, Gould, Tytell, and Jaffe, -, isolation, Jandorf,

1942, 146, 219 1941, 138, 305 -, reduced, oxidation, milk flavoprotein action, Ball and Ramsdell, 1939, 131, 767

-, stability, tissue, Jandorf, 1943, 150, 89

-, synthesis, Chilomonas paramecium, Hutchens, Jandorf, and Hastings, 1941, 138, 321

Lactobacillus casei growth essential. isolation, Stokstad, 1941, 139, 475 Mono-, ribonucleic acid hydrolysis by ribonuclease, crystalline, isolation, Loring and Carpenter,

1943, 150, 381 Nicotinamide, carbohydrate group, identification, Schlenk,

1942, 146, 619 Purine, blood and tissues, determination, Kerr, 1940, 132, 147 Pyridine, synthesis from nicotinic acid, in vitro, blood cell, red, effect, Kohn and Klein, 1940, 135, 685

nancy and lactation, Poo, Lew, and

1939, 128, 69

Addis,

Oat(s)-continued:

Germinating, transamination and pro-Handler and Klein, 1942, 143, 49 tein synthesis, Albaum and Cohen, 1942, **144,** 453 1943, 149, 19 Lichenin, Morris, -, yeast, preparation, Klein, 1942, 142, 881 1940, 134, 43 Obituary: Cullen, Glenn Ernest, Van Ribonucleic acid, union, Tipson and 1940, 134, preceding p. 467 Levene, 1939, 127, 105 Levene, Phoebus Aaron Theodor. Triphosphopyridine, determination, Jacobs and Van Slyke, micro-, Haas, Harrer, and Hogness, 1941, 141, 1 1942, 142, 835 Meigs, Edward Browning, Howe, Nucleus: Lipids, Stoneburg, 1942, 142, 1 1939, 1**29,** 189 Rose, Mary Swartz, Sherman, Liver, isolated, enzymes, Dounce, 1941, 140, 687 1943, 147, 685 Octopine: Irvin and Wilson, Proteins, Mayer and Gulick, 1939, 127, 555, 565, 575 1942, 146, 433 Scallop muscle, precursor, Irvin and Tissue, basic dye combination, Kelley, Wilson, 1939, 127, 575 Synthesis and titration curve, Irvin 1939, 127, 73 and Wilson, 1939, 127, 555 -, nucleoproteins and, dye reaction, Octopus: Muscle, nitrogenous extraccomparison, Kelley, 1939, 127, 55 tives, Irvin and Wilson, See also Cell 1939, 127, 565 Nutrition: Amino acids, rôle, Rose, Odocoileus virginianus borealis: See Deer Haines, and Johnson, Oil(s): Absorption, phosphorus metabo-1942, 146, 683 lism, effect, Reiser, 1940, 135, 303 Rose, Haines, Johnson, and Warner, Grasshopper egg, protyrosinase acti-1943, 148, 457 vators, unimolecular films and frac-Body calcium, effect, Lanford, Camptions, Allen, Boyd, and Bodine, bell, and Sherman, 1941, 137, 627 1942, 143, 785 Factor, additional, rat, Oleson, Bird, See also Coconut oil, Cod liver oil, Elvehjem, and Hart, 1939, 127, 23 Corn oil, Fish liver oils, Olive oil Feather pigmentation factor, Mc-Oleic acid: Fat depot relation, Longe-Ginnis, Norris, and Heuser, 1939, 129, 13 1942, 145, 341 Olein: Tri-, preparation, properties, and Lipid metabolism, relation, Ententhiocyanogen absorption, Wheeler, man, Changus, Gibbs, and Chaikoff, Riemenschneider, and Sando, 1940, 134, 59 1940, 132, 687 Entenman and Chaikoff, Olive oil: Liver phosphorus, acid-soluble, 1942, 142, 129 distribution, fasting, effect, Rapo-See also Diet, Overnutrition, Underport, Leva, and Guest, 1943, 149, 65 nutrition Optical rotation: Protein hydrolysis Nutritional status: Golden and Garfinkel, study, Winnick and Greenberg, 1942, 144, 447 1941, 137, 429 Orange: Juice, calcium assimilation, Oak: Silk, flowers, β-carotene source, 1939, 130, 87 effect, Lanford, Zechmeister and Polgár, Organ(s): Protein metabolism, preg-

> 1941, 140, 1 1942, 142, 881

Oat(s): Araban, Morris,

Nucleotide(s)-continued:

Pyridine, tissue inactivation, in vitro,

Overnutrition: Blood lipids, effect, En-Organic acid(s): Bryophyllum calycinum tenman and Chaikoff, leaves, Pucher, 1942, 145, 511 Rhubarb leaf, excised, behavior during 1942, 142, 129 Oxalacetate: Carbon dioxide fixation, culture, Pucher, Wakeman, and 1938, 126, 43 enzymatic, Krampitz, Wood, and Vickeru. Silver salts, bromoacetyl sugars, ac-Werkman, 1943, 147, 243 1939, 130, 55 Oxalic acid: Determination, Sendroy, tion, Tipson, 1942, 144, 243 Organic compound(s): Identification, small amounts, distribution studies, Fate, Adolph and Liang, 1942, 146, 497 1943, 150, 33 Oxidase: Amine, inactivation, catechol Nitrogen isotopes, determination, Ritand adrenalin derivatives, effect, tenberg, Keston, Rosebury, and Friedenwald and Herrmann, Schoenheimer. 1939, 127, 291 1942, 146, 411 - stability, Keston, Rittenberg, and Schoenheimer, 1939, 127, 315 -, inhibitor specificity, Heegaard and Alles, 1943, 147, 505 Vitamin C synthesis and excretion, substrate specificity, Alles and feeding effect, Longenecker, Musulin, 1943, 147, 487 Heegaard, Tully, and King, 1939, 129, 445 d-Amino acid, l-alanine preparation, ---, effect, Longenecker, Fricke, and King, use, Behrens, 1941, 141, 465 1940, 135, 497 - -, amino acids and, equilibrium Organic material: Isotopes, radioactive, relation, Stadie and Zapp, determination, Chargaff, 1943, 150, 165 1939, 128, 579 - -, benzoic acid effect, Klein and Ornithine: Dakin, 1942, 146, 237 Kamin, 1941, 138, 507 Arginine, conversion, Clutton, Schoen- — —, liver, thyroid feeding effect, heimer, and Rittenberg, Klein, 1939, 131, 139 1940, 132, 227 - -, specificity, Klein and Handler, Cycle, citrulline relation, Gornall and 1941, 139, 103 Hunter, 1943, 147, 593 — , tissue, riboflavin deficiency Proline and glutamic acid, conversion, effect, Axelrod, Sober, and Elvehjem, biological, Roloff, Ratner, and 1940, 134, 749 Schoenheimer, 1940, 136, 561 l-Amino acid, tissue, Green, Nocito, Orthoptera: Ontogenesis, enzymes, rôle, and Ratner, 1943, 148, 461 Allen, Boyd, and Bodine, Carotene, carotene and fat oxidation. 1942, 143, 785 effect, Sumner and Sumner, Osmotic pressure: Low, determination, 1940, 134, 531 apparatus, Bourdillon, Choline, liver, fatty acid action, 1939, 127, 617 Bernheim, 1940, 133, 291 Ovariectomy: -Hysterectomy, \alpha-estradiol -, livers, fatty, Handler and Bernconversion to estrone and β-estraheim. 1942, 144, 401 diol, effect, Fish and Dorfman, Copper-protein, properties, McCarthy, 1942, 143, 15 Green, and King, 1939, 128, 455 Urine androgenic substances, effect, Cytochrome. See Cytochrome, oxi-Hirschmann, 1939, 130, 421 dase - steroids, effect, Hirschmann, Dopa, mammalian, tyrosinase rela-1940, 136, 483 tion, Hogeboom and Adams, Ovary: Estrogen, ketonic, Westerfeld, 1942, 145, 273 Thayer, MacCorquodale, and Doisy, Glycolic acid, Dohan, 1940, 135, 793 1938, 126, 181 Lipid, Sumner, 1942, 146, 211, 215

Oxidase—continued:	Oxygen—continued:
Per-, p-cresol oxidation, Westerfeld	Body fluids, determination, micro-,
and Lowe, 1942, 145, 463	polarographic, Beecher, Follansbee,
Polyphenol-, kidney extracts, cell-free,	Murphy, and Craig, 1942, 146, 197
properties, Cadden and Dill,	Carbon monoxide-, bone marrow,
1942, 143, 105	Pasteur effect, study by, Warren
Sarcosine, Bernheim and Bernheim,	and Carter, 1943, 150, 267
1942, 143, 391	Cholesterol solutions, colloidal, effect,
Succin See Succinoxidase	Wintersteiner and Bergström,
Xanthine, blood, Blauch, Koch, and	1941, 137, 785
Hanke, 1939, 130, 471	Consumption, histamine-histaminase
-, liver, riboflavin, effect, Axelrod	reaction, Laskowski, 1942, 145, 457
and Elvehjem, 1941, 140, 725	-, muscle, vitamin E deficiency,
-, purification and properties, Ball,	α-tocopherol effect, Houchin and
1939, 128, 51	Mattill, 1942, 146, 301
Oxidation(s): Biological, Barron and	Hemin and hemoglobin destruction,
Lyman, 1939, 127, 143	effect, Haurowitz, Schwerin, and
Lyman and Barron, 1940, 132, 293	Yenson, 1941, 140, 353
Barron, 1940, 133, 51	Hemoglobin-, equilibrium, Altschul
Barron and Friedemann,	and Hogness, 1939, 129, 315
1941, 137, 593	-Hemoglobin equilibrium, urea solu-
Barron and Lyman, 1941, 141, 951	tion, Taylor and Hastings, 1942, 144, 1
Barron, Lyman, Lipton, and Gold-	Uptake, brain, Elliott and Libet,
inger, 1941, 141, 957	1942, 143, 227
Barron, Goldinger, Lipton, and	-, hemoglobin, dried, Hisey and
Lyman, 1941, 141, 975	Morrison, 1939, 130, 763
Stare, Lipton, and Goldinger,	-, liver, lead acetate effect, Baern-
1941, 141, 981	stein and Grand, 1941, 140, 285
Kidney, nephritic, Lyman and Barron,	—, tissue, vitamin deficiency, Sure and
1940, 132, 293	DeWitt, 1938, 126, 287
Oxidation-reduction: Potentials, deter-	Oxyhemoglobin: Determination, micro-,
mination, dropping mercury elec-	Evelyn and Malloy, 1938, 126, 655
trode, Müller, 1942, 145, 425	Pancreatic digestion, Ross,
Oxodelphinine: Jacobs and Craig,	1939, 127, 169
1939, 128, 431	Titration data, analysis, Wyman,
Oxonitine: Chemical constitution,	1939, 127, 1
Jacobs, Elderfield, and Craig,	Oxyphenazine: α-, polarographic study,
1939, 128, 439	Müller, 1942, 145, 425
Oxygen: Blood, determination, gaso-	Oxytocic hormone: See Pituitary
metric, micro, Roughton and Scho-	
lander, 1943, 148, 541	P
-, influence, Cohn, Tannenbaum,	Palmitic acid: Fatty acid synthesis and
Thalhimer, and Hastings,	storage, effect, Visscher and Corley,
1939, 128, 109	1943, 147, 291
-, saturation determination, color-	Formation rate, body, Bernhard and
imetric, micro-, Lowry, Smith, and	Schoenheimer, 1940, 133, 713
Cohen, 1942, 146, 519	Stearic and palmitoleic acids, conver-
-, -, spectroscopic, Hall,	sion, Stetten and Schoenheimer,
1939, 130, 573	
•	• •

Palmitoleic acid: Palmitic acid conversion, Stetten and Schoenheimer, 1940, 133, 329
Pancreas: Amylase, Little and Caldwell,

Pancreas: Amylase, Little and Caldwell, 1942, 142, 585

1943, 147, 229

--, solubility, organic solvents, Larsen and Poe, 1940, 132, 129 Carboxyhemoglobin digestion, Ross,

1939, **127,** 169

Extract, fat synthesis and metabolism, effect, McHenry and Gavin,

1940, 134, 683

-, --, relation, Longenecker, Gavin, and McHenry, 1941, 139, 611 Hemoglobin digestion, Ross and Turner, 1941, 139, 603 Lipase activation, blood serum effect, Rabinowitch and Wynne,

1938, 126, 109

-, blood neutral fat, action, Kelsey, 1939, 130, 199

-, specificity, lipid analyses, use, Kelsey, 1939, 130, 195

Oxyhemoglobin digestion, Ross,

1939, 127, 169

Secretion, external, lipid metabolism, effect, Montgomery, Entenman, Chaikoff, and Nelson, 1941, 137, 693 Entenman, Chaikoff, and Montgomery, 1941, 137, 699

Pancreatectomy: Blood lipids, duct ligation and, with insulin, pancreatic juice ingestion effect, Entenman, Chaikoff, and Montgomery,

1941, 137, 699
Livers, fatty, duct ligation and, pancreatic juice ingestion effect, Montgomery, Entenman, Chaikoff, and Nelson, 1941, 137, 693

and Nelson, 1941, 137, 693

—, —, insulin and, choline relation,

Entenman and Chaikoff,

1941, 138, 477

Protein conversion to glucose, effect, Gray, Ivy, and Cuthbert,

1939, 128, 173

Pyruvic acid formation, insulin and, effect, Bueding, Fazekas, Herrlich, and Himwich, 1943, 148, 97 Pancreatectomy—continued:

d-Xylulose and l-xylulose metabolism, effect, Larson, Chambers, Blatherwick, Ewing, and Sawyer,

1939, 129, 701

Pancreatic duct: Blood lipids, ligation and pancreatectomy with insulin, pancreatic juice ingestion effect, Entenman, Chaikoff, and Montgomery, 1941, 137, 699

--, -, choline effect, Entenman,

Montgomery, and Chaikoff,

1940, 135, 329

—, —, effect, Entenman, Chaikoff, and Montgomery, 1939, 130, 121
Liver lipids, ligation, choline effect, Entenman, Montgomery, and Chaikoff, 1940, 135, 329

—, —, effect, Montgomery, Enten-

man, and Chaikoff, 1939, 128, 387
Livers, fatty, ligation, pancreatectomy and, pancreatic juice ingestion effect, Montgomery, Entenman, Chaikoff, and Nelson, 1941, 137, 693

Pancreatic juice: Bicarbonate source, Ball, Tucker, Solomon, and Vennesland, 1941, 140, 119

Blood lipids, pancreatectomy and duct ligation with insulin, ingestion effect, Entenman, Chaikoff, and Montgomery, 1941, 137, 699

Composition, carbonic anhydrase relation, Tucker and Ball,

1941, 139, 71
Livers, fatty, pancreatectomy and duct ligation, effect, Montgomery, Entenman, Chaikoff, and Nelson, 1941, 137, 693

Secretion, carbonic anhydrase relation, Tucker and Ball,

1941, 139, 71

Pantothenic acid: Amino acid analogues,

Weinstock, May, Arnold, and Price,
1940, 135, 343

Blood, Wright, 1943, 147, 261

—, determination, Stanbery, Snell, and Spies, 1940, 135, 353

—, glucose administration effect, Wright, 1942, 142, 445

-, Mammalia, Pearson,

1941, 140, 423

Pantothenic acid—continued:	Papain—continued:
Chick requirement, Jukes,	Crystalline, thyroglobulin denatura-
1939, 129, 225	tion, effect, Lundgren,
Constituents, biological responses,	1941, 138, 293
Woolley, 1939, 130, 417	Dehydrogenases, action, Bernheim,
Deficiency, Schaefer, McKibbin, and	1940, 133, 141
Elvehjem, 1942, 143, 321	Diphtheria antitoxin, effect, Peter-
Determination, Pennington, Snell, and	mann, 1942, 144, 607
Williams, 1940, 135, 213	Histamine liberation by, Rocha e
-, Lactobacillus casei use, buffer and	Silva and Andrade, 1943, 149, 9
glucose effect, Stokes and Martin,	Plastein synthesis, insulin digests,
1943, 147, 483	effect, Haddock and Thomas,
-, microbiological, mylase P use,	1942, 144, 691
Buskirk and Delor, 1942, 145, 707	Ultraviolet absorption spectrum,
-, Proteus morganii use, Pelczar and	Darby, 1941, 139, 721
Porter, 1941, 139, 111	Papaya: Latex, proteinase, crystalline,
Factor W, relation, Black, Frost, and	Jansen and Balls, 1941, 137, 459
Elvehjem, 1940, 132, 65	Papilloma: Virus protein, molecular
Growth effect, Snell, 1941, 139, 975	size, shape, and homogeneity, Neu-
1941, 141, 121	rath, Cooper, Sharp, Taylor, Beard,
Perspiration, Tennent and Silber,	and Beard, 1941, 140, 293
1943, 148, 359	→ —, rabbit, electrophoresis, Sharp
Pneumococcus growth factor, Rane	Taylor, Beard, and Beard,
and Subbarow, 1940, 134, 455	1942, 142, 193
Proteus morganii metabolism, effect,	Paraffin: Metabolism, Stetten,
Dorfman, Berkman, and Koser,	1943, 147, 327
1942, 144, 393	Paraldehyde: Biological fluids, deter-
Pyruvate metabolism, liver, effect,	mination, Levine and Bodansky,
Pilgrim, Axelrod, and Elvehjem,	1940, 133, 193
1942, 145, 237	Paralysis: Biotin effect, Nielsen and
Tissues, chick, diet effect, Snell,	Elvehjem, 1942, 144, 405
Pennington, and Williams,	Parathyroid: Hormone, blood and urine,
1940, 133, 559	effect, Logan, 1939, 127, 711
Urine, Silber and Unna,	-, ketene acetylation, Wood and
1942, 142, 623	Ross, 1942, 146, 59
See also Dermatitis, anti-	-, purification and nature, Ross and
Pantothenic acid diphosphate: Woolley,	Wood, 1942, 146, 49
1940, 134, 461	Parathyroidectomy: Thyro-, calciferol
Papain: Absorption spectrum, Fruton	effect, Tweedy, Templeton, Patras
and Lavin, 1939, 130, 375	McJunkin, and McNamara,
Activation, Fruton and Bergmann,	1939, 128, 407
1940, 133, 153	Pasteur enzyme: Retina, spectrum, Stern
Blood serum pseudoglobulin, effect,	and Melnick, 1941, 139, 301
Petermann, 1942, 144, 607	Yeast, absorption spectrum, Melnick
Chymo-, papaya latex, Jansen and	1941, 141, 269
Balls, 1941, 137, 459	Pasteur reaction: Barker, Shorr, and
Crystalline, isolation and properties,	Malam, 1939, 129, 33
Balls and Lineweaver,	Bone marrow, carbon monoxide
1939, 130, 669	oxygen in study, Warren and Carter
-, proteins, native and urea-de-	1943, 150, 267
natured, action, comparison, Line-	Pea: Roots, carboxylase, Horowitz and
measure and Homer 1941 137 325	Heenaard 1941 137, 475

Peptidase(s): Activation, metal effect, Peanut: Proteins, threonine, serine, cystine, and methionine, Brown, Berger and Johnson, 1939, 130, 641 1942, 142, 299 Amino-, chick embryo, Levy and 1943, 150, 271 Pectic material: Cottonwood, Anderson, Palmer.Carboxy-, kinetics, substrate effect. Kaster, and Seeley, 1942, 144, 767 Penicillin: B, Penicillium notatum, Bergmann and Fruton, Roberts, Cain, Muir, Reithel, Gaby, 1942, 145, 247 Van Bruggen, Homan, Katzman, -, specificity, Hofmann and Berg-1940, 134, 225 Jones, and Doisy, 1943, 147, 47 mann. Di-. See Dipeptidase -, preparation, purification, and mode effect, Smith of action, Van Bruggen, Reithel, Intestine, manganese and Bergmann, Cain, Katzman, Doisy, Muir, Rob-1941, 138, 789 Leucyl-, malt, cabbage, and spinach, erts, Gaby, Homan, and Jones, 1939, 130, 655 1943, 148, 365 Berger and Johnson, Determination, Foster, 1942, 144, 285 , occurrence, Berger and Johnson, Foster and Woodruff, 1943, 148, 723 1940, 133, 157 See also Notatin Poly-, yeast, isolation and properties, 1941, 137, 575 Penicillium notatum: Antibacterial glu-Johnson. aerodehydrogenase from, Peptide(s): Dunn and Porush, Birkinshaw and Raistrick, 1939, 127, 261 Stoddard and Dunn, 1942, 142, 329 1943, 148, 459 Dunn, Frieden, Stoddard, and Brown, Penicillin B, Roberts, Cain, Muir, Reithel, Gaby, Van Bruggen, Homan, 1942, 144, 487 Katzman, Jones, and Doisy, Activity, aqueous solutions, Smith and 1943, 147, 47 Smith. 1940, 135, 273 Pentamethyl dulcitol: 1,2,3,5,6-O-, syn-Amino acids, dehydrogenated, Doherty, Tietzman, and Bergmann, thesis, Tipson and Levene, 1939, 129, 575 1943, 147, 617 Bonds, lactoglobulin, crystalline, de-Pentamethyl-d-sorbitol: 1,2,3,5,6-O-, termination, Hotchkiss, Levene and Kuna, 1939, 127, 49 Pentose(s): Brain phospholipid forma-1939, 131, 387 tion in vitro, radioactive phosphorus proteins, hydrolysis, catalyzed, in study, effect, Schachner, Fries, Steinhardt, 1941, 141, 995 and Chaikoff, Cystine, physical chemistry, Green-1942, 146, 95 Nucleic acids and nucleoproteins, stein, Klemperer, and Wyman, identification and determination, 1939, 129, 681 Gurin and Hood. d-, hydrolysis, enzyme, Berger, John-1941, 139, 775 Pepsin: Crystalline, solubility, factors son, and Baumann, 1941, 137, 389 affecting, Steinhardt, 1939, 129, 135 Determination, micro-, Borsook and Gastric juice, activity, determination, 1939, 131, 163 Dubnoff, Riggs and Stadie, 1943, 150, 463 Di-, racemization, acetylation with Malonyl, Tracy and Ross, ketene, Cahill and Burton, 1942, 146, 63 1940, 132, 161 Pressure effect, Matthews, Dow, and Multivalent, Greenstein, 1940, 135, 697 Anderson, 1939, 128, 241 Salmon, crystalline, preparation and l-Serine, synthesis, Fruton, properties, Norris and Elam, 1942, 146, 463 1940. 134, 443 Synthesis, transamination, Herbst and -, specificity, Fruton and Bergmann, Shemin. 1943, 147, 541 1940, 136, 559 Periodate: Threonine determination, . Specificity, Fruton and Bergmann, microdiffusion, use in, Winnick,

1939, 127, 627

1942, 142, 461

Permanganate: Acid ashing method, Phenolic group(s)-continued: blood iodine determination, micro-, Riggs and Man. 1940, 134, 193 Perosis: Blood and bone phosphatase, chick, Wiese, Johnson, Elvehjem, Hart, and Halpin, 1939, 127, 411 Choline analogues, effect, Jukes and 1942, 146, 19 Welch, - relation, Jukes, 1940, 134, 789 Peroxidase: p-Aminobenzoic acid oxidation, effect, Lipmann, 1941, 139, 977 p-Cresol oxidation. Westerfeld and 1942, 145, 463 Lowe. Cytochrome c, Altschul, Abrams, and 1940, 136, 777 Hogness, Abrams, Altschul, and Hogness, 1942, 142, 303 -Hydrogen peroxide complex, Abrams, Altschul, and Hogness, 1942, 142, 303 Perspiration: Ascorbic acid, thiamine, riboflavin, and pantothenic acid, Tennent and Silber. 1943, 148, 359 Vitamins, Mickelsen and Keys, 1943, 149, 479 Phenanthrenequinone: Condensation, diaminocarboxylic acid from biotin, Hofmann, Kilmer, Melville, du Vi-1942, 145, 503 gneaud, and Darby, Phenanthroline: o-, blood serum iron and pseudohemoglobin iron, determination, use, Barkan and Walker, 1940, 135, 37 -, ferrous complex, blood sugar determination, indicator, MacFadyen and Van Slyke, 1943, 149, 527 Phenethylamine: β -, α -amino- β -methoxy acids, purification, use, Carter and Risser. 1941, 139, 255 Phenol(s): Blood, determination, ether extraction, Schmidt, 1943, 150, 69 Oxidized, amino acid deamination, action, Hubard, 1938, 126, 489 Substituted, flavoprotein catalysis, effect, Krahl, Keltch, and Clowes, Kanze, 1940, 136, 563 Tyrosine conversion, biological, Moss Urine, determination, Schmidt, and Schoenheimer, 1942, 145, 533 Phenylaminoacetic acid: Esters, Raney Phenolic group(s): Tobacco mosaic virus, catalyst, reaction, Ovakimian, Kuna, denaturation measurement by,

Miller,

Tobacco mosaic virus derivatives. determination, tyrosine derivatives. relation, Miller, 1942, 146, 345 Phenolphthalein: Conjugated, chemical constitution, Di Somma, 1940, 133, 277 Phenol red: Absorption curve, blood serum proteins, effect, Robinson and Hogden, 1941, 137, 239 Phenothiazone: Succinic dehydrogenase inhibition, Collier and Allen, 1941, 140, 675 Phenylalanine: Blood, phenylpyruvic oligophrenia, Jervis, Block, Bolling, and Kanze, 1940, 134, 105 Chemistry, Block and Bolling, 1939, 129, 1 Jervis, Block, Bolling, and Kanze, 1940, 134, 105 Block, Jervis, Bolling, and Webb, 1940, 134, 567 Determination, Block, Jervis, Bolling, and Webb, 1940, 134, 567 dl-, resolution, asymmetric enzymatic synthesis, Behrens, Doherty, and Bergmann, 1940, 136, 61 Esters, Raney catalyst, reaction, Ovakimian, Kuna, and Levene, 1940, 135, 91 l-, preparation, protein hydrolysates, Stein, Moore, Stamm, Chou, and Bergmann, 1942, 143, 121 Metabolism, Block and Bolling, 1939, 129, 1 Jervis, Block, Bolling, and Kanze, 1940, 134, 105 Block, Jervis, Bolling, and Webb, 1940, 134, 567 -, ascorbic acid rôle, Sealock, Perkinson, and Basinski, 1941, 140, 153 Nitration, Block and Bolling, 1939, 129, 1 Spinal fluid, phenylpyruvic oligophrenia, Jervis, Block, Bolling, and 1940, 134, 105

1940, 135, 415

1940, 135, 91

and Levene,

1942, 146, 339

254 Phenylaminobutyric acid: Acetylation, in vivo, p-aminobenzoic acid and sulfanilamide relation, Fishman and Cohn. 1943, 148, 619 d-, inversion, nitrogen and hydrogen isotopes in study, du Vigneaud, Cohn, Brown, Irish, Schoenheimer, and Rittenberg, 1939, 131, 273 l-, acetylation, nitrogen and hydrogen isotopes in study, du Vigneaud, Cohn, Brown, Irish, Schoenheimer, and Rittenberg, 1939, 131, 273 Phenylenediamine: o-, d-glucosamine, reaction, Lohmar and Link, 1943, 150, 351 Phenylhydrazine: Dehydrogenase action, Bernheim, 1940, 133, 485 Phenyllactic acid: β -, tyrosine, conversion, Moss, 1941, 137, 739 Phenylpyruvic oligophrenia: Blood and cerebrospinal fluid phenylalanine, Jervis, Block, Bolling, and Kanze 1940, 134, 105 Metabolism, Jervis, 1938, 126, 305 Tissue protein amino acids, Block, Jervis, Bolling, and Webb, 1940, 134, 567 Phenylthiocarbamide: Tyrosinase, effect,

Bernheim and Bernheim,

1942, 145, 213

Phenylureido derivative(s): Tobacco mosaic virus, Miller and Stanley,

1941, 141, 905

Phleimycolic acid: Tubercle bacillus, Peck and Anderson. 1941, 140, 89 Phlorhizin: Diabetes, phosphorus metabolism, radioactive phosphorus as indicator, Weissberger,

1941, 139, 543 Glycosuria, valine metabolism, Rose, Johnson, and Haines, 1942, 145, 679 Intestine phosphate, organic, and fructose, effect, Beck, 1942, 143, 403 Protein conversion to glucose, effect, Gray, Ivy, and Cuthbert,

1939, 128, 173 Phosphatase(s): Acid, blood serum, determination, Gutman and Gutman, 1940, 136, 201 Shinowara, Jones, and Reinhart,

1942, 142, 921

Phosphatase(s)-continued:

Activity, oxidants and reductants, effect, Sizer, 1942, 145, 405 Adenosinetri-, system, acetylcholine, activation, DuBois and Potter,

1943, 148, 451 -, tissue, determination, DuBois and Potter, 1943, 150, 185 Alkaline, blood serum, determination, Shinowara, Jones, and Reinhart,

1942, 142, 921

- -, hypophysectomy effect, Jones and Shinowara.

1942, 142, 935 -, zinc effect, Hove, Elvehjem, and 1940, 134, 425 Hart, Blood, perosis, chick, Wiese, Johnson, Elvehjem, Hart, and Halpin,

1939, 127, 411 - plasma, embryonic and tumor

growth, effect, Weil, 1941, 138, 375 —, fat metabolism, relation, Weil 1940, 136, 9 and Russell.

---, jaundice effect, Weil and Russell, 1942, 144, 307

 — , magnesium-deficient diet, effect, Snyder and Tweedy,

1942, 146, 639 - -, vitamin D effect, Correll and Wise, 1938, 126, 581

Bone, perosis, chick, Wiese, Johnson, Elvehjem, Hart, and Halpin,

1939, 127, 411

sodium β-glycerophosphate hydrolysis. activation energy, Bodansky, 1939, 129, 197

-, sulfhydryl compounds, in vitro, influence, Williams and Watson, 1940, 135, 337

Feces, aminoethyl phosphate and β glycerophosphate hydrolysis Bowers, Outhouse, and Forbes,

1940, 132, 675

-, preparation and effect, Chen, 1940, 132, 445 Freeman, and Ivy. α-Glycerophosphoric acids, synthetic, action, Baer and Fischer,

1940, 135, 321 Hexosedi-, Gomori, 1943, 148, 139 Intestine, Schmidt and Thannhauser, 1943, 149, 369

Phosphate salt(s): Blood serum calcium-

protein relationship, effect, ultra-

centrifuge studies, Masket, Chanu-

Kidney, aminoethyl phosphate and β-glycerophosphate hydrolysis by, Bowers, Outhouse, and Forbes, 1940, 132, 675 -, separation, Perlmann and Ferry, 1942, 142, 513 Nucleo-, intestine, tobacco mosaic virus, action, Cohen and Stanley, 1942, 142, 863 Tissues, normal and rachitic, action, Truhlar, Drekter, McGuire, and 1939, 127, 345 Falk. Yeast, determination, Rae and East-1940, 136, 443 Phosphate(s): Acid-soluble, liver, carbohydrate metabolism and, radioactive phosphorus in study, Kaplan and Greenberg, 1943, 150, 479 Determination, manometric, micro-, Hoagland. 1940, 136, 543 Enamel, dentin, bone, and hydroxyapatite, adsorption, radioactive isotope in study, Hodge, Van Huysen, Bonner, and Van Voorhis, 1941, 138, 451 Inorganic, blood serum, determination, Shinowara, Jones, and Reinhart, 1942, 142, 921 -, - -, hypophysectomy effect, Jones and Shinowara, 1942, 142, 935 -, muscle, radioactive phosphorus in study, Bollman and Flock, 1943, 147, 155 -, radioactive, blood cell, red, permeability, Eisenman, Ott, Smith, and Winkler. 1940, 135, 165 Intestine mucosa, glucose absorption, effect, Eiler, Stockholm, and Althausen. 1940, 134, 283 Liver, glycogen relation, Fenn, 1939, 128, 297 Organic, determination, King method, urea and sodium chloride effect, Rae and Eastcott. 1939, 129, 255 -, intestine, glucose and phlorhizin effect, Beck, 1942, 143, 403 Sodium determination, effect, Sobel, Kraus, and Kramer, 1941, 140, 501

Phosphatase(s)—continued:

tin, and Ludewig, 1942, 143, 763 Phosphatide(s): Brain, inositol, Folch and Woolley, 1942, 142, 963 -, serine isolation, Chargaff and Ziff, 1941, 140, 927 Fatty acids, tubercle bacillus, Peck and Anderson, 1941, 138, 135 Formation, Chargaff, Olson, and Partington, 1940, 134, 505 Glycerophosphoric acid, nature, Folch, 1942, 146, 31 Inorganic salts and, Christensen and Hastings. 1940, 136, 387 Inositol, brain cephalin, separation, Folch,1942, 146, 35 Lung protein, thromboplastic, blood coagulation, action, Cohen and 1941, 139, 741 Chargaff, Lyso-, Chargaff and Cohen, 1939, 129, 619 Phosphoric acid esters related to, synthesis, Christensen, 1940, 135, 399 Phytomonas tumefaciens, chemistry, Geiger and Anderson, 1939, 129, 519 Polysaccharide, tuberculin cell resi-

Proteins, basic, compounds between, Chargaff and Ziff, 1939, 131, 25
Reversal, wheat protein, crystalline, antimicrobial action, Foolley and Krampitz, 1942, 146, 273
Tissue, nitrogenous constituents, Chargaff, Ziff, and Rittenberg,

dues, Anderson, Peck, and Creighton,

1942, 144, 343

Phosphatidyl ethanolamine: Brain cephalin, separation, Folch,
1942, 146, 35

Phosphatidyl serine: Brain cephalin, separation, Folch, 1942, 146, 35

-, serine component identification, Folch, 1941, 139, 973 Phosphocreatine: Muscle, radioactive

phosphorus in study, Bollman and Flock, 1943, 147, 155

Phosphoglyceric acid: Preparation, Du-Bois and Potter, 1943, 147, 41 Phosphoglycerol: Acid-soluble, liver, determination, Leva and Rapoport, 1943, 149, 47 Phospholipid(s): Bases, determination, isotope method, Chargaff, Ziff, and Rittenberg, 1941, 138, 439 Bile, hepatic and gallbladder, Johnston, Irvin, and Walton, 1939, 131, 425 Blood, contaminants, Christensen, 1939, 129, 531 determination, Marenzi and 1943, 147, 371 Cardini, -, -, micro-, Erickson, Avrin, Teague, and Williams, 1940, 135, 671 -, jaundice effect, Weil and Russell, 1942, 144, 307 - plasma, Artom, 1941, 139, 65 - -, dietary fat effect, Artom and 1940, 135, 59 Freeman, - -, diethylstilbestrol effect, Flock and Bollman, 1942, 144, 571 - -, formation site, radioactive phosphorus in study, Fishler, Entenman, Montgomery, and Chaikoff, 1943, 150, 47 Brain, formation in vitro, radioactive phosphorus as indicator, Fries, Schachner, and Chaikoff, 1942, 144, 59 -, - - -, radioactive phosphorus in study, hexose and pentose effect, Schachner, Fries, and Chaikoff, 1942, 146, 95 metabolism, radioactive phosphorus as indicator, Changus, Chaikoff, and Ruben, 1938, 126, 493 Choline-containing, blood plasma. Artom. 1941, 139, 65 Ether-insoluble, blood and tissues, Sinclair and Dolan, 1942, 142, 659 Fate, intravenous injection, Haven and Bale, 1939, 129, 23 Flock, Fatty livers. Hester, and 1939, 128, 153 Bollman, Formation site, hepatectomy effect, radioactive phosphorus in study, Fishler, Entenman, Montgomery, and

Chaikoff,

1943, 150, 47

Phospholipid(s)-continued: Heart, serologically active, isolation and purification, Pangborn, 1942, 143, 247 Inositol-containing, soy bean, isolation and chemical constitution, Woolley, 1943, 147, 581 Kidney, formation in vitro, anaerobiosis and respiratory inhibitors, effect, radioactive phosphorus as indicator, Taurog, Chaikoff, and Perlman, 1942, 145, 281 -, turnover, Sinclair, 1940, 134, 71 Liver, amino acid effect, radioactive phosphorus as indicator, Perlman, Stillman, and Chaikoff, 1940, 135, 359 -, formation in vitro, anaerobiosis and respiratory inhibitors, effect, radioactive phosphorus as indicator. Taurog, Chaikoff, and Perlman, 1942, 145, 281 -, fractionation, fasting effect, Mac-Hodge, Lachlan, Bloor,Welch,Truax, and Taylor, 1942, 143, 473 -, metabolism, in vitro, radioactive phosphorus as indicator, Fishler, Taurog, Perlman, and Chaikoff, 1941, 141, 809 -, turnover, Sinclair, 1940, 134, 71 —, —, methionine, cystine, and cysteine influence, radioactive phosphorus as indicator, Perlman, Stillman, and Chaikoff, 1940, 133, 651 Metabolism, central nervous system, age influence, radioactive phosphorus as indicator, Fries, Changus, and Chaikoff, 1940, 132, 23 -, kidney, ammonium chloride effect, radioactive phosphorus as indicator, Weissberger, 1940, 132, 219 -, liver, betaine influence, radioactive phosphorus as indicator, Perlman and Chaikoff, 1939, 130, 593 -, -, cholesterol influence, radioactive phosphorus as indicator, Perlman and Chaikoff,

1939, 128, 735

1941, 139, 953

-, muscle, denervated, Artom,

Phospholipid(s)—continued: Phosphoric acid: Aminoethyl-, metabo-Metabolism, neoplastic tissues, radiolism, radioactive phosphorus isotope active phosphorus as indicator, as indicator, Chargaff and Keston, Jones, Chaikoff, and Lawrence, 1940, 134, 515 Esters, phosphatide-related, synthe-1939, 128, 631 -, radioactive phosphorus as indisis, Christensen, 1940, 135, 399 cator, Changus, Chaikoff, and Ruben, See also Gly cerophosphoric acid, Meta-1938, 126, 493 phosphoric acid Perlman and Chaikoff, Phosphorus: Acid-soluble, blood cells, 1939, 127, 211 vertebrates, Rapoport and Guest, Jones, Chaikoff, and Lawrence, 1941, 138, 269 1939, 128, 631 -, liver, distribution, fasting, diet Perlman and Chaikoff, effect, Rapoport, Leva, and Guest, 1939, 128, 735 1943, 149, 65 1939, 130, 593 -, -, -, - effect, Rapoport, Leva, Fries, Changus, and Chaikoff, and Guest. 1943, 149, 57 1940, 132, 23 -, -, -, epinephrine, and insulin, Jones, Chaikoff, and Lawrence, effect, Nelson, Rapoport, Guest, and 1940, 133, 319 Mirsku. 1942, 144, 291 Perlman, Stillman, and Chaikoff, Blood, adrenalin injection effect, Mac-1940, 133, 651 Vicar and Heller, 1941, 137, 643 1940, 135, 359 -, age effect, Anderson and Elvehjem, Muscle, inheritance and exercise effect, 1940, 134, 217 - cell, red, phytate, lipids, and Bloor. 1940, 132, 77 Nerve, formation in vitro, radioactive nucleoproteins, exchange, Rapoport, phosphorus as indicator, Fries, Leva, and Guest, 1941, 139, 633 Schachner, and Chaikoff, - lead, influence, Sobel, Yuska, 1942, 144, 59 Peters, and Kramer, 1940, 132, 239 Oxidation, ascorbic acid and carcinoserum, glucose, galactose, and genic chemicals, effect, Deutsch, xylose effect, Free and Leonards, Kline, and Rusch, 1941, 141, 529 1943, 149, 203 -, tissues, vanadium action, Bern- - sodium determination, effect, heim and Bernheim, 1939, 127, 353 Hald.1939, 130, 133 Testis, elaidic acid absence, Sinclair, turnover, tissue, calcified, mineral 1940, 134, 89 metabolism relation, radioactive Tissue, determination, micro-, Erickphosphorus as indicator, Manly, son, Avrin, Teague, and Williams, Hodge, and Manly, 1940, 134, 293 1940, 135, 671 Bone lead, influence, Sobel, Yuska, -, diet relation, Artom and Fishman, Peters, and Kramer, 1940, 132, 239 1943, 148, 405, 415, 423 Brain, metabolism, radioactive phos-Tumors, turnover, radioactive phosphorus in study, Fries and Chaikoff, phorus as indicator, Jones, Chaikoff, 1941, 141, 479 and Lawrence, 1940, 133, 319 -Deficient diet, mineral metabolism, See also Lipid growth, and symptomatology, Day Phosphopyruvate: Reactions, Escherichia and McCollum, 1939, 130, 269 coli, metal ions, effect, Utter and Glucose fermentation by Streptococcus Werkman. 1942, 146, 289 faecalis, transformation, O' Kane and Phosphopyruvic acid: Dephosphoryla-1942, 142, 25 Umbreit, tion, carbohydrate breakdown, rela-Heart, Alburn and Myers, tion, Meyerhof andJunowicz-1939, 131, 713 1942, 145, 443 Kocholaty,

Phosphorus—continued:

Hypervitaminosis D₂ and D₃, ingestion effect, Morgan, Shimotori, and Hendricks, 1940, 134, 761

Inorganic, blood cells, ricket. Rapoport and Guest, 1938, 126, 749 —, —, distribution, Snyder and Katz-

enelbogen, 1942, 143, 223

—, bones and teeth, metabolism, radioactive phosphorus as indicator,

Manly and Bale, 1939, 129, 125, —, excretion, glycine and histidine ingestion effect, Hyde,

1940, 134, 95
Iron utilization, effect, Fuhr and
Steenbock, 1943, 147, 59, 65, 71
Labeled, organs, recovery, Fries and

Chaikoff, 1941, 141, 469
-Low diet, vitamin D₂ effect, Schneider and Steenbock, 1939, 128, 159

Metabolism, oil and glucose absorption, effect, Reiser, 1940, 135, 303

—, phlorhizin diabetes, radioactive phosphorus as indicator, Weissberger, 1941, 139, 543

 rickets, vitamin D effect, radioactive isotopes as indicator, Cohn and Greenberg, 1939, 130, 625
 Muscle, Myers and Mangun,

1940, 132, 701

Mangun and Myers, 1940, 135, 411

—, heart, Mangun and Myers,

1940, 135, 411

—, muscle dystrophy, nutritional, Goettsch, Lonstein, and Hutchinson, 1989, 128, 9

Organic acid-soluble, blood cells, rickets, Rapoport and Guest,

1938, 126, 749

—, determination, micro-, Horecker,
Ma, and Haas, 1940, 136, 775

Radioactive, aminoethylphosphoric acid metabolism, indicator, Chargaff and Keston, 1940, 134, 515

—, brain phospholipid formation in vitro, indicator, Fries, Schachner, and Chaikoff, 1942, 144, 59

-, - - in vitro, study with, hexose and pentose effect, Schachner, Fries, and Chaikoff, 1942, 146, 95

Phosphorus-continued:

Radioactive, brain phospholipid metabolism, indicator, Changus, Chaikoff, and Ruben,

1938, 126, 493

—, central nervous system phospholipid metabolism indicator, age influence, Fries, Changus, and Chaikoff, 1940, 132, 23

-, choline action on liver, indicator, Perlman and Chaikoff,

1939, 127, 211

—, kidney phospholipid and total phosphorus metabolism, ammonium chloride effect, indicator, Weissberger, 1940, 132, 219

—, — formation in vitro, anaerobiosis and respiratory inhibitors, study with, Taurog, Chaikoff, and Perlman, 1942, 145, 281

 —, liver phosphates, acid-soluble, carbohydrate metabolism and, use in study, Kaplan and Greenberg,

1943, 150, 479

—, — phospholipid formation in vitro, anaerobiosis and respiratory inhibitors, study with, Taurog, Chaikoff, and Perlman,

1942, 145, 281

—, — metabolism in vitro, study with, Fishler, Taurog, Perlman, and Chaikoff, 1941, 141, 809

-, - -, indicator, betaine influence, Perlman and Chaikoff,

1939, 130, 593

-, - - turnover, indicator, cholesterol effect, Perlman and Chaikoff,

1939, 128, 735

-, - - -, indicator, methionine, cystine, and cysteine influence, Perlman, Stillman, and Chaikoff,

1940, 133, 651

-, muscle phosphocreatine and inorganic phosphate, study with, Bollman and Flock, 1943, 147, 155

—, nerve phospholipid formation in vitro, indicator, Fries, Schachner, and Chaikoff, 1942, 144, 59

—, phospholipid formation, site, study with, Fishler, Entenman, Montgomery, and Chaikoff, 1943, 150, 47

Phosphorus—continued:	Phosphorylase—continued:
Radioactive, phospholipid metabo-	Crystalline, muscle, polysaccharide
lism indicator, Changus, Chaikoff,	synthesis relation, Hassid, Cori,
and Ruben, 1938, 126, 493	and McCready, 1943, 148, 89
Perlman and Chaikoff,	Starch, potato, Green and Stumpf,
1939, 127, 211	1942, 142, 355
Jones, Chaikoff, and Lawrence,	Phosphorylation: Brain extracts, Ochoa,
1939, 128, 631	1941, 141, 245
Perlman and Chaikoff,	Muscle, potassium rôle, Boyer, Lardy,
1939, 128, 735	and Phillips, 1942, 146, 673
1939, 130, 593	Phospho-12-tungstate(s): Diamino acids,
Fries, Changus, and Chaikoff,	proline, glycine, and tryptophane,
1940, 132, 23	solubility and composition, Van
Jones, Chaikoff, and Lawrence,	Slyke, Hiller, and Dillon,
1940, 133, 319	1942, 146, 137
Perlman, Stillman, and Chaikoff,	Photometer: Photoelectric, Rosenfeld,
1940, 133, 651	1939, 129, 179
1940, 135, 359	Photosynthesis: Chlorella pyrenoidosa,
—, — —, neoplastic tissues, indicator,	inhibition, Green, McCarthy, and
Jones, Chaikoff, and Lawrence,	King, 1939, 128, 447
1939, 128, 631	Phthiocerol: Hydrocarbon, x-ray study,
-, prothrombin conversion to throm-	Stenhagen, 1943, 148, 695
bin, indicator, Chargaff, Ziff, and	Monolayers, Ställberg and Stenhagen,
Cohen, 1940, 135, 351	1942, 1 43, 171
 tumor phospholipid turnover, 	Phthiocol: Synthesis, Anderson and
indicator, Jones, Chaikoff, and	Creighton, 1939, 130, 429
Lawrence, 1940, 133, 319	Phthioic acid: Monolayers, Stenhagen
-, vitamin D action, study with,	and Ställberg, 1941, 139, 345
Shimotori and Morgan,	Phyllochromogen: Protoporphyrin and
1943, 147, 201	pyridine, Ross, 1939, 127, 163
Skeleton, turnover, pregnancy, diet	Physostigmine: Cholinesterase, effect,
effect, Manly and Levy,	Eadie, 1942, 146, 85
1941, 139, 35	Phytase: Blood plasma and blood cell,
Spermatozoa, Zittle and O'Dell,	red, vertebrates, Rapoport, Leva,
1941, 140, 899	and Guest, 1941, 139, 621
Utilization, intestine hydrogen ion	Phytate: Blood cell, red, phosphorus
concentration relation, Jones,	exchange, Rapoport, Leva, and Guest,
•	1941, 139, 633
1942, 142, 557	Phytate phosphorus: Blood, determina-
See also Phytate phosphorus	tion, Leva and Rapoport,
Phosphorus compound(s): Acid-soluble,	1941, 141, 343
brain, Stone, 1940, 135, 43	Phytic acid: Blood cell, red, avian,
-, cerebrum, Stone, 1943, 149, 29	Rapoport, 1940, 135, 403
Brain, Kerr, 1941, 140, 77	Iron availability, effect, Fuhr and
1942, 145, 647	Steenbock, 1943, 147, 59
Egg yolk, formation, Chargaff,	Phytomonas tumefaciens: Glutamic and
1942, 142, 505	aspartic acid configuration, Char-
Phosphorylase: Crystalline, muscle,	gaff, 1939, 130, 29
Green, Cori, and Cori,	Lipids and phosphatide, Geiger and
1942, 142, 447	Anderson, 1939, 129, 519
• •	

Picric acid: Pituitary hormone, anterior, Pituitary—continued: Anterior, follicle-stimulating hormone, follicle-stimulating, effect, Jensen picric and flavianic acids, effect, and Tolksdorf, 1940, 132, 519 Jensen and Tolksdorf, Picrolonic acid: Calcium determination, 1940, 132, 519 use in. Cohn and Kolthoff. growth hormone, purification. 1943, 147, 705 1943, 148, 711 Marx, Simpson, and Evans, 1943, 147, 77 Titration, amperometric, Cohn and -, thyrotropic hormone, purification, 1943, 148, 711 Kolthoff, Fraenkel-Conrat, Fraenkel-Conrat, Pigment(s): Carotenoid, sea mussel, Simpson, and Evans, 1940, 135, 199 1940, 136, 275 metabolism, Scheer, -. See also Prolactin Chloroplast, determination, spectro-Extracts, gonadotropic activity, trypphotometric, Haskin, sin and ptyalin effect, McShan and 1942, 144, 149 1938, 126, 361 Green, diatoms and algae, Strain and Follicle-stimulating activity, enzyme Manning.1942, 144, 625 relation, McShan and Meyer, Heme, feces, urine, and blood plasma, 1940, **132**, 783 determination, Flink and Watson, - fractions, preparation and proper-1942, 146, 171 ties, trypsin digestion, McShan Nitzschia closterium, Pace, and Meyer, 1940, 135, 473 1941, 140, 483 - hormone, chemistry, Fevold, -Producing compound, green, urine, 1939, 128, 83 pyridoxine relation, Lepkovsky and - -, purification, Jensen, Tolksdorf, 1940, 135, 791 Nielsen, 1942, 144, 135 and Bamman, - -, separation, Greep, van Dyke, Pyrrole-containing, hemoglobin synand Chow, 1940, 133, 289 thesis, relation, Kohler, Elvehjem, Interstitial cell-stimulating hormone, and Hart. 1939, 128, 501 purification, Jensen, Tolksdorf, and Respiratory, Urechis eggs, Horowitz 1940, 135, 791 Bamman. and Baumberger, 1941, 141, 407 Iodine, Baumann and Metzger, Pigmentation: Feather, nutritional fac-1939, 127, 111 tor, McGinnis, Norris, and Heuser, Lactogenic hormone, Li, Lyons, and 1942, 145, 341 Evans, 1940, 136, 709 Pine: White, hemicelluloses, polyuron-1941, 139, 43 ide, Anderson, Kesselman, 1941, 140, 43 Bennett, 1941, 140, 563 Li, Simpson, and Evans, Pineapple: Hexosamine, uncombined, 1942, 146, 627 ammonium sulfate or calcium nitrate Li, 1942, **146,** 633 effect, Sideris, Young, and Krauss, 1943, 148, 289 1938, 126, 233 ---, diffusion and viscosity measure-Pituitary: Adrenocorticotropic hormone, ments, Li, 1942, 146, 633 insulin hypoglycemia and liver glv- —, isolation, Li, Simpson, and cogen, effect, Grattan and Jensen, Evans, 1942, 146, 627 1940, 135, 511 — , molecular weight, Li, Lyons, Adrenotropic hormone, preparation and Evans, 1941, 140, 43 and properties, Sayers, White, and ---, reactions with iodine, Li, Lyons, Long, 1943, 149, 425 and Evans, 1941, 139, 43 Antagonist, chemistry, Bischoff, —, sulfur amino acid, Li, 1940, 133, 621 1943, **148,** 289

Pituitary—continued:	Plant(s)—continued:
Lactogenic hormone, tyrosine and	Proteases, activation-inhibition re-
tryptophane, Li, Lyons, and Evans,	action, Greenberg and Winnick,
1940, 136, 709	1940, 135, 761
Luteinizing hormone, chemistry,	-, hydrogen ion concentration-activ-
Fevold, 1939, 128, 83	ity curves, Greenberg and Winnick,
, separation, Greep, van Dyke, and	1940, 135, 775
Chow, 1940, 133, 289	-, kinetics, Greenberg and Winnick,
Oxytocic hormones, cystine, tyrosine,	1940, 135, 781
and arginine, Potts and Gallagher,	Viruses, isolation and crystallization,
1942, 143, 561	hydrophilic colloids, use in, Cohen,
Posterior, pressor principle, nature,	1942, 144, 353
amphoteric, Cohn, Irving, and du	Plantago fastigiata: See Wheat
Vigneaud, 1941, 137, 635	Plasma: Blood. See Blood plasma
Pressor hormones, cystine, tyrosine,	Semen, proteins, Ross, Moore, and
and arginine, Potts and Gallagher,	Miller, 1942, 144, 667
1942, 143, 561	Plasmodium knowlesi: Blood lactic and
See also Hypophysectomy	pyruvic acids, effect, Wendel and
Pituitary extract(s): Anterior, fractions,	Kimball, 1942, 145, 343
ketogenic and respiratory quotient-	Respiratory and carbohydrate metabo-
reducing substances, preparation	lism, Wendel, 1943, 148, 21
and assay, Greaves, Freiberg, and	Plastein(s): Synthesis, insulin digests,
Johns, 1940, 133, 243	trypsin and papain effect, Haddock
—, nitrogen excretion, creatinuria,	and Thomas, 1942, 144, 691
and basal metabolism, effect, Gaebler	Pleural fluid: Hyaluronic acid, tumor
and Bartlett, 1939, 129, 559	relation, Meyer and Chaffee,
Placenta: α-Dihydrotheelin isolation,	1940, 133, 83
Huffman, Thayer, and Doisy,	Pneumococcus: Antigen, heterophile,
1940, 133, 567	Goebel, Shedlovsky, Lavin, and
Sodium, radioactive, transfer, Pohl	Adams, 1943, 148, 1
and Flexner, 1941, 139, 163	Growth, choline, pantothenic acid,
Theelin isolation, Westerfeld, MacCor-	and nicotinic acid, effect, Rane and
quodale, Thayer, and Doisy,	Subbarow, 1940, 134, 455
1938, 126, 195	Polysaccharide, Type III, chemical
Plant(s): Forage, hemicelluloses, Ben-	constitution, Reeves and Goebel,
nett, 1942, 146, 407	1941, 139, 511 Polysaccharides, specific, antibody
Green, amide synthesis, mechanism,	combination velocity, Mayer and
Vickery and Pucher, 1939, 128, 703	Heidelberger, 1942, 143, 567
Growth substance, tryptophane con-	Soluble specific substance, chemo-
version, alkalinity effect, Gordon	immunology, Goebel, Beeson, and
and Wildman, 1943, 147, 389	Hoagland, 1939, 129, 455
Nicotinic acid determination, chemi-	Reeves and Goebel, 1941, 139, 511
cal, Hale, Davis, and Baldwin,	Type XIV polysaccharide, capsular,
1942, 1 46, 553	blood Group A specific substance,
Nutrients, inorganic, malt diastase,	relation, Goebel, Beeson, and Hoag-
effect, Braun, 1942, 145, 197	land, 1939, 129, 455
Protease, Hura crepitans, Jaffé,	Pneumonia: Blood, oxygen and carbon
1943, 149, 1	dioxide effect, Cohn, Tannenbaum,
Proteases, Greenberg and Winnick,	Thalhimer, and Hastings,
1940, 135, 761, 775, 781	1939, 128, 109

Pollen: Ragweed, extract, electrophoretic patterns, Abramson and Moore, 1942, 144, 579 Polyhydroxyanthraquinone(s): Blood coagulation, vitamin K deficiency, effect, Martin and Lischer, 1941, 137, 169 Polymerase: Ribonucleode-, Schmidt and Levene. 1938, 126, 423 Polypeptidase: Yeast, isolation and properties, Johnson, 1941, 137, 575 Polyphenoloxidase: Kidney extracts, cellfree, properties, Cadden and Dill, 1942, 143, 105 Polysaccharide(s): Blood serum proteins, electrophoretically separated, Blix, Tiselius, and Svensson, 1941, 137, 485 Coccidioides immitis, immunologically active, Hassid, Baker, and Mc-Cready, 1943, 149, 303 Crown-gall, McIntire, Peterson, and 1942, 143, 491 Riker, Hemolytic streptococcus, Lancefield Group A-specific, purification and properties, Zittle and Harris, 1942, 142, 823 Hexoses, identification and determination, carbazole method, Gurin and 1939, 131, 211 Hood, Leprosy bacillus, lipids, Anderson and Creighton, 1939, 131, 549 Muco-, skin, Meyer and Chaffee, 1941, 138, 491 synovial fluid, isolation, Meyer, 1939, 128, 319 Smyth, and Dawson, Phosphatide, tuberculin cell residues, Anderson, Peck and Creighton, 1940, 136, 211 Pneumococcus Type III, chemical constitution, Reeves and Goebel, 1941, 139, 511 — XIV, blood Group A specific substance, relation, Goebel, Beeson, and Hoagland, 1939, 129, 455 Specific, pneumococcus, antibody combination velocity, Mayer and Heidelberger, 1942, 143, 567 Synthesis, enzymatic, from glucose, Colowick and Sutherland,

1942, 144, 423

Polysaccharide(s)—continued: Synthesis, muscle phosphorylase. Hassid, Cori, and McCready. 1943, 148, 89 -, streptococcus, Niven, Smiley, and Sherman. 1941, 140, 105 Synthetic, Roentgen ray diffraction. Bear and Cori, 1941, 140, 111 Tubercle bacillus, avian, Karjala and Heidelberger, 1941, 137, 189 — —, bovine, Menzel and Heidel-1939, 127, 221 berger, Tuberculin, isolation, electrophoretic, Seibert and Watson, 1941, 140, 55 - protein, removal, Seibert, 1940, 133, 593 Tumors, Kabat, 1939, 130, 143 Polysulfide: Sulfur-, colloidal, mixture, absorption and oxidation, Green-1940, 132, 83 gard and Woolley, Populus macdougali: See Cottonwood Porphyrin(s): Copro-, pyridine, spectrophotometry, Clarkand Perkins, 1940, 135, 643 -, iron, nitrogenous bases, coordination, Vestling, 1940, 135, 623 protoporphyrin conversion, liver, Watson, Pass, and Schwartz, 1941, 139, 583 Salzburg and Watson. 1941, 139, 593 Etio-, iron, nitrogenous bases, coordination, Vestling, 1940, 135, 623 Ferriproto-, nitrogenous derivatives, cyanide reaction with, Drabkin, 1942, 142, 855 Hemato-, iron, nitrogenous bases, coordination, Davies, 1940, 135, 597 Iron-, compounds, marine organisms, Ball and Meyerhof, 1940, 134, 483 Liver, metabolism, Salzburg andWatson, 1941, 139, 593 Meso-, cobalt and manganese, nitrogenous bases, coordination, Taylor, 1940, 135, 569 iron, nitrogenous bases, coordination, Davies, 1940, 135, 597 protoporphyrin conversion, micro, Grinstein and Watson, 1943, 147, 671

Porphyrin(s)—continued:	Potassium—continued:
Metallo-, Clark, Taylor, Davies, and	Bone, spectrochemistry, Steadman,
Vestling, 1940, 135, 543	Hodge, and Horn, 1941, 140, 71
Taylor, 1940, 135, 569	Determination, Cunningham, Kirk,
Davies, 1940, 135, 597	and Brooks, 1941, 139, 21
Vestling, 1940, 135, 623	-, micro-, Weichselbaum, Somogyi,
Clark and Perkins, 1940, 135, 643	and Rusk, 1940, 132, 343
-, nitrogenous bases, coordination,	-, silver cobaltinitrite method,
Clark, Taylor, Davies, and Vestling,	Harris, 1940, 136, 619
1940, 135, 543	Distribution, intravascular injection,
Proto See Protoporphyrin	effect, Wilde, 1939, 128, 309
Porphyrindin: Myosin, sulfhydryl	Liver, glycogen relation, Fenn,
groups, determination, use, Green-	1939, 128, 297
stein and Edsall, 1940, 133, 397	-Low diet, blood cells, red, and muscle
Reactivity, proteins, denatured, pres-	cations, effect, Hegnauer,
ence, Greenstein and Jenrette,	1943, 150, 353
1942, 142, 175	Metabolism, radioactive isotopes as
Reducing groups, determination, use,	indicator, Joseph, Cohn, and Green-
Brand and Kassell, 1940, 133, 437	berg, 1939, 128, 673
Potassium: Adenylic system, phosphoryl-	Muscle, Myers and Mangun,
ation, rôle, Boyer, Lardy, and	1940, 132, 701
Phillips, 1943, 149, 529	Mangun and Myers, 1940, 135, 411
Biological materials, determination,	-, extracellular fluid and sodium
colorimetric, micro-, Salit,	depletion, effect, Miller,
1940, 136, 191	1943, 147, 121
, _, spectrochemical, micro-,	-, frog, Steinbach, 1940, 133, 695
Duffendack, Thomson, Lee, and	-, heart, Mangun and Myers,
Koppius, 1938, 126, 1	1940, 135, 411
Blood cell membrane, transfer,	- phosphorylations, rôle, Boyer,
Danowski, 1941, 139, 693	Lardy, and Phillips, 1942, 146, 673
-, red, metabolism effect, Harris,	Nutrition effect, Orent-Keiles and
1941, 141, 579	McCollum, 1941, 140, 337
,, permeability, Kurnick,	Radioactive, blood cell, red, per-
1941, 140, 581	meability, Eisenman, Ott, Smith,
-, determination, micro-, titrimetric,	and Winkler, 1940, 135, 165
Clark, Levitan, Gleason, and Green-	Tissue, determination, micro-, titri-
berg, 1942, 145, 85	metric, Clark, Levitan, Gleason, and
-, distribution, Snyder and Katzenel-	Greenberg, 1942, 145, 85
bogen, 1942, 143, 223	Tooth, spectrochemistry, Steadman,
- plasma, determination, micro-,	Hodge, and Horn, 1941, 140, 71
chloroplatinate precipitation, Ten-	Urine, determination, Consolazio and
ery and Anderson, 1940, 135, 659	Talbott, 1938, 126, 55
- serum, asphyxia effect, Cattell and	Potassium salt(s): Muscle and liver
Civin, 1938, 126, 633	water, effect, Eichelberger,
, determination, Consolazio and	1941, 138, 583
Talbott, 1938, 126, 55	- water and electrolytes, hydro-
-, -, micro-, electrodialysis, Sobel,	nephrosis, effect, Eichelberger,
Hanok, and Kramer, 1942, 144, 363	1941, 140, 467
, extracellular fluid and sodium	Potato: Starch phosphorylase, Green
depletion, effect, Miller,	1040 142 255
1943, 147, 121	and Stumpf, 1942, 142, 355

Pregnancy: Blood serum, blood and liver lipids, fowl, effect, Entenman, Lorenz, and Chaikoff,

1938, 126, 133

 gonadotropin, enzymes, effect, Evans and Hauschildt,

1942, **145,** 335

 -- 7(β)-hydroxycholesterol isolation, Wintersteiner and Ritzmann, 1940, 136, 697

Organ and tissue protein, metabolism, Poo, Lew, and Addis,

1939, 128, 69

Skeleton phosphorus turnover, diet effect, Manly and Levy,

1941, 139, 35 Urine allopregnanol-3(β)-one-20, isolation, Pearlman, Pincus, and Werthessen, 1942, 142, 649

androstanol-3(β)-one and allopregnanol-3(β)-one-20, isolation, Heard and McKay,
 1939, 131, 371

 , n-butanol and, sodium pregnanediol glucuronidate distribution, Woolf, Viergiver, and Allen,

1942, 146, 323

 dihydrotheelin, isolation, Smith, Smith, Huffman, Thayer, MacCorquodale, and Doisy, 1939, 130, 431

 α-dihydrotheelin, isolation, Huffman, MacCorquodale, Thayer, Doisy, Smith, and Smith,

1940, 134, 591

 Δ-5,7,9-estratrienol-3-one-17, isolation, Heard and Hoffman,

> 1940, 135, 801 1941, 138, 651

 estrogenic substances, conjugated, hydrolysis, Edson and Heard,

1939, 130, 579

 estrogens, determination, photometric, Bachman and Pettit,

1941, 138, 689

- estrone sulfate, isolation, Schachter and Marrian, 1938, 126, 663

— gonadotropic hormone, Gurin, Bachman, and Wilson,

1929, 128, 525 1940, 133, 467, 477 Pregnancy-continued:

Urine gonadotropic hormone, Lundgren, Gurin, Bachman, and Wilson, 1942, 142, 367

----, chemistry, Gurin, Bachman, and Wilson, 1940, 133, 467

———, preparation, Gurin, Bachman, and Wilson, 1929, 128, 525

---, purity, Gurin, Bachman, and Wilson, 1940, 133, 477

- histidine, Langley, 1941, 137, 255 - pregnandiol- $3(\alpha)$, $20(\alpha)$, isolation,

Fish, Dorfman, and Young,

1942, 143, 715

 sodium pregnanediol glucuronidate, determination, titrimetric, Allen and Viergiver, 1941, 141, 837

Pregnandiol-3(α),20(α): Urine, pregnancy, isolation, Fish, Dorfman, and Young, 1942, 143, 715

Pregnanediol: Excretion, desoxycorticosterone acetate effect, Hoffman, Kazmin, and Browne, 1943, 147, 259 Urine, determination, Marker and Hartman, 1940, 133, 529 Astwood and Jones, 1941, 137, 397

Pregnanediol glucuronidate: Sodium, n-butanol and pregnancy urine, distribution, Woolf, Viergiver, and Allen, 1942, 146, 323

-, urine, determination, micro-, Venning, 1938, 126, 595

--, --, pregnancy, determination, titrimetric, Allen and Viergiver, 1941, 141, 837

Pregnanetriol-3(α),17,20: Preparation, Hirschmann, 1941, 140, 797

Pregnanol-3(β)-one-20: Allo-, urine, pregnancy, isolation, Pearlman, Pincus, and Werthessen,

1942, 142, 649

Pressor amine(s): Phenolic, tyrosinase relation, Alles, Blohm, and Saunders, 1942, 144, 757

Pressor principle: Pituitary, posterior, nature, amphoteric, Cohn, Irving, and du Vigneaud, 1941, 137, 635

Pressure: Pepsin and renin activity, effect, Matthews, Dow, and Anderson, 1940. 135, 697

Primate(s): Blood and urine β-hydroxy-Propionylglycine: Hippuric acid synbutyric to acetoacetic acid ratio, thesis, effect, Abbott, 1942, 145, 241 Friedemann.1942, 142, 635 Prostigmine: Cholinesterase. effect. Ketosis, Friedemann, 1942, 142, 635 Eadie, 1942, 146, 85 Progesterone: 17-Hydroxy-, adrenals, Protamine: Fibrinogen determination, isolation, Pfiffner and North, use, Mylon, Winternitz, and de 1941, 139, 855 Sütö-Nagy, 1942, 143, 21 17-β-Hydroxy-, Pfiffner and North, Protease(s): Hura crepitans, Jaffé, 1940, 132, 459 1943, 149, 1 Metabolism, Heard, Bauld, and Hoff-Plant, Greenberg and Winnick, 1941, 141, 709 man, 1940, 135, 761, 775, 781 Prolactin: White, Bonsnes, and Long, activation-inhibition reaction, 1942, 143, 447 Greenberg and Winnick, Absorption spectrum, Whiteand1940, 135, 761 Lavin, 1940, 132, 717 -, hydrogen ion concentration-ac-Preparation, Schwenk, Fleischer, and tivity curves, Greenberg and Tolksdorf, 1943, 147, 535 Winnick, 1940, 135, 775 Solubility, alcohol, Fleischer, —, kinetics, Greenberg and Winnick, 1943, 147, 525 1940, 135, 781 Inactivation, Prolan: reversible, Protein(s): Amide bonds, hydrolysis, Bischoff, 1942, 145, 545 catalysis, Steinhardt, 1941, 141, 995 Proline: Activity, aqueous solution, Amino acids, basic, determination, Smith and Smith, 1940, 132, 57 electrolytic, Albanese, Gelatin, Stein and Bergmann, 1940, 134, 467 1940, 134, 627 Ammonia formation, alkaline solution, Ionization, aqueous solution, Smith, Warner and Cannan, 1942, 142, 725 1942, 144, 737 Gorham, and Smith, Animal, purified, alcohol effect, Harris l- and dl-proline-containing mixtures, and Mattill, 1940, 132, 477 determination, Stein and Bergmann. Antibody, nitrogen, dietary, immunity, 1940, 134, 627 effect, Heidelberger, Treffers, Schoen--, oxidation, sodium selenite effect, heimer, Ratner, and Rittenberg, Bernheim and Klein, 1942, 1**44,** 555 1941, 139, 827 -, -, -, immunized animals, inter-Ornithine conversion, biological, action, Schoenheimer, Ratner, Rit-Roloff, Ratner, and Schoenheimer, tenberg, and Heidelberger, 1940, **136, 5**61 1942, 144, 545 Phospho-12-tungstates, solubility and Aucuba mosaic virus, tomato roots, composition, Van Slyke, Hiller, and isolation, Stanley, 1938, 126, 125 1942, 146, 137 Dillon. Basic, phosphatides, compounds Prolycopene: Evonymus fortunei, isolabetween, Chargaff and Ziff, tion, Zechmeister and Escue, 1939, 131, 25 1942, 144, 321 Blood, nitrogen, dietary, interaction, Pyracantha angustifolia fruit, Zech-Schoenheimer, Ratner, Rittenberg, meister and Schroeder, and Heidelberger, 1942, 144, 541 1942, 144, 315 plasma, anticoagulants, electro-Propionic acid: l- and dl- α -hydroxy- β phoresis study, Chargaff, Ziff, and benzylthio-, metabolism, Stekol, Moore, 1941, 139, 383 1941, 140, 827 1941, 138, 97 - serum, Kendall, Liver glycogen, radioactive isotope in -, amino acids, basic, Block, study, Buchanan, Hastings, and 1940, 133, 71 N esbett. 1943, 150, 413

·	
Protein(s)—continued:	Protein(s)—continued:
Blood serum, analysis, Murrill,	Calcium chloride and, interaction
Block, and Newburgh, 1940, 133, 521	determination, amalgam electrode,
——, arginine ingestion effect, Block,	Joseph, 1938, 126, 389
1940, 133, 71	Calcium-, relationship, blood serum,
— —, azolesterase activity, Glick,	calcium and phosphate salts, effect,
	ultracentrifuge studies, Masket,
Glaubach, and Moore,	
1942, 144, 525	Chanutin, and Ludewig,
— —, calcium and, relationship,	1942, 143, 763
alkalosis effect, Yannet,	-, -,, ultracentrifuge studies,
1941, 137, 409	Ludewig, Chanutin, and Masket,
, casein and casein digest effect,	1942, 143, 753
Mueller, Kemmerer, Cox, and Barnes,	—, —, calcium caseinate solutions,
1940, 134, 573	ultracentrifuge studies, Chanutin,
— —, determination, biuret reaction	Ludewig, and Masket,
use, Robinson and Hogden,	1942, 143, 7 37
1940, 135, 707, 727	-, -, ultracentrifuge studies,
, -, gravimetric, Robinson and	Chanutin, Ludewig, and Masket,
Hogden, 1941, 140, 853	1942, 143, 737
, electrophoresis, Sharp, Cooper,	Ludewig, Chanutin, and Masket,
and Neurath, 1942, 142, 203	1942, 143, 753
Sharp, Cooper, Erickson, and	Masket, Chanutin, and Ludewig,
Neurath, 1942, 144, 139	1942, 143, 763
, electrophoretically separated,	Carbon suboxide and, Ross and
lipids and polysaccharides, Blix,	Christensen, 1941, 137, 89
Tiselius, and Svensson,	Christensen and Ross,
1941, 137, 485	1941, 137, 101
, fractionation, electrophoretic	Ross and Green, 1941, 137, 105
and sodium sulfate methods, Taylor	Oncley, Ross, and Tracy,
and Keys, 1943, 148, 379	1941, 141, 797
——, phenol red absorption curve,	Tracy and Ross, 1942, 142, 871
effect, Robinson and Hogden,	Ross and Tracy, 1942, 145, 19
	Tracy and Ross, 1942, 146, 63
1941, 137, 239	
	, reaction, nature, Ross and
electric mobilities, film formation,	Christensen, 1941, 137, 89
relation, Moyer and Gorin,	Tracy and Ross, 1942, 142, 871
1940, 133, 605	Cellular nuclei, Mayer and Gulick,
, specific gravity relation, Schous-	1942, 146, 433
boe, 1939, 129, 371	Cerebrospinal fluid, determination,
-, tuberculosis, electrophoresis study,	colorimetric, Looney and Walsh,
Seibert and Nelson, 1942, 143, 29	1939, 127, 117
 See also Hypoproteinemia 	Copper-, oxidases, properties, Mc-
Body, dietary glycine and, interaction,	Carthy, Green, and King,
Ratner, Rittenberg, Keston, and	1939, 128, 455
Schoenheimer, 1940, 134, 665	Cupric chloride crystallization, effect,
—, metabolism, $l(-)$ -leucine, isotope-	Morris and Morris, 1941, 141, 515
containing as indicator, Schoen-	Deaminized, cystine, Hess and
heimer, Rainer, and Rittenberg,	Sullivan, 1939, 128, 93
1939, 130, 703	Denaturation and reversal, Neurath,
Bushy stunt virus, homogeneity,	Cooper, and Erickson,
Lauffer, 1942, 143, 99	1
_ ,	,,,,

Protein(s)—continued: Denaturation and reversal, Bernheim, Neurath, and Erickson, 1942, 144, 259 Denatured, porphyrindin reactivity in presence, Greenstein and Jenrette, 1942, 142, 175 Derivatives. purified, tuberculins, properties, Steenken, 1941, 141, 91 Detergents, synthetic, and, complex formation, Putnam and Neurath, 1943, 150, 263 Digestibility in vitro, Jones and Gersdorff, 1939, 129, 207 Egg, carbohydrate group, Levene, 1941, 140, 279 - white, injury-producing, concentration and assay, Eakin, Snell, and Williams. 1941, 140, 535 Electrophoresis, boundary spread, Sharp, Hebb, Taylor, and Beard, 1942, 142, 217 Fat synthesis from, vitamin B effect, McHenry and Gavin, 1941, 138, 471 Fibrous, hagfish slime, Ferry, 1941, 138, 263 Flavo-, catalysis, substituted phenols, effect, Krahl, Keltch, and Clowes, 1940, 136, 563 -, milk, diphosphopyridine nucleotide, reduced, oxidation, effect, 1939, 131, 767 Ball and Ramsdell, -, yeast, Green, Knox, and Stumpf, 1941, 138, 775 Glucose, conversion, pancreatectomy and phlorhizin effect, Gray, Ivy, and 1939, 128, 173 Cuthbert. Glyco-, blood plasma, mammary gland, lactating, utilization, Reineke, Williamson, and Turner, 1941, 138, 83 Growth, calcification, intake relation, Conner, Kao, and Sherman, 1941, 139, 835 -High diets, fat synthesis, fasting, Longenecker, 1939, **128,** 645 determina-Hydrolysates. cystine tion, micro-, polarographic, Stern, Beach, and Macy, 1939, 130, 733 -, lysine isolation, Rice,

1939, 131, 1

berg,

Protein(s)—continued: Hydrolysates, l-serine, l-alanine. l-phenylalanine, l-leucine, preparation, Stein, Moore, Stamm, Chou, and Bergmann, 1942, 143, 121 -. tryptophane, color test, Albanese and Frankston, 1942, 144, 563 -, tryptophane-containing, preparation, intravenous injection effect, White and Elman, 1942, 143, 797 Hydrolysis, enzymatic, Bernheim. Neurath, and Erickson, 1942, 144, 259 -, optical rotation in study, Winnick and Greenberg, 1941, 137, 429 Hydroxylysine determination. Van Slyke, Hiller, and MacFadyen, 1941, 141, 681 Iodinated, thyroid activity, effect, Reineke, Williamson, and Turner, 1943, 147, 115 dl-Lanthionine isolation, Horn, Jones, and Ringel, 1942, 144, 93 Lipo-, Chargaff, 1942, 142, 491 Liver, autolysis, Luck, Eudin, and 1939, 131, 201 Nimmo, Lung, thromboplastic, blood coagulation, action, Cohen and Chargaff, 1940, 136, 243 1941, 139, 741 -, electrophoresis, Cohen and Chargaff, 1941, 140, 689 Macro molecules, isolation and crystallization, hydrophilic colloids, use in, 1942, 144, 353 Cohen. Malignant tissue, glutamic acid, Woodward, Reinhart, and Dohan, 1941, 138, 677 Mesolanthionine isolation, Horn, Jones, and Ringel, 1942, 144, 87 Metabolism, Schoenheimer and Rittenberg, 1939, 127, 285 Rittenberg, Keston, Rosebury, and Schoenheimer. 1939, 127, 291 Schoenheimer and Ratner, 1939, 127, 301 Keston, Rittenberg, and Schoenheimer. 1939, 127, 315

Foster, Schoenheimer, and Ritten-

1939, 127, 319

Protein(s)-continued:

Metabolism,

and

Rittenbera

1939, 127, 329 Schoenheimer, Schoenheimer, Ratner, and Ritten-1939, 127, 333 berg, Schoenheimer, Rittenberg. and1939, 127, 385 Keston, Schoenheimer, andRittenberg. 1939, 128, 603 Keston. Schoenheimer, Ratner, and Ritten-1939, 130, 703 berg, Bloch and Schoenheimer, 1939, 131, 111 Clutton, Schoenheimer, and Ritten-1940, 132, 227 Ratner, Schoenheimer, and Ritten-1940, 134, 653 berg. Ratner, Rittenberg, Keston, and Schoenheimer, 1940, 134, 665 -, fasting effect, Chambers, Chandler, and Barker, 1939, 131, 95 -, isotopes as indicators, Schoenheimer and Rittenberg, 1939, 127, 285 Metaphosphoric acid and, combination, Perlmann, 1941, 137, 707 ---, reaction, Briggs, 1940, 134, 261 Methionine-free, casein conversion, Toennies, 1942, 145, 667 2-Methylthiazoline properties, relation, Linderstrøm-Lang and Jacob-1941, 137, 443 sen, Milk amino acids, distribution, Beach, Bernstein, Hoffman, Teague, and 1941, 139, 57 Масу. -, hydroxyglutamic acid, Nicolet and Shinn, 1942, 142, 139 Molecules, electron micrographs, Stanley and Anderson, 1942, 146, 25 -, glomerular membranes, passage, Bott and Richards, 1941, 141, 291 -, shape, Neurath, Cooper, and Erickson, 1941, 138, 411 Mosaic virus, latent, absorption spectra, Lavin, Loring, and Stanley, 1939, 130, 259 -, -, properties, Loring, 1938, 126, 455 —, —, ultracentrifugal analysis, Wyckoff, 1939, 128, 729 Protein(s)—continued: Native and urea-denatured, crystalline papain action, comparison, Lineweaver and Hoover, 1941, 137, 325 -, viscosity and diffusion, Neurath, Cooper, and Erickson, 1941, 138, 411 · Nitrogen, denaturation effect, Hendrix and Dennis, 1938, 126, 315 Non-antigenic, blood serum, preparation, Arnow, Kazal, and De Falco, 1942, 145, 347 Nucleo-. See Nucleoprotein Oats, germinating, synthesis, Albaum and Cohen, 1943, 149, 19 Organs, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 128, 69 Papilloma virus, molecular size, shape, and homogeneity, Neurath, Cooper, Sharp, Taylor, Beard, and Beard, 1941, 140, 293 Peanut, threonine, serine, cystine, and methionine, Brown, 1942, 142, 299 Peptide bonds, hydrolysis, catalysis, Steinhardt, 1941, 141, 995 Properties, nomogram, Wyman and Ingalls. 1943, 147, 297 Radioactive sulfur distribution, dietary methionine, radioactive sulfurcontaining, ingestion effect, Tarver and Schmidt, 1942, 146, 69 – – –, – radioactive sulfur, ingestion effect, Tarver and Schmidt, 1942, 146, 69 Ring spot virus, absorption spectra, Lavin, Loring, and Stanley, 1939, 130, 259 Seleniferous, alkaline solutions, decomposition, Painter and Franke, 1940, 134, 557 Seminal plasma, Ross, Moore, and Miller. 1942, 144, 667 Serine, alkali effect, Nicolet, Shinn, and Saidel. 1942, 142, 609 Silk, hydroxyamino acids, Nicolet and Saidel. 1941, 139, 477 Soluble, isoelectric point, determination, Jaffé, 1943, 148, 185

Solutions, carbonic acid dissociation constant, first, Danielson, Chu, and Hastings, 1939, 131, 243 —, equilibrium, heterogeneous, Joseph, 1938, 126, 389 Sulfhydryl groups, Greenstein, 1939, 128, 233 Ling, nature and Saidel, 1943, 147, 443 Sulfur, Lindstrom and Sandstrom, 1941, 138, 445 Threonine, alkali effect, Nicolet, Shinn, and Saidel, 1942, 142, 609 Thromboplastic, lung, isolation, Chargaff, Moore, and Bendich, 1942, 145, 593 -Thymus nucleate mixtures, colloid osmotic pressure, Greenstein, 1943, 150, 107 Tissue, amino acids, Beach, Munks, and Robinson, 1943, 148, 148, 431 —, —, phenylpyruvic oligophrenia, Block, Jervis, Bolling, and Webb, 1940, 134, 567 —, metabolism, pregnancy and lactation, Poo, Lew, and Addie, 1939, 120, 233 Total, blood serum, determination, koss, 1942, 143, 685 — —, solution, diffusion, Neurath and Saum, 1938, 126, 443 — —, virus, amino acids, determination, Ross, 1942, 143, 685 — —, solution, diffusion, Neurath and Saum, 1938, 126, 443 — —, virus, amino acids, determination, Ross, 1940, 136, 119 — —, viscosinty, Lauffer, 1938, 126, 443 — —, sulfur distribution, Ross, 1940, 134, 519 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion, 1940, 134, 561 — tumors, specificity, Fruton, Irving, Fruton, and Bergmann, 1939, 130, 19 Tryptophane-free, casein conversion, 1939, 131, 197 Tryptophane-free, casein conversion, 1	Protein(s)—continued:	Protein(s)—continued:
saccharide removal, Seibert, 1940, 133, 593 —, equilibrium, heterogeneous, Joseph, 1988, 126, 389 Sulfhydryl groups, Greenstein, 1939, 130, 519 —, urease reversible inactivation, relation, Hellerman, Chinard, and Deitz, 1943, 147, 443 Sulfur, Lindstrom and Sandstrom, 1941, 148, 445 Threonine, alkali effect, Nicolet, Shinn, and Saidel, 1942, 142, 609 Thromboplastic, lung, isolation, Chargaff, Moore, and Bendich, 1942, 145, 593 Thymus nucleate mixtures, colloid osmotic pressure, Greenstein, 1943, 150, 107 Tissue, amino acids, Beach, Munks, and Robinson, 1943, 148, 431 —, —, phenylpyruvic oligophrenia, Block, Jervis, Bolling, and Webb, 1940, 134, 567 —, metabolism, pregnaney and lactation, Poo, Lew, and Addis, 1939, 120, 837 — virus, amino acids, determination, Ross, 1941, 138, 741 ——, acids, fractionation, Ross, 1941, 136, 119 ——, viscosity, Lauffer, 1940, 136, 119 ——, viscosimetry, Frampton, 1940, 136, 119 ——, viscosimetry, Frampton, 1939, 120, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion,		
Hastings, 1939, 131, 243 —, equilibrium, heterogeneous, Joseph, 1938, 126, 389 Sulfhydryl groups, Greenstein, 1939, 128, 233		
—, equilibrium, heterogeneous, Joseph, 1938, 126, 388 Sulfhydryl groups, Greenstein, 1939, 128, 233 1939, 128, 233 1939, 128, 233 1939, 128, 233 1939, 130, 519 1940, 133, 521 1940, 133, 521 1941, 138, 445 Threonine, alkali effect, Nicolet, Shinn, and Saidel, 1942, 142, 609 Thromboplastic, lung, isolation, Chargaff, Moore, and Bendich, 1942, 145, 593 Thymus nucleate mixtures, colloid osmotic pressure, Greenstein, 1943, 148, 431 1940, 134, 567 1940, 134, 567 1940, 134, 567 1940, 134, 567 1940, 134, 567 1940, 134, 567 1941, 138, 741 1941, 138, 741 1942, 143, 685 1942, 143, 685 1942, 143, 685 1942, 143, 685 1942, 143, 685 1942, 143, 685 1942, 143, 685 1942, 143, 685 1942, 143, 685 1942, 143, 685 1942, 144, 615 Islood plasma, tumor or embryonic growth, Weil and Russell, 1938, 126, 245 Cosubstrates, Behrens and Bergmann, 1942, 144, 161 Islood plasma, tumor or embryonic growth, Weil and Russell, 1938, 126, 245 Cosubstrates, Behrens and Bergmann, 1939, 130, 19 1940, 136, 119 1940, 136, 119 1940, 136, 119 1940, 136, 119 1940, 136, 119 1941, 141, 763 Irving, Fruton, and Bergmann, 1941, 141, 763 Irving, Fruton, and Bergmann, 1941, 141, 763 Irving, Fruton and Bergmann, 1942, 144, 161 Inving, Fruton, Irving, and Bergmann, 1941, 141, 763 Irving, Fruton and Bergmann, 1941, 141, 763 Irving, Fruton and Bergmann, 1941, 141, 763 Irving, Fruton and Bergmann, 1942, 144, 161 Irving, Fruton, Irving, and Bergmann, 1941, 141, 763 Irving, Fruton, and Bergmann, 1941, 141, 763 Irving, Fruton and Bergmann, 1941, 141, 763 Irving, Fruton, Irving, and Bergmann, 1941, 141, 763 Irving, Fruton, Irving, and Bergmann, 1941, 141, 763 Irving, Fruton, and Bergmann, 1942, 144, 161 Inving, Fruton, Irving, and Bergmann, 1942, 144, 161 Inving, Fruton, and Bergmann, 1942, 144, 161 Inving, Fruton		,
Sulfhydryl groups, Greenstein, 1939, 128, 233 1939, 130, 519 ——, urease reversible inactivation, relation, Hellerman, Chinard, and Deitz, 1943, 147, 443 Sulfur, Lindstrom and Sandstrom, 1941, 138, 445 Threonine, alkali effect, Nicolet, Shinn, and Saidel, 1942, 142, 609 Thromboplastic, lung, isolation, Chargaff, Moore, and Bendich, 1942, 145, 593 -Thymus nucleate mixtures, colloid osmotic pressure, Greenstein, 1943, 148, 431 —, —, phenylpyruvic oligophrenia, Block, Jervis, Bolling, and Webb, 1940, 134, 567 —, metabolism, pregnancy and lactation, Ross, 1941, 138, 741 ——, acids, fractionation, Ross, 1942, 143, 685 —— virus, amino acids, determination, Ross, 1941, 138, 741 ——, acids, fractionation, Ross, 1942, 143, 685 —— virus, amino acids, determination, Ross, 1941, 138, 741 ——, solution, diffusion, Neurath and Saum, 1938, 126, 435 ——, viscosity, Lauffer, 1938, 126, 443 ——, viscosity, Lauffer, 1939, 131, 197 Tryptophane-free, casein conversion, 1939, 131, 197 Tryptophane-free, casein conversion,		
Sulfhydryl groups, Greenstein, 1939, 128, 233 1939, 130, 519 ——, urease reversible inactivation, relation, Hellerman, Chinard, and Deitz, Sulfur, Lindstrom and Sandstrom, 1941, 138, 445 Threonine, alkali effect, Nicolet, Shinn, and Saidel, 1942, 142, 609 Thromboplastic, lung, isolation, Chargaff, Moore, and Bendich, 1942, 145, 593 Thymus nucleate mixtures, colloid osmotic pressure, Greenstein, 1943, 150, 107 Tissue, amino acids, Beach, Munks, and Robinson, 1943, 148, 431 —,—, phenylpyruvic oligophrenia, Block, Jervis, Bolling, and Webb, 1940, 134, 567 —, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 130, 687 — virus, amino acids, determination, Ross, 1941, 138, 741 ———,— acids, fractionation, Ross, 1942, 143, 685 ———, solution, diffusion, Neurath and Saum, 1938, 126, 443 ———, viscosity, Lauffer, 1938, 126, 443 ———, viscosity, Lauffer, 1938, 126, 443 ———, viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion,		
1939, 128, 233 1939, 130, 519 — —, urease reversible inactivation, relation, Hellerman, Chinard, and Deitz, 1943, 147, 445 Sulfur, Lindstrom and Sandstrom, 1941, 138, 445 Threonine, alkali effect, Nicolet, Shinn, and Saidel, 1942, 142, 609 Thromboplastic, lung, isolation, Chargaff, Moore, and Bendich, 1943, 144, 545 Thymus nucleate mixtures, colloid osmotic pressure, Greenstein, 1943, 150, 107 Tissue, amino acids, Beach, Munks, and Robinson, 1943, 148, 431 —, —, phenylpyruvic oligophrenia, Block, Jervis, Bolling, and Webb, 1940, 134, 567 —, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 — virus, amino acids, determination, Ross, 1942, 143, 685 — —, solution, diffusion, Neurath and Saum, 1938, 126, 443 — —, viscosity, Lauffer, 1939, 130, 19 — —, viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion,	•	
—, urease reversible inactivation, relation, Hellerman, Chinard, and Deitz, 1943, 147, 443 Sulfur, Lindstrom and Sandstrom, 1941, 138, 445 Threonine, alkali effect, Nicolet, Shinn, and Saidel, 1942, 142, 609 Thromboplastic, lung, isolation, Chargaff, Moore, and Bendich, 1942, 145, 593 Thymus nucleate mixtures, colloid osmotic pressure, Greenstein, 1943, 150, 107 Tissue, amino acids, Beach, Munks, and Robinson, 1943, 148, 431 —, —, phenylpyruic oligophrenia, Block, Jervis, Bolling, and Webb, 1940, 134, 567 —, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balle, and McKinney, 1939, 130, 687 — virus, amino acids, determination, Ross, 1941, 138, 741 — —, acids, fractionation, Ross, 1942, 143, 685 — —, solution, diffusion, Neurath and Saum, 1938, 126, 443 — —, sulfur distribution, Ross, 1940, 136, 119 — —, viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion,		
man, Hiller, Shedlovsky, and Archibald, Deitz, 1943, 147, 443 Sulfur, Lindstrom and Sandstrom, 1941, 138, 445 Threonine, alkali effect, Nicolet, Shinn, and Saidel, 1942, 142, 609 Thromboplastic, lung, isolation, Chargaff, Moore, and Bendich, 1943, 145, 593 Thymus nucleate mixtures, colloid osmotic pressure, Greenstein, 1943, 148, 431 —, —, phenylpyruvic oligophrenia, Block, Jervis, Bolling, and Webb, 1940, 134, 567 —, metabolism, pregnaney and lactation, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 — virus, amino acids, determination, Ross, 1941, 138, 741 ———, acids, fractionation, Ross, 1942, 143, 685 ———, ryicus, amino acids, determination, Ross, 1941, 138, 741 ———, rosolution, diffusion, Neurath and Saum, 1938, 126, 445 ———, sulfur distribution, Ross, 1940, 136, 119 ———, viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion,		
relation, Hellerman, Chinard, and Deitz, 1943, 147, 443 Sulfur, Lindstrom and Sandstrom, 1941, 138, 445 Threonine, alkali effect, Nicolet, Shinn, and Saidel, 1942, 142, 699 Thromboplastic, lung, isolation, Chargaff, Moore, and Bendich, 1942, 145, 593 -Thymus nucleate mixtures, colloid osmotic pressure, Greenstein, 1943, 150, 107 Tissue, amino acids, Beach, Munks, and Robinson, 1943, 148, 431 —, —, phenylpyruvic oligophrenia, Block, Jervis, Bolling, and Webb, 1940, 134, 567 —, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 — virus, amino acids, determination, Ross, 1941, 138, 741 — —, acids, fractionation, Ross, 1942, 143, 685 — —, solution, diffusion, Neurath and Saum, 1938, 126, 443 — —, viscosity, Lauffer, 1938, 126, 443 — —, viscosimetry, Frampton, 1939, 130, 19 — —, viscosimetry, Frampton, 1939, 130, 19 Tryptophane-free, casein conversion, 1942, 144, 161 Tryptophane-free, casein conversion, 1942, 144, 16		
Deitz, 1943, 147, 443 Sulfur, Lindstrom and Sandstrom, 1941, 138, 445 Threonine, alkali effect, Nicolet, Shinn, and Saidel, 1942, 142, 609 Thromboplastic, lung, isolation, Chargaff, Moore, and Bendich, 1942, 145, 593 -Thymus nucleate mixtures, colloid osmotic pressure, Greensleim, 1943, 150, 107 Tissue, amino acids, Beach, Munks, and Robinson, 1943, 148, 431 —, —, phenylpyruvic oligophrenia, Block, Jervis, Bolling, and Webb, 1940, 134, 567 —, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 — virus, amino acids, determination, Ross, 1941, 138, 741 — —, acids, fractionation, Ross, 1942, 143, 685 — —, solution, diffusion, Neurath and Saum, 1938, 126, 435 — —, viscosity, Lauffer, 1938, 126, 435 — —, sulfur distribution, Ross, 1940, 136, 119 — —, viscosimetry, Frampton, 1939, 130, 197 Tryptophane-free, casein conversion, 1939, 131, 197 Tryptophane-free, casein conversion,	•	
Sulfur, Lindstrom and Sandstrom, 1941, 138, 445 Threonine, alkali effect, Nicolet, Shinn, and Saidel, 1942, 142, 609 Thromboplastic, lung, isolation, Chargaff, Moore, and Bendich, 1942, 145, 593 Thymus nucleate mixtures, colloid osmotic pressure, Greenseim, 1943, 150, 107 Tissue, amino acids, Beach, Munks, and Robinson, 1943, 148, 431 —,—, phenylpyruvic oligophrenia, Block, Jervis, Bolling, and Webb, 1940, 134, 567 —, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 — virus, amino acids, determination, Ross, 1941, 138, 741 ——, caids, fractionation, Ross, 1942, 143, 685 ——, solution, diffusion, Neurath and Saum, 1938, 126, 435 ——, viscosity, Lauffer, 1938, 126, 443 ——, sulfur distribution, Ross, 1940, 136, 119 ——, viscosimetry, Frampton, 1939, 130, 197 Tryptophane-free, casein conversion, 1939, 131, 197 Tryptophane-free, casein conversion,		, , , , , , , , , , , , , , , , , , , ,
Threonine, alkali effect, Nicolet, Shinn, and Saidel, 1942, 142, 609 Thromboplastic, lung, isolation, Chargaff, Moore, and Bendich, 1942, 145, 593 Thymus nucleate mixtures, colloid osmotic pressure, Greenstein, 1943, 150, 107 Tissue, amino acids, Beach, Munks, and Robinson, 1943, 148, 431 —, —, phenylpyruvic oligophrenia, Block, Jervis, Bolling, and Webb, 1940, 134, 567 —, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 — virus, amino acids, determination, Ross, 1941, 138, 741 — —, cacids, fractionation, Ross, 1942, 143, 685 — —, solution, diffusion, Newrath and Saum, 1938, 126, 435 — —, viscosity, Lauffer, 1938, 126, 443 — —, viscosimetry, Frampton, 1939, 131, 197 Tryptophane-free, casein conversion, 1939, 131, 197 Tryptophane-free, casein conversion,	•	
Threonine, alkali effect, Nicolet, Shinn, and Saidel, 1942, 142, 609 Thromboplastic, lung, isolation, Chargaff, Moore, and Bendich, 1942, 145, 593 Thymus nucleate mixtures, colloid osmotic pressure, Greenstein, 1943, 150, 107 Tissue, amino acids, Beach, Munks, and Robinson, 1943, 148, 431 —, —, phenylpyruvic oligophrenia, Block, Jervis, Bolling, and Webb, 1940, 134, 567 —, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 — virus, amino acids, determination, Ross, 1941, 138, 741 — —, acids, fractionation, Ross, 1942, 143, 685 — —, solution, diffusion, Neurath and Saum, 1938, 126, 435 — —, viscosity, Lauffer, 1938, 126, 443 — —, viscosimetry, Frampton, 1939, 131, 197 Tryptophane-free, casein conversion, 1939, 131, 197 Tryptophane-free, casein conversion,	·	
Shinn, and Saidel, 1942, 142, 609 Thromboplastic, lung, isolation, Chargaff, Moore, and Bendich, 1942, 145, 593 Thymus nucleate mixtures, colloid osmotic pressure, Greenstein, 1943, 150, 107 Tissue, amino acids, Beach, Munks, and Robinson, 1943, 148, 431 —, —, phenylpyruvic oligophrenia, Block, Jervis, Bolling, and Webb, 1940, 134, 567 —, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 — virus, amino acids, determination, Ross, 1941, 138, 741 — —, acids, fractionation, Ross, 1942, 143, 685 — —, solution, diffusion, Neurath and Saum, 1938, 126, 443 — —, viscosimetry, Frampton, 1939, 130, 19 — —, viscosimetry, Frampton, 1939, 131, 197 Tryptophane-free, casein conversion,		
Thromboplastic, lung, isolation, Chargaff, Moore, and Bendich, 1942, 145, 593 Thymus nucleate mixtures, colloid osmotic pressure, Greenslein, 1943, 150, 107 Tissue, amino acids, Beach, Munks, and Robinson, 1943, 148, 431 —, —, phenylpyruvic oligophrenia, Block, Jervis, Bolling, and Webb, 1940, 134, 567 —, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 — — virus, amino acids, determination, Ross, 1941, 138, 741 — — —, colution, diffusion, Neurath and Saum, 1938, 126, 435 — —, sulfur distribution, Ross, 1940, 136, 119 — — , viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion,		
Chargaff, Moore, and Bendich, 1942, 145, 593 Thymus nucleate mixtures, colloid osmotic pressure, Greenstein, 1943, 150, 107 Tissue, amino acids, Beach, Munks, and Robinson, 1943, 148, 431 —, —, phenylpyruvic oligophrenia, Block, Jervis, Bolling, and Webb, 1940, 134, 567 —, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 — virus, amino acids, determination, Ross, 1941, 138, 741 — —, acids, fractionation, Ross, 1942, 144, 685 Crystalline, papaya latex, Jansen and Balls, 1941, 137, 459 Intracellular, activation, Irving, Fruton, and Bergmann, 1941, 139, 569 Kinetics, specificity problems, application, Irving, Fruton, and Bergmann, 1941, 138, 231 Proteolysis: Aerobic and anaerobic, comparison, Irving, Fruton, and Bergmann, 1938, 126, 443 Cosubstrates, Behrens and Bergmann, 1939, 129, 587 Enzymes, histamine and, Rocha e Silva and Andrade, 1943, 149, 9 —, spleen, Fruton and Bergmann, 1939, 130, 19 Fruton, Irving, and Bergmann, 1939, 130, 19 Fruton, Irving, and Bergmann, 1939, 130, 19 Fruton, Irving, Fruton, and Bergmann, 1939, 131, 197 Tryptophane-free, casein conversion,	·	
1942, 145, 593 Thymus nucleate mixtures, colloid osmotic pressure, Greenslein, 1943, 150, 107 Tissue, amino acids, Beach, Munks, and Robinson, 1943, 148, 431 —, —, phenylpyruvic oligophrenia, Block, Jervis, Bolling, and Webb, 1940, 134, 567 —, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 — virus, amino acids, determination, Ross, 1941, 138, 741 — —, acids, fractionation, Ross, 1942, 143, 685 — —, solution, diffusion, Neurath and Saum, 1938, 126, 435 — —, viscosity, Lauffer, 1938, 126, 443 — —, viscosity, Lauffer, 1938, 126, 443 — —, viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion,		
Crystalline, papaya latex, Jansen and Balls, 1941, 137, 459 Tissue, amino acids, Beach, Munks, and Robinson, 1943, 148, 431 —, —, phenylpyruvic oligophrenia, Block, Jervis, Bolling, and Webb, 1940, 134, 567 —, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 — — virus, amino acids, determination, Ross, 1941, 138, 741 — —, acids, fractionation, Ross, 1942, 143, 685 — ——, solution, diffusion, Neurath and Saum, 1938, 126, 435 — ——, viscosity, Lauffer, 1938, 126, 443 — ——, viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion,		Proteinase: Brain, Kies and Schwimmer,
osmotic pressure, Greenstein, 1943, 150, 107 Tissue, amino acids, Beach, Munks, and Robinson, 1943, 148, 431 —, —, phenylpyruvic oligophrenia, Block, Jervis, Bolling, and Webb, 1940, 134, 567 —, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 — — virus, amino acids, determination, Ross, 1941, 138, 741 — —, acids, fractionation, Ross, 1942, 143, 685 — ——, solution, diffusion, Neurath and Saum, 1938, 126, 445 — ——, viscosity, Lauffer, 1938, 126, 443 — ——, viscosimetry, Frampton, 1939, 131, 197 Tryptophane-free, casein conversion, 1939, 131, 197 Tryptophane-free, casein conversion,	1942, 145, 593	
Tissue, amino acids, Beach, Munks, and Robinson, 1943, 148, 431 —, ——, phenylpyruvic oligophrenia, Block, Jervis, Bolling, and Webb, 1940, 134, 567 —, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 —— virus, amino acids, determination, Ross, 1941, 138, 741 ———, acids, fractionation, Ross, 1942, 143, 685 ———, solution, diffusion, Neurath and Saum, 1938, 126, 445 ———, viscosimetry, Frampton, 1939, 130, 19 ———, viscosimetry, Frampton, 1939, 131, 197 Tryptophane-free, casein conversion, Intracellular, activation, Irving, Fruton, and Bergmann, 1941, 139, 569 Kinetics, specificity problems, application, Irving, Fruton, and Bergmann, 1941, 138, 231 Proteolysis: Aerobic and anaerobic, comparison, Irving, Fruton, and Bergmann, 1938, 126, 245 Cosubstrates, Behrens and Bergmann, 1939, 129, 233 Cosubstrates, Behrens and Bergmann, 1939, 130, 19 ——, viscosimetry, Frampton, 1939, 130, 19 Fruton, and Bergmann, 1941, 139, 569 Kinetics, specificity problems, application, Irving, Fruton, and Bergmann, 1941, 138, 231 Proteolysis: Aerobic and anaerobic, comparison, Irving, Fruton, and Bergmann, 1938, 126, 245 Cosubstrates, Behrens and Bergmann, 1939, 129, 233 Enzymes, histamine and, Rocha e Silva and Andrade, 1943, 149, 9 —, spleen, Fruton and Bergmann, 1941, 138, 249 Irving, Fruton, and Bergmann, 1941, 138, 249 Fruton, Irving, Fruton, and Bergmann, 1939, 130, 19 —, and kidney, Fruton, Irving, and Bergmann, 1941, 138, 249 Irving, Fruton, and Bergmann, 1942, 144, 161 Blood plasma, tumor or embryonic growth, Weil and Russell, 1938, 126, 245 Cosubstrates, Behrens and Bergmann, 1939, 130, 19 —, and kidney, Fruton, Irving, and Bergmann, 1941, 141, 763 Irving, Fruton, and Bergmann, 1941, 141, 763 —, tissue, Fruton and Bergmann, 1941, 141, 763 Irving, Fruton, ord Bergmann, 1941, 141, 763 —, tissue, Fruton, and Bergmann, 1941, 141, 763 Irving, Fruton, ord Bergmann, 1941, 141, 763 Irving, Fruton, ord Bergmann, 1942, 144, 161		
Tissue, amino acids, Beach, Munks, and Robinson, 1943, 148, 431 —, ——, phenylpyruvic oligophrenia, Block, Jervis, Bolling, and Webb, 1940, 134, 567 —, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 —— virus, amino acids, determination, Ross, 1941, 138, 741 ———, acids, fractionation, Ross, 1942, 143, 685 ———, solution, diffusion, Neurath and Saum, 1938, 126, 445 ———, viscosity, Lauffer, 1939, 130, 199 ———, viscosimetry, Frampton, 1939, 130, 199 ———, viscosimetry, Frampton, 1939, 131, 197 Tryptophane-free, casein conversion, 1941, 141, 763 Tryptophane-free, casein conversion, 1941, 141, 763 ———, tissue, Fruton, and Bergmann, 1941, 141, 763 Irving, Fruton, and Bergmann, 1941, 141, 763 Irving, Fruton, and Bergmann, 1941, 139, 569 Kinetics, specificity problems, application, Irving, Fruton, and Bergmann, 1941, 138, 231 Proteolysis: Aerobic and anaerobic, comparison, Irving, Fruton, and Bergmann, 1942, 144, 161 Blood plasma, tumor or embryonic growth, Weil and Russell, 1938, 126, 245 Cosubstrates, Behrens and Bergmann, 1939, 129, 587 Enzymes, histamine and, Rocha e Silva and Andrade, 1943, 149, 9 —, spleen, Fruton and Bergmann, 1939, 130, 19 Fruton, Irving, Fruton, and Bergmann, 1942, 144, 161 Blood plasma, tumor or embryonic growth, Weil and Russell, 1938, 126, 245 Cosubstrates, Behrens and Bergmann, 1939, 130, 19 —, spleen, Fruton and Bergmann, 1939, 130, 19 Fruton, Irving, Fruton, and Bergmann, 1942, 144, 161 Blood plasma, tumor or embryonic growth, Weil and Russell, 1938, 126, 245 Cosubstrates, Behrens and Bergmann, 1939, 129, 283 Enzymes, histamine and, Rocha e Silva and Andrade, 1943, 149, 9 —, end kidney, Fruton, Irving, and Bergmann, 1941, 141, 763 Irving, Fruton, and Be		
1941, 139, 569 -, —, phenylpyruvic oligophrenia, Block, Jervis, Bolling, and Webb, 1940, 134, 567 -, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 - — virus, amino acids, determination, Ross, 1941, 138, 741 - — —, acids, fractionation, Ross, 1942, 143, 685 - — —, solution, diffusion, Neurath and Saum, 1938, 126, 435 - — —, viscosity, Lauffer, 1938, 126, 443 - — —, viscosimetry, Frampton, 1940, 136, 119 - — —, viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion,		
-, —, phenylpyruvic oligophrenia, Block, Jervis, Bolling, and Webb, 1940, 134, 567 —, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 — virus, amino acids, determination, Ross, 1941, 138, 741 ———, acids, fractionation, Ross, 1942, 143, 685 ———, solution, diffusion, Neurath and Saum, 1938, 126, 435 ———, viscosity, Lauffer, 1938, 126, 443 ———, viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion,		
Block, Jervis, Bolling, and Webb, 1940, 134, 567 —, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 — virus, amino acids, determination, Ross, 1941, 138, 741 — — —, acids, fractionation, Ross, 1942, 143, 685 — — —, solution, diffusion, Neurath and Saum, 1938, 126, 435 — — —, viscosity, Lauffer, 1938, 126, 443 — — —, viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion,	and Robinson, 1943, 148, 431	1
1940, 134, 567 —, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 — virus, amino acids, determination, Ross, 1941, 138, 741 — — —, acids, fractionation, Ross, 1942, 143, 685 — — —, solution, diffusion, Neurath and Saum, 1938, 126, 435 — — —, viscosity, Lauffer, 1938, 126, 443 — — —, viscosimetry, Frampton, 1940, 136, 119 — — —, viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion,		
-, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 - — virus, amino acids, determination, Ross, 1942, 143, 685 - — —, acids, fractionation, Ross, 1942, 143, 685 - — —, solution, diffusion, Neurath and Saum, 1938, 126, 435 - — —, viscosity, Lauffer, 1938, 126, 443 - — —, viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion,	Block, Jervis, Bolling, and Webb,	
-, metabolism, pregnancy and lactation, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 - — virus, amino acids, determination, Ross, 1941, 138, 741 - — —, acids, fractionation, Ross, 1942, 143, 685 - — —, solution, diffusion, Neurath and Saum, 1938, 126, 435 - — —, viscosity, Lauffer, 1940, 136, 119 - — —, viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion,	19 4 0, 134, 567	
tion, Poo, Lew, and Addis, 1939, 128, 69 Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 — virus, amino acids, determination, Ross, 1941, 138, 741 — — , acids, fractionation, Ross, 1942, 143, 685 — — , solution, diffusion, Neurath and Saum, 1938, 126, 435 — — , viscosity, Lauffer, 1938, 126, 443 — — , sulfur distribution, Ross, 1940, 136, 119 — — , viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion,		
Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 — virus, amino acids, determination, Ross, 1941, 138, 741 — — —, acids, fractionation, Ross, 1942, 143, 685 — — —, solution, diffusion, Neurath and Saum, 1938, 126, 435 — — —, viscosity, Lauffer, 1938, 126, 443 — — —, sulfur distribution, Ross, 1940, 136, 119 — — —, viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion, 1940, 136, 119 Tryptophane-free, casein conversion, 1950, 131, 197 Tryptophane-free, casein conversion, 1960, 120, 120, 120, 120, 120, 120, 120, 12		comparison, Irving, Fruton, and
Tobacco mosaic, Martin, Balls, and McKinney, 1939, 130, 687 — virus, amino acids, determination, Ross, 1941, 138, 741 — — —, acids, fractionation, Ross, 1942, 143, 685 — — —, solution, diffusion, Neurath and Saum, 1938, 126, 435 — — —, viscosity, Lauffer, 1938, 126, 443 — — —, sulfur distribution, Ross, 1940, 136, 119 — — —, viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion, 1940, 131, 197 Tryptophane-free, casein conversion,		
McKinney, 1939, 130, 687 — virus, amino acids, determination, Ross, 1941, 138, 741 — — , — acids, fractionation, Ross, 1942, 143, 685 — — , solution, diffusion, Neurath and Saum, 1938, 126, 435 — — , viscosity, Lauffer, 1938, 126, 443 — — — , sulfur distribution, Ross, 1938, 126, 245 — — , sulfur distribution, Ross, 1938, 126, 245 — — , viscosity, Lauffer, 1938, 126, 245 — — , viscosity, Lauffer, 1939, 130, 19 — — — , sulfur distribution, Ross, 1940, 136, 119 — — — , viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion, 1939, 131, 197 Tryptophane-free, casein conversion, 1939, 131, 197		1 .
- virus, amino acids, determination, Ross, 1941, 138, 741, acids, fractionation, Ross, 1942, 143, 685, solution, diffusion, Neurath and Saum, 1938, 126, 435, viscosity, Lauffer, 1938, 126, 443, sulfur distribution, Ross, 1940, 136, 119, viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion, 1941, 138, 249 Totyptophane-free, casein conversion, 1941, 138, 249 Tryptophane-free, casein conversion, 1941, 138, 249 Total, blood serum, determination, 1941, 141, 763 Tryptophane-free, casein conversion, 1941, 141, 763 Tryptophane-free, casein conversion, 1941, 141, 763		
tion, Ross, 1941, 138, 741 , -acids, fractionation, Ross, 1942, 143, 685 , solution, diffusion, Neurath and Saum, 1938, 126, 435 , viscosity, Lauffer, 1938, 126, 443 , sulfur distribution, Ross, 1940, 136, 119 , viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion, 1943, 149, 9 , spleen, Fruton and Bergmann, 1939, 130, 19 , and kidney, Fruton, Irving, and Bergmann, 1939, 130, 19 Fruton, Irving, and Bergmann, 1941, 141, 763 Irving, Fruton, and Bergmann, 1942, 144, 161 , tumors, specificity, Fruton, Irving,		1
, acids, fractionation, Ross, 1942, 143, 685, solution, diffusion, Neurath and Saum, 1938, 126, 435, viscosity, Lauffer, 1938, 126, 443, sulfur distribution, Ross, 1940, 136, 119, viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion, Enzymes, histamine and, Rocha e Silva and Andrade, 1943, 149, 9 -, spleen, Fruton and Bergmann, 1939, 130, 19 -, tissue, Fruton and Bergmann, 1939, 130, 19 Fruton, Irving, and Bergmann, 1941, 141, 763 Irving, Fruton, and Bergmann, 1942, 144, 161 -, tumors, specificity, Fruton, Irving,		,
1942, 143, 685 ———, solution, diffusion, Neurath and Saum, 1938, 126, 435 ———, viscosity, Lauffer, 1938, 126, 443 ———, sulfur distribution, Ross, 1940, 136, 119 ———, viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion, Solution, Neurath and Saum, 1938, 126, 435 ——, spleen, Fruton and Bergmann, 1941, 141, 763 ——, and kidney, Fruton, Irving, and Bergmann, 1939, 130, 19 Fruton, Irving, and Bergmann, 1941, 143, 763 Irving, Fruton, and Bergmann, 1941, 141, 763 Irving, Fruton, and Bergmann, 1942, 144, 161 ——, tumors, specificity, Fruton, Irving,		
, solution, diffusion, Neurath and Saum, 1938, 126, 435, -, viscosity, Lauffer, 1938, 126, 443, sulfur distribution, Ross, 1940, 136, 119, viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion,, spleen, Fruton and Bergmann, 1939, 130, 19, and kidney, Fruton, Irving, and Bergmann, 1941, 141, 763, tissue, Fruton and Bergmann, 1939, 130, 19, tissue, Fruton and Bergmann, 1939, 130, 19, and kidney, Fruton, and Bergmann, 1941, 141, 763, tissue, Fruton and Bergmann, 1941, 141, 763, tissue, Fruton, Inving, 1941,		
and Saum, 1938, 126, 435 , viscosity, Lauffer, 1938, 126, 443 , sulfur distribution, Ross, 1940, 136, 119 , viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion, 1938, 126, 443 , and kidney, Fruton, Irving, and Bergmann, 1941, 141, 763 Fruton, Irving, and Bergmann, 1941, 141, 763 Irving, Fruton, and Bergmann, 1942, 144, 161 , tumors, specificity, Fruton, Irving,		
, -, viscosity, Lauffer, 1938, 126, 443 , sulfur distribution, Ross, 1940, 136, 119 , viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion, , and kidney, Fruton, Irving, and Bergmann, 1941, 141, 763 Fruton, Irving, and Bergmann, 1941, 138, 249 Irving, Fruton, and Bergmann, 1942, 144, 161 , tumors, specificity, Fruton, Irving,		
1938, 126, 443 , sulfur distribution, Ross, 1940, 136, 119 , viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion, 1938, 126, 443 Bergmann, 1941, 141, 763 -, tissue, Fruton and Bergmann, 1941, 141, 763 Fruton, Irving, and Bergmann, 1941, 141, 763 Irving, Fruton, and Bergmann, 1942, 144, 161 -, tumors, specificity, Fruton, Irving,		1
, sulfur distribution, Ross, 1940, 136, 119, viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion,, tissue, Fruton and Bergmann, 1939, 130, 19 Fruton, Irving, and Bergmann, 1941, 138, 249 Irving, Fruton, and Bergmann, 1941, 141, 763 Irving, Fruton, and Bergmann, 1942, 144, 161, tumors, specificity, Fruton, Irving,		
1940, 136, 119 , viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion, 1940, 136, 119 Fruton, Irving, and Bergmann, 1941, 138, 249 Irving, Fruton, and Bergmann, 1941, 141, 763 Irving, Fruton, and Bergmann, 1942, 144, 161, tumors, specificity, Fruton, Irving,		
, viscosimetry, Frampton, 1939, 129, 233 Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion, Fruton, Irving, and Bergmann, 1941, 138, 249 Irving, Fruton, and Bergmann, 1941, 141, 763 Irving, Fruton, and Bergmann, 1942, 144, 161, tumors, specificity, Fruton, Irving,		1
Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion, 1939, 129, 233 1941, 138, 249 1941, 141, 763 1941, 141, 763 17ving, Fruton, and Bergmann, 1942, 144, 161 -, tumors, specificity, Fruton, Irving,	•	1939, 130, 19
Total, blood serum, determination, biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion, 1941, 763 Irving, Fruton, and Bergmann, 1942, 144, 161 —, tumors, specificity, Fruton, Irving,		Fruton, Irving, and Bergmann,
biuret reaction, Kingsley, 1939, 131, 197 Tryptophane-free, casein conversion, Irving, Fruton, and Bergmann, 1942, 144, 161 —, tumors, specificity, Fruton, Irving,		1941, 138, 249
1939, 131, 197 Tryptophane-free, casein conversion, —, tumors, specificity, Fruton, Irving,	Total, blood serum, determination,	1941, 141, 763
Tryptophane-free, casein conversion, —, tumors, specificity, Fruton, Irving,	biuret reaction, Kingsley,	Irving, Fruton, and Bergmann,
	1939, 131, 197	1942, 144, 161
	Tryptophane-free, casein conversion,	-, tumors, specificity, Fruton, Irving,
2023, 223, 224, 201, 201, 201, 201, 202, 202, 202, 202	Toennies, 1942, 145, 667	and Bergmann, 1940, 132, 465

stein and Watson,

Protoporphyrin—continued: Proteus morganii: Metabolism, panto-Mesoporphyrin, conversion, micro, thenic acid effect, Dorfman, Berk-Grinstein and Watson, man, and Koser, 1942, 144, 393 1943, 147, 671 Pantothenic acid determination, use, Phyllochromogen, Ross, Pelczar and Porter, 1941, 139, 111 1939, 127, 163 Prothrombin: Blood plasma, hemor-Protoveratrine: Jacobs and Craig, rhagic concentrate determination 1943, 149, 271 by, sweet clover disease, Campbell, Alkamine, Jacobs and Craig, Smith, Roberts, and Link, 1943, 149, 271 1941, 138, 1 Dehydrogenation, Craig and Jacobs, — 3,3'-methylenebis(4-hydroxy-1942, 143, 427 coumarin), effect, Overman, Stahmann, Sullivan, Huebner, Campbell, Protoverine: Jacobs and Craig, 1943, 149, 271 and Link, 1942, 142, 941 Protozoa: See also Colpidium, Plasmo- - , sulfaguanidine effect, Black, dium, Trypanosoma Overman, Elvehjem, and Link, Protyrosinase: Activators, grasshopper 1942, 145, 137 egg oil, unimolecular films and 3,3'-Methylenebis(4-hydroxycoumafractions, Allen, Boyd, and Bodine, 2-methyl-1,4-naphrin) action, 1942, 143, 785 thoquinone and l-ascorbic Provitamin: A, watermelon, Zechmeister effect, Overman, Stahmann, andand Polgár, 1941, 139, 193 Link, 1942, 145, 155 Pseudoglobulin: Blood serum, denatura-Purification, Seegers, 1940, 136, 103 tion and reversal, Neurath, Cooper, Seegers and Smith, 1941, 140, 677 and Erickson, 1942, 142, 265 Purified, properties, Seegers, —, papain effect, Petermann, 1940, 136, 103 1942, 144, 607 Thrombin, conversion, radioactive GI, blood serum, electrophoresis, phosphorus as indicator, Chargaff, Sharp, Cooper, and Neurath, Ziff, and Cohen, 1940, 135, 351 1942, 142, 203 Prothrombinemia: See also Hypopro-Pseudohemoglobin: Blood cells, red. thrombinemia differentiation by, BarkanandProtoporphyrin: Grinstein and Watson, Walker, 1940, 135, 803 1943, 147, 667, 671, 675 Iron, determination, o-phenanthro-Blood, determination, photoelectric line use, Barkan and Walker, and fluorophotometric, Grinstein 1940, 135, 37 and Watson, 1943, 147, 675 Ptyalin: Pituitary gonadotropic activity, Coproporphyrin, conversion, liver. effect, McShan and Meyer, Watson, Pass, and Schwartz, 1938, 126, 361 1941, 139, 583 Purine(s): Decomposition, Clostridium Salzburg and Watson, acidi-urici and Clostridium cylindro-1941, 139, 593 sporum, Barker and Beck, Fate, bile-renal fistulae, Watson, 1941, 141, 3 Pass, and Schwartz, 1941, 139, 583 Determination, Hitchings and Fiske, Iron, nitrogenous bases, coordination, 1941, 140, 491 Davies, 1940, 135, 597 Nucleotides and nucleosides, blood IX, feces, normal and anemic rats, and tissues, determination, Kerr, isolation, Schultze, 1942, 142, 89 1940, 132, 147 -, hemoglobin, purification, Grin-

1943, 147, 667

Sulfonamide action, effect, Harris and

1941, 141, 989

Kohn,

Pyloric obstruction: Blood cell electrolyte equilibrium, diphosphoglyceric acid rôle, Rapoport and Guest, 1939, 131, 675 Pyracantha angustifolia: Fruit, pro-y-

Pyracantha angustifolia: Fruit, pro-γ-carotene and prolycopene, Zechmeister and Schroeder,

1942, 144, 315

Pyrene: Growth effect, White and White, 1939, 131, 149

Pyridine: Analogue, thiamine deficiency disease production, Woolley and White, 1943, 149, 285

Cytochrome c derivatives, chemical

constitution, Drabkin,

1942, 146, 605

Diphospho. See Diphosphopyridine Hemoglobin derivatives, chemical constitution, Drabkin, 1942, 146, 605 Nucleotides, synthesis from nicotinic acid, in vitro, blood cell, red, effect, Kohn and Klein, 1940, 135, 685

-, tissue inactivation, in vitro, Handler and Klein, 1942, 143, 49 1942, 144, 453

-, yeast, preparation, Klein,

1940, 134, 43

Phyllochromogen, Ross,

· 1939, 127, 163
Polarographic study, Tompkins and
Schmidt, 1942, 143, 643

Triphospho-, nucleotide, determination, micro-, Haas, Harrer, and Hogness, 1942, 142, 835

Pyridine compound(s): Urine nicotinic acid excretion, influence, Melnick, Robinson, and Field,

1940, 136, 131

Pyridine coproporphyrin: I, spectrophotometry, Clark and Perkins,

1940, 135, 643

Pyridoxine: Anemia from, McKibbin, Schaefer, Frost, and Elvehjem,

1942, 142, 77

Bound, biological materials, Siegel, Melnick, and Oser, 1943, 149, 361 Conjugated, rice bran concentrates, Scudi, 1942, 145, 637 Pyridoxine—continued:

Deficiency, tryptophane metabolism, xanthurenic acid effect, Lepkovsky, Roboz, and Haagen-Smit,

1943, 149, 195

Determination, biological, Conger and Elvehjem, 1941, 138, 555

-, colorimetric, Scudi method, adaptation, Bird, Vandenbelt, and Emmett, 1942, 142, 317

-, Neurospora use, Stokes, Larsen, Woodward, and Foster,

Foods, determination, Bina, Thomas, and Brown, 1943, 148, 111
Light effect, Hochberg, Melnick, Siegel, and Oser, 1943, 148, 253
Metabolite, natural products, occur-

rence, Snell, Guirard, and Williams, 1942, 143, 519

Tissue catalase, effect, Lepkovsky and Parsons, 1943, 149, 281

Urine pigment-producing compound, green, relation, Lepkovsky and Nielsen, 1942, 144, 185

See also Vitamin Be

Pyrimidine: Vitamin B₁, photochemistry and spectroscopy, *Uber and Ver*brugge, 1940, 134, 273

Pyrimidinedesoxyriboside(s): Diphosphoric esters, Levene, 1938, 126, 63
Pyrophosphate: Liver respiration, effect,

Feinstein and Stare, 1940, 135, 393
Pyrrole: Amines and amino acid isomers,

oxidation, effect, Bernheim, Bernheim, and Michel, 1938, 126, 273
-Containing pigments, hemoglobin

synthesis, relation, Kohler, Elvehjem, and Hart, 1939, 128, 501

Pyrrolidonecarboxylic acid: Formation, glutathione hydrolysis, enzymatic, kidney extract, hydrogen ion concentration effect, Woodward and Reinhart, 1942, 145, 471

Pyruvate: Alcohol and, oxidation-reduction, coupled, in vivo, Westerfeld, State and Roya 1943, 140, 227

Stotz, and Berg, 1943, 149, 237 Blood composition, injection effect, Bueding and Goldfarb,

1943, 147, 33

Pyruvate-continued:

effect, Klein,

and Wortis.

Blood, diabetes, glucose and insulin

-, glucose ingestion and thiamine

deficiency, effect, Bueding, Stein,

1942, 145, 35

1941, 140, 697

Condensation thiamine reactions, effect, Barron, Lyman, Lipton, and 1941, 141, 957 Goldinger, Ethyl alcohol metabolism, rôle, Westerfeld, Stotz, and Berg, 1942, 144, 657 Glycogen formation from, in vitro, radioactive carbon dioxide effect, Buchanan, Hastings, and Nesbett, 1942, **145,** 715 Lactate-, blood, relation, thiamine deficiency, Stotz and Bessey, 1942, 143, 625 Metabolism, liver, pantothenic acid and biotin effect, Pilgrim, Axelrod, 1942, 145, 237 and Elvehjem, Muscle, working, vitamin B1 effect, Bollman and Flock, 1939, 130, 565 Urine, thiamine effect, Harper and Deuel, 1941, 137, 233 Pyruvic acid: Friedemann and Haugen, 1942, 144, 67 1943, 147, 415 Aceto-, metabolism, Lehninger, 1943, 148, 393 Acetylmethylcarbinol formation from, bacterial enzyme preparation use, Silverman and Werkman. 1941, 138, 35 Blood, bisulfite-binding substances, relation, Klein, 1940, 135, 143 -, determination, acetoacetic acid effect, Klein, 1941, 137, 311 -, -, blood collection, Friedemann and Haugen, 1942, 144, 67 -, lactic acid and, exercise effect, Friedemann and Barborka. 1941, 141, 993 -, Plasmodium knowlesi effect, Wendel and Kimball, 1942, 145, 343 -, removal in vitro, Bueding and Goodhart, 1941, 141, 931 stabilization and determination, activity, Ansbacher and Fernholz, Bueding and Wortis, 1940, 133, 585

Pyruvic acid—continued: Brain, oxidation and phosphorylation, 1941, 138, 751 Ochoa, Determination, acetoacetic acid elimination in, Elgart and Nelson, 1941, 138, 443 Dissimilation, Clostridium butylicum preparations, Koepsell and Johnson, 1942, 145, 379 Formation, glucose ingestion effect. Bueding, Stein, and Wortis, 1941, 137, 793 -, insulin and pancreatectomy, effect, Bueding, Fazekas, Herrlich, and Himwich, 1943, 148, 97 Indole-. See Indolepyruvic acid Liver, dissimilation, carbon dioxide fixation, Wood, Werkman, Hemingway, and Nier, 1942, 142, 31 Metabolism, tissues and bacteria, effect, Barron and Lyman, 1939, 127, 143 Oxidation product, phosphorylated. Lipmann, 1940, 134, 463 Phospho-, dephosphorylation, carbohydrate breakdown, relation, Meyerhof and Junowicz-Kocholaty, 1942, 145, 443 Urine, thiamine effect, Shils, Day, and 1941, 139, 145 McCollum, Pyruvic carboxylase: Tissue, Green, Westerfeld, Vennesland, and Knox, 1941, 140, 683 Q Quartz: Fiber, balance, Lowry, 1941, 140, 183 Particles, blood serum proteins, electric mobilities, film formation, relation, Moyer and Gorin, 1940, 133, 605 Quercetin: -Like substances, determination, Weatherby and Cheng, 1943, 148, 707 Quinine: Blood and biological materials, determination, micro-, Kyker, Webb, and Andrews, 1941, 139, 551 Quinone(s): Benzo-, series, vitamin K

1939, 131, 399

Quinone(s)—continued:

Naphtho-, vitamin K1-associated, dereduction-oxidation termination, method, Trenner and Bacher,

1941, 137, 745

Phenanthrene-, condensation, diaminocarboxylic acid from biotin, Hofmann, Kilmer, Melville, du Vigneaud, and Darby, 1942, 145, 503 α-Toco-, vitamin E, relation, Emerson, Emerson, and Evans,

1939, 131, 409

Tocopheryl-, determination, colorimetric oxidation-reduction, Scudi 1942, 146, 1 and Buhs. muscle dystrophy, α -Tocopheryl-, relation, Golumbic and Mattill, 1940, 135, 339

Vitamin K1-associated, determination, reduction-oxidation method, Trenner and Bacher, 1941, 137, 745

Ragweed: Pollen extract, electrophoretic patterns, Abramson and Moore, 1942, 144, 579

Ranev catalyst: dl-Leucine and l-leucine esters, reaction, Ovakimian, Christman, Kuna, and Levene,

1940, 134, 151

Phenylaminoacetic acid esters and phenylalanine esters, reaction, Ovakimian, Kuna, and Levene, 1940, 135, 91

Ray: See also Ultraviolet radiation

Reducing group(s): Egg albumin and urease, Hellerman, Chinard, and Deitz. 1943, 147, 443

- -, determination, porphyrindin use, Brand and Kassell,

1940, 133, 437

Reductase: Cytochrome, Haas, Harrer, and Hogness. 1942, 143, 341 -c, Haas, Horecker, and Hogness,

1940, 136, 747

-, isolation, inhibition and inactivation, and reaction with oxygen, Haas, Harrer, and Hogness,

1942, 143, 341

Renal: See Kidney

Renin: Activator, angiotonin formation, enzymatic, Plentl and Page,

1943, 147, 135 -, nature, Plentl, Page, and Davis, 1943, 147, 143

formation, Angiotonin enzymatic, Plentl and Page, 1943, 147, 135 Purification and properties, Helmer and Page, 1939, 127, 757

Rennin: Pressure effect, Matthews, Dow, and Anderson, 1940, 135, 697

Respiration: Chlorella pyrenoidosa, inhibition, Green, McCarthy, and King, 1939, 128, 447

determination, Gases, apparatus, Scholander, 1942, 146, 159

Respiratory enzyme(s): Tissue, determination, Schneider and Potter,

1943, 149, 217

DuBois and Potter, 1943, 150, 185 Respiratory ferment: Yeast, absorption spectrum, Melnick, 1941, 141, 269

Respiratory metabolism: Malaria parasites, Wendell, 1943, 148, 21

Respiratory pigment: Urechis eggs, Horowitz and Baumberger,

1941, 141, 407 Respiratory quotient: -Reducing substances, pituitary, anterior, fractions, preparation

and assay. Greaves, Freiberg, and Johns,

1940, 133, 243 Retina: Pasteur enzyme, spectrum, Stern and Melnick. 1941, 139, 301

Rhamnitol: l-, 1,3,4,5-tetramethyl, synthesis, Tipson and Levene,

1939, 130, 235

Rhamnose: l-, tetraacetyl, new form, Tipson, 1939, 130, 55

Rheum hybridum: See Rhubarb

Rhizobium: Metabolism, Hoover and Allison, 1940, 134, 181

Rhubarb: Leaf, excised, carbon loss during culture, Vickery and Pucher, 1939, 128, 685

—, —, organic acids, behavior during culture, Pucher, Wakeman, and Vickery, 1938, 126, 43

Rib-grass: Strain, tobacco mosaic virus, sulfur, Knight, 1943, 147, 663

Riboflavin-continued: Riboflavin: Biological fluids, determina-Urine, Strong, Feeney, Moore, and tion, fluorometric, Najjar, Parsons. 1941, 137, 363 1941, 141, 355 determination, fluorometric. Blood, Strong, Feeney, Moore, and Naijar. 1941, 141, 355 Parsons. 1941, 137, 363 See also Vitamin B2 - regeneration, effect, Spector, Maass, Ribonuclease: Crystalline, absorption Michaud, Elvehjem, and Hart, spectrum, Uber and Ells, 1943, 150, 75 1941, 141, 229 -Boron complex, water-soluble, Frost, 1942, 145, 693 -, ribonucleic acid, action, Allen and Eiler, 1941, 137, 757 Deficiency, liver succinoxidase system, -, - - hydrolysis by, mononucleo-Axelrod, Swingle, and Elvehjem, 1942, 145, 297 tides, isolation, Loring and Car-1943, 150, 381 succinoxidase system, Axelrod, penter, Potter, and Elvehjem, 1942, 142, 85 Ribonucleic acid(s): Electrophoretic mobilities, Cohen, 1942, 146, 471 Determination, biological, Wagner, Hydrolysis, enzymatic, chemical con-Axelrod, Lipton, and Elvehjem, stitution, relation, Bolomey and 1940, 136, 357 Allen, 1942, 144, 113 -, microbiological, Scott, Randall, Mononucleotides from, hydrolysis by and Hessel, 1941, 141, 325 ribonuclease, crystalline, Loring and -, -, factors affecting, Wegner, Carpenter. 1943, 150, 381 Kemmerer, and Fraps, Nucleotides, union, Tipsonand1942, 144, 731 1939, 127, 105 Levene, -, -, sample preparation, effect, Ribonuclease, crystalline, action, Wegner, Kemmerer, and Fraps, 1941, 137, 757 Allen and Eiler, 1942, 146, 547 Ribonucleodepolymerase: Schmidt and -, polarographic, Lingane and Davis, 1938, 126, 423 Levene, 1941, 137, 567 Ribose: d-, identification as benzimida-Flavin-adenine dinucleotide synthesis zole derivatives, Dimler and Link, from, blood cells, effect, Klein and 1943, 150, 345 Kohn, 1940, 136, 177 Desoxy-, electrophoretic mobilities. Foodstuffs, determination, fluoromet-Cohen. 1942, 146, 471 ric, Hodson and Norris, Riboside(s): Pyrimidinedesoxy-, diphosphoric esters, Levene, 1938, 126, 63 1939, 131, 621 Rice: Bran concentrates, pyridoxine, Liver, Supplee, Jensen, Bender, and conjugated, Scudi, Kahlenberg. 1942, 144, 79 1942, 145, 637 Rice factor: Carbohydrate component, - xanthine oxidase, effect, Axelrod and Almquist, Mecchi, Stokstad, and Elvehiem. 1941, 140, 725 Manning, 1940, 134, 465 Perspiration, Tennent and Silber, Stokstad, Almquist, Mecchi, Man-1943, 148, 359 ning, and Rogers. 1941, 137, 373 Thiamine and, metabolism relation, Glycine component, nature, Almquist Sure and Ford. 1942, 146, 241 and Mecchi. 1940, 135, 355 Tissue d-amino acid oxidase, effect, Identification, Almquist, Stokstad, Axelrod, Sober, and Elvehjem, Mecchi, and Manning, 1940, 134, 749 1940, 134, 213 -, animal, determination, in vitro, Almquist, Mecchi, Stokstad, and Van Duyne, 1941, 139, 207 Manning, 1940, 134, 465 metabolism, effect, Hastings, Muus, Almquist and Mecchi, and Bessey. 1939, 129, 295 1940, 135, 355

Salmon: Pepsin, crystalline, preparation

and properties, Norris and Elam, 1943, 147, 71 Steenbock, 1940, 134, 443 Blood cell phosphorus, organic acid--, specificity, Fruton and Bergmann, soluble and inorganic, diphospho-1940, 136, 559 glycerate, and adenosine triphos-Salt(s): Amino acids and, interaction, phate, Rapoport and Guest, Joseph, 1939, 130, 203 1938, 126, 749 Inorganic. See Inorganic salts Phosphorus metabolism, vitamin D Liver tissue suspension respiration. effect, radioactive isotopes as indieffect, Elliott and Elliott, cator, Cohn and Greenberg, 1939, 127, 457 1939, 130, 625 Sarcoma: Fowl, polysaccharide, Kabat, Skeleton phosphorus turnover, preg-1939, 130, 143 nancy, effect, Manly and Levy, Lympho-, phospholipid metabolism, 1941, 139, 35 radioactive phosphorus as indicator, Tissue phosphatase action, Truhlar, Jones, Chaikoff, and Lawrence, Drekter, McGuire, and Falk, 1939, 128, 631 Mammary, phospholipid metabolism, 1939, 127, 345 radioactive phosphorus as indicator, Ring spot: Virus, absorption spectra, Jones, Chaikoff, and Lawrence, Lavin, Loring, and Stanley, 1939, 128, 631 1939, 130, 259 180, phospholipid metabolism, radio--, nucleic acid and protein, absorpactive phosphorus as indicator, tion spectra, Lavin, Loring, and Jones, Chaikoff, and Lawrence, Stanley. 1939, 130, 259 1939, 128, 631 -, tobacco, isolation and properties, Sarcosine: Demethylation, biological, Stanley, 1939, 129, 405 glycine, relation, Bloch and Schoen--, -, recovered plants, isolation, heimer. 1940, 135, 99 Stanley, 1939, 129, 429 -, oxidative, glycine, relation, Hand-Rose, Mary Swartz: Obituary, Sherman, ler, Bernheim, and Klein, 1941, 140, 687 1941, 138, 211 Rubijervine: Jacobs and Craig, Oxidase, Bernheim and Bernheim, 1943, 148, 41 1942, 143, 391 Scallop: Muscle, octopine precursor, Irvin and Wilson, 1939, 127, 575 S Scarlet fever: Toxin, chemistry, Barron, Saccharic acid: Benzimidazole deriva-Dick, and Lyman, 1941, 137, 267 tive, identification, Lohmar, Dimler, -, erythrogenic, isolation and properties, electrophoretic, Krejci, Stock, Moore, and Link, 1942, 143, 551 Sanigar, and Kraemer, Saccharoid(s): Blood, glucuronic acid 1942, 142, 785 relation, Fashena and Stiff, -, purification, Stock, 1942, 142, 777 1941, 137, 21 Saccharolactone: Amine-precipitating Schizophrenia: Blood serum lipids, testosterone effect, Randall, reagent, Kurtz and Wilson, 1939, 129, 693 1940, 133, 137 Salicylic acid: Hypoprothrombinemia, Scurvy: 2-Keto-l-gulonic acid, effect, 1940, 134, 177 effect, Link, Overman, Sullivan, Ball.Huebner, and Scheel, 1943, 147, 463 Seal: Muscle, metabolism, diving effect, Scholander, Irving, and Grinnell, Saliva: Group-specific substances, Landsteiner and Harte, 1941, 140, 673 1942, 142, 431

Rickets: Anemia, relation, Fuhr and

Season: Blood, effect, Dill, Wilson, Hall, and Robinson. 1940, 136, 449 Seedling(s): Etiolated, amide metabolism, Vickery and Pucher, 1943, 150, 197 Selachyl alcohol: Natural, configuration, Baer and Fischer, 1941, 140, 397 Selenium: Cevine dehydrogenation, Craig and Jacobs, 1939, **129,** 79 1941, 139, 263 Containing amino acid complex, Astragalus pectinatus, isolation, Horn and Jones, 1941, 139, 649 Excretion, p-bromobenzene effect, Moxon, Schaefer, Lardy, DuBois, and Olson, 1940, 132, 785 Proteins containing, alkaline solutions, decomposition, Painter and Franke. 1940, 134, 557 Radio-, sodium selenate distribution and excretion, study with, McCon-1941, 141, 427 Respiratory excretion, radioactive isotope in study, McConnell, 1942, 145, 55 Selenium compound(s): Volatile, excretion, sodium selenite administration effect, Schultz and Lewis, 1940, 133, 199 Semen: Plasma, proteins, Ross, Moore, and Miller, 1942, 144, 667 Preservation, Phillips, 1939, 130, 415 See also Spermatozoa Serine: Brain phosphatides, isolation, Chargaff and Ziff, 1941, 140, 927 Deamination, Bacterium coli rôle. Chargaff and Sprinson, 1943, 148, 249 Dehydrase, nature, Binkley. 1943, 150, 261 Determination, colorimetric, Boyd and Logan. 1942, 146, 279 -, periodate use, Nicolet and Shinn. 1941, 139, 687 Dietary, effect, Fishman and Artom, 1942, 145, 345 —, fate, Stetten, 1942, 144, 501 -, liver lipids, effect, Stetten and Grail, 1942, 144, 175

Serine—continued: dl-, betaine hydrochloride, lipotropic activity, synthesis and determination, Carter and Melville,

1940, 133, 109

l-, peptides, synthesis, Fruton, 1942, 146, 463

-, preparation, protein hydrolysates, Stein, Moore, Stamm, Chou, and Bergmann, 1942, 143, 121

-, silk fibroin, isolation, Stein, Moore, and Bergmann, 1941, 139, 481 Liver cysteine formation from, Binkley and du Vigneaud, 1942, 144, 507 Peanut proteins, Brown,

1942, 142, 299 Peptide combination, lability to alkali, Nicolet and Shinn. 1941, 140, 685 Phosphatidyl, brain cephalin, separation, Folch, 1942, 146, 35 -, -, serine component identification. Folch, 1941, 139, 973 Proteins, alkali effect, Nicolet, Shinn, and Saidel, 1942, 142, 609 Synthesis, Wood and du Vigneaud,

Serum: Blood. See Blood serum Sex: Acetone body utilization, influence, Grayman, Nelson, and Mirsky,

1939, 131, 121

1940, **134**, 413

Glucose tolerance, normal and fatty livers, effect, Deuel and Davis,

1942, 146, 649 Hormones, Achlya, Raper and Haagen-

Smit. 1942, 143, 311 -, crystalline, blood lipids, bird, Entenman, effect, Lorenz, and Chaikoff. 1940, 134, 495

-, male, urine and blood, McCullagh and Osborn, 1938, 126, 299

-. See also Androgenic substance, Androstanol-3(β)-one, Androsterone,

Shock: Acidosis, effect, Allison, Cole, Leathem, Nastuk, and Anderson. 1943, 147, 255

Hemorrhage, tissue metabolism, effect. Beecher and Craig, 1943, 148, 383 Urine, effect, Allison, Cole, Leathem, Nastuk, and Anderson,

1943, 147, 255

Silk: Fibroin, l-serine isolation, Stein, Moore, and Bergmann, 1941, 139, 481 Proteins, hydroxyamino acids, Nicolet and Saidel. 1941, 139, 477 Silk oak: Flowers, β-carotene source, Zechmeister and Polgár, 1941, 140, 1 Silver iodate: Purity tests, Sendroy, 1939, 127, 483 Silver salt(s): Organic acids, bromoacetyl sugars, action, Tipson, 1939, 130, 55 Skatole: Color reaction, blood fructose determination, use in, Reinecke, 1942, 142, 487 Skeleton: Phosphorus turnover, pregnancy, diet effect, Manly and Levy, 1941, 139, 35 Skin: Cholesterol, ultraviolet irradiation effect, Knudson, Sturges, and Bryan, 1939, 128, 721 Human, chemistry, Wilkerson and 1939, 129, 477 Tulane, -, methionine, Wilkerson and Tulane, 1939, 129, 477 Mucopolysaccharides, Meyer andChaffee, 1941, 138, 491 Slime: Hagfish, protein, fibrous, Ferry, 1941, 138, 263 Sodium: Biological material, determinamicro-, spectrochemical, Duffendack, Thomson,Lee, and Koppius, 1938, 126, 1 Blood cell, red, Streef, 1939, 129, 661 -, -, permeability, Kurnick, 1941, 140, 581 -, determination, micro-, titrimetric, Clark, Levitan, Gleason, and Greenberg, 1942, 145, 85 -, distribution, Snyder and Katzenelbogen, 1942, 143, 223 serum, determination, phosphorus effect, Hald, 1939, 130, 133 - -, -, spectrochemical, Steadman, 1941, 138, 603 Bone, adsorption, radioactive isotope in study, Hodge, Koss, Ginn, Falkenheim, Gavett, Fowler, Thomas, Bonner, and Dessauer, 1943, 148, 321 Sodium—continued:

-Deficient diet, mineral metabolism, effect, Orent-Keiles and McCollum, 1940, 133, 75 Dentin, adsorption, radioactive iso-

Dentin, adsorption, radioactive isotope in study, Hodge, Koss, Ginn, Falkenheim, Gavett, Fowler, Thomas, Bonner, and Dessauer,

1943, 148, 321

Depletion, muscle and blood serum potassium, effect, Miller,

1943, 147, 121

Determination, Consolazio and Dill, 1941, 137, 587

 —, colorimetric, micro-, manganous uranyl acetate use, Leva,

1940, 132, 487

-, phosphate presence, Sobel, Kraus, and Kramer, 1941, 140, 501

Enamel and hydroxyapatite, adsorption, radioactive isotope in study, Hodge, Koss, Ginn, Falkenheim, Gavett, Fowler, Thomas, Bonner, and Dessauer, 1943, 148, 321

Insoluble, bone, nature, Hodge, Koss, Ginn, Falkenheim, Gavett, Fowler, Thomas, Bonner, and Dessauer,

1943, 148, 321

 -Low diets, sodium metabolism, radioactive isotopes in study, Greenberg, Campbell, and Murayama,

1940, 136, 35

Muscle, frog, Steinbach,

1940, 133, 695

Radioactive, blood cell, red, permeability, Eisenman, Ott, Smith, and Winkler, 1940, 135, 165

-, placenta, transfer, Pohl and Flexner, 1941, 139, 163

Tissue, determination, micro-, titrimetric, Clark, Levitan, Gleason, and Greenberg, 1942, 145, 85

Urine, glomerulus, Necturus, Bott,

1943, 147, 653

Sodium bicarbonate: Alkalosis, blood serum electrolytes, Kirsner,

1942, 145, 219

Sodium chloride: Absorption, intestine, monoiodoacetic acid effect, Klinghoffer, 1938, 126, 201

McConnell,

Sodium chloride-continued: Sodium selenite: Selenium compounds. Carbohydrate and mineral metabovolatile, excretion, administration effect, Schultz and Lewis, lism, adrenalectomy, effect, Kendall, 1940, 133, 199 Flock, Bollman, and Mann, Soil bacillus: Bactericidal agent, frac-1938, 126, 697 Glucose tolerance, diabetes, effect, tionation, Hotchkiss and Dubos, Orten and Devlin. 1940, 136, 461 1940, 132, 791 Levels, vitamin B filtrate factors, - substances, properties, Hotchkiss and Dubos, 1940, 132, 793 deficiency, administration effect, Ralli, Clarke, and Kennedy, See also Actinomyces, Bacillus brevis Solanidine: Veratrine bases and, rela-1941, 141, 105 Organic phosphate determination, tionship, Craig and Jacobs, King method, effect, Rae and East-1943, 149, 451 1939, 129, 255 Sorbide: Kidney excretion, Smith, Finkcott, elstein, and Smith, Vitamin B filtrate factors, deficiency, 1940, 135, 231 administration effect, Ralli, Clarke, Sorbitan: Kidney excretion, Smith, Finkand Kennedy, elstein, and Smith, 1941, 141, 105 1940, 135, 231 Sodium cyanide: Carotene stability, Sorbitol: d-, fate, Carr and Forman, effect, Pepkowitz, 1943, 149, 465 1939, 128, 425 Sodium dehydroisoandrosterone sulfate: -, metabolism, Blatherwick, Brad-Water and urine, determination, shaw, Ewing, Larson, and Sawyer, Talbot, Ryan, and Wolfe, 1940, 134, 549 1943, 148, 593 Kidney excretion, Smith, Finkelstein, and Smith, Sodium fluoride: Blood glycolysis, effect, 1940, 135, 231 Bueding and Goldfarb, Metabolism, Todd, Myers, and West, 1941, 141, 539 1939, 127, 275 Ellis and Krantz, 1941, 141, 147 Sodium β -glycerophosphate: Hydrolysis, bone phosphatase, activation energy, 1,2,3,5,6-O-Pentamethyl-d-, Levene Bodansky, 1939, 129, 197 and Kuna, 1939, 127, 49 Toxicity, Ellis and Krantz, Sodium iodoacetate: Blood glycolysis, effect, Bueding and Goldfarb, 1941, 141, 147 1941, 141, 539 Sorbose: l-, fate, Carr and Forman, 1939, 128, 425 Sodium pentothal: Blood, determination. Hellman, Shettles, and Stran, Soy bean: See Bean Specific gravity: Blood serum, protein 1943, 148, 293 relation, Schousboe. Sodium pregnanediol glucuronidate: n-1939, 129, 371 Spectrophotometry: Drabkin and Singer, Butanol and pregnancy urine, distribution, Woolf, Viergiver, and 1939, 129, 739 Allen, 1942, 146, 323 Drabkin, 1941, 140, 373, 387 1942, 142, 855 Urine, determination, micro-, Ven-1938, 126, 595 1942, 146, 605 Rosenthal and Drabkin, -, pregnancy, determination, titrimetric, Allen and Viergiver, 1943, 149, 437 Spermatozoa: Cytochrome oxidase, Zittle 1941, 141, 837 Sodium salicylate: Urine metabolites. and Zitin, 1942, 144, 99 Kapp and Coburn, 1942, 145, 549 Glycolysis, Lardy and Phillips, Sodium selenate: Body distribution and 1943, 148, 343 excretion, radioselenium in study, Iron, non-hemin and total, Zittle and

1941, 141, 427

Zitin.

1942, 144, 105

Spermatozoa—continued: Sphingosine—continued: Lipids, sulfur, cystine, nitrogen, phos-Dihydro-, cerebroside containing. phorus, and nucleic acids, Zittle and Custicercus larvae. Lesukand O'Dell.1941, 140, 899 Anderson, 1941, 139, 457 Metabolism, Lardy and Phillips, Fats, synthesis, Reichel and Thann-1941, 138, 195 hauser, 1940, 135, 15 1943, 148, 333 Lignoceryl-, fatty acid esters, synthe- dinitrophenol and thyroxine effect, sis, Reichel and Thannhauser, Lardy and Phillips, 1943, 149, 177 1940, 135, 15 Methionine, Zittle and O'Dell, Spinach: Leucylpeptidase, Berger and 1941, 141, 239 Johnson, 1939, 130, 655 Spinal cord: See Cerebrospinal cord See also Semen Spermidine: Escherichia coli growth, Spinal fluid: See Cerebrospinal fluid atabrine and, effect, Silverman and Spirographis: Hemin and hemochromo-1943, 150, 265 gens, oxidation-reduction potentials, Sphingomyelin: Blood cell, red, stroma, Barron, 1940, 133, 51 Thannhauser, Setz, and Benotti, Spleen: Apoferritin. Granick and1938, 126, 785 Michaelis. 1943, 147, 91 Cathepsin, Fruton, Irving, and Berg--, determination, micro-, Erickson, Avrin, Teague, and Williams, 1941, 141, 763 1940, 135, 671 -, nature, Fruton, Irving, and Berg- serum, Thannhauser, Benotti, and 1941, 138, 249 mann, 1939, 129, 709 Cerebroside, glucose-containing, isola-Reinstein, tion, Halliday, Deuel, Tragerman, Body fluids, determination, Thannand Ward. hauser, Benotti, and Reinstein, 1940, 132, 171 1939, 129, 709 Enzymes, proteolytic, Fruton and Occurrence, Thannhauser and Reichel, Bergmann, 1939, 130, 19 1940, 135, 1 Fruton, Irving, and Bergmann, Benotti, Wal-Tissue, Thannhauser, 1941, 141, 763 cott, and Reinstein, Ferritin, properties, Granick, 1939, 129, 717 Hunter. 1942, 144, 439 1942, 146, 451 Thannhauser, Niemann-Pick disease, Chargaff, determination, Benotti, and Reinstein, 1939, 130, 503 1939, 129, 709 Spongin: Amino acids, Block and Bolling, -, -, micro-, Erickson, Avrin, Teague, 1939, 127, 685 Squash: See also Cucurbita pepo and Williams, 1940, 135, 671 -, occurrence and turnover, Hunter Squid: Muscle, nitrogenous extractives, and Levy, 1942, 146, 577 Irvin and Wilson, 1939, 127, 565 Tumor, metabolism, Haven and Levy, Staphisine: Jacobs and Craig, 1941, 141, 417 1941, 141, 67 Staphylococcus aureus: Carbohydrate Tumor-bearing rats, occurrence and turnover, Hunter and Levy, metabolism, Friedemann, 1939, 130, 61 1942, 146, 577 Sphingosine: Amides, synthesis, Reichel Starch: Blood sugar, liver glycogen, and and Thannhauser, 1940, 135, 15 absorption, temperature effect, Raf-Chemical constitution, Carter, Glick, ferty and MacLachlan, Norris, and Phillips, 1941, 140, 167 1942, 142, 449 Hydrolysis, blood amylase, Morris, 1943, 148, 271 Dihydro-, brain and spinal cord, isolation, Carter and Norris, Phosphorylase, potato, Green and 1942, 142, 355 1942, 145, 709 Stumpf,

Starch-continued:

Soluble, wheat amylase, action, Stam-

Steroid(s)—continued:

 α -17-Keto- and β -17-keto-, neutral,

urine, hydrolysis, extraction, and berg and Bailey, 1938, 126, 479 determination, spectrochemical. Suspensions, viscosity and concentra-Talbot, Butler, MacLachlan, and tion, relation, Davison, 1940, 136, 365 1942, 144, 419 Jones, -, β-17-keto-, and total, urine, deter-Statistics: Biochemical variables, normal men, Jellinek and Looney, mination, colorimetric, Butler, and MacLachlan, 1939, 128, 621 Stearic acid: Formation rate, body, 1940, 132, 595 Bernhard and Schoenheimer, determination, polaro-Ketonic. graphic, Wolfe,Hershberg, and 1940, 133, 713 Palmitic acid conversion, Stetten and Fieser, 1940, 136, 653 Schoenheimer, 1940, 133, 329 Phenolic, color test, Kleiner, 1941, 138, 783 Steroid(s): Heard and Mc Kay, 1939, 131, 371 Urine, assay, Marker and Hartman, 1940, 133, 529 Heard and Hoffman, 1941, 138, 651 -, extraction apparatus, Hershberg 1941, 141, 329 and Wolfe, 1940, 133, 667 Heard, Bauld, and Hoffman, 1941, 141, 709 1941, 141, 215 Adrenocortical, liver arginase, effect, -, ovariectomy effect, Hirschmann, Fraenkel-Conrat. Simpson, and 1940, 136, 483 1943, 147, 99 Steroid compound(s): Urine excretion, Evans,males, Engel, Thorn, and Lewis, Estrogenic, estrogenic substances, determination, Kober reaction use, 1941, 137, 205 Sterol(s): Autoxidation, colloidal aque-Bachman, 1939, 131, 455 Excretion, adrenocortical carcinoma, ous solution, Bergström and Winter-1943, 150, 363 1941, 141, 597 Hirschmann, steiner, Hormones, metabolism, Fish and 1942, 143, 503 Dorfman, 1941, 140, 83 1942, 145, 309, 327 1942, 143, 15 esterification and constitutional Fish, Dorfman, and Young, factors, effect, colloidal aqueous 1942, 143, 715 solution, Bergström and Winter-3-Hydroxy-Δ5-, determination, polarosteiner. 1942, 145, 327 graphic, Hershberg, Wolfe, Chemical activation, Eck and Thomas, Fieser. 1941, 140, 215 1939, 128, 257, 267 Keto-, carbonyl groups, determina-— and configuration, relation, Eck tion, gravimetric, Hughes, and Thomas, 1939, 128, 257 1941, 140, 21 Color reactions, chemical activation, 17-Keto-, determination, colorimetric, Eck and Thomas, 1939, 128, 267 Holtorff and Koch, 1940, 135, 377 Determination, antimony trichloride neutral, urine, determination, reagent, Zimmerli, Nield, and Ruscolorimetric, correction equation, 1943, 148, 245 Talbot, Berman, and MacLachlan, Metabolism, Treadwell and Eckstein, 1942, 143, 211 1941, 140, 35 -, urine, determination, colorimetric, Stilbestrol: Diethyl-, blood plasma phos-Holtorff and Koch, 1940, 135, 377 pholipids, effect, Flock and Bollman, -,-, extracts, chromatographic sepa-1942, 144, 571 ration and determination, colori-Stilbestrol monoglycuronide: Urine, isometric, Talbot, Wolfe, MacLachlan, lation, Mazur and Shorr, and Berman. 1941, 139, 521 1942, 144, 283

Stomach: See also Alimentary tract. Succinic dehydrogenase: -Cytochrome Gastric juice system, aluminum, chromium, and Stratum corneum: Human, methionine, rare earths, effect, Horecker, Stotz, Wilkerson and Tulane, and Hogness, 1939, 128, 251 1939, 129, 477 Marine organisms, Ball and Meyerhof, Streptococcus: Carbohydrate metabo-1940, 134, 483 lism, Friedemann, 1939, 130, 757 Phenothiazone, inhibition, Collier and Hemolytic, Stock, 1942, 142, 777 Allen, 1941, 140, 675 Krejci, Stock, Sanigar, and Kraemer, Tissue, determination, Schneider and Potter, 1942, 142, 785 1943, 149, 217 -, growth, biotin relation, Hottle, Succinoxidase: System, Potter, Lampen, and Pappenheimer, 1941, 141, 775 1941, 137, 457 -, calcium salts, effect, mechanism, -, Lancefield Group A-specific poly-Swingle, Axelrod, and Elvehjem, saccharide, purification and proper-1942, 145, 581 ties, Zittle and Harris, -, dilution effect, Potter and Schneider, 1942, 142, 823 1942, 142, 543 Nucleoprotein, conjugation, Sevag and -, liver, riboflavin deficiency, Axelrod, Swingle, and Elvehjem. Smolens. 1941, 140, 833 Streptococcus bovis: Polysaccharide syn-1942, 145, 297 thesis, Niven, Smiley, and Sherman, riboflavin deficiency, Axelrod. 1941, 140, 105 Potter, and Elvehjem, 1942, 142, 85 Streptococcus faecalis: Glucose fermen-Tissue, calcium effect, Axelrod. tation by, phosphorus transforma-Swingle, and Elvehjem, tion, O'Kane and Umbreit, 1941, **140,** 931 1942, 142, 25 Succinylsulfathiazole: Folic acid and Streptococcus pyogenes: Nucleic acid, biotin with, growth effect, Nielsen Sevag, Smolens, and Lackman, and Elvehiem. 1942, 145, 713 1940, 134, 523 Xanthopterin and, leucopenia and Pigmented heavy particles, Sevag, body weight, effect, Totter and Day, Smolens, and Stern, 1941, 139, 925 1943, 147, 257 Streptococcus salivarius: Polysaccharide Sucrose: Dextran synthesis and chemical synthesis, Niven, Smiley, and Sherconstitution, Betacoccus saceus, Hassid and Barker, man, 1941, 140, 105 Strontium: Biochemistry, Fay, Andersch, 1940, 134, 163 and Behrmann, 1942, 144, 383 Inversion, pressure effect, Sander, Radioactive, vitamin D determination, 1943, 148, 311 use in, Weissberger and Harris, Phosphorolysis and synthesis, bacterial, Doudoroff, Kaplan, and Has-1942, 144, 287 Strontium chloride: Activity determinasid, 1943, 148, 67 tion, electrolytic, amino acid solu-Sugar(s): Alcohols, Carr and Forman, 1939, 130, 203 tions, Joseph, 1939, 128, 425 Styracitol: Fate, Carr and Forman, Ellis and Krantz, 1941, 141, 147 -, determination, micro-, Todd, Vree-1939, 128, 425 land, Myers, and West, Substrate(s): Co-, proteolysis, Behrens 1939, 127, 269 and Bergmann, 1939, **129,** 587 Succinic acid: Bacterium-synthesized, Blood. See Blood sugar carbon dioxide carbon position, Bromoacetyl; silver salts, organic Wood, Werkman, Hemingway, and acids, action, Tipson,

1941, 139, 377

Nier,

1939, 130, 55

Sugar(s)—continued: Cysteine and, combination, Schubert, 1939, 130, 601 Fermentation, colon and aerogenes bacteria, Field and Poe, 1940, 132, 473 Metabolism, Clarke, Solkot, and 1939, 131, 135 Corley. Oxidation, brain, Bernheim and Bernheim, 1941, 140, 441 Sulfaguanidine: Growth and blood plasma prothrombin, effect, Black, Overman, Elvehjem, and Link, 1942, 145, 137 Leucopenia and granulopenia, effect, Axelrod, Gross, Bosse, and Swingle, 1943, 148, 721 Sulfanilamide: Acid-base equilibrium, carbonic anhydrase effect, Free, Davies, and Myers, 1943, 147, 167 p-Aminobenzoic acid oxidation, effect, 1941, 139, 977 Lipmann, Blood, effect, Webb and Kniazuk, 1939, 128, 511 Wendel, Wendel, and Cox, 1939, 131, 177 Conjugation inhibition, Martin, Rennebaum, and Thompson, 1941, 139, 871 Determination, coupling component. Bratton and Marshall, 1939, 128, 537 Phenylaminobutyric acid acetylation in vivo, relation, Fishman and Cohn. 1943, 148, 619 Thyroxine and diiodotyrosine conversion from iodine, inorganic, in vitro, thyroid, effect, Franklin and Chaikoff, 1943, 148, 719 Sulfanilyl-2-aminopyridine: Urine excretion products, Ratish, Bullowa.Ames, and Scudi, 1939, 128, 279 Sulfate: Determination, manometric, micro-, Hoagland, 1940, 136, 543 Sulfhemoglobin: Michel, 1938, 126, 323 Determination, micro-. Evelyn and 1938, 126, 655 Mallou. Prosthetic group, Haurowitz, 1941, 137, 771

Sulfhydryl: Autolysis effect, Belfer, Eder, and Bradley, 1942, 143, 721 Sulfhydryl compound(s): Bone phosphatase, in vitro, influence, Williams and Watson, 1940, 135, 337 Dehydroascorbic acid complexes. Drake, Smythe, and King, 1942, 143, 89 Sulfhydryl group(s): Blood serum albumin, blood serum, and milk, Greenstein. 1940, 136, 795 Edestin, excelsin, and globin solutions. Greenstein, 1939, 128, 233 Egg albumin, Anson, 1940, 135, 797 Myosin, determination, porphyrindin titration, Greenstein and Edsall, 1940, 133, 397 Oxidation, 4-amino-2-methylnaphthol effect, Bernheim and Bernheim, 1940, 134, 457 -, tissues, titanium effect, Bernheim 1939, 127, 695 and Bernheim. Protein, urease reversible inactivation, relation, Hellerman, Chinard, and Deitz, 1943, 147, 443 Proteins, Greenstein, 1939, 128, 233 1939, 130, 519 Sulfonamide(s): Adenine effect, Martin and Fisher, 1942, 144, 289 p-Hydroxylaminobenzene-, catalase inhibition, effect, Sevag, Shelburne, 1942, 144, 711 and Ibsen. Purine effect, Harris and Kohn, 1941, 141, 989 Sulfone: Dimethyl, adrenals, Pfiffner 1940, 134, 781 and North, Sulfonic acid(s): Aromatic, amino acid reagents, Doherty, Stein, and Berg-1940, 135, 487 Stein, Moore, Stamm, Chou, and Bergmann, 1942, 143, 121 3,4-Dichlorobenzene-, histidine preparation, use, Vickery, 1942, 143, 77 Naphthalene-8-, amino acid reagent, Bergmann and Stein, 1939, 129, 609 Sulfonium reaction(s): Methionine, metabolic significance, Toennies,

1940, 132, 455

Sulfur—continued:

hormone, Li, 1943, 148, 289 Tobacco mosaic virus protein, dis-Blood plasma ultrafiltrates, l-cystine tribution, Ross, 1940, 136, 119 and dl-methionine administration - - -, rib-grass strain, Knight, effect, Brown and Lewis, 1943, 147, 663 1941, 138, 717 Total, blood globins, species differ-· - -, distribution, Brown and ences, Beach, Bernstein, Hummel, 1941, 138, 705 Lewis, Williams, and Macy, 1939, 130, 115 -Containing amino acid complex. Suprarenal: See Adrenal Astragalus pectinatus, Sweat: See Perspiration isolation, Horn and Jones. 1941, **139,** 649 Synovial fluid: Mucin, bacterial enzyme ----, wool, isolation, Horn, Jones, hydrolyzing, Robertson, Ropes, and and Ringel, 1941, 138, 141 Bauer, 1940, 133, 261 - - -, -, synthesis, du Vigneaud Mucopolysaccharide isolation, Meyer, and Brown, 1941, 138, 151 Smyth, and Dawson, 1939, 128, 319 - - acids, lipotropic action, Singal Syphilis: Diagnosis, blood serum, tissue and Eckstein, 1941, 140, 27 extract antigenic substance, chemi-- compounds, growth, utilization, cal constitution, Brown and Kolmer, Rose and Rice, 1939, 130, 305 1941, 137, 525 Cysteine, sulfide sulfur, radioactive, conversion, enzymatic, Smythe and Т Halliday, 1942, 144, 237 Metabolism, Jen and Lewis, Taka-diastase: Buffer influence, Ballou 1939, 127, 97 and Luck, 1940, 135, 111 Tapeworm: See also Cysticercus fascio-Brown and Lewis, 1941, 138, 705, 717 laris Taurine: $N-(\alpha, \gamma-Dihydroxy-\beta, \beta-di-$ Blood and Lewis, methylbutyryl)-, growth inhibition, 1941, 139, 407, 413 pantothenic acid effect, Snell, -, iodoacetic acid influence, Stevenson and White, 1940, 134, 709 1941, 141, 121 Methionine, taurine sulfur conversion, Sulfur, methionine sulfur, conversion, Tarver and Schmidt, 1942, 146, 69 Tarver and Schmidt, 1942, 146, 69 Taurocholic acid: Production, Virtue -Polysulfide mixture, colloidal, absorption and oxidation, Greengard and Doster-Virtue, 1938, 126, 141 1939, 127, 431 and Woolley, 1940, 132, 83 Proteins, Lindstrom and Sandstrom, 1939, 128, 665 1941, 137, 227 1941, **138, 44**5 Radioactive, body protein radioactive cystamine effect, Virtue and Doster-Virtue, 1938, 126, 141 sulfur distribution, ingestion effect, Tarver and Schmidt, 1942, 146, 69 -, cysteine, homocysteine, and thio--, methionine conversion to cystine, glycolic acid effect, Virtue and indicator, Tarver and Schmidt, Doster-Virtue, 1939, 128, 665 -, cystine disulfoxide, cysteine sul-1939, 130, 67 Spermatozoa, Zittle and O'Dell, finic acid, and cysteic acid effect, Virtue and Doster-Virtue. 1941, 140, 899 1939, 127, 431 Sulfide, radioactive, cysteine sulfur -, methionine sulfoxide effect, Virtue conversion, enzymatic, Smythe and Halliday, 1942, 144, 237 and Doster-Virtue, 1941, 137, 227 Temperature: Environmental, blood Taurine, methionine sulfur, conversugar, liver glycogen, and absorpsion, Tarver and Schmidt, tion, glucose and starch administra-1942, 146, 69

Sulfur: Amino acid, pituitary lactogenic

Temperature—continued: Theelin—continued: tion, effect, Rafferty and Mac-Placenta, isolation, Westerfeld, Mac-Corquodale, Thayer, and Doisy, Lachlan, 1941, 140, 167 Tendon: Electrolyte and water exchange, 1938, 126, 195 Muntwyler, Mellors, Mautz, and Thiamine: Absorption spectra, Melnick, Mangun, 1940, 134, 389 1939, 131, 615 Testis: Phospholipids, elaidic acid abp-Aminoacetophenone, diazotized, resence, Sinclair, 1940, 134, 89 action, Melnick and Field, Testosterone: Androsterone, conversion, 1939, 127, 505 Dorfman, Cook, and Hamilton, Biological materials, determination, p-aminoacetophenone, Melnick and 1939, 130, 285 - relation, Dorfman and Hamilton, Field. 1939, 127, 515 Body fat synthesis, effect, McHenry 1940, 133, 753 Blood serum lipids, effect, Looney and and Gavin, 1939, 128, 45 Buffer salts, effect, Beadle, Greenwood, Romanoff, 1940, 136, 479 ---, schizophrenia, effect, Randall, and Kraybill, 1943, 149, 339 1940, 133, 137 Carbohydrate metabolism. effect. Color reaction, Koenig, Melzer, Szego, Harper, 1942, 142, 239 Chemical reagent for, Prebluda and and Samuels. 1941, 141, 487 *m*-Dinitrobenzene reaction McCollum.1939, 127, 495 pounds, absorption spectra, Lang-Citric acid excretion, effect, Smith and stroth and Talbot, 1939, 128, 759 Meyer, 1941, 139, 227 Etioallocholanol-3(β)-17-one, conver- — metabolism, relation, Sober, sion, Dorfman and Fish, Lipton, and Elvehjem, 1940, 135, 349 1940, 134, 605 Testosterone propionate: Creatinuria, Cocarboxylase, effect, Lipton and effect, Coffman and Koch, 1940, 136, 637 Elvehjem,1940, 135, 519 Combined, milk, Halliday and Deuel, Liver, kidney, and intestine arginase, 1941, 140, 555 effect, Kochakian and Clark, Deficiency, blood lactate-pyruvate re-1942, 143, 795 lation, effect, Stotz and Bessey, Tetraacetyl l-rhamnose: New form, Tip-1942, 143, 625 1939, 130, 55 -, - pyruvate, glucose ingestion Tetrahydrothiophene: 3,4-Diamino-, syneffect, Bueding, Stein, and Wortis, thesis and stability, Kilmer, Arm-1941, 140, 697 strong, Brown, and du Vigneaud, - disease, pyridine analogue, effect, 1942, 145, 495 Woolley and White, 1943, 149, 285 Tetramethyl l-rhamnitol: 1,3,4,5-, syn-Destruction, fish effect, Woolley, thesis, Tipson and Levene, 1939, 130, 235 1941, 141, 997 Determination, chemical, Emmett, Theelin: Dihydro-, urine, pregnancy, isolation, Smith, Smith, Huffman, Peacock, and Brown, 1940, **135,** 131 Thayer, MacCorquodale, and Doisy, Kirch and Bergeim, 1942, 143, 575 1939, 130, 431 -, microbiological, Niven and Smiley, α-Dihydro-, placenta, isolation, Huff-1943, 150, 1 man, Thayer, and Doisy, ultramicro-, fermentation method, 1940, 133, 567 Atkin, Schultz, and Frey, -, urine, pregnancy, isolation, Huff-1939, **129,** 471

Digestive secretions, fate, Melnick,

Robinson, and Field, 1941, 138, 49

man, MacCorquodale, Thayer, Doisy,

1940, **134,** 591

Smith, and Smith,

285

thiochrome

1941, 139, 413

Thiamine—continued:

determination,

Urine.

Thiamine—continued:
Diphospho-, reduction rate, Barron
and Laman 1041 141 051
Fat synthesis, effect, Quackenbush,
rat synthesis, enect, Quackenoush,
Steenbock, and Platz,
1942, 145 , 163
Fatty acid synthesis, effect, Longen-
ecker, Gavin, and McHenry,
1940, 134, 693
Free, milk, Halliday and Deuel,
1941, 140, 555
Heat effect, Beadle, Greenwood, and
Kraybill, 1943, 149, 339
Greenwood, Beadle, and Kraybill,
1049 140 240
1943, 149, 349
Hydrogen ion concentration, effect,
Beadle, Greenwood, and Kraybill,
1943, 149, 339
α -Ketoglutarate metabolism, effect,
Barron, Goldinger, Lipton, and
Lyman, 1941, 141, 975
Meat, curing effect, Greenwood, Beadle,
and Kraybill, 1943, 149, 349
Metabolic products, urine, determina-
tion, Schultz, Atkin, and Frey,
1940, 136, 713
Perspiration, Tennent and Silber,
1943, 148, 359
·
Pyruvate condensation reactions,
effect, Barron, Lyman, Lipton, and
Goldinger, 1941, 141, 957
Goldinger, 1941, 141, 957 Reduction products, absorption spectra, Melnick, 1939, 131, 615 — rate Barron and Luman.
spectra, <i>Melnick</i> , 1939, 131, 615
1400, 2477070 4704 12970470,
1941, 141, 951
Riboflavin and, metabolism relation,
Sure and Ford, 1942, 146, 241
Tissue metabolism, effect, Muus,
Weiss, and Hastings, 1939, 129, 303
Urine bisulfite-binding substances,
effect, Shils, Day, and McCollum,
1941, 139, 145
-, determination, Schultz, Atkin, and
Frey, 1940, 136, 713
$Ega\~na$ and $Meiklejohn$,
1941, 141, 859
-, -, chemical, Melnick and Field,
1939, 130, 97
-, -, Prebluda-McCollum reaction,
Alexander and Levi 1042 146 300

Alexander and Levi.

1942, **146,** 399

method. MasonandWilliams, 1942, 146, 589 -, -- --, nicotinic acid ingestion effect, Mason and Williams, 1941, 140, 417 -, form, Melnick and Field, 1939, 130, 97 - pyruvate, effect, Harper and Deuel, 1941, 137, 233 pyruvic acid, effect, Shils, Day, and McCollum, 1941, 139, 145 -, stability, Melnick and Field, 1939, 130, 97 See also Vitamin B₁ Thiamine pyrophosphate: See Cocarbox-Thiazole: Vitamin B₁, photochemistry, Uber and Verbrugge. 1940. 136. 81 Thiazoline: 2-Methyl-, properties, proteins, relation, Linderstrøm-Lang and Jacobsen, 1941, 137, 443 Thiocyanate: Biological fluids, determination, Chesley, 1941, 140, 135 Blood plasma, dehydration effect, Mellors, Muntwyler, Mautz, and 1942, 144, 785 Abbott, serum, determination, thiocyanate salts, administration effect, Ginsburg and Benotti, 1939, 131, 503 Lipoid-, blood serum, Rosenbaum and Lavietes, 1939, 131, 663 Thiocyanogen: Absorption, triolein and trilinolein, Wheeler, Riemenschneider, and Sando. 1940, 132, 687 Thioglycolic acid: Taurocholic acid production, effect, Virtue and Doster-Virtue. 1939, 128, 665 Thiol(s): Lactogenic hormone reducing groups, effect, Fraenkel-Conrat, 1942, 142, 119 Thiol compound (s): Lactogenic hormone, effect, Fraenkel-Conrat, Simpson. and Evans. 1942, 142, 107 Thiophenevaleric acid: Biotin relation, Melville, Moyer, Hofmann, and du 1942, 146, 487 Vigneaud, Thiourea: Metabolism, Blood and Lewis,

acid: D-, synthesis, Niemann and Nichols, 1942, 143, 191 Threonine: Allo-, threonine, conversion, Carter, Handler, and Melville, 1939, 129, 359 dl-Allo-, betaine hydrochloride, lipotropic activity, synthesis and determination, Carter and Melville, 1940, 133, 109 conversion, Carter, Allothreonine Handler, and Melville, 1939, 129, 359 Block and Determination, micro-, 1939, 130, 365 Bolling, microdiffusion, periodate use, 1942, 142, 461 Winnick. -, periodate use, Shinn and Nicolet, 1941, 138, 91 dl-, betaine hydrochloride, lipotropic activity, synthesis and determination, Carter and Melville, 1940, 133, 109 Isoelectric points, Vestlina and Warner. 1942, 144, 687 Peanut proteins, Brown, 1942, 142, 299 Peptide combination, lability to alkali, Nicolet and Shinn, 1941, 140, 685 Proteins, alkali effect, Nicolet, Shinn, and Saidel. 1942, 142, 609 isoelectric -Related compounds, points, Vestling and Warner, 1942, 144, 687 Zein hydrolysates, autoclaving effect, Borchers, Totter, and Berg, 1942, 142, 697 Thrombin: Action, fibrinogen coagulation, relation, Chargaff and Ziff, 1941, 138, 787 Preparation, Astrup and Darling, 1940, 133, 761 Pro-. See Prothrombin Prothrombin conversion, radioactive phosphorus as indicator, Chargaff, Ziff, and Cohen, 1940, 135, 351 Purification. Seegers, Brinkhous. Smith, and Warner, 1938, 126, 91 Seegers, 1940, 136, 103

Seegers and McGinty, 1942, 146, 511

Three- α -amine- β , γ -dihydroxy-n-butyric

Thrombin—continued: Purified, properties, Seegers, 1940, 136, 103 See also Hypoprothrombinemia Thromboplastic factor: Heparin and, reaction, Chargaff, Ziff, and Cohen, 1940, 136, 257 Thromboplastic protein: Lung, blood coagulation, action, Cohen and1940, 136, 243 Chargaff, electrophoresis, Cohen andChargaff. 1941, 140, 689 -, phosphatides, blood coagulation, action, Cohen and Chargaff, 1941, 139, 741 Thymus: Nucleate-protein mixtures, colloid osmotic pressure, Greenstein, 1943, 150, 107 Thyroglobulin: Denaturation, papain, crystalline, effect, Lundgren, 1941, 138, 293 Thyroid: Activity, proteins, iodinated, effect, Reineke, Williamson, and Turner, 1943, 147, 115 Amino acid oxidation, kidney and liver, feeding effect, Klein, 1939, 128, 659 iodinated, Blood serum albumin, effect, Muus, Coons, and Salter, 1941, 139, 135 Diiodotyrosine conversion from iodine. inorganic, in vitro, sulfanilamide effect, Franklin and Chaikoff, 1943, 148, 719 - formation in vitro, Morton and Chaikoff, 1942, 144, 565 — — —, radioactive iodine as indicator, Morton and Chaikoff, 1943, 147, 1 - rate, radioactive iodine as indicator. Perlman. Morton, Chaikoff. 1941, 139, 449 turnover, thyrotropic hormone effect, radioactive iodine as indicator. Morton. Perlman, and Chaikoff. 1941, 140, 603

Iodinated casein

Williamson, and Turner.

effect,

Reineke,

1942, 143, 285

287

Thyroid-continued:

Iodine metabolism, Mann, Leblond, and Warren, 1942, 142, 905

- turnover, radioactive iodine as indicator, Perlman, Chaikoff, and Morton, 1941, 139, 433

Liver d-amino acid oxidase, feeding effect, Klein, 1939, 131, 139

Thyroxine conversion from iodine, inorganic, in vitro, sulfanilamide effect, Franklin and Chaikoff,

1943, **148,** 719

- formation in vitro, Morton and Chaikoff, 1942, 144, 565

— — — —, radioactive iodine as indicator, Morton and Chaikoff,

1943, **147,** 1 dine as indi-

--- rate, radioactive iodine as indicator, Perlman, Morton, and Chaikoff, 1941, 139, 449

- turnover, thyrotropic hormone effect, radioactive iodine as indicator, Morton, Perlman, and Chaikoff, 1941, 140, 603

See also Hyperthyroidism

Thyroidectomy: Amino acid oxidation, kidney, and liver, effect, Klein,

1939, 128, 659

Thyroxine and diiodotyrosine formation, radioactive iodine as indicator,

Morton, Chaikoff, Reinhardt, and
Anderson, 1943, 147, 757

Thyroparathyroidectomy: Calciferol effect, Tweedy, Templeton, Patras, Mc-Junkin, and McNamara,

Thyrotropic hormone: Pituitary, anterior, purification, Fraenkel-Conrat, Fraenkel-Conrat, Evans, 1940, 135, 199

Thyroid and blood plasma thyroxine and diiodotyrosine turnover, effect, radioactive iodine as indicator, Morton. Perlman, and Chaikoff,

1941, 140, 603

Thyroxine: Blood plasma, turnover, thyrotropic hormone effect, radioactive iodine as indicator, Morton, Perlman, and Chaikoff,

1941, 140, 603

Thyroxine—continued:

Crystalline, casein, iodinated, recovery, Reineke and Turner,

1943, 149, 555

Determination, photometric, Brand and Kassell, 1939, 131, 489 Diiodotyrosine conversion, Block,

1940, 135, 51

Formation, thyroidectomy effect, radioactive iodine as indicator, Morton, Chaikoff, Reinhardt, and Anderson, 1943, 147, 757

Iodine, inorganic, conversion in vitro, thyroid, sulfanilamide effect, Franklin and Chaikoff, 1943, 148, 719 L-, casein, iodinated, recovery, Reineke

and Turner, 1943, 149, 563 Spermatozoal metabolism, effect,

Lardy and Phillips, 1943, 149, 177
Thyroid, formation in vitro, Morton and Chaikoff, 1942, 144, 565

-, - -, radioactive iodine as indicator, Morton and Chaikoff,

1943, 147, 1

--, -- rate, radioactive iodine as indicator, Perlman, Morton, and Chaikoff, 1941, 139, 449

--, turnover, thyrotropic hormone effect, radioactive iodine as indidicator, Morton, Perlman, and Chaikoff, 1941, 140, 603

Tissue(s): Calcified, mineral metabolism, blood phosphorus turnover, relation, radioactive phosphorus as indicator, Manly, Hodge, and Manly, 1940, 134, 293

Electrolyte equilibrium, Muntwyler, Mellors, and Mautz, 1940, 134, 345 Muntwyler, Mellors, Mautz, and Mangun, 1940, 134, 367, 389 Electrolytes, distribution, Manery and

Electrolytes, distribution, Manery and Hastings, 1939, 127, 657

Extracts, cell-free, glucose phosphorylation and oxidation, *Colowick*, *Kalckar*, and *Cori*, 1941, 137, 343

Fatty acids, carbon tetrachloride administration, effect, Winter,

1939, 128, 283

Gas determination, Scholander,

1942, 142, 427

Tissue(s)—continued: Tissue(s)—continued: Invertebrate, autolysis, Belfer, Koran, Pyruvic acid metabolism, effect, Eder, and Bradley, Barron and Lyman, 1939, 127, 143 1943, 147, 345 Respiration, malonate effect, Bau-Ketone bodies, Harrison and Long, 1940, 133, 209 mann and Stare, 1940, 133, 183 Soft, ashing, Buell, 1939, 130, 357 Lipids, insulin hypoglycemia effect, 1940, 133, 129 Transamination, Cohen and Hekhuis, Randall, 1941, 140, 711 -, metabolism, Sperry, Waelsch, and Stoyanoff, 1940, 135, 281 Tumor, cells, basic dye combination, 1939, 127, 73 -, synthesis and deposition, deu-Kelleu. terium as indicator, Waelsch, Sperry, ultraviolet irradiation effect. Knudson, Sturges, and Bryan. and Stoyanoff, 1940, 135, 291 1939, 128, 721 -, Virginia white-tailed deer, com-Titanium: Sulfhydryl groups, oxidation, position, Treadwell and Eckstein, tissues, effect, Bernheim and Bern-1939, 128, 373 1939, 127, 695 Liquefier, apparatus, Shelesnyak and heim, Biskind, 1942, 143, 663 Tobacco: Mosaic, protein, Martin, Balls, 1939, 130, 687 Metabolism, shock, and McKinney, hemorrhage effect, Beecher and Craig, - virus, acetyl derivatives, Miller 1943, 148, 383 and Stanley, 1941, 141, 905 -, riboflavin and vitamin B heat-- -, amino acids, aromatic, Knight stable components, effect, Hastings, 1941, 141, 39 and Stanley, Muus, and Bessey, 1939, 129, 295 — and antiserum, reaction, electron -, thiamine effect, Muus, Weiss, and microscope study, Anderson and Hastings, 1939, 129, 303 Stanley, 1941, 139, 339 ----, carbobenzoxy, p-chlorobenzoyl, vitamin deficiencies, Hastings, Muus, and Bessey, 1939, 129, 295 and benzenesulfonyl derivatives, Muus, Weiss, and Hastings, Miller and Stanley, 1942, 146, 331 1939, 129, 303 - -, cleavage products, Knight and Nucleus, basic dye combination, Kel-Lauffer, 1942, 144, 411 1939, 127, 73 - —, denaturation, Lauffer and -, nucleoproteins and, dye reaction, Dow, 1941, 140, 509 - -, -, measurement by phenolic comparison, Kelley, 1939, 127, 55 groups, Miller, Phosphatides, nitrogenous constitu-1942, 146, 339 ents, Chargaff, Ziff, and Rittenberg. —, derivatives, Miller and Stanley. 1942, 144, 343 1941, 141, 905 Phospholipids, determination, micro-, 1942, 146, 331 Erickson. Miller, Avrin, Teague,and1942, 146, 339, 345 Williams, 1940, 135, 671 – —, —, phenolic groups, determina--, diet relation, Artom and Fishman, tion, tyrosine derivatives, relation, 1943, 148, 405, 415, 423 1942, 146, 345 -, ether-insoluble, Sinclair and Dolan, ----, heat denaturation, Lauffer and 1942, 142, 659 Price. 1940, 133, 1 -, oxidation, vanadium action, Bern-- --, intestine nucleophosphatase heim and Bernheim, 1939, 127, 353 action, Cohen and Stanley, Protein metabolism, pregnancy and 1942, 142, 863 lactation, Poo, Lew, and Addis, - - nucleic acid molecule, size and 1939, 128, 69 shape, Cohen and Stanley, Pyridine nucleotides, inactivation in 1942, 144, 589 vitro, effect, Handler and Klein, —, properties and hydrolytic

1942, 144, 453

products, Loring,

1939, 130, 251

	·
Tobacco—continued:	Tocopherol(s)—continued:
Mosaic virus, phenylureido deriva-	dl - α -, blood serum, determination,
tives, Miller and Stanley,	photoelectric, Mayer and Sobotka,
1941, 141, 905	1942, 143, 695
, physical and chemical proper-	Feces, Hines and Mattill,
ties, Knight, 1942, 145, 11	1943, 149, 549
- protein, amino acids, determina-	Liver, determination, chemical, Hines
tion, Ross, 1941, 138, 741	and Mattill, 1943, 149, 549
, - acids, fractionation, Ross,	Muscle, determination, chemical,
1942, 143 , 685	Devlin and Mattill, 1942, 146, 123
, solution, diffusion, Neurath	Hines and Mattill, 1943, 149, 549
and Saum, 1938, 126, 435	Urine, Hines and Mattill,
,, viscosity, Lauffer,	1943, 149, 549
1938, 126, 443	See also Vitamin E
— — —, sulfur distribution, Ross,	Tocopherylquinone(s): α -, muscle
1940, 136, 119	dystrophy, relation, Golumbic and
, viscosimetry, Frampton,	Mattill, 1940, 135, 339
1939, 129, 233	Determination, colorimetric oxida-
— —, rib-grass strain, sulfur, Knight,	tion-reduction, Scudi and Buhs,
1943, 147, 663	1942, 146, 1
Plant, ammonia nitrogen assimilation,	Tocoquinone: α -, vitamin E, relation,
nitrogen isotope in study, Vickery,	Emerson, Emerson, and Evans,
Pucher, Schoenheimer, and Ritten-	1939, 131, 409
berg, 1940, 135, 531	Tomato: Bushy stunt virus, diffusion
Ring spot virus, isolation and proper-	constant, Neurath and Cooper,
ties, Stanley, 1939, 129, 405	1940, 135, 455
, recovered plants, isolation,	, purification, Stanley,
Stanley, 1939, 129, 429	1940, 135, 437
Tocopherol(s): α -, muscle oxidation, in	Roots, aucuba mosaic virus protein,
vitro, effect, Houchin,	isolation, Stanley, 1938, 126, 125
1942, 146, 313	Tooth: Phosphorus, inorganic, metabo-
-, - oxygen consumption, creatine,	
and chloride, vitamin E deficiency,	lism, radioactive phosphorus as
effect, Houchin and Mattill,	indicator, Manly and Bale,
1942, 146, 301	1939, 129, 125
-, phosphate derivative, muscle oxi-	Potassium, spectrochemistry, Stead-
dation in vitro, effect, Houchin,	$man,\ Hodge,\ and\ Horn,$
1942, 146, 313	1941, 140, 71
-, -, muscle dystrophy, effect,	See also Dental plaque
Houchin and Mattill,	Toxin: Erythrogenic, scarlet fever, iso-
1942, 146, 309	lation, electrophoretic, and proper-
-, related compounds, vitamin E	ties, Krejci, Stock, Sanigar, and
activity, Tishler and Evans,	Kraemer, 1942, 142, 785
1941, 139, 241	Scarlet fever, chemistry, Barron,
Carotene stability, effect, Quacken-	Dick, and Lyman, 1941, 137, 267
•••	—, isolation, Stock, 1942, 142, 777
bush, Cox, and Steenbock,	Transaminase: Kinetics, Cohen,
1942, 145, 169	1940, 136, 585
Determination, colorimetric oxida-	
tion-reduction, Scudi and Buhs,	Transamination, Cohen,
1942, 1 46, 1	1940, 136, 565

hjem, and Juday,

Transamination: Trypanosoma lewisi: Glucose metabo-Oats, germinating. 1943, 149, 19 lism, carbon dioxide rôle, Searle and Albaum and Cohen, 1941, 141, 563 Peptide synthesis, Herbst and Shemin, Reiner. Trypsin: Casein digestion, cystine libera-1943, 147, 541 tion, Jones and Gersdorff, Tissues, Cohen and Hekhuis, 1941, 140, 711 1939, 129, 207 Chymo-. See Chymotrypsin Transaminase relation, Cohen, Crystalline, inactivation, photochemi-1940, 136, 565 cal, Uber and McLaren, Transmethylation: Anserine, relation, Schenck, Simmonds, Cohn, Stevens, 1941, 141, 231 and du Vigneaud, Dehydrogenases, action, Bernheim, 1943, 149, 355 Choline and betaine, structural speci-1940, 133, 141 ficity relation, Moyer and du Vi-Kinetics, synthetic substrates, Hof-1942, 143, 373 mann and Bergmann, gneaud. 1941, 138, 243 Metabolism rôle, Simmonds and du Pituitary follicle-stimulating hormone, Vigneaud. 1942, 146, 685 preparation and properties, use, Transphosphorylation: Myokinase rôle, Colowick and Kalckar, McShan and Meyer, 1940, 135, 473 1943, 148, 117 - gonadotropic activity, effect, Mc-Kalckar, 1943, 148, 127 Shan and Meyer, 1938, 126, 361 Trichloroethylene: Fate, organism, Bar-Plastein synthesis, insulin digests, rett and Johnston, 1939, 127, 765 effect, Haddock and Thomas, Trigonelline: Determination, photelo-1942, 144, 691 metric, Fox, McNeil, and Field, Specificity, Bergmann, Fruton, and 1943, 147, 645 Pollok, 1939, 127, 643 Synthesis and excretion, Sarett, Perl-Hofmann and Bergmann, zweig, and Levy, 1940, 135, 483 1939, 130, 81 Triiodobenzoate: 2,3,5-, brain oxidation Ultraviolet radiation effect, Verby, effect, Bernheim and Bernheim, 1943, 149, 405 bruage. 1941, 138, 501 Tryptophane: Deficiency, blood, effect, Trilinolein: Preparation, properties, and Albanese, Holt, Kajdi, and thiocyanogen absorption, Wheeler, Frankston, 1943, 148, 299 Riemenschneider, and Sando, Determination, colorimetric, micro, 1940, 132, 687 Eckert, 1943, 148, 205 Trimethyleneindole: Derivatives, prepa--, methods, comparison, Shaw and ration, Gould and Jacobs, 1940, 132, 387 McFarlane, 1939, 130, 407 -, photometric, Brand and Kassell, Triolein: Preparation, properties, and thiocyanogen absorption, Wheeler, 1939, 131, 489 l(+)- and dl-amino-N-monomethyl-, Riemenschneider, and Sando, 1940, 132, 687 growth availability, Gordon, 1939; 129, 309 Triose phosphate: Oxidation, malonate effect, Potter, l(-)-, growth availability, Gordon, 1940, 134, 417 Triphosphopyridine: Nucleotide, deter-1939, 129, 309 mination, micro-, Haas, Harrer, and Liver glycogen, effect, Borchers, Berg, and Whitman, 1942, 145, 657 Hogness, 1942, 142, 835 Tropine: Esterase, properties, Glick, Metabolism, pyridoxine deficiency, xanthurenic acid effect, Lepkovsky, 1940, 134, 617 Trout: Blood constituents, Field, Elve-Roboz, and Haagen-Smit,

1943, 148, 261

1943, 149, 195

Pryptophane—continued:	Tubercle bacillus-continued:
N-Methyl-, acetyl, growth effect,	Lipids, chemistry, Anderson and
Gordon, Cahill, and Jackson,	Creighton, 1939, 131, 549
1939, 131, 189	Anderson, Creighton, and Peck,
Phospho-12-tungstates, solubility and	1940, 133, 675
composition, Van Slyke, Hiller, and	Anderson, Peck, and Creighton,
Dillon, 1942, 146, 137	1940, 136, 211
Pituitary lactogenic hormone, Li,	Lesuk and Anderson,
Lyons, and Evans, 1940, 136, 709	1940, 136, 603
Plant growth substance, conversion,	Peck and Anderson, 1941, 138, 135
alkalinity effect, Gordon and Wild-	1941, 1 40, 89
man, 1943, 147, 389	Mycolic acid, Lesuk and Anderson,
Protein hydrolysates, color test, Alba-	1940, 136, 603
nese and Frankston, 1942, 144, 563	, isolation and properties, Stodola,
containing, preparation, intra-	Lesuk, and Anderson,
venous injection effect, White and	1938, 126, 505
Elman, 1942, 143, 797	Phleimycolic acid, Peck and Anderson,
Protein-free, casein conversion,	1941, 140, 89
Toennies, 1942, 145, 667	Tuberculin: Carbohydrates, properties,
Urine kynurenic acid, kynurenine, and	Steenken, 1941, 141, 91
acetone bodies, effect, Borchers,	Cell residues, phosphatide fatty acids,
Berg, and Whitman, 1942, 145, 657	Peck and Anderson, 1941, 138, 135
Utilization, growth, optical isom-	, polysaccharide, Anderson,
erism influence, Totter and Berg,	Peck, and Creighton, 1940, 136, 211
1939, 127, 375	Polysaccharides and nucleic acid iso-
Tubercle bacillus: Avian, lipids, bound,	lation, electrophoretic, Seibert and
Anderson, Creighton, and Peck,	Watson, 1941, 140, 55
1940, 133, 675	Protein derivatives, purified, proper-
-, polysaccharides, Karjala and	ties, Steenken, 1941, 141, 91 —, nucleic acid and polysaccharide
Heidelberger, 1941, 137, 189	removal, Seibert, 1940, 133, 593
-, wax, mycolic acids, Anderson and	Proteins, x-ray studies, Spiegel-Adolf,
Creighton, 1939, 129, 57	Seibert, and Henny, 1941, 137, 503
Bovine, polysaccharides, Menzel and	Tuberculosis: Blood protein, electro-
Heidelberger, 1939, 127, 221	phoresis study, Seibert and Nelson,
-, wax, chemistry, Cason and Ander-	1942, 143, 29
son, 1938, 126, 527	Tumor(s): Arginase, Greenstein, Jen-
Human, wax fractions, chemistry,	rette, Mider, and White,
Wieghard and Anderson,	1941, 137, 795
1938, 126, 515	-Bearing rats, liver catalase activity,
Lipids, chemistry, Stodola, Lesuk,	tumor extirpation effect, Greenstein,
and Anderson, 1938, 126, 505	Jenrette, and White, 1941, 141, 327
Wieghard and Anderson,	, sphingomyelin occurrence and
1938, 126, 515	turnover, Hunter and Levy,
Cason and Anderson,	1942, 146, 577
1938, 126, 527	Enzymes, proteolytic, specificity,
Anderson and Creighton,	Fruton, Irving, and Bergmann,
1939, 129, 57	1940, 132, 465
Geiger and Anderson,	Growth, blood plasma phosphatase,
1939, 131, 539	effect. Weil. 1941. 138. 375

and Piersma,

Tumor(s)—continued: Tyrosinase: Activation, Tenenbaum and Growth, blood plasma proteolysis, 1943, 147, 27 Mammalian, dopa oxidase, relation, Weil and Russell, Hogeboom and Adams, 1938, 126, 245 Liver cell, vitamin A relation, Goerner 1942, 145, 273 and Goerner, 1939, 128, 559 Phenolic pressor amines, relation, Alles, Blohm, and Saunders, Malignant. cathepsin separation. Maver, 1939, 131, 127 1942, 144, 757 Phenylthiocarbamide effect, Bernheim -, glutamic acid, Graff, and Bernheim, 1942, 145, 213 1939, 130, 13 Preparation, Tenenbaum and Jensen. Graff, Rittenberg, and Foster, 1940, 133, 745 1942, 145, 293 Pro-, activators, grasshopper egg oil, -, pleural fluid hyaluronic acid. relation, Meyer and Chaffee, unimolecular films and fractions, Allen, Boyd, and Bodine, 1940, 133, 83 -, protein glutamic acid, Woodward, 1942, 143, 785 Reinhart, and Dohan, Purification, Jensen and Tenenbaum, 1941, 138, 677 1943, 147, 737 Tyrosine: Alkaptonuria, effect, Abbott Phospholipid turnover, radioactive phosphorus as indicator, Jones, and Salmon. 1943, 150, 339 Derivatives, tobacco mosaic virus Chaikoff, and Lawrence, phenolic groups, determination, re-1940, 133, 319 Polysaccharide, Kabat, lation, Miller, 1942, 146, 345 Determination, photometric, Brand 1939, 130, 143 and Kassell, 1939, 131, 489 Sphingomyelin metabolism, Haven and Diiodo-. See Diiodotyrosine 1941, 141, 417 l-, phenolic hydroxyl group activity, Tissue cells, basic dye combination, Kelley, 1939, 127, 73 factors affecting, Bowman, ---, malignant, glutamic acid, nature, 1941, 141, 877 White and White, 1939, 130, 435 Metabolism, Schoenheimer, Ratner, and ultraviolet irradiation Rittenberg, 1939, 127, 333 effect, Knudson, Sturges, and Bryan, -, ascorbic acid rôle, Sealock, Perkinson, and Basinski, 1941, 140, 153 1939, 128, 721 See also Cancer Metabolites, excretion, dicarboxylic acid administration effect, Sealock, Tungsten: Biological materials, determination, Aull and Kinard, 1942, **146,** 503 -, -, vitamin C deficiency effect, 1940, 135, 119 Sealock and Silberstein. Tursiops truncatus: See Dolphin Turtle: Scutes, amino acids, Block and 1940, 135, 251 Bolling, 1939, 127, 685 Phenylalanine conversion, biological, Tyrocidine: d-Amino acids, Lipmann, Moss and Schoenheimer, Hotchkiss, and Dubos, 1940, 135, 415 1941, 141, 163 β-Phenyllactic acid conversion, Moss, Bacteria, metabolism, effect, Dubos, 1941, 137, 739 Hotchkiss, and Coburn, Pituitary lactogenic hormone, Li, 1942, 146, 421 Lyons, and Evans, 1940, 13**6,** 709 Chemical nature, Hotchkiss, - pressor and oxytocic hormones, Potts and Gallagher, 1942, 143, 561 1941, 141, 171 Composition, Christensen, Edwards, Tyrothricin: Determination, Dimick,

1941, 141, 187

1943, 149, 387

U

Ultracentrifugation: Computation, alignment chart, Schachman,

1942, 143, 395

Ultrafiltration: Apparatus, Coolidge,

1940, 135, 541

Ultraviolet radiation: Egg albumin denaturation and molecular splitting, effect, Bernhart, 1939, 128, 289 Skin, blood, and tumor tissue, cho-

lesterol, effect, Knudson, Sturges, and Bryan, 1939, 128, 721

Undernutrition: Blood lipids, effect, Entenman, Changus, Gibbs, and 1940, 134, 59 Chaikoff.

Urea: Blood, chicken, determination, Howell, 1939, 128, 573

-, determination, Howell,

1939, 129, 641

-, -, colorimetric, Ormsby, 1942, 146, 595

Creatine synthesis, relation, Fisher and Wilhelmi, 1940, 132, 135

Formation, carbon source, Rittenberg and Waelsch, 1940, 136, 799

Hydrolysis, kinetics, Warner,

1942, 142, 705 Liver, formation, normal and diabetic,

insulin effect, Stadie, Lukens, and Zapp,1940, 132, 393

-, synthesis, Gornall and Hunter, 1943, 147, 593

Nitrogen, blood, determination, Gentzkow, 1942, 143, 531

—, determination, micro-, Bock,

1941, 140, 519 phosphate Organic determination, King method, effect, Rae and East-

1939, **129,** 255 Solution, methemoglobin-hemoglobin oxidation-reduction potentials,

1942, 144, 7 Taulor. -, oxygen-hemoglobin equilibrium, Taylor and Hastings, 1942, 144, 1

Soy bean urease, hydrolysis, activation energy, Sizer, 1940, 132, 209 Synthesis, liver, carbon dioxide rôle,

Evans and Slotin, 1940, 136, 805

Thio-, metabolism, Blood and Lewis, 1941, 139, 413

Urea-continued:

Urine, determination, colorimetric, Ormsby,1942, 146, 595

Urease: Crystalline, oxidation-reduction potential, relation, Sizer and Tytell, 1941, 138, 631

Inactivation, reversible, protein sulfhydryl groups, relation, Hellerman, Chinard, and Deitz, 1943, 147, 443

Jack bean, canavanine removal, Archibald and Hamilton, 1943, 150, 155

Recrystallization, Dounce,

1941, 140, 307

Reducing groups, Hellerman, Chinard, and Deitz, 1943, 147, 443 Soy bean, urea hydrolysis, activation

energy, Sizer, 1940, 132, 209

Urechis: Eggs, respiratory pigment, Horowitz and Baumberger,

1941, 141, 407

Urelde: Ninhydrin, synthesis and properties, Van Slyke and Hamilton,

1943, 150, 471

Uric acid: Blood, determination, uricase use, Blauch and Koch,

1939, 130, 443

-, diet effect, Wachtel, Hove, Elvehjem, and Hart, 1941, 138, 361 -, in vitro, uricase use, Blauch and

Koch. 1939, 130, 455

- plasma, determination, Bulger and Johns, 1941, 140, 427

Excretion, dietary carbohydrate and fat effect, Adlersberg and Ellenberg, 1939, 128, 379

cysteine effect. Uricase: Activation, Scheer and Scheer. 1943, 150, 359

Blood uric acid determination, use, Blauch and Koch, 1939, 130, 443

---, in vitro, Blauch and Koch, 1939, 130, 455

Wachtel, Hove, Liver, diet effect, Elvehjem, and Hart, 1941, 138, 361

Urine: Acetoacetic acid, effect, Stark and 1943, 147, 319 Somogyi,

- glucose effect, Stark and Somogyi, 1943, 147, 721

- , insulin effect, Stark and Somogyi, 1943, 147, 731 Urine-continued:

Acetone bodies, determination, salicylaldehyde use, Behre, 1940, 136, 25 Acetone body excretion, dl-lysine monohydrochloride effect, Sharp and 1941, 141, 739 Berg,

Amino acids, determination, ninhydrin-carbon dioxide method, Van Slyke, MacFadyen, and Hamilton, 1943, 150, 251

Ammonia, excretion, amino acid injec-

tion effect, Bliss, 1941, 137, 217 -, glutamine as source, Van Slyke, Phillips, Hamilton, Archibald, Futcher, and Hiller, 1943, 150, 481 Androgenic substances, extraction apparatus, Neterval, 1940, 133, 313

 —, ovariectomy effect, Hirschmann, 1939, 130, 421

Androgens, characteristics, Butz and Hall. 1938, 126, 265

Ascorbic acid determination, colorimetric, Evelyn, Malloy, and Rosen, 1938, 126, 645

- - -, 2,4-dinitrophenylhydrazine derivative of dehydroascorbic acid, use, Roe and Kuether,

1943, 147, 399

Atabrine, determination, Masen,

1943, 148, 529

Bisulfite-binding substance excretion, thiamine effect, Shils, Day, and McCollum, 1941, 139, 145 Bromide determination, Friedman,

1942, 144, 519

Cortin-like material, Venning, Hoffman, and Browne. 1943, 148, 455 Creatine. See also Creatinuria

Creatinine and creatine determination, colorimetric, Peters, 1942, 146, 179 Cystine determination, Brand, Cahill, and Kassell. 1940, 133, 431

- -, polarographic, Reed,

1942, 142, 61

 excretion, cystinuria, homocystine. homocysteine, and cystine and cysteine derivatives, effect, Hess and Sullivan, 1943, 149, 543

Urine—continued:

Diodrast determination, colorimetric, Flox, Pitesky, and Alving,

1942, 142, 147

Estrogenic substances, conjugated, hydrolysis, Edson and Heard,

1939, 130, 579

Estrogens, estrone administration effect, Longwell and McKee,

1942, 142, 757

Estrone determination, colorimetric, Talbot, Wolfe, MacLachlan, Karush, 1940, 134, 319 and Butler, Ethyl alcohol determination, colori-

metric, Gibson and Blotner,

1938, 126, 551

Glomerulus, sodium, Necturus, Bott, 1943, 147, 653

Glucuronide, steroid, Strickler, Shaffer, Wilson, and Strickler,

1943, 148, 251

Glycocyamine excretion. Borsook. Dubnoff, Lilly, and Marriott,

1941, 138, 405

Gonadotropic hormone, pregnancy, preparation, Gurin, Bachman, and Wilson, 1939, 128, 525

Guanidine. See also Guanidinuria

Hemoglobin and heme pigments, determination, Flink and Watson,

1942, 146, 171

Histidine, determination, Langley, 1941, 137, 255

pregnancy, Langley,

1941, 137, 255

β-Hydroxybutyric acid, effect, Stark and Somogyi, 1943, 147, 319

---, glucose effect, Stark and Somogyi, 1943, 147, 721

---, insulin effect, Stark and Somogyi, 1943, 147, 731

- to acetoacetic acid ratio, Primates, Friedemann. 1942, 142, 635 Inulin determination, colorimetric,

Steinitz, 1938, 126, 589 Alving, Rubin, and Miller,

1939, 127, 609

---, photometric, micro, Ranney and McCune, 1943, 150, 311

Urine-continued:

Urine—continued: Iodides, determination, Pearl, 1943, 148, 85 -, -, colorimetric, Flox, Pitesky, and Alving.1942, 142, 147 Isoandrosterone, isolation, Pearlman, 1940, 136, 807 Keto acids, determination, Friedemann and Haugen. 1943, 147, 415 Ketones, phenolic, determination. colorimetric, Talbot, Wolfe, Mac-Lachlan, Karush, and Butler, 1940, 134, 319 -. See also Ketonuria 17-Ketosteroids, chromatographic separation, and colorimetric determination, Talbot, Wolfe, MacLachlan, and Berman, 1941, 139, 521 determination, colorimetric, Holtorff and Koch. 1940, 135, 377 neutral, determination, colorimetric, correction equation, Talbot, Berman, and MacLachlan, 1942, 143, 211 —, total, α -, and β -, determination, colorimetric, Talbot, Butler, and Mac Lachlan, 1940, 132, 595 α-17-Ketosteroids and β-17-ketosteroids, hydrolysis, extraction, and determination, spectrochemical, Talbot, Butler, MacLachlan, and Jones,1940, 136, 365 Kynurenic acid, kynurenine, and acetone bodies, tryptophane, 3-indolelactic acid, 3-indolepyruvic acid, and l(-)-kynurenine effect, Borchers, Berg, and Whitman, 1942, 145, 657 Leucemia, specific substances, preparation, Turner and Miller, 1943, 147, 573 Metabolites, sodium salicylate, Kapp and Coburn, 1942, 145, 549 N1-Methylnicotinamide, Huff and Perlzweig, 1943, 150, 395 -, determination, Huff and Perlzweig, 1943, 150, 483 Nicotinamide and related substances,

determination.

bacterial.

Isbell,

Wooley, Butler, and Sebrell, 1941, 139, 499 determination, Nicotine Corcoran. Helmer, and Page, 1939, 129, 89 Nicotinic acid derivatives, determination, Perlzweig, Levy, and Sarett, 1940, 136, 729 ---, excretion, Melnick, Robinson, and Field. 1940, 136, 145 - - -; factors influencing, Melnick, Robinson, and Field, 1940, 136, 131 -- determination, Bandier and Hald method, Rosenblum and Jolliffe, 1940, 134, 137 - - excretion, Melnick, Robinson, and Field, 1940, 13**6,** 14**5** - metabolite, Huff and Perlzweig, 1943, 150, 395 - - N-methyl derivatives, deter-1943, 150, 159 mination, Sarett, Pantothenic acid, Silber and Unna, 1942, 142, 623 Parathyroid hormone effect, Logan, 1939, 127, 711 Phenols, determination, Schmidt, 1942, 145, 533 Pigment-producing compound, green, pyridoxine relation, Lepkovsky and Nielsen, 1942, 144, 135 Potassium determination, Consolazio and Talbott. 1938, 126, 55 Pregnancy, allopregnanol-3(α)-one-20 isolation, Pearlman, Pincus, and Werthessen. 1942, 142, 649 androstanol-3(β)-one and allopregnanol-3(β)-one-20 isolation. Heard and McKay, 1939, 131, 371 n-butanol and, sodium pregnanediol glucuronidate distribution, Woolf, Viergiver, and Allen, 1942, 146, 323 -, dihydrotheelin isolation, Smith, Smith, Huffman, Thayer, MacCorquodale, and Doisy, 1939, 130, 431 Huffman, MacCorquodale, Thayer,

Doisy, Smith, and Smith,

1940, 134, 591

Urine—continued: Pregnancy, Δ -5.7.9-estratrienol-3-one-17 isolation, Heard and Hoffman, 1940, 135, 801 1941, 138, 651 -, estrogens, determination, photometric, Bachman and Pettit. 1941, 138, 689 -, estrone sulfate, isolation, Schachter 1938, 126, 663 and Marrian, -, gonadotropic hormone, Gurin, Bachman, and Wilson, 1939, 128, 525 1940, 133, 467, 477 Lundgren, Gurin, Bachman, and Wilson. 1942, 142, 367 -, - - chemistry, Gurin, Bachman, and Wilson, 1940, 133, 467 -, - - purity, Gurin, Bachman, and Wilson. 1940, 133, 477 -, pregnandiol- $3(\alpha)$, $20(\alpha)$, isolation, Fish, Dorfman, and Young, 1942, 143, 715 -, sodium pregnanediol glucuronidate determination, titrimetric, Allen and Viergiver, 1941, 141, 837 Pregnanediol, assay, Marker and Hart-1940, 133, 529 -, determination, Astwood and Jones, 1941, 137, 397 Protein, trichloroacetic acid-soluble. Beckman, Hiller, Shedlovsky, and Archibald, 1943, 148, 247 Proteins, analysis, Murrill, Block, and Newburgh.1940, 133, 521 Pyruvate, thiamine effect, Harper and Deuel, 1941, 137, 233 Field, Pyruvic acid excretion, thiamine effect, Shils, Day, and McCollum, 1941, 139, 145 Riboflavin, Strong, Feeney, Moore, and Urea, Parsons. 1941, 137, 363 - determination, fluorometric, Najjar, 1941, 141, 355 Sex hormones, male, McCullagh and Osborn. 1938, 126, 299 Shock effect, Allison, Cole, Leathern, Zinc excretion, radioactive zinc isotope Nastuk, and Anderson, in study, Sheline, Chaikoff, Jones, and Montgomery, 1943, 147, 255

Urine-continued: Sodium dehydroisoandrosterone sulfate, determination, Talbot, Ryan, and Wolfe, 1943, 148, 593 - pregnanediol glucuronidate, determination, micro-, Venning, 1938, 126, 595 Steroid compounds, excretion, males, Engel, Thorn, and Lewis, 1941, 137, 205 Steroids, assay, Marker and Hartman, 1940, 133, 529 extraction apparatus, Hershberg and Wolfe, 1940, 133, 667 1941, 141, 215 -, ovariectomy effect, Hirschmann, 1940, 136, 483 Stilbestrol monoglycuronide isolation, Mazur and Shorr, 1942, 144, 283 Sulfanilyl-2-aminopyridine, excretion products, Ratish, Bullowa, Ames, 1939, 128, 279 and Scudi. Thiamine, determination, Schultz, Atkin, and Frey, 1940, 136, 713 Egaña and Meiklejohn, 1941, 141, 859 -, -, chemical, Melnick and Field. 1939, 130, 97 -, -, Prebluda-McCollum reaction. Alexander and Levi, 1942, 146, 399 -, -, thiochrome method, Mason and Williams, 1942, 146, 589 —, —, — —, nicotinic acid ingestion effect, Mason and Williams, 1941, 140, 417 -, stability and form, Melnick and 1939, 130, 97 Tocopherol, Hines and Mattill, 1943, **149,** 549 colorimetric. determination, 1942, 146, 595 Ormsby. Vitamin B₆ excretion, Scudi, Unna, 1940, 135, 371 and Antopol, - C, determination, Roe and Hall, 1939, 128, 329

1943, 147, 409

•	
Urocanic acid: Histidine metabolism, intermediary, relation, Darby and Lewis, 1942, 146, 225 Uronic acid(s): Determination, micro-, Kapp, 1940, 134, 143 Ursolic acid: Methylation, Sell and Kremers, 1938, 126, 501 Uterus: Electrolytes, estrogenic substance influence, Talbot, Lowry, and Astwood, 1940, 132, 1 See also Hysterectomy	Veratrine—continued: Alkaloids, Jacobs and Craig, 1943, 149, 271 Craig and Jacobs, 1943, 149, 451 Bases and solanidine, relationship, Craig and Jacobs, 1943, 149, 451 Proto-, and its alkamine, Jacobs and Craig, 1943, 149, 271 —, dehydrogenation, Craig and Jacobs, 1942, 143, 427 Verine: Proto-, Jacobs and Craig, 1943, 149, 271 Vertebrate(s): Blood cells, phosphorus,
V Valeric acid: Thiophene-, biotin relation, Melville, Moyer, Hofmann, and du Vigneaud, 1942, 146, 487 Valine: Dietary, indispensability, Rose and Eppstein, 1939, 127, 677 dl- and dl-iso-, metabolism. Butts and Sinnhuber, 1941, 139, 963 Metabolism, phlorhizin glycosuria, Rose, Johnson, and Haines, 1942, 145, 679 Vanadium: Phospholipid oxidation, tissues, action, Bernheim and Bernheim, 1939, 127, 353 van den Bergh reaction: Chemistry, Coolidge, 1940, 132, 119 Vapor pressure: Measurement, thermoelectric, Roepke and Baldes, 1938, 126, 349 Vegetable(s): Green, extracts, acetone and petroleum ether, carotene stability, Pepkowitz, 1943, 149, 465 Veratrine: Alkaloids, Craig and Jacobs, 1939, 129, 79 1940, 134, 123	acid-soluble, Rapoport and Guest, 1941, 138, 269 Vetch: See also Astragalus, Vicia Vicia atropurpurea: Seedlings, etiolated, asparagine and glutamine formation, Vickery and Pucher, 1943, 150, 197 Virus: Aucuba mosaic, protein, tomato roots, isolation, Stanley, 1938, 126, 125 Bushy stunt, protein, homogeneity, Lauffer, 1942, 143, 99 —, sedimentation rate, Lauffer and Stanley, 1940, 135, 463 —, tomato, diffusion constant, Neurath and Cooper, 1940, 135, 455 —, —, purification, Stanley, 1940, 135, 437 Cucumber, amino acids, aromatic, Knight and Stanley, 1941, 141, 39 —, preparation and properties, Knight and Stanley, 1941, 141, 29 Mosaic, latent, absorption spectra, and nucleic acid and protein absorption spectra, Lavin, Loring, and Stanley,
1940, 134, 123 1941, 139, 263 Craig, Jacobs, and Lavin, 1941, 139, 277 Craig and Jacobs, 1941, 139, 293 Jacobs, Craig, and Lavin, 1941, 141, 51 Craig and Jacobs, 1941, 141, 253	1939, 130, 259 — protein, latent, properties, Loring, 1938, 126, 455 — —, —, ultracentrifugal analysis, Wyckoff, 1939, 128, 729 Papilloma protein, molecular size, shape, and homogeneity, Neurath, Common Shape Taylor Baged and
1942, 143, 427 Jacobs and Craig, 1943, 148, 41, 51	Cooper, Sharp, Taylor, Beard, and Beard, 1941, 140, 293 Plant, isolation and crystallization, hydrophilic colloids, use in, Cohen,
Craig and Jacobs, 1943, 148, 57	1942, 1 44, 3 5 3

Virus-continued: Protein, rabbit papilloma, electrophoresis, Sharp, Taylor, Beard, and 1942, 142, 193 Purified, electron microscope study, Stanley and Anderson, 1941, 139, 325 Ring spot, absorption spectra, and nucleic acid and protein absorption spectra, Lavin, Loring, and Stanley, 1939, 130, 259 Tobacco mosaic, acetyl derivatives, Miller and Stanley, 1941, 141, 905 --, amino acids, aromatic, Knight and Stanley, 1941, 141, 39 ---, antiserum and, reaction, electron microscope study, Anderson and Stanley, 1941, 139, 339 ---, carbobenzoxy, p-chlorobenzoyl, and benzenesulfonyl derivatives, Miller and Stanley, 1942, 146, 331 - -, cleavage products, Knight and Lauffer, 1942, 144, 411 - -, denaturation, Lauffer and Dow, 1941, 140, 509 ---, --, measurement by phenolic groups, Miller, 1942, 146, 339 - -, derivatives, Miller and Stanley, 1941, 141, 905 1942, 146, 331 Miller. 1942, 146, 339, 345 - --, --, phenolic groups, determination, tyrosine derivatives, relation, 1942, 146, 345 --- , heat denaturation, Lauffer and Price, 1940, 133, 1 - , intestine nucleophosphatase action, Cohen and Stanley, 1942, 142, 863 - - nucleic acid molecule, size and shape, Cohen and Stanley, 1942, 144, 589 - - - -, properties and hydrolytic products, Loring, 1939, 130, 251 - -, phenylureido derivatives, Miller and Stanley. 1941, 141, 905 -- , physical and chemical properties, Knight, 1942, 145, 11 --- protein, amino acids, determination, Ross, 1941, 138, 741

Virus—continued:

Tobacco mosaic protein, amino acids, fractionation, Ross, 1942, 143, 685

——, solutions, diffusion, Neurath and Saum, 1938, 126, 435

——, viscosity, Lauffer, 1938, 126, 443

——, viscosimetry, Frampton, 1939, 129, 233

——, sulfur distribution, Ross, 1940, 136, 119

---, rib-grass strain, sulfur, Knight,
1943, 147, 663
-- ring spot, isolation and properties,
Stanley,
1939, 129, 405

Stantey, 1939, 129, 405

----, recovered plants, isolation,
Stanley, 1939, 129, 429

Vitamin(s): A, absorption experiments,

LePage and Pett, 1941, 141, 747

— and A₂, structure, comparison,
Gray, 1939, 131, 317

--, blood, visual test relation, Pett
and LePage, 1940, 132, 585
--, butter fat, vitamin A intake effect,

Deuel, Halliday, Hallman, Johnston, and Miller, 1941, 139, 479

—, cyclized, fish liver oils, *Embree*, 1939, 128, 187

—, deficiency, Pett and LePage, 1940, 132, 585

-, determination, colorimetric, Koehn and Sherman, 1940, 132, 527

-, eggs, diet effect, Almquist, Mackinney, and Mecchi, 1943, 150, 99

—, hypervitaminosis D₂ and D₃, ingestion effect, Morgan, Shimotori, and Hendricks, 1940, 134, 761

intake, butter fat vitamin A, effect,
 Deuel, Halliday, Hallman, Johnston,
 and Miller,
 1941, 139, 479

-, liver cell tumors, relation, Goerner and Goerner, 1939, 128, 559

-, non-crystallizable, Baxter, Harris, Hickman, and Robeson,

—, porous powder, catalytic effect,

Holmes and Corbet, 1939, 127, 449

—, storage, body, Little, Thomas, and

Sherman, 1943, 148, 441

Vitamin(s)—continued:

A, tissue, dibenzanthracene and alcohol effect, Baumann, Foster, and Moore, 1942, 142, 597

A₂, activity, Jensen, Shantz, Embree, Cawley, and Harris, 1943, 149, 473

-, chemical constitution, Gray and Cawley, 1940, 134, 397

-, cyclization, Embree and Shantz, 1940, 132, 619

Antianemia, chick, O'Dell and Hogan, 1943, 149, 323

B complex, factor W relation, Frost and Elvehjem, 1939, 128, 23

 ---, fat synthesis, relation, Longenecker, Gavin, and McHenry,

1941, 139, 611

 — supplement, homocystine replacement of methionine, relation, du Vigneaud, Dyer, and Kies,

1939, 130, 325

--- synthesis, sheep rumen, McElroy and Goss, 1939, 130, 437

— —. See also p-Aminobenzoic acid, Pantothenic acid

 factors, determination, polarographic, Lingane and Davis,

1941, 137, 567

--, fat metabolism and, McHenry and Gavin, 1939, 128, 45 Gavin and McHenry, 1940, 132, 41 McHenry and Gavin, 1941, 138, 471

-, - synthesis from protein, effect, McHenry and Gavin, 1941, 138, 471

—, filtrate factors, deficiency, sodium chloride levels, and sodium chloride administration effect, Ralli, Clarke, and Kennedy, 1941, 141, 105

—, heat-stable components, tissue metabolism, effect, Hastings, Muus, and Bessey, 1939, 129, 295

sources, antioxidant activity,
 György and Tomarelli,

1943, 147, 515
B₁, cocarboxylase relation, *Melnick*and Field, 1939, 127, 531

- deficiency, determination, blood cocarboxylase relation, Goodhart and Sinclair, 1940, 132, 11

Vitamin(s)—continued:

B₁, determination, chemical, Melnick and Field,

1939, 127, 505, 515, 531

—, muscle, working, pyruvate, effect, Bollman and Flock, 1939, 130, 565

phosphorylation, adrenalectomy
 effect, Ferrebee, 1940, 136, 719

—, pyrimidine, photochemistry and spectroscopy, Uber and Verbrugge, 1940, 134, 278

-, thiazole, photochemistry, Uber and Verbrugge, 1940, 136, 81

—. See also Thiamine

B₂ complex filtrate factor, nature,
 Mohammad, Emerson, Emerson, and
 Evans,
 1940, 133, 17

phosphorylation, adrenalectomy
 effect, Ferrebee, 1940, 136, 719

—. See also Riboflavin

B4 deficiency, chick, arginine, glycine, and cystine effect, Briggs, Luckey, Elvehjem, and Hart, 1943, 150, 11
 B6, acrodynia, effect, Schneider, Steen-

bock, and Platz, 1940, 132, 539

—, biological materials, Siegel,

Melnick, and Oser, 1943, 149, 361

—, body fat, effect, Gavin and McHenry, 1940, 132, 41

-, determination, biological, Conger and Elvehjem, 1941, 138, 555

-, -, colorimetric, Scudi,

1941, 139, 707

-, factor U, relation, Stokstad, Manning, and Rogers, 1940, 132, 463

-, - W, relation, Black, Frost, and Elvehjem, 1940, 132, 65

-, foods, determination, Bina, Thomas, and Brown, 1943, 148, 111

-, light effect, Hochberg, Melnick, Siegel, and Oser, 1943, 148, 253

-, fiver fat, effect, Gavin and Mc-Henry, 1940, 132, 41

-, metabolism, Scudi, Buhs, and Hood, 1942, 142, 323

—, nutrition, chick, Hegsted, Oleson, Elvehjem, and Hart, 1939, 130, 423

- preparation, Greene, 1939, 130, 513

-, urine, excretion, Scudi, Unna, and Antopol, 1940, 135, 371

Vitamin(s)—continued:

B₆-borate complex, formation, Scudi, Bastedo, and Webb, 1940, 136, 399 B₆. See alsoDermatitis, anti-, Pyridoxine

C, deficiency, homogentisic acid and metabolites, excretion, tyrosine effect, Sealock and Silberstein,

1940, 135, 251 -, determination, bacteria for, Gunsalus and Hand, 1941, 141, 853

-, excretion, Musulin, Tully, Longenecker, and King, 1939, 12**9,** 437 –, – and hypoprothrombinemia,

3,3'-methylenebis(4-hydroxycoumarin) effect, Baumann, Field, 1942, 146, 7 Overman, and Link,

-, -, organic compound relation, Longenecker, Musulin, Tully, and Kina. . 1939, 129, 445

-, rat, copper and organic substances, effect, Svirbely, 1939, 131, 233

 suprarenals, diphtherial intoxication, relation, Torrance,

1940, 132, 575

-, synthesis, Musulin, Tully, Longenecker, and King, 1939, 129, 437

-, -, organic compounds, effect, Longenecker, Fricke, and King,

1940, 135, 497

-, -, - -, relation, Longenecker, Musulin, Tully, and King,

1939, 129, 445 -, urine, determination, Roe and Hall, 1939, 128, 329

See also Ascorbic acid

D, absorption and retention, massive dose effect, Morgan and Shimotori, 1943, 147, 189

-, action, radioactive phosphorus in study, Shimotori and Morgan,

1943, 147, 201 -, blood lead, influence, Sobel, Yuska,

1940, 132, 239 Peters, and Kramer, -, - serum phosphatase, effect, Correll and Wise, 1938, 126, 581

-, body iron, effect, Fuhr and Steen-1943, 147, 65

 bone ash and body weight, effect, Correll and Wise, 19**3**8, **126,** 573 Vitamin(s)—continued:

D, bone lead, influence, Sobel, Yuska, Peters, and Kramer, 1940, 132, 239 determination, radioactive strontium in, Weissberger and Harris,

1942, 144, 287

hemoglobin production, effect, Fuhr and Steenbock, 1943, 147, 65

-, iron utilization, effect, Fuhr and Steenbock, 1943, 147, 59, 65, 71 -, new, cod liver oil, Bills, Massen-

gale, Hickman, and Gray,

1938, 126, 241

-, phosphorus metabolism, rickets, effect, radioactive isotopes as indicator, Cohn and Greenberg,

1939, 130, 625

-, various sources, efficiency, Correll and Wise, 1938, 126, 573, 581 D₂, crystalline, and derivatives, sta-

bility, Huber and Barlow,

1943, 149, 125 -, determination, antimony trichloride reagent, Zimmerli, Nield, and Russell, 1943, 148, 245

-, -, spectrophotometric, Nield, Russell, and Zimmerli,

1940, 136, 73

phosphorus-low diet, effect, Schneider and Steenbock,

1939, 128, 159 D₃, crystalline, and derivatives, stability, Huber and Barlow,

1943, 149, 125 -, determination, antimony trichloride reagent, Zimmerli, Nield, and

Russell. 1943, 148, 245 -, -, spectrophotometric, Nield,

Russell, and Zimmerli,

1940, 136, 73

Deficiency, anemia relation, chick, Hogan and Parrott, 1940, 132, 507

-, tissue metabolism, Hastings, Muus, and Bessey, 1939, 129, 295 Muus, Weiss, and Hastings,

1939, 129, 303

 -, — oxygen uptake, Sure and DeWitt, 1938, 126, 287

Determination, Lactobacillus caseigrowth, hydrogen ion concentration

Vitamin(s)—continued:	Vitamin(s)—continued:
change as measure, Silber and	K, physicochemical concentration,
Mushett, 1942, 146, 271	Riegel, Schweitzer, and Smith,
• E, activity, α -tocopherol-related com-	1939, 129, 495
pounds, Tishler and Evans,	-, water-soluble, absorption, Smith
1941, 139, 241	and Owen, 1940, 134, 783
-, deficiency, muscle oxygen con-	K ₁ , absorption spectrum, Ewing,
sumption, creatine, and chloride,	Vandenbelt, and Kamm,
α -tocopherol effect, Houchin and	1939, 131, 345
Mattill, 1942, 146, 301	Ewing, Tomkins, and Kamm,
-, oxidation, Golumbic and Mattill,	1943, 147, 233
1940, 134, 535	—, alfalfa, identification, MacCorquo-
 —, α-tocoquinone, relation, Emerson, 	dale, McKee, Binkley, Cheney, Hol-
$Emerson,\ and\ Evans,$	comb, Thayer, and Doisy,
1939, 131, 409	1939, 130, 433
—. See also Tocopherol	—, associated quinones and naphtho-
H, foodstuffs and yeast, $Gy\ddot{o}rgy$,	quinones, determination, reduction-
1939, 131, 733	oxidation method, Trenner and
—, isolation, György, Kuhn, and	Bacher, 1941, 137, 745
Lederer, 1939, 131, 745	-, constitution, MacCorquodale,
-, liver, isolation, du Vigneaud,	Cheney, Binkley, Holcomb, McKee,
Hofmann, Melville, and György,	Thayer, and Doisy, 1939, 131, 357
1941, 140, 643	-, derivative, Almquist and Klose,
-, physicochemical properties, Birch	1939, 130, 791
and György, 1939, 131, 761	-, determination, reduction-oxida-
—. See also Biotin	tion method, Trenner and Bacher,
Interrelationships, Sure, Theis, and	1941, 137, 745
Harrelson, 1939, 129, 245	-, isolation, Binkley, MacCorquodale,
Sure and Ford, 1942, 146, 241	Thayer, and Doisy, 1939, 130, 219
K, activity, Fieser, Tishler, and	-, light effect, Ewing, Tomkins, and
Sampson, 1941, 137, 659	Kamm, 1943, 147, 233
-, -, 4-amino-2-methyl-1-naphthol	 —, 2-methyl-1,4-naphthoquinone, antihemorrhagic activity, compari-
and 4-amino-3-methyl-1-naphthol,	son, Emmett, Brown, and Kamm,
Emmett, Kamm, and Sharp,	1940, 132, 467
1940, 133, 285	
-, -, benzoquinone series, Ansbacher and Fernholz, 1939, 131, 399	-, synthesis, MacCorquodale, Cheney,
and Fernholz, 1939, 131, 399 —, bile salt substitute for administra-	Binkley, Holcomb, McKee, Thayer,
tion with, Lozinski and Gottlieb,	and Doisy, 1939, 131, 357 Klose and Almquist, 1940, 132, 469
1940, 133, 635	
-, blood coagulation, polyhydroxy-	K ₁ -related compounds, absorption spectra, Ewing, Vandenbelt, and
anthraquinones, effect, Martin and	
Lischer, 1941, 137, 169	
-, chemical constitution, Fieser,	K ₂ , absorption spectra, Ewing, Van-
Tishler, and Sampson,	denbelt, and Kamm, 1939, 131, 345
1941, 137, 659	-, chemical constitution, Binkley,
-, determination, colorimetric, Scudi	McKee, Thayer, and Doisy,
and Buhs, 1942, 143, 665	1940, 133, 721
	-, isolation, McKee, Binkley, Thayer,
—, —, —, oxidation-reduction, Scudi and Buhs, 1941, 141, 451	MacCorquodale, and Doisy, 1939, 131, 327
www. 1371, 171, 101	1303, 131, 921

Vitamin(s)-continued:

K₂-related compounds, absorption spectra, Ewing, Vandenbelt, and Kamm, 1939, 131, 345

Perspiration, Mickelsen and Keys,

1943, **149,** 479

Pro-, A, watermelon, Zechmeister and Polgár, 1941, 139, 193

Water-soluble, essential, chick, Briggs, Luckey, Elvehjem, and Hart,

1943, 148, 163

See also Avitaminosis, Factor V, Factor W

W

Walden inversion: Levene and Rothen, 1939, 127, 237

Water: Blood and extravascular fluid exchange, Flexner, Gellhorn, and Merrell, 1942, 144, 35

 muscle, exchange, adrenal insufficiency, Muntwyler, Mellors, Mautz, and Mangun, 1940, 134, 367

— tendon, exchange, Muntwyler, Mellors, Mautz, and Mangun,

1940, 134, 389

-, determination, distillation method, Miller, 1942, 143, 65

dolphin, Eichelberger, Fetcher,
 Geiling, and Vos, 1940, 133, 145
 equilibrium, adrenal insufficiency,

Muntwyler, Mellors, and Mautz, 1940, 134, 345

Body, distribution, dehydration and hydration, nephrectomy effect, Chanutin and Ludewig,

1939, 131, 519

Hydrogen and, exchange reaction, biological catalysis, *Hoberman and Rittenberg*, 1943, 147, 211

Kidney, normal and hydronephrotic, Eichelberger and Bibler,

1940, 132, 645 Liver, Marble, Grafflin, and Smith,

ver, martie, Graymi, and Smith, 1940, 134, 253

-, fasting, glucose feeding effect,

McBride, 1943, 147, 333

-, fat and, relation, fasting effect,

MacLachlan, Hodge, Bloor, Welch,

Truax, and Taylor, 1942, 143, 473

Water-continued:

Liver glycogen deposition, relation, Fenn and Haege, 1940, 136, 87

-, - relation, McBride, Guest, and Scott, 1941, 139, 943

-, potassium salts, injection effect, Eichelberger, 1941, 138, 583

Muscle and blood, exchange, adrenal insufficiency, Muntwyler, Mellors, Mautz, and Mangun, 1940, 134, 367

— — plasma, exchange, Mellors, Muntwyler, and Mautz,

1942, 144, 773

-, dolphin, Eichelberger, Geiling, and Vos. 1940, 133, 661

 hydronephrosis, potassium salts, injection effect, Eichelberger,

—, potassium salts, injection effect,
Eichelberger, 1941, 138, 583

—, renal impairment influence, Eichelberger, 1939, 128, 137

Sodium dehydroisoandrosterone sulfate, determination, Talbot, Ryan, and Wolfe, 1943, 148, 593

Tendon and blood, exchange, Muntwyler, Mellors, Mautz, and Mangun,

Tissue, *Miller*, 1940, 134, 389 1942, 143, 65 1943, 149, 153

-, determination, distillation method, Miller, 1943, 149, 153

-, equilibrium, Muntwyler, Mellors, and Mautz, 1940, 134, 345 Muntwyler, Mellors, Mautz, and Mangun, 1940, 134, 367, 389

See also Dehydration, Hydration
 Watermelon: Carotenoid and provitamin
 A, Zechmeister and Polgár,

1941, 139, 193

Wax: Fractions, tubercle bacillus, human, chemistry, Wieghard and Anderson, 1938, 126, 515

Tubercle bacillus, avian, mycolic

acids, Anderson and Creighton, 1939, 129, 57

 -- , bovine, chemistry, Cason and Anderson, 1938, 126, 527
 Wheat: Amylase, starch, action, Stam-

berg and Bailey, 1938, 126, 479

Wheat-continued:	Xylose—continued:
Flour, Hungarian, carotenoids, Zech-	Blood sugar, effect, Darby and Day,
meister and Cholnoky, 1940, 135, 31	1940, 133, 503
Indian, mucilage, Anderson, Gillette,	l-, metabolism, Larson, Blatherwick,
and Seeley, 1941, 140, 569	Bradshaw, Ewing, and Sawyer,
Protein, crystalline, phosphatide re-	1940, 136, 1
versal, antimicrobial action, Woolley	Xylulose: d- and l-, metabolism, pan-
and Krampitz, 1942, 146, 273	createctomy effect, Larson, Cham-
Wool: Amino acids, Block,	bers, Blatherwick, Ewing, and Sawyer
1939, 128, 181	1939, 129, 701
Lanthionine isolation, Horn, Jones,	l-, metabolism, Larson, Blatherwick
and Ringel, 1941, 138, 141	Bradshaw, Ewing, and Sawyer,
- synthesis, du Vigneaud and Brown,	· · · · · · · · · · · · · · · · · ·
	19 4 1, 138, 353
1941, 138, 151	Y
Powdered, chemistry, Routh,	_
1940, 13 5, 175	Yeast: p-Aminobenzoic acid isolation
Sulfur-containing amino acid, isola-	Blanchard, 1941, 140, 919
tion, Horn, Jones, and Ringel,	Carboxylase, activity, Cajori,
1941, 138, 141	1942, 143, 357
, synthesis, du Vigneaud and	-, N,N-dimethylaminoazobenzene
Brown, 1941, 138, 151	split-products, effect, Kensler
Work: Muscle lactic acid formation,	Young, and Rhoads, 1942, 143, 465
effect, Flock, Ingle, and Bollman,	Coenzyme I preparation, Williamson
1939, 129, 99	and Green, 1940, 135, 345
- pyruvate, vitamin B ₁ effect, Boll-	Egg white injury curative factor
man and Flock, 1939, 130, 565	György, 1939, 131, 733
See also Exercise, Muscle	Extract, growth effect, Jukes,
Worm: Marine. See also Spirographis,	1940, 133, 631
Urechis	Flavoprotein, Green, Knox, and
x	Stumpf, 1941, 138, 775
	Fresh, anticomplementary factor, Pil-
Xanthine: Determination, Hitchings,	lemer and Ecker, 1941, 137, 139
1941, 139, 843	Nitrogen metabolism, ammonia and
Oxidase, blood, Blauch, Koch, and	carbamide effect, Schultz, Atkin, and
Hanke, 1939, 130, 471	Frey, 1940, 135, 267
—, liver, riboflavin effect, Axelrod and	-, bios effect, Schultz, Atkin, and
Elvehjem, 1941, 140, 725	Frey, 1940, 135, 267
-, purification and properties, Ball,	Pasteur enzyme, absorption spectrum
1939, 128, 51	Melnick, 1941, 141, 269
Xanthopterin: Anemia factor, fish, Sim-	Phosphatase determination, Rae and
mons and Norris, 1941, 140, 679	Eastcott, 1940, 136, 443
Succinylsulfathiazole and, leucopenia	Polypeptidase, isolation and proper-
and body weight loss, effect, Totter	ties, Johnson, 1941, 137, 575
and Day, 1943, 147, 257	Pyridine nucleotide preparation,
Xanthurenic acid: Tryptophane metabo-	Klein, 1940, 134, 43
lism, pyridoxine deficiency, effect,	Respiration, cytochrome c effect, Car-
Lepkovsky, Roboz, and Haagen-	roll and Stier, 1941, 137, 787
Smit, 1943, 149, 195	Respiratory ferment, absorption spec-
Xylose: Blood serum phosphorus, effect,	trum, Melnick, 1941, 141, 269
Free and Leonards, 1943, 149, 203	Vitamin H, György, 1939, 131, 733
	, , , , , , , , , , , , , , , , , , , ,

Z

ays: See Maize

Hydrolysates, optical rotation, rdrolysis and heating effect, Borchs and Berg, 1942, 142, 693 tization, critical temperature, hyl alcohol, Manley and Evans,

1942, 143, 701

eonine, hydrolysates, autoclaving fect, Borchers, Totter, and Berg, 1942, 142, 697

Carbonic anhydrase, relation, love, Elvehjem, and Hart,

fain and Locke, 1940, 136, 425 fain and Locke, 1942, 143, 729 ficient diet, blood uric acid and ver uricase, effect, Wachtel, Hove, Wichjem, and Hart. 1941, 138, 361 Zinc-continued:

Feces, excretion, radioactive zinc isotope in study, Sheline, Chaikoff, Jones, and Montgomery,

1943, 147, 409 .

Metabolism, radioactive isotope in study, Sheline, Chaikoff, Jones, and Montgomery, 1943, 147, 409 1943, 149, 139

Phosphatases, alkaline, effect, Hove, Elvehjem, and Hart, 1940, 134, 425 Radioactive, tissues, radioactive zinc isotope in study, Sheline, Chaikoff, Jones, and Montgomery,

1943, 194, 139

Urine, excretion, radioactive zinc isotope in study, Sheline, Chaikoff, Jones, and Montgomery,

1943, 147, 409

を表すない。

9 ·

ů,

INDIAN AGRICULTURAL RESEARCH INSTITUTE LIBRARY NEW DELHI.

Date of issue. Date of issue.

P. P. Works 1/12/48 PJ (ACP) F. 17/595 19/1/48—1002.